

SERVICES

HYDRAULIC, SELECTORS UNDER TANK FLOOR

Issued with A.L. No. 13

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
		1 2 3 4 5				
28M/10328	AGS.2002-C1	Nut	1	-	C	-
6956	FOS.40/4	Nut	1	-	MR/C	-
28W/9419402	SP.13-C	Washer	1	-	C	-
28W/1010519	SP.122-D	Washer	1	-	C	-
4093	1873/2135A	PIPE assy, from undercarriage emergency valve to four-way junction, undercarriage emergency air link	1	-	MR/C	PG.1
		Attachment parts for 1873/2135A:-				
28D/1011022	A.25-18C	Bolt	1	-	C	-
28DU/9419978	A.102-18D	Bolt	1	-	C	-
		Clip	1	-	C	-
28M/10281	AGS.2001-C3	Nut	1	-	C	-
28M/9438436	A.129-D	Nut	1	-	C	-
-	AS.2811-5-170	Tube, distance (Pre Amendt. 280A)	1	-	MR/LM	-
-	AS.2811-5-160	Tube, distance (Amendt. 280A)	1	-	MR/LM	-
28W/9419475	SP.15-C	Washer	2	-	C	-
28W/9457834	SP.124-D	Washer	2	-	C	-

SERVICES

HYDRAULIC, SELECTORS UNDER TANK FLOOR

Issued with A.L. No. 13

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
		1 2 3 4 5				
4094	1873/2137A	PIPE assy, from undercarriage selector valve to reducing union, undercarriage, up line	1	—	MR/C	PG.1
28D/9436920	A.25-1C	Attachment parts for 1873/2137A:—	1	—	C	—
28DU/9419965	A.102-1D	Bolt	1	—	C	—
7646	1873/3193	CENTRE, pipe clip (Mod. 241)	1	—	MR/C	PG.1
28E/17142	AGS.3181-11C	Clip, pipe	1	—	C	—
28M/10288	AGS.2001-C1	Nut	1	—	C	—
6956	FOS.40/4	Nut	1	—	MR/C	—
28W/9419475	SP.15-C	Washer	1	—	C	—
28W/9457834	SP.124-D	Washer	1	—	C	—
7220	1873/3111	RESTRICTOR, union, special	1	—	MR/C	PG.1
28F/12048	AGS.1186B	SEAL, bonded	8	—	C	—
27QA/886	Dowty GD.1373-3	SEAL, "O" ring	1	—	C	PG.1
27QA/544	Dowty GD.1373-4	SEAL, "O" ring	1	—	C	PG.1
27QA/740	Dowty GD.1373-6	SEAL, "O" ring	2	—	C	PG.1
		SELECTORS, under tank floor installation (1873/1357A and 1357A/UN)	—	—	—	—
		Spares for:—				
	1873/2363A	BLOCK assy, distribution	1	—	MR	PG.1
—	1873/2363A/UN	BLOCK assy, distribution	1	—	MR	—
		Spares for:—				
6283	1873/2007	ADAPTER, cone	1	—	MR/C	PG.1
28F/18893	AGS.3016-A	ADAPTER, cone	1	—	C	—
28F/17489	AGS.3016-B	ADAPTER, cone	5	—	C	—
28F/18894	AGS.3016-C	ADAPTER, cone	1	—	C	—
27QA/886	Dowty GD.1373-3	SEAL, "O" ring	3	—	C	PG.1
27QA/544	Dowty GD.1373-4	SEAL, "O" ring	5	—	C	PG.1
27QA/545	Dowty GD.1373-5	SEAL, "O" ring	1	—	C	PG.1
27QA/740	Dowty GD.1373-6	SEAL, "O" ring	1	—	C	PG.1
		Attachment parts for 1873/2363A and 2363A/UN:—				
28D/13305	AS.3297-19C	Bolt	2	—	C	—
28DU/16969	A.173-19D	Bolt	2	—	C	—
28M/10328	AGS.2002-C1	Nut	2	—	C	—
6956	FOS.40/4	Nut	2	—	MR/C	—
28W/9419475	SP.15-C	Washer	2	—	C	—
28W/9457834	SP.124-D	Washer	2	—	C	—
2259	1873/625A	CONTROL unit assy	1	—	MR/B	PB.2
6279	1873/625A/UN	CONTROL unit assy	1	—	MR/B	—
		Spares for:—				
2A/9500567	Hoffman	BALL, 3/16 in. diameter	4	—	C	PB.2
—	1373/823A/UN	BODY assy	1	—	MR	PB.2
2260	1373/837	BUSH	1	—	MR/C	PB.2
28N/2001688	AGS.2030-22	CIRCLIP	1	—	C	—
‡2261	1873/627A	END assy, eye	1	—	MR/C	PB.2
		Spares for:—				
28N/13510	Hoffman CJ.0	JOINT, self-aligning	1	—	C	PB.2
		Attachment parts for 1873/627A:—				
28P/1011098	SP.28-G4	PIN, taper	1	—	C	—
4417	1873/2467	END, fork	1	—	MR/C	PB.2
2263	1873/635ND	LOCK-NUT	1	—	MR/C	PB.2
28N/9156370	SP.21	NIPPLE, grease	1	—	C	—
28N/9432345	SP.115	NIPPLE, grease	1	—	C	—

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

