

FUEL SYSTEM

Issued with A.L. No. 9

		G.A. OF FUEL SYSTEM (1857/75A and 75A/UN) ...		—	—	—	—
		Spares for :—					
		CONNECTOR ASSY, FLEXIBLE, PORT AND STARBOARD (1857/167A)		—	—	—	PL.1
		Spares for :—					
1727	1857/145	ADAPTER ...	1	—	MR/C	PL.1	
1728	King C.6045-21-H	CLAMP ...	1	—	MR/C	PL.1	
1729	1857/177	CONNECTOR, flexible ...	1	—	MR/C	PL.1	
1730	1857/159	COUPLING, adapter ...	1	—	MR/C	PL.1	
1735	1857/477	FILTER assy ...	1	—	MR/C	PL.1	
1737	1857/165	GASKET ...	1	—	C	PL.1	
		OR					
6242	1857/1263	GASKET ...	1	—	MR/C	PL.1	
1752	1857/161	RING, lock ...	1	—	MR/C	PL.1	
27QA	Dowty SP.910-35	RING, sealing ...	1	—	C	PL.1	
27QA/448	Dowty SP.911-4	RING, sealing ...	1	—	C	PL.1	
1764	1857/179	WASHER ...	1	—	MR/C	PL.1	
		CONTROL, VALVE, VENT, INSTALLATION (1857/69A and 69A/UN)		—	—	—	—
		Spares for :—					
4335	1857/1181A	CABLE assy, × 61-05" ...	1	—	MR/C	PL.1	
		Attachment parts for 1857/1181A :—					
28P/811	SSP.4-A1	Pin ...	1	—	C	—	
28P/1202460	SP.9-C4	Pin, split ...	1	—	C	—	
28W/9419474	SP.15-B	Washer ...	1	—	C	—	
28W/17542	SP.124-B	Washer ...	1	—	C	—	
4336	1857/1183A	CABLE assy, × 29-35" ...	1	—	MR/C	PL.1	
		Attachment parts for 1857/1183A :—					
28P/811	SSP.4-A1	Pin ...	1	—	C	—	
28P/1202460	SP.9-C4	Pin, split ...	1	—	C	—	
28W/9419474	SP.15-B	Washer ...	1	—	C	—	
28W/17542	SP.124-B	Washer ...	1	—	C	—	
5384	1857/1341	CLEAT, port ...	2	—	MR/C	PL.1	
5385	1857/1342	CLEAT, starboard ...	2	—	MR/C	PL.1	
		Attachment parts for 1857/1341-1342 :—					
28D/8300	AS.1242-1B	Bolt ...	2	—	C	—	
28S/9997565	A.204-B14	Screw ...	2	—	C	—	
28M/10327	AGS.2002-B1	Nut ...	2	—	C	—	
6956	FOS.40/2	Nut ...	2	—	MR/C	—	
5387	1857/1343	PLATE, throat ...	1	—	MR/C	PL.1	
4337	1857/69B	CONDUIT ...	1	—	MR/C	PL.1	
4338	1857/69C	CONDUIT ...	1	—	MR/C	PL.1	
		Attachment parts for 1857/69B and 69C :—					
28D/9436920	A.25-1C	Bolt ...	3	—	C	—	
28DU/9419966	A.102-1/2D	Bolt ...	3	—	C	—	
28E/1012877	AS.3181-5C	Clip, "P" ...	3	—	C	—	
28M/10328	AGS.2002-C1	Nut ...	3	—	C	—	
6956	FOS.40/4	Nut ...	3	—	MR/C	—	
28W/9419475	SP.15-C	Washer ...	3	—	C	—	
28W/9457834	SP.124-D	Washer ...	3	—	C	—	

FUEL SYSTEM

Issued with A.L. No. 9

4340	1857.1187	FAIRLEAD, port...	...	...	...	...	1	—	MR C	PL.1
4341	1857.1189	FAIRLEAD, port...	...	...	...	...	1	—	MR C	PL.1
6243	1857.777	FAIRLEAD, starboard	...	...	...	...	1	—	MR C	PL.1
4339	1857.1191	FAIRLEAD, starboard	...	...	...	...	1	—	MR C	PL.1
Attachment parts for 1857/1187-118-777-1191 :—										
28D.1010658	A.25-1B	Bolt	...	...	...	...	1	—	C	—
28DU/9480166	A.102-1B	Bolt	...	...	...	...	1	—	C	—
28M.10327	AGS.2002-B1	Nut	...	...	...	...	1	—	C	—
6954	FOS.40.2	Nut	...	...	...	...	1	—	MR/C	—
28VV.9419474	SP.15-B	Washer	...	...	...	...	1	—	C	—
28VV.17542	SP.124-B	Washer	...	...	...	...	1	—	C	—
6244	1857.1613	GUARD, cable	...	...	...	...	1	—	MR C	PL.1
28P.815	SSP.4-A5	PIN	...	...	...	...	2	—	C	—
28P.816	SSP.4-A6	PIN	...	...	...	...	1	—	C	—
28P.1202460	SP.9-C4	PIN, split	...	...	...	...	3	—	C	—
28R.13502	AS.111	PULLEY	...	...	...	...	2	—	B	PL.1
Attachment parts for AS.111 :—										
28D.1008451	A.25-4E	Bolt	...	...	...	...	1	—	C	—
28D.9414342	A.102-3E	Bolt	...	...	...	...	1	—	C	—
28M.7002430	AGS.2002-E1	Nut	...	...	...	...	1	—	C	—
6957	FOS.40.5	Nut	...	...	...	...	1	—	MR/C	—
28VV.9419405	SP.15-E	Washer	...	...	...	...	1	—	C	—
28VV.17427	SP.124-E	Washer	...	...	...	...	1	—	C	—
28R.13502	AS.111	PULLEY	...	...	...	...	2	—	B	PL.1
Attachment parts for AS.111 :—										
28P.864	SSP.4-D6	Pin	...	...	...	...	1	—	C	—
28P.1006943	SP.9-C6	Pin, split	...	...	...	...	1	—	C	—
28VV.9419405	SP.15-E	Washer	...	...	...	...	1	—	C	—
28VV.17427	SP.124-E	Washer	...	...	...	...	1	—	C	—
28VV.9419474	SP.15-B	WASHER	...	...	...	...	3	—	C	—
28VV.17542	SP.124-B	Washer	...	...	...	...	3	—	C	—
DRAIN, VENT PIPE, INSTALLATION (1857/719A and 719A/UN)										
Spares for :—										
28F.5104	AGS.838-1	BODY, union	...	...	...	...	2	—	C	—
5K.3397	AS.3360-C3C	BONDING, flexible	...	...	...	...	1	—	C	—
Attachment parts for 5K/3397 :—										
28D.9436920	A.25-1C	Bolt	...	...	...	...	1	—	C	—
28S.9994997	A.205-D14	Screw	...	...	...	...	1	—	C	—
28E.1012877	AS.3181-5C	Clip, "P"	...	...	...	...	1	—	C	—
28M.10328	AGS.2002-C1	Nut	...	...	...	...	1	—	C	—
6956	FOS.40.4	Nut	...	...	...	...	1	—	MR/C	—
28VV.9419475	SP.15-C	Washer	...	...	...	...	1	—	C	—
28VV.9457834	SP.124-D	Washer	...	...	...	...	1	—	C	—

FUEL SYSTEM

Issued with A.L. No. 17

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.H.	
28F/1037653	AGS.838-13	BUSH and union nut assembly	4	—	C	—
2791	1851/53	FAIRLEAD (Mod. 184)	2	—	MR/C	PL.6
2792	1851/55	FAIRLEAD (Mod. 184)	2	—	MR/C	PL.6
		Attachment parts for 1851/53 and 1851/55:—				
28D/9133011	A.25-2C	Bolt	2	—	C	—
28DU/9419565	A.102-1D	Bolt	2	—	C	—
28W/9419475	SP.15-C	Washer	2	—	C	—
28W/9457834	SP.124-D	Washer	2	—	C	—
2793	FOS.11/BB/6	HOSE	1	—	MR/C	—
		Attachment parts for FOS.11/BB/6:—				
28E/10154	AGS.605-00	Clip, hose	2	—	C	—
2795	1857-307ND	PIPE, vent valve drain, engine bay (Mod. 184)	1	—	MR/C	PL.6
2796	1857/309ND	PIPE, vent valve drain, engine bay to bottom skin (Mod. 184)	1	—	MR/C	PL.6
		Attachment parts for 1857/307ND and 1857/309ND:—				
28D/9436920	A.25-1C	Bolt	1	—	C	—
28DU/9419966	A.102-1/2D	Bolt	1	—	C	—
28E/1012877	AS.3181-5C	Clip, "P"	1	—	C	—
28M/9433473	AGS.2002-C1	Nut	1	—	C	—
6956	FOS.40/4	Nut	1	—	MR/C	—
28W/9419475	SP.15-C	Washer	1	—	C	—
28W/9457834	SP.124-D	Washer	1	—	C	—
3356	1857/377ND	PIPE, vent pipe drain, spine to engine bay (Mod. 184)	1	—	MR/C	PL.6
		Attachment parts for 1857/377ND:—				
28D/9436920	A.25-1C	Bolt	1	—	C	—
28S/9994997	A.205-D14	Screw	1	—	C	—
28D/9133011	A.25-2C	Bolt	1	—	C	—
28DU/9419565	A.102-1D	Bolt	1	—	C	—
28E/1012877	AS.3181-5C	Clip, "P"	2	—	C	—
28M/9433473	AGS.2002-C1	Nut	1	—	C	—
6956	FOS.40/4	Nut	1	—	MR/C	—
28W/9419475	SP.15-C	Washer	2	—	C	—
28W/9457834	SP.124-D	Washer	2	—	C	—
28W/9419404	SP.16-C	Washer	1	—	C	—
28W/9457834	SP.124-D	Washer	1	—	C	—
		FILLER, FUEL TANK, PORT AND STARBOARD (1857/25A and 25A/UN)	—	—	—	PL.1
		Spares for:—				
5K/3428	AS.3360-B.12.B	BONDING, flexible	1	—	C	—
		Attachment parts for AS.3360-B.12.B:—				
28D/1010658	A.25-1B	Bolt	1	—	C	—
28DU/9480160	A.102-½B	Bolt	1	—	C	—
28D/9128739	AS.1248-½B	Bolt	1	—	C	—
28DU/9419535	A.113-½-B	Bolt	1	—	C	—
28M/1086618	AGS.2002-B1	Nut	1	—	C	—
6954	FOS.40/2	Nut	1	—	MR/C	—
28W/9419474	SP.15-B	Washer	2	—	C	—
28W/9471274	SP.124-B	Washer	2	—	C	—

FUEL SYSTEM

Issued with A.L. No. 15

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL SPEC.	CL. OF ST.	PLATE No
					M.R. L.M.	
7740 8368	1857/1611A 1857/1611A/UN	FILTER assy., fuel tank filler (Mod. 117) F LTER assy., fuel tank filler (Mod. 117)	1 1	— —	MR/C MR/C	PL.1
28D/1214470 28D/1007975 28S/1201336	AS.3297-1-C AS.1242-1C A.204-D16	Attachment parts for 1857/1611A and 1611A/UN:— Bolt Bolt Screw	3 3 3	— — —	C C C	
2072	1857/513	HOSE, flexible Attachment parts for 1857/513:—	1	—	MR/C	PL.1
28E/9130219 28E/9129563	AGS.605-4 AGS.605-5	Clip, hose Clip, hose	1 1	— —	C C	
2074 2073 6218	1857/531 1857/495A 1857/495A/UN	GASKET HOUSING, assy., seal HOUSING, assy., seal	1 1 1	— — —	— MR/B MR/B	PL.1 PL.1
28M/9435067 6963	1857/503 1857/499 AGS.2009-C1 FOS.41/4 1857/501	Spares for:— BLOCK, packing BLOCK, stop NUT NUT SPRING, leaf	3 3 6 6 3	— — — — —	MR MR C MR/C MR	PL.1 PL.1 PL.1
28D/1214470 28E/9130219 28S/1201336	AS.3297-1C AGS.605-4 A.204-D16	Attachment parts for 1857/495A and 495A/UN:— Bolt Clip, hose Screw	6 1 6	— — —	C C C	
27QA/ 7625 7626	SP.910-D36 1857/521 1857/521/UN	SEAL, "O" ring TUBE, assy., filler TUBE, assy., filler	2 1 1	— — —	— — —	PL.1
28J/4070476	AS.2402 SP.4-B6 SP.9-C4	Spares for:— ARM Attachment parts for AS.2402:— Pin Pin, split	1 1 1	— — —	C C C	
3509	1857/879A	BAR, lifting Attachment parts for 1857/879A:—	1	—		
28M/9433473 28W/9419475	AGS.2002-C1 SP.15-C	Nut, 2 BA Washer, 2 BA	1 1	— —	C C	
28J/4070455 28J/17478 28J/4070456 28J/4070458 28J/14409	AS.2403 AS.2400 AS.2409 AS.2410 AS.2407	BRACKET CAP, filler KNOB PLATE SCREW	1 1 1 1 1	— — — — —	— C C C C	
6222 28J/4070461	1857/505 1857/505/UN AS.2405	TUBE, assy TUBE, assy WASHER, seal	1 1 1	— — —	— — C	PL.1

FUEL SYSTEM

Issued with A.L. No. 15

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
		FUEL SYSTEM, WING, G.A., PORT (1857/67A and 67A/UN)	—	—	—	PL.2
		FUEL SYSTEM, WING, G.A., STARBOARD (1857/68A and 68A/UN)	—	—	—	PL.2
		Spares for:—				
28F/9423227	AGS.1135-Bp	BOLT, banjo	1	—	C	—
5K/3371	AS.3360-B.4.C	BONDING, flexible	13	—	C	—
		Attachment parts for AS.3360-B.4.C:—				
28D/9436920	A.25-1C	Bolt	10	—	C	—
28S/9994997	A.205-D14	Screw	10	—	C	—
28E/1006378	AS.3181-8C	Clip, "P"	1	—	C	—
28E/14082	AS.3181-10C	Clip, "P"	4	—	C	—
28E/14083	AS.3181-12C	Clip, "P"	3	—	C	—
28E/1012878	AS.3181-16C	Clip, "P"	6	—	C	—
28M/10328	AGS.2002-C1	Nut	12	—	C	—
6956	FOS.40/4	Nut	12	—	MR/C	—
28S/1008152	A.31-B6	Screw	4	—	C	—
28S/9994991	A.205-B6	Screw	4	—	C	—
28VV/9419475	SP.15-C	Washer	10	—	C	—
28VV/9457834	SP.124-D	Washer	10	—	C	—
28VV/1200328	AGS.2037-B	Washer	13	—	C	—
5K/3389	AS.3360-C.4C	BONDING, flexible	1	—	C	—
		Attachment parts for AS.3360-C.4.C:—				
28D/9436920	A.25-1C	Bolt	1	—	C	—
28S/9994997	A.205-D.14	Screw	1	—	C	—
28E/1012876	AS.3181-4C	Clip, "P"	1	—	C	—
28M/10328	AGS.2002-C1	Nut	1	—	C	—
6956	FOS.40/4	Nut	1	—	MR/C	—
28VV/9419475	SP.15-C	Washer	1	—	C	—
28VV/9457834	SP.124-D	Washer	1	—	C	—
5K/3403	AS.3360-C.6.C	BONDING, flexible	1	—	C	—
		Attachment parts for AS.3360-C.6.C:—				
28D/9436920	A.25-1C	Bolt	2	—	C	—
28S/9994997	A.205-D14	Screw	2	—	C	—
28E/1012876	AS.3181-4C	Clip, "P"	2	—	C	—
28M/10328	AGS.2002-C1	Nut	2	—	C	—
6956	FOS.40/4	Nut	2	—	MR/C	—
28VV/9419475	SP.15-C	Washer	2	—	C	—
28VV/9457834	SP.124-D	Washer	2	—	C	—
7289	1857/1643	CAP, blanking	1	—	MR/C	PL.2
27FR/2372	Flight Refuelling FRS.132-E1	CONNECTOR, 5/8"	2	—	—	PL.2
27FR/2352	Flight Refuelling FRS.132-F1	CONNECTOR, 1"	5	—	—	PL.2
		(For spares see SP.4515U, Vol. 3, Pt. 1)				
6252	Aero Controls AC.4030-16D	COUPLING, 1"	1	—	MR/B	PL.2
		Spares for:—				
7046	AC.4033-16D	GLAND, washer	1	—	MR/C	—
7047	AC.4035-16D	RING, locking	1	—	MR/C	—
6255	AC.4038-16D	SEAL	1	—	MR/C	—

FUEL SYSTEM

Issued with A.L. No. 8

6253	Aero Controls AC.4110-10D	COUPLING, $\frac{5}{8}$ in.	1	—	MR/B	PL.2
		Spares for :—				
7054	AC.4117-10D	GLAND, washer	1	—	MR/C	—
7055	AC.4113-10D	RING, locking	1	—	MR/C	—
6254	AC.4038-10D	SEAL	1	—	MR/C	—
28F/9715	AGS.1116-B	ELBOW, cone	1	—	C	—
6251	1857/1603	NIPPLE, adaptor	1	—	MR/C	PL.2
3712	1857/939	PIPE assy, air, leading edge nose rib 1 to 1A, port	1	—	MR/C	PL.2
3713	1857/941	PIPE assy, air, leading edge nose rib 1 to 1A, starboard	1	—	MR/C	PL.2
		Attachment parts for 1857/939 and 941 :—				
28D/9436920	A.25-1C	Bolt	1	—	C	—
28S/9994997	A.205-D14	Screw	1	—	C	—
28E/14082	AS.3181-10C	Clip, "P"	1	—	C	—
28M/10328	AGS.2002-C1	Nut	1	—	C	—
6956	FOS.40/4	Nut	1	—	MR/C	—
28W/9419475	SP.15-C	Washer	1	—	C	—
28W/9457834	SP.124-D	Washer	1	—	C	—
3714	1857/943	PIPE assy, air, wing leading edge, nose rib 1A to fuselage frame 12, port	1	—	MR/C	PL.2
3715	1857/945	PIPE assy, air, wing leading edge, nose rib 1A to fuselage frame 12, starboard	1	—	MR/C	PL.2
		Attachment parts for 1857/943 and 945 :—				
28D/9436920	A.25-1C	Bolt	2	—	C	—
28DU/9419966	A.102- $\frac{1}{2}$ D	Bolt	2	—	C	—
28E/14082	AS.3181-10C	Clip, "P"	2	—	C	—
28M/10328	AGS.2002-C1	Nut	2	—	C	—
6956	FOS.40/4	Nut	2	—	MR/C	—
28F/9429636	AGS.1186-3	Seal, bonded	2	—	C	—
28W/9419475	SP.15-C	Washer	2	—	C	—
28W/9457834	SP.124-D	Washer	2	—	C	—
3718	1857/951A	PIPE assy, fuel, front spar to rib 1A, port	1	—	MR/C	PL.2
3719	1857/953A	PIPE assy, fuel, front spar to rib 1A, starboard	1	—	MR/C	PL.2
		Attachment parts for 1857/951 and 953 :—				
28D/9133012	A.25-3C	Bolt	6	—	C	—
28DU/9419967	A.102-2D	Bolt	6	—	C	—
5845	1857/1371	Gasket	1	—	C	PL.2
		OR				
5846	1857/1373	Gasket	1	—	MR/C	PL.2
28F/9429636	AGS.1186-3	Seal, bonded	6	—	C	—
3721	1857/957-A	PIPE assy, vent, wing leading edge rib 1A to fuselage frame 12, port	1	—	MR/C	PL.2
		Attachment parts for 1857/957 :—				
28D/9436920	A.25-1C	Bolt	2	—	C	—
28S/9994997	A.205-D14	Screw	2	—	C	—
28D/9133011	A.25-2C	Bolt	1	—	C	—
28DU/9419565	A.102-1D	Bolt	1	—	C	—
28E/1006378	AS.3181-8C	Clip, "P"	1	—	C	—
28E/14083	AS.3181/12C	Clip, "P"	3	—	C	—

FUEL SYSTEM

Issued with A.L. No. 8

28M/10328	AGS.2002-C1	Nut	3	—	C	—
6956	FOS.40/4	Nut	3	—	MR/C	—
28W/9419475	SP.15-C	Washer	3	—	C	—
28W/9457834	SP.124-D	Washer	3	—	C	—
28W/9419404	SP.16-C	Washer	1	—	C	—
3722	1857/959A	PIPE assy, vent, wing leading edge rib 1A to fuselage frame 12, starboard	1	—	MR/C	PL.2
Attachment parts for 1857/959 :—						
28D/9436920	A.25-1C	Bolt	1	—	C	—
28S/9994997	A.205-D.14	Screw	1	—	C	—
28E/14083	AS.3181-12C	Clip, " P "	1	—	C	—
28M/10328	AGS.2002-C1	Nut	1	—	C	—
6953	FOS.40/1	Nut	1	—	MR/C	—
28W/9419475	SP.15-C	Washer	1	—	C	—
28W/9457834	SP.124-D	Washer	1	—	C	—
4326	1857/1021A	PIPE assy, drain, frame 12 to nose rib 1, port	1	—	MR/C	PL.2
4327	1857/1023A	PIPE assy, drain, frame 12 to nose rib 1, starboard	1	—	MR/C	PL.2
Attachment parts for 1857/1021 and 1023A:—						
28D/9436920	A.25-1C	Bolt	1	—	C	—
28S/9994997	A.205-D14	Screw	1	—	C	—
28E/1012876	AS.3181-4C	Clip, " P "	1	—	C	—
28M/10328	AGS.2002-C1	Nut	1	—	C	—
6956	FOS.40/4	Nut	1	—	MR/C	—
4328	1857/1025A	PIPE, drain, nose rib 1 to nose rib 5, port	1	—	MR/C	PL.2
4703	1857/1069A	PIPE, vent, wing leading edge rib 1A to fuselage frame 12, starboard	1	—	MR/C	—
Attachment parts for 1857/1069A:—						
28D/9436920	A.25-1C	Bolt	1	—	C	—
28S/9994997	A.205-D14	Screw	1	—	C	—
28E/14083	AS.3181-12C	Clip, " P "	1	—	C	—
28M/10328	AGS.2002-C1	Nut	1	—	C	—
6956	FOS.40/4	Nut	1	—	MR/C	—
28W/9419475	SP.15-C	Washer	1	—	C	—
28W/9457834	SP.124-D	Washer	1	—	C	—
4845	1857/1071A	PIPE assy, drain, nose rib 1 to nose rib 5, starboard	1	—	MR/C	PL.2
5332	1857/1421A	PIPE assy, air, wing leading edge, nose ribs 1-6	1	—	MR/C	PL.2
Attachment parts for 1857/1421A:—						
28D/9436920	A.25-1C	Bolt	4	—	C	—
28DU/9419966	A.102/13D	Bolt	4	—	C	—
3708	1857/1141	Clip, " P "	4	—	MR/C	PL.2
28M/10328	AGS.2002-C1	Nut	4	—	C	—
6956	FOS.40/4	Nut	4	—	MR/C	—
28W/9419475	SP.15-C	Washer	4	—	C	—
28W/9457834	SP.124-D	Washer	4	—	C	—

FUEL SYSTEM

Issued with A.L. No. 8

5330	1857/1423A	PIPE assy, air, wing leading edge, nose rib 6 to flexible pipe, port	1	—	MR/C	PL.2
6249	1857/1451A	PIPE assy, air, wing leading edge, nose rib 6 to flexible pipe, starboard	1	—	MR/C	PL.2
Attachment parts for 1857/1423A and 1451A :—						
28D/9436920	A.25-1C	Bolt	1	—	C	—
28S/9994997	A.205-D14	Screw	1	—	C	—
28E/1006378	AS.3181-8C	Clip, "P"	1	—	C	—
28M/10328	AGS.2002-C1	Nut	1	—	C	—
6956	FOS.40/4	Nut	1	—	MR/C	—
28W/9419475	SP.15-C	Washer	1	—	C	—
28W/9457834	SP.124-D	Washer	1	—	C	—
5333	1857/1425A	PIPE assy, fuel, wing leading edge, nose rib 6 to slipper tank	1	—	MR/C	PL.2
Attachment parts for 1857/1425A :—						
28F/8280	AGS.1142-H	Nipple, adapter	1	—	C	—
5386	1857/1427A	PIPE assy, fuel, wing leading edge main spar to nose rib 6, port	1	—	MR/C	PL.2
6248	1857/1431A	PIPE assy, fuel, wing leading edge main spar to nose rib 6, starboard	1	—	MR/C	PL.2
Attachment parts for 1857/1427A and 1431A :—						
28D/9133012	A.25-3C	Bolt	6	—	C	—
28DU/9419967	A.102-2D	Bolt	6	—	C	—
2057	1857/559	Gasket	1	—	C	PL.2
OR						
4841	1857/1281	Gasket	1	—	MR/C	PL.2
5335	1857/1429A	PIPE assy, wing leading edge nose rib 5 to fuel pipe tapping, port	1	—	MR/C	PL.2
5336	1857/1433A	PIPE assy, wing leading edge nose rib 5 to fuel pipe tapping, starboard	1	—	MR/C	PL.2
6250	1857/1449A	PIPE assy, air, in leading edge to special adapter	1	—	MR/C	PL.2
Attachment parts for 1857/1449A :—						
6251	1857/1603	Nipple, adapter	1	—	MR/C	PL.2
5331	1857/1345	PIPE, flexible	1	—	MR/C	PL.2
Attachment parts for 1857/1345 :—						
28F/8011886	AGS.1142-D	Nipple, adapter	1	—	C	—
28F/10024	AGS.1140-D	PLUG, nipple	1	—	C	—
28F/1011818	AGS.1140-H	PLUG, nipple	1	—	C	—
6254	Aero Controls AC/B/4038/10D	SEAL, "O" ring	2	—	MR/B	PL.2
6255	Aero Controls AC/B/4038/16D	SEAL, "O" ring	2	—	MR/B	PL.2
5849	1857/1349	SHIM, laminated	1	—	MR/C	PL.2
28F/8011820	AGS.904-D	SLEEVE, outer	1	—	C	—
5850	1857/1347	UNION	1	—	MR/C	PL.2

FUEL SYSTEM

Issued with A.L. No. 8

		VALVE, drain, installation (1857/403A and 403A/UN)	—	—	—	—
		Spares for :—				
—	1857/1319	GASKET	1	—	MR	—
7453	1857/799AND/1	VALVE assy (Mod. 47)	1	—	MR/B	PL.2
7454	1857/799AND/UN/1	VALVE assy (Mod. 47)	1	—	MR/B	—
		Spares for :—				
6246	1857/1321	CAP, sealing	1	—	MR/C	PL.2
6245	1857/537	COVER, valve	1	—	MR/C	PL.2
		PLATE assy (1857/413AND/1 and 413AND/UN/1)	—	—	—	—
		Spares for :—				
—	1857/411	CASING, valve	1	—	MR	PL.2
—	1857/415	PLATE, cover	1	—	MR	PL.2
—	1857/415/UN	PLATE, cover	1	—	MR	—
—	1857/541	TAG	1	—	MR	PL.2
4847	1857/1317	SEAL	1	—	MR/C	PL.2
27QA/425	Dowty SP.910-A12	SEAL, "O" ring	1	—	C	—
2068	1857/543	SPRING	1	—	MR/C	PL.2
7452	1857/407/1	STEM, valve (Mod. 47)	1	—	MR/C	PL.2
		Attachment parts for 1857/403A and 403A/UN :—				
28D/13697	AS.3297-3C	Bolt	8	—	C	—
28DU/9480270	A.173-2D	Bolt	8	—	C	—
6247	1857/1269	Gasket	1	—	MR/C	PL.2
28F/9428453	AG.1186-B	SEAL, bonded	2	—	C	—
		PIPING, VENT, FUEL TANK, IN SPINE, INSTALLATION (1857/61A and 61A/UN)				PL.3
28F/1013599	AGS.1142-A	ADAPTOR	1	—	C	—
5K/3405	AS.3360-B.3.C	BONDING, flexible	2	—	C	—
		Attachment parts for AS.3360-B.3.C :—				
28D/9436920	A.25-1C	Bolt	2	—	C	—
28DU/9419966	A.102- $\frac{1}{2}$ D	Bolt	2	—	C	—
28E/14083	AS.3181-12C	Clip, "P"	2	—	C	—
28M/10328	AGS.2002-C1	Nut	2	—	C	—
6956	FOS.40/4	Nut	2	—	MR/C	—
28W/9419475	SP.15-C	Washer	1	—	C	—
28W/9457834	SP.124-D	Washer	1	—	C	—
5K/3389	AS.3360-C.4.C	BONDING, flexible	3	—	C	—
		Attachment parts for AS.3360-C.4.C :—				
28D/9436920	A.25-1C	Bolt	3	—	C	—
28DU/9419966	A.102- $\frac{1}{2}$ D	Bolt	3	—	C	—
28E/14087	AS.3181-20C	Clip, "P"	3	—	C	—
28M/10328	AGS.2002-C1	Nut	3	—	C	—
6956	FOS.40/4	Nut	3	—	MR/C	—
28W/9419475	SP.15-C	Washer	3	—	C	—
28W/9457834	SP.124-D	Washer	3	—	C	—

FUEL SYSTEM

Issued with A.L. No. 9

3037	1857/803	FILTER, fuel	...	...	...	...	...	1	—	MR/C	PL.3	
3736	FOS.11/J10	HOSE	...	...	...	...	...	2	—	MR/C	—	
		Attachment parts for FOS.11/J10 :—										
28E/9129092	AGS.605-2	Clip, hose	...	...	...	...	...	2	—	C	—	
6861	FOS.11/BB.7	HOSE	...	...	...	...	...	2	—	MR/C	—	
		Attachment parts for FOS.11/BB.7 :—										
28E/10154	AGS.605-00	Clip, hose	...	...	...	...	...	2	—	C	—	
7500	1857/1461A	PIPE assy, drain, vent splash tray to hydraulic drain	(Mod. 184)						1	—	MR/C	PL.3
		Attachment parts for 1857/1461A :—										
28D/9436920	A.25-1C	Bolt	...	...	...	...	...	2	—	C	—	
28DU/9419966	A.102- $\frac{1}{2}$ D	Bolt	...	...	...	...	...	2	—	C	—	
28E/1012877	AS.3181-5C	Clip, " P "	...	...	...	...	...	1	—	C	—	
28E/14200	AS.3181-6C	Clip, " P "	...	...	...	...	...	1	—	C	—	
28M/10328	AGS.2002-C1	Nut	...	...	...	...	...	2	—	C	—	
6956	FOS.40/4	Nut	...	...	...	...	...	2	—	MR/C	—	
28W/9419475	SP.15-C	Washer	...	...	...	...	...	2	—	2	—	
28W/9457834	SP.124-D	Washer	...	...	...	...	...	2	—	2	—	
7501	1857/1463A	PIPE assy, drain, shut-off valve to hydraulic drain	(Mod. 184)						1	—	MR/C	—
8574	1857/1565A	PIPE assy, pressure relief and vent valve to wing tank, starboard	(Mod. 417)						1	—	MR/C	PL.3
		Attachment parts for 1857/1565A :—										
28D/9436920	A.25-1C	Bolt	...	...	...	...	...	1	—	C	—	
28DU/9419966	A.102- $\frac{1}{2}$ D	Bolt	...	...	...	...	...	1	—	C	—	
27FR/2435	Flight Refuelling FRS.138-F	Collar assy, split	...	...	...	...	...	2	—	—	—	
27FR/2352	Flight Refuelling FRS.132-F/1	Connector, pipe	...	...	...	...	...	2	—	—	PL.3	
28E/14083	AS.3181-12C	Clip, " P "	...	...	...	...	...	1	—	C	—	
28M/10328	AGS.2002-C1	Nut	...	...	...	...	...	1	—	C	—	
6956	FOS.40/4	Nut	...	...	...	...	...	1	—	MR/C	—	
27FR/2714	Flight Refuelling FRS.231-F1	Seal	...	...	...	...	...	1	—	—	—	
27FR/3529	Flight Refuelling FRS.229-F	Sleeve, outer	...	...	...	...	...	1	—	—	—	
28W/9419475	SP.15-C	Washer	...	...	...	...	...	1	—	C	—	
28W/9457834	SP.124-D	Washer	...	...	...	...	...	1	—	C	—	
8573	1857/1563A	PIPE, vent valve to wing tank, port and to vent and pressure relief valves	(Mod. 417)						1	—	MR/C	PL.3
		Attachment parts for 1857/1563A :—										
28D/9436920	A.25-1C	Bolt	...	...	...	...	...	2	—	C	—	
28DU/9419966	A.102- $\frac{1}{2}$ D	Bolt	...	...	...	...	...	2	—	C	—	
28E/14083	AS.3181-12C	Clip	...	...	...	...	...	2	—	C	—	
27FR/2435	Flight Refuelling FRS.138-F	Collar assy, split	...	...	...	...	...	1	—	—	PL.3	
27FR/2352	Flight Refuelling FRS.132-F1	Connector	...	...	...	...	...	1	—	—	PL.3	
28M/10328	AGS.2002-C1	Nut	...	...	...	...	...	1	—	C	—	
6956	FOS.40/4	Nut	...	...	...	...	...	1	—	MR/C	—	

FUEL SYSTEM

Issued with A.L. No. 9

27FR/2714	Flight Refuelling FRS.231-F1	Seal	...	...	...	...	...	...	1	—	—	PL.3
27FR/3529	Flight Refuelling FRS.229-F	Sleeve, outer	...	...	...	...	...	...	1	—	—	PL.3
28VV/9419475	SP.15-C	Washer	...	...	...	...	...	...	1	—	C	—
28VV/9457834	SP.124-D	Washer	...	...	...	...	...	...	1	—	C	—
4232	1857/1077A	PIPE assy, vent valve to fuselage centre tank (Pre-mod. 452)	...	...	...	...	...	...	1	—	MR/C	—
8584	1857/1561A	PIPE assy, vent valve to fuselage centre tank (Mod. 452)	...	...	...	...	...	...	1	—	MR/C	PL.3
Attachment parts for 1857/1077A :—												
28D/9436920	A.25-1C	Bolt	...	...	...	...	...	...	3	—	C	—
28DU/9419966	A.102-1D	Bolt	...	...	...	...	...	...	3	—	C	—
28E/14083	AS.3181-12C	Clip	...	...	...	...	...	...	3	—	C	—
27FR/2435	Flight Refuelling FRS.138-F	Collar assy, split	...	...	...	...	...	...	1	—	—	PL.3
27FR/2352	Flight Refuelling FRS.132-F1	Connector	...	...	...	...	...	...	1	—	—	PL.3
28M/10328	AGS.2002-C1	Nut	...	...	...	...	...	...	3	—	C	—
6956	FOS.40/4	Nut	...	...	...	...	...	...	3	—	MR/C	—
27FR/2714	Flight Refuelling FRS.231-F1	Seal	...	...	...	...	...	...	1	—	—	PL.3
27FR/3529	Flight Refuelling FRS.229-F	Sleeve, outer	...	...	...	...	...	...	1	—	—	PL.3
28VV/9419475	SP.15-C	Washer	...	...	...	...	...	...	3	—	C	—
28VV/9457834	SP.124-D	Washer	...	...	...	...	...	...	3	—	C	—
4842	1857/1087A	PIPE assy, flanged, fuselage centre tank (Pre-mod. 452)	...	...	...	...	...	...	1	—	MR/C	—
8585	1857/1559A	PIPE assy, flanged, fuselage centre tank (Mod. 452)	...	...	...	...	...	...	1	—	MR/C	PL.3
Attachment parts for 1857/1087A and 1559A :—												
28D/12533	A.25-5C	Bolt	...	...	...	...	...	...	4	—	C	—
28DU/9419567	A.102-4D	Bolt	...	...	...	...	...	...	4	—	C	—
1739	1857/189	Gasket	...	...	...	...	...	...	1	—	C	PL.3
6224	1857/1267	Gasket	...	...	...	...	...	...	1	—	MR/C	PL.3
28F/9429636	AGS.1186-3	Seal, bonded	...	...	...	...	...	...	4	—	C	—
7774	1857/1555A	PIPE assy, inward vent duct to fuel tank vent valve (Mod. 299)	...	...	...	...	...	...	1	—	MR/C	PL.3
Attachment parts for 1857/1555A :—												
28D/9436920	A.25-1C	Bolt	...	...	...	...	...	...	1	—	C	—
28DU/9419966	A.102-1D	Bolt	...	...	...	...	...	...	1	—	C	—
28E/14033	AS.3181-12C	Clip, "P"	...	...	...	...	...	...	1	—	C	—
27FR/2435	Flight Refuelling FRS.138-F	Collar assy, split	...	...	...	...	...	...	1	—	—	PL.3
27FR/2352	Flight Refuelling FRS.132-F1	Connector, pipe	...	...	...	...	...	...	1	—	—	PL.3
27FR/2714	Flight Refuelling FRS.231-F1	Seal	...	...	...	...	...	...	1	—	—	PL.3
27FR/3529	Flight Refuelling FRS.229-F	Sleeve, outer	...	...	...	...	...	...	1	—	—	PL.3
28VV/8419475	SP.15-C	Washer	...	...	...	...	...	...	1	—	C	—
28VV/17544	SP.124-D	Washer	...	...	...	...	...	...	1	—	C	—
8572	1857/1567A	PIPE assy, vent valve to vent splash tray and pressure relief valve (Mod. 417)	...	...	...	...	...	...	1	—	MR/C	PL.3
Attachment parts for 1857/1567A :—												
28D/9436920	A.25-1C	Bolt	...	...	...	...	...	...	2	—	C	—
28DU/9419966	A.102-1D	Bolt	...	...	...	...	...	...	2	—	C	—

FUEL SYSTEM

Issued with A.L. No. 9

28E/14087	AS.3181-20C	Clip, "P"	...	...	...	...	...	2	—	C	—
28M/10328	AGS.2002-C1	Nut	...	...	...	...	...	1	—	C	—
6956	FOS.40/4	Nut	...	...	...	...	...	1	—	MR/C	—
28W/9419475	SP.15-C	Washer	...	...	...	...	...	2	—	C	—
28W/9457834	SP.124-D	Washer	...	...	...	...	...	2	—	C	—
8575	1857/1569A	PIPE assy, vent to pressure relief valve (Mod. 417)	...	...	...	...	...	1	—	MR/C	PL.3
28DU/9419966	A.102-JB	Attachment parts for 1857/1569A :—	...	...	...	...	...	...	...	...	...
28E/14083	AGS.3181-12C	Bolt	...	...	...	...	...	1	—	C	—
27FR/2352	FRS.132.F/1	Clip, "P"	...	...	...	...	...	1	—	C	—
27FR/2435	FRS.138F	Connector, pipe	...	...	...	...	...	1	—	C	FL.3
28M/10328	AGS.2002-C1	Coupling, split, pipe	...	...	...	...	...	1	—	C	FL.3
27FR/2714	FRS.231.F/1	Nut	...	...	...	...	...	1	—	C	—
27FR/3529	FRS.229.F	Seal	...	...	...	...	...	1	—	C	FL.3
28W/9457834	SP.124D	Sleeve, outer	...	...	...	...	...	1	—	C	FL.3
7511	1857/1665A	Washer	...	...	...	...	...	1	—	C	—
7512	1857/1665A/UN	TRAY assy, splash, fuel vent (Mod. 185)	...	...	...	...	...	1	—	MR/C	PL.3
7514	1857/1663	TRAY assy, splash, fuel vent (Mod. 185)	...	...	...	...	...	1	—	MR/C	—
28F/8011900	AGS.1129A	Spares for :—	...	...	...	...	...	...	...	...	...
7513	1857/1661	ADAPTOR	...	...	...	...	...	1	—	MR/C	PL.3
28M/9435067	AGS.2008-C1	BALL, 5/8" dia., corrosive resistant	...	...	...	...	...	1	Commercial	—	—
6963	FOS.41/4	BODY, banjo	...	...	...	...	...	1	—	C	—
4348	1857/1219	BOLT, banjo, special	...	...	...	...	...	1	—	MR/C	PL.3
28F/9428452	AGS.1186-A	NUT, anchor...	...	...	...	...	...	11	—	C	—
28F/9434374	AGS.1186-E	NUT, anchor...	...	...	...	...	...	11	—	MR/C	—
28D/13132	AS.3297-1C	SEAL	...	...	...	...	...	1	—	MR/C	PL.3
28S/9995340	A.204-D14	SEAL, bonded	...	...	...	...	...	2	—	C	—
27V/6569	Teddington FLB/A/87	SEAL, bonded	...	...	...	...	...	1	—	C	—
7716	1857/1113A/1	Attachment parts for 1857/1665A and 1665A/UN :—	...	...	...	...	...	...	...	...	...
28N/18872	AS.8451-1	Bolt	...	...	...	...	...	10	—	C	—
3696	1857/1125	Screw	...	...	...	...	...	10	—	C	—
6223	1857/1135	VALVE, pressure relief (Mod. 417)	...	...	...	...	...	2	—	A	PL.3
3697	1857/1119A	VALVE, vent, installation (1857/1143A and 1143A/UN)	...	...	...	...	...	—	—	—	—
3698	1857/1119C	Spares for :—	...	...	...	...	...	...	...	...	...
28W/9416643	SP.47-C	VALVE assy, vent (Mod. 365)	...	...	...	...	...	1	—	MR/B	PL.3
		Spares for :—	...	...	...	...	...	...	...	...	...
		CASING assy (1857/1115A)	...	...	...	...	...	—	—	—	—
		Spares for :—	...	...	...	...	...	...	...	...	...
		BUSH	...	...	...	...	...	1	—	MR	PL.3
		INSERT, thread	...	...	...	...	...	4	—	C	—
		END, fork	...	...	...	...	...	1	—	MR/C	PL.3
		NUT, drilled	...	...	...	...	...	1	—	MR/C	PL.3
		PIPE assy, flanged	...	...	...	...	...	1	—	MR/C	PL.3
		Spares for :—	...	...	...	...	...	...	...	...	...
		BUSH	...	...	...	...	...	1	—	MR	PL.3
		Attachment parts for 1857/1119A :—	...	...	...	...	...	...	...	...	...
		Bolt	...	...	...	...	...	4	—	MR/C	PL.3
		Washer, spring	...	...	...	...	...	4	—	C	—

FUEL SYSTEM

Issued with A.L. No. 9

2041	1516/497A	PULLEY assy	...	...	...	...	1	—	MR/B	PL.3
		Spares for :—								
2A/9500409	SKF CBSO	BALL-RACE	...	...	...	...	1	—	B	PL.3
		Attachment parts for 1516/497 :—								
28P/830	SSP.4-B5	Pin	...	...	...	...	1	—	C	—
28P/1202460	SP.9-C4	Pin, split	...	...	...	...	1	—	C	—
28VV/9419475	SP.15-C	Washer	...	...	...	...	1	—	C	—
27QA/889	SP.910-D25	SEAL, "O" ring	...	...	...	...	1	—	C	—
—	1857/1123	SHAFT, cam	...	...	...	...	1	—	MR	PL.3
5334	1857/1333	SPRING	...	...	...	...	1	—	MR/C	PL.3
7717	1857/1113B/1	VALVE, sub-assembly (Mod. 365)	...	...	...	...	4	—	MR/B	PL.3
		Spares for :—								
3703	1857/1121	ADAPTER	...	...	...	...	4	—	MR/C	PL.3
—	1857/1117A	BODY assy, valve	...	...	...	...	4	—	MR	PL.3
		Spares for :—								
—	1857/1117C	BUSH	...	...	...	...	4	—	MR	PL.3
28F/10249	AGS.1186-F	GASKET (Mod. 365)	...	...	...	...	4	—	MR/C	PL.3
3705	1857/1129	PIN	...	...	...	...	4	—	MR/C	PL.3
3706	1857/1137	SPRING	...	...	...	...	1	—	C	PL.3
		Attachment parts for 1857/1333 :—								
28P/1202460	SP.9-C4	Pin, split	...	...	...	...	1	—	C	—
28P/9419475	SP.15-C	Washer	...	...	...	...	1	—	C	—
—	1857/1127A	VALVE assy	...	...	...	...	4	—	MR	PL.3
		Attachment parts for 1857/1113A :—								
28D/9436920	A.25-1C	Bolt	...	...	...	...	1	—	C	—
28DU/9419966	A.102-3D	Bolt	...	...	...	...	1	—	C	—
3737	1857/1145	Clip	...	...	...	...	1	—	MR/C	—
28M/10328	AGS.2002-C1	Nut	...	...	...	...	1	—	C	—
6956	FOS.40/4	Nut	...	...	...	...	1	—	MR/C	—
28VV/9419402	SP.13-C	Washer	...	...	...	...	1	—	C	—
28VV/1010519	SP.122-D	Washer	...	...	...	...	2	—	C	—
		PIPE, DRAIN, INSTALLATION (1857/435A and 435A/UN)	—	—	—	—	—	—	—	PL.4
		Spares for :—								
5K/3389	AS.3360-C.4.C	BONDING, flexible	...	...	...	...	1	—	C	—
		Attachment parts for AS.3360-C.4.C :—								
28E/1006378	AS.3181-BC	Clip, "P"	...	...	...	...	2	—	C	—
28S/9131095	A.31-C14	Screw	...	...	...	...	2	—	C	—
28S/9994997	A.205-D14	Screw	...	...	...	...	2	—	C	—
28VV/9419475	SP.15-C	Washer	...	...	...	...	2	—	C	—
28VV/9457834	SP.124-D	Washer	...	...	...	...	2	—	C	—
2157	1857/445	FAIRLEAD	...	...	...	...	2	—	C	PL.4
—	1857/445/UN	FAIRLEAD	...	...	...	...	2	—	MR	—
		Attachment parts for 1857/445 and 445/UN :—								
28D/13461	AS.3297-2C	Bolt	...	...	...	...	3	—	C	—
28DU/9480269	A.173-1D	Bolt	...	...	...	...	3	—	C	—
28M/10320	AGS.2002-C1	Nut	...	...	...	...	3	—	C	—
6956	FOS.40/4	Nut	...	...	...	...	3	—	MR/C	—
28VV/9419475	SP.15-C	Washer	...	...	...	...	3	—	C	—
28VV/9457834	SP.124-D	Washer	...	...	...	...	3	—	C	—
1753	FOS.11/D.10	HOSE, coupling	...	...	...	...	2	—	MR/C	—
		Attachment parts for FOS.11/D.10 :—								
28E/9129090	AGS.605-0	Clip	...	...	...	...	4	—	C	—

FUEL SYSTEM

Issued with A.L. No. 17

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
2798	1857/313A	PIPE assy, filler tray drain, starboard	1	—	MR/C	PL.4
3795	FOS.18/12	Attachment parts for 1857/313A:—	3	—	MR/C	—
6994	FOS.53/10	Bolt	3	—	MR/C	—
9017	1857/1387A	Clamp	3	—	MR/C	PL.4
1443911	1857/1387A/UN	Clamp	3	—	MR/C	—
28W/9419475	SP.15-C	Washer	3	—	C	—
28W/9457834	SP.124-D	Washer	3	—	C	—
		PIPES, FUEL PRESSURE, FRAME 12-15	—	—	—	—
		(1857/65A and 65A/UN)				
		Spares for:—				
5K/3405	AS.3360-B3C	BONDING, flexible	5	—	C	—
		Attachment parts for 5K/3405:—				
28D/9436920	A.25-1C	Bolt	5	—	C	—
28DU/9419966	A.102-½D	Bolt	5	—	C	—
28E/9496856	AS.3181-10C	Clip, "P"	5	—	C	—
28M/9433473	AGS.2002-C1	Nut	5	—	C	—
6956	FOS.40/4	Nut	5	—	MR/C	—
28S/1008152	A.31-B6	Screw	3	—	C	—
28W/1200328	AGS.2037-B	Washer	3	—	C	—
28W/9419475	SP.15-C	Washer	5	—	C	—
28W/5806394	SP.125-D	Washer	5	—	C	—
27FR/2372	Flight Refuelling FRS.132/E1	CONNECTOR, pipe, 5/8" (For spares see AP.4515U, Vol. 3, Pt. 1)	3	—	—	PL.3
3724	1857/977	PIPE, tank pressure, frame 12, port to frame 12, starboard	1	—	C	PL.3
		Attachment parts for 1857/977:—				
28D/9436920	A.25-1C	Bolt	1	—	C	—
28DU/9419966	A.102-½D	Bolt	1	—	C	—
28E/9496856	AS.3180-10C	Clip, "P"	1	—	C	—
28M/9433473	AGS.2002-C1	Nut	1	—	C	—
6956	FOS.40/4	Nut	1	—	MR/C	—
28W/9419475	SP.15-C	Washer	1	—	C	—
28W/5806394	SP.125-D	Washer	1	—	C	—
7467	1857/1533A	PIPE assy, tank pressure, frame 12 to frame 15	1	—	MR/B	PL.3
		(Mod. 96)				
		Spares for:—				
28Y/17092	—	VALVE, drain	1	—	C	PL.3
		Attachment parts for 1857/1533A:—				
28D/9436920	A.25-1C	Bolt	1	—	C	—
28DU/9419966	A.102-½D	Bolt	1	—	C	—
3889	1857/873	Clip assy	1	—	MR/C	PL.3
28M/9433473	AGS.2002-C1	Nut	1	—	C	—
6956	FOS.40/4	Nut	1	—	MR/C	—
28W/9419475	SP.15-C	Washer	1	—	C	—
28W/5806394	SP.125-D	Washer	1	—	C	—
2153	1857/215A	PIPE assy, flanged, filler splash tray drain, port	1	—	MR/C	PL.4
2154	1857/217A	PIPE assy, flanged, filler splash tray drain, starboard ..	1	—	MR/C	PL.4
		Attachment parts for 1857/215A and 217A:—				
28D/9436920	A.25-1C	Bolt	3	—	C	—
28DU/9419565	A.102-1D	Bolt	3	—	C	—
9517	1857/1279	Gasket	1	—	MR/C	PL.4
28M/9433473	AGS.2002-C1	Nut	3	—	C	—
6956	FOS.40/4	Nut	3	—	MR/C	—
28W/9419475	SP.15-C	Washer	3	—	C	—
28W/9457834	SP.124-D	Washer	3	—	C	—

RESTRICTED

FUEL SYSTEM

Issued with A.L. No. 17

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
3694	1857/987A	PIPE assy, filler, tray drain, port	1	—	MR/C	PL.4
		Attachment parts for 1857/987A:—				
28D/9133011	A.25-2C	Bolt	2	—	C	—
28DU/9419565	A.102-1D	Bolt	2	—	C	—
28E/1006378	AS.3181-8C	Clip	2	—	C	—
28M/9433473	AGS.2002-C1	Nut	2	—	C	—
6956	FOS.40/4	Nut	2	—	MR/C	—
28W/9419475	SP.15-C	Washer	2	—	C	—
28W/9457834	SP.124-D	Washer	2	—	C	—
28W/9419404	SP.16-C	Washer	2	—	C	—
		PIPES, VENT IN ENGINE BAY (1857/1621A and 1621A/UN)				
		Spares for:—				
7015	FOS.54/2	CLEAT assy (Mod. 442)	1	—	MR/C	—
		Attachment parts for FOS.54/2:—				
8967	Tucker Eyelet Co. AD.44	Rivet, "Imex"	2	—	C	—
28F/4051592	AGS.1170-F	NIPPLE	1	—	C	—
28F/037686	AGS.2120-D	NIPPLE (Pre-mod. 442)	2	—	C	—
9144	1857/1621B	PIPE assy	1	—	MR/C	PL.6
7504	1857/1621B/UN	PIPE assy (Mod. 184)	1	—	MR/C	—
		Spares for:—				
28F/9439532	AGS.952-D	COLLAR	2	—	C	—
28F/8011817	AGS.952-F	COLLAR	1	—	C	—
6963	FOS.41/4	NUT, anchor	6	—	MR/C	—
28F/8011820	AGS.904-D	SLEEVE, outer	2	—	C	—
28F/8011822	AGS.904-F	SLEEVE, outer	1	—	C	—
		Attachment parts for 1857/1621B/UN (When Mod. 442 embodied)				
28DU/9419966	A.102-½D	Bolt	1	—	C	—
28E/1006378	AS.3181-8C	Clip, "P"	1	—	C	—
28W/1010619	SP.122-D	Washer	1	—	C	—
28W/5806394	SP.125-D	Washer	1	—	C	—
7503	1857/1617A	PIPE assy, vent (Mod. 184)	1	—	MR/B	PL.6
		Attachment parts for 1857/1617A:—				
28DU/9419967	A.102-2D	Bolt	6	—	C	—
5519	1857/1275	Gasket	1	—	MR/C	PL.6
2500	1857/623	Packing	1	—	MR/C	PL.6
28W/9457834	SP.124-D	Washer	6	—	C	—
28F/9525506	AGS.1143-D	Plug, cone (Mod. 442) (Qty 2 off Pre-mod. 721)	1	—	C	—
		PIPING, FUEL, FOR FLOAT VALVE (1857/1667A and 1667A/UN)				
		Spares for:—				
28F/9708189	AGS.1170-A	NIPPLE	2	—	C	—
7515	1857/1525A	PIPE assy, air vent, access door, centre-section tank to frame 12 (Mod. 185)	1	—	MR/C	PL.3
		Attachment parts for 1857/1525A:—				
28D/9436920	A.25-1C	Bolt	2	—	C	—
28DU/9419966	A.102-½D	Bolt	2	—	C	—
28E/9437019	AS.3181-3C	Clip, "P"	2	—	C	—
28M/9433473	AGS.2002-C1	Nut	2	—	C	—
6956	FOS.40/4	Nut	2	—	MR/C	—
28W/9419475	SP.15-C	Washer	2	—	C	—
28W/9457834	SP.124-D	Washer	2	—	C	—
7516	1857/1527A	PIPE assy, air vent, frame 12 to frame 14 (Mod. 185)	1	—	MR/C	PL.3
		Attachment parts for 1857/1527A:—				
28D/9436920	A.25-1C	Bolt	4	—	C	—
28DU/9419966	A.102-½D	Bolt	4	—	C	—

Issued with A.L.No. 7

28E/9437019	AS.3181-3C	Clip, 'P'	..	..	..	..	6	-	C	-
28M/10328	AGS.2002-C1	Nut ..	..	..	..	..	4	-	C	-
6956	FOS.40/4	Nut ..	..	..	..	..	4	-	MR/C	-
28W/9419475	SP.15-C	Washer	..	..	..	..	4	-	C	-
28W/17544	SP.124-D	Washer	..	..	..	..	4	-	C	-
PIPING, FUEL, IN ENGINE BAY (1857/51A and 51A/UN) (pre Mod. 442)- (for aircraft embodying mod.442, see 1804/1011A)									-	-
Spares for:-										
7603	1857/1549A:-	PIPE assembly, fuel, number 2 port tank, to number 3, fuselage centre tank (Mod. 241) (pre Mod. 442) 1						-	MR/C	PL 4
Attachment parts for 1857/1549A										
6213	1857/1169	Clip, 'P'	..	..	..	..	1	-	MR/C	PL 4
6212	1857/1205	Washer, throat	..	..	..	..	1	-	MR/C	PL 4
7604	1857/1551A	PIPE assembly, fuel, number 2 starboard tank, to (pre Mod. 442) number 3, fuselage centre tank (Mod. 241) 1						-	MR/C	PL 4
Attachment parts for 1857/1551A										
28D/9133012	A.25-3C	Bolt ..	..	..	..	..	1	-	C	-
28DU/9419967	A.102-2D	Bolt ..	..	..	..	..	1	-	C	-
28E/14084	AS.3181-14C	Clip, 'P'	..	..	..	..	1	-	C	-
28M/10328	AGS.2002-C1	Nut ..	..	..	..	..	1	-	C	-
6956	FOS.40/4	Nut ..	..	..	..	..	1	-	MR/C	-
28W/9419475	SP.15-C	Washer	..	..	..	..	1	-	C	-
28W/17544	SP.124-D	Washer	..	..	..	..	1	-	C	-
28W/9419404	SP.16-C	Washer	..	..	..	..	1	-	C	-
28W/17551	SP.125-D	Washer	..	..	..	..	1	-	C	-

FUEL SYSTEM

Issued with A.L. 16

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
		1 2 3 4 5				
	—	PIPING, FUEL PUMP TO ENGINE	—	—	—	PL.5
		(1857/49A and 49A/UN)				
		Spares for:—				
28F/11096	AGS.1105-H	ADAPTER, union	1	—	C	
5K/3390	AS.3360-B.3.B	BONDING, flexible	1	—	C	
		Attachment parts for AS.3360-B.3.B:—				
28S/1008152	A.31-B6	Screw	2	—	C	
28W/11056	AGS.2037-B	Washer	2	—	C	
5K/—	AS.3360-C.3.B	BONDING, flexible	5	—	C	
		Attachment parts for AS.3360-C.3.B:—				
28D/9436920	A.25-1C	Bolt	4	—	C	
28D/1010658	A.25-1B	Bolt	1	—	C	
28S/1201331	A.205-B14	Screw	1	—	C	
28S/9994997	A.205-D14	Screw	4	—	C	
28S/1008152	A.31-B6	Screw	1	—	C	
28E/1012878	AS.3181-16C	Clip, "P"	4	—	C	
28M/10328	AGS.2002-C1	Nut	4	—	C	
6956	FOS.40/4	Nut	4	—	MR/C	
28M/10327	AGS.2002-B1	Nut	1	—	C	
6954	FOS.40/2	Nut	1	—	MR/C	
28W/9419475	SP.15-C	Washer	4	—	C	
28W/9457834	SP.124-D	Washer	4	—	C	
28W/9419474	SP.15-B	Washer	1	—	C	
28W/17542	SP.124-B	Washer	1	—	C	
27F/5530	Saunders C.112.T1	COCK, aero and control	1	—	—	PL.5
		Attachment parts for 27F/5530:—				
	1811/221	Angle, mounting, aft	1	—	MR	PL.5
	1811/219	Angle, mounting, forward	1	—	MR	PL.5
28D/12991	A.25-25B	Bolt	2	—	C	
28DU/17324	A.102-24B	Bolt	2	—	C	
28M/10327	AGS.2002-B1	Nut	2	—	C	
6954	FOS.40/2	Nut	2	—	MR/C	
28W/9419474	SP.15-B	Washer	2	—	C	
28W/17542	SP.124-B	Washer	2	—	C	
27FR/2327	Flight Refuelling FRS.110-H1	CONNECTOR, pipe	3	—	—	PL.5
		(For spares see A.P.4515F, Vol. 3, Pt. 1)				
28F/8280	AGS.1142-H	NIPPLE, adapter	1	—	C	
3353	1857/333A	PIPE assembly, fuel delivery pipe booster pump to ..	1	—	MR/C	PL.5
		L.P. cock				
3354	1857/339A	PIPE assembly, L.P. cock to engine fuel inlet	1	—	MR/C	PL.5
		joint at frame 18A				
		Attachment parts for 1857/339A:—				
28D/9436920	A.25-1C	Bolt	1	—	C	
28DU/9419966	A.102-1/2B	Bolt	1	—	C	
28E/1012878	AS.3181-16C	Clip	1	—	C	
28W/9419475	SP.15-C	Washer	1	—	C	
28W/9457834	SP.124-D	Washer	1	—	C	

RESTRICTED

FUEL SYSTEM

Issued with A.L. No. 16

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
3103	1857/859A	PIPE assembly, connecting, fuel	1	—	MR/C	PL.5
		Attachment parts for 1857/859A:—				
28D/9436920	A.25-1C	Bolt	3	—	C	
28DU/9419966	A.102-1/2D	Bolt	3	—	C	
28M/10328	AGS.2002-C1	Nut	3	—	C	
6956	FOS.40/4	Nut	3	—	MR/C	
28W/9419475	SP.15-C	Washer	3	—	C	
28W/9457834	SP.124-B	Washer	3	—	C	
28F/9434375	AGS.1186-H	SEAL, bonded	1	—	C	
	—	PIPES, FROM PORT AND STARBOARD TANKS	—	—	—	PL.4
		TO PROPORTIONER (1857/53A and 53A/UN) Spares for:—				
5K/—	AS.3360-C.2.B	BONDING, flexible	6	—	C	
		Attachment parts for AS.3360-C.2.B:—				
28D/9436920	A.25-1C	Bolt	6	—	C	
28S/9994997	A.205-D14	Screw	6	—	C	
28S/1008152	A.31-B6	Screw	6	—	C	
28E/14239	AS.3181-24C	Clip, "P"	6	—	C	
28M/10328	AGS.2002-C1	Nut	6	—	C	
6956	FOS.40/4	Nut	6	—	MR/C	
28W/9419475	SP.15-C	Washer	6	—	C	
28W/9457834	SP.124-D	Washer	6	—	C	
28W/1200328	AGS.2037-B	Washer	6	—	C	
5K/—	AS.3360-C.5.B	BONDING, flexible	2	—	C	
		Attachment parts for AS.3360-C.5.B:—				
28D/9436920	A.25-1C	Bolt	2	—	C	
28S/9994997	A.205-D14	Screw	2	—	C	
28S/1008152	A.31-B6	Screw	2	—	C	
28E/14239	AS.3181-24C	Clip, "P"	2	—	C	
28M/10328	AGS.2002-C1	Nut	2	—	C	
6956	FOS.40/4	Nut	2	—	MR/C	
28W/9419475	SP.15-C	Washer	2	—	C	
28W/9457834	SP.124-D	Washer	2	—	C	
28W/11056	AGS.2037-B	Washer	2	—	C	
5K/3392	AS.3360-C.5.C	BONDING, flexible	2	—	C	
		Attachment parts for AS.3360-C.5.C:—				
28D/9436920	A.25-1C	Bolt	2	—	C	
28S/9994997	A.205-D14	Screw	2	—	C	
28M/10328	AGS.2002-C1	Nut	2	—	C	
6956	FOS.40/4	Nut	2	—	MR/C	
28W/9419475	SP.15-C	Washer	2	—	C	
28W/9457834	SP.124-D	Washer	2	—	C	

RESTRICTED

FUEL SYSTEM

Issued with A.L. No. 17

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
		1 2 3 4 5				
5520	1857/1295A	FILTER assembly	2	—	MR/C	PL.4
4677	1857/353A	PIPE assembly, fuel, number 1, fuselage starboard . . . tank to proportioner	1	—	MR/C	PL.4
		Attachment parts for 1857/353A:—				
28D/1200119	A.25-4C	Bolt	1	—	C	—
28DU/9419566	A.102-3D	Bolt	1	—	C	—
28E/4062027	AS.3181-24C	Clip	1	—	C	—
27FR/2329	Flight Refuelling FRS.110-K1	Connector pipe (For spares see AP.4515F, Vol. 3, Pt.1)	1	—	—	PL.4
5480	Aero Controls AC.4030-24D	Coupling	1	—	MR/B	PL.4
		Spares for:—				
7052	AC.4033-24D	Gland, washer	1	—	MR/C	—
7053	AC.4035-24D	Ring, locking	1	—	MR/C	—
7051	AC.4038-24D	Seal	1	—	MR/C	—
—	AS.2808-5-025	TUBE, distance	1	—	—	—
28W/9419475	SP.15-C	Washer	1	—	C	—
28W/9457834	SP.124-D	Washer	1	—	C	—
4844	1857/983A	PIPE assembly, fuel, number 1 fuselage starboard . . . tank to proportioner	1	—	MR/C	PL.4
		Attachment parts for 1857/983A:—				
28D/1200119	A.25-4C	Bolt	1	—	C	—
28DU/9419566	A.102-3D	Bolt	1	—	C	—
28E/4062027	AS.3181-24C	Clip, "P"	1	—	C	—
27FR/2329	Flight Refuelling FRS.110-K1	Connector (For spares see A.P.4515F, Vol. 3, Pt. 1)	1	—	—	PL.4
5480	Aero Controls AC.4030-24D	Coupling	1	—	MR/B	PL.4
		Spares for:—				
7052	AC.4033-24D	Gland washer	1	—	MR/C	—
7053	AC.4035-24D	Ring, locking	1	—	MR/C	—
7287	AC.B.4038-24D	Seal	1	—	C	—
		OR				
7051	AC.4038-24D	Seal	1	—	MR/C	—
—	AS.2808-5-025	TUBE, distance	1	—	—	—
28W/9419475	SP.15-C	Washer	1	—	C	—
28W/9457834	SP.124-D	Washer	1	—	C	—
4843	1857/981A	PIPE assembly, flanged, flow proportioner to No. 1 fuselage starboard tank	1	—	MR/C	PL.4
		Attachment parts for 1857/981A:—				
28D/1200119	A.25-4C	Bolt	8	—	C	—
28DU/9419566	A.102-3D	Bolt	8	—	C	—
4679	1857/839	Gasket	2	—	C	PL.4
		OR				
5521	1857/1285	Gasket	2	—	MR/C	PL.4
4678	1857/835	Ring, reinforcing	1	—	MR/C	PL.4
28F/9429636	AGS.1186-3	Seal, bonded	8	—	C	—

FUEL SYSTEM

Issued with A.L. No. 16

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
4676	1857/349A	PIPE assy, flanged, flow proportioner to No. 1 fuselage, port tank	1	—	MR/C	PL.4
28D/1200119	A.25-4C	Attachment parts for 1857/349A:—	8	—	C	
28DU/9419566	A.102-3D	Bolt	8	—	C	
4679	1857/839	Gasket	2	—	C	PL.4
		OR				
5521	1857/1285	Gasket	2	—	MR/C	PL.4
4678	1857/835	Ring, reinforcing	1	—	MR/C	PL.4
28F/9429636	AGS.1186-3	Seal, bonded	8	—	C	
		PIPING, FUEL UNDER MAIN FLOOR, TANK (1857/71A and 71A/UN)	—	—	—	PL.4
		Spares for:—				
5K/3389	AS.3360-C.3.B	BONDING, flexible	5	—	C	
		Attachment parts for AS.3360-C.3.B:—				
28D/9436920	A.25-1C	Bolt	5	—	C	
28S/9994997	A.205-D14	Screw	5	—	C	
28S/5799	A.31-B6	Screw	3	—	C	
28E/14353	AS.3181-28C	Clip, "P"	1	—	C	
28E/14239	AS.3181-24C	Clip, "P"	4	—	C	
28M/10328	AGS.2002-C1	Nut	5	—	C	
6956	FOS.40/4	Nut	5	—	MR/C	
28W/9419475	SP.15-C	Washer	5	—	C	
28W/9457834	SP.124-D	Washer	5	—	C	
28W/1200328	AGS.2037-B	Washer, shakeproof	3	—	C	
		BOX, fuel junction, installation (Mod. 526) (1857/1755A and 1755A/UN)				
		Spares for:—				
	1857/1753A	BOX, fuel junction	1	—	—	PL.4
		Spares for:—				
27F/—	Gloster AWE/108/10/61	GASKET	1	—	C	
27F/6449	Gloster AWE/108/20	PROPORTIONER, flow	1	—	A	
27F/—	Gloster R.105	RING, oil seal	1	—	C	
		Attachment parts for 1857/1753A:—				
28D/1917587	A.25-25C	Bolt	2	—	C	
28DU/9480163	A.102-24D	Bolt	2	—	C	
6256	1857/1227	Bracket, mounting	2	—	MR/C	PL.4
28M/10328	AGS.2002-C1	Nut	2	—	C	
6956	FOS.40.4	Nut	2	—	C	
	Aero Controls					
5480	AC.4030-24D	COUPLING	2	—	MR/B	PL.4
		Spares for:—				
7052	AC.4033-24D	GLAND, washer	1	—	MR/C	
7053	AC.4935-24D	RING, locking	1	—	MR/C	
7051	AC.4038-24D	SEAL	1	—	MR/C	
		OR				
7287	AC.B.4038-24D	SEAL	1	—	C	
	Aero Controls					
5479	AC.4030-28DS	COUPLING	1	—	MR/B	PL.4
		Spares for:—				
7049	AC.4033-28D	GLAND, washer	1	—	MR/C	
7050	AC.4035-28D	RING, locking	1	—	MR/C	
7048	AC.4038-28D	SEAL	1	—	MR/C	
		OR				
	AC.B.4038-28D	SEAL	1	—	—	

FUEL SYSTEM

Issued with A.L. No. 18

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
		1 2 3 4 5				
4211	1857/1041A	ELBOW assy	1	—	MR/C	PL.4
4342	1857/1043A	ELBOW assy	1	—	MR/C	PL.4
4343	1857/1047A	ELBOW assy	1	—	MR/C	PL.4
—	1857/1777A	FILTER assy (Mod. 704)	1	—	—	PL.4
		Spares for:—				
1498004	1857/1791	CLIP, special	1	—	C	PL.4
1498002	1857/1777C	FILTER sub-assy	1	—	C	PL.4
1498003	1857/1779A	FLANGE, bottom	1	—	C	PL.4
		Attachment parts for 1857/1777A:—				
6044	1356/683	Gasket	2	—	MR/C	PL.4
		OR				
6257	1857/1273	Gasket	2	—	MR/C	PL.4
28M/10328	AGS.2002-C1	Nut	6	—	C	—
28F/9429636	AGS.1186-3	Seal, bonded	6	—	C	—
5522	1857/1297A	FILTER assy	1	—	MR/C	PL.4
		Attachment parts for 1857/1297A:—				
4346	1857/1239	Gasket	3	—	C	PL.4
		OR				
5523	1857/1289	Gasket	3	—	MR/C	PL.4
28M/10328	AGS.2002-C1	Nut	6	—	C	—
4346	1857/1241	Ring, backing	2	—	MR/C	PL.4
28F/9429636	AGS.1186-3	Seal, bonded	6	—	C	—
		PROPORTIONER, flow, installation (1857/1225A .. and 1225A/UN) (Pre-mod. 526)	—	—	—	—
		Spares for:—				
6256	1857/1227	BRACKET, mounting	2	—	MR/C	PL.4
		Attachment parts for 1857/1227:—				
28D/9133011	A.25-2C	Bolt	12	—	C	—
28DU/9419565	A.102-1D	Bolt	12	—	C	—
28M/10328	AGS.2002-C1	Nut	12	—	C	—
6956	FOS.40/4	Nut	12	—	MR/C	—
28W/9419454	SP.10-C	Washer	4	—	C	—
28W/9157972	SP.126-D	Washer	4	—	C	—
28W/9419475	SP.15-C	Washer	8	—	C	—
28W/9457834	SP.124-D	Washer	8	—	C	—
	Armstrong Whitworth					
27F/6448	AWE.708-17	PROPORTIONER, flow (Pre-mod. 97)	1	—	A	—
	Armstrong					
7540	Whitworth					
27F/6449	AWE.108-20	PROPORTIONER, flow (Mod. 97)	1	—	A	PL.4
		Attachment parts for AWE.108-20 or AWE.108- 17:—				
28D/1017587	A.25-25C	Bolt	2	—	C	—
28DU/9480163	A.102-24D	Bolt	2	—	C	—
28M/10328	AGS.2002-C1	Nut	2	—	C	—
6956	FOS.40/4	Nut	2	—	C	—
28W/9419404	SP.16-C	Washer, thick	2	—	C	—
28W/17551	SP.125-D	Washer, thick	2	—	C	—
		PIPING, FUEL PRESSURE, INSTALLATION (1857/33A and 33A/UN)				
		Spares for:—				
2498	1357/593	HOSE, assy, flexible	1	—	MR/C	PL.6
2499	1857/285A	PIPE assy, supply to pressure relief valve, frame 20 ..	1	—	MR/C	PL.6
		Attachment parts for 1857/185A:—				

FUEL SYSTEM

Issued with A.L. No. 14

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
		1 2 3 4 5				
28D/9436920	A.25-1C	Bolt	1	—	C	—
28S/9994997	A.205-D14	Screw	1	—	C	—
28E/14191	AS.3181-8C	Clip, "P"	1	—	C	—
28F/14530	AGS.1170-D	Nipple	1	—	C	—
28W/9419475	SP.15-C	Washer	1	—	C	—
28W/9457834	SP.124-D	Washer	1	—	C	—
		PIPING, VENT, INSTALLATION, PORT, Nos. 1 and 2 TANKS TO SPINE (1857/1251A and 1251A/UN) (Pre-mod. 442)	—	—	—	—
		PIPING, VENT, INSTALLATION, PORT, Nos. 1 and 2 TANKS TO SPINE (1804/1017A) (Mod. 442)	—	—	—	—
		PIPING, VENT, INSTALLATION, STARBOARD, Nos. 1 and 2 TANKS TO SPINE (1857/1252A and 1252A/UN) (Pre-mod. 442)	—	—	—	—
		PIPING, VENT, INSTALLATION, STARBOARD, Nos. 1 and 2 TANKS TO SPINE (1804/1018A) (Mod. 442) Spares for:—	—	—	—	—
5K/3371	AS.3360-B.4.C Flight Refuelling	BONDING, flexible	1	—	C	—
27FR/2352	FRS.132-F1	CONNECTION, pipe	1	—	—	PL.6
		(For spares see A.P.4515F, Vol. 3, Pt. 1)				
2596	1857/681	FAIRLEAD, port	1	—	MR/C	PL.6
2597	1857/682	FAIRLEAD, starboard	1	—	MR/C	PL.6
2598	1857/683	FAIRLEAD	1	—	MR/C	PL.6
		Attachment parts for 1857/681, 1857/682 and 1857/683:—				
28D/9133012	A.25-3C	Bolt	1	—	C	—
28DU/9419967	A.192-2D	Bolt	1	—	C	—
28D/1200119	A.25-4C	Bolt	3	—	C	—
28DU/9419566	A.102-3D	Bolt	3	—	C	—
28W/9419402	SP.13-C	Washer	4	—	C	—
28W/1010519	SP.122-D	Washer	4	—	C	—
3363	1857/355A	PIPE assy, vent No. 1 fuselage, port tank to spine ...	1	—	MR/C	PL.6
4659	1857/1065A	PIPE assy, vent in starboard wheel bay	1	—	MR/C	—
		(Pre-mod. 377)				
6715	1857/1577	PIPE assy, vent in starboard wheel bay (Mod. 377) ..	1	—	MR/C	PL.6
		Attachment parts for 1857/355A, 1065A and 1577:—				
28D/9436920	A.25-1C	Bolt	2	—	C	—
28DU/9419966	A.102-1/2D	Bolt	2	—	C	—
28E/14083	AS.3181-12C	Clip, "P"	2	—	C	—
28M/10328	AGS.2002-C1	Nut	1	—	C	—
6956	FOS.40/4	Nut	1	—	MR/C	—
28W/9419402	SP.13-C	Washer	2	—	C	—
28W/1010519	SP.122-D	Washer	2	—	C	—
3365	1857/359A	PIPE assy, No. 1 fuselage port tank to spine	1	—	MR/C	PL.6
		Attachment parts for 1857/359A:—				
28D/9133011	A.25-2C	Bolt	1	—	C	—
28DU/9419565	A.102-1D	Bolt	1	—	C	—
28E/14083	AS.3181-12C	Clip, "P"	1	—	C	—
28M/10328	AGS.2002-C1	Nut	1	—	C	—
6956	FOS.40/4	Nut	1	—	MR/C	—
28W/9419402	SP.13-C	Washer	1	—	C	—
28W/1010519	SP.122-D	Washer	1	—	C	—
28W/9419404	SP.16-D	Washer	1	—	C	—
28W/17551	SP.125-D	Washer	1	—	C	—

RESTRICTED

FUEL SYSTEM

Issued with A.L. No. 14

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
7508	1857/1541A	PIPE assy, No. 1 fuselage starboard tank to spine (Mod. 184)	1	—	MR/C	PL.6
28D/9436920	A.25-1C	Bolt	1	—	C	—
28DU/9419966	A.102-1/2D	Bolt	1	—	C	—
28D/9133011	A.25-2C	Bolt	1	—	C	—
28DU/9419565	A.102-1D	Bolt	1	—	C	—
28E/14083	AS.3181-12C	Clip, "P"	1	—	C	—
28E/1012878	AS.3181-16C	Clip, "P"	1	—	C	—
28M/10328	AGS.2002-C1	Nut	2	—	C	—
6956	FOS.40/4	Nut	2	—	MR/C	—
28W/9419402	SP.13-C	Washer	2	—	C	—
28W/1010519	SP.122-D	Washer	2	—	C	—
28W/9419404	SP.16-C	Washer	1	—	C	—
28W/17551	SP.125-D	Washer	1	—	C	—
4653	1857/1079A	PIPE assy, flanged	1	—	MR/C	PL.6
4654	1857/1081A	PIPE assy, flanged (Pre-mod. 442)	1	—	NR/C	PL.6
		Attachment parts for 1857/1079A and 1081:—				
28D/9133011	A.25-2C	Bolt	4	—	C	—
28DU/9419565	A.102-1D	Bolt	4	—	C	—
6258	1357/1199	Gasket	1	—	MR/C	PL.6
28F/9429636	AGS.1186-3	Seal, bonded	4	—	C	—
4655	1857/1083A	PIPE assy, No. 2 fuselage, port tank to spine (Pre-mod. 442)	1	—	MR/C	PL.6
		Attachment parts for 1857/1083A:—				
28D/9133011	A.25-2C	Bolt	1	—	C	—
28DU/9419565	A.102-1D	Bolt	1	—	C	—
28D/9133012	A.25-3C	Bolt	2	—	C	—
28DU/9419967	A.102-2D	Bolt	2	—	C	—
28W/9419402	SP.13-C	Washer	3	—	C	—
28W/1010519	SP.122-D	Washer	3	—	C	—
4656	1857/1085A	Pipe assy, No. 2 fuselage, starboard tank to spine (Pre-mod. 442)	1	—	MR/C	PL.6
		Attachment parts for 1857/1085A:—				
28D/9133011	A.25-2C	Bolt	4	—	C	—
28DU/9419565	A.102-1D	Bolt	4	—	C	—
28M/10328	AGS.2002-C1	Nut	4	—	C	—
6956	FOS.40/4	Nut	4	—	MR/C	—
6259	1857/1257	Packing	1	—	MR/C	PL.6
28W/9419402	SP.13-C	Washer	4	—	C	—
28W/1010519	SP.122-D	Washer	4	—	C	—
6852	FOS.6-3/16"	TAG, wire locking	1	—	MR/C	—
		PRESSURIZING UNIT, TANK INSTALLATION (1857/55A and 55A/UN)	—	—	—	—
		Spares for:—				
28F/10798	AGS.1129-B	BODY, banjo	1	—	C	—
28F/9423241	AGS.1132-D	BODY, banjo	1	—	C	—
3371	1357/211	BOLT, banjo	1	—	MR/C	PL.6
4840	1857/1299	BOLT, banjo	1	—	MR/C	PL.6
5K/—	AS.3360-C.2.B	BONDING, flexible	3	—	C	—

RESTRICTED

FUEL SYSTEM

Issued with A.L. No. 9

		Attachment parts for AS.3360-C.2.B :—								
28D/9436920	A.25-1C	Bolt	...	...	...	...	...	2	—	C
28DU/9149966	A.102- $\frac{1}{2}$ D	Bolt	...	...	...	...	...	2	—	C
28S/1008152	A.31-B6	Screw	...	...	...	...	...	2	—	C
28E/1012878	AS.3181-16C	Clip, "P"	...	...	...	...	...	1	—	C
28E/14083	AS.3181-12C	Clip, "P"	...	...	...	...	...	1	—	C
28M/10328	AGS.2002-C1	Nut	...	...	...	...	...	2	—	C
6956	FOS.40/4	Nut	...	...	...	...	...	2	—	MR/C
28W/9419475	SP.15-C	Washer	...	...	...	...	...	2	—	C
28W/9457834	SP.124-D	Washer	...	...	...	...	...	2	—	C
28W/1205328	AGS.2037-B	Washer, shakeproof	...	...	...	...	...	2	—	C
7499	1857/1695	COUPLING, pipe (Mod. 184)	...	...	...	...	...	1	—	MR/C
3373	1857/731	FAIRLEAD	...	...	...	...	...	1	—	MR/C
3374	1857/733	FAIRLEAD	...	...	...	...	...	1	—	MR/C
		Attachment parts for 1857/731 and 733 :—								
28D/9133011	A.25-2C	Bolt	...	...	...	...	...	2	—	C
28DU/9419565	A.102-1D	Bolt	...	...	...	...	...	2	—	C
28M/10328	AGS.2002-C1	Nut	...	...	...	...	...	2	—	C
6956	FOS.40/4	Nut	...	...	...	...	...	2	—	MR/C
28W/9419454	SP.10-C	Washer	...	...	...	...	...	2	—	C
28W/9457834	SP.124-D	Washer	...	...	...	...	...	2	—	C
28F/19141	AGS.2120D	NIPPLE	...	...	...	...	...	1	—	C
28F/8011886	AGS.1142D	NIPPLE, adaptor...	...	...	...	...	...	1	—	C
28F/8011967	AGS.1142F	NIPPLE, adaptor...	...	...	...	...	...	3	—	C
3377	1857/387A	PIPE assy, engine bay to spine	...	...	...	...	...	1	—	MR/C
		Attachment parts for 1857/387A :—								
28D/9436920	A.25-1C	Bolt	...	...	...	...	...	1	—	C
28DU/9419926	A.102- $\frac{1}{2}$ D	Bolt	...	...	...	...	...	1	—	C
28D/9436920	A.25-1C	Bolt (1857/33A and 33A/UN)	...	...	...	...	...	1	—	C
28S/9994997	A.205-D14	Screw (1857/33A and 33A/UN)	...	...	...	...	...	1	—	C
6868	FOS.14/4	Cleat (1857/33A and 33A/UN)	...	...	...	...	...	1	—	MR/C
28E/1006378	AS.3181-8C	Clip	...	...	...	...	...	1	—	C
28E/1006378	AS.3181-8C	Clip (1857/33A and 33A/UN)	...	...	...	...	...	1	—	C
28M/10328	AGS.2002-C1	Nut	...	...	...	...	...	1	—	C
6956	FOS.40/4	Nut	...	...	...	...	...	1	—	MR/C
28M/10328	AGS.2002-C1	Nut (1857/33A and 33A/UN)	...	...	...	...	...	1	—	C
6956	FOS.40/4	Nut (1857/33A and 33A/UN)	...	...	...	...	...	1	—	MR/C
28W/9419475	SP.15-C	Washer	...	...	...	...	...	1	—	C
28W/9457834	SP.124-D	Washer	...	...	...	...	...	1	—	C
28W/9419475	SP.15-C	Washer (1857/33A and 33A/UN)	...	...	...	...	...	1	—	C
28W/9457834	SP.124-D	Washer (1857/33A and 33A/UN)	...	...	...	...	...	1	—	C
3378	1857/389A	PIPE assy, pressure reducing valve	...	...	...	...	...	1	—	MR/C
7497	1857/1457A	PIPE assy, non-return valve to relief valve (Mod. 184) (Pre-mod. 442)	...	...	...	...	...	1	—	MR/C
8645	1804/951A	PIPE assy, non-return valve to relief valve (Mod. 442)	...	...	...	...	...	1	—	—

FUEL SYSTEM

Issued with A.L. No. 9

		Attachment parts for 1857/1457A and 1804/951A :—			
28D/9436920	A.25-1C	Bolt	1	—	C —
28DU/9419966	A.102- $\frac{1}{2}$ D	Bolt	1	—	C —
28E/14083	AS.3181-12C	Clip, " P "	1	—	C —
27FR/2352	Flight Refuelling FRS.132-F1	Connector, pipe (for spares see A.P.4515F, Vol. 3, Pt. 1)	1	—	— PL.6
28M/10328	AGS.2002-C1	Nut	1	—	C —
6956	FOS.40/4	Nut	1	—	MR/C —
28W/9419475	SP.15-C	Washer	1	—	C —
28W/9457834	SP.124-D	Washer	1	—	C —
7498	1857/1459A	PIPE assy, air pipe shut off valve to non-return valve pipe assy (Mod. 184)	1	—	MR/B PL.6
		Attachment parts for 1857/1459A :—			
28E/9437019	AS.3181-3C	Clip, " P "	2	—	C —
9143	1857/1467A	PIPE assy, vent, reducing valve	1	—	MR/C PL.6
7488	1857/1467A/UN	PIPE assy, vent, reducing valve (Mod. 171) ...	1	—	MR/C —
		Attachment parts for 1857/1467A and 1467A/UN :—			
3375	1857/855	Gasket	1	—	MR/C PL.6
28S/9995340	A.204-D14	Screw	3	—	C —
28D/1007975	AS.1242.1C	Bolt	3	—	C —
5342	1857/1063A	PIPE assy, pressure reducing valve to non-return valve (Pre-mod. 442)	1	—	MR/C PL.6
8644	1804/953A	PIPE assy, pressure reducing valve to non-return valve (Mod. 442)	1	—	C —
28F/9428452	AGS.1186-A	SEAL, bonded	1	—	C —
28F/9429532	AGS.1186-C	SEAL, bonded	1	—	C —
28F/9428455	AGS.1186-D	SEAL, bonded	1	—	C —
		SWITCH, tank pressure, installation (1857/1165A and 1165A/UN)			
		Spares for :—			
8101	1857/1337	ADAPTOR, pipe (Mod. 68)	1	—	MR/C PL.6
7456	1857/1337/UN	ADAPTOR, pipe (Mod. 68)	1	—	MR/C —
		Attachment parts for 1857/1337 and 1337/UN :—			
28D/1007975	AS.1242-1C	Bolt	3	—	C —
28S/9994340	A.204-D14	Screw	3	—	C —
5X/3397	AS.3360-C.3.C	BONDING, flexible	1	—	C —
		Attachment parts for AS.3360-C.3.C :—			
28D/9436920	A.25-1C	Bolt	2	—	C —
28DU/9419966	A.102- $\frac{1}{2}$ D	Bolt	2	—	C —
28E/9437019	AS.3181-3C	Clip, " P "	1	—	C —
28E/14083	AS.3181-12C	Clip, " P "	1	—	C —
28M/10328	AGS.2002-C1	Nut	2	—	C —
6956	FOS.40/4	Nut	2	—	MR/C —
28W/9419475	SP.15-C	Washer	2	—	C —
28W/9457834	SP.124-D	Washer	2	—	C —

FUEL SYSTEM

Issued with A.L. No. 12

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
7455	1857/1547A	PIPE assy, tank pressure, port side, spine to ... switch (Mod. 68) (Pre-mod. 442)	1	—	MR/C	PL.6
8643	1804/979A	PIPE assy, tank pressure, port side, to pressure warning switch (Mod. 442)	1	—	—	PL.6
5CW/7831	S.Smith 1001-1PG-CP	SWITCH, pressure Attachment parts for 5CW/7831:—	1	—	—	PL.6
7458	1857/1339	Adapter, special (Mod. 68)	1	—	MR/C	—
28F/9428453	AGS.1186-B	Seal, bonded	2	—	C	—
27VB/5982	Hymatic PS.60-36 Mk. 2	VALVE, pressure reducing (Mod. 164) Attachment parts for 27VP/5982:—	1	—	—	PL.6
7928	FOS.18/5	Bolt, drilled	2	—	MR/C	—
28W/9419404	SP.16-C	Washer	2	—	C	—
27V/5569	Teddington FLB-A-67	VALVE, pressure relief Attachment parts for 27V/5569:—	1	—	A	PL.6
27FR/2327	Flight Refuelling FRS.110-H1	Connector pipe (For spares see A.P. 4515F, Vol. 3, Pt. 1)	1	—	—	PL.6
27FR/2435	Flight Refuelling FRS.138-F	Collar assy, split	1	—	—	PL.6
27FR/2714	Flight Refuelling FRS.231-F1	Seal	1	—	—	PL.6
27FR/3529	Flight Refuelling FRS.229-F	Sleeve, outer	1	—	—	PL.6
		PUMP, FUEL, INSTALLATION (1857/39A and 39A/UN) Spares for:—	—	—	—	PL.5
28F/8011809	AGS.1104-B	CONE, adapter	1	—	C	—
4083	1857/991-A	PIPE assy, drain (Pre-mod. 625)	1	—	MR/C	PL.5
3887	1857/993	PIPE assy, drain (Mod. 625)	1	—	C	PL.5
5UE/6752	Self Priming Eng. SPE.17184	PUMP, fuel, c/w inverted flight valve (Pre-mod. 146)	1	—	—	—
5UE/7491	SPE.17948	PUMP, fuel, c/w inverted flight valve (Mod. 146)	1	—	—	—
5UE/9332	Self Priming Eng. 6210F	PUMP, fuel (Mod. 625), c/w inverted flight—BP.21F.Mk.4 (For spares see A.P.4545F, Vol. 3, Pt. 1)	1	—	—	PL.5
28M/10328	AGS.2002-C1	Attachment parts for 5UE/6752, 7941 and 9332:— Nut	18	—	C	—
28F/9429636	AGS.1186-3	Seal, bonded	18	—	C	—
2786	1257/191	Washer	1	—	C	PL.5
		OR				
6240	1357/1209	Washer	1	—	—	PL.5

FUEL SYSTEM

Issued with A.L. No. 17

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
		1 2 3 4 5				
		G.A. OF SMOKE GENERATING EQUIPMENT USING No. 2 PORT AND STARBOARD TANKS (1804/1011A) (Mod. 442) Spares for:— PIPE assy, interconnecting, between No. 2 port and starboard fuel tanks (smoke emission) (1804/1233A) (Mod. 442) Spares for:—				
28F/19142	AGS.2/20-G	NIPPLE	2	—	C	
28F/10895	AGS.1142-G	NIPPLE, adaptor	2	—	C	
8674	1804/985A	PIPE assy, No. 2 port tank to fr. 18A (Mod. 442) (Pre-mod. 721)	1	—	C	
		Attachment parts for 1804/985A:—				
6123	1857/1169	Clip, "P"	1	—	MR/C	
6212	1857/1205	Washer, throat	1	—	MR/C	
8673	1804/983A	PIPE assy, fr. 18A port to 18A starboard (Mod. 442) (Pre-mod. 721)	1	—	C	
		Attachment parts for 1804/983A:—				
28DU/9480237	A.116-4D	Bolt	1	—	C	
28E/5808479	AS.3181-14C	Clip, "P"	1	—	C	
8672	1804/981A	PIPE assy, No. 2 starboard tank to fr. 18A (Mod. 442) (Pre-mod. 721)	1	—	C	
		Attachment parts for 1804/981A:—				
28DU/9419967	A.102-2D	Bolt	1	—	C	
28E/5808479	AS.3181-14C	Clip, "P"	1	—	C	
6956	FOS.40/4	Nut	1	—	MR/C	
28W/9457834	SP.124-D	Washer	1	—	C	
28W/5806394	SP.125-D	Washer	1	—	C	
28F/1011817	AGS.1140-G	PLUG, nipple	2	—	C	
28P/9429619	SP.9-C5	PIN, split	1	—	C	
	1857/1707	SLEEVE, coupling, pipe (Mod. 721)	1	—		
		SMOKE GENERATING EQUIPMENT, INSTALLATION IN CENTRE FUSELAGE (1804-1013A) (Mod. 442) Spares for:—				
8647	Aero-Controls Ltd. AC.4750-12D	COUPLING, pipe, 3/4" (Mod. 442)	2	—	C	
8895	Intertechnique Ltd. AC.5000-12D	COUPLING, pipe, 3/4" (AS.G.660/20)	2	—	C	
27FR/3462	Flight Refuelling Ltd FRS.175H/1	COUPLING, pipe 1" (Mod. 442)	2	—	—	
8670	1804/1031	FAIRLEAD (Mod. 442)	2	—	C	
		Attachment parts for 1804/1031:—				
28DU/9419967	A.102-2D	Bolt	4	—	C	
28W/1010519	SP.122-D	Washer	4	—	C	

RESTRICTED

FUEL SYSTEM

Issued with A.L. No. 17

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
8671	1804/1035	FAIRLEAD (Mod. 442)	2	—	C	—
28DU/9419967	A.102-2D	Attachment parts for 1804/1035:—				
6956	FOS.40/4	Bolt	4	—	C	—
28W/1010519	SP.122-D	Nut	4	—	MR/C	—
		Washer	8	—	C	—
5K/3389	AS.3360-C4C	LEAD, bonding	2	—	C	—
28DU/9419966	A.102-1/2D	Attachment parts for 5K/3389:—				
28E/4061993	AS.3181-12C	Bolt	4	—	C	—
6956	FOS.40/4	Clip, "P"	4	—	C	—
28W/1010519	SP.122-D	Nut	4	—	MR/C	—
		Washer	4	—	C	—
28F/4051592	AGS.1170-F	NIPPLE (Pre-mod. 721)	2	—	C	—
28F/1037686	AGS.2120-D	NIPPLE	1	—	C	—
28F/8011897	AGS.1142-F	NIPPLE, adaptor	2	—	C	—
8663	1804/955A	PIPE assy, pressure reducing valve to non-return valve (Mod. 442)	1	—	C	—
8664	1804/957A	PIPE assy, non-return valve and vent valve to fr. 19 (Mod. 442)	1	—	C	—
28DU/9419966	A.102-1/2D	Attachment parts for 1804/957A:—				
28E/4061993	AS.3181-12C	Bolt	1	—	C	—
6956	FOS.40/4	Clip, "P"	1	—	C	—
28W/1010519	SP.122-D	Nut	1	—	MR/C	—
		Washer	1	—	C	—
8665	1804/959A	PIPE assy, vent valve to spine cover (Mod. 442) ...	1	—	C	—
28S/9995340	A.204-D14	Attachment parts for 1804/959A:—				
		Screw	4	—	C	—
8666	1804/963A	PIPE assy, engine bay to starboard tank (Mod. 442)	1	—	C	—
8667	1804/1191A	PIPE assy, port fairing to engine bay (Mod. 442)	1	—	C	—
28DU/9419565	A.102-1D	Attachment parts for 1804/1191A:—				
		Bolt	4	—	C	—
8668	1804/1193A	PIPE assy, engine bay port side to engine bay starboard side (Mod. 442)	1	—	C	—
28DU/9419565	A.102-1D	Attachment parts for 1804/1193A:—				
28E/1200549	AS.3181-8C	Bolt	1	—	C	—
28E/4061993	AS.3181-12C	Clip, "P"	1	—	C	—
6956	FOS.40/4	Clip, "P"	1	—	C	—
28W/1010519	SP.122-D	Nut	1	—	MR/C	—
		Washer	1	—	C	—

RESTRICTED

FUEL SYSTEM

Issued with A.L. No. 16

REF. No.	PART NUMBER	DESCRIPTION					No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
		1	2	3	4	5			M.R. L.M.	
8669	1804/1195A					PIPE assy, engine bay starboard side to spine and engine bay port side (Mod. 442) (Pre-mod. 721)	1	—	C	
1498063	Intertechnique Ltd. AC.4772-12D					SEAL, for 3/4" pipe coupling (AS.G.660/20)	2	—	C	
5329	1857/1323A					VALVE, non-return and guard assy. (Mod. 442) . . .	1	—	MR/C	
27F/7553	Armstrong Whitworth TDD.131-14					VALVE, vent (Mod. 442)	1	—	B	
28DU/9419966	A.102-1/2D					Attachment parts for 27F/7553:—				
	1804/1129					Bolt	2	—	C	
6956	FOS.44/0					Clip	2	—	—	
28W/1010519	SP.122-D					Nut	2	—	MR/C	
						Washer	2	—	C	
						SMOKE GENERATING EQUIPMENT, INSTALLATION IN REAR FUSELAGE (1804/947A) (Mod. 442) Spares for:—				
8647	Aero-Controls Ltd. AC.4750-12D					COUPLING, pipe 3/4" (Mod. 442)	1	—	C	
8895	Intertechnique Ltd. AC.5000-12D					COUPLING, pipe 3/4" (AS.G.660/20)	1	—	C	
	—					FAIRLEAD and nut plate assy, port (1804/1228A) (Mod. 442) Spares for:—	—	—	—	
	—					FAIRLEAD assy. (1804/1232A) (Mod. 442) Spares for:—	—	—	—	
†8661	1804/1232B					FAIRLEAD, half (Mod. 442)	1	—	C	
†8662	1804/1232C					FAIRLEAD, half (Mod. 442)	1	—	C	
	—					PLATE assy, nut (1804/1230A) (Mod. 442) Spares for:—	—	—	—	
†8659	1804/1230B					PLATE (Mod. 442)	1	—	C	
†8660	1804/1230C					PLATE (Mod. 442)	1	—	C	
						Attachment parts for 1804/1228A:—				
28DU/9419534	A.113-1D					Bolt	8	—	C	
	—					FAIRLEAD and nut plate assy, starboard (1804/1227A) (Mod. 442) Spares for:—	—	—	—	
	—					FAIRLEAD assy (1804/1231A) (Mod. 442) Spares for:—	—	—	—	
†8657	1804/1231B					FAIRLEAD, half (Mod. 442)	1	—	C	
†8658	1804/1231C					FAIRLEAD, half (Mod. 442)	1	—	C	
	—					PLATE assy, nut (1804/1229A) (Mod. 442) Spares for:—	—	—	—	
†8655	1804/1229B					PLATE (Mod. 442)	1	—	C	
†8656	1804/1229C					PLATE (Mod. 442)	1	—	C	
						Attachment parts for 1804/1227A:—				
28DU/9419534	A.113-1D					Bolt	8	—	C	
5K/3397	AS.3360-C3C					Lead, bonding	1	—	C	

RESTRICTED

FUEL SYSTEM

Issued with A.L. No. 15

REF. No.	PART NUMBER	DESCRIPTION					No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
		1	2	3	4	5			M.R. L.M.	
						Attachment parts for 5K/3397:—				
28DU/9419966	A.102-1/2D					Bolt	1	—	C	—
28E/14083	AS.3181-12C					Clip, "P"	1	—	C	—
6956	FOS.40/4					Nut	1	—	MR/C	—
28W/1010519	SP.122-D					Washer	1	—	C	—
5K/3403	AS.3360-C6C					LEAD, bonding	1	—	C	—
						Attachment parts for 5K/3403:—				
28DU/9419966	A.102-1/2D					Bolt	2	—	C	—
28E/14083	AS.3181-12C					Clip, "P"	2	—	C	—
6956	FOS.40/4					Nut	1	—	MR/C	—
28W/1010519	SP.122-D					Washer	2	—	C	—
5K/3422	AS.3360-C8C					LEAD, bonding	1	—	C	—
						Attachment parts for 5K/3422:—				
28DU/9419966	A.102-1/2D					Bolt	2	—	C	—
28E/14083	AS.3181-12C					Clip, "P"	2	—	C	—
6956	FOS.40/4					Nut	2	—	MR/C	—
28W/1010519	SP.122-D					Washer	2	—	C	—
28F/10772	AGS.1170-F					NIPPLE	2	—	C	—
28F/8011897	AGS.1142-F					NIPPLE, adaptor	6	—	C	—
8646	1804/969A					PIPE assy, cover plate to frame 22 (Mod. 442)	1	—	C	—
† 8649	1804/987A					PIPE assy, outlet, starboard (Mod. 442)	1	—	C	—
						(XR540 and XR986)				
8648	1804/1197A					PIPE assy, outlet, starboard (Mod. 442)	1	—	C	—
						(XR987, XR991-6)				
						Attachment parts for 1804/987A and 1197A:—				
28DU/9480222	A.113-1/2D					Bolt	4	—	C	—
6956	FOS.40/4					Nut	4	—	MR/C	—
28W/1010519	SP.122-D					Washer	4	—	C	—
† 8651	1804/989A					PIPE assy, outlet, port (Mod. 442)	1	—	C	—
						(XR540 and XR986)				
8650	1804/1199A					PIPE assy, outlet, port (Mod. 442)	1	—	C	—
						(XR987, XR991-6)				
						Attachment parts for 1804/989A and 1199A:—				
28DU/9480222	A.113-1/2D					Bolt	4	—	C	—

RESTRICTED

FUEL SYSTEM

Issued with A.L. No. 16

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.H.	
6956 28W/1010519	FOS.40/4 SP.122-D	Nut	4	—	MR/C	
		Washer	4	—	C	
8652	1804/1185A	PIPE assy, frame 22 to non-return valve	1	—	C	
		(Mod. 442)				
		Attachment parts for 1804/1185A:—				
28DU/9419966	A.102-1/2D	Bolt	1	—	C	
28E/14083	AS.3181-12C	Clip, "P"	1	—	C	
6956	FOS.40/4	Nut	1	—	MR/C	
28W/1010519	SP.122-D	Washer	1	—	C	
8653	1804/1187A	PIPE assy, non-return valve to "ON/OFF" cock ...	1	—	C	
		(Mod. 442)				
		Attachment parts for 1804/1187A:—				
28DU/9419534	A.113-1D	Bolt	2	—	C	
28E/14083	AS.3181-12C	Clip, "P"	2	—	C	
6956	FOS.40/4	Nut	2	—	MR/C	
	AS.2306-010	Tube, distance	2	30B/1734	LM	
28W/1010519	SP.122-D	Washer	2	—	C	
8654	1804/1189A	PIPE assy, "ON/OFF" cock to frame 29	1	—	C	
		(Mod. 442)				
1498063	Intertechnique Ltd. AC.4772-12D	SEAL, for 3/4" pipe coupling (AS.G.660/20)	1	—	C	
		VALVE, non-return and guard assy (1804/1001A)	—	—		
		(Mod. 442)				
		Spares for:—				
28N/18899	AGS.2086-F	GUARD, safety	1	—	C	
28R/18900	AGS.2087-F	RING, retaining	1	—	C	
27F/2264	Saunders N.1206	VALVE, non-return (Mod. 442)	1	—	A	
	Saunders					
27F/5852	106-DM50-B	VALVE, motorised	1	—	—	
		Attachment parts for 27F/5852:—				
28DU/9419980	A.102-20D	Bolt	2	—	C	
6956	FOS.40/4	Nut	2	—	MR/C	
28W/1010519	SP.122-D	Washer	2	—	C	
		TELEFLEX, L.P. COCK, INSTALLATION	—	—	—	PL.5
		(1857/63A and 63A/UN)				
		Spares for:—				
9142	1857/885A	BRACKET assy, mounting	1	—	MR/C	PL.5
6227	1857/885A/UN	BRACKET assy, mounting	1	—	MR/C	
		Spares for:—				
28M/9434251	AGS.2008-B1	NUT, anchor	1	—	C	
6961	FOS.41/2	NUT, anchor	1	—	MR/C	

RESTRICTED

GNAT T. Mk. 1

FUEL SYSTEM

Issued with A.L. No. 16

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
		1 2 3 4 5				
28D/9133012	A.25-3C	Attachment parts for 1857/885A and 855A/UN:—				
28DU/9419967	A.102-2D	Bolt	2	—	C	
28M/10328	AGS.2002-C1	Bolt	2	—	C	
6956	FOS.40/4	Nut	2	—	C	
28W/9419475	SP.15-C	Nut	2	—	MR/C	
28W/9457834	SP.124-D	Washer	2	—	C	
		Washer	2	—	C	
27K/1236	Teleflex DS.380	CABLE, inner, 136 in. long	1	—	—	
		CONDUIT assy (1857/63B)	—	—	—	
		Spares for:—				
	1857/63D	CONDUIT, D.S.307/2 x 13 in.	1	—	MR/LM	PL.5
27K/796	Teleflex B.35340	CONNECTOR	1	—	—	
27K/1309	Teleflex B.40118	CONNECTOR, bulkhead	1	—	—	
		Attachment parts for 1857/63B:—				
28D/9140202	AS.1246-1C	Bolt	1	—	C	
28DU/9480222	A.113/ 1/2D	Bolt	1	—	C	
2836	1357/611	Clip	1	—	MR/C	PL.5
28M/10328	AGS.2002-C1	Nut	1	—	C	
6956	FOS.40/4	Nut	1	—	MR/C	
28W/9419475	SP.15-C	Washer	1	—	C	
28W/9457839	SP.124-D	Washer	1	—	C	
		CONDUIT assy (1857/63C)	—	—	—	
		Spares for:—				
	1857/63E	CONDUIT, D.S.307/2 x 35 in.	1	—	MR/LM	PL.5
		Attachment parts for 1857/63C:—				
28D/9140202	AS.1246-1C	Bolt	4	—	C	
28DU/9480222	A.113-1/2D	Bolt	4	—	C	
28E/1012876	AS.3181-4C	Clip; "P"	4	—	C	
28W/9419475	SP.15-C	Washer	4	—	C	
28W/9457834	SP.124-D	Washer	4	—	C	
		CONDUIT assy (1857/63F)	—	—	—	
		Spares for:—				
	1857/63G	CONDUIT, D.S.307/2 x 60 in.	1	—	MR/LM	PL.5
		Attachment parts for 1857/63F:—				
28D/1010658	A.25-1B	Bolt	4	—	C	
28DU/9480166	A.102-1/2B	Bolt	4	—	C	
2836	1357/611	Clip	1	—	MR/C	PL.5
28E/1012876	AS.3181-4C	Clip; "P"	4	—	C	
28M/10287	AGS.2001-B1	Nut	1	—	C	
6954	FOS.40/2	Nut	1	—	MR/C	
28W/9419474	SP.15-B	Washer	4	—	C	
28W/17542	SP.124-B	Washer	4	—	C	

RESTRICTED

FUEL SYSTEM

Issued with A.L. No. 9

	Teleflex C.41020	END, fork, sliding 1	—	—	—
		Attachment parts for C.41020 :—			
28P/831	SSP.4Y-B5	Pin 1	—	C	—
28P/9429619	SP.9-CS	Pin, split 1	—	C	—
28VV/9419475	SP.15-C	Washer 1	—	C	—
28VV/9457834	SP.124-D	Washer 1	—	C	—
27K/	Teleflex C.24199A	SWIVEL assy 1	—	—	PL.5
		Attachment parts for C.24199A :—			
28D/9140202	AS.1246-1C	Bolt 2	—	C	—
28DU/9480222	A.113-1D	Bolt 2	—	C	—
—	—	UNITS, GAUGE, TANK, INSTALLATION (1857/17A and 17A/UN) (Mod. 442)	—	—	—
		Spares for :—			
6A/6226	Smith-Waymouth PT.40	CONNECTOR 2	—	B	PL.2
6A/6227	Smith-Waymouth PY.20	CONNECTOR 2	—	B	PL.2
6A/6228	Smith-Waymouth PY.25	CONNECTOR 2	—	B	PL.4
6A/6225	Smith SM.44	CONNECTOR 4	—	B	PL.2
3726	1857/1161	PLATE, blanking... .. 1	—	MR/C	—
		Attachment parts for 1857/1161 :—			
28D/7002428	A.25-6C	Bolt 8	—	C	—
28DU/9419968	A.102-5D	Bolt 8	—	C	—
3727	1857/1163	Gasket 1	—	C	PL.2
		OR			
7888	1857/1287	Gasket 1	—	MR/C	PL.2
28F/9429636	AGS.1186-3	Seal, bonded 8	—	C	—
1766	1857/175	PLATE, mounting 2	—	MR/C	PL.2
		Attachment parts for 1857/175 :—			
28D/9133011	A.25-2C	Bolt 6	—	C	—
28DU/9480168	A.102-1D	Bolt 6	—	C	—
1765	1857/421	Gasket 1	—	C	PL.2
		OR			
6215	1857/1271	Gasket 1	—	MR/C	PL.2
28F/9429636	AGS.1186-3	Seal, bonded 6	—	C	—
6A/6231	Smith 50.TN	UNIT, gauge, tank 2	—	B	PL.4
		Attachment parts for 6A/6231 :—			
28D/9133012	A.25-3C	Bolt 4	—	C	—
28DU/9480169	A.102-2D	Bolt 4	—	C	—
28VV/9419475	SP.15-C	Washer 4	—	C	—
28VV/9457834	SP.124-D	Washer 4	—	C	—
6A/6232	Smith-Waymouth TS.5	UNIT, gauge, tank 1	—	A	—
		Attachment parts for 6A/6232 :—			
6956	FOS.40/4	Nut 8	—	MR/C	—
28F/9429636	AGS.1186-3	Seal, bonded 8	—	C	—

FUEL SYSTEM

Issued with A.L. No. 9

6A/6233	Smith TS.9	UNIT, hauge, tank (Pre-mod. 442)	1	—	A	PL.4
6956	FOS.40/4	Attachment parts for 6A/6233 :—				
28F/9429636	AGS.1186-3	Nut	8	—	C	—
		Seal, bonded	8	—	C	—
6A/6234	Smith TS.11	UNIT, gauge, tank	1	—	B	—
6956	FOS.40/4	Attachment parts for 6A/6234 :—				
28F/9429636	AGS.1186/3	Nut	8	—	C	—
		Seal, bonded	8	—	C	—
6A/6229	Smith TW.1	UNIT, gauge, tank (15th-24th A/C)	2	—	B	PL.2
—	1857/471A	Complete with :—				
		PLATE assy, mounting	1	—	—	PL.2
28D/13697	AS.3297-3C	Attachment parts for 6A/6229 :—				
1816	1857/173	Bolt	10	—	C	—
		Gasket	1	—	C	PL.2
		OR				
6214	1857/1265	Gasket	1	—	MR/C	PL.2
6A/8229	Smith-Waymouth TW.5	UNIT, gauge, tank (25th and Sub. A/C)	2	—	B	PL.2
—	1857/471A/UN	Complete with :—				
		PLATE assy, mounting	1	—	—	PL.2
28DU/9480271	A.173-3D	Attachment parts for 6A/8229 :—				
1816	1857/173	Bolt	10	—	C	—
		Gasket	1	—	C	PL.2
		OR				
6214	1857/1265	Gasket	1	—	MR/C	PL.2
6A/6230	Smith TW.2	UNIT, gauge, tank (15th-24th A/C)	2	—	B	PL.2
—	1857/471A	Complete with :—				
		PLATE assy, mounting	1	—	—	PL.2
28D/13697	AS.3297-3C	Attachment parts for 6A/6230 :—				
1816	1857/173	Bolt	10	—	C	—
		Gasket	1	—	C	PL.2
		OR				
6214	1857/1265	Gasket	1	—	MR/C	PL.2
6A/8230	Smith-Waymouth TW.6	UNIT, gauge, tank (25th and Sub. A/C)	2	—	B	PL.2
—	1857/471A/UN	Complete with :—				
		PLATE assy, mounting	1	—	—	PL.2
28DU/9480271	A.173-3D	Attachment parts for 6A/8230 :—				
1816	1857/173	Bolt	10	—	C	—
		Gasket	1	—	C	PL.2
		OR				
6214	1857/1265	Gasket	1	—	MR/C	PL.2
—	—	VALVE, CHECK, INSTALLATION (1857/677A)	—	—	—	—
—	1857/1201	Spares for :—				
		PLATE, valve	1	—	MR	PL.2
—	—	VALVES, VENT, INSTALLATION (1857/1623A and 1623A/UN)	—	—	—	—
—	1857/1693A	Spares for :—				
—	1857/1693A/UN	ANGLE, mounting	1	—	MR	PL.6
—	1857/1694B	ANGLE, mounting (Mod. 184)	1	—	MR	—
—	1857/1694A/UN	ANGLE, mounting	1	—	MR	PL.6
—	1857/1694A/UN	ANGLE, mounting (Mod. 184)	1	—	MR	—

FUEL SYSTEM

Issued with A.L. No. 15

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
		1 2 3 4 5				
		Spares for:—				
28M/12421	AGS.2018-C1	NUT, anchor	2	—	C	—
6972	FOS.44/3	NUT, anchor	2	—	MR/C	—
		Attachment parts for 1857/1693-4A/UN:—				
28DU/9419966	A.102-1/2D	Bolt	2	—	C	—
28W/9457834	SP.124-D	Washer	2	—	C	—
—	1857/1691	BRACKET, mounting, valve (Mod. 184)	1	—	MR	PL.6
		Attachment parts for 1857-1691:—				
28D/9436920	A.25-1C	Bolt	4	—	C	—
28DU/9419966	A.102-1/2D	Bolt	4	—	C	—
28W/9419475	SP.15-C	Washer	4	—	C	—
28W/9457834	SP.124-D	Washer	4	—	C	—
5K/3391	AS.3360-B3B	BONDING, flexible	1	—	C	—
		Attachment parts for 5K/3391:—				
28M/10327	AGS.2002-B1	Nut	1	—	C	—
6954	FOS.40/2	Nut	1	—	MR/C	—
28S/1008152	A.31-B6	Screw	1	—	C	—
28S/9419453	A.31-B14	Screw	1	—	C	—
28S/1201331	A.205-B14	Screw	1	—	C	—
28W/1200328	AGS.2037-B	Washer	1	—	C	—
28W/9419474	SP.15-B	Washer	1	—	C	—
28W/17542	SP.124-B	Washer	1	—	C	—
5K/3397	AS.3360-C3C	BONDING, flexible	1	—	C	—
		Attachment parts for 5K/3397:—				
28E/1012877	AS.3181-5C	Clip, pipe	2	—	C	—
28M/10328	AGS.2002-C1	Nut	2	—	C	—
6956	FOS.40/4	Nut	2	—	MR/C	—
28S/9131095	A.31-C14	Screw	2	—	C	—
28S/9994997	A.205-D14	Screw	2	—	C	—
28W/9419475	SP.15-C	Washer	2	—	C	—
28W/9457834	SP.124-D	Washer	2	—	C	—
7867	King Aircraft					
	C.16456	COUPLING	2	—	MR/C	PL.6
7505	1857/1619A	DUCT assembly (Mod. 184)	1	—	MR/C	PL.6
		Attachment parts for 1857/1619A:—				
28D/9133012	A.25-3C	Bolt	6	—	C	—
28D/9419967	A.102-2D	Bolt	6	—	C	—
6241	1857/1283	Gasket	1	—	MR/C	PL.6
5848	1857/1381	Plate	1	—	MR/C	PL.6
28F/9429636	AGS.1186-3	Seal, bonded	6	—	C	—

FUEL SYSTEM

Issued with A.L. No. 15

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
7502	1857/1701	FAIRLEAD (Mod. 184)	2	—	MR/C	PL.6
		Attachment parts for 1857/1701:—				
28D/9133012	A.25-3C	Bolt	2	—	C	—
28DU/9419967	A.102-2D	Bolt	2	—	C	—
28M/10328	AGS.2002-C1	Nut	2	—	C	—
6956	FOS.40/4	Nut	2	—	MR/C	—
28W/9419475	SP.15-C	Washer	2	—	C	—
28W/9457834	SP.124-D	Washer	2	—	C	—
7507	King Aircraft					
	C.11604/12E	GASKET (Mod. 184)	2	—	MR/C	PL.6
5K/2973	SP.40-A48	GROMMET	1	—	C	—
5847	FOS.11/N/11	HOSE	1	—	MR/C	—
		Attachment parts for FOS.11/N/11:—				
28E/9129502	AGS.605-3	Clip, hose	2	—	C	—
28F/8280	AGS.1142-H	NIPPLE, adaptor	1	—	C	—
4657	1857/1247A	PIPE assembly, vent	1	—	MR/C	PL.6
	Armstrong					
	Whitworth					
27F/6447	AVE.110/14	VALVE, shut-off, air (Mod. 184)	1	—	B	PL.6
27V/5570	Teddington FLS/A/7	VALVE, vent, inward	1	—	—	PL.6
		Attachment parts for 27V/5570:—				
28E/9130219	AGS.605-4	Clip, hose	1	—	C	—
	Flight Refuelling					
27FR/4275	FRS.525-N1	Coupling	1	—	—	PL.6
		G.A. OF INCREASED RANGE FACILITY FOR FERRY				
		ROLE (1804/1361A)				
		(Mod. 721) S.O.O.				
		Spares for:—				
1498039	1804/1365A	BRACKET, pipe support	1	—	C	—
27FS/2151	Saunders 2032Q	COCK-AIR, 3-way, 1" B.S.P.	1	—	—	—
27FS/6204	Saunders 1488D	COCK-FUEL, 2-way, 3/4" B.S.P.	1	—	—	—
		DRIP DEFLECTOR INSTALLATION (1804/1417A)				
		Spares for:—				
1498052	1804/1417B	CHANNEL	1	—	C	—
		Attachment parts for 1804/1417A:—				
28E/9130755	AS.5419/12	Clip, "P", 3/4" dia.	2	—	C	—
28DU/9419966	A.102-1/2D	Bolt, hex. h'd., 10-32 UNF	2	—	C	—
6956	FOS.40-4	Nut, 10-32 UNF	2	—	C	—
28W/9457834	SP.124/D	Washer	3	—	C	—
1498056	1804/1419A	DRIP-flange assy	1	—	C	—
		Attachment parts for 1804/1419A:—				
28E/20012	SP.91.C	Clip	1	—	C	—
		ELECTRICAL REQUIREMENTS (1804/1367A)				
		Spares for:—				
1498040	1804/1367B	LABEL, red Dymotape	A/R	—	C	—
1498041	1804/1367C	LABEL, black Dymotape	A/R	—	C	—
1498053	1804/1361E	LABEL, "WIRELOCK"	1	—	C	—

FUEL SYSTEM


Issued with A.L. No. 18

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
		1 2 3 4 5				
1498054	1804/1361F	LABEL, "FUEL"	1	—	C	—
1498055	1804/1361G	LABEL, "SMOKE"	1	—	C	—
—	1804/1396C	NEBAR, bedding	A/R	—	C	—
—	1804/1355	NIPPLE, special, pipe (Make from AGS.1142F)	1	LM	C	—
1498036	1804/1357	PLATE, reinforcing, for fuel cock	1	—	C	—
1498043	1804/1371A	PIPE assy	1	—	C	—
1498044	1804/1375A	PIPE assy	1	—	C	—
1498046	1804/1379A	PIPE assy	1	—	C	—
		Attachment parts for 1804/1371A, 1375A and 1379A:—				
28E/1006378	AS.3181.8C	Clip, "P" x 1/2"	1	—	C	—
28E/1012877	AS.3181.5C	Clip, "P" x 5/16"	1	—	C	—
18 1498038	1804/1363	FAIRLEAD (Supplied as 2 halves)	1	—	C	—
1498033	1804/1373A	PIPE assy	1	—	C	—
1498045	1804/1377A	PIPE assy	1	—	C	—
1498047	1804/1381A	PIPE assy	1	—	C	—
1498034	1804/1383A	PIPE assy	1	—	C	—
1498048	1804/1385A	PIPE assy	1	—	C	—
1498049	1804/1387A	PIPE assy	1	—	C	—
1498050	1804/1389A	PIPE assy	1	—	C	—
1498035	1804/1391A	PIPE assy	1	—	C	—
—	1804/1413	PLATE, reinforcing, for air cock	1	LM	C	—
1498051	1804/1415	QUADRANT, air cock	1	—	C	—
1498037	1804/1359	QUADRANT, fuel cock	1	—	C	—
1498042	1804/1369A	SUPPORT, fuel cock	1	—	C	—
6956	FOS.40-4	STIFFNUT	1	—	C	—
6853	FOS.6-1/4	TAG, bonding, x 1/4" dia.	1	—	C	—

Gnat T. Mk.1

RESTRICTED

Plate PL.1
Issued with AL. No.17



PL.1


FUEL SYSTEM

PL.1

RESTRICTED

Plate PL.2
Issued with AL-No.7





PIPING, VENT FUEL TANK IN SPINE
(REF. DRG. 1857/61A)

PL.3

FUEL SYSTEM

PL.3


RESTRICTED

PL.4

FUEL SYSTEM

PL.4

RESTRICTED




Gnat T. MK.1.

RESTRICTED

Plate PL.5.
Issued with AL No.12

PIPING, FUEL PUMP TO ENGINE.
(REF. DRG. 1857/49 A)




PL.5.

FUEL SYSTEM

PL.5

RESTRICTED

PIPES, IN ENGINE BAY
(REF DRG 1857/75A)



PL.6

FUEL SYSTEM

PL.6


RESTRICTED

Gnat T. Mk. 1

RESTRICTED

Plate PL.7

Issued with AL.No.5



SMOKE GENERATING EQUIPMENT

(USING No.2 PORT AND STARBOARD TANKS)
(REF. DRG. 1804/1011A)

PL.7

FUEL SYSTEM

PL.7

RESTRICTED

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

**TELEBRIEF
CONNECTIONS**

E