

UNDERCARRIAGE

NOSE

Issued with A.L. No. 17

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.H.	
		1. 2. 3. 4. 5.				
		UNDERCARRIAGE ASSY, NOSE (1841/1A and 1A/UN)				
		Spares for:—				
6009	1841/195	ADJUSTER	2	—	MR/C	SB.1
4816	1841/179A	CABLE assy	2	—	MR/C	SB.1-3
†1401	1841/4A	DOOR assy, aft portion (Pre-mod. 525) (Pre-mod. 551) ..	1	—	MR/C	
8991	1841/5A/1	DOOR assy, aft portion (Mod. 551)	1	—	MR/C	SB.3
		Spares for:—				
8992	1841/5B	SEALING (Mod. 551)	1	—	MR/C	SB.3
		Attachment parts for 1841/5A:—				
28D/1214353	AS.3297-13C	Bolt	2	—	C	
28DU/9480278	A.173-13D	Bolt	2	—	C	
28M/9433473	AGS.2002-C1	Stiffnut	2	—	C	
6956	FOS.40/4	Stiffnut	2	—	MR/C	
1402	1241/85	Washer	2	—	MR/C	SB.3
2149	1841/81A	DOOR assy, forward portion	1	—	B	
8993	1841/81A/1	DOOR assy, forward portion	1	—	MR/B	SB.3
†6002	1841/81A/UN	DOOR assy, forward portion (Pre-mod. 525)	1	—	MR/B	
		(Pre-mod. 551)				
8994	1841/81A/UN/1	DOOR assy, forward portion (Mod. 551)	1	—	MR/B	
		Spares for:—				
28D/9133013	A.25-5C	BOLT	2	—	C	
28DU/9419968	A.102-5D	BOLT	2	—	C	
3007	1841/95	PULLEY	2	—	C	SB.3
		Attachment parts for 1841/95:—				
28DU/94195689	A.113-11E	Bolt	1	—	C	
1404	1241-213	Bush	1	—	MR/C	SB.3
28M/9414146	A.103-ES	Nut	1	—	C	
	AS.2308-040	Piece, distance	1	—	MR/LM	
28P/1007741	SP.9-C8	Pin, split	1	—	C	
28W/9471273	SP.124-E	Washer	1	—	C	
3008	1841/97	PIECE, distance	2	—	C	SB.3
		Attachment parts for 1841/97:—				
28D/1013301	AS.1248-4C	Bolt	1	—	C	
28DU/9419639	A.113-4D	Bolt	1	—	C	
28M/9433473	AGS.2002-C1	Nut	1	—	C	
6956	FOS.40/4	Nut	1	—	MR/C	
28W/9419475	SP.15-C	Washer	1	—	C	
28W/9457834	SP.124-D	Washer	1	—	C	
1405	1241/217	ROLLER	2	—	MR/C	SB.3
		Attachment parts for 1241/217:—				
28DU/9414344	A.102-5E	Bolt (Mod. 48)	1	—	C	
1406	1241/215	Bush	1	—	C	SB.3
6005	1241/215/UN	Bush	1	—	MR/C	

RESTRICTED

GNAT T. Mk. 1

UNDERCARRIAGE

NOSE

Issued with A.L. No. 16

REF. No	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
		1 2 3 4 5				
28M/9419539	A.103-DS	Nut (Mod. 48)	1	—	C	
28D/1007741	SP.9-C8	Pin, split	1	—	C	
6006	1841/185	Washer, serrated (Mod. 48)	1	—	MR/C	SB.3
±8700	1841/81B	SEAL, rubber (Amendt. 200)	2	—	MR/C	SB.3
8995	1841/81C	SEAL, rubber (Mod. 551)	2	—	MR/C	SB.3
6956	FOS.40/4	STIFFNUT	2	—	MR/C	
±1596	1841/87ND	STRIP, retaining	2	—	MR/C	SB.3
1407	1241/219A	TENSIONER assy, cable, port	1	—	C	SB.3
6003	1241/219A/UN	TENSIONER assy, cable, port	1	—	MR/C	
1408	1241/220A	TENSIONER assy, cable, starboard	1	—	C	SB.3
6004	1241/220A/UN	TENSIONER assy, cable, starboard	1	—	MR/C	
28W/9457834	SP.124-D	WASHER	2	—	C	
		Attachment parts for 1841/81A/UN:— (1810/673A)				
28DU/9419968	A.102-5D	Bolt:	2	—	C	
1003	1210/1373	Bush	2	—	MR/C	SB.3
28W/17552	SP.125-G	Washer	4	—	C	
±93	1841/187A	DOOR assy, main portion (Pre-mod. 551)	1	—	MR/B	
237	1841/187A/1	DOOR assy, main portion (Mod. 551)	1	—	MR/B	SB.3
94	1841/187A/UN	DOOR assy, main portion (Pre-mod. 525)	1	—	MR/B	
		(Pre-mod. 551)				
238	1841/187A/UN/1	DOOR assy, main portion (Mod. 551)	1	—	MR/B	
		Spares for:—				
8997	1841/253	ANGLE, retaining (Mod. 551)	1	—	MR/C	SB.3
8998	1841/254	ANGLE, retaining (Mod. 551)	1	—	MR/C	SB.3
	1241/143	FITTING, forward, port	1	—	MR	SB.3
	1241/144	FITTING, forward, starboard	1	—	MR	SB.3
28M/9435067	AGS.2008-C1	NUT, anchor	1	—	C	
6963	FOS.41/4	NUT, anchor	1	—	MR/C	
28M/10230	AGS.2009-E1	NUT, anchor	2	—	C	
6980	FOS.49/5/1	NUT, anchor	2	—	MR/C	
28M/15337	AGS.2020-E1	NUT, anchor	3	—	C	
	1841/217A/UN	PLATE, nut	3	—	C	SB.3
8996	1841/187B	SEALING (Mod. 551)	2	—	MR/C	SB.3
	1341/49ND	SKIN, top, side, port	1	—	MR	SB.3
	1341/50ND	SKIN, top, side, starboard	1	—	MR	SB.3
6851	FOS.6-5/32	TAG, wire locking	1	—	MR/C	
		Attachment parts for 1841/187A and 187A/UN:—				
	1241/83	Bolt (15th-24th a/c) (Make from A25-38C, 28D/13939)	2	—	MR/LM	SB.1
6007	1841/191	Bolt (25th and subsequent a/c)	2	—	MR/C	SB.1
6888	FOS.18/18	Bolt:)		—	MR/C	
27Q/1217077	SP.868/6E	Bolt:)		—	MR/C	
6889	FOS.18/19	Bolt:) Total of 5 to be used	5	—	MR/C	
7006	FOS.53/26	Bolt:)		—	MR/C	
6890	FOS.18/20	Bolt:)		—	MR/C	
7007	FOS.53/27	Bolt:)		—	MR/C	
1412	1241/89	Packing	28	—	MR/C	SB.1
28M/10288	AGS.2001-C1	Stiffnut	2	—	C	
6963	FOS.41/4	Stiffnut	2	—	MR/C	

RESTRICTED

UNDERCARRIAGE

NOSE

Issued with A.L. No. 19

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
		1 2 3 4 5				
28W/9419475	SP.15-C	Washer	4	—	C	—
28W/9419405	SP.15-E	Washer	5	—	C	—
28W/9457834	SP.124-D	Washer	4	—	C	—
28W/17427	SP.124-E	Washer	5	—	C	—
28W/9419404	SP.16-C	Washer	4	—	C	—
28W/17551	SP.125-D	Washer	4	—	C	—
28W/9419487	SP.16-E	Washer	10	—	C	—
28W/17426	SP.125-E	Washer	10	—	C	—
1413	1841/43	FITTING, uplock	1	—	MR/B	SB.3
		Attachment parts for 1841/43:—				
1414	1341/87	Bolt (9th-24th a/c)	3	—	C	SB.3
6008	1841/189	Bolt (25th and subsequent a/c)	3	—	MR/C	SB.3
6963	FOS.41/4	Nut	2	—	MR/C	—
1415	1841/59	Packing	24	—	MR/C	SB.3
28W/9457834	SP.124-D	Washer	5	—	C	—
27M/1120	Lockheed Air 47562	JACK assy, nose undercarriage (Mod. 616)	1	—	A	SB.1
		(For spares see A.P.4515F, Vol. 3, Part 1, Chap. 25)				
		Attachment parts for 27M/1120:—				
1416	1241/93	Bolt	1	—	C	SB.1
6010	1241/93/UN	Bolt	1	—	MR/C	—
28M/14537	A.58-GS	Nut	1	—	C	—
28M/9419279	A.110-GS	Nut	1	—	C	—
1035	1810/179	Pin, jack attachment	1	—	MR/C	SB.2
28P/1007741	SP.9/C8	Pin, split	1	—	C	—
1417	1240/67	Washer	1	—	MR	SB.1
1418	1241/91	Washer	1	—	MR/C	SB.1
19 27QM/71005	Dowty Rotal 2.00128.002	LEG assy, nose undercarriage (Mod. 468, Pre-mod. 747) (Alt. to 27QM/1491404)	1	—	A	SB.1
19 27QM/1491404	Dowty Rotal 2.00772.001	LEG assy, nose undercarriage (Mod. 747)	1	—	A	SB.1
		(Alt. to 27QM/71005)				
19 27QM/70462	Dowty Rotal 2.00128-001	LEG assy, nose undercarriage (Pre-mod. 468)	1	—	A	SB.1
		(For spares see A.P.4515B, Vol. 3, Part 1, Chap. 1)				
		Attachment parts for 27QM/70462:—				
1008	1210/587	Bolt	1	—	C	SB.4
5569	1210/587/UN	Bolt assy	1	—	MR/C	—
1012	1210/331	Bush	2	—	MR/C	SB.4
3157	1810/3299	Bush, flanged	2	—	MR/C	SB.4
—	1210/313/UN	Fitting, lower (1310/2765-A6/UN)	2	—	MR	SB.4
28N/9432345	SP.115	Nipple, grease	1	—	C	SB.4
28M/1011467	A.27-ES	Nut	1	—	C	—
28M/9414146	A.103-ES	Nut	1	—	C	—
28M/1011476	A.27-JS	Nut	2	—	C	—
28M/9414148	A.103-JS	Nut	2	—	C	—
1033	1310/643	Pin	1	—	MR/C	SB.4
28P/1007741	SP.9-C8	Pin, split	1	—	C	—
28W/9419466	SP.13-J	Washer	2	—	C	—
28W/9155148	SP.13-J	Washer	2	—	C	—
1419	1241/61A Sht. 2	LINK assy, radius rod attachment	1	—	MR/B	SB.1
		Spares for:—				
1420	1241/65	Bush	1	—	MR/C	SB.1

RESTRICTED

UNDERCARRIAGE

NOSE

Issued with A.L. No. 15

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
		1 2 3 4 5				
		Attachment parts for 1241/61A, Sht. 2:—				
1423	1841/65	Bolt	1	—	MR/C	SB.1
1422	1841/67	Bolt	1	—	MR/C	SB.1
28M/9419279	A.110-GS	Nut	2	—	C	—
28P/1007741	SP.9-C8	Pin, split	2	—	C	—
1417	1240/67	Washer	2	—	MR/C	SB.2
7695	1841/207A	MUDGUARD assy (Mod. 123)	1	—	MR/C	SB.1
		Attachment parts for 1841/207A:—				
28D/9140647	A.25-14C	Bolt	2	—	C	—
28DU/9419974	A.102-14D	Bolt	2	—	C	—
28D/12708	AS.1246/9C	Bolt	1	—	C	—
28DU/17273	A.116-9D	Bolt	1	—	C	—
28M/13121	A.27-CS	Nut	1	—	C	—
28M/9419539	A.103-DS	Nut	1	—	C	—
28M/10288	AGS.2002-C1	Nut	2	—	C	—
28M/9438422	A.125-D	Nut	2	—	C	—
28P/1007741	SP.9-C8	Pin, split	1	—	C	—
7986	1841/205A	Strap assy (Mod. 123)	2	—	MR/C	SB.1
2571	1873/687	Trunnion (Mod. 123)	2	—	MR/C	SB.1
28W/9419402	SP.13-C	Washer	3	—	C	—
28W/1010519	SP.122-D	Washer	3	—	C	—
1957	1841/79A	ROD, radius and link assy	1	—	B	—
5997	1841/79A/UN/1	ROD, radius and link assy	1	—	MR/B	—
9259	1841/79A/2	ROD, radius and link assy (Pre-mod. 536)	1	—	B	—
9260	1841/79A/UN/2	ROD, radius and link assy (Pre-mod. 536)	1	—	MR/B	—
9292	1841/79A/3	ROD, radius and link assy (Pre-mod. 657)	1	—	B	—
1443952	1841/79A/4	ROD, radius and link assy (Mod. 657)	1	—	B	—
9293	1841/79A/UN/3	ROD, radius and link assy (Mod. 657)	1	—	MR/B	—
1443953	1841/79A/UN/4	ROD, radius and link assy (Mod. 657)	1	—	MR/B	—
1496827	1841/79A/5	ROD, radius link and assy (Mod. 693)	1	—	B	SB.1
1496828	1841/79A/UN/5	ROD, radius and link assy (Mod. 693)	1	—	MR/B	—
		Spares for:—				
1361	1241/53	ADJUSTER	1	—	C	SB.2
5982	1241/53/UN	ADJUSTER	1	—	MR/C	—
		Attachment parts for 1241/53 and 53/UN:—				
28N/5548	AGS.899-1	Collar	1	—	C	—
28P/7002435	SP.4-A3	Pin	1	—	C	—
28P/1007741	SP.9-C8	Pin, split	1	—	C	—
‡ 1958	1241/31	BLOCK, locking	1	—	MR/C	SB.2
		Attachment parts for 1241/31:—				
28P/1011099	SP.28-G8	Pin, taper	1	—	C	—
‡ 1959	1241/35	Shaft	1	—	MR/C	SB.2
1496826	1840/161	CAP, retaining (Mod. 693)	2	—	C	SB.2
1363	1241/51	EYEBOLT	1	—	C	SB.2
5981	1241/51/UN	EYEBOLT	1	—	MR/C	—
		Attachment parts for 1241/51 and 51/UN:—				
28M/5548	AGS.899-1	Collar	1	—	C	—
28P/7002435	SP.4-A3	Pin	1	—	C	—
28P/1007741	SP.9-C8	Pin, split	1	—	C	—
1483769	1841/255	GUARD, debris (Mod. 657)	1	—	—	SB.2
1961	1241/41	HOUSING, spring, inner	1	—	MR/C	—
		Attachment parts for 1241/41:—				
28P/1011099	SP.28-G8	Pin, taper	1	—	C	—
‡ 1963	1241/37	Shaft	1	—	MR/C	SB.2
‡ 1962	1241/47	Tube, distance	2	—	MR/C	SB.2

RESTRICTED

UNDERCARRIAGE

NOSE

Issued with A.L. No. 18

REF. No.	PART NUMBER	DESCRIPTION					No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
		1	2	3	4	5			M.R. L.M.	
1964	1241/39					HOUSING, spring, outer	1	—	MR/C	SB.2
1965	1241/49					LEVER, switch	1	—	MR/C	SB.2
1443614	1841/231					LEVER, switch (Mod. 536)	1	—	C	—
						Attachment parts for 1241/49:—				
28P/1011099	SP.28-G8					Pin, taper	1	—	C	—
1963	1241/37					Shaft	1	—	MR/C	SB.2
1966	1241/19A Sht. 2					LINK assy	1	—	C	SB.2
—	1241/19A/UN Sht. 2					LINK assy	1	—	MR	—
						Attachment parts for 1241/19A Sht. 2 and 19A/UN Sht. 2:—				
1967	1241/59					Bolt	1	—	C	SB.2
—	1841/221					Bolt	1	—	MR	SB.2
1960	1241/55					Bolt, adjusting	1	—	MR/C	SB.2
—	1241/55/UN					Bolt, adjusting	1	—	MR	—
18 28N/9156370	SP.21					Nipple, grease	1	—	C	—
18 28N/5805330	SP.115					Nipple, grease	1	—	C	SB.2
28M/13326	A.27-GT					Nut	1	—	C	—
28M/9416047	A.103-GT					Nut	1	—	C	—
28M/9419279	A.110-GS					Nut	1	—	C	—
28P/1011099	SP.28-G8					Pin, taper	1	—	C	—
28P/1007741	SP.9-C8					Pin, split	1	—	C	—
—	1240/67					Washer	1	—	MR	SB.2
28M/1006473	A.27-CT					NUT	1	—	C	—
28M/9419540	A.103-DT					NUT	1	—	C	—
5999	1241/43					PLATE, switch attachment	1	—	MR/C	SB.2
7960	1841/213					PLATE, switch attachment	1	—	C	SB.2
						NOTE:—Use 1241/43 to exhaustion. Then use 1841/213, 2 off				
						Attachment parts for 1241/43 and 1841/213:—				
28DU/9480158	A.102-3B					Bolt	2	—	C	—
28W/17542	SP.124-B					Washer	2	—	C	—
—	1841/73A					ROD assy, radius (Pre-mod. 536)	1	—	MR	—
9534	1841/73A/1					ROD assy, radius (Mod. 536)	1	—	MR	—
						Spares for:—				
—	1241/9					BUSH	1	—	MR	SB.2
9515	1241/13					BUSH (Pre-mod. 536)	2	—	MR	SB.2
1443611	1841/227					BUSH (Mod. 536)	2	—	C	SB.2
—	1241/15					BUSH	2	—	MR	SB.2
—	1241/45					BUSH (Pre-mod. 536)	2	—	MR	SB.2
1443612	1841/233					BUSH (Mod. 536)	1	—	C	SB.2
—	1841/77					BUSH	2	—	MR	SB.2
1968	1241/29					ROLLER (Pre-mod. 536)	1	—	MR/C	SB.2
18 1443613	1841/229					ROLLER (Mod. 536)	1	—	C	SB.2
						Attachment parts for 1241/29 and 229:—				
1969	1841/91					Pin	1	—	MR/C	SB.2
1373	1240/39					SPRING	1	—	MR/C	SB.2
5CW/4639	—					SWITCH, micro (Pre-mod. 524)	1	—	B	SB.2
5CW/11939	—					SWITCH, micro (Mod. 657)	1	—	B	SB.2
						Attachment parts for 5CW/4639:—				
28D/1010142	A.25-9B					Bolt	2	—	C	—
28DU/9480159	A.102-9B					Bolt	2	—	C	—
28M/10327	AGS.2002-B1					Nut	2	—	C	—

RESTRICTED

GNAT T. Mk. 1

UNDERCARRIAGE

NOSE

Issued with A.L. No. 18

REF. No.	PART NUMBER	DESCRIPTION					No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
		1	2	3	4	5			M.R. L.M.	
6954	FOS.40/2					Nut	2	—	MR/C	—
28W/9419474	SP.15-B					Washer	2	—	C	—
28W/17542	SP.124-B					Washer	2	—	C	—
5998	1241/27/UN					TRIGGER	1	—	MR/C	SB.2
						Attachment parts for 1241/27/UN:—				
28M/9419539	A.103-DS					Nut	1	—	C	—
28P/1007741	SP.9-C8					Pin, split	1	—	C	—
1376	1241/57					Washer	1	—	MR/C	SB.2
						Attachment parts for 1841/79A and 79A/UN/1:—				
1421	1841/63					Bolt	1	—	C	SB.2
6001	1841/63/UN					Bolt	1	—	MR/C	—
28N/9796	SP.21					Nipple, grease	1	—	C	—
28N/9432345	SP.115					Nipple, grease	1	—	C	SB.2
28M/13122	A.27-GS					Nut	1	—	C	—
28M/9414147	A.103-GS					Nut	1	—	C	—
1034	1810/177					Pin, radius rod attachment (1810/473A)	1	—	C	SB.2
5620	1810/177/UN					Pin, radius rod attachment (1810/473/UN)	1	—	MR/C	—
28P/9429528	SP.9-C8					Pin, split	—	—	—	—
1417	1240/67					Washer	1	—	MR/C	SB.2
1443609	1841/247					ROLLER (Mod. 536)	1	—	C	—
						Attachment parts for 1841/247:—				
1443610	1841/237					Bolt	1	—	C	—
28M/9438422	A.125-D					Nut	1	—	C	—
28W/17427	SP.124-E					Washer	1	—	C	—
1424	1241/67					SPRING	2	—	MR/C	SB.3
1425	1341/85					TUBE, distance	1	—	MR/C	SB.3
						Attachment parts for 1341/85:—				
28D/1011346	A.25-11E					Bolt	1	—	C	—
28DU/9414350	A.102-11E					Bolt	1	—	C	—
28M/10330	AGS.2002-E1					Nut	1	—	C	—
6957	FOS.40/5					Nut	1	—	C	—
28W/9419405	SP.15-E					Washer	1	—	C	—
28W/17427	SP.124-E					Washer	1	—	C	—
7760	1841/103A/1					UPLOCK assy (Mod. 143)	1	—	B	—
9261	1841/103A/2					UPLOCK assy (Mod. 524)	1	—	B	—
9305	1841/103A/3					UPLOCK assy (Mod. 536)	1	—	B	—
1443963	1841/103A/4					UPLOCK assy (Mod. 657)	1	—	B	SB.4
7699	1841/103A/UN/1					UPLOCK assy (Mod. 143)	1	—	B	—
9262	1841/103A/UN/2					UPLOCK assy (Mod. 524)	1	—	B	—
9306	1841/103A/UN/3					UPLOCK assy (Mod. 536)	1	—	B	—
1443964	1841/103A/UN/4					UPLOCK assy (Mod. 657)	1	—	B	—
						Spares for:—				
3243	1841/111A					BAR assy, tee	1	—	C	SB.4
5995	1841/111A/UN					BAR assy, tee	1	—	MR/C	—
						Attachment parts for 1841/111A and 111A/UN:—				
28M/1006473	A.27-CT					Nut	2	—	C	—
28M/9419540	A.103-DT					Nut	2	—	C	—
28W/1200106	SP.42-C					Washer, tab	2	—	C	—
—	1841/119					CASTING, mounting plate	1	—	MR	SB.4
—	1841/119/UN					CASTING, mounting plate	1	—	MR	—
1386	1841/13A					HOOK assy, uplock (Pre-mod. 536)	1	—	MR/B	—
1443615	1841/249A					HOOK assy, uplock (Mod. 536)	1	—	B	—
						Spares for:—				
—	1841/17ND					BUSH (Pre-mod. 536)	1	—	MR	SB.4
1443616	1841/243					BUSH (Mod. 536)	1	—	B	SB.4

RESTRICTED

UNDERCARRIAGE

NOSE

Issued with A.L. No. 12

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
		1 2 3 4 5				
1388	1241/121	Attachment parts for 1841/13A:—				
5993	1241/121/UN	Bolt (Pre-mod. 536)	1	—	C	SB.4
28D/1213554	A.60-9G	Bolt (Mod. 536)	1	—	C	—
28DU/9415429	A.108-8G	Bolt (Pre-mod. 536)	1	—	MR/C	—
28M/9414147	A.103-GS	Bolt (Mod. 536)	1	—	C	—
28P/1007741	SP.9-C8	Nut	1	—	C	—
28W/17545	SP.124-G	Pin, split	1	—	C	—
		Washer	1	—	C	—
3244	1841/113	LEVER, uplock	1	—	MR/C	SB.4
28DU/9480277	A.173-12D	Attachment parts for 1841/113:—				
3248	1841/115	Bush	1	—	C	—
28M/9419539	A.103-DS	Bush	1	—	MR/C	SB.4
28P/1007741	SP.9-C8	Nut	1	—	C	—
28W/9457834	SP.124-D	Pin, split	1	—	C	—
		Washer	1	—	C	—
3245	1841/117A	PLATE assy, mounting	1	—	C	SB.4
5996	1841/117A/UN	PLATE assy, mounting	1	—	MR/C	—
		Spares for:—				
28M/12153	AGS 2007-B1	NUT, anchor	1	—	C	—
6961	FOS.41/2	NUT, anchor	1	—	MR/C	—
28M/8904	AGS.2812-B11	NUT, anchor	1	—	C	—
6966	FOS.42/2	NUT, anchor	1	—	MR/C	—
3246	1841/107	SEATING, spring	1	—	MR/C	—
28P/1009706	ESP.4-A2	Attachment parts for 1841/107:—				
28P/1007741	SP.9-C8	Pin, shear	1	—	C	—
28W/17542	SP.124-B	Pin, split	1	—	C	—
		Washer	1	—	C	—
3247	1841/109	SEATING, spring	1	—	C	SB.4
5994	1841/109/UN	SEATING, spring	1	—	MR/C	—
1392	1241/229	SPRING	1	—	MR/C	SB.4
1393	1841/21	STUD (Pre-mod. 536)	2	—	MR/C	SB.4
1443619	1841/239	STUD (Mod. 536)	1	—	C	—
5CW/4639	—	SWITCH, micro (Pre-mod. 524)	1	—	B	—
5CW/11939	—	SWITCH, micro (Mod. 657)	1	—	B	SB.4
28DU/9480159	A.102-9B	Attachment parts for 5CW/4639:—				
28W/17542	SP.124-B	Bolt	2	—	C	—
		Washer	2	—	C	—
7762	1841/201A	TRIGGER assy, uplock (Pre Mod. 536)	1	—	MR/C	SB.4
—	1841/35	Spares for:—				
1443617	1841/251A	BUSH	1	—	MR	SB.4
		TRIGGER assy, uplock (Mod. 536)	1	—	MR/C	SB.4
		Spares for:—				
		TRIGGER, N.D. assy (Mod. 536) (1841/251/B) ..	—	—	—	—
		Spares for:—				
1443618	1841/245	BUSH	1	—	C	SB.4
8612	1841/223	Attachment parts for 1841/201A:—				
28M/9419278	A.110-ES	Bolt, special	1	—	C	SB.4
28P/1007741	SP.9-C8	Nut	1	—	C	—
28W/17545	SP.124-G	Pin, split	1	—	C	—
		Washer	1	—	C	—
28D/12633	A.25-7E	Attachment parts for 1841/103A/1 and 103A/UN/1:—				
28DU/9414346	A.102-7E	Bolt	2	—	C	—
28D/18829	AS.3297-7E	Bolt	2	—	C	—
28DU/18119	A.173-7E	Bolt	1	—	C	—
		Bolt	1	—	C	—

UNDERCARRIAGE

NOSE

Issued with A.L. No. 18

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
		1 2 3 4 5				
28M/1011467	A.27-ES	Nut	2	—	C	—
28M/9414146	A.103-ES	Nut	2	—	C	—
28M/13935	A.58-ES	Nut	1	—	C	—
28M/9419278	A.110-ES	Nut	1	—	C	—
28P/1007741	SP.9-C8	Pin, split	3	—	C	—
28W/9418920	SP.10-E	Washer	1	—	C	—
28W/9128796	SP.126-E	Washer	1	—	C	—
28W/9419405	SP.15-E	Washer	2	—	C	—
28W/17427	SP.124-E	Washer	2	—	C	—
27M/890	Lockheed Air 44748	VALVE, shuttle	1	—	A	—
		(For spares see A.P.4515F, Vol. 3, Part 1, Chapter 25)				
		Attachment parts for 27M/890:—(1873/2001A and 2001A/UN)				
18 28D/13300	AS.3297-9C	Bolt	2	—	C	—
18 8697	FOS.77/9	Bolt	2	—	C	—
18	AS.3297-8C	Bolt	1	—	—	—
18	FOS.77/8	Bolt	1	—	—	—
28M/10328	AGS.2002-C1	Nut	3	—	C	—
18	FOS.63/4	Nut	3	—	—	—
6950	FOS.34CC	Shim	3	—	MR/C	—
28W/9419475	SP.15-C	Washer	3	—	C	—
28W/9457834	SP.124-D	Washer	3	—	C	—
—	—	WHEEL and axle assy (1841/7A and 7/ /UN)	—	—	—	—
		Spares for:—				
4264	1841/129	AXLE, nose undercarriage wheels	1	—	MR/B	SB.4
		Attachment parts for 1841/129:—				
1380	1341/17	Nut	2	—	MR/C	SB.4
1381	1341/19	Nut	2	—	MR/C	SB.4
5991	1341/19/UN	Nut	1	—	MR/C	—
1382	1341/21	Nut	2	—	MR/C	SB.4
28P/13743	SP.9-G24	Pin, split	2	—	C	—
28S/14665	A.55-C6	Screw, grub, B.A.	A/R	—	C	—
7630	FOS.57/D6/Y	Screw, grub UNF	A/R	—	MR/C	—
4076	1841/131	Shim	1	—	MR/C	SB.4
4077	1841/167	Shim	1	—	MR/C	SB.4
1383	1341/15	Sleeve	1	—	MR/C	SB.4
1395	1341/25	Washer	2	—	MR/C	SB.4
1396	1341/89	Washer	2	—	MR/C	SB.4
27A/4433	Dunlop DF.6965	COVER	—	—	—	SB.1
27A/4434	Dunlop DT.6900	TUBE	—	—	C	SB.1
8253	1841/215	WASHER, packing	A/R	—	C	SB.1
5990	1841/127	WHEEL, half, flange	2	—	MR/B	SB.1
5989	1841/125	WHEEL, half, hub	2	—	MR/B	SB.1
		Attachment parts for 1841/125 and 127:—				
28D/9434877	A.59-3G	Bolt	9	—	C	—
28DU/9415889	A.111-3G	Bolt	9	—	C	—
28M/7002431	AGS.2002-G1	Nut	9	—	C	—
6958	FOS.40/6	Nut	9	—	MR/C	—
28W/9419476	SP.15-G	Washer	9	—	C	—
28W/17545	SP.124-G	Washer	9	—	C	—

RESTRICTED

A/C SERIAL NOS.

UNDERCARRIAGE

ADDENDUM PAGE SB. 1


XM 704-709 ONLY

NOSE

Issued with A.L.No.6

REF. No.	PART NUMBER	DESCRIPTION					No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
									M.R. L.M.	
		1	2	3	4	5				
		G.A. OF NOSE UNDERCARRIAGE (1841/1A)								
		Spares for:-								
3645	1341/97	ADJUSTER (pre Mod. 414)	..	..	..		1	-	C	SB. 1
6009	1841/195	ADJUSTER (Mod. 414)	..	..	..		1	-	C	SB. 1
	BRITISH-MESSIER									
27Q/70463	UC.3010	LEG assy, nose undercarriage (pre Mod. 414)	..				1	-	A	SB. 1
		Attachment parts for 27Q70463								
1049	1210/317	Bush XM 704 only (1810/31A)	..	..			2	-	C	SB. 4
	DOWTY- ROTOL									
27Q/70462	2.00128.001	LEG assy, nose undercarriage (Mod. 414)	..				1	-	A	SB. 4
		(for Spares see A.P.4515B, Vol. 3, Part 1.)								

RESTRICTED





⊕ XM704-9A/C ONLY.

SB.1

NOSE UNDERCARRIAGE

SB.1






SB.3

NOSE UNDERCARRIAGE

SB.3



SB.4

NOSE UNDERCARRIAGE

SB.4

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

