FUEL

Ref. No.	Part No.	Description (1 2 3 4)	No. off	Matl. Spec.	Cl. of St. M.R.	Plate and Illust'n No.
		TANKS, FUEL, ASSEMBLIES				
		Spares for:—				
106	1P3247	TANK, FUEL, No. 1, PORT, GROUP	1	—	A	
107	2P3247	TANK, FUEL, No. 1, STARBOARD, GROUP	1	—	A	
		Spares for:—				
	SMITH'S WEYMOUTH					
6A/4333669	JM3	Box, tank terminal	1	—	C	
	FIREPROOF TANKS					
17778	FT/B/7860	Cleat, wiring	24	—	C	
	FT1826	Clip, spring, steel	16	—	MR	
	SMITH'S WEYMOUTH					
6A/4333574	PLT76T	Connector, internal live	1	—	C	
6A/4333680	PLT8T	Connector, internal live	2	—	C	
6A/4333678	PET76T	Connector, internal earth	1	—	C	
6A/4333679	PET8T	Connector, internal earth	2	—	C	
	FIREPROOF TANKS					
17784	FT/D/8752A	Pad, composite	4	—	C	
17783	FT/B/8572A	Pad, rubber	4	—	C	
17615	FT/B/7207A	Patch, rubbing	191	—	C	
	FT/3626S/10/1	RING, CASE BOLT, GROUP	1	—	MR	
		Consisting of:—				
	FT3555S/12	Bolt, 2 BA	8	S96		
	G.K.N. CE1	Cage, bolt	8	S1		
	FT3555S/10	Ring	1	L72		
28Q/9702916	AS160/304	River, csk.	16	L36	C	
	FT1915	Washer, crush	8	T9		
	FT/C/6932	RING, CAGE BOLT, GROUP	1	—	MR	
		Consisting of:—				
	FT3555S/12	Bolt, 2 BA	13	S96		
28D/1008145	A25/6E	Bolt, hex. head, 1/4" BSF	1	S96	C	
	G.K.N. CE1	Cage, bolt	13	S1		
	G.K.N. EE1	Cage, bolt	1	S1		
	FT/C/6932/1	Ring	1	L72		
28Q/9700656	AS160/305	Rivet, csk, head, 3/32" dia. x 5/16" long	23	L36	C	
	FT1915	Washer, crush	13	T9		
	FT/B/6576	Washer, crush	1	T9		
	FT/B/6461	Ring, clamp, centre bored	2	L72	MR	
	FT3625S/10	Ring, clamp, centre bored	1	L72	MR	
	FT3625S/13	Ring, clamp, centre bored	1	L72	MR	
5416	FT/B/6030	Ring, clamp, centre bored	1	L72	C	

Ref. No.	Part No.	Description 1 2 3 4	No. off	Matl. Spec.	Cl. of St. M.R.	Plate and Illust'n No.
		TANKS, FUEL, No. 1, PORT AND STARBOARD (1 & 2P3247) (Cont'd.)				
	FT/D/7901/A 69/9	RING, MOULDED, "A" TYPE, GROUP	1	—		
		Consisting of:—				
	FT3555S/9	Bolt, 2 BA	15	S96		
	FT/B/7909/9	Bolt, 1/4" BSF	1	S96		
	FT/D/7901A/69	Moulding	1	—		
	FT/D/7902/69	Ring, bolt	1	L72		
1432861	FT/B/6955/36	Ring, special, type "D"	2	—		
17779	FT/D/6955/30	Ring, moulded, type "D"	1	—	C	
1432862	FT/D/6955/31	Ring, moulded, type "D"	1	—	C	
1432863	FT/D/6955/62	Ring, moulded, type "D"	1	—	C	
	H.S.C.150	Solution, cement	Q/R	DTD900		
1432867	FT/C/6939A	STUD, COLLECTED, GROUP	191	—	C	
		Consisting of:—				
	FT/C/6945A	ATTACHMENT, MOULDED, GROUP	1	—		
17469	FT/B/6941	Collect, for stud	3	DTD130A	C	
17470	FT/B/6942	Disc, compression	1	—	C	
11975	FT/C/6944	Flange, screwed	1	DTD130A	C	
17471	FT/B/6943	Nut	1	DTD130A	C	
12159	FT/B/6773	Stud, moulded	12	—	C	
	SMITH'S WAYMOUTH					
6A/4333556	TC166	Unit, fuel gauge (Pre-Mod. 2479)	1	—	A	
6A/12963	TC275	Unit, fuel gauge (Mod. 2479)	1		A	
6A/4333558	TC167	Unit, fuel gauge (Pre-Mod. 2479)	1	—	A	
6A/12964	TC276	Unit, fuel gauge (Mod. 2479)	1		A	
6A/4333558	TC168	Unit, fuel gauge (Pre-Mod. 2479)	1	—	A	
6A/12965	TC277	Unit, fuel gauge (Mod. 2479)	1		A	
6A/4333559	TC169	Unit, fuel gauge (Pre-Mod. 2479)	1	—	A	
6A/12966	TC278	Unit, fuel gauge (Mod. 2479)	1		A	
	FIREPROOF TANKS					
5423	FT4607	Washer, sump sealing	1	DTD762	C	
9826	FT3545S/47	Washer, detector, sealing	1	DTD762		

Ref. No.	Part No.	Description (1 2 3 4)	No. off	Matl. Spec.	Cl. of St. / M.R.	Plate and Illust'n No.
545	1P3229	TANK, FUEL, No. 2, PORT, GROUP	1	–	A	
546	2P3229	TANK, FUEL, No 2, STARBOARD, GROUP	1	–	A	
		Spares for:–				
	SMITH'S WEYMOUTH					
6A/4333669	JM3	Box, terminal	1	–	B	
	FIREPROOF TANKS					
17778	FT/B/7860	Cleat, wiring	41	–	C	
	FT/B/8616	Cleat, special	1	–		
	FT1826	Clip, spring, steel	16	–	MR	
	SMITH'S WEYMOUTH					
	PL/T/69/T/39/T	Connector, internal, live	1	–		
	PE/T/69/T/39/O	Connector, internal, earth	1	–		
6A/4333680	PL/T/8/T	Connector, internal, live	2	–	B	
6A/4333679	PE/T/8/T	Connector, internal, earth	2	–	B	
	FIREPROOF TANKS					
17784	FT/D/8752A	Pad, composite	4	–		
17783	FT/B/8572A	Pad, rubber	4	–		
17615	FT/B/7207A	Patch, rubbing	213	–		
	FT/3625S/10	Ring, clamp, centre bored	1	L72	MR	
	FT/3625S/13	Ring, clamp, centre bored	1	L72	MR	
	FT/B/7349	Ring, clamp, centre bored	1	L72	MR	
	FT/3626S/10/1	RING, CAGE BOLT, GROUP	1	–	MR	
		Consisting of:–				
	FT/3555S/12	Bolt, 2 BA	8	S96		
	G.K.N. CE1	Cage, bolt	8	S1		
	FT/3626S/10	Ring	1	L72		
28Q/9702916	AS160/304	Rivet, csk.	16	L36	C	
	FT1915	Washer, crush	8	T9		
	FT/C/7350	RING, CAGE BOLT, GROUP	1	–		
		Consisting of:–				
	FT3555S/12	Bolt, 2 BA	15	S96		
28D/1011242	A25/7E	Bolt, hex. hd., 1/4" BSF	1	S96	C	
	G.K.N. CE1	Cage, bolt	15	S1		
	G.K.N. EE1	Cage, bolt	1	S1		
	FT/C/7350/1	Ring	1	L72		
28Q/9700656	AS160/305	Rivet, csk.	32	L36	C	
	FT1915	Washer, crush	15	T9		
	FT/B/6576	Washer, crush	1	T9		

Ref. No.	Part No.	Description 1 2 3 4	No. off	Matl. Spec.	Cl. of St. M.R.	Plate and Illust'n No.
		TANK, FUEL, No. 2, PORT AND STARBOARD (1 & 2P3248) (Cont'd.)				
	FT/D/7901/34/9	RING, MOULDED, "A" TYPE, GROUP	1	—		
		Consisting of:—				
	FT3555S/9	Bolt, 2 BA	7	S96		
	FT/B/7909/9	Bolt, 1/4" BSF	1	S96		
	FT/D/7901/34	Moulding	1	—		
	FT/D/7902/34	Ring	1	L72		
	FT/C/8656A	RING, SPECIAL, "A" TYPE, GROUP	1	—	C	
		Consisting of:—				
	FT3555S/9	Bolt, 2 BA	13	S96		
	FT/B/7090/9	Ring, 1/4" BSF	1	S96		
	FT/B/8570	Ring, bolt	1	L72		
11976	FT/C/8656A/1	Ring, moulded	1	—	C	
17779	FT/D/6955/30	Ring, moulded, "D" type	1	—	C	
1432864	FT/D/6955/67	Ring, moulded, "D" type	1	—	C	
1432862	FT/D/6955/31	Ring, moulded, "D" type	1	—	C	
	H.S.C.150	Solution, cement	Q/R	DTD900		
1432867	FT/C/6939/A	STUD, COLLETTED, GROUP	213	—	C	
		(For breakdown see No. 1 Fuel Tank, page SC.2)				
12159	FT/B/6773	Stud, moulded	12	—	C	
	SMITH'S WEYMOUTH					
6A/4233	TC140	Unit, gauge	2	—	A	
	TC141	Unit, gauge	1	—	A	
	FIREPROOF TANKS					
	FT4608	Washer, sump sealing	1	DTD762	MR	
	FT2754/S/39	Washer, sealing	1	DTD762	MR	
	FT/B/8574	Washer, sealing	1	DTD762	MR	

FUEL

Ref. No.	Part No.	Description 1 2 3 4	No. off	Matl. Spec.	Cl. of St. M.R.	Plate and Illust'n No.
110	1P3249	TANK, FUEL, No. 3, PORT, GROUP	1	—	A	
111	2P3249	TANK, FUEL, No. 3, STARBOARD, GROUP	1	—	A	
		Spares for:—				
	SMITH'S WEYMOUTH					
6A/4333669	JM3	Box, terminal	1	—	C	
	FIREPROOF TANKS					
9335	FT/B/6881A	Button, moulded	16	—		
1432868	FT/B/6881B	Button, moulded	16	—		
17778	FT/B/7860	Cleat, wiring	36	—		
	FT1826	Clip	56	—	MR	
	SMITH'S WEYMOUTH					
6A/4333576	PL/T/88/T	Connector, internal, live	1	—	C	
6A/4333676	PL/T/18/Z	Connector, internal, live	1	—	C	
6A/4333583	PE/T/92/T	Connector, internal, earth	1	—	C	
6A/4333578	PE/T/20/Z	Connector, internal, earth	1	—	C	
	FIREPROOF TANKS					
17784	FT/D/8752A	Pad, composite	6	—	C	
17783	FT/B/8572A	Pad, rubber	6	—	C	
17615	FT/B/7207A	Patch, rubbing	208	—	C	
	FT3626S/10/1	RING, CAGE BOLT, GROUP	1	—	MR	
		(For breakdown see No. 1 fuel tank, Page SC.1)				
11402	FT3626S/39/12	RING, CAGE BOLT, GROUP	1	—	C	
		Consisting of:—				
	FT3555S/12	Bolt, 2 BA	18	S96		
	G.K.N.					
	CE1	Cage, bolt	18	S1		
	FT3626S/39	Ring	1	L72		
28Q/9700656	AS160/305	River, csk.	36	L36	C	
	FT1915	Washer, crush	18	T9		
	FT/C/8404A	RING, OVAL, "A" TYPE, GROUP	1	—		
		Consisting of:—				
	FT3555S/9	Bolt, 2 BA	17	S96		
	FT/B/7909/9	Bolt, 1/4" BSF	1	S96		
	FT/B/8422	Ring, bolt	1	L72		
	FT/C/8404A/1	Ring, moulded	1	—		
	FT3625S/22	Ring, clamp, c/bored	2	L72	MR	
	FT3625S/21	Ring, clamp, c/bored	1	L72	MR	
	FT3625S/10	Ring, clamp, c/bored	1	L72	MR	
	FT3625S/39	Ring, clamp, c/bored	1	L72	MR	

Ref. No.	Part No.	Description 1 2 3 4	No. off	Matl. Spec.	Cl. of St. M.R.	Plate and Illust'n No.
		TANK, FUEL, No. 3, PORT & STARBOARD (1 & 2P3249) (Cont'd.)				
17781	FT/D/6955/47	Ring, moulded, "D" type	2	—	C	
17782	FT/D/6955/45	Ring, moulded, "D" type	1	—	C	
17779	FT/D/6955/30	Ring, moulded, "D" type	1	—	C	
17780	FT/D/6955/93	Ring, moulded, "D" type	1	—	C	
	H.S.C.150	Solution, cement	Q/R	DTD900		
1432867	FT/C/6939A	STUD, COLLETTED, GROUP (For breakdown see No. 1 fuel tank, Page SC.2)	208	—	C	
1432700	FT/B/7268A	Stud, special, cambered	16	—	C	
	SMITH'S WEYMOUTH					
6A/4333560	TM2	Unit, tank gauge	1	—	A	
6A/4333561	TM3	Unit, tank gauge	1	—	A	
	FIREPROOF TANKS					
	FT2754S/39	Washer, sealing	1	DTD762	MR	
	FT4609	Washer, sump sealing	3	DTD762	MR	
	FT/B/8575	Washer, sealing	1	DTD762	MR	

Ref. No.	Part No.	Description 1 2 3 4	No. off	Matl. Spec.	Cl. of St. M.R.	Plate and Illust'n No.
112	1P3250	TANK, FUEL, No. 4, PORT, GROUP	1	—	A	
113	2P3250	TANK, FUEL, No. 4, STARBOARD, GROUP	1	—	A	
		Spares for:—				
	SMITH'S WEYMOUTH					
6A/4333669	JM3	Box, tank terminal	1	—	B	
	FIREPROOF TANKS					
	FT/B/6881A	Button, moulded	18	—		
1432868	FT/B/6881B	Button, moulded	16	—	C	
17778	FT/B/7860	Cleat, wiring	33	—	C	
	FT1826	Clip, spring, steel	58	—	MR	
	SMITH'S WEYMOUTH					
6A/4333575	PLT80T	Connector, internal, live	1	—	B	
6A/4333676	PLT18Z	Connector, internal, live	1	—	B	
6A/4333583	PET84T	Connector, internal, earth	1	—	B	
6A/4333578	PET20Z	Connector, internal, earth	1	—	B	
	FIREPROOF TANKS					
17784	FT/D/8752A	Pad, composite	6	—	C	
17783	FT/B/8572A	Pad, rubber	6	—	C	
17615	FT/B/7207A	Patch, rubbing	214	—	C	
	FT/3626S/10/1	RING, CAGE BOLT, GROUP (For breakdown see No. 1 fuel tank, Page SC.1)	1	—	MR	
	FT/3626S/39/12	RING, CAGE BOLT, GROUP (For breakdown see No. 3 fuel tank, Page SC.5)	1	—	MR	
	FT3625S/22	Ring, clamp, c/bored	2	L72	MR	
	FT3625S/21	Ring, clamp, c/bored	1	L72	MR	
	FT3625S/10	Ring, clamp, c/bored	1	L72	MR	
	FT3615S/39	Ring, clamp, c/bored	1	L72	MR	
17781	FT/D/6955/47	Ring, moulded, "D" type	2	—	C	
17782	FT/D/6955/45	Ring, moulded, "D" type	1	—	C	
17779	FT/D/6955/30	Ring, moulded, "D" type	1	—	C	
17780	FT/D/6955/93	Ring, moulded, "D" type	1	—	C	
	FT/C/8404A	RING, OVAL, TYPE "A", GROUP (For breakdown see No. 3 fuel tank, Page SC.5)	1	—		
	H.S.C.150	Solution, cement	Q/R	DTD900		

Ref. No.	Part No.	Description 1 2 3 4	No. off	Matl. Spec.	Cl. of St. M.R.	Plate and Illust'n No.
		TANK, FUEL, No. 4, PORT & STARBOARD (1 & 2P3250) (Cont'd.)				
1432867	FT/C/6939A	STUD, COLLETTED, GROUP ..... (For breakdown see No. 1 fuel tank, Page SC.2)	214	—	C	
1432700	FT/B/7268A	Stud, special, cambered	16	—	C	
	SMITH'S WEYMOUTH					
6A/4333562	TM4	Unit, tank gauge	1	—	A	
6A/4333563	TM5	Unit, tank gauge	1	—	A	
	FIREPROOF TANKS					
	FT2754S/39	Washer, sealing	1	DTD762	MR	
	FT4609	Washer, sump sealing	1	DTD762	MR	
	FT/B/8575	Washer, sealing	1	DTD762	MR	

Ref. No.	Part No.	Description 1 2 3 4	No. off	Matl. Spec.	Cl. of St. M.R.	Plate and Illust'n No.
114	1P3251	TANK, FUEL, No. 5, PORT, GROUP	1	—	A	
	2P3251	TANK, FUEL, No. 5, STARBOARD, GROUP	1	—		
		Spares for:—				
6A/4333672	SMITH'S WEYMOUTH JM3	Box, tank terminal	1	—	B	
	FIREPROOF TANKS					
	FT/B/6881A	Button, moulded	18	—		
1432868	FT/B/6881B	Button, moulded	16	—	C	
17778	FT/B/7860	Cleat, wiring	47	—	C	
	FT1826	Clip, spring steel	66	—	MR	
6A/4333576	SMITH'S WEYMOUTH PL/T/88/T	Connector, internal, live	1	—	B	
6A/4236	PL/T/22/Z	Connector, internal, live	1	—	B	
6A/4333583	PE/T/92/T	Connector, internal, earth	1	—	B	
6A/4076	PE/T/24/Z	Connector, internal, earth	1	—	B	
	FIREPROOF TANKS					
17784	FT/D/8752A	Pad, composite	8	—	C	
17783	FT/B/8562A	Pad, rubber	8	—	C	
17615	FT/B/7207A	Patch, rubbing	204	—	C	
	FT3626S/10/1	RING, CAGE BOLT, GROUP (For breakdown see No. 1 fuel tank)	1	—	MR	
	FT3626S/39/12	RING, CAGE BOLT, GROUP (For breakdown see No. 3 fuel tank)	1	—	MR	
	FR3625S/22	Ring, clamp, c/bored	2	L72	MR	
	FT3625S/25	Ring, clamp, c/bored	1	L72		
	FT362S/10	Ring, clamp, c/bored	1	L72	MR	
	FT3625S/39	Ring, clamp, c/bored	1	L72	MR	
17781	FT/D/6955/47	Ring, moulded, "D" type	2	—	C	
17782	FT/D/6955/45	Ring, moulded, "D" type	1	—	C	
17779	FT/D/6955/30	Ring, moulded, "D" type	1	—	C	
17780	FT/D/6955/93	Ring, moulded, "D" type	1	—	C	
	FT/D/7901/A/115/9	RING, MOULDED, TYPE "A", GROUP	1	—		
		Consisting of:—				
	FT3555S/9	Bolt, 2 BA	23	S96		
	FT/B/7909/9	Bolt, 1/4" BSF	1	S96		
	FT/D/7901A/115	Mould	1	—		
	FT/D/7901/115	Ring	1	L70		
	H.S.C.150	Solution, cement	Q/R	DTD900		

Ref. No.	Part No.	Description 1 2 3 4	No. off	Matl. Spec.	Cl. of St. M.R.	Plate and Illust'n No.
		TANK, FUEL, No. 5, PORT & STARBOARD (1 & 2P3251) (Cont'd.)				
1432867	FT/C/6939A	STUD, COLLETTED, GROUP ..... (For breakdown see No. 1 fuel tank)	204	—	C	
1432700	FT/B/7268A SMITH'S WEYMOUTH	Stud, special, cambered	16	—	C	
6A/4333564	TM6 S.P.1	Unit, tank gauge	1	—	A	
6A/4333565	TM7 S.P.1	Unit, tank gauge	1	—	A	
	FT/2754S/39	Washer, sealing	1	—	MR	
	FR4609	Washer, sump sealing	3	—	MR	
	FT3545S/53	Washer, sealing	1	—	MR	

Ref. No.	Part No.	Description 1 2 3 4	No. off	Matl. Spec.	Cl. of St. M.R.	Plate and Illust'n No.
116	1P3252	TANK, FUEL, No. 6, PORT, GROUP	1	–	A	
117	2P3252	TANK, FUEL, No. 6, STARBOARD, GROUP ..	1	–	A	
		Spares for:–				
	SMITH'S WEYMOUTH					
6A/4333669	JM3	Box, tank, terminal	1	–	B	
	FIREPROOF TANKS					
	FT/B/6881/A	Button, moulded	14	–		
1432868	FT/B/6881/B	Button, moulded	16	–	C	
17778	FT/B/7860	Cleat, wiring	38	–	C	
	FT1826	Clip, spring, steel	62	–	MR	
	SMITH'S WEYMOUTH					
6A/4333573	PLT66T	Connector, internal, live	1	–	B	
6A/4333676	PLT18Z	Connector, internal, live	1	–	B	
6A/4333580	PET70T	Connector, internal, earth	1	–	B	
6A/4333578	PET20Z	Connector, internal, earth	1	–	B	
	FIREPROOF TANKS					
17784	FT/D/8752A	Pad, composite	8	–	C	
17783	FT/B/8572A	Pad, rubber	8	–	C	
17615	FT/B/7207A	Patch, rubbing	272	–	C	
	FT3626S/10/1	RING, CAGE BOLT, GROUP	1	–	MR	
		(For breakdown see No. 1 fuel tank)				
	FT3626S/39/12	RING, CAGE BOLT, GROUP	1	–	MR	
		(For breakdown see No. 1 fuel tank)				
	FT3625S/22	Ring, clamp, c/bored	1	L72	MR	
	FT3625S/21	Ring, clamp, c/bored	1	L72	MR	
	DT3625S/10	Ring, clamp, c/bored	1	L72	MR	
	FT3625S/19	Ring, clamp, c/bored	1	L72	MR	
17781	FT/D/6955/47	Ring, moulded, "D" type	2	–	C	
17782	FT/D/6955/45	Ring, moulded, "D" type	1	–	C	
17779	FT/D/6955/30	Ring, moulded, "D" type	1	–	C	
17780	FT/D/6955/93	Ring, moulded, "D" type	1	–	C	
	FT/C/8404A	RING, OVAL, "A" TYPE, GROUP	1	–		
		(For breakdown see No. 3 fuel tank)				
	HSC150	Solution, cement	Q/R	DTD900		
1432867	FT/C/6939A	STUD, COLLETTED, GROUP	272	–	C	
		(For breakdown see No. 1 fuel tank)				

Ref. No.	Part No.	Description 1 2 3 4	No. off	Matl. Spec.	Cl. of St. M.R.	Plate and Illust'n No.
		TANK, FUEL, No. 6, PORT & STARBOARD (1 & 2P3252) (Cont'd)				
1432700	FT/B/7268A	Stud, special, cambered	16	–	C	
	SMITH'S WEYMOUTH					
6A/4333565	TM8	Unit, tank, gauge	1	–	A	
6A/4333567	TM9	Unit, tank, gauge	1	–	A	
	FIREPROOF TANKS					
	FT2754S/39	Washer, sealing	1	DTD762	MR	
	FT4609	Washer, sump sealing	2	DTD762	MR	
	FT/B/8575	Washer, sealing	1	DTD762	MR	

Ref. No.	Part No.	Description 1 2 3 4	No. off	Matl. Spec.	Cl. of St. M.R.	Plate and Illust'n No.
118	1P3253	TANK, FUEL, No. 7, PORT, GROUP	1	—	A	
119	2P3253	TANK, FUEL, No. 7, STARBOARD, GROUP	1	—	A	
		Spares for:—				
	SMITH'S WEYMOUTH					
6A/4333669	JM3	Box, tank, terminal	1	—	B	
	FIREPROOF TANKS					
9335	FT/B/6881A	Button, moulded	18	—		
1432868	FT/B/6881B	Button, moulded	32	—	C	
17778	FT/B/7860	Cleat, wiring	45	—	C	
	FT1826	Clip, spring steel	90	—		
	SMITH'S WEYMOUTH					
6A/4333676	PLT18Z	Connector, internal, live	1	—	B	
6A/4333385	PLT30T	Connector, internal, live	1	—		
6A/4333572	PLT34T	Connector, internal, live	1	—	B	
6A/4333453	PLT54T	Connector, internal, live	1	—	B	
6A/4333578	PET20Z	Connector, internal, earth	1	—	B	
6A/4333681	PET34T	Connector, internal, earth	1	—	B	
6A/4333579	PET38T	Connector, internal, earth	1	—		
6A/4333580	PET58T	Connector, internal, earth	1	—	B	
	FIREPROOF TANKS					
17784	FT/D/8752A	Pad, composite	10	—	C	
17783	FT/B/8572A	Pad, rubber	10	—	C	
17615	FT/B/7207A	Pad, rubbing	249P 251S	—	C	
	FT3626S/10/1	RING, CASE BOLT, GROUP (For breakdown see No. 1 fuel tank)	1	—	MR	
	FT3626S/39/12	RING, CAGE BOLT, GROUP (For breakdown see No. 1 fuel tank)	1	—	MR	
	FT3625S/22	Ring, clamp, c/bored	2	L72	MR	
	FT3625S/21	Ring, clamp, c/bored	1	L72	MR	
	FT3625S/10	Ring, clamp, c/bored	1	L72	MR	
	FT3625S/39	Ring, clamp, c/bored	1	L72	MR	
	FT/D/7901A/115/9	RING, MOULDED, TYPE "A", GROUP (For breakdown see No. 5 fuel tank)	1	—		
17781	FT/D/6955/47	Ring, moulded, type "D"	2	—	C	
17782	FT/D/6955/45	Ring, moulded, type "D"	1	—	C	
17779	FT/D/6955/30	Ring, moulded, type "D"	1	—	C	
17780	FT/D/6955/93	Ring, moulded, type "D"	1	—	C	
1432867	FT/C/6939A	STUD, COLLETTED, GROUP (For breakdown see No. 1 fuel tank)	249P 251S	—	C	

Ref. No.	Part No.	Description 1 2 3 4	No. off	Matl. Spec.	Cl. of St. M.R.	Plate and Illust'n No.
		TANK, FUEL, No. 7, PORT & STARBOARD (1 & 2P3253) (Cont'd.)				
1432700	FT/B/7268A SMITH'S WEYMOUTH	Stud, special, cambered	32	—	C	
6A/5333568	TM10	Unit, tank gauge	1	—	A	
6A/5333569	TM11	Unit, tank gauge	1	—	A	
6A/5333570	TM12	Unit, tank gauge	1	—	A	
6A/5333571	TM13	Unit, tank gauge	1	—	A	
	FT2754/S/39	Washer, sealing	1	DTD762	MR	
	FT4611	Washer, sump sealing	1	DTD762	MR	
	FT3545S/53	Washer, sealing	1	DTD762	MR	
		TANKS, LONG RANGE FUEL IN BOMB BAY (1P3391, 1P3377 and 1P3920) (See—Equipment Special Operational—Long Range Fuel Tanks)				

TANKS

SUMMARY OF STANDARD ITEMS

Stores Ref.		No. off	Stores Ref.		No. off	Stores Ref.		No. off
Section	Ref. No.		Section	Ref. No.		Section	Ref. No.	
5CW	5928	1		**Part No.**				
			6A	PET/38/T	1			
5CW	6655	1						
				Part No.				
			6A	PE/T/69/T/39/0	1			
6A	3309	1		**Part No.**				
			6A	PLT/30/T	1			
6A	3799	1						
				Part No.				
6A	4046	1	6A	PL/T/69/T/39/T	1			
6A	4047	1						
6A	4048	1						
6A	4049	1						
6A	4050	1	27F	2214	1			
6A	4051	1						
6A	4052	1						
6A	4053	1						
6A	4054	1	27Q	1384	1			
6A	4055	1						
6A	4056	1						
6A	4057	1						
6A	4058	1	28D	12543	1			
6A	4059	1						
6A	4060	1	28D	12633	1			
6A	4061	1						
6A	4062	1						
6A	4063	1						
6A	4064	1	28F	2444	1			
6A	4065	1						
6A	4066	2	28F	12047	1			
6A	4068	4	28F	12048	3			
6A	4070	1						
6A	4071	1						
6A	4073	1						
6A	4074	2	28N	13423	2			
6A	4076	1						
			28N	13624	1			
6A	4209	6						
6A	4233	2						
6A	4234	2	28Q	6865	112			
6A	4235	4						
6A	4236	1	28Q	10011	235			
6A	4237	1						
6A	4238	4						
6A	4239	4						
6A	4240	1						

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.