

AP101B-2303-3A

Page K.1

POWER INSTALLATION

ENGINE INSTALLATION

Part Number	Description	No. Off	Matl. Spec.	Plate No.
1	2 3 4 5 6			
—	ENGINE INSTALLATION (K84-00-5050)	1	—	
—	Spares for:—			
—	. COOLING, generator, assembly (K84-53-5001)	1	—	
—	Spares for:—			
R AS4525/10	. . CLIP, 'P', pipe support	4	—	1/1
R A.102/1/2D	Attachments: clip to fuselage			
R A.125/D	. . Bolt, 10 UNF	1	—	1/1A
R SP13/C	. . Nut, stiff, 10 UNF	1	—	1/1B
	. . Washer, plain, 2BA	1	—	1/1C
K84-53-5057	. . DUCT air injector, group	1	—	1/4
	Attachments: duct to extractor scoop and generator stub pipe			
R AGS605/2	. . Clip, hose	4	—	1/4A
K84-53-5064	. . SLEEVE, pipe jointing	2	—	1/5
R K84-53-5137	. . INSERT, beaded, 1 3/4"	5	L62	1/52
R AGS1142/E	. . NIPPLE, adapter, pipe coupling	2	—	1/53
R AGS1170/E	. . NIPPLE, pipe coupling	1	—	1/54
K84-53-5158	. . PIPE, coupling to air pump, group	1	—	1/6
K84-53-5061*	. . PIPE, inlet	1	L54	1/7
K84-53-5139	. . PIPE, inlet (group)	1	—	1/7
	Attachments: pipe to inlet stub pipe and generator			
R AGS605/2	. . Clip, hose	4	—	1/5A
K84-53-5064	. . Sleeve, pipe jointing	2	—	1/5
K84-53-5066	. . PIPE, stub, at generator, group	1	—	1/8
K84-53-5067*	. . PIPE, stub, at inlet duct, group	1	—	1/8
K84-53-5140	. . PIPE, stub, at inlet duct, group (Spare)	1	—	1/9
K84-53-5081	. . PIPE, injector duct to coupling, group	1	—	1/10
K84-53-5065	. . SCOOP, air inlet	1	L59	1/11
	Attachments: inlet scoop to fuselage			
SP85/404	. . Rivet, 1/8" dia. mushroom head	9	—	
R AGS1533/G	. . STRIP, bonding	2	—	1/55
	Attachments: bonding strip to pipes			
R A.102/1/2B	. . Bolt, 6 UNC	2	—	1/56
R A.125/B	. . Nut, stiff, 6 UNC	2	—	1/57
R SP13/B	. . Washer, plain, 4BA	2	—	1/58
—	. DRAINAGE, engine, assembly (K84-53-5011)	1	—	
—	(For details see page KB.1)			
—	. GEAR-BOX, accessory, assembly (K84-54-5001)	1	—	1/2
—	Spares for:—			
R Rotol TG32-1	. . GEAR-BOX, accessory, group, Type TG.32/1	1	—	1/12
	(For spares see AP2240A, vol. 3. pt. 1. chap. 25)			
	Attachments: gear-box firewall			
ST1004/27J	. . Bolt, drilled head, 3/8" UNF	2	—	1/13
ST1004/32J	. . Bolt, drilled head, 3/8" UNF	2	—	1/14
R K84-54-5002	. . Gasket, sealing	1	DTD762	1/15
R SP13/J	. . Washer, plain, 3/8"	4	—	1/59
English				
R Electric AE2511	. . GENERATOR, group, Type AE.2511	1	—	1/16
	(For spares see AP1086, book 3. pt. 2)			
	Attachments: generator to gear-box			
R A.103/JP	. . Nut, plain, 3/8" UNF	8	—	1/60
R SP47/J	. . Washer, spring, 3/8" UNF	8	—	1/61

POWER INSTALLATION

AP101B-2303-3A

ENGINE INSTALLATION

Part Number	Description	No. Off	Matl. Spec.	Plate No.
1 2 3 4 5 6				
R 1.004.15.003	. . PUMP, hydraulic, group Spares for:—	1	—	1/16A
R 1.004.15.601	. . . SWITCH, pressure cut-out	1	—	1/16B
R Rotol GD17-10	. . SHAFT, drive, group, Type GD.17/10 (For spares see AP2240A, vol. 3, pt. 1, chap. 25)	1	—	1/17
Rotax C6204/L	. . STARTER, engine, group (For spares see AP4343D, vol. 3, pt. 1, sect. 1/16)	1	—	1/18
ST711/E	. . TAB, locking	1	L72	
—	. INTAKE, air installation (K84-62-5510) (For details see page KD.1)	1	—	
—	. MOUNTING, engine, assembly (K84-51-5001) Spares for:—	1	—	
—	. . POINT, rear steady (K84-51-5060) (Pre—Mod 1725)	1	—	
—	. . POINT, rear steady (K84-51-5115) (Mod. 1725) Spares for:—	1	—	
Rolls Royce V.35686	. . . MOUNTING, third point (Mod. 1725)	1	—	
K84-51-5109	. . . ROD-END (Mod. 1725)	1	—	
K84-51-5061	. . . STRUT, group (Pre—Mod 1409) Spares for:—	1	—	
AGS3061	 JOINT, ball, L.H. Attachments: ball joint to strut	1	—	
A.103/JTL	 Nut, thin, $\frac{3}{8}$ " UNF	1	—	
AGS3080	 JOINT, ball, R.H. Attachments: ball joint to strut	1	—	
ST1013/JT	 Nut, drilled, $\frac{3}{8}$ " UNF	1	—	
K84-51-5111	. . . STRUT, group (Mod. 1409) (Pre—Mod 1725) Spares for:—	1	—	4/1
AGS3080	 JOINT, ball, R.H. Attachments: ball joint to strut	1	—	4/2
ST1013/JT	 Nut, drilled, $\frac{3}{8}$ " UNF, R.H.	1	—	4/3
K84-51-5109	 ROD, end Attachments: strut to engine	1	S96	4/4
A.112/10G	. . . Bolt, $\frac{5}{16}$ " UNF	1	—	4/5
A.110/GS	. . . Nut, slotted, $\frac{5}{16}$ " UNF	1	—	4/6
SP90/C8	. . . Pin, split	1	—	4/7
SP14/G	. . . Washer, plain, $\frac{5}{16}$ " Attachments: strut to engine	2	—	4/8
A.111/7G	. . . Bolt, $\frac{5}{16}$ " UNF	1	—	4/9
A.110/GS	. . . Nut, slotted, $\frac{5}{16}$ " UNF	1	—	4/10
SP90/C8	. . . Pin, split	1	—	4/11
SP14/G	. . . Washer, plain, $\frac{5}{16}$ "	3	—	4/12

POWER INSTALLATION

COWLINGS

Part Number	Description	No. Off	Matl. Spec.	Plate No.
1 2 3 4 5 6				
—	COWLINGS, ENGINE, ASSEMBLY (K84-52-5041) Spares for:-	1	—	2/1
K84-52-5048	. BEAM, central, cowling support, assembly Spares for:-	1	—	2/2
K84-52-5129	. . BRACKET, mounting, cowling hinge, L.H. group	8	—	2/3
K84-52-5130	. . BRACKET, mounting, cowling hinge, R.H. group	8	—	2/4
K84-52-5255	. . PIECE, packing	1	L.72	2/5
K84-52-5317	. . PIN, pip, group	8	—	2/6
K84-52-5267L	. . PLATE, packing, for support channels	2	L.72	2/7
K84-52-5268L	. . PLATE, packing, for support channels	2	L.72	2/8
Herts Rubber Co. P1516	. . SEAL, "P" section (Make from 32C/4382980)	QR	Rubber	2/9
Dzus S4/225	. . SPRING	4	—	2/10
K84-52-5254	. . STRIP, retaining, for rubber seal	1	L.72	2/11
R ST711A	. . TAB, locking Attachments: support beam to structure	8	L.72	2/47
R A617	. Pin, quick release	2	—	2/51
K84-52-5043*	. COWLING, forward, port, assembly	1	—	2/12
K84-52-5359	. COWLING, forward, port, assembly (With trimming allowance at forward edge) Spares for:-	1	—	2/12
K84-53-5059	. . EXTRACTOR, generator cooling	1	L.72	2/13
Dzus AJ4/35	. . FASTENER	4	—	2/14
Dzus AJ4/40	. . FASTENER	10	—	2/15
K84-52-5139†	. . FORMER, cowling support, assembly Spares for:-	1	—	2/16
Dzus S4/200	. . . SPRING	5	—	2/17
K56-83-237	. . . STRAP, support strut stowage	1	—	2/18
K84-52-5259	. . . STRUT, cowling support, group Spares for:-	1	—	2/19
K84-52-5035	 KNOB Attachments: knob to tube	1	S.1	2/20
R A173/5C	 Bolt, 8 UNC	1	—	2/48
K84-52-5250	 PLUNGER	1	S.1	2/21
K84-52-107	 SPRING	1	DTD215	2/22
R K84-52-5259A	 TUBE, 7/16" o/d 20 swg	1	L.56	2/49
R K84-52-5253	 TUBE, strut support Attachments: support strut to swivel	1	—	2/50
R AGS899/2	. . . Collar	1	—	2/52
R SP4Y/B5	. . . Pin, shackle	1	—	2/53
R SP90C6	. . . Pin, split	1	—	2/54
K84-52-131*	. . . SWIVEL, support strut, group	1	—	2/23
K84-52-5251	. . . SWIVEL, support strut, group Attachments: swivel to former	1	—	2/23
AS2227/4	. . . Rivet, 1/8" dia snaphead	4	—	
K84-52-5139C*	. . . TAPE, bonnet (Mod 430) (Identical to K84-52-5329C)	1	—	2/24
ST820/27	. . . TAPE, bonnet	1	—	2/24

POWER INSTALLATION

AP101B-2303-3A

COWLINGS

Part Number	Description	No. Off	Matl. Spec.	Plate No.
	1 2 3 4 5 6			
Dzus GA4/250	. . GROMMET	14	—	2/25
K84-53-5138	. . PIPE, generator cooling, group (Spare)	1	—	2/26
K84-52-169	. . SPRING, securing door	2	—	2/27
	Attachments: cowl former to support beam			
R A417	. Pin, quick release	2	—	2/55
	Attachments: cowl former to fuselage			
R A419	. Pin, quick release	1	—	2/56
K84-52-5042*	. COWLING, forward, starboard, assembly	1	—	2/28
K84-52-5360	. COWLING, forward, starboard, assembly (With trimming allowance at forward edge)	1	—	2/28
	Spares for:-			
Dzus AJ4/35	. . FASTENER	4	—	2/14
Dzus AJ4/40	. . FASTENER	10	—	2/15
K84-52-5140†	. . FORMER, cowl support, assembly	1	—	2/29
	Spares for:-			
Dzus S4/200	. . . SPRING	5	—	2/17
K56-83-237	. . . STRAP, support strut stowage	1	—	2/18
K84-52-5259	. . . STRUT, cowl support, group	1	—	2/19
	Spares for:-			
K84-52-5035	 KNOB	1	S.1	2/20
	Attachments: knob to tube			
R A173/5C	 Bolt, 8 UNC	1	—	2/48
K84-52-5250	 PLUNGER	1	S.1	2/21
K84-52-107	 SPRING	1	DTD215	2/22
R K84-52-5259A	 TUBE, 7/16" o/d 20 swg	1	L.56	2/49
R K84-52-5253	 TUBE, strut support	1		2/50
	Attachments: support to swivel			
R AGS899/2	. . . Collar	1	—	2/52
R SP4Y/B5	. . . Pin, shackle	1	—	2/53
R SP90C6	. . . Pin, split	1	—	2/54
K84-52-131*	. . . SWIVEL, support strut, group	1	—	2/23
K84-52-5251	. . . SWIVEL, support strut, group	1	—	2/23
	Attachments: swivel to former			
AS2227/4	. . . Rivet, 1/8" dia snaphead	4	—	
K84-52-5139C*	. . . TAPE, bonnet (Mod 430) (Identical to K84-52-5239C)	1	—	2/24
ST820/27	. . . TAPE, bonnet	1	—	2/24
Dzus GA4/250	. . GROMMET	14	—	2/25
K84-52-169	. . SPRING, door securing	2	—	2/27
	Attachments: cowl former to support beam			
R A417	. Pin, quick release	2	—	2/55
	Attachments: cowl former to fuselage			
R A419	. Pin, quick release	1	—	2/56
K84-52-5363	. COWLING, rear, port, assembly (Mod 1451) (With trimming allowance at rear edge)	1	—	2/30
	Spares for:-			
K84-52-5289	. . CATCH, support strut, forward, group	1	—	2/31
K84-52-5291	. . CATCH, support strut, aft, group	1	—	2/32
	Attachments: strut catch to support			
AGS2050/419BS	. . Rivet, pip, 1/8" dia	4	—	

POWER INSTALLATION

COWLINGS

Part Number	Description	No. Off	Matl. Spec.	Plate No.
	1 2 3 4 5 6			
K84-52-5047B	. . CLEAT, (Identical to K84-52-5309A)	4	L.72	
K84-52-5147L	. . CLEAT, stiffener attachment	19	L.72	
K84-52-5156L	. . DOUBLER, fluted, at air intake	1	L.72	2/33
K84-52-5287L	. . DOUBLER, fluted at extractor louvre	1	L.72	2/34
K84-52-5013	. . HINGE, group Attachments: hinge to cowl	4	—	2/35
R A102/10D	. . Bolt, 10 UNF	2	—	2/57
R A126D	. . Nut, stiff, 10 UNF	2	—	2/58
R SP15C	. . Washer, plain, 2 BA	2	—	2/59
K84-04-5311*	. . FASTENER, toggle, group	4	—	2/36
King Aircraft Co				
C16718	. . FASTENER, toggle, group	4	—	2/36
K84-52-5244	. . INTAKE, ventilating air, group	1	—	2/37
K84-52-5246	. . INTAKE, air vent, top group	1	—	2/38
K84-52-5248	. . LOUVRE, extractor, group	1	—	2/39
K84-52-5044X	. COWLING, rear, starboard, assembly (With trimming allowance at rear edge) Spares for:-	1	—	2/40
K84-52-5290	. . CATCH, support strut, forward, group	1	—	2/41
K84-52-5292	. . CATCH, support strut, aft, group Attachments: strut catch to support	1	—	2/42
AGS2050/419BS	. . Rivet, pop, 1/8" dia	4	—	
K84-52-5047B	. . CLEAT (Identical to K84-52-5309A)	4	L.72	
K84-52-5147L	. . CLEAT, stiffener attachment	19	L.72	
K84-52-5156L	. . DOUBLER, fluted, at air intake	1	L.72	2/33
K84-52-5288L	. . DOUBLER, fluted, at extractor louvre	1	L.72	2/43
K84-52-5013	. . HINGE, group Attachments: hinge to cowl	4	—	2/35
R A102/10D	. . Bolt, 10 UNF	2	—	2/57
R A126D	. . Nut, stiff, 10 UNF	2	—	2/58
R SP15C	. . Washer, plain, 2 BA	2	—	2/59

POWER INSTALLATION

AP101B-2303-3A

COWLINGS

Part Number	Description						No. Off	Matl. Spec.	Plate No.
	1	2	3	4	5	6			
K84-04-5311* King Aircraft Co., C16718	.	.	FASTENER, toggle, group				4	—	2/36
K84-52-5245	.	.	FASTENER, toggle, group				4	—	2/36
K84-52-5247	.	.	INTAKE, ventilating air, group				1	—	2/44
K84-52-5249	.	.	INTAKE, air vent, top, group				1	—	2/45
	.	.	LOUVRE, extractor, group				1	—	2/46
K84-52-5044	.	.	COWLING, rear starboard, assembly (Pre Mod 1008) (With trimming allowance at rear edge) Spares and attachments for this assembly are identical to those for K84-52-5044X except for the following deletions and additions: Delete:				1	—	
K84-04-5311* King Aircraft Co C16718	.	.	FASTENER, toggle, group				4	—	2/36
	.	.	FASTENER, toggle, group Add:				4	—	2/36
King Aircraft Co C8112	.	.	FASTENER, toggle, group				4	—	2/36

AP101B-2303-3A

Page KB.1

POWER INSTALLATION

DRAINAGE, ENGINE

	Part Number	Description	No. Off	Matl. Spec.	Plate No.
		1 2 3 4 5 6			
	—	DRAINAGE, ENGINE, ASSEMBLY (K84-53-5011) Spares for:—	1	—	1/3
	K84-53-5063	. ADAPTOR, union, drain to collector tank Attachments: union adaptor to floor	2	L65	1/19
R	A.171/1/2D	. Bolt, 10 UNF	6	—	1/62
R	A.130/D	. Nut, stiff, 10 UNF	6	—	1/63
	K84-53-5028	. Ring, stiffening	1	L72	1/20
R	SP10/C	. Washer, plain, 2BA	6	—	1/64
R	K84-53-5157	. BODY, banjo, special, at L.P. collector tank	1	—	1/65
R	AGS1132/E	. BODY, banjo, at H.P. collector tank Attachments: banjo body to adaptor	1	—	1/66
R	AGS1135/E	. Bolt, banjo	1	—	1/67
R	AGS1138/E	. Washer, jointing	2	—	1/68
R	K84-53-5159	. CLEAT, for support clip	1	L72	1/69
R	AS3180/8C	. CLIP, 'P', hose support	2	—	1/70
R	AS3180/12C	. CLIP, 'P', hose support Attachments: clip to support channel	1	—	1/71
R	A.102/1D	. Bolt, 10 UNF	1	—	1/72
R	SP15/C	. Washer, plain, 2BA	1	—	1/73
R	AS3181/8B	. CLIP, 'P', bonding lead support	2	—	1/74
R	AS5418/4	. CLIP, 'P', pipe support	3	—	1/75
R	AS5418/6	. CLIP, 'P', pipe support Attachments: clip to structure	8	—	1/76
R	A.169/1/2B	. Bolt, 6 UNC	1	—	1/77
R	A.129/B	. Nut, stiff, 6 UNC	1	—	1/78
R	SP10/B	. Washer, plain, 4BA	1	—	1/79
	K84-16-5501	. DRAIN, engine compartment floor Attachments: drain to floor	8	L65	1/21
R	A.170/1D	. Bolt, 10 UNF	6	—	1/80
R	A.129/D	. Nut, stiff, 10 UNF	6	—	1/81
	K84-16-5505	. Washer, sealing	1	DTD762	1/22
R	SP10/C	. Washer, plain, 2BA	6	—	1/82
R	AS3360/B.8.C	. LEAD, bonding Attachments: bonding lead to clips	1	—	1/83
R	A.102/1B	. Bolt, 6 UNC	2	—	1/84
R	A.129/B	. Nut, stiff, 6 UNC	2	—	1/85
R	AGS1142/A	. NIPPLE, adaptor, pipe coupling	1	—	1/86
R	AGS1142/C	. NIPPLE, adaptor, pipe coupling	8	—	1/87
R	AGS1142/E	. NIPPLE, adaptor, pipe coupling	4	—	1/88
	—	. PIPES, drain	—	—	
		(For component parts see Pipe Chart at end of schedule)			
	K84-53-5042	. PIPE, floor drain at X19.1, starboard, group	1	—	1/23
	K84-53-5043	. PIPE, floor drain at X20.2, port, group	1	—	1/24
	K84-53-5044	. PIPE, floor drain at X0.5 drain tube, starboard, group	1	—	1/25
	K84-53-5045	. PIPE, floor drain at X0.5 drain tube, port, group	1	—	1/26
	K84-53-5046	. PIPE, floor drain at X30.9 to drain tube, starboard, group	1	—	1/27
	K84-53-5047	. PIPE, floor drain at X30.9 to drain tube, port, group	1	—	1/28
	K84-53-5048	. PIPE, floor drain at X46.5, starboard, group	1	—	1/29
	K84-53-5049	. PIPE, floor drain at X46.5, port, group	1	—	1/30
	K84-53-5069	. PIPE, gearbox drain to floor, group	1	—	1/31
	K84-53-5070	. PIPE, gearbox drain, floor to drain tube, group	1	—	1/32
	K84-53-5072	. PIPE, engine drain to collector tank, group	1	—	1/33
	K84-53-5074	. PIPE, hydraulic tank drain under floor, group	1	—	1/34

POWER INSTALLATION

AP101B-2303-3A

DRAINAGE, ENGINE

Part Number	Description	No. Off	Matl. Spec.	Plate No.
	1 2 3 4 5 6			
K84-53-5165/B	. PIPE, hydraulic tank collector ring drain (Mod. 1336)	1	—	1/37
K84-53-5165/D	. PIPE, hydraulic tank relief valve, drain, group (Mod. 1336)	1	—	1/35
K84-53-5165/E	. PIPE, hydraulic tank relief valve, under floor, group (Mod. 1336)	1	—	1/35a
K84-53-5089	. PIPE, hydraulic tank relief valve, drain, group (Pre-Mod 1336)	1	—	1/35
R AGS605/0 ST791/D/30	Attachments: drain pipe to 'Y' pipe			
	. Clip, hose	2	—	1/89
	. Hose, jointing	1	—	1/36
K84-53-5091	. PIPE, 'Y', hydraulic tank collector ring drain, group (Pre-Mod 1336)	1	—	1/37
	Attachments: drain pipe to collector ring and floor union			
R AGS605/0 ST791/D/30	. Clip, hose	4	—	1/90
	. Hose, jointing	2	—	1/36
K84-53-5154	. PIPE, bulkhead union to L.P. collector tank, group	1	—	1/38
K84-53-5155	. PIPE, engine to L.P. collector tank, group (Pre-Mod 1774)	1	—	1/39
R K84-53-5156 ST711/B ST711/C —	. PIPE, oil tank to floor, group	1	—	1/91
	. TAB, locking	3	DTD610	1/40
	. TAB, locking	11	DTD610	1/41
	. TANKS, collector, engine drains, assembly (K84-53-5149)	1	—	
	Spares for:—			
R SP93/A.8 K84-53-5146	. . GROMMET	2	Rubber	1/92
	. . PLUG, collector tank drain	2	S93	1/42
	Attachments: drain plug to fitting			
Dowty 335-005-1574-91	. . Washer, "Seloc" (Amdt. 2079)	1	—	1/43
K84-53-5148	. . TANK, collector, H.P. engine drains, assembly (For spares see page P.1)	1	—	1/44
	Attachments: collector tank to structure			
R A.113/1D R A.125/D R SP10/C	. . Bolt, 10 UNF	4	—	1/93
	. . Nut, stiff, 10 UNF	1	—	1/94
	. . Washer, plain, 2BA	1	—	1/95
K84-53-5152	. . TANK, collector, L.P. engine drains, assembly (For spares see page P.1)	1	—	1/45
	Attachments: collector tank to structure			
R A.113/1D R SP10/C	. . Bolt, 10 UNF	2	—	1/96
	. . Washer, plain, 2BA	2	—	1/97
K84-53-088	. . TUBE, drain fitting, group	2	—	1/46
K84-53-5153	. . VENTURI, drainage extractor, group	1	—	1/47
	Attachments: venturi to bottom skin			
R A.113/1B R A.125/B R SP10/B	. . Bolt, 6 UNC	8	—	1/98
	. . Nut, stiff, 6 UNC	8	—	1/99
	. . Washer, plain, 4BA	8	—	1/100
K84-53-126	. TUBE, drain pipe locating	7	—	1/48
K84-53-5071	. TUBE, gearbox drian pipe locating	1	—	1/49

AP101B-2303-3A

POWER INSTALLATION

Page KB.3

DRAINAGE, ENGINE

Part Number	Description	No. Off	Matl. Spec.	Plate No.
	1 2 3 4 5 6			
R K84-70-040	. UNION, bulkhead gear-box drain pipe	1	—	1/51
R A.169/1/2/B	Attachments: bulkhead union to floor			
R A.129/B	. Bolt, 6 UNC	3	—	1/101
R SP13/B	. Nut, stiff, 6 UNC	3	—	1/102
	. Washer, plain, 2BA	3	—	1/103
R K84-53-5090	. UNION, bulkhead, hydraulic tank drain pipe	2	L65	1/50
R A.170/1D	Attachments: bulkhead union to floor			
R A.129/D	. Bolt, 10 UNF	5	—	1/104
R SP10/C	. Nut, stiff, 10 UNF	5	—	1/105
	. Washer, plain, 2BA	5	—	1/106
R AGS1109/Q	. UNION, reducing, at special banjo	1	—	1/107
R AGS1138/BB	Attachments: reducing union to banjo			
	. Washer, jointing	1	—	1/108
	. VIPER, Mod. 3563 (Rev. 3 airframe)		—	
	. SYSTEM CHANGES (K84-03-6403) (Ref. only)		—	
	(Mod. 1774)			

POWER INSTALLATION

EXTINGUISHER, FIRE

Part Number	Description	No. Off	Matl. Spec.	Plate No.
1 2 3 4 5 6				
—	EXTINGUISHER, FIRE, INSTALLATION (K84-61-5003) Consisting of:—	1	—	3/1
—	. FIREWIRE, assembly (K84-61-5001) Spares for:—	1	—	
Graviner D.3891	. . BUSH, at support clips	33	Rubber	3/2
Graviner D.3893	. . BUSH, at support clip (Alternative to D3891)	33	Rubber	
Graviner D.3004	. . CLIP, "P", firewire support Attachments: clip (7 off) to structure	33	—	
A102/1A	. . Bolt, 4 UNC	1	—	
SP58/C	. . Burr, $\frac{1}{8}$ " dia.	1	—	
SP126/B	. . Washer, facing Attachments: clip (15 off) to structure	1	—	
SP58/C	. . Burr, $\frac{1}{8}$ " dia.	1	—	
AGS2050/419BS	. . Rivet, pop, $\frac{1}{8}$ " dia.	1	—	
SP126/B	. . Washer, facing	1	—	
Graviner D.2475	. . COUPLING, firewire, at centre spar frame Attachments: coupling to frame	1	—	3/3
A102/1A	. . Bolt, 6 UNC	1	—	
AS3181/9B	. . Clip, "P"	1	—	
A125/B	. . Nut, stiff, 6 UNC	1	—	
SP13/B	. . Washer, plain, 4 BA	1	—	
Graviner D.2370/60	. . ELEMENT, firewire, bulkhead connector to coupling on centre spar frame	1	—	3/4
Graviner D.2370/60	. . ELEMENT, firewire, bulkhead connector to coupling on bulkhead X51.375	1	—	3/4
R Graviner D.2370/120	. . ELEMENT, firewire, coupling on centre spar frame to coupling on bulkhead X51.375	1	—	3/5
—	. . FIREWIRE, on bulkhead X51.375 assembly (K84-61-5004) Spares for:—	1	—	
R Graviner D.3891	. . . BUSH, at support clips	9	Rubber	3/2
R Graviner D.3893	. . . BUSH, at support clips (Alternative to D.3891)	9	Rubber	
Graviner D.3004	. . . CLIP, "P", firewire support Attachments: clip to bulkhead	7	—	
A102/1B	. . . Bolt, 4 UNC	1	—	
SP58/C	. . . Burr, $\frac{1}{8}$ " dia.	1	—	
SP125/A	. . . Washer, 4 UNC	1	—	
Graviner D.2475	. . . COUPLING, firewire Attachments: coupling to bulkhead	2	—	3/6
A102/1A	. . . Bolt, 6 UNC	1	—	
AS3181/9B	. . . Clip, "P"	1	—	
SP13/B	. . . Washer, plain, 4 BA	1	—	
Graviner D.2243	. . . COUPLING, elbow Attachments: flanged coupling to bulkhead	2	—	3/7
A102/1A	. . . Bolt, 4 UNC	3	—	
A125/A	. . . Nut, stiff, 4 UNC	3	—	
SP125/A	. . . Washer, plain, 4 UNC	3	—	
Graviner D.2370/60	. . . ELEMENT, firewire, coupling to elbow coupling	1	—	3/4
K84-61-5038	. . . PLATE, mounting	2	S521	
K84-61-5023	. . . TAB, locking	2	DTD610	3/8
K84-61-5025	. . . TAB, locking	2	—	3/9

POWER INSTALLATION

EXTINGUISHER, FIRE

Part Number	1 2 3 4 5 6	Description	No. Off	Matl. Spec.	Plate No.
—	. . .	FIREWIRE, on rear spar frame, assembly (K84-61-5030) (Mod 795) Spares for:—	1	—	
Graviner D.3891	. . .	BUSH, at support clips	23	Rubber	3/2
Graviner D.3893	. . .	BUSH, at support clips (Alternative to D.3891)	23	Rubber	
Graviner D.3004	. . .	CLIP, "P", firewire support Attachments: clip to frame	23	—	
A102/1A	. . .	Bolt, 4 UNC	1	—	
SP58/C	. . .	Burr, $\frac{1}{8}$ " dia.	1	—	
SP126/B	. . .	Washer, facing	1	—	
Graviner D.2475	. . .	COUPLING, firewire Attachments: coupling to structure	1	—	3/6
A102/½B	. . .	Bolt, 6 UNC	1	—	
AS3181/9B	. . .	Clip, "P"	1	—	
A125/B	. . .	Nut, stiff, 6 UNC	1	—	
SP13/B	. . .	Washer, plain, 4 BA	1	—	
Graviner D.2243	. . .	COUPLING, elbow Attachments: elbow coupling to frame	2	—	3/10
A102/1A	. . .	Bolt, 4 UNC	3	—	
A125/A	. . .	Nut, stiff, 4 UNC	3	—	
SP13/A	. . .	Washer, plain, 6 BA	3	—	
Graviner D2370/60	. . .	ELEMENT, firewire, coupling to elbow coupling on bulkhead X51.375	2	—	3/4
Graviner D2370/120	. . .	ELEMENT, firewire, coupling to elbow coupling on bulkhead X5.375	1	—	3/5
K84-61-5038	. . .	PLATE, mounting	2	S521	
K84-61-5023	. . .	TAB, locking	4	DTD610	3/8
K84-61-5025	. . .	TAB, locking	3	DTD610	3/9
—	. . .	FIREWIRE, in rear fuselage, assembly (K84-61-5006) Spares for:—	1	—	
Graviner D.3891	. . .	BUSH, at support clips (Mod 795)	42	Rubber	3/2
Graviner D.3893	. . .	BUSH, at support clips (Alternative to D.3891)	42	Rubber	
Graviner D.3004	. . .	CLIP, "P", firewire support (Mod 795) Attachments: clip to structure	42	—	
SP58/C	. . .	Burr, $\frac{1}{8}$ " dia.	1	—	
AGS2050/419BS	. . .	Rivet, pop. $\frac{1}{8}$ " dia.	1	—	
SP126/B	. . .	Washer, facing	1	—	
Graviner D.2475	. . .	COUPLING, firewire Attachments: coupling to structure	2	—	3/6
A102/½B	. . .	Bolt, 6 UNC	1	—	
AS3181/9B	. . .	Clip, "P"	1	—	
A125/B	. . .	Nut, stiff, 6 UNC	1	—	
SP13/B	. . .	Washer, plain, 4 BA	1	—	
Graviner D2370/60	. . .	ELEMENT, firewire, coupling to fin frame	2	—	3/4
Graviner D2370/120	. . .	ELEMENT, firewire, rear spar frame to coupling	2	—	3/5

AP101B-2303-3A

POWER INSTALLATION

Page KD.1

INTAKE, AIR

Part Number	Description	No. Off	Mati. Spec.	Plate No.
	1 2 3 4 5 6			
—	INTAKE, AIR, INSTALLATION (K84-62-5510) (Mod. 498) (Mod. 1756) Spares for:—	1	—	5/1
R K84-62-5007	. DUCT, rear bifurcated, assembly Spares for:—	1	—	5/2
R K84-62-5533	. . DUCT, bifurcated, assembly Spares for:—	1	—	5/3
R K84-62-5463	. . . BRACKET	3	L72	5/4
R K84-62-5645	. . . SEAL, outer, group Spares for:—	1	—	5/5
K84-62-5281	 SEAL Attachments: seal to duct	1	—	5/6
A103DT	. . . Nut, thin, 10 UNF	12	—	
A126D66	. . . Nut, stiff, 10 UNF	12	—	
R K84-62-5643	. . . SEAL, inner, group Spares for:—	1	—	5/7
K84-62-5536	 SEAL Attachments: seal to duct	1	—	5/8
A103DT	. . . Nut, thin, 10 UNF	6	—	
A126D66	. . . Nut, stiff, 10 UNF	6	—	
R K84-62-5131	. . SUPPORT, rear, assembly Attachments: support to door	1	—	5/9
A102-1D	. . Bolt, 10 UNF	4	—	
SP10C	. . Washer, plain, 2BA	4	—	
K84-62-5508	. INTAKE, air, port, assembly Spares for:—	1	—	5/10
R K84-62-5585	. . FAIRING, air intake, assembly (With trimming allowance and undrilled) Spares for:—	1	—	5/12
K84-62-5274L	. . . ANGLE, fuselage attachment, top aft	1	L72	5/14
K84-62-5301L	. . . ANGLE, fuselage attachment, top, forward	1	L72	5/16
K84-62-5303L	. . . ANGLE, fuselage attachment, bottom	1	L72	5/18
K84-62-5583	. . . BRACKET, blanking cover attachment	1	S514	
K84-10-7661	. . . CHANNEL, nut attachment, group (Pre—Mod 441)	5	—	
K84-62-5309L	. . . CLEAT, at XN20	2	L72	5/20
K84-62-5407L	. . . CLEAT, at XN9.0 and XN35.1	2	L72	5/22
K84-62-5545L	. . . CLEAT, dished plate attachment	1	L72	5/24
K84-62-5547L	. . . CLEAT, stiffener attachment	1	L72	5/25
K84-62-5085	. . . FRAME, XN20, assembly	1	—	5/26
K84-62-5097L	 CLEAT, angle	1	L72	
K84-62-5095L	 FRAME	1	L72	
K84-62-5099L	 PLATE, attachment	1	L72	
K84-62-5087	. . . MEMBER, support, at XN35.1, group	1	—	5/28
K84-62-5455	. . . PACKING, for single anchor nuts	1	L72	5/30
K84-62-5585B	. . . PACKING, for stiffener	1	L72	
K84-62-5262L	. . . PANEL, skin, upper	1	L72	5/31
K84-62-5264L	. . . PANEL, skin, lower	1	L72	5/33

POWER INSTALLATION

AP101B-2303-3A

INTAKE, AIR

Part Number	Description	No. Off	Matl. Spec.	Plate No.
1 2 3 4 5 6				
K84-62-5585/A	. . . PANEL, access and aerial mounting Attachments: access panel to dished plate	1	L72	5/35
K84-62-5387	. . . Bolt, special	6	L56	5/36
K84-62-5003/X	. . . PLATE, blanking (Mod. 1756) Attachments: blanking plate to access panel	1	L72	5/122
A113/1/2D	. . . Bolt, mush. head, No. 10 UNF	8	—	
SP16/C	. . . Washer, thick 2BA	8	—	
K84-62-5541L	. . . PLATE, dished, access panel mounting	1	L72	5/37
K84-62-5305L	. . . SECTION, Zed, reinforcing, at ZN16, aft	1	L72	5/38
K84-62-5307L	. . . SECTION, Zed, reinforcing at ZN16, forward	1	L72	5/40
K84-62-5543L	. . . STIFFENER, for dished plate	1	L72	5/120
K84-62-5266L	. . . STRIP, skin reinforcing, forward	1	L72	5/42
K84-62-5270L	. . . STRIP, skin joint reinforcing, at ZN16	1	L72	5/44
—	. . . STRUCTURE, footstep, assembly (K84-62-5083)	1	—	5/46
	Spares for:—			
K84-62-5105L	 ANGLE, attachment	1	L72	5/48
K84-62-5185L	 BRACKET	1	L72	5/50
K84-62-5465L	 BRACKET, angle	1	L72	5/51
K84-62-5115L	 CLEAT	1	L72	5/53
K84-62-5117L	 CLEAT	1	L72	5/55
K84-62-5119L	 CLEAT	1	L72	5/57
K84-62-5176L	 CLEAT	1	L72	5/59
K84-62-5183L	 CLEAT	1	L72	5/60
K84-14-029L	 DIAPHRAGM, front hinge support, forward	1	L72	5/62
K84-14-031L	 DIAPHRAGM, rear hinge support, forward	1	L72	5/64
K84-14-033L	 DIAPHRAGM, front hinge support, aft	1	L72	5/66
K84-14-035L	 DIAPHRAGM, rear hinge support, aft	1	L72	5/68
K84-14-037L	 DIAPHRAGM, support, forward	1	L72	5/70
K84-14-039L	 DIAPHRAGM, support, aft	1	L72	5/72
K84-62-5107L	 DIAPHRAGM, at XN23.5	1	L72	5/74
K84-62-5109L	 DIAPHRAGM, at XN30	1	L72	5/76
K84-62-5187L	 FORMER, XN34	1	L72	5/78
K84-14-041L	 MEMBER, channel	1	L72	5/80
K84-62-5103L	 MEMBER, step landing, top	1	L72	5/82
K84-62-5113L	 MEMBER, Zed	1	L72	5/84
K84-62-5479	 PACKING, for footstep stop Attachments: packing to stop	1	BSS216	5/86
A173/6D	 Bolt, 10 UNF	2	—	
A126/D/66	 Nut, stiff, 10 UNF	2	—	
ST1001/D	 Washer, special	2	L72	
K84-62-5192	 PIN, step front hinge Attachments: hinge to diaphragms	1	S80	5/87
R A103/DP	 Nut, plain, 10 UNF	2	—	5/87A
R SP15/C	 Washer, plain, 2BA	2	—	5/87B
K84-62-5612	 PLATE, deflector (Mod. 1369)	1	L72	
K84-62-5189L	 PLATE, closing, front	1	L72	5/89
R K84-62-5129L	 STOP, footstep	1	L72	5/90
ST207/H35	 TUBE, step rear hinge Attachments: hinge tube to diaphragms	1	T35	5/91
R A102/5D	 Bolt, 10 UNF	1	—	5/91A
R A103/DP	 Nut, plain, 10 UNF	1	—	5/91B
R SP15/C	 Washer, plain, 2BA	2	—	5/91C

AP101B-2303-3A

Page KD.3

POWER INSTALLATION

INTAKE, AIR

Part Number	Description	No. Off	Matl. Spec.	Plate No.
	1 2 3 4 5 6			
K84-62-5525	. . . INTAKE, air, assembly Spares for:—	1	—	5/92
K84-62-5431	. . . EXTENSION, bleed duct, assembly Spares for:—	1	—	5/94
K84-62-5433L	 ANGLE, Dzus spring	1	L72	
K84-62-5443L	 ANGLE, attachment, inboard (Supplied loose)	1	L72	
K84-62-5457L	 ANGLE, attachment, top (Supplied loose)	1	L72	
K84-62-5481L	 ANGLE, attachment, outboard (Supplied loose)	1	L72	
Dzus S4/225	 SPRING Attachments: duct extension to duct	1	—	5/96
A102/1/2D	. . . Bolt, 10 UNF	10	—	
SP15/C	. . . Washer, plain, 2 BA	10	—	
K84-07-5	. . . FRAME, XN9, port, assembly (K84-62-5523) Spares for:—	1	—	5/97
K84-73-5059	 COUPLING, Avery, assembly Spares for:—	1	—	5/98
K84-73-5471	 BRACKET, name plate	1	—	5/99
Lockheed Avery				
AVA58C*	 COUPLING, flanged	1	—	
AVA55D*	 COUPLING, flanged	1	—	
AVA1150C	 COUPLING, flanged	1	—	5/100
AVA1150/D	 COUPLING, flanged Attachments: flanged coupling to bracket	1	—	5/101
A102/1B	 Bolt, 6 UNC	4	—	
A125/B/66	 Nut, stiff, 6 UNC	4	—	
SP13/B	 Washer, plain, 4 BA	4	—	
AVA55F*	 COUPLING, flanged	1	—	
AVA1152F	 COUPLING, flanged Attachments: flanged coupling to bracket	1	—	5/102
A102/1B	 Bolt, 6 UNC	6	—	
A125/B/66	 Nut, stiff, 6 UNC	6	—	
SP13/B	 Washer, plain, 4 BA	6	—	
Lockheed Avery				
AVA64-7C	 COUPLING, blanking cap	1	—	5/103
AVA64-7D	 COUPLING, blanking cap	1	—	5/104
AVA64-7F	 COUPLING, blanking cap	1	—	5/105
ST711/B	 TAB, locking	3	L72	5/106
K84-14-5387	. . JACK, spring, assembly Spares for:—	1	—	5/109
K84-14-095	. . . BODY, fixed Attachments: fixed body to sliding body	1	L62	5/110
AGS2002/G1	. . . Nut, stiff, 5/16" BSF	1	—	5/110A
SP16/G	. . . Washer, plain, 5/16"	1	—	5/110B
K84-14-099	. . . BODY, sliding, group Spares for:—	1	—	5/111
K84-14-111	 STUD Attachments: stud to body	1	S96	5/112
SP28/G6	 Pin, taper	1	—	
K84-14-113	. . . END, plug	1	S1	5/113
K84-10-7996	. . . GAITER	1	—	5/114
K84-14-097	. . . SPRING	1	DTD239	5/115

R
R

POWER INSTALLATION

INTAKE, AIR

Part Number	Description	No. Off	Matl. Spec.	Plate No.
	1 2 3 4 5 6			
K84-14-105	Attachments: spring jack to structure	2	S80	5/116
SP15/E	. . Stud, bearing	2	—	
	. . Washer, plain, 1/4"			
A59/6C	Attachments: spring jack to step	1	—	
A27/C5	. . Bolt, 2 BA	1	—	
SP90/C6	. . Nut, slotted, 2 BA	1	—	
SP15/C	. . Pin, split	1	—	
	. . Washer, plain, 2 BA	1	—	
K84-14-093*	. . JACK, spring, assembly	1	—	
	Spares and attachments for this assembly are identical to those for K84-14-5387, except for the following deletion:—			
	Delete:			
K84-10-7996	. . . GAITER	1	—	5/114
K84-14-017/X	. . STEP, pilot's group (Mod.1364)	1	—	5/117
K84-14-017	. . STEP, pilot's group (Pre Mod.1364)	1	—	5/117
	Spares for:—			
K84-14-069L	. . . PANEL, skin, top	1	L72	
	Attachments: air intake and bifurcated duct to bulkhead			
A102/4D	. Bolt, 10 UNF	15	—	
A102/5D	. Bolt, 10 UNF	4	—	
K84-62-5204	. Washer, sealing	2	DTD762	5/119
SP13C	. Washer, plain, 2 BA	1	—	
K84-62-5509	. INTAKE, air, starboard, assembly	1	—	5/11
	Spares for:—			
K84-62-5586	. . FAIRING, air intake, assembly	1	—	5/13
	(With trimming allowance and undrilled)			
	Spares for:—			
K84-62-5275L	. . . ANGLE, fuselage attachment, top, aft	1	L72	5/15
K84-62-5302L	. . . ANGLE, fuselage attachment, top, forward	1	L72	5/17
K84-62-5304L	. . . ANGLE, fuselage attachment, bottom	1	L72	5/19
K84-62-5583	. . . BRACKET, blanking cover attachment	1	S514	
K84-10-7661	. . . CHANNEL, nut attachment, group (Pre Mod.441)	5	—	
K84-62-5310L	. . . CLEAT, at XN20	2	L72	5/21
K84-62-5408L	. . . CLEAT, at XN9.0 and XN35.1	2	L72	5/23
K84-62-5086	. . . FRAME, XN20, assembly	1	—	5/27
K84-62-5098L	. . . CLEAT, angle (loose)	1	L72	
K84-62-5096L	. . . FRAME	1	L72	
K84-62-5099L	. . . PLATE, attachment	1	L72	
K84-62-5088	. . . MEMBER, support, at XN35.1, group	1	—	5/29
K84-62-5455	. . . PACKING, for single anchor nuts	1	L72	5/30
K84-62-5263L	. . . PANEL, skin, upper	1	L72	5/32
K84-62-5265L	. . . PANEL, skin, lower	1	L72	5/34
K84-62-5306L	. . . SECTION, Zed, reinforcing, at ZN16, aft	1	L72	5/39
K84-62-5308L	. . . SECTION, Zed, reinforcing, at ZN16, forward	1	L72	5/41
K84-62-5267L	. . . STRIP, skin reinforcing, forward	1	L72	5/43
K84-52-5271L	. . . STRIP, skin joint reinforcing, at ZN16	1	L72	5/45

R

AP101B-2303-3A

Page KD.5

POWER INSTALLATION

INTAKE, AIR

Part Number	1 2 3 4 5 6	Description	No. Off	Matl. Spec.	Plate No.
	. . .	STRUCTURE, footstep, assembly (K84-62-5084) Spares for:—	1	—	5/47
K84-62-5106L		ANGLE, attachment	1	L72	5/49
K84-62-5185L		BRACKET	1	L72	5/50
K84-62-5466L		BRACKET, angle	1	L72	5/52
K84-62-5116L		CLEAT	1	L72	5/54
K84-62-5118L		CLEAT	1	L72	5/56
K84-62-5120L		CLEAT	1	L72	5/58
K84-62-5176L		CLEAT	1	L72	5/59
K84-62-5184L		CLEAT	1	L72	5/61
K84-14-030L		DIAPHRAGM, front hinge support, forward	1	L72	5/63
K84-14-032L		DIAPHRAGM, rear hinge support, forward	1	L72	5/65
K84-15-034L		DIAPHRAGM, front hinge support, aft	1	L72	5/67
K84-14-036L		DIAPHRAGM, rear hinge support, aft	1	L72	5/69
K84-14-038L		DIAPHRAGM, support, forward	1	L72	5/71
K84-14-040L		DIAPHRAGM, support, aft	1	L72	5/73
K84-62-5108L		DIAPHRAGM, at XN23.5	1	L72	5/75
K84-62-5110L		DIAPHRAGM, at XN30	1	L72	5/77
K84-62-5188L		FORMER, XN34	1	L72	5/79
K84-14-042L		MEMBER, channel	1	L72	5/81
K84-62-5104L		MEMBER, step landing, top	1	L72	5/83
K84-62-5114L		MEMBER, Zed	1	L72	5/85
K84-62-5479		PACKING, for footstep stop (Make from 30B9400544) Attachments: packing to stop	1	BSS216	5/86
A173-6D		Bolt, 10 UNF	2	—	
A126D66		Nut, stiff, 10 UNF	2	—	
ST1001D		Washer, special	2	L72	
K84-62-5192		PIN, step front hinge Attachments: hinge pin to diaphragms	1	S80	5/87
A103DP		Nut, plain, 10 UNF	2	—	5/87A
SP15C		Washer, plain, 2 BA	2	—	5/87B
K84-62-5613		PLATE, deflector (Mod.1369)	1	L72	
K84-62-5189L		PLATE, closing, front	1	L72	5/88
K84-62-5130L		STOP, footstep	1	L72	5/90
ST207H35		TUBE, step rear hinge Attachments: hinge tube to diaphragms	1	T35	5/91
A102-5D		Bolt, 10 UNF	1	—	5/91A
A103DP		Nut, plain, 10 UNF	1	—	5/91B
SP15C		Washer, plain, 2 BA	2	—	5/91C
R K84-62-5526	. . .	INTAKE, air, assembly Spares for:—	1	—	5/93
AS3181-16B	. . .	CLIP, 'P', pipe support Attachments: clip to structure	1	—	
A102-1D	. . .	Bolt, 10 UNF	1	—	
A129D	. . .	Nut, stiff, 10 UNF	1	—	
SP15C	. . .	Washer, plain, 2 BA	1	—	
K84-62-5432	. . .	EXTENSION, bleed duct, assembly Spares for:—	1	—	5/95
K84-62-5434L		ANGLE, Dzús spring	1	L72	
K84-62-5444L		ANGLE, attachment inboard (Supplied loose)	1	L72	
K84-62-5458L		ANGLE, attachment top (Supplied loose)	1	L72	
K84-62-5482L		ANGLE, attachment outboard (Supplied loose)	1	L72	
K84-07-6	. . .	FRAME, XN9, starboard assembly (K84-62-5224)	1	—	5/121

POWER INSTALLATION

INTAKE, AIR

Part Number	1 2 3 4 5 6	Description	No. Off	Matl. Spec.	Plate No.
Dzus S41225	. . .	SPRING Attachments: duct extension to duct	1	—	5/96
A102/½D	. . .	Bolt, No.10 UNF	10	—	
SP15/C	. . .	Washer, plain, 2 BA	10	—	
K84-62-5526/A	. . .	PIPE Attachments: pipe to tube	1	L54	5/107
SP91/F	. . .	Clip, hose	2	—	
ST791/H/20	. . .	Hose, jointing	1	—	5/108
K84-14-5387	. .	JACK, spring, assembly Spares for:—	1	—	5/109
K84-14-095	. . .	BODY, fixed Attachments: fixed body to sliding body	1	L62	5/110
AGS2002/G1	. . .	Nut, stiff, 5/16" BSF	1	—	5/110A
SP16/G	. . .	Washer, plain, 5/16"	1	—	5/110B
K84-14-099	. . .	BODY, sliding, group Spares for:—	1	—	5/111
K84-14-111		STUD Attachments: stud to body	1	S96	5/112
R SP28/G/6		Pin, taper	1	—	
K84-14-113	. . .	END, plug	1	S1	5/113
K84-10-7996	. . .	GAITER	1	—	5/114
K84-14-097	. . .	SPRING Attachments: spring jack to structure	1	DTD239	5/115
K84-14-105	. .	Stud, bearing	2	S80	5/116
SP15/E	. .	Washer, plain, 1/4"	2	—	
A59/6C	. .	Attachments: spring jack to step Bolt, 2 BA	1	—	
A27/CS	. .	Nut, slotted, 2 BA	1	—	
SP90/C6	. .	Pin, split	1	—	
SP15/C	. .	Washer, plain, 2 BA	1	—	
K84-14-093*	. .	JACK, spring, assembly Spares and attachments for this assembly are identical to those for K84-14-5387, except for the following deletion:— Delete:	1	—	
K84-10-7996	. . .	GAITER	1	—	5/114
K84-14-018X	. .	STEP, pilot's group (Mod.1364)	1	—	5/118
K84-14-018	. .	STEP, pilot's group (Pre Mod.1364) Spares for:—	1	—	5/118
K84-14-070L	. . .	PANEL, skin, top Attachments: air intake and bifurcated duct to bulkhead	1	L72	
A102/4D	. .	Bolt, 10 UNF	15	—	
A102/5D	. .	Bolt, 10 UNF	4	—	
K84-62-5204	. .	Washer, sealing	2	DTD761	5/119
SP13/C	. .	Washer, plain, 2 BA	19	—	

AP101B-2303-3A

Page KE.1

POWER INSTALLATION

PIPE, JET

Part Number	Description 1 2 3 4 5 6	No. Off	Matl. Spec.	Plate No.
—	PIPE, JET, INSTALLATION (K84-53-5005) Spares for:—	1	—	
A.S. Motors VY17890	. COVER, shroud, assembly	1	—	3/23
K84-53-5093	. FAIRING, jet pipe extractor, assembly (Mod.632)	1	—	3/24
K84-53-5009	. FAIRING, jet pipe extractor, assembly (Pre Mod.632) (With trimming allowance at top edge) Spares for:—	1	—	3/24
K84-53-5082	. . BLADE, ejector, group Spares for:—	8	—	3/25
Dzus A4/35	. . . FASTENER	1	—	3/26
Dzus GA4/250	. . . GROMMET	1	—	3/27
K84-53-5083	. . BLADE, ejector, group Spares for:—	2	—	3/28
Dzus A4/35	. . . FASTENER	1	—	3/26
Dzus A4/45	. . . FASTENER	1	—	
Dzus GA4/250	. . . GROMMET	2	—	3/27
K84-53-5092	. . BLADE, ejector, group Spares for:—	4	—	3/29
Dzus A4/35	. . . FASTENER	2	—	3/26
Dzus GA4/250	. . . GROMMET	2	—	3/27
—	. MOUNTING, jet pipe, rear, assembly (K84-53-5012) Spares for:—	1	—	
K84-53-5099	. . PIN, port side (Mod.712)	1	S110	3/30
K84-53-5100	. . PIN, starboard side (Mod.712)	1	S110	3/31
K84-53-5015	. . PLUG, locking	2	S94	3/32
A.S. Motors V17883	. PIPE, jet, 15" dia., assembly, Mk.102	1	—	3/33
A.S. Motors VU7088	. PLATE, keep, assembly	1	—	3/34

R