

TANKS

COLLECTOR, FUEL

Part Number	Description	No. Off	Matl. Spec.	Plate No.
K84-56-5296	TANK, FUEL COLLECTOR ASSEMBLY (Production) (Mod 1332)	1	—	2/1
K84-56-5295	TANK, FUEL COLLECTOR ASSEMBLY (Production) (Mod 1125) (Pre Mod 1332) Consisting of:-	1	—	2/1
R AGS1104B†	. ADAPTOR, cone, booster pump drain Attachments: adapter to pump	1	—	2/29
R AGS1186B	. Seal, bonded	1	—	2/30
R AGS1105H†	. ADAPTER, union, booster pump feed Attachments: adapter to pump	1	—	2/31
R AGS1186H	. Seal, bonded	1	—	2/32
S.P. Pump Co SPE6210†	. PUMP, booster, group, Type BP/1/RS, Mk.5B (Mod 1298) (For spares see AP.1086)	1	—	
S.P. Pump Co SPE16952†	. PUMP, booster group Type BP.1/RS Mk.5B (Pre Mod 1298) (For spares see AP.1986) Attachments: booster pump to tank	1	—	2/3
R K84-57-5095	. Gasket	1	DTD.762	2/4
R A125D	. Nut, stiff, 10 UNF	12	—	2/33
R AGS1186/3	. Seal, bonded, 2 BA	12	—	2/34
K84-56-5300	. TANK, fuel collector, assembly (Spare) (Mod 1332)	1	—	2/2
K84-56-5299	. TANK, fuel collector, assembly (Spare) (Mod 1125) (Pre Mod 1332) Spares for:-	1	—	2/2
Flight Refuelling Co. 3605072	. . . ARM, float, group Spares for:-	1	—	2/5
Salter 5100/18 Flight Refuelling Co A3605053	. . . Circlip	2	EN.42	2/6
	. . . Pin	1	—	2/7
R 2A9500578	. . . BALL, 3/4" dia inverted flight valve Attachments: ball to valve body	1	—	2/35
R SP4Y/A16	. . . Pin shackle	1	—	2/36
R SP90C4	. . . Pin, split	1	—	2/37
R AGS1129C	. . . BODY, banjo	1	—	2/38
K84-57-5084	. . . BODY, inverted flight valve Attachments: valve body to tank	1	L.65	2/8
K84-57-5096	. . . Gasket	1	DTD.762	2/9
R A125D	. . . Nut, stiff, 10 UNF	6	—	2/39
R AGS1186/3	. . . Washer, sealing, 2 BA	6	—	2/40
K84-57-5184	. . . PIPE, stack, for sediment drain valve group Attachments: stack pipe and banjo body to tank	1	—	2/10
R AGS1186B	. . . Seal, bonded	1	—	2/41
R K84-57-5207	. . . Washer, special	1	L.34	2/42

TANKS

COLLECTOR, FUEL

Part Number	Description	No. Off	Matl. Spec.	Plate No.
K84-57-5154	. . PLATE, cover Attachments: cover plate to tank	1	S.514	2/11
K84-57-5153	. . Gasket	1	DTD.762	2/12
A125D	. . Nut, stiff, 10 UNF	8	—	2/12A
AGS1186/3	. . Seal, bonded, 2 BA	8	—	2/12B
K84-57-5147	. . PLATE, cover, booster pump aperture Attachments: cover plate to tank	1	L.72	
A125D	. . Nut, stiff, 10 UNF	4	—	
ST206/50	. . Tube, distance	3	L.62	
ST206C170	. . Tube, distance	1	L.62	
K84-57-5166	. . PLATE, carrier, for float arm group Spares for:-	1	—	2/13
ST1029/1	. . . INSERT, wire thread	5	—	2/14
ST1030/1	. . . INSERT, wire thread Attachments: carrier plate to tank	10	—	2/15
K84-57-5093	. . Gasket	1	DTD.762	2/16
A20488	. . Screw, countersunk head, 6 UNC	5	—	2/43
K84-57-5136*	. . RING, bolt securing float switch, group	2	—	2/17
K84-57-5292	. . RING, bolt, securing float switch, group Attachments: bolt ring to tank	2	—	2/17
K84-57-5092	. . Gasket	1	DTD.762	2/18
S970	. . Screw, P.K. Type Z, No.4 x 3/16"	2	—	2/44
K84-57-5137	. . RING, bolt securing booster pump, group Attachments: bolt to ring to tank	1	—	2/19
K84-57-5095	. . Gasket	1	DTD.762	2/4
S970	. . Screw, P.K. Type Z, No.4 x 3/16"	2	—	2/43
K84-57-5138	. . Ring, bolt, securing inverted flight valve body, group Attachments: bolt ring to tank	1	—	2/20
K84-57-5096	. . Gasket	1	DTD.762	2/9
S970	. . Screw, P.K. Type Z, No.4 x 3/16"	2	—	2/44
K84-57-5152	. . RING, bolt, securing cover plate, group Attachments: bolt ring to tank	1	—	2/21
K84-57-5153	. . Gasket	1	DTD.762	2/12
S970	. . Screw, P.K. Type Z, No.4 x 3/16"	2	—	2/45
K84-57-5157	. . SHELL, tank Spares for:-	1	—	2/22
K84-57-5157Q	. . . PIECE, packing for double anchor nuts	4	L.72	2/23
Flight Refuelling 3502120/64	. . SWITCH, float group (Mod 1381)	2	—	2/24
Flight Refuelling 3502120/42	. . SWITCH, float, group (Pre Mod 1381) Attachments: float switch to tank	2	—	2/24
K84-57-5092	. . Gasket	1	DTD.762	2/18
A125D	. . Nut, stiff, 10 UNF	8	—	2/46
AGS1186/3	. . Seal, bonded, 2 BA	8	—	2/47
ST711C	. . TAB, locking	2	DTD.610	2/25

TANKS

COLLECTOR, FUEL

Part Number	Description	No. Off	Matl. Spec.	Plate No.
R F.R. Co., 3605240	. . VALVE, dual transfer, group (Mod 1332)	1	-	2/26
R F.R. Co., 3605115	. . VALVE, dual transfer, group (Pre Mod 1332) Spares for:-	1	-	2/26
R Dowty SP910/21	. . . RING, "O", at solenoid	1	-	2/48
R SP910/22	. . . RING, "O", at elbow Attachments: dual transfer valve to tank	2	-	2/49
ST1004/½D	. . Bolt, drilled head, 10 UNF	12	-	2/27
K84-57-5218	. . Ring, packing	1	L.65	2/28
AGS1186/3	. . Seal, bonded, 2 BA	12	-	
R AS4760	. . VALVE, sediment drain, group (Mod 802)	1	-	2/50
AS4523	. . VALVE, sediment drain, group (Pre Mod 802) (For spares see AP.1086)	1	-	

AP101B-2303-3A

Page PC.1

TANKS

FUEL, MAIN PLANE TIP, PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
K84-56-5321	TANK, FUEL, MAIN PLANE TIP, PORT, ASSEMBLY (Production) (Mod. 1415) Consisting of:—	1	—	4/1
Smiths SMB.33	. CABLE, fuel contents unit	1	—	4/3
K84-07-45	. TANK, tip, assembly (Spare) (Pre Amdt 2056)	1	—	
K84-07-111	. TANK, tip, assembly (Spare) (Acrylic Paint Finish) (Amdt 2056) (Intercomponent attachments listed at the end of this assembly are supplied with the assembly spare) Spares for:—	1	—	
K84-56-5323	. . . BODY, tank, assembly Spares for:—	1	—	
K84-56-5219 BODY, union attaching fuel and air pipes Attachments: union body to hose union	2	S21	4/4
K84-56-5118 Ring, sealing	1	DTD762	4/5
K84-56-5336 BODY, tank, forward, assembly (Spare) Spares for:—	1	—	4/6
ST1029/14 INSERT, wire thread	3	—	4/7
K84-56-5338 BODY, tank, rear, assembly (Spare) Spares for:—	1	—	4/8
K84-56-5203 CAP, rear	1	—	4/9
ST1030/32 INSERT, wire thread	1	—	4/10
— RING, nut, for drain, valve, group (K84-56-5121) Spares for:—	1	—	
ST1030/31 INSERT, wire thread	9	—	4/11
K84-56-5138 BOLT, special, attaching bonding leads to fitting Attachments: bolt to fitting	1	S96	4/12
A.103/DP Nut, plain, 10 UNF	1	—	
SP47/C Washer, spring	1	—	
K84-56-5265 CONDUIT, contents gauge cable	1	—	4/13
K84-56-5271 CONDUIT, navigation lamp cable	1	—	4/14
 DIAPHRAGM, group (K84-56-5262) Spares for:—			
ST1030/21* INSERT, wire thread	4	—	4/15
ST1030/6 INSERT, wire thread	4	—	4/15
— MOULDING, centre section, assembly (K84-56-5325) Spares for:—	1	—	
K84-56-5196 MOUNTING, for fuel contents unit, group Spares for:—	1	—	
ST1030/31 INSERT, wire thread	8	—	4/11
ST1030/46 INSERT, wire thread	7	—	4/16
K84-56-5195 MOUNTING, for filler cap, group Spares for:—	1	—	4/17
ST1030/31 INSERT, wire thread	13	—	4/11

R
R

TANKS

FUEL, MAIN PLANE TIP, PORT

Part Number	Description	No. Off	Mati. Spec.	Plate No.
K84-56-5267	. . . PIPE, main, fuel, group (Mod. 885)	1	—	4/18
K84-56-5213	. . . PIPE, main, fuel, group (Pre-Mod 885)	1	—	4/18
K84-56-5269	. . . PIPE, main, air, group (Mod. 885)	1	—	4/19
K84-56-5215	. . . PIPE, main, air, group (Pre-Mod 885) Attachments: pipe to union body	1	—	4/19
AGS1142/H	. . . Nipple	1	—	
K84-56-5165	. . . UNION, hose, at main pipes Attachments: union to tank	2	DTD423	4/20
K84-56-5175	. . . Washer, sealing	1	DTD762	4/21
K84-81-5365	. . . CABLE, 1J to navigation lamp, group	1	—	
K84-56-5366*	. . . CAP, filler, assembly	1	—	4/22
K84-56-5369	. . . CAP, filler, assembly Spares for:—	1	—	4/22
King Aircraft C.8379	. . . HANDLE, and seal, assembly	1	—	4/23
C.8392	. . . HOUSING, and locking pads, assembly	1	—	4/24
D19147*	. . . SPRING, and retaining wire, group	1	—	4/25
D14983	. . . SPRING, and retaining wire, group Attachments: filler cap to tank	—	—	4/25
ST1004/1/2D	. . . Bolt, drilled head, 10 UNF	12	—	4/26
K84-56-5148	. . . Ring, sealing	1	DTD762	4/27
SP13/C	. . . Washer, plain	6	—	
SP10/C	. . . Washer, plain	6	—	
R K84-56-5172	. . . CAP, nose Attachments: nose cap to body	1	—	4/28
A113/3D	. . . Bolt, 10 UNF	6	—	
K84-56-5277*	. . . COVER, fuel contents unit	1	—	4/29
K84-56-5294	. . . COVER, fuel contents unit Attachments: cover to tank	1	—	4/29
A.116/3D	. . . Bolt, 10 UNF	6	—	
K84-56-5221	. . . Shim	1	Laminum	4/30
SP10/C	. . . Washer, plain	6	—	
SP47/C	. . . Washer, spring	6	—	
K84-22-5923	. . . FAIRING, rear, assembly Spares for:—	1	—	4/31
ST1018/D18	. . . PLATE, packing, for double anchor nuts	2	L72	4/32
RPS204/72	. . . STRIP, sealing Attachments: sealing strip to fairing	1	DTD552	4/33
Bifurcated & Tubular Rivet Co. A/O	. . . Rivet, tubular Attachments: fairing to tank	QR	—	
ST1004/5D	. . . Bolt, drilled head, 10 UNF	2	—	
ST1004/4E	. . . Bolt, drilled head, 1/4" UNF	1	—	
K84-22-5907	. . . BUSH	1	—	
SP10/C	. . . Washer, plain	2	—	
SP15/E	. . . Washer, plain	1	—	

TANKS

FUEL, MAIN PLANE TIP, PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
K84-56-5341	TANK, FUEL, MAIN PLANE TIP, PORT, ASSEMBLY (Production) (Mod. 1415) Consisting of:—	1	—	5/1
Smiths SMB.33†	. CABLE, fuel contents unit	1	—	5/2
K84-07-47	. TANK, tip, assembly (Spare) (Pre Amdt 2056)	1	—	
K84-07-109	. TANK, tip, assembly (Spare) (Acrylic Paint Finish) (Amdt 2056) (Intercomponent attachments listed at the end of this assembly are supplied with the assembly spare) Consisting of:—	1	—	
K84-56-5341/A	. . BANDAGE, fibre glass, securing Faraday cage, 4 ¹ / ₂ " wide x 48' long	QR	Y227	
K84-56-5341/B	. . BANDAGE, fibre glass, securing Faraday cage 1" wide x 120' long	QR	Y227	
K84-81-5818	. . STRAP, tail, Faraday cage	1	BS1434	5/58
K84-56-5181	. . TANK, fuel, assembly Spares for:—	1	—	
K84-56-5185	. . . BODY, tank, assembly Spares for:—	1	—	
K84-56-5219 BODY, union, attaching fuel and air pipes Attachments: union body to hose union	2	S21	5/3
K84-56-5118 Ring, sealing	1	DTD762	5/4
K84-56-5273 BODY, tank, forward, assembly (Spare) Spares for:—	1	—	5/5
ST1029/14 INSERT, wire thread	3	—	5/6
K84-56-5275 BODY, tank, rear, assembly (Spare) Spares for:—	1	—	5/7
K84-56-5203 CAP, rear	1	—	5/8
ST1030/32 INSERT, wire thread	1	—	5/9
— RING, nut, for drain valve, group (K84-56-5121) Spares for:—	1	—	
ST1030/31 INSERT, wire thread	9	—	5/10

R
R

TANKS

FUEL, MAIN PLANE TIP, PORT

Part Number	1 2 3 4 5 6	Description	No. Off	Matl. Spec.	Plate No.
K84-56-5138	BOLT, special, attaching bonding leads to fitting Attachments: bolt to fitting	1	S96	5/11
A.103/DP	Nut, plain, 10 UNF	1	—	
SP47/C	Washer, spring, 2BA	1	—	
K84-56-5293	CLIP, 'P', contents gauge cable conduit bonding (Make from 28E/9129072)	1	—	
K84-56-5265	CONDUIT, contents gauge cable	1	—	5/12
K84-56-5271	CONDUIT, navigation lamp cable	1	—	5/13
—	DIAPHRAGM, group (K84-56-5262) Spares for:—	2	—	
ST1030/6	INSERT, wire thread	4	—	5/14
ST1030/21*	INSERT, wire thread	4	—	5/14
—	MOULDING, centre section, assembly (K84-56-5187) Spares for:—	1	—	
K84-56-5196	MOUNTING, for fuel contents unit, group Spares for:—	1	—	
ST1030/31	INSERT, wire thread	8	—	5/10
ST1030/46	INSERT, wire thread	7	—	5/15

TANKS

FUEL, MAIN PLANE TIP, PORT

Part Number	Description	No. Off	Mati. Spec.	Plate No.
K84-56-5195 MOUNTING, for filler cap, group Spares for:—	1	—	5/16
ST1030/31 INSERT, wire thread	13	—	5/10
K84-56-5213 PIPE, main, fuel, group (Pre-Mod 885)	1	—	5/17
K84-56-5267 PIPE, main, fuel, group (Mod. 885)	1	—	5/17
K84-56-5215 PIPE, main, air, group (Pre-Mod 885)	1	—	5/18
K84-56-5269 PIPE, main, air, group (Mod. 885) Attachments: pipe to union body	1	—	5/18
AGS1142/H Nipple	1	—	
K84-56-5165 UNION, hose, at main pipes Attachments: union to tank	2	DTD423	5/19
K84-56-5175 Washer, sealing	1	DTD762	5/20
K84-81-5365 CABLE, 1J to navigation lamp, group	1	—	
K84-81-6281/X CAGE, Faraday, assembly Spares for:—	1	—	
K84-81-6281/C STRAP, horizontal	4	BS1432	5/21
K84-81-6278 STRAP, end, tapped, trunnion	4	BS1432	
K84-81-6296 STRAP, vertical, centre, group Spares for:—	1	—	5/22
K84-81-6263 SCREW, tensioning	1	BS369	5/23
K84-81-6278 STRAP, end, tapped trunnion	1	BS1432	
K84-81-6279 STRAP, end, plain trunnion	1	BS1432	
K84-81-6264 TRUNNION, tapped	1	BS369	5/24
K84-81-6265 TRUNNION, plain	1	BS369	5/25
K84-81-6297 STRAP, vertical, forward, group Spares for this group are identical to those for K84-81-6296	1	—	5/26
K84-81-6299 STRAP, vertical, rear, group Spares for this group are identical to those for K84-81-6296	1	—	5/27
K84-81-6264 TRUNNION, tapped	4	BS369	5/24
K84-56-5366* CAP, filler, assembly	1	—	5/28
K84-56-5396 CAP, filler, assembly Spares for:—	1	—	5/28
C8379 HANDLE, and seal, assembly	1	—	5/29
C8392 HOUSING, and locking pads, assembly	1	—	5/30
D19147* SPRING, and retaining wire, group	1	—	5/31
D14983 SPRING, and retaining wire, group Attachments: filler cap to tank	1	—	5/31
ST1004/1/2D Bolt, drilled head, 10 UNF	12	—	5/32
K84-56-5148 RING, sealing	1	DTD762	5/33
SP13/C Washer, plain, 2BA	6	—	
SP10/C Washer, plain, 2BA	6	—	
K84-56-5172 CAP, nose Attachments: nose cap to body	1	—	5/34
A.113/3D Bolt, 10 UNF	6	—	
K84-56-5277* COVER, fuel contents unit	1	—	
K84-56-5294 COVER, fuel contents unit Attachments: cover to tank	1	—	5/35
A.116/3D Bolt, 10 UNF	6	—	
K84-56-5221 Shim	1	Laminimum	5/36
SP10/C Washer, plain, 2BA	6	—	
SP47/C Washer, plain, 2BA	6	—	

AP101B-2303-3A

TANKS

FUEL MAIN PLANE TIP, PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
K84-22-5293	. . . FAIRING, rear, assembly Spares for:-	1	—	5/37
ST1018D18 PLATE, packing for double anchor nuts	2	L.72	5/38
RPS204/72 STRIP, sealing Attachments: sealing strip to fairing	1	DTD.552	5/39
Bifurcated & Tubular Rivet Co. A/O Rivet, tubular Attachments: fairing to tank	QR	—	
ST1004/5D	. . . Bolt, drilled head, 10 UNF	2	—	
ST1004/4E	. . . Bolt, drilled head ¼" UNF	1	—	
K84-22-5907	. . . Bush	1	L.64	
SP10C	. . . Washer, plain, 2 BA	2	—	
SP15E	. . . Washer, plain, ¼"	1	—	
K84-56-5206	. . . FITTING, mainplane attachment, forward group Spares for:-	1	—	5/40
K84-56-5205A BUSH, .005" o/d oversize	4	S.80	5/41
K84-56-5205B BUSH, .010" o/d oversize	4	S.80	5/41
K84-56-5205C BUSH, .015" o/d oversize Attachments: fitting to tank	4	S.80	5/41
ST1004/12N	. . . Bolt, drilled head, ¼" UNF	4	—	5/42
SP10N	. . . Washer, plain, ½"	4	—	
K84-56-5181B	. . . Washer, special K84-56-5321 B	34	L.72	5/43
K84-56-5207	. . . FITTING, mainplane attachment, rear, group Spares for:-	1	—	5/44
K84-56-5205A BUSH, .005" o/d oversize	4	S.80	5/41
K84-56-5205B BUSH, .010" o/d oversize	4	S.80	5/41
K84-56-5205C BUSH, .015" o/d oversize Attachments: fitting to tank	4	S.80	5/41
ST1004/12N	. . . Bolt, drilled head, ¼" UNF	4	—	5/42
SP10N	. . . Washer, plain, ½"	4	—	
K84-56-5181B	. . . Washer, special (Identical to K84-56-5321B)	4	L.72	5/43
Hellermann 2873	. . . GROMMET	2	—	
ST791C133	. . . HOSE, jointing, filler cap overflow Attachments: jointing hose to filler cap and pipe	1	DTD.625	5/45
AGS605/0	. . . Clip, hose	2	—	
K84-56-5127	. . . LAMPHOLDER, navigation lamp, assembly Spares for:-	1	—	5/46
SP93A8 GROMMET	1	—	
EL13981 LAMPHOLDER Attachments: lampholder to tank	1	—	5/47
ST1004/½C	. . . Bolt, drilled head, 8 UNC	3	—	5/48
K84-56-5335	. . . LEAD, bonding spill tube	1	—	
K84-56-5314	. . . PIPE, filler cap overflow, bottom (Mod 1158) Attachments: overflow pipe to union	1	—	5/49
K84-56-5134	. . . Nut, special	1	—	5/50
Dowty SP910B8	. . . Ring, "O"	1	—	5/51
Simplifex D100/24	. . . Washer, anti-friction	1	—	5/52
K84-56-5261	. . . PLATE, blanking fuel contents unit	1	L.72	
K84-56-5257	. . . PLATE, locked position, for filler cap	2	L.72	

R

TANKS

FUEL, MAIN PLANE TIP, PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
AS6360	. . . VALVE, drain group Attachments: drain valve to tank	1	—	5/53
ST1004/½D	. . . Bolt, drilled head, 10 UNF	8	—	5/32
K84-56-5126	. . . Ring, sealing Attachments: tip tank to main plane, forward	1	DTD.762	5/54
K84-22-5767	. . Bolt, shouldered	2	S.94	
A103ES	. . Nut, slotted, ¼" UNF	2	—	
SP90E8	. . Pin, split	2	—	
SP10G	. . Washer, plain, 5/16"	2	—	
ST1001E	. . Washer, special, ¼" Attachments: tip tank to main plane, rear	2	L.72	
A102/9G	. . Bolt, 5/16" UNF	2	—	
A103GS	. . Nut, slotted, 5/16" UNF	2	—	
SP90E8	. . Pin, split	2	—	
SP15G	. . Washer, plain, 5/16"	2	—	
SP16G	. . Washer, plain, 5/16"	2	—	
Smiths TS6†	. . UNIT, fuel contents, group Attachments: fuel contents unit to tank	1	—	5/55
ST1004/½D	. . Bolt, drilled head, 10 UNF	8	—	5/56
K84-56-5114	. . Washer, sealing	1	DTD.762	5/57
SP13C	. . Washer, plain, 2 BA	8	—	

R

TANKS

FUEL, MAIN PLANE TIP, STARBOARD

Part Number	Description 1 2 3 4 5 6	No. Off	Mati. Spec.	Plate No.
K84-56-5322	TANK, FUEL, MAIN PLANE TIP, STARBOARD ASSEMBLY (Production) (Mod. 1415) Consisting of:—	1	—	4/2
Smiths SMB.33	. CABLE, fuel contents unit	1	—	4/3
K84-07-46	. TANK, tip, assembly (Spare) (Pre Amdt 2056)	1	—	
K84-07-112	. TANK, tip, assembly (Spare) (Acrylic Paint Finish) (Amdt 2056) (Intercomponent attachments listed at the end of this assembly are supplied with the assembly spare) Spares for:—	1	—	
K84-56-5324	. . . BODY, tank, assembly Spares for:—	1	—	
K84-56-5219 BODY, union, attaching fuel and air pipe Attachments: union body to hose union	2	S21	4/4
K84-56-5118 Ring, sealing	1	DTD762	4/5
K84-56-5337 BODY, tank, forward, assembly (Spare) Spares for:—	1	—	4/50
ST1029/14 INSERT, wire thread	3	—	4/7
K84-56-5339 BODY, tank, rear, assembly (Spare) Spares for:—	1	—	4/51
K84-56-5203 CAP, rear	1	—	4/9
ST1030/32 INSERT, wire thread	1	—	4/10
— RING, nut, for drain valve, group (K84-56-5121)	1	—	
ST1030/31 INSERT, wire thread	9	—	4/11
K84-56-5138 BOLT, special, attaching bonding leads to fitting Attachments: bolt to fitting	1	S96	4/12
A.103/DP Nut, plain, 10 UNF	1	—	
SP47/C Washer, spring	1	—	
K84-56-5266 CONDUIT, contents gauge cable	1	—	4/52
K84-56-5271 CONDUIT, navigation lamp table	1	—	4/14
— DIAPHRAGM, group (K84-56-5262) Spares for:—			
ST1030/21* INSERT, wire thread	4	—	4/15
ST1030/6 INSERT, wire thread	4	—	4/15
— MOULDING, centre section, assembly (K84-56-5326) Spares for:—	1	—	
K84-56-5196 MOUNTING, for fuel contents unit, group Spares for:—	1	—	
ST1030/31 INSERT, wire thread	8	—	4/11
ST1030/46 INSERT, wire thread	7	—	4/16
K84-56-5195 MOUNTING, for filler cap, group Spares for:—	1	—	4/17
ST1030/31 INSERT, wire thread	13	—	4/11

R
R

TANKS

FUEL, MAIN PLANE TIP, STARBOARD

Part Number	Description 1 2 3 4 5 6	No. Off	Mati. Spec.	Plate No.
K84-56-5268	. . . PIPE, main, fuel, group (Mod. 885)	1	—	4/53
K84-56-5214	. . . PIPE, main, fuel, group (Pre-Mod 885)	1	—	4/53
K84-56-5270	. . . PIPE, main, air, group (Mod. 885)	1	—	4/54
K84-56-5216	. . . PIPE, main, air, group (Pre-Mod 885) Attachments: pipe to union body	1	—	4/54
AGS1142/H	. . . Nipple	1	—	
K84-56-5165	. . . UNION, hose, at main pipes Attachments: union to tank	2	DTD423	4/20
K84-56-5175	. . . Washer, sealing	1	DTD762	4/21
K84-81-5364	. . CABLE, 2J to navigation lamp, group	1	—	
K84-56-5366*	. . CAP, filler, assembly	1	—	4/22
K84-56-5369	. . CAP, filler, assembly	1	—	4/22
King Aircraft C8379	. . . HANDLE, and seal, assembly	1	—	4/23
C8392	. . . HOUSING, and locking pads, assembly	1	—	4/24
D19147*	. . . SPRING, and retaining wire, group	1	—	4/25
D14983	. . . SPRING, and retaining wire, group Attachments: filler cap to tank	1	—	4/25
ST1004/1/2D	. . Bolt, drilled head, 10 UNF	12	—	4/26
K84-56-5148	. . Ring, sealing	1	DTD762	4/27
SP13/C	. . Washer, plain	6	—	
SP10/C	. . Washer, plain	6	—	
K84-56-5173	. . CAP, nose Attachments: nose cap to body	1	—	4/55
A.113/3D	. . Bolt, 10 UNF	6	—	
K84-56-5277*	. . COVER, fuel contents unit	1	—	
K84-56-5294	. . COVER, fuel contents unit Attachments: cover to tank	1	—	4/29
A.116/3D	. . Bolt, 10 UNF	6	—	
K84-56-5221	. . Shim	1	Laminum	4/30
SP10/C	. . Washer, plain	6	—	
SP47/C	. . Washer, spring	6	—	
K84-22-5924	. . FAIRING, rear, assembly Spares for:—	1	—	4/56
ST1018/D18	. . . PLATE, packing, for double anchor nuts	2	L72	4/32
RPS204/72	. . . STRIP, sealing Attachments: sealing strip to fairing	1	DTD552	4/33
Bifurcated Tubular Rivet Co. A/O	. . . Rivet, tubular Attachments: fairing to tank	QR	—	
ST1004/5D	. . Bolt, drilled head, 10 UNF	2	—	
ST1004/4E	. . Bolt, drilled head, 1/4" UNF	1	—	
K84-22-5907	. . Bush	1	L64	
SP10/C	. . Washer, plain	2	—	
SP15/E	. . Washer, plain	1	—	

R

AP101B-2303-3A

TANKS
FUEL, MAIN PLANE TIP, STARBOARD

Part Number	Description	No. Off	Matl. Spec.	Plate No.
K84-56-5206	. . FITTING, main plane attachment, forward, group Spares for:—	1	—	4/34
K84-56-5205/A	. . . BUSH, .005" o/d. oversize	4	S80	4/35
K84-56-5205/B	. . . BUSH, .010" o/d. oversize	4	S80	4/35
K84-56-5205/C	. . . BUSH, .015" o/d. oversize	4	S80	4/35
ST1004/12N	. . Attachments: fitting to tank			
SP10/N	. . Bolt, drilled head, 1/2" UNF	4	—	4/36
K84-56-5321/B	. . Washer, plain	4	—	
	. . Washer, special (identical to 26PJ/4095)	4	—	4/37
K84-56-5207	. . FITTING, main plane attachment, rear, group Spares for:—	1	—	4/38
K84-56-5205/A	. . . BUSH, .005" o/d. oversize	4	S80	4/35
K84-56-5205/B	. . . BUSH, .010" o/d. oversize	4	S80	4/35
K84-56-5205/C	. . . BUSH, .015" o/d. oversize	4	S80	4/35
ST1004/12N	. . Attachments: fitting to tank			
SP10/N	. . Bolt, drilled head, 1/4" UNF	4	—	4/36
K84-56-5321/B	. . Washer, plain	4	—	
	. . Washer, special (Identical to 26PJ/4095)	4	L72	4/37
Hellermann 2873	. . GROMMET	2	—	
ST791/C/133	. . HOSE, jointing, filler cap overflow Attachments: jointing hose to filler cap and pipe	1	DTD625	4/38
AGS605/0	. . Clip, hose	2	—	
K84-56-5127	. . LAMPHOLDER, navigation lamp, assembly Spares for:—	1	—	4/39
SP93/A8	. . . GROMMET	1	—	
5CX4330071	. . . LAMPHOLDER Attachments: lampholder to tank	1	—	4/40
ST1004/½C	. . Bolt, drilled head, 8 UNC	3	—	4/41
K84-56-5335	. . LEAD, bonding, spill pipe	1	—	
K84-56-5314	. . PIPE, filler cap overflow, bottom (Mod.1158) Attachments: overflow pipe to union	1	—	4/42
K84-56-5134	. . Nut, special	1	—	4/43
Dowty				
SP910B8	. . Ring, "O"	1	—	4/44
Simplifex				
D100/24	. . Washer, anti-friction	1	—	4/45
K84-56-5257	. . PLATE, locked position for filler cap	1	L72	
K84-56-5261	. . PLATE, blanking, fuel contents unit	1	L72	
AS6360	. . VALVE, drain, group Attachments: drain valve to tank	1	—	4/46
ST1004/½D	. . Bolt, drilled head, 10 UNF	8	—	4/26
K84-56-5126	. . Ring, sealing Attachments: tip tank to main plane, forward	1	DTD762	4/47
K84-22-5767	. Bolt, shouldered	2	S94	
A103/ES	. Nut, slotted, 1/4" UNF	2	—	
SP90/E8	. Washer, plain	2	—	
SP10/G	. Pin, split	2	—	
ST1001/E	. Washer, special Attachments: tip tank to main plane, rear	2	L72	
A102/9G	. Bolt, 5/16" UNF	2	—	
A103/GS	. Nut, slotted, 5/16" UNF	2	—	
SP90/E8	. Pin, split	2	—	
SP15/G	. Washer, plain	2	—	
SP16/G	. Washer, plain	2	—	

R

TANKS
FUEL, MAIN PLANE TIP, STARBOARD

Part Number	Description 1 2 3 4 5 6	No. Off	Matl. Spec.	Plate No.
R Smiths TS6	. UNIT, fuel contents, group Attachments: fuel contents unit to tank	1	-	4/48
ST1004/½D K84-56-5114 SP13/C	. Bolt, drilled head, 10 UNF . Washer, sealing . Washer, plain	8 1 8	- DTD762 -	4/26 4/49

TANKS

FUEL, MAIN PLANE TIP, STARBOARD

Part Number	Description 1 2 3 4 5 6	No. Off	Mati. Spec.	Plate No.
K84-56-5342	TANK, FUEL, MAIN PLANE TIP, STARBOARD ASSEMBLY (Production) (Mod. 1415) Consisting of:—	1	—	5/2a
Smiths SMB33	. CABLE, fuel contents unit	1	—	5/2
R K84-07-48	. TANK, tip, assembly (Spare) (Pre Amdt 2056)	1	—	
R K84-07-110	. TANK, tip, assembly (Spare) (Acrylic Paint Finish) (Amdt 2056) (Intercomponent attachments listed at the end of this assembly are supplied with the assembly spare) Consisting of:—	1	—	
K84-56-5341/A	. . BANDAGE, fibreglass, securing Faraday cage, 4 ¹ / ₂ wide x 48' long	QR	Y227	
K84-56-5341/B	. . BANDAGE, fibreglass, securing Faraday cage, 1" wide x 120' long	QR	Y227	
K84-81-5818	. . STRAP, tail, Faraday cage	1	BS1434	5/58
K84-56-5182	. . TANK, fuel, assembly Spares for:—	1	—	
K84-56-5186	. . . BODY, tank, assembly Spares for:—	1	—	
K84-56-5219 BODY, union, attaching fuel and air pipes Attachments: union body to hose union	2	S21	5/3
K84-56-5118 RING, sealing	1	DTD762	5/4
K84-56-5274 BODY, tank, forward, assembly (Spare) Spares for:—	1	—	5/59
ST1029/14 INSERT, wire thread	3	—	5/6
K84-56-5276 BODY, tank, rear, assembly (Spare) Spares for:—	1	—	5/60
K84-56-5203 CAP, rear	1	—	5/8
ST1030/32 INSERT, wire thread	1	—	5/9
 RING, nut, for drain valve, group (K84-56-5121) Spares for:—	1	—	
ST1040/31 INSERT, wire thread	9	—	5/10
K84-56-5138 BOLT, special, attaching bonding leads to fitting Attachments: bolt to fitting	1	S96	5/11
A.103/DP Nut, plain, 10 UNF	1	—	
SP47/C Washer, spring 2BA	1	—	
K84-56-5293 CLIP, 'P', contents gauge cable conduit bonding (Make from 28E/14071)	1	—	
K84-56-5266 CONDUIT, contents gauge cable	1	—	5/60
K84-56-5271 CONDUIT, navigation lamp cable	1	—	5/13
— DIAPHRAGM, group (K84-56-5262) Spares for:—	2	—	
ST1030/6 INSERT, wire thread	4	—	5/14
ST1030/21* INSERT, wire thread	4	—	5/14
— MOULDING, centre section, assembly (K84-56-5188) Spares for:—	1	—	
K84-56-5196 MOUNTING, for fuel contents unit, group Spares for:—	1	—	
ST1030/31 INSERT, wire thread	8	—	5/10
ST1030/46 INSERT, wire thread	7	—	5/15

TANKS

FUEL, MAIN PLANE TIP, STARBOARD

Part Number	Description 1 2 3 4 5 6	No. Off	Mati. Spec.	Plate No.
K84-56-5195 MOUNTING, for filler cap, group Spares for:—	1	—	5/16
ST1030/31 INSERT, wire thread	13	—	5/10
K84-56-5214 PIPE, main, fuel, group (Pre—Mod 885)	1	—	5/61
K84-56-5268 PIPE, main, fuel, group (Mod. 885)	1	—	5/61
K84-56-5216 PIPE, main, air, group (Pre—Mod 885)	1	—	5/62
K84-56-5270 PIPE, main, air, group (Mod. 885) Attachments: pipe to union body	1	—	5/62
AGS1142/H Nipple	1	—	
K84-56-5165 UNION, hose at main pipes Attachments: union to tank	2	DTD423	5/19
K84-56-5175 Washer, sealing	1	DTD762	5/20
K84-81-5364 CABLE, 2J to navigation lamp, group	1	—	
K84-81-6282/X CAGE, Faraday, assembly Spares for:—	1	—	
K84-81-6281/C STRAP, horizontal	4	BS1432	5/21
K84-81-6278 STRAP, end tapped trunnion	4	BS1432	
K84-81-6296 STRAP, vertical centre, group Spares for:—	1	—	5/22
K84-81-6263 SCREW, tensioning	1	BS369	5/23
K84-81-6278 STRAP, end, tapped trunnion	1	BS1432	
K84-81-6279 STRAP, end, plain trunnion	1	BS1432	
K84-81-6264 TRUNNION, tapped	1	BS369	5/24
K84-81-6265 TRUNNION, plain	1	BS369	5/25
K84-81-6298 STRAP, vertical forward, group Spares for this group are identical to those for K84-81-6296	1	—	5/63
K84-81-6300 STRAP, vertical rear, group Spares for this group are identical to those for K84-81-6296	1	—	5/64
K84-81-6264 TRUNNION, tapped	4	BS369	
K84-56-5366* CAP, filler, assembly	1	—	5/28
K84-56-5369 CAP, filler, assembly	1	—	5/28
King Aircraft C8379 HANDLE, and seal, assembly	1	—	5/29
C8392 HOUSING, and locking ends assembly	1	—	5/30
D19147* SPRING, and retaining wire, group	1	—	5/31
D14983 SPRING, and retaining wire, group	1	—	5/31
ST1004 ¹ / ₂ D Bolt, drilled head, 10 UNF Attachments: filler cap to tank	12	—	5/32
K84-56-5148 Ring, sealing	1	DTD762	5/33
SP13/C Washer, plain, 2BA	6	—	
SP10/C Washer, plain, 2BA	6	—	
K84-56-5173 CAP, nose Attachments: nose cap to body	1	—	5/65
A.113/3D Bolt, 10 UNF	6	—	
K84-56-5277* COVER, fuel contents unit	1	—	
K84-56-5294 COVER, fuel contents unit Attachments: cover to tank	1	—	5/35
A.116/3D Bolt, 10 UNF	6	—	
K84-56-5221 Shim	1	Laminum	5/36
SP10/C Washer, plain, 2BA	6	—	
SP47/C Washer, plain, 2BA	6	—	

AP101B-2303-3A

TANKS

FUEL MAIN PLANE TIP, STARBOARD

Part Number	Description	No. Off	Matl. Spec.	Plate No.						
					1	2	3	4	5	6
K84-22-5924	. . . FAIRING, rear, assembly Spares for:-	1	-	5/66						
ST1018D18 PLATE, packing for double anchor nuts	2	L.72	5/38						
RPS204/72 STRIP, sealing Attachments: sealing strip to fairing	1	DTD.552	5/39						
Bifurcated & Tubular Rivet Co. A/O Rivet, tubular Attachments: fairing to tank	QR	-							
ST1004/5D	. . . Bolt, drilled head, 10 UNF	2	-							
ST1004/4E	. . . Bolt, drilled head, 1/4" UNF	1	-							
K84-22-5907	. . . Bush	1	L.65							
SP10C	. . . Washer, plain, 2 BA	2	-							
SP15E	. . . Washer, plain, 1/4"	1	-							
K84-56-5206	. . . FITTING, mainplane attachment, forward group Spares for:-	1	-	5/40						
K84-56-5205A BUSH, .005" o/d oversize	4	S.80	5/41						
K84-56-5205B BUSH, .010" o/d oversize	4	S.80	5/41						
K84-56-5205C BUSH, .015" o/d oversize Attachments: fitting to tank	4	S.80	5/41						
ST1004/12N	. . . Bolt, drilled head, 1/4" UNF	4	-	5/42						
SP10N	. . . Washer, plain, 1/4"	4	-							
K84-56-5181B	. . . Washer, special	4	L.72	5/43						
K84-56-5207	. . . FITTING, mainplane attachment, rear, group Spares for:-	1	-	5/44						
K84-56-5205A BUSH, .005" o/d oversize	4	S.80	5/41						
K84-56-5205B BUSH, .010" o/d oversize	4	S.80	5/41						
K84-56-5205C BUSH, .015" o/d oversize Attachments: fitting to tank	4	S.80	5/41						
ST1004/12N	. . . Bolt, drilled head, 10 UNF	4	-	5/42						
SP10N	. . . Washer, plain 1/2"	4	-							
K84-56-5181B	. . . Washer, special	4	L.72	5/43						
Hellermann 2873	. . . GROMMET	2	-							
ST791C133	. . . HOSE, jointing, filler cap, overflow Attachments: jointing hose to filler cap and pipe	1	DTD.625	5/45						
AGS605/0	. . . Clip, hose	2	-							
K84-56-5127	. . . LAMPHOLDER, navigation lamp, assembly Spares for:-	1	-	5/46						
SP93A8 GROMMET	1	-							
EL13981 LAMPHOLDER Attachments: lampholder to tank	1	-	5/47						
ST1004/1/2C	. . . Bolt, drilled head, 8 UNC	3	-	5/48						
K84-56-5335	. . . LEAD, bonding spill tube	1	-							
K84-56-5314	. . . PIPE, filler cap overflow, bottom (Mod 1158) Attachments: overflow pipe to union	1	-	5/49						
K84-56-5134	. . . Nut, special	1	-	5/50						
Dowty DP910B8	. . . Ring, "O"	1	-	5/51						
Simplifex D100/24	. . . Washer, anti-friction	1	-	5/52						
K84-56-5261	. . . PLATE, blanking, fuel contents unit	1	L.72							
K84-56-5257	. . . PLATE, locked position, for filler cap	1	L.72							

TANKS

FUEL MAIN PLANE TIP, STARBOARD

Part Number	Description	No. Off	Matl. Spec.	Plate No.
AS6360	. . . VALVE, drain, group Attachments: drain valve to tank	1	—	5/53
ST1004/½D	. . . Bolt, drilled head, 10 UNF	8	—	5/32
K84-56-5126	. . . Ring, sealing Attachments: tip tank to main plane, forward	1	DTD.762	5/54
K84-22-5767	. . . Bolt, shouldered	2	S.94	
A103ES	. . . Nut, slotted ½" UNF	2	—	
SP90E8	. . . Pin, split	2	—	
SP10G	. . . Washer, plain, 5/16" UNF	2	—	
ST1001E	. . . Washer, special ¼" Attachments: tip tank to main plane, rear	2	L.72	
A102/9G	. . . Bolt, 5/16" UNF	2	—	
A103GS	. . . Nut, slotted, 5/16" UNF	2	—	
SP90E8	. . . Pin, split	2	—	
SP15G	. . . Washer, plain, 5/16"	2	—	
SP16G	. . . Washer, plain, 5/16"	2	—	
Smiths TS6	. . . UNIT, fuel contents, group Attachments: fuel contents unit to tank	1	—	5/55
ST1004/½D	. . . Bolt, drilled head, 10 UNF	8	—	5/56
K84-56-5114	. . . Washer, sealing	1	DTD.762	5/57
SP13C	. . . Washer, plain, 2 BA	8	—	

R