Subject 2

PANEL WIRING SETS

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2201	**WIRING SET P.I**									
DV.2013/1	NV16 Length 3′ 2″	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F13.A 2 off	Nil	BB.A 2 off
DV.2013/2	NV16 Length 3′ 0″	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F13.F 2 off	Nil	BB.A 2 off
DV.2013/3	NV16 Length 3′ 2″	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Rongue 1 off	5X/9450393	BB.F13.G 2 off	Nil	BB.A 2 off
DV.2013/4	NV16 Length 2′ 11″	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9453093	BB.F13.M 2 off	Nil	BB.A 2 off
DV.2013/5	NV16 Length 3′ 1″	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F17.A 2 off	Nil	BB.A 2 off
DV.2013/6	NV16 Length 2′ 1″	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F17.F 2 off	Nil	BB.A 2 off
DV.2013/7	NV16 Length 3′ 1″	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F17.G 2 off	Nil	BB.A 2 off
DV.2013/8	NV16 Length 2′ 11″	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F17.M 2 off	Nil	BB.A 2 off
DV.2013/9	NV16 Length 2′ 11″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C21.A 2 off	Nil	BB.A 2 off
DV.2013/10	NV16 Length 2′ 11″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C21.B 2 off	Nil	BB.A 2 off
DV.2013/11	NV16 Length 2′ 11″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C21.C 2 off	Nil	BB.A 2 off
DV.2013/12	NV16 Length 2′ 10″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C21.D 2 off	Nil	BB.A 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2013/13	NV16 Length 2' 11"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C21.E 2 off	Nil	BB.A 2 off
DV.2013/14	NV12 Length 2' 10"	5E/4187	KP	32544 A-MP Ring Tongue 1 off	5X/	32544 A-MP Ring Tongue 1 off	5X/	C21.F 2 off	Nil	BB.A 2 off
DV.2013/15	NV12 Length 2' 11"	5E/4187	KP	32544 A-MP Ring Tongue 1 off	5X/	32544 A-MP Ring Tongue 1 off	5X/	C21.G 2 off	Nil	BB.A 2 off
DV.2013/16	NV16 Length 2' 9"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C21.H 2 off	Nil	BB.A 2 off
DV.20137/17	NV16 Length 3' 0"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.C24.P 2 off	Nil	BB.C 2 off
DV.2013/18	NV16 Length 2' 10"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C21.K 2 off	Nil	BB.A 2 off
DV.2013/20	NV16 Length 2' 10"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C21.M 2 off	Nil	BB.A 2 off
DV.2013/22	NV16 Length 2' 10"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C21.P 2 off	Nil	BB.A 2 off
DV.2013/23	NV10 Length 2' 10"	5E/4188	KP	32544 A-MP Ring Tongue 1 off	5X/	32544 A-MP Ring Tongue 1 off	5X/	C21.Q 2 off	Nil	BB.A 2 off
DV.2013/24	NV10 Length 2' 11"	5E/4188	KP	32544 A-MP Ring Tongue 1 off	5X/	32544 A-MP Ring Tongue 1 off	5X/	C21.R 2 off	Nil	BB.A 2 off
DV.2013/25	NV16 Length 2' 10"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C25.A 2 off	Nil	BB.A 2 off
DV.2013/26	NV16 Length 2' 9"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C25.B 2 off	Nil	BB.A 2 off
DV.2013/27	NV16 Length 2' 10"	5E.4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C25.C 2 off	Nil	BB.A 2 off

RESTRICTED

Argosy C. MK.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2013/28	NV16 Length 2' 8"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C25.D 2 off	Nil	BB.A 2 off
DV.2013/29	NV16 Length 2' 7"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C25.E 2 off	Nil	BB.A 2 off
DV.2013/30	NV16 Length 2' 6"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C25.F 2 off	Nil	BB.A 2 off
DV.2013/31	NV12 Length 2' 7"	5E/4187	KP	32544 A-MP Ring Tongue 1 off	5X/	32544 A-MP Ring Tongue 1 off	5X/	C25.G 2 off	Nil	BB.A 2 off
DV.2013/32	NV16 Length 2' 5"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C25.H 2 off	Nil	BB.A 2 off
DV.2013/33	NV12 Length 2' 8"	5E/4187	KP	32544 A-MP Ring Tongue 1 off	5X/	32544 A-MP Ring Tongue 1 off	5X/	C25.J 2 off	Nil	BB.A 2 off
DV.2013/34	NV10 Length 2' 7"	5E/4188	KP	32544 A-MP Ring Tongue 1 off	5X/	32544 A-MP Ring Tongue 1 off	5X/	C25.K 2 off	Nil	BB.A 2 off
DV.2013/35	NV16 Length 2' 9"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C25.L 2 off	Nil	BB.A 2 off
DV.2013/39	NV12 Length 2' 7"	5E/4187	KP	32544 A-MP Ring Tongue 1 off	5X/	32544 A-MP Ring Tongue 1 off	5X/	C25.Q 2 off	Nil	BB.A 2 off
DV.2013/40	NV16 Length 2' 5"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C25.R 2 off	Nil	BB.A 2 off
DV.2013/41	NV16 Length 4' 9"	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F8.A 2 off	Nil	BB.B 2 off
DV.2013/42	NV16 Length 4' 3"	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F9.F 2 off	Nil	BB.B 2 off
DV.2013/43	NV16 Length 4' 3"	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F9.G 2 off	Nil	BB.B 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2013/44	NV16 Length 4' 4"	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F9.M 2 off	Nil	BB.B 2 off
DV.2013/45	NV16 Length 3' 8"	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F10.A 2 off	Nil	BB.B 2 off
DV.2013/46	NV16 Length 3' 0"	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F10.F 2 off	Nil	BB.B 2 off
DV.2013/47	NV16 Length 3' 0"	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F10.G 2 off	Nil	BB.B 2 off
DV.2013/48	NV16 Length 3' 1"	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F10.M 2 off	Nil	BB.B 2 off
DV.2013/49	NV16 Length 3' 0"	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F11.A 2 off	Nil	BB.B 2 off
DV.2013/50	NV16 Length 3' 7"	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F11.F 2 off	Nil	BB.B 2 off
DV.2013/51	NV16 Length 3' 1"	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F11.G 2 off	Nil	BB.B 2 off
DV.2013/52	NV16 Length 3' 7"	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F11.M 2 off	Nil	BB.B 2 off
DV.2013/53	NV16 Length 4' 9"	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F12.A 2 off	Nil	BB.B 2 off
DV.2013/54	NV16 Length 4' 4"	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F12.F 2 off	Nil	BB.B 2 off
DV.2013/55	NV16 Length 4' 3"	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F12.G 2 off	Nil	BB.B 2 off
DV.2013/56	NV16 Length 4' 3"	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F12.M 2 off	Nil	BB.B 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2013/57	NV16 Length 3′ 3″	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31884 Ring Tongue	A-MP 1 off	5X/9450393	BB.F14.A 2 off	Nil	BB.B 2 off
DV.2013/58	NV16 Length 3′ 11″	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31884 Ring Tongue	A-MP 1 off	5X/9450393	BB.F14.F 2 off	Nil	BB.B 2 off
DV.2013/59	NV16 Length 3′ 1″	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31884 Ring Tongue	A-MP 1 off	5X/9450393	BB.F14.G 2 off	Nil	BB.B 2 off
DV.2013/60	NV16 Length 3′ 10″	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31884 Ring Tongue	A-MP 1 off	5X/9450393	BB.F14.M 2 off	Nil	BB.B 2 off
DV.2013/61	NV16 Length 3′ 2″	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31884 Ring Tongue	A-MP 1 off	5X/9450393	BB.F15.A 2 off	Nil	BB.B 2 off
DV.2013/62	NV16 Length 2′ 11″	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9452954	31884 Ring Tongue	A-MP 1 off	5X/9450393	BB.F15.F 2 off	Nil	BB.B 2 off
DV.2013/63	NV16 Length 2′ 9″	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31884 Ring Tongue	A-MP 1 off	5X/9450393	BB.F15.G 2 off	Nil	BB.B 2 off
DV.2013/64	NV16 Length 3′ 1″	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31884 Ring Tongue	A-MP 1 off	5X/9450393	BB.F15.M 2 off	Nil	BB.B 2 off
DV.2013/65	NV16 Length 3′ 1″	5E/4185	JP	323926 Ring Tongue	A-MP	5X/9462954	31884 Ring Tongue	A-MP 1 off	5X/9450393	BB.F18.A 2 off	Nil	BB.B 2 off
DV.2013/66	NV16 Length 2′ 10″	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31884 Ring Tongue	A-MP 1 off	5X/9450393	BB.F18.F 2 off	Nil	BB.B 2 off
DV.2013/67	NV16 Length 3′ 1″	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31884 Ring Tongue	A-MP 1 off	5X/9450393	BB.F18.G 2 off	Nil	BB.B 2 off
DV.2013/68	NV16 Length 2′ 9″	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31884 Ring Tongue	A-MP 1 off	5X/9450393	BB.F18.M 2 off	Nil	BB.B 2 off
DV.2013/69	NV16 Length 2′ 8″	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31884 Ring Tongue	A-MP 1 off	5X/9450393	BB.F19.A 2 off	Nil	BB.B 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2013/70	NV16 Length 3' 1"	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F19.F 2 off	Nil	BB.B 2 off
DV.2013/71	NV16 Length 2' 7"	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F19.G 2 off	Nil	BB.B 2 off
DV.2013/72	NV16 Length 2' 9"	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F19.M 2 off	Nil	BB.B 2 off
DV.2013/73	NV10 Length 2' 5"	5E/4188	KP	32544 A-MP Ring Tongue 1 off	5X/	32544 A-MP Ring Tongue 1 off	5X/	C22.A 2 off	Nil	BB.B 2 off
DV.2013/74	NV16 Length 2' 9"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/	31884 A-MP Ring Tongue 1 off	5X/9450393	C22.B 2 off	Nil	BB.B 2 off
DV.2013/75	NV16 Length 2' 7"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/	31884 A-MP Ring Tongue 1 off	5X/9450393	C22.C 2 off	Nil	BB.B 2 off
DV.2013/76	NV10 Length 2' 5"	5E/4188	KP	32544 A-MP Ring Tongue 1 off	5X/	32544 A-MP Ring Tongue 1 off	5X/	C22.D 2 off	Nil	BB.B 2 off
DV.2013/77	NV16 Length 2' 8"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C22.E 2 off	Nil	BB.B 2 off
DV.2013/78	NV16 Length 2' 7"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C22.F 2 off	Nil	BB.B 2 off
DV.2013/79	NV16 Length 2' 6"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C22.G 2 off	Nil	BB.B 2 off
DV.2013/80	NV16 Length 2' 6"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C22.H 2 off	Nil	BB.B 2 off
DV.2013/81	NV12 Length 2' 5"	5E/4187	KP	32544 A-MP Ring Tongue 1 off	5X/	32544 A-MP Ring Tongue 1 off	5X/	C22.J 2 off	Nil	BB.B 2 off
DV.2013/82	NV16 Length 2' 7"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C22.K 2 off	Nil	BB.B 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2013/83	NV16 Length 2′ 8″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C22.L 2 off	Nil	BB.B 2 off
DV.2013/84	NV16 Length 2′ 7″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C22.M 2 off	Nil	BB.B 2 off
DV.2013/85	NV12 Length 2′ 8″	5E/4187	KP	32544 A-MP Ring Tongue 1 off	5X/	32544 A-MP Ring Tongue 1 off	5X/	C22.N 2 off	Nil	BB.B 2 off
DV.2013/86	NV16 Length 2′ 9″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C22.P 2 off	Nil	BB.B 2 off
DV.2013/87	NV16 Length 2′ 7″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C22.Q 2 off	Nil	BB.B 2 off
DV.2013/88	NV16 Length 2′ 6″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C22.R 2 off	Nil	BB.B 2 off
DV.2013/89	NV16 Length 2′ 6″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	52/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C23.A 2 off	Nil	BB.B 2 off
DV.2013/90	NV16 Length 3′ 1″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C23.B 2 off	Nil	BB.B 2 off
DV.2013/92	NV16 Length 2′ 8″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C23.D 2 off	Nil	BB.B 2 off
DV.2013/93	NV16 Langth 2′ 8″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C23.E 2 off	Nil	BB.B 2 off
DV.2013/94	NV12 Length 3′ 0″	5E/4187	KP	32544 A-MP Ring Tongue 1 off	5X/	32544 A-MP Ring Tongue 1 off	5X/	C23.F 2 off	Nil	BB.B 2 off
DV.2013/95	NV16 Length 2′ 9″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C23.G 2 off	Nil	BB.B 2 off
DV.2013/96	NV16 Length 3′ 1″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C23.H 2 off	Nil	BB.B 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2013/97	NV16 Length 2′ 5″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C23.J 2 off	Nil	BB.B 2 off
DV.2013/98	NV16 Length 2′ 6″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C23.K 2 off	Nil	BB.B 2 off
DV.2013/99	NV16 Length 2′ 7″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C23.L 2 off	Nil	BB.B 2 off
DV.2013/100	NV16 Length 2′ 7″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C23.M 2 off	Nil	BB.B 2 off
DV.2013/101	NV16 Length 2′ 8″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C23.N 2 off	Nil	BB.B 2 off
DV.2013/102	NV16 Length 2′ 9″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C23.P 2 off	Nil	BB.B 2 off
DV.2013/103	NV16 Length 3′ 1″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C23.Q 2 off	Nil	BB.B 2 off
DV.2013/104	NV10 Length 2′ 7″	5E/4188	KP	32544 A-MP Ring Tongue 1 off	5X/	32544 A-MP Ring Tongue 1 off	5X/	C23.R 2 off	Nil	BB.B 2 off
DV.2013/105	NV16 Length 2′ 7″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C26.A 2 off	Nil	BB.B 2 off
DV.2013/106	NV16 Length 2′ 10″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C26.B 2 off	Nil	BB.B 2 off
DV.2013/107	NV16 Length 2′ 5″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C26.C 2 off	Nil	BB.B 2 off
DV.2013/108	NV16 Length 2′ 4″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C26.D 2 off	Nil	BB.B 2 off
DV.2013/109	NV16 Length 2′ 7″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C26.E 2 off	Nil	BB.B 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2013/123	NV16 Length 2' 5"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31884 Ring Tongue	A-MP 1 off	5X/9450393	C27.C 2 off	N,I	BB.B 2 off
DV.2013/124	NV16 Length 2' 6"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31884 Ring Tongue	A-MP 1 off	5X/9450393	C27.D 2 off	Nil	BB.B 2 off
DV.2013/125	NV12 Length 3' 0"	5E/4187	KP	32544 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	C27.E 2 off	Nil	BB.B 2 off
DV.2013/126	NV12 Length 3' 0"	5E/4187	KP	32544 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	C27.F 2 off	Nil	BB.B 2 off
DV.2013/127	NV12 Length 3' 1"	5E/4187	KP	32544 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	C27.G 2 off	Nil	BB.B 2 off
DV.2013/128	NV16 Length 3' 1"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31884 Ring Tongue	A-MP 1 off	5X/9450393	C27.H 2 off	Nil	BB.B 2 off
DV.2013/129	NV16 Length 2' 5"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31884 Ring Tongue	A-MP 1 off	5X/9450393	C27.J 2 off	Nil	BB.B 2 off
DV.2013/130	NV16 Length 2' 6"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31884 Ring Tongue	A-MP 1 off	5X/9450393	C27.K 2 off	Nil	BB.B 2 off
DV.2013/131	NV16 Length 2' 5"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31884 Ring Tongue	A-MP 1 off	5X/9450393	C27.L 2 off	Nil	BB.B 2 off
DV.2013/132	NV16 Length 2' 10"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31884 Ring Tongue	A-MP 1 off	5X/9450393	C27.M 2 off	Nil	BB.B 2 off
DV.2013/133	NV16 Length 2' 10"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31884 Ring Tongue	A-MP 1 off	5X/9450393	C.27N 2 off	Nil	BB.B 2 off
DV.2013/134	NV12 Length 2' 10"	5E/4187	KP	32544 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	C27.P 2 off	Nil	BB.B 2 off
DV.2013/135	NV12 Length 2' 10"	5E/4187	KP	32544 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	C27.Q 2 off	Nil	BB.B 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2013/110	NV16 Length 2′ 4″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C26.F 2 off	Nil	BB.B 2 off
DV.2013/111	NV16 Length 2′ 3″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C26.G 2 off	Nil	BB.B 2 off
DV.2013/112	NV16 Length 2′ 3″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C26.H 2 off	Nil	BB.B 2 off
DV.2013/113	NV16 Length 2′ 5″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C26.J 2 off	Nil	BB.B 2 off
DV.2013/114	NV16 Length 2′ 7″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C26.K 2 off	Nil	BB.B 2 off
DV.2013/115	NV16 Length 2′ 4″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C26.L 2 off	Nil	BB.B 2 off
DV.2013/116	NV16 Length 2′ 4″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C26.M 2 off	Nil	BB.B 2 off
DV.2013/117	NV16 Length 2′ 5″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C26.N 2 off	Nil	BB.B 2 off
DV.2013/118	NV16 Length 2′ 3″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C26.P 2 off	Nil	BB.B 2 off
DV.2013/119	NV16 Length 2′ 3″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C26.Q 2 off	Nil	BB.B 2 off
DV.2013/120	NV16 Length 2′ 1″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C26.R 2 off	Nil	BB.B 2 off
DV.2013/121	NV16 Length 2′ 4″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C27.A 2 off	Nil	BB.B 2 off
DV.2013/122	NV16 Length 2′ 4″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C27.B 2 off	Nil	BB.B 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2013/136	NV10 Length 2′ 5″	5E/4188	JP	32544 A-MP Ring Tongue 1 off	5X/	32544 A-MP Ring Tongue 1 off	5X/	C27.R 2 off	Nil	BB.B 2 off
DV.2013/137	NV16 Length 3′ 7″	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F16.A 2 off	Nil	BB.C 2 off
DV.2013/138	NV16 Length 3′ 7″	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F16.F 2 off	Nil	BB.C 2 off
DV.2013/139	NV16 Length 3′ 7″	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F16.G 2 off	Nil	BB.C 2 off
DV.2013/140	NV16 Length 3′ 7″	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F16.M 2 off	Nil	BB.C 2 off
DV.2013/141	NV16 Length 3′ 0″	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F20.A 2 off	Nil	BB.C 2 off
DV.2013/142	NV16 Length 3′ 4″	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F20.F 2 off	Nil	BB.C 2 off
DV.2013/143	NV16 Length 3′ 0″	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F20.G 2 off	Nil	BB.C 2 off
DV.2013/144	NV16 Length 3′ 4″	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31884 A-MP Ring Tongue 1 off	5X/9450393	BB.F20.M 2 off	Nil	BB.C 2 off
DV.2013/145	NV16 Length 2′ 8″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C24.A 2 off	Nil	BB.C 2 off
DV.2013/146	NV16 Length 2′ 6″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C24.B 2 off	Nil	BB.C 2 off
DV.2013/147	NV16 Length 2′ 9″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C24.C 2 off	Nil	BB.C 2 off
DV.2013/148	NV16 Length 3′ 1″	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C24.D 2 off	Nil	BB.C 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2013/149	NV16 Length 2' 7"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C24.E 2 off	Nil	BB.C 2 off
DV.2013/150	NV12 Length 2' 7"	5E/4187	KP	32544 A-MP Ring Tongue 1 off	5X/	32544 A-MP Ring Tongue 1 off	5X/	C24.F 2 off	Nil	BB.C 2 off
DV.2013/151	NV10 Length 2' 8"	5E/4188	KP	32544 A-MP Ring Tongue 1 off	5X/	32544 A-MP Ring Tongue 2 off	5X/	C24.G 2 off	Nil	BB.C 2 off
DV.2013/152	NV16 Length 3' 1"	5E/4185	JP	31844 A-MP Ring Tongue 1 off	5X/9350393	31884 A-MP Ring Tongue 1 off	5X/9450393	C24.H 2 off	Nil	BB.C 2 off
DV.2013/153	NV16 Length 2' 8"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C24.J 2 off	Nil	BB.C 2 off
DV.2013/155	NV16 Length 3' 1"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A.MP Ring Tongue 1 off	5X/9450393	C24.L 2 off	Nil	BB.C 2 off
DV.2013/159	NV16 Length 3' 1"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C24.Q 2 off	Nil	BB.C 2 off
DV.2013/160	NV10 Length 3' 1"	5E/4188	KP	32544 A-MP Ring Tongue 1 off	5X/	32544 A-MP Ring Tongue 1 off	C24.R	C24.R 2 off	Nil	BB.C 2 off
DV.2013/161	NV16 Length 2' 7"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C28.A 2 off	Nil	BB.C 2 off
DV.2013/162	NV16 Length 2' 4"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C28.B 2 off	Nil	BB.C 2 off
DV.2013/163	NV16 Length 2' 4"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31844 A-MP Ring Tongue 1 off	5X/9450393	C28.C 2 off	Nil	BB.C 2 off
DV.2013/164	NV16 Length 2' 5"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C.28.D 2 off	Nil	BB.C 2 off
DV.2013/165	NV16 Length 2' 6"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C28.E 2 off	Nil	BB.C 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2013/166	NV16 Length 2' 6"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C28.F 2 off	Nil	BB.C 2 off
DV.2013/167	NV12 Length 2' 5"	5E/4187	KP	32544 A-MP Ring Tongue 1 off	5X/	32544 A-MP Ring Tongue 1 off	5X/	C28.G 2 off	Nil	BB.C 2 off
DV.2013/168	NV16 Length 2' 8"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C28.H 2 off	Nil	BB.C 2 off
DV.2013/169	NV16 Length 2' 3"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C28.J 2 off	Nil	BB.C 2 off
DV.2013/170	NV10 Length 2' 1"	5E/4188	KP	32544 A-MP Ring Tongue 1 off	5X/	32544 A-MP Ring Tongue 1 off	5X/	C28.K 2 off	Nil	BB.C 2 off
DV.2013/171	NV16 Length 2' 4"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C28.L 2 off	Nil	BB.C
DV.2013/175	NV12 Length 2' 5"	5E/4187	KP	32544 A-MP Ring Tongue 1 off	5X/	32544 A-MP Ring Tongue 1 off	5X/	C28.Q 2 off	Nil	BB.C 2 off
DV.2013/176	NV.16 Length 2' 8"	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C28.R 2 off	Nil	BB.C 2 off
DV.2013/177	NV16 Length 7"	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	323926 A-MP Ring Tongue 1 off	5X/9426954	F10.E 2 off	Nil	F10.F 2 off
DV.2013/178	NV16 Length 7"	5E/4185	JP	323926 A-MP Ring Tongue 1 off	5X/9246954	323926 A-MP Ring Tongue 1 off	5X/9462954	F11.A 2 off	Nil	F11.B 2 off
DV.2013/180	NV16 Length	5E/4185	HT.20	31884 A-MP Ring Tongue 1 off	5X/9450393	31884 A-MP Ring Tongue 1 off	5X/9450393	C23.B 2 off	Nil	BB.B 2 off

Argosy C. MK.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

August 1966
TP27
AL31

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2202/1	**WIRING SET P2**									
FV.2202/a	NV20 Length 1′ 4″	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	323926 A-MP Ring Tongue 1 off	5X/9462954	T.10 2 off	1P 2 off	M1.T7 2 off
FV.2202/b	NV20 Length 1′ 10″	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	150107 A-MP Ring Tongue 1 off	5X/	M1.T7 2 off	1P 2 off	C1.T5 2 off
FV.2202/c	NV20 Length 1′ 8″	5E/4183	JP	150107 A-MP Ring Tongue 1 off	5X/	31882 A-MP Ring Tongue 1 off	5X/	C1.T5 2 off	1P 2 off	R1.T2 2 off
FV.2202/d	NV20 Length 1′ 7″	5E/4183	JP	31882 A-MP Ring Tongue 1 off	5X/	31882 A-MP Ring Tongue 1 off	5X/	R1.T2 2 off	1P 2 off	R2.T2 2 off
FV.2202/e	NV20 Length 10″	5E/4183	JP	31882 A-MP Ring Tongue 1 off	5X/	150107 A-MP Ring Tongue 1 off	5X/	R2.T2 2 off	1P 2 off	C2.T5 2 off
FV.2202/f	NV20 Length 1′ 9″	5E/4183	JP	150107 A-MP Ring Tongue 1 off	5X/	323926 A-MP Ring Tongue 1 off	5X/9462954	C2.T5 2 off	1P 2 off	M2.T7 2 off
FV.2202/g	NV20 Length 1′ 3″	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	323000 A-MP Slotted Tongue 1 off	5X/9450396	M2.T7 2 off	1P 2 off	T4 2 off
FV.2202/h	NV20 Length 2′ 6″	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	323926 A-MP Ring Tongue 1 off	5X/9462954	T2 1 off	1P 2 off	M3.T7 2 off
FV.2202/j	NV20 Length 1′ 9″	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	150107 A-MP Ring Tongue 1 off	5X/	M3.T7 2 off	1P 2 off	C3.T5 2 off
FV.2202/k	NV20 Length 1′ 8″	5E/4183	JP	150107 A-MP Ring Tongue 1 off	5X/	31882 A-MP Ring Tongue 1 off	5X/	C3.T5 2 off	1P 2 off	R3.T2 2 off
FV.2202/l	NV20 Length 1′ 7″	5E/4183	JP	31882 A-MP Ring Tongue 1 off	5X/	31882 A-MP Ring Tongue 1 off	5X/	R3.T2 2 off	1P 2 off	R4.T2 2 off
FV.2202/m	NV20 Length 2′ 0″	5E/4183	JP	31882 A-MP Ring Tongue 1 off	5X/	150107 A-MP Ring Tongue 1 off	5X/	R4.T2 2 off	1P 2 off	C4.T5 2 off
FV.2202/n	NV20 Length 2′ 1″	5E/4183	JP	150107 A-MP Ring Tongue 1 off	5X/	323926 A-MP Ring Tongue 1 off	5X/9462954	C4.T5 2 off	1P 2 off	M4.T7 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2202/o	NV20 Length 3′ 2″	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	32300 A-MP Slotted Tongue 1 off	5X/9450396	N4.T7 2 off	1P 2 off	T1 2 off
FV.2202/ab	NV20 Length 1′ 7″	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31882 A-MP Ring Tongue 1 off	5X/	M1.T17 2 off	1P 2 off	R1.T5 2 off
FV.2202/ac	NV20 Length 1′ 3″	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31882 A-MP Ring Tongue 1 off	5X/	M2.T17 2 off	1P 2 off	R2.T5 2 off
FV.2202/ad	NV20 Length 11″	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31882 A-MP Ring Tongue 1 off	5X/	M3.T17 2 off	1P 2 off	R3.T5 2 off
FV.2202/ae	NV20 Length 1′ 8″	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31882 A-MP Ring Tongue 1 off	5X/	M4.T17 2 off	1P 2 off	R4.T5 2 off
FV.2202/af	NV20 Length 1″ 6″	5E/4183	JP	150107 A-MP Ring Tongue 1 off	5X/	31882 A-MP Ring Tongue 1 off	5X/	C1.T6 1 off	1P 2 off	R1.T6 2 off
FV.2202/ag	NV20 Length 1′ 2″	5E/4183	JP	150107 A-MP Ring Tongue 1 off	5X/	31882 A-MP Ring Tongue 1 off	5X/	C2.T6 2 off	1P 2 off	R2.T6 2 off
FV.2202/ah	NV20 Length 1′ 2″	5E/4183	JP	150107 A-MP Ring Tongue 1 off	5X/	31882 A-MP Ring Tongue 1 off	5X/	C3.T6 2 off	1P 2 off	R3.T6 2 off
FV.2202/aj	NV20 Length 2′ 2″	5E/4183	JP	150107 A-MP Ring Tongue 1 off	5X/	31882 A-MP Ring Tongue 1 off	5X/	C4.T6 2 off	1P 2 off	R4.T6 2 off
FV.2202/ak	NV12 Length 2′ 1″	5E/4187	KP	32546 A-MP Ring Tongue 1 off	5X/	35148 A-MP Ring Tongue 1 off		M1.T1 2 off	1P 2 off	F2 2 off
FV.2202/al	NV12 Length 2′ 4″	5E/4187	KP	32546 A-MP Ring Tongue 1 off	5X/	35148 A-MP Ring Tongue 1 off	5X/	M2.T1 2 off	1P 2 off	F4 2 off
FV.2202/am	NV12 Length 2′ 4″	5E/4187	KP	32546 A-MP Ring Tongue 1 off	5X/	35148 A-MP Ring Tongue 1 off	5X/	M3.T1 2 off	1P 2 off	F6 2 off
FV.2202/an	NV12 Length 2′ 5″	5E/4187	KP	32546 A-MP Ring Tongue 1 off	5X/	35148 A-MP Ring Tongue 1 off	5X/	M4.T1 2 off	1P 2 off	F8 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2202/aw	NV20 Length 11"	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	150107 A-MP Ring Tongue 1 off	5X/	M1.T17 2 off	1P 2 off	C1.T8 2 off
FV.2202/ax	NV20 Length 11"	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	150107 A-MP Ring Tongue 1 off	5X/	M2.T17 2 off	1P 2 off	C2.T8 2 off
FV.2202/ay	NV20 Length 9"	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	150107 A-MP Ring Tongue 1 off	5X/	M3.T17 2 off	1P 2 off	3C.T8 2 off
FV.2202/az	NV20 Length 11"	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	150107 A-MP Ring Tongue 1 off	5X/	M4.T17 2 off	1P 2 off	C4.T8 2 off
FV.2202/ba	NV20 Length 1' 1"	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	150107 A-MP Ring Tongue 1 off	5X/	M1.T18 2 off	1P 2 off	C1.T7 2 off
FV.2202/bb	NV20 Length 1' 2"	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	150107 A-MP Ring Tongue 1 off	5X/	M2.T18 2 off	1P 2 off	C2.T7 2 off
FV.2202/bc	NV20 Length 11"	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	150107 A-MP Ring Tongue 1 off	5X/	M3.T18 2 off	1P 2 off	C3.T7 2 off
FV.2202/bd	NV20 Length 9"	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	150107 A-MP Ring Tongue 1 off	5X/	M4.T18 2 off	1P 2 off	C4.T7 2 off
FV.2202/be	NV12 Length 1' 6"	5E/4187	KP	HC314A Ring Tongue 1 off	5X/7720	32544 A-MP Ring Tongue 1 off	5X/	C1.T4 2 off	1P 2 off	C8 2 off
FV.2202/bf	NV12 Length 1' 4"	5E/4187	KP	HC314A Ring Tongue 1 off	5X/7220	32544 A-MP Ring Tongue 1 off	5X/	C2.T4 2 off	1P 2 off	C9 2 off
FV.2202/bg	NV12 Length 1' 8"	5E/4187	KP	HC314A Ring Tongue 1 off	5X/7220	32544 A-MP Ring Tongue 1 off	5X/	C3.T4 2 off	1P 2 off	C10 2 off
FV.2202/bh	NV12 Length 2' 3"	5E/4187	KP	HC314A Ring Tongue 1 off	5X/7220	32544 A-MP Ring Tongue 1 off	5X/	C4.T4 2 off	1P 2 off	C11 2 off
FV.2202/bk	NV20 Length 4' 4"	5E/4183	JP	150107 A-MP Ring Tongue 1 off	5X/	150107 A-MP Ring Tongue 1 off	5X/	C5.T3 2 off	1P 2 off	C7.T3 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2202/bo	NV20 Length 3′ 3″	5E/4183	JP	31882 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	C7.T3 2 off	1P 2 off	T2 2 off
FV.2202/bp	NV20 Length 1′ 8″	5E/4183	JP	31882 A-MP Ring Tongue 1 off	5X	323000 A-MP Slotted Tongue 1 off	5X/9450396	C5.T3 2 off	1P 2 off	T4 2 off
FV.2202/br	NV20 Length 2′ 5″	5E/4183	JP	31884 A.MP Ring Tongue 1 off	5X/9450393	323000 A-MP Slotted Tongue 1 off	5X/9350396	R6.TC1 2 off	3K 2 off	T3 2 off
FV.2202/bs	NV20 Length 7″	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31889 A-MP Ring Tongue	5X/	F1 2 off	1P 2 off	C8 2 off
FV.2202/bt	NV12 Length 7″	5E/4187	KP	35148 A-MP Ring Tongue 1 off	5X/	32544 A-MP Ring Tongue 1 off	5X/	F2 2 off	1P 2 off	C8 2 off
FV.2202/bu	NV20 Length 7″	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31889 A-MP Ring Tongue 1 off	5X/	F3 2 off	1P 2 off	C9 2 off
FV.2202/bv	NV12 Length 7″	5E/4187	KP	35148 A-MP Ring Tongue 1 off	5X/	32544 A-MP Ring Tongue 1 off	5X/	F4 2 off	1P 2 off	C9 2 off
FV.2202/bw	NV20 Length 7″	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31889 A-MP Ring Tongue 1 off	5X/	F5 2 off	1P 2 off	C10 2 off
FV.2202/bx	NV12 Length 7″	5E/4187	KP	35148 A-MP Ring Tongue 1 off	5X/	32544 A-MP Ring Tongue 1 off	5X/	F6 2 off	1P 2 off	C10 2 off
FV.2202/by	NV20 Length 7″	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31889 A-MP Ring Tongue 1 off	5X/	F7 2 off	1P 2 off	C11 2 off
FV.2202/bz	NV12 Length 7″	5E/4187	KP	35148 A-MP Ring Tongue 1 off	5X/	32544 A-MP Ring Tongue 1 off	5X/	F8 2 off	1P 2 off	C11 2 off
FV.2202/ch	NV12 Length 11″	5E/4187	KP	HC314A Ring Tongue 1 off	5X/7220	HC314A Ring Tongue 1 off	5X/7220	C5.T5 2 off	1P 2 off	C5.T11 2 off
FV.2202/cj	NV12 Length 4′ 4″	5E/4187	KP	HC314A Ring Tongue 1 off	5X/7220	HC314A Ring Tongue 1 off	5X/7220	C5.T6 2 off	1P 2 off	C7.T6 2 off

August 1966
TP27 AL31

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2202/ck	NV12 Length 11"	5E/4187	KP	HC314A Ring Tongue 1 off	5X/7220	HC314A Ring Tongue 1 off	5X/7220	C5.T6 2 off	1P 2 off	C5.T12 2 off
FV.2202/cl	NV12 Length 11"	5E/4187	KP	HC314A Ring Tongue 1 off	5X/7220	HC314A Ring Tongue 1 off	5X/7220	C7.T5 2 off	1P 2 off	C7.T11 2 off
FV.2202/cm	NV12 Length 1' 0"	5E/4187	KP	HC314A Ring Tongue 1 off	5X/7220	321500 A-MP Ring Tongue 1 off	5X/	C7.T6 2 off	1P 2 off	C7.T12 2 off
FV.2202/cn	NV12 Length 1' 9"	5E/4187	KP	35148 A-MP Ring Tongue 1 off	5X/	321500 A-MP Ring Tongue 1 off	5X/	M1.T13 2 off	1P 2 off	R1.T3 2 off
FV.2202/co	NV12 Length 1' 5"	5E/4187	KP	35148 A-MP Ring Tongue 1 off	5X/	321500 A-MP Ring Tongue 1 off	5X/	M2.T13 2 off	1P 2 off	R2.T3 2 off
FV.2202/cp	NV12 Length 11"	5E/4187	KP	35148 A-MP Ring Tongue 1 off	5X/	321500 A-MP Ring Tongue 1 off	5X/	M3.T12 2 off	1P 2 off	R3.T3 2 off
FV.2202/cq	NV12 Length 1' 10"	5E/4187	KP	35148 A-MP Ring Tongue 1 off	5X/	321500 A-MP Ring Tongue 1 off	5X/	M4.T13 2 off	1P 2 off	R4.T3 2 off
FV.2202/cr	NV12 Length 1' 11"	5E/4187	KP	35148 A-MP Ring Tongue 1 off	5X/	HC314A A-MP Ring Tongue 1 off	5X/7220	M1.T14 2 off	1P 2 off	C5.T5 2 off
FV.2202/cs	NV12 Length 9"	5E/4187	KP	35148 A-MP Ring Tongue 1 off	5X/	HC314A Ring Tongue 1 off	5X/7220	M2.T14 2 off	1P 2 off	C5.T11 2 off
FV.2202/ct	NV12 Length 1' 4"	5E/4187	KP	35148 A-MP Ring Tongue 1 off	5X/	HC314A Ring Tongue 1 off	5X/7220	M3.T14 2 off	1P 2 off	C7.T5 2 off
FV.2202/cu	NV12 Length 1' 9"	5E/4187	KP	35148 A-MP Ring Tongue 1 off	5X/	HC314A Ring Tongue 1 off	5X/7220	M4.T14 2 off	1P 2 off	C7.T11 2 off
FV.2202/cv	NV20 Length 1' 8"	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	323926 A-MP Ring Tongue 1 off	5X/9462954	M1.T4 2 off	1P 2 off	M1.T15 2 off
FV.2202/cw	NV20 Length 1' 8"	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	323926 A-MP Ring Tongue 1 off	5X/9462954	M2.T4 2 off	1P 2 off	M2.T15 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2202/cx	NV20 Length 1′ 8″	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	323926 A-MP Ring Tongue 1 off	5X/9462954	M3.T4 2 off	1P 2 off	M3.T15 2 off
FV.2202/cy	NV20 Length 1′ 9″	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	323926 A-MP Ring Tongue 1 off	5X/9462954	M4.T4 2 off	1P 2 off	M4.T15 2 off
FV.2202/cz	NV20 Length 4′ 2″	5E/4183	JP	150107 A-MP Ring Tongue 1 off	5X/	150107 A-MP Ring Tongue 1 off	5X/	C5.T8 2 off	1P 2 off	C7.T8 2 off
FV.2202/da	NV20 Length 2′ 3″	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31889 A-MP Ring Tongue 1 off	5X/	M1.T5 2 off	1P 2 off	C8 2 off
FV.2202/db	NV20 Length 2′ 3″	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31889 A-MP Ring Tongue 1 off	5X/	M2.T5 2 off	1P 2 off	C9 2 off
FV.2202/dc	NV20 Length 2′ 2″	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31889 A-MP Ring Tongue 1 off	5X/	M3.T5 2 off	1P 2 off	C10 2 off
FV.2202/dd	NV20 Length 2′ 7″	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	31889 A-MP Ring Tongue 1 off	5X/	M4.T5 2 off	1P 2 off	C11 2 off
FV.2202/de	NV20 Length 7″	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	323926 A-MP Ring Tongue 1 off	5X/9462954	M1.T5 2 off	1P 2 off	M1.T3 2 off
FV.2202/df	NV20 Length 7″	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	323926 A-MP Ring Tongue 1 off	5X/9426954	M2.T5 2 off	1P 2 off	M2.T3 2 off
FV.2202/dg	NV20 Length 7″	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	323926 A-MP Ring Tongue 1 off	5X/9462954	M3.T5 2 off	1P 2 off	M3.T3 2 off
FV.2202/dh	NV20 Length 7″	5E/4183	JP	323926 A-MP Ring Tongue 1 off	5X/9462954	323926 A-MP Ring Tongue 1 off	5X/9462954	M4.T5 2 off	1P 2 off	M4.T3 2 off
FV.2202/dj	NV20 Length 1′ 4″	5E/4183	JP	31882 A-MP Ring Tongue 1 off	5X/	323926 A-MP Ring Tongue 1 off	5X/9462954	R1.T1 2 off	1P 2 off	F2 2 off
FV.2202/dk	NV20 Length 1′ 5″	5E/4183	JP	31882 A-MP Ring Tongue 1 off	5X/	323926 A-MP Ring Tongue 1 off	5X/9462954	R2.T1 2 off	1P 2 off	F4 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2202/dl	NV20 Length 1' 7"	5E/4183	JP	31882 Ring Tongue A-MP 1 off	5X/	323926 Ring Tongue A-MP 1 off	5X/9462954	R3.T1 2 off	1P 2 off	F6 2 off
FV.2202/dm	NV20 Length 1' 2"	5E/4183	JP	31882 Ring Tongue A-MP 1 off	5X/	323926 Ring Tongue A-MP 1 off	5X/9462954	R4.T1 2 off	1P 2 off	F8 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

August 1966
TP27
AL31

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2204	**WIRING SET P4**											
DV.2204/a	NV22 Length 1′ 1″	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R1.Tca 2 off	3K 2 off	T2 2 off
DV.2204/b	NV22 Length 1′ 4″	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R2.Tca 2 off	3K 2 off	T2 2 off
DV.2204/c	NV22 Length 1′ 8″	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R3.Tca 2 off	3K 2 off	T3 2 off
DV.2204/d	NV22 Length 1′ 10″	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R4.Tca 2 off	3K 2 off	T3 2 off
DV.2204/e	NV20 Length 1′ 2″	5E/4183	JP	31879 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/940396	R5.T2 2 off	3K 2 off	T1 2 off
DV.2204/g	NV22 Length 1′ 1″	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R1.T5a 2 off	3K 2 off	R2.T5a 2 off
DV.2204/h	NV22 Length 1′ 1″	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R1.T5 2 off	3K 2 off	R2.T5 2 off
DV.2204/j	NV22 Length 1′ 1″	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R2.T5a 2 off	3K 2 off	R3.T5a 2 off
DV.2204/k	NV22 Length 1′ 1″	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R3.T5 2 off	3K 2 off	R3.T5 2 off
DV.2204/l	NV22 Length 1′ 1″	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off		31878 Ring Tongue	A-MP 1 off	5X/	R3.T5a 2 off	3K 2 off	R4.T5a 2 off
DV.2204/m	NV22 Length 1′ 1″	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R3.T5 2 off	3K 2 off	R4.T5 2 off
DV.2204/n	NV12 Length 11′ 0″	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32545 Ring Tongue	A-MP 1 off	5X/	P4.T1 2 off	3K 2 off	E7 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2204/o	NV12 Length 11' 0"	5E/4187	KP	323002 A-MP Slotted Tongue 1 off	5X/	32545 A-MP Ring Tongue 1 off	5X/	P4.T5 2 off	3K 2 off	E8 2 off
DV.2204/p	NV20 Length 1' 5"	5E/4183	JP	31879 A-MP Ring Tongue 1 off	5X/	31892 A-MP Ring Tongue 1 off	5X/	R5.T1 2 off	3K 2 off	R6.T1 2 off
DV.2204/q	NV16 Length 2' 0"	5E/4185	JP	31879 A-MP Ring Tongue 1 off	5X/	150107 A-MP Ring Tongue 1 off	5X/	R5.T3 2 off	3K 2 off	R6.TP2 2 off
DV.2204/r	NV16 Length 1' 6"	5E/4185	JP	150107 A-MP Ring Tongue 1 off	5X/	31882 A-MP Ring Tongue 1 off	5X/	R5.T4 2 off	3K 2 off	R6.TN 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2205	**WIRING SET P5**									
DV.2205/e	NV16 Length 7"	5E/4185	JP	31878 A-MP Ring Tongue 1 off	5X/	150109 A-MP Ring Tongue 1 off	5X/	R1.Tca 2 off	1K 2 off	R2.T2 2 off
DV.2205/g	NV16 Length 7"	5E/4185	JP	31878 A-MP Ring Tongue 1 off	5X/	150109 A-MP Ring Tongue 1 off	5X/	R1.T3a 2 off	1K 2 off	R2.T1
DV.2205/o	NV16 Length 7"	5E/4185	JP	31878 A-MP Ring Tongue 1 off	5X/	150109 A-MP Ring Tongue 1 off	5X/	R3.Tca 2 off	1K 2 off	R4.T2 2 off
DV.2205/q	NV16 Length 7"	5E/4185	JP	31878 A-MP Ring Tongue 1 off	5X/	150109 A-MP Ring Tongue 1 off	5X/	R3.T3a 2 off	1K 2 off	R4.T1 2 off
DV.2205/x	NV16 Length 7"	5E/4185	JP	31878 A-MP Ring Tongue 1 off	5X/	150109 A-MP Ring Tongue 1 off	5X/	R5.Tca 2 off	1K 2 off	R6.T2 2 off
DV.2205/z	NV16 Length 7"	5E/4185	JP	31878 A-MP Ring Tongue 1 off	5X/	150109 A-MP Ring Tongue 1 off	5X/	R5.T3a 2 off	1K 2 off	R6.T1 2 off
DV.2205/ag	NV16 Length 7"	5E/4185	JP	31878 A-MP Ring Tongue 1 off	5X/	150109 A-MP Ring Tongue 1 off	5X/	R7.Tca 2 off	1K 2 off	R8.T2 2 off
DV.2205/aj	NV16 Length 7"	5E/4185	JP	31878 A-MP Ring Tongue 1 off	5X/	150109 A-MP Ring Tongue 1 off	5X/	R7.T3a 2 off	1K 2 off	R8.T1 2 off

Argosy 'C' MK.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A' Ref. No.	End Fitting 'B' Ref. No.	Identification Sleeves Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2206	**WIRING SET P6**									
DV.2206/a	NV22 Length 1′ 4″	5E/4182	JP	Socket CZ.49015 Outlet Set Acc. 2CZ/108173	Z560100 10H/	31878 Ring Tongue A-MP 1 off	5X/	M1.D2.A 2 off	15W 2 off	R1.T1 2 off
DV.2206/b	NV22 Length 1′ 4″	5E/4182	JP	See Cable DV.2206/a		31878 Ring Tongue A-MP 1 off	5X/	M1.D2.C 2 off	15W 2 off	R1.T1.a 2 off
DV.2206/c	NV22 Length 3′ 1″	5E/4182	JP	See Cable DV.2206/a		31884 Ring Tongue A-MP 1 off	5X/9450393	M1.D2.B 2 off	15W 2 off	E47 2 off
DV.2206/d	NV22 Length 1′ 4″	5E/4182	JP	Plug CZ.49218 Outlet Set Acc. 2CZ/108173)	Z560280 10H/	31878 Ring Tongue A-MP 1 off	5X/	M1.D3.B 2 off	15W 2 off	R2.T2 2 off
DV.2206/e	NV22 Length 1′ 9″	5E/4182	JP	See Cable DV.2206/d		31878 Ring Tongue A-MP 1 off	5X/	M1.D3.A 2 off	15W 2 off	R2.T2.a 2 off
DV.2206/f	NV22 Length 1′ 6″	5E/4182	JP	See Cable DV.2206/a		31878 Ring Tongue A-MP 1 off	5X/	M2.D2.A 2 off	15W 2 off	R1.T7 2 off
DV.2206/g	NV22 Length 2′ 1″	5E/4182	JP	See Cable DV.2206/a		31878 Ring Tongue A-MP 1 off	5X/	M2.D2.C 2 off	15W 2 off	R1.T7.a 2 off
DV.2206/h	NV22 Length 3′ 7″	5E/4182	JP	See Cable DV.2206/a		31884 Ring Tongue A-MP 1 off	5X/9450393	M2.D2.B 2 off	15W 2 off	E46 2 off
DV.2206/j	NV22 Length 1′ 2″	5E/4182	JP	See Cable DV.2206/d		31878 Ring Tongue A-MP 1 off	5X/	M2.D3.B 2 off	15W 2 off	R2.T8 2 off
DV.2206/k	NV22 Length 1′ 4″	5E/4182	JP	See Cable DV.2206/d		31878 Ring Tongue A-MP 1 off	5X/	M2.D3.A 2 off	15W 2 off	R2.T8.a 2 off
DV.2206/l	NV22 Length 8″	5E/4182	JP	31878 Ring Tongue A-MP 1 off	5X/	31878 Ring Tongue A-MP 1 off	5X/	R1.TC 2 off	15W 2 off	R2.TC 2 off
DV.2206/m	NV22 Length 8″	5E/4182	JP	31878 Ring Tongue A-MP 1 off	5X/	31878 Ring Tongue A-MP 1 off	5X/	R1.TC.a 2 off	15W 2 off	R2.TC.a 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2206/n	NV22 Length 14' 0"	5E/4182	JP	31884 A-MP Ring Tongue 1 off	5X/950393	31878 A-MP Ring Tongue 1 off	5X/	E6 2 off	15W 2 off	R2.TC.a 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2212	**WIRING SET P12**									
DV.2212/a	NV16 Length 6"	5E/4185	JP	31882 A-MP Ring Tongue 1 off	5X/	31882 A-MP Ring Tongue 1 off	5X/	S2.T1 2 off	1M 2 off	S2.T2 2 off
DV.2212/b	NV16 Length 10"	5E/4185	JP	31882 A-MP Ring Tongue 1 off	5X/	31882 A-MP Ring Tongue 1 off	5X/	S2.TB2 2 off	1M 2 off	S2.TB3 2 off
DV.2212/c	NV16 Length 10"	5E/4185	JP	31882 A-MP Ring Tongue 1 off	5X/	31882 A-MP Ring Tongue 1 off	5X/	S2.TB4 2 off	1M 2 off	S2.TB3 2 off
DV.2212/d	NV22 Length 8"	5E/4182	AJP	HC1187 Ring Tongue 1 off	5X/7316	31094 A-MP Ring Tongue 1 off	5X/	S3.T2 2 off	7L 2 off	S5.T1+ 2 off
DV.2212/e	NV22 Length 3' 6"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/	31094 A-MP Ring Tongue 1 off	5X/	T1 2 off	7L 2 off	S5.T2 2 off
DV.2212/f	NV22 Length 1' 9"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/	No Fitting		T1 2 off		L1 2 off
DV.2212/g	NV22 Length 1' 6"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/	No Fitting		T2 2 off		L2 2 off
DV.2212/h	NV22 Length 1' 1"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/	No Fitting		T2 2 off		L3 2 off
DV.2212/j	NV22 Length 9"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/	No Fitting		T3 2 off		L4 2 off
DV.2212/k	NV22 Length 11"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/	No Fitting		T4 2 off		L5 2 off
DV.2212/m	NV22 Length 7"	5E/4182	AJP	31269 A-MP Ring Tongue 1 off	5X/	150107 Ring Tongue 1 off		S6.T3 2 off	17W 2 off	S6.T1 2 off
DV.2212/n	NV22 Length 4"	5E/4182	AJP	31879 A-MP Ring Tongue 1 off	5X/	No Fitting		PAN.ETH 2 off	7L 2 off	LT— 2 off

RESTRICTED

Argosy C. Mk.1.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2212/p	NV22 Length 4"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/	No Fitting		T6 2 off	7L 2 off	LT+ 2 off
DV.2212/q	NV22 Length 10' 0"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/	31094 A-MP Ring Tongue 1 off	5X/	T6 2 off	7L 2 off	S5.T1 2 off
DV.2212/r	NV22 Length 7"	5E/4182	AJP	31879 A-MP Ring Tongue 1 off	5X/	No Fitting		PAN.ETH 2 off	6L 2 off	L6 2 off
DV.2212/s	NV22 Length 8"	5E/4182	AJP	31269 A-MP Ring Tongue 1 off	5X/	31269 A-MP Ring Tongue 1 off	5X/	S6.T4 2 off	17W 2 off	S7.T4 2 off
DV.2212/t	NV22 Length 7"	5E/4182	AJP	31269 A-MP Ring Tongue 1 off	5X/	31269 A-MP Ring Tongue 1 off	5X/	S7.T1 2 off	17W 2 off	S7.T3 2 off

RESTRICTED

Argosy 'C' MK.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2214	**WIRING SET P14**									
EV.2214/c	NV22 Length 9′ 6″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N7.T2 2 off	9W 2 off	P15.T11 2 off
EV.2214/g	NV22 Length 10″	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	R+ 2 off	6L 2 off	P14.T5 2 off
EV.2214/h	NV22 Length 10″	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	Y+ 2 off	6L 2 off	P14.T6 2 off
EV.2214/j	NV22 Length 10″	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	LT— 2 off	6L 2 off	P14.T7 2 off
EV.2214/k	NV22 Length 1′ 6″	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	R+ 2 off		P14.T1 2 off
EV.2214/l	NV22 Length 1′ 9″	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	Y+ 2 off		P14.T2 2 off
EV.2214/m	NV22 Length 2′ 0″	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	LT—R 2 off		P14.T3 2 off
EV.2214/n	NV22 Length 2′ 3″	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	LT—Y 2 off		P14.T4 2 off
EV.2214/p	NV22 Length 9′ 0″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	323000 A-MP Slotted Tongue 1 off	5X/9450396	P14.T1 2 off	6L 2 off	P15.T51 2 off
EV.2214/q	NV22 Length 5′ 0″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	323000 A-MP Slotted Tongue 1 off	5X/9450396	P14.T2 2 off	6L 2 off	P15.T54 2 off
EV.2214/r	NV22 Length 5′ 0″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	323000 A-MP Slotted Tongue 1 off	5X/9450396	P14.T3 2 off	6L 2 off	P15.T18 2 off
EV.2214/s	NV22 Length 5′ 0″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	323000 A-MP Slotted Tongue 1 off	5X/9450396	P14.T4 2 off	6L 2 off	P15.T19 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2214/t	NV22 Length 9′ 6″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	323000 A-MP Slotted Tongue 1 off	5X/9450396	P14.T5 2 off	6L 2 off	P15.T52 2 off
EV.2214/u	NV22 Length 9′ 6″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	323000 A-MP Slotted Tongue 1 off	5X/9450396	P14.T6 2 off	6L 2 off	P15.T53 2 off
EV.2214/v	NV22 Length 9′ 6″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	323000 A-MP Slotted Tongue 1 off	5X/9450396	P14.T7 2 off	6L 2 off	P15.T19 2 off
EV.2214/w	NV22 Length 9′ 0″	5E/4182	AJP	Outlet Acces'y set 1 off 2CZ/108176 Socket CZ.49016 1 off	10H/0560110	323000 A-MP Slotted Tongue 1 off	5X/9450396	P14.N8.D2.A 2 off	6L 2 off	P15.T52 2 off
EV.2214/x	NV22 Length 9′ 0″	5E/4182	AJP	See FV.2214/w		323000 A-MP Slotted Tongue 1 off	5X/9450396	P14.N8.D2.B 2 off	6L 2 off	P15.T17 2 off
EV.2214/y	NV22 Length 9′ 0″	5E/4182	AJP	See FV.2214/w		323000 A-MP Slotted Tongue 1 off	5X/9450396	P14.N8.D2.C 2 off	6L 2 off	P15.T17 2 off
EV.2214/z	NV22 Length 9′ 0″	5E/4182	AJP	See FV.2214/w		323000 A-MP Slotted Tongue 1 off	5X/9450396	P14.N8.D2.D 2 off	6L 2 off	P15.T53 2 off

RESTRICTED

October 1965
TP27 AL22

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DT.2216	**WIRING SET P16**									
DV.2216/a	NV22 Length 10"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L124.T1 2 off	7L 2 off	L123.T1 2 off

Argosy 'C' MK.1.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Identification Sleeves		
							Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

Argosy C. MK.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
FV.2220	**WIRING SET P20**											
FV.2220/a	NV16 Length 1' 11"	5E/4185	JP	31892 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	L4 2 off	1K 2 off	T1 2 off
FV.2220/b	NV16 Length 9"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	L4 2 off	1K 2 off	T20 2 off
FV.2220/c	NV16 Length 10"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	L4 2 off	1K 2 off	T19 2 off
FV.2220/d	NV16 Length 1' 11"	5E/4185	JP	31892 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	L4 2 off	1K 2 off	T2 2 off
FV.2220/e	NV16 Length 1' 11"	5E/4185	JP	31892 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	L3 2 off	1K 2 off	T3 2 off
FV.2220/f	NV16 Length 11"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	L3 2 off	1K 2 off	T18 2 off
FV.2220/g	NV16 Length 1' 0"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	L3 2 off	1K 2 off	T18 2 off
FV.2220/h	NV16 Length 1' 11"	5E/4185	JP	31892 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	L3 2 off	1K 2 off	T4 2 off
FV.2220/j	NV16 Length 1' 11"	5E/4185	JP	31892 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	L2 2 off	1K 2 off	T5 2 off
FV.2220/k	NV16 Length 1' 1"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	L2 2 off	1K 2 off	T18 2 off
FV.2220/l	NV16 Length 1' 2"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	L2 2 off	1K 2 off	T17 2 off
FV.2220/m	NV16 Length 1' 11"	5E/4185	JP	31892 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	L2 2 off	1K 2 off	T6 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2220/n	NV16 Length 1′ 11″	5E/4185	JP	31892 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	L1 2 off	1K 2 off	T7 2 off
FV.2220/p	NV16 Length 1′ 3″	5E/4185	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	L1 2 off	1K 2 off	T17 2 off
FV.2220/q	NV16 Length 1′ 4″	5E/4185	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	L1 2 off	1K 2 off	T16 2 off
FV.2220/r	NV16 Length 1′ 11″	5E/4185	JP	31892 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	L1 2 off	1K 2 off	T8 2 off
FV.2220/s	NV20 Length 7″	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	L5 2 off	1K 2 off	T15 2 off
FV.2220/t	NV20 Length 7″	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	L5 2 off	1K 2 off	T15 2 off
FV.2220/u	NV20 Length 7″	5E/4183	JP	31892 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	L5 2 off	1K 2 off	T12 2 off
FV.2220/v	NV20 Length 7″	5E/4183	JP	31892 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	L5 2 off	1K 2 off	T12 2 off
FV.2220/x	NV22 Length 6′ 0″	5E/4182	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S40.U4 2 off	1G 2 off	T51 2 off
FV.2220/y	NV20 Length 2′ 0″	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31882 A-MP Ring Tongue 1 off	5X/	T11 2 off	1K 2 off	S39.T1 2 off
FV.2220/z	NV20 Length 6″	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/	HC1187 Cranked Tongue 1 off	5X/7316	S2.T4 2 off	3G 2 off	S1.T2 2 off
FV.2220/aa	NV20 Length 6″	5E/4183	JP	HC1187 Cranked Tongue 1 off	5X/7316	31269 A-MP Ring Tongue 1 off	5X/9462745	S2.T2 2 off	3G 2 off	S2.T4 2 off
DV2220/ae	NV12 Length 4′ 6″	5E/4187	KP	323002 A-MP Slotted Tongue 1 off		323002 A-MP Slotted Tongue 1 off		T16 2 off	1K 2 off	T30 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2220/af	NV20 Length 6′ 6″	5E/4183	JP	Cranked Tongue 1 off	5X/7316	323000 A-MP Slotted Tongue 1 off	5X/9450396	S6.T2 2 off	3K 2 off	T93 2 off
FV.2220/ag	NV20 Length 6′ 8″	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5E/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	S6.T1 2 off	3K 2 off	T100 2 off
FV.2220/ah	NV20 Length 6′ 4″	5E/4183	JP	HC1187 Cranked Tongue 1 off	5X/7316	323000 A-MP Slotted Tongue 1 off	5X/9450396	S5.T2 2 off	3K 2 off	T94 2 off
FV.2220/aj	NV20 Length 6′ 6″	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	S5.T1 2 off	3K 2 off	T99 2 off
FV.2220/ak	NV20 Length 6′ 3″	5E/4183	JP	HC1187 Cranked Tongue 1 off	5X/7316	323000 A-MP Slotted Tongue 1 off	5X/9450396	S4.T2 2 off	3K 2 off	T95 2 off
FV.2220/al	NV20 Length 6′ 4″	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	S4.T1 2 off	3K 2 off	T98 2 off
FV.2220/am	NV20 Length 6′ 2″	5E/4183	JP	HC1187 Cranked Tongue 1 off	5X/7316	323000 A-MP Slotted Tongue 1 off	5X/9450396	S3.T2 2 off	3K 2 off	T96 2 off
FV.2220/an	NV20 Length 6′ 3″	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	S3.T1 2 off	3K 2 off	T97 2 off
FV.2220/ap	NV22 Length 6′ 6″	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S40.U6 2 off	1G 2 off	T29 2 off
FV.2220/aq	NV20 Length 5′ 8″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S40.U1 2 off	1G 2 off	T41 2 off
FV.2220/ar	NV22 Length 5′ 8″	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S40.U5 2 off	1G 2 off	T42 2 off
FV.2220/as	NV20 Length 5′ 9″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S40.U2 2 off	1G 2 off	T43 2 off
FV.2220/at	NV20 Length 5′ 8″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S40.D4 2 off	1G 2 off	T44 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2220/au	NV22 Length 6"	5E/4182	AJP	No Fitting		No Fitting		S40.U3 2 off	1G 2 off	S40.D3 2 off
FV.2220/av	NV16 Length 3' 8"	5E/4185	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	L7 2 off	1K 2 off	T49 2 off
FV.2220/ax	NV16 Length 3' 8"	5E/4185	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	L8 2 off	1K 2 off	T50 2 off
FV.2220/az	NV16 Length 4' 2"	5E/4185	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	L9 2 off	1K 2 off	T59 2 off
FV.2220/bb	NV16 Length 4' 2"	5E/4185	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	L10 2 off	1K 2 off	T60 2 off
FV.2220/bf	NV20 Length 1' 3"	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	HC1187 Cranked Tongue 1 off	5X/7316	L6.T2 2 off	3K 2 off	S3.T2 2 off
FV.2220/bg	NV20 Length 6' 1"	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	L6.T1 2 off	3K 2 off	T91 2 off
FV.2220/bh	NV20 Length 6' 1"	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	L6.TB 2 off	3K 2 off	T25 2 off
FV.2220/bj	NV22 Length 7' 4"	5E/4182	AJP	Outlet Accessory 1 off Set 2CZ108176 Socket 1 off CZ49016/1	Z.560511	323000 A-MP Slotted Tongue 1 off	5X/9450396	M2.D4.A 2 off	1F 2 off	T57 2 off
FV.2220/bk	NV22 Length 7' 11"	5E/4182	AJP	See FV.2220/bj		323000 A-MP Slotted Tongue 1 off	5X/9450396	M2.D4.B 2 off	1E 2 off	T22 2 off
FV.2220/bl	NV22 Length 7' 11"	5E/4182	AJP	See FV.2220/bj		323000 A-MP Slotted Tongue 1 off	5X/9450396	M2.D4.C 2 off	1F 2 off	T22 2 off
FV.2220/bm	NV22 Length 7' 0"	5E/4182	AJP	See FV.2220/bj		323000 A-MP Slotted Tongue 1 off	5X/9450396	M2.D4.D 2 off	1F 2 off	T36 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2220/bq	NV22 Length 4' 4"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31878 A-MP Ring Tongue 1 off	5X/	T23 2 off	18W 2 off	L15.TB 2 off
FV.2220/br	NV22 Length 6"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L15.TB 2 off	18W 2 off	L16.TB 2 off
FV.2220/bs	NV22 Length 6"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L16.TB 2 off	18W 2 off	L17.TB 2 off
FV.2220/bt	NV22 Length 6"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L17.TB 2 off	18W 2 off	L18.TB 2 off
FV.2220/bu	NV22 Length 4' 8"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	L18.TB 2 off	18W 2 off	T24 2 off
FV.2220/cd	NV20 Length 3' 6"	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450393	No Fitting		T48 2 off	7W 2 off	S32.TB 2 off
FV.2220/ce	NV20 Length 5' 8"	5E/4183	JP	HC1187 Cranked Tongue 1 off	5X/7316	323000 A-MP Slotted Tongue 1 off	5X/9450396	S7,T2 2 off	7W 2 off	T47 2 off
FV.2220/cf	NV20 Length 5' 8"	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	S7.T1 2 off	7W 2 off	T46 2 off
FV.2220/cg	NV20 Length 5' 7"	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	S7.T3 2 off	7W 2 off	T45 2 off
FV.2220/ch	NV20 Length 3' 9"	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	L15.TB3 2 off	18W 2 off	T52 2 off
FV.2220/cj	NV20 Length 3' 11"	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	L16.TB3 2 off	18W 2 off	T53 2 off
FV.2220/ck	NV20 Length 3' 11"	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	L17.TB3 2 off	18W 2 off	T54 2 off
FV.2220/cl	NV20 Length 3' 11"	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	L18.TB3 2 off	18W 2 off	T55 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2220/cu	NV20 Length 6' 11"	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	N2.T3.A 2 off	4E 2 off	T83 2 off
FV.2220/cv	NV20 Length 7' 0"	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	N2.T3.B 2 off	5E 2 off	T86 2 off
FV.2220/cw	NV20 Length 6' 11"	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	N2.T2.A 2 off	4E 2 off	T82 2 off
FV.2220/cx	NV20 Length 7' 0"	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	N2.T2.B 2 off	4E 2 off	T85 2 off
FV.2220/cy	NV20 Length 6' 11"	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	N2.T1.A 2 off	4E 2 off	T81 2 off
FV.2220/cz	NV20 Length 6' 11"	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	N2.T1.B 2 off	4E 2 off	T84 2 off
FV.2220/da	NV20 Length 6' 7"	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	N1.T3.B 2 off	4E 2 off	T76 2 off
FV.2220/db	NV20 Length 6' 7"	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	N1.T3.A 2 off	4E 2 off	T73 2 off
FV.2220/dc	NV20 Length 6' 7"	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	N1.T2.B 2 off	4E 2 off	T75 2 off
FV.2220/dd	NV20 Length 6' 6"	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	N1.T2.A 2 off	4E 2 off	T72 2 off
FV.2220/de	NV20 Length 6' 7"	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	N1.T1.B 2 off	4E 2 off	T74 2 off
FV.2220/df	NV20 Length 6' 6"	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	N1.T1.A 2 off	4E 2 off	T71 2 off
FV.2220/dg	NV20 Length 6' 3"	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	S11.T1 2 off	4E 2 off	T63 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2220/dh	NV.20 Length 6′ 6″	5E/4183	JP	HC1187 Cranked Tongue 1 off	5X/7316	323000 A-MP Slotted Tongue 1 off	5X/9450396	S11.T2 2 off	4E 2 off	T61 2 off
FV.2220/dj	NV.20 Length 6′ 6″	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	S11.T3 2 off	4E 2 off	T62 2 off
FV.2220/dk	NV20 Length 6′ 6″	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	S10.T3 2 off	4E 2 off	T66 2 off
FV.2220/dl	NV20 Length 6′ 6″	5E/4183	JP	HC1187 Cranked Tongue 1 off	5X/7316	323000 A-MP Slotted Tongue 1 off	5X/9450396	S10.T2 2 off	4E 2 off	T65 2 off
FV.2220/dm	NV20 Length 6′ 2″	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	S10.T1 2 off	4E 2 off	T64 2 off
FV.2220/dn	NV20 Length 6′ 7″	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	S9.T3 2 off	4E 2 off	T69 2 off
FV.2220/dp	NV20 Length 6′ 6″	5E/4183	JP	HC1187 Cranked Tongue 1 off	5X/7316	323000 A-MP Slotted Tongue 1 off	5X/9450396	S9.T2 2 off	4E 2 off	T67 2 off
FV.2220/dq	NV20 Length 6′ 3″	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	SP.T1 2 off	4E 2 off	T68 2 off
FV.2220/dr	NV20 Length 6′ 9″	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	S8.T3 2 off	4E 2 off	T79 2 off
FV.2220/ds	NV20 Length 6′ 9″	5E/4183	JP	Cranked Tongue 1 off	5X/7316	323000 A-MP Slotted Tongue 1 off	5X/9450396	S8.T2 2 off	4E 2 off	T80 2 off
FV.2220/dt	NV20 Length 6′ 4″	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	S8.T1 2 off	4E 2 off	T70 2 off
FV.2220/du	NV20 Length 7′ 5″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	R+ 2 off	7L 2 off	T78 2 off
FV.2220/dv	NV20 Length 7′ 5″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	Y+ 2 off	7L 2 off	T77 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2220/dw	NV20 Length 7′ 0″	5E/4183	JP	HC1187 Cranked Tongue 1 off	5X/7316	323000 A-MP Slotted Tongue 1 off	5X/9450396	S15.T2 2 off	1C 2 off	T37 2 off
FV.2220/dx	NV20 Length 6′ 9″	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	S15.T1 2 off	1C 2 off	T34 2 off
FV.2220/dy	NV20 Length 6′ 11″	5E/4183	JP	HC1187 Cranked Tongue 1 off	5X/7316	323000 A-MP Slotted Tongue 1 off	5X/9450396	S14.T2 2 off	1C 2 off	T38 2 off
FV.2220/dz	NV20 Length 6′ 10″	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	S14.T1 2 off	1C 2 off	T33 2 off
FV.2220/ea	NV20 Length 6′ 8″	5E/4183	JP	HC1187 Cranked Tongue 1 off	5X/7316	323000 A-MP Slotted Tongue 1 off	5X/9450396	S13.T2 2 off	1C 2 off	T39 2 off
FV.2220/eb	NV20 Length 6′ 6″	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	S13.T1 2 off	1C 2 off	T32 2 off
FV.2220/ec	NV20 Length 6′ 9″	5E/4183	JP	Cranked Tongue 1 off	5X/7316	323000 A-MP Slotted Tongue 1 off	5X/9450396	S12.T2 2 off	1C 2 off	T40 2 off
FV.2220/ed	NV20 Length 7′ 4″	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	S12.T1 2 off	1C 2 off	T25 2 off
FV.2220/ee	NV20 Length 3′ 10″	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/	31882 A-MP Ring Tongue 1 off	5X/	T23 2 off	1K 2 off	S39.T2 2 off
FV.2220/ef	NV20 Length 6′ 1″	5E/4183	JP	Socket CZ49016 1 off Outlet Accessory Set 2 CZ108176 1 off	Z560110	323000 A-MP Slotted Tongue	5X/9450396	M1.D3.A 2 off	1C 2 off	T35 2 off
FV.2220/eg	NV20 Length 6′ 6″	5E/4183	JP	See FV.2200/ef		323000 A-MP Slotted Tongue 1 off	5X/9450396	M1.D3.D 2 off	1C 2 off	T56 2 off
FV.2220/eh	NV20 Length 7′ 2″	5E/4183	JP	See FV.2220/ef		323000 A-MP Slotted Tongue 1 off	5X/9450396	M1.D3.B 2 off	1C 2 off	T27 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2220/ej	NV20 Length 7′ 2″	5E/4183	JP	See FV.2220/ef		323000 A-MP Slotted Tongue 1 off	5X/9450396	M1.D3.C 2 off	1C 2 off	T27 2 off
FV.2220/ek	NV20 Length 7′ 0″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	L+ 2 off	7L 2 off	T57 2 off
FV.2220/fa	NV16 Length 1′ 1″	5E/4185	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S22.TA 2 off	1K 2 off	T156 2 off
FV.2220/fb	NV16 Length 10″	5E/4185	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9540396	S21.TA 2 off	1K 2 off	T155 2 off
FV.2220/fc	NV16 Length 1′ 9″	5E/4185	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S20.TA 2 off	1K 2 off	T168 2 off
FV.2220/fd	NV16 Length 1′ 3½″	5E/4185	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S19.TA 2 off	1K 2 off	T167 2 off
FV.2220/fe	NV16 Length 11″	5E/4185	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S22.TC 2 off	1K 2 off	T160 2 off
FV.2220/ff	NV16 Length 9½″	5E/4185	JP	No Fitting		32300 A-MP Slotted Tongue 1 off	5X/9450396	S20.T2 2 off	1K 2 off	T159 2 off
FV.2220/fg	NV16 Length 1′ 8″	5E/4185	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S20.TC 2 off	1K 2 off	T154 2 off
FV.2220/fh	NV16 Length 1′ 1″	5E/4185	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S19.TC 2 off	1K 2 off	T153 2 off
FV.2220/fj	NV16 Length 1′ 2″	5E/4185	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S27.TA 2 off	1K 2 off	T150 2 off
FV.2220/fk	NV16 Length 8½″	5E/4185	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S29.TA 2 off	1K 2 off	T149 2 off
FV.2220/fl	NV16 Length 6″	5E/4185	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S31.TA 2 off	1K 2 off	T148 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2220/fm	NV16 Length 7"	5E/4185	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S33.TA 2 off	1K 2 off	T147 2 off
FV.2220/fn	NV16 Length 6"	5E/4185	JP	31882 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	S37.T1 2 off	1K 2 off	T117 2 off
FV.2220/fp	NV16 Length 6½"	5E/4185	JP	31882 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	S36.T1 2 off	1K 2 off	T118 2 off
FV.2220/fq	NV16 Length 1' 7½"	5E/4185	JP	31882 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	S35.T1 2 off	1K 2 off	T119 2 off
FV.2220/fr	NV16 Length 8"	5E/4185	JP	31882 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	S34.T1 2 off	1K 2 off	T120 2 off
FV.2220/fs	NV16 Length 1' ½"	5E/4185	JP	31882 A-MP Ring Tongue 1 off	5X/ 5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	S37.T2 2 off	1K 2 off	T127 2 off
FV.2220/ft	NV16 Length 1' ½"	5E/4185	JP	31882 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	S36.T2 2 off	1K 2 off	T128 2 off
FV.2220/fu	NV16 Length 1' 1"	5E/4185	JP	31882 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	S35.T2 2 off	1K 2 off	T129 2 off
FV.2220/fv	NV16 Length 1' 1½"	5E/4185	JP	31882 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	S34.T2 2 off	1K 2 off	T130 2 off
FV.2220/fw	NV16 Length 1' 2"	5E/4185	JP	31882 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	S38.T2 2 off	1K 2 off	T161 2 off
FV.2220/fx	NV16 Length 1' 2"	5E/4185	JP	31882 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	S38.T1 2 off	1K 2 off	T163 2 off
FV.2220/fy	NV20 Length 1' 5"	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S16.TA 2 off	3H 2 off	T122 2 off
FV.2220/fz	NV20 Length 2' 5	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S25.TA 2 off	3H 2 off	T132 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2220/ga	NV16 Length 1′ 10″	5E/4185	JP	No Fitting		No Fitting		S24.TE 2 off	2Q 2 off	S27.TE 2 off
FV.2220/gb	NV20 Length 6″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S24.TA 2 off	2Q 2 off	T109 2 off
FV.2220/gc	NV16 Length 1′ 7″	5E/4185	JP	No Fitting		No Fitting		S23.TE 2 off	2Q 2 off	S29.TE 2 off
FV.2220/gd	NV20 Length 9″	5E/4183	JP	No. Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S23.TA 2 off	2Q 2 off	T107 2 off
FV.2220/ge	NV16 Length 1′ 4″	5E/4185	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S18.TE 2 off	2Q 2 off	S31.TE 2 off
FV.2220/gf	NV20 Length 1′ 0″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S18.TA 2 off	2Q 2 off	T103 2 off
FV.2220/gg	NV16 Length 1′ 10″	5E/4185	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S17.TE 2 off	2Q 2 off	S33.TE 2 off
FV.2220/gh	NV20 Length 1′ 2″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S17.TA 2 off	2Q 2 off	T101 2 off
FV.2220/gj	NV20 Length 11″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S24.TC 2 off	2Q 2 off	T110 2 off
FV.2220/gk	NV16 Length 1′ 6″	5E/4185	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S17.DT 2 off	1K 2 off	T167 2 off
FV.2220/gl	NV20 Length 1′ 1½″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S23.TC 2 off	2Q 2 off	T108 2 off
FV.2220/gm	NV16 Length 2′ 2″	5E/4185	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S18.TD 2 off	1K 2 off	T168 2 off
FV.2220/gn	NV20 Length 1′ 1½″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S18.TC 2 off	2Q 2 off	T104 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2220/gp	NV16 Length 2′ 0″	5E/4185	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S23.TD 2 off	1K 2 off	T165 2 off
FV.2220/gq	NV20 Length 11″	5E/4183	JP	No Fitting		323000 Slotted Tongue	5X/9450396	S17.TC 2 off	2Q 2 off	T102 2 off
FV.2220/gr	NV16 Length 1′ 8½″	5E/4185	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S24.TD 2 off	1K 2 off	T166 2 off
FV.2220/gs	NV20 Length 2′ 9″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S25.TC 2 off	3H 2 off	T136 2 off
FV.2220/gt	NV20 Length 2′ 7″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S25.TB 2 off	3H 2 off	T137 2 off
FV.2220/gu	NV20 Length 2′ 6″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S25.TE 2 off	3H 2 off	T138 2 off
FV.2220/gv	NV20 Length 1′ 11″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S16.TE 2 off	3H 2 off	T124 2 off
FV.2220/gw	NV20 Length 2′ 4″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S16.TC 2 off	3H 2 off	T125 2 off
FV.2220/gx	NV20 Length 2′ 2″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S16.TB 1 off	3H 2 off	T126 2 off
FV.2220/gy	NV20 Length 6″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S28.TA 2 off	7W 2 off	T151 2 off
FV.2220/he	NV20 Length 2′ 0″	5E/4183	JP	No Fitting		No Fitting		S28.TB 2 off	7W 2 off	S26.TA 2 off
FV.2220/hf	NV20 Length 1′ 5″	5E/4183	JP	No Fitting		No Fitting		S26.TB 2 off	7W 2 off	S30.TA 2 off
FV.2220/hg	NV20 Length 1′ 2″	5E/4183	JP	No Fitting		No Fitting		S30.TB 2 off	7W 2 off	S32.TA 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2220/hj	NV22 Length 2' 6"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31878 A-MP Ring Tongue 1 off	5X/	T134 2 off	18W 2 off	L18.T1 2 off
FV.2220/hk	NV22 Length 2' 0"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31878 A-MP Ring Tongue 1 off	5X/	T133 2 off	18W 2 off	L18.T2 2 off
FV.2220/hl	NV22 Length 2' 0"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31878 A-MP Ring Tongue 1 off	5X/	T146 2 off	18W 2 off	L17/T1 2 off
FV.2220/hm	NV22 Length 2' 0"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31878 A-MP Ring Tongue 1 off	5X/	T145 2 off	18W 2 off	L17.T2 2 off
FV.2220/hn	NV22 Length 2' 0"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31878 A-MP Ring Tongue 1 off	5X/	T144 2 off	18W 2 off	L16.T1 2 off
FV.2220/hp	NV22 Length 2' 0"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31878 A-MP Ring Tongue 1 off	5X/	T143 2 off	18W 2 off	L16.T2 2 off
FV.2220/hq	NV.22 Length 2' 0"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31878 A-MP Ring Tongue 1 off	5X/	T142 2 off	18W 2 off	K15.T1 2 off
FV.2220/hr	NV22 Length 2' 0"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31878 A-MP Ring Tongue 1 off		T141 1 off	18W 2 off	L15.T2 2 off

CABLE (ELECTRICAL) CHAR

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

Argosy 'C' Mk.1.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2221	**WIRING SET P21**									
EV.2221/a	NV22 Length 3' 0"	5E/4182	AJP	150107 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N21.T1 2 off	1D 2 off	T24 2 off
EV.2221/b	NV22 Length 3' 0"	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	N17.T4 2 off	6E 2 off	T23 2 off
EV.2221/c	NV22 Length 3' 0"	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	N18.T4 2 off	6E 2 off	T22 2 off
EV.2221/d	NV22 Length 3' 0"	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	N19.T4 2 off	6E 2 off	T22 2 off
EV.2221/e	NV22 Length 3' 0"	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	N20.T4 2 off	6E 2 off	T21 2 off
EV.2221/f	NV22 Length 1' 7"	5E/4182	AJP	Socket MS.3108B–10SL–35 1 off Cable Clamp MS.3057–4 1 off		323000 A-MP Slotted Tongue 1 off	5X/9450396	N1.A 2 off	7E 2 off	T14 2 off
EV.2221/g	NV22 Length 1' 7"	5E/4182	AJP	See Cable EV.2221/f		323000 A-MP Slotted Tongue 1 off	5X/9450396	N1.B 2 off	7E 2 off	T15 2 off
EV.2221/h	NV22 Length 1' 7"	5E/4182	AJP	See Cable EV.2221/f		323000 A-MP Slotted Tongue 1 off	5X/9450396	N1.C 2 off	7E 2 off	T18 2 off
EV.2221/k	NV22 Length 2' 1"	5E/4182	AJP	Socket 2CZ/111234 1 off 5X/7178 Cut Ferrule Z.11394/2 1 off 5X/1373		323000 A-MP Slotted Tongue 1 off	5X/9450396	N24.1 2 off	7E 2 off	T14 2 off
EV.2221/l	NV22 Length 2' 1"	5E/4182	AJP	See Cable EV.2221/k		323000 A.MP Slotted Tongue 1 off	5X/9450396	N24.2 2 off	7E 2 off	T16 2 off
EV.2221/m	NV22 Length 2' 1"	5E/4182	AJP	See Cable EV.2221/k		323000 A-MP Slotted Tongue 1 off	5X/9450396	N24.3 2 off	7E 2 off	T19 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2221/n	NV22 Length 2' 1"	5E/4182	AJP	See Cable EV.2221/k		323000 A-MP Slotted Tongue 1 off	5X/9450396	N24.4 2 off	TE 2 off	T12 2 off
EV.2221/o	NV22 Length 2' 1"	5E/4182	AJP	See Cable EV.2221/k		323000 A-MP Slotted Tongue 1 off	5X/9450396	N24.5 2 off	5E 2 off	T10 2 off
EV.2221/p	NV22 Length 2' 1"	5E/4182	AJP	See Cable EV.2221/k		323000 A-MP Slotted Tongue 1 off	5X/9450396	N24.6 2 off	7E 2 off	T8 2 off
EV.2221/q	NV22 Length 2' 1"	5E/4182	AJP	See Cable EV.2221/k		323000 A-MP Slotted Tongue 1 off	5X/9450396	N24.7 2 off	7E 2 off	T6 2 off
EV.2221/r	NV22 Length 2' 1"	5E/4182	AJP	See Cable EV.2221/k		323000 A-MP Slotted Tongue 1 off	5X/9450396	N24.8 2 off	7E 2 off	T4 2 off
EV.2221/s	NV22 Length 2' 1"	5E/4182	AJP	See Cable EV.2221/k		323000 A-MP Slotted Tognue 1 off	5X/9450396	N24.9 2 off	7E 2 off	T2 2 off
EV.2221/u	NV12 Length 8' 0"	5E/4187	KP	323002 A-MP Slotted Tongue 1 off	5X/	323002 A-MP Slotted Tongue 1 off	5X/	P21.T21 2 off	Nil	P27.T13 2 off
EV.2221v	NV12 Length 8' 0"	5E/4187	KP	323002 A-MP Slotted Tongue 1 off	5X/	323002 A-MP Slotted Tongue 1 off	5X/	P21.T25 2 off	Nil 2 off	P15.T13 2 off
EV.2221/w	NV20 Length 5"	5E/4183	JP	HC1187 Tag, Cranked 1 off	5X/7316	HC1187 Tag, Cranked 1 off	5X/7316	S1.T2 2 off	1P 2 off	S2.T2 2 off
EV.2221/x	NV20 Length 1' 9"	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T27 2 off	Nil	R+ 2 off
EV.2221/y	NV20 Length 1' 9"	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T28 2 off	Nil	Y+ 2 off
EV.2221/z	NV20 Length 3' 4"	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T24 2 off	Nil	LT.Y— 2 off
EV.2221/aa	NV20 Length 3' 4"	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T23 2 off	Nil	LT.R— 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2221 ad	NV22 Length 2' 1"	5E 4182	AJP	See Cable EV.2221/f		323000 A-MP Slotted Tongue 1 off	5X/9450396	N2.A 2 off	7E 2 off	T10 2 off
EV.2221 ae	NV22 Length 2' 1"	5E/4182	AJP	See Cable EV.2221/f		323000 A-MP Slotted Tongue 1 off	5X/9450396	N2.B 2 off	7E 2 off	T11 2 off
EV.2221 af	NV22 Length 2' 1"	5E/4182	AJP	See Cable EV.2221/f		323000 A-MP Slotted Tongue 1 off	5X 9450396	N2.C 2 off	7E 2 off	T17 2 off
EV.2221/ag	NV22 Length 2' 1"	5E/4182	AJP	See Cable EV.2221/f		323000 A-MP Slotted Tongue 1 off	5X/9450396	N3.A 2 off	7E 2 off	T6 2 off
EV.2221/ah	NV22 Length 2' 1"	5E/4182	AJP	See Cable EV.2221/f		323000 A-MP Slotted Tongue 1 off	5X 9450396	N3.B 2 off	7E 2 off	T7 2 off
EV.2221 aj	NV22 Length 2' 1"	5E/4182	AJP	See Cable EV.2221/f		323000 A-MP Slotted Tongue 1 off	5X/9450396	N3.C 2 off	7E 2 off	T17 2 off
EV.2221 ak	NV22 Length 2' 1"	5E/4182	AJP	See Cable EV.2221/f		323000 A-MP Slotted Tongue 1 off	5X/9450396	N4.A 2 off	7E 2 off	T2 2 off
EV.2221 al	NV22 Length 2' 1"	5E/4182	AJP	See Cable EV.2221/f		323000 A-MP Slotted Tongue 1 off	5X/9450396	N4.B 2 off	7E 2 off	T3 2 off
EV.2221/am	NV22 Length 2' 1"	5E/4182	AJP	See Cable EV.2221/f		323000 A-MP Slotted Tongue 1 off	5X/9450396	N4.C 2 off	7E 2 off	T18 2 off
EV.2221 an	NV22 Length 1' 7"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	323000 AM-P Slotted Tongue 1 off	5X 9450396	T25 2 off	5E 2 off	T29 2 off
EV.2221/ap	NV22 Length 2' 4"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31878 A-MP Ring Tongue 1 off	5X	T29 2 off	5E 2 off	L4.TE 2 off
EV.2221 aq	NV22 Length 1' 2"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X	31878 A-MP Ring Tongue 1 off	5X	L4.TE 2 off	5E 2 off	L3.TE 2 off
EV.2221 ar	NV22 Length 1' 11"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X	31878 A-MP Ring Tongue 1 off	5X	L3.TE 2 off	5E 2 off	L2.TE 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
EV.2221/as	NV22 Length 1' 2"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X	31878 Ring Tongue	A-MP 1 off	5X	L2.TE 2 off	5E 2 off	L1.TE 2 off
EV.2221/at	NV22 Length 2' 4"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X	323000 Slotted Tongue	A-MP 1 off	5X 9450396	L1.TE 2 off	5E 2 off	T30 2 off
EV.2221/au	NV22 Length 5"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X	31878 Ring Tongue	A-MP 1 off	5X	L4.T2 2 off	5E 2 off	L4.TB3 2 off
EV.2221/av	NV22 Length 5"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X	31878 Ring Tongue	A-MP 1 off	5X	L3.T2 2 off	5E 2 off	L3.TB3 2 off
EV.2221/aw	NV22 Length 5"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X	31878 Ring Tongue	A-MP 1 off	5X	L2.T2 2 off	5E 2 off	L2.TB3 2 off
EV.2221/ax	NV22 Length 5"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X	31878 Ring Tongue	A-MP 1 off	5X	L1.T2 2 off	5E 2 off	L1.TB3 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2223	**WIRING SET P23**									
EV.2223/a	NV22 Length 3′ 6″	5E/4182	AJP	No Fitting		No Fitting		S1.T1 2 off	9L 2 off	S2.T1 2 off
EV.2233/b	NV22 Length 3′ 6″	5E/4182	AJP	HC1187 Tag, Cranked 1 off	5X/7316	HC1187 Tag, Cranked 1 off	5X/7316	S1.T2 2 off	9L 2 off	S2.T2 2 off
EV.2223/c	NV22 Length 5′ 0″	5E/4182	AJP	No Fitting		No Fitting		S1.T3 2 off	9L 2 off	L5 2 off
EV.2223/d	NV22 Length 5′ 0″	5E/4182	AJP	No Fitting		No Fitting		S2.T3 2 off	9L 2 off	L6 2 off
EV.2223/e	NV22 Length 5′ 0″	5E/4182	AJP	No Fitting		No Fitting		L5 2 off	9L 2 off	L6 2 off
EV.2223/f	NV22 Length 5′ 0″	5E/4182	AJP	No Fitting		No Fitting		S2.T1 2 off	9L 2 off	M2.L1 2 off
EV.2223/g	NV22 Length 5′ 0″	5E/4182	AJP	No Fitting		No Fitting		S2.T3 2 off	9L 2 off	M2 T2 2 off
EV.2223/h	NV22 Length 3′ 3″	5E/4182	AJP	No Fitting		No Fitting		M1.T1 2 off	9L 2 off	M2.T1 2 off
EV.2223/J	NV22 Length 3′ 3″	5E/4182	AJP	No Fitting		No Fitting		M1.T2 2 off	9L 2 off	M2.T2 2 off
EV.2223/k	NV22 Length 8″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T1 2 off	Nil	L8 2 off
EV.2223/l	NV22 Length 1′ 3″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T2 2 off	6L 2 off	L7 2 off
EV.2223/m	NV22 Length 7″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T3 2 off	Nil	L9 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2223/n	NV22 Length 1′ 4″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T5 2 off	Nil	L10 2 off
EV.2223/p	NV22 Length 3′ 4″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T6 2 off	6L 2 off	L11 2 off
EV.2223/q	NV22 Length 1′ 4″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T7 2 off	6L 2 off	L13 2 off
EV.2223/r	NV22 Length 10″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T8 2 off	Nil	L15 2 off
EV.2223/s	NV22 Length 1′ 3″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T9 2 off	6L 2 off	L14 2 off
EV.2223/t	NV22 Length 1′ 1″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T 10 2 off	Nil	L16 2 off
EV.2223/u	NV22 Length 3′ 7″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T4 2 off	6L 2 off	L12 2 off
EV.2223/v	NV22 Length 5′ 6″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L17 2 off	6W 2 off	L18 2 off
EV.2223/x	NV20 Length 4′ 0″	5E/4183	JP	31882 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	S3.T1 2 off	4Q 2 off	P15.T2 2 off
EV.2223/y	NV20 Length 4′ 0″	5E/4183	JP	31882 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	S3.T2 2 off	4Q 2 off	P15.T1 2 off
EV.2223/z	NV20 Length 4′ 0″	5E/4183	JP	31882 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	S2.T3 2 off	4Q 2 off	P15.T3 2 off
EV.2223/aa	NV20 Length 4′ 0″	5E/4183	JP	31882 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	S4.T1 2 off	4Q 2 off	P15.T5 2 off
EV.2223/ab	NV20 Length 4′ 0″	5E/4183	JP	31882 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	S4.T2 2 off	4Q 2 off	P15.T4 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2223/ac	NV20 Length 4' 0"	5E 4183	JP	31882 A-MP Ring Tongue 1 off	5X	323000 A-MP Slotted Tongue 1 off	5X/9450396	S4.T3 2 off	4Q 2 off	P15.T6 2 off
EV.2223/ad	NV20 Length 4' 0"	5E/4183	JP	31882 A-MP Ring Tongue 1 off	5X	323000 A-MP Slotted Tongue 1 off	5X/9450396	S5.T1 2 off	4Q 2 off	P27.T2 2 off
EV.2223/ae	NV20 Length 4' 0"	5E/4183	JP	31882 A-MP Ring Tongue 1 off	5X	323000 A-MP Slotted Tongue 1 off	5X 9450396	S5.T2 2 off	4Q 2 off	P27.T1 2 off
EV.2223/af	NV20 Length 4' 0"	5E/4183	JP	31882 A-MP Ring Tongue 1 off	5X	323000 A-MP Slotted Tongue 1 off	5X/9450396	S5.T3 2 off	4Q 2 off	P27.T3 2 off
EV.2223 ag	NV20 Length 4' 0"	5E/4183	JP	31882 A-MP Ring Tongue 1 off	5X	323000 A-MP Slotted Tongue 1 off	5X/9450396	S6.T1 2 off	4Q 2 off	P27.T5 2 off
EV.2223/ah	NV20 Length 4' 0"	5E/4183	JP	31882 A-MP Ring Tongue 1 off	5X	323000 A-MP Slotted Tongue 1 off	5X 9450396	S6.T2 2 off	4Q 2 off	P27.T4 2 off
EV.2223/aj	NV20 Length 4' 0"	5E/4183	JP	31882 A-MP Ring Tongue 1 off	5X	323000 A-MP Slotted Tongue 1 off	5X/9450396	S6.T3 2 off	4Q 2 off	P27.T6 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2224	**WIRING SET P24**									
EV.2224/b	NV22 Length 1' 4"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L12.TB3 2 off	Nil	L3.TB3 2 off
EV.2224/c	NV22 Length 1' 5"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	L6.TE 2 off	Nil	T2 2 off
EV.2224/d	NV22 Length 1' 4"	5E/4182	AJP	31269 A-MP Ring Tongue 1 off	5X/9462745	HC1187 Ring Tongue 1 off	5X/7316	S14.T1 2 off	5M 2 off	S14.T2 2 off
EV.2224/e	NV20 Length 1' 5"	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	HC1187 Ring Tongue 1 off	5X/7316	L3.T1 2 off	4W 2 off	S11.T2 2 off
EV.2224/f	NV20 Length 10"	5E/4183	JP	HC1187 Ring Tongue 1 off	5X/7316	31878 A-MP Ring Tongue 1 off	5X/	S11.T5 2 off	4W 2 off	L2.T1 2 off
EV.2224/g	NV20 Length 1' 0"	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L3.T2 2 off	4W 2 off	L2.TB3 2 off
EV.2224/h	NV22 Length 1' 0"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L3.TB3 2 off	Nil	L2.T2 2 off
EV.2224/J	NV22 Length 1' 2"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L2.T2 2 off	Nil	L9.TE 2 off
EV.2224/l	NB22 Length 1' 1"	5E/	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L13.TB3 2 off	Nil	L11.TB3 2 off
EV.2224/m	NV22 Length 1' 2"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L12.TB3 2 off	Nil	L11.TB3 2 off
EV.2224/n	NV22 Length 1' 4"	5E	AJP	HC1187 Ring Tongue 1 off	5X/7316	31269 A-MP Ring Tongue 1 off	5X/9462745	S13.T2 2 off	3M	S12.T1 2 off
EV.2224/o	NV22 Length 1' 3"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L9.TE 2 off	Nil	L8.TE 2 off

RESTRICTED

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2224/p	NV16 Length 1′ 5″	5E/4185	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	31269 A-MP Ring Tongue 1 off	5X/9462745	S5.T1 2 off	2F 2 off	S6.T1 2 off
EV.2224/q	NV22 Length 1′ 6″	5E/4182	JP	31878 A-MP Ring Tongue 1 off	5X/	HC1187 Ring Tongue 1 off	5X/7316	L1.TB3 2 off	2L 2 off	S1.T2 2 off
EV.2224/r	NV20 Length 1′ 7″	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	L1.T2 2 off	2L 2 off	T3 2 off
EV.2224/s	NV20 Length 1′ 9″	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	HC1187 Ring Tongue 1 off	5X/7316	L1.TB3 2 off	2L 2 off	S3.T2 2 off
EV.2224/t	NV20 Length 1′ 4″	5E/4183	JP	HC1187 Ring Tongue 1 off	5X/7316	HC1187 Ring Tongue 1 off	5X/	S3.T5 2 off	2L 2 off	S2.T2 2 off
EV.2224/u	NV22 Length 1′ 2″	5E/4182	AJP			31878 A-MP Ring Tongue 1 off	5X/	S8.TC 2 off	5K 2 off	N1.T2 2 off
EV.2224/v	NV20 Length 1′ 7″	5E/4183	JP			31269 A-MP Ring Tongue 1 off	5X/9462745	S8.T+ 2 off	3K 2 off	S10.T1 2 off
EV.2224/w	NV16 Length 1′ 6″	5E/4185	JP	Supplied with Switch		31269 A-MP Ring Tongue 1 off	5X/9462745	S8.TS1 2 off	3K 2 off	S10.T4 2 off
EV.2224/x	NV22 Length 1′ 2″	5E/4182	AJP			31878 A-MP Ring Tongue 1 off	5X/	S8.TC1 2 off	3K 2 off	N1.T1 2 off
EV.2224/y	NV20 Length 1′ 0″	5E/4183	JP			No Fitting		S8.TS1 2 off	3K 2 off	S9.S1.TS1 2 off
EV.2226/aa	NV20 Length 1′ 2″	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	31269 A-MP Ring Tongue 1 off	5X/9462745	S10.T1 2 off	3K 2 off	S10.T3 2 off
EV.2224/ac	NV22 Length 2′ 3″	5E/4182	AJP	Supplied with Switch		323000 A-MP Slotted Tongue 1 off	5X/9450396	S8.TC 2 off	3K 2 off	T5 2 off
EV.2224/ad	NV22 Length 1′ 0″	5E/4182	AJP	31094 A-MP Ring Tongue 1 off	5X/	31094 A-MP Ring Tongue 1 off	5X/	S18.T2+ 2 off	7L 2 off	S21.T4+ 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
EV.2224/ae	NV22 Length 1' 1"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	L12.T2 2 off	3W 2 off	L11.T2 2 off
EV.2224/af	NV22 Length 1' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	L13.T2 2 off	3W 2 off	L11.T2 2 off
EV.2224/ag	NV22 Length 3' 1"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31094 Ring Tongue	A-MP 1 off	5X/	P28.T1 2 off	7L 2 off	S21.T1 2 off
EV.2224/ah	NV22 Length 3' 3"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31094 Ring Tongue	A-MP 1 off	5X/	P28.T2 2 off	7L 2 off	S21.T4 2 off
EV.2224/aj	NV22 Length 4' 1"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P28.T3 2 off	7L 2 off	P24.T3 2 off
EV.2224/ak	NV22 Length 1' 2"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	L8.TE 2 off	Nil	L7.TE 2 off
EV.2224/al	NV22 Length 1' 3"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	L7.TE 2 off	Nil	L6.TE 2 off
EV.2224/am	NV22 Length 2' 4"	5E/4182	AJP	HC1187 Ring Tongue	1 off	5X/7316	323000 Slotted Tongue	A-MP 1 off	5X/9450396	S13.T5 2 off	3M 2 off	T4 2 off
EV.2224/an	NV22 Length 6"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	L13.T2 2 off	Nil	L4.T2 2 off
EV.2224/ap	NV22 Length 8"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	L13.TB3 2 off	Nil	L4.TB3 2 off
EV.2224/aq	NV22 Length 2' 5"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	L4.TB3 2 off	Nil	T1 2 off
AV.2224/ar	NV22 Length 1' 4"	5E/4182	AJP	31882 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	S9.S2.TS2 2 off	3K 2 off	M1.T2 2 off
EV.2224/as	NV22 Length 1' 9"	5E/4182	AJP	HC1187 Ring Tongue	1 off	5X/7361	31878 Ring Tongue	A-MP 1 off	5X/	S10.T5 2 off	3K 2 off	M1.T1 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2224/at	NV22 Length 9"	5E/4182	5K 9107065	HC490 Tag, Crimping 1 off	5X/7298	HC296 Ring Tongue 1 off	5X/7297	T6 2 off	6L 2 off	S17.T2 2 off
EV.2224/au	NV22 Length 2' 9"	5E/4182	5K 9107065	HC490 Tag, Crimping 1 off	5X/7298	HC490 Tag, Crimping 1 off	5X/7298	T7 2 off	6L 2 off	T4 2 off

RESTRICTED

October 1963
TP27 AL14

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2226	**WIRING SET P26**									
EV.2226/c	NV22 Length 9' 6"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/	N12.T2 2 off	9W 2 off	P27.T12 2 off
EV2226/g	NV22 Length 10"	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/	R+ 2 off	6L 2 off	P26.T5 2 off
EV.2226/h	NV22 Length 10"	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/	Y+ 2 off	6L 2 off	P26.T6 2 off
EV.2226/j	NV22 Length 10"	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/	LT— 2 off	6L 2 off	P26.T7 2 off
EV.2226/k	NV22 Length 1' 10"	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/	R+ 2 off		P26.T1 2 off
EV.2226/l	NV22 Length 2' 1"	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/	Y+ 2 off		P26.T2 2 off
EV.2226/m	NV22 Length 2' 3"	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/	LT—R 2 off	Nil	P26.T3 2 off
EV.2226/n	NV22 Length 2' 6"	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/	LT—Y 2 off	Nil	P26.T4 2 off
EV.2226/p	NV22 Length 6' 0"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/	P26.T1 2 off	6L 2 off	P27.T35 2 off
EV.2226/q	NV22 Length 6' 0"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/	P26.T2 2 off	6L 2 off	P27.T36 2 off
EV.2226/r	NV22 Length 7' 6"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/	P26.T3 2 off	6L 2 off	P27.T19 2 off
EV.2226/s	NV22 Length 6' 0"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/	P26.T4 2 off	6L 2 off	P27.T20 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2226/t	NV22 Length 12′ 0″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/	P26.T5 2 off	6L 2 off	P27.T35 2 off
EV.2226/u	NV22 Length 12′ 0″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/	P26.T6 2 off	6L 2 off	P27.T37 2 off
EV.2226/v	NV22 Length 12′ 0″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/	P26.T7 2 off	6L 2 off	P27.T19 2 off
EV.2226/w	NV22 Length 12′ 0″	5E/4182	AJP	31879 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/	P26.N14.T2 2 off	20W 2 off	P27.T17 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2228	**WIRING SET P28**									
DV.2228/a	NV22 Length 1′ 4″	5E/4182	AJP	HC.1187 Tag, Cranked 1 off	5X/7316	31878 A-MP Ring Tongue 1 off	5X/	S4.T2 2 off	5M 2 off	L3.T1 2 off
DV.2228/b	NV22 Length 1′ 4″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L134.T1 2 off	7L 2 off	L135.T1 2 off
DV.2228/c	NV22 Length 0′ 10″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L114.T1 2 off	7L 2 off	L115.T1 2 off
DV.2228/d	NV22 Length 1′ 1″	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	Y+ 2 off	7L 2 off	T1 2 off
DV.2228/e	NV22 Length 1′ 1″	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	R+ 2 off	7L 2 off	T2 2 off
DV.2228/f	NV22 Length 1′ 1″	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	LT— 2 off	7L 2 off	T3 2 off
DV.2228/g	NV22 Length 1′ 3″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L115.T1 2 off	7L 2 off	L119.T1 2 off
DV.2228/h	NV22 Length 0′ 9″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L135.T1 2 off	7L 2 off	L139.T1 2 off
DV.2228/j	NV16 Length 0′ 9″	5E/4185	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	31269 A-MP Ring Tongue 1 off	5X/9462745	S5.T3 2 off	1A 2 off	S6.T4 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

October 1965
AL22
TP27

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2229	**WIRING SET P29**									
DV.2229/a	NV16 Length 0′ 6″	5E/4185	JP	31882 A-MP Ring Tongue 1 off	5X/	31882 A-MP Ring Tongue 1 off	5X/	S1.T1 2 off	1M 2 off	S1.T2 2 off
DV.2229/b	NV16 Length 0′ 7″	5E/4185	JP	31882 A-MP Ring Tongue 1 off	5X/	31882 A-MP Ring Tongue 1 off	5X/	S1.TB2 2 off	1M 2 off	S1.TB3 2 off
DV.2229/c	NV16 Length 0′ 8″	5E/4185	JP	31882 A-MP Ring Tongue 1 off	5X/	31882 A-MP Ring Tongue 1 off	5X/	S1.TB4 2 off	1M 2 off	S1.TB3 2 off
DV.2229/d	NV22 Length 0′ 9″	5E/4182	AJP	HC.1187 Tag, Cranked 1 off	5X/7316	31094 A-MP Ring Tongue 1 off	5X/	S3.T2 2 off	7L 2 off	S2.T1+ 2 off
DV.2229/e	NV22 Length 3′ 6″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31094 A-MP Ring Tongue 1 off	5X/	T1 2 off	7L 2 off	S2.T2 2 off
DV.2229/f	NV22 Length 2′ 1″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T1 2 off	—	L1 2 off
DV.2229/g	NV22 Length 1′ 8″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T2 2 off	—	L2 2 off
DV.2229/h	NV22 Length 1′ 3″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T2 2 off	—	L3 2 off
DV.2229/j	NV22 Length 0′ 11″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T3 2 off	—	L4 2 off
DV.2229/k	NV22 Length 0′ 6″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T4 2 off	—	L5 2 off
DV.2229/m	NV22 Length 0′ 9″	5E/4182	AJP	31879 A-MP Ring Tongue 1 off	5X/	No Fitting		PAN.ETH 2 off	7L 2 off	L6 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2231	**WIRING SET P31**									
DV.2231/a	Rists 106/102 Length 7"		JP	Fixed Plug 1 off CZ.48995	10H/ 0560080	No Fitting		D1.A 2 off	6H 2 off	T11 2 off
DV.2231/b	Rists 106/102 Length 7"		JP	See DV.2231/a		No Fitting		D1.B 2 off	6H 2 off	T10 2 off
DV.2231/c	Rists 106/102 Length 9"		JP	See DV.2231/a		No Fitting		D1.C 2 off	6H 2 off	T14 2 off
DV.2231/d	Rists 106/102 Length 9"		JP	See DV.2231/a		No Fitting		D1.D 2 off	6H 2 off	T13 2 off
DV.2231/e	Rists 106/112 Length 11"		JP	See DV.2231/a		No Fitting		D1.E 2 off	6H 2 off	T17 2 off
DV.2231/f	Rists 106/102 Length 11"		JP	See DV.2231/a		No Fitting		D1.F 2 off	6H 2 off	T16 2 off
DV.2231/g	Rists 106/102 Length 10"		JP	Fixed Plug 1 off CZ.50793	10H/ 0560190	31879 A-MP Ring Tongue 1 off	5X/	D2.A 2 off	6H 2 off	M3.T2 2 off
DV.2231/h	Rists 106/102 Length 8"		JP	See DV.2231/g		31879 A-MP Ring Tongue 1 off	5X/	SD2.B 2 off	6H 2 off	M4.T2 2 off
DV.2231/j	Rists 106/102 Length 6"		JP	See DV.2231/g		31878 A-MP Ring Tongue 1 off	5X/	D2.D 2 off	6H 2 off	M7.T1 2 off
DV.2231/k	Rists 106/102 Length 6"		JP	See DV.2231/g		31878 A-MP Ring Tongue 1 off	5X/	D2.E 2 off	6H 2 off	M8.T1 2 off
DV.2231/l	Rists 106/102 Length 6"		JP	See DV.2231/g		31878 A-MP Ring Tongue 1 off	5X/	D2.F 2 off	6H 2 off	M9.T1 2 off
DV.2234/m	Rists 106/102 Length 5"		JP	See DV.2231/g		31878 A-MP Ring Tongue 1 off	5X/	D2.G 2 off	6H 2 off	M10.T1 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2231/n	Rists 106/102 Length 5"		JP	See DV.2231/g		31878 A-MP Ring Tongue 1 off	5X/	D2.H 2 off	6H 2 off	M11.T1 2 off
DV.2231/o	Rists 106/102 Length 5"		JP	See DV.2231/g		31878 A-MP Ring Tongue 1 off	5X/	D2.J 2 off	6H 2 off	M12.T1 2 off
DV.2231/p	Rists 106/102 Length 1' 0"		JP	See DV.2231/g		No Fitting		D2.K 2 off	6H 2 off	T10 2 off
DV.2231/q	Rists 106/102 Length 11"		JP	See DV.2231/g		No Fitting		D2.L 2 off	6H 2 off	T12 2 off
DV.2231/r	Rists 106/102 Length 11"		JP	See DV.2231/g		No Fitting		D2.M 2 off	6H 2 off	T13 2 off
DV.2231/s	Rists 106/102 Length 9"		JP	See DV.2231/g		No Fitting		D2.N 2 off	6H 2 off	T15 2 off
DV.2231/t	Rists 106/192 Length 8"		JP	See DV.2231/g		No Fitting		D2.O 2 off	6H 2 off	T16 2 off
DV.2231/u	Rists 106/102 Length 8"		JP	See DV.2231/g		No Fitting		D2.P 2 off	6H 2 off	T18 2 off
DV.2231/v	Rists 106/102 Length 9"		JP	No Fitting		31878 A-MP Ring Tongue 1 off		R1.T1 2 off	6H 2 off	M1.T1 2 off
DV.2231/w	Rists 106/102 Length 8"		JP	No Fitting		31879 A-MP Ring Tongue 1 off		R1.T5 2 off	6H 2 off	M7.T2 2 off
DV.2231/x	Rists 106/102 Length 6"		JP	No Fitting		No Fitting		R1.T7 2 off	6H 2 off	T11 2 off
DV.2231/y	Rists 106/102 Length 6"		JP	No Fitting		No Fitting		R1.T8 2 off	6H 2 off	T10 2 off
DV.2231/z	Rists 106/102 Length 1' 2"		JP	No Fitting		31878 A-MP Ring Tongue 1 off	5X/	R2.T1 2 off	6H 2 off	M4.T1 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2231/aa	Rists 106/102 Length 6"		JP	No Fitting		No Fitting		R2.T2 2 off	6H 2 off	T12 2 off
DV.2231/ab	Rists 106/102 Length 6"		JP	No Fitting		No Fitting		R2.T3 2 off	6H 2 off	T11 2 off
DV.2231/ac	Rists 106/102 Length 1' 4"		JP	No Fitting		31879 A-MP Ring Tongue 1 off	5X/	R2.T5 2 off	6H 2 off	M10.T2 2 off
DV.2231/ad	Rists 106/102 Length 11"		JP	No Fitting		31878 A-MP Ring Tongue 1 off	5X/	R3.T1 2 off	6H 2 off	M2.T1 2 off
DV.2231/ae	Rists 106/102 Length 11"		JP	No Fitting		31879 A-MP Ring Tongue 1 off	5X/	R3.T5 2 off	6H 2 off	M8.T2 2 off
DV.2231/af	Rists 106/102 Length 7"		JP	No Fitting		No Fitting		R3.T7 2 off	6H 2 off	T14 2 off
DV.2231/ag	Rists 106/102 Length 7"		JP	No Fitting		No Fitting		R3.T8 2 off	6H 2 off	T13 2 off
DV.2231/ah	Rists 106/102 Length 1' 0"		JP	No Fitting		31878 A-MP Ring Tongue 1 off	5X/	R4.T1 2 off	6H 2 off	M5.T1 2 off
DV.2231/aj	Rists 106/102 Length 6"		JP	No Fitting		No Fitting		R4.T2 2 off	6H 2 off	T15 2 off
DV.2231/ak	Rists 106/102 Length 6"		JP	No Fitting		No Fitting		R4.T3 2 off	6H 2 off	T14 2 off
DV.2231/al	Rists 106/102 Length 1' 0"		JP	No Fitting		31879 A-MP Ring Tongue 1 off	5X/	R4.T5 2 off	6H 2 off	M11.T2 2 off
DV.2231/am	Rists 106/102 Length 1' 1"		JP	No Fitting		31878 A-MP Ring Tongue 1 off	5X/	R5.T1 2 off	6H 2 off	M3.T1 2 off
DV.2231/an	Rists 106/102 Length 1' 2"		JP	No Fitting		31879 A-MP Ring Tongue 1 off	5X/	R5.T5 2 off	6H 2 off	M9.T2 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2231/ao	Rists 106/102 Length 6"		JP	No Fitting		No Fitting		R5.T7 2 off	6H 2 off	T17 2 off
DV.2231/ap	Rists 106/102 Length 6"		JP	No Fitting		No Fitting		R5.T8 2 off	6H 2 off	T16 2 off
DV.2231/aq	Rists 106/102 Length 8"		JP	No Fitting		31878 A-MP Ring Tongue 1 off	5X/	R6.T1 2 off	6H 2 off	M6.T1 2 off
DV.2231/ar	Rists 106/102 Length 6"		JP	No Fitting		No Fitting		R6.T2 2 off	6H 2 off	T18 2 off
DV.2231/as	Rists 106/102 Length 6"		JP	No Fitting		No Fitting		R6.T3 2 off	6H 2 off	T17 2 off
DV.2231/at	Rists 106/102 Length 10"		JP	No Fitting		31879 A-MP Ring Tongue 1 off	5X/	R6.T5 2 off	6H 2 off	M12.T2 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2232	**WIRING SET P82**											
DV.2232/a	NV22 Length 2' 1"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31094 Ring Tongue	A-MP 1 off	5X/	L101.T1 2 off	5L 2 off	S1.T2 2 off
DV.2232/b	NV22 Lenth 1' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	L101.T1 2 off	5L 2 off	L103.T1 2 off
DV.2232/c	NV22 Length 11"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	L105.T1 2 off	5L 2 off	L103.T1 2 off
DV.2232/d	NV22 Length 1' 7"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	L105.T1 2 off	5L 2 off	L107.T1 2 off
DV.2232/e	NV22 Length 1' 2"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	L109.T1 2 off	5L 2 off	L107.T1 2 off
DV.2232/f	NV22 Length 11"	5E/4182	AJP	31878 RIng Tongue	A-MP 1 off	5X/	31094 Ring Tongue	A-MP 1 off	5X/	L109.T1 2 off	5L 2 off	S1.T1 2 off
DV.2232/g	NV22 Length 1' 6"	5E/4182	AJP	31094 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	S1.T4 2 off	5L 2 off	L102.T1 2 off
DV.2232/h	NV22 Length 11"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	L104.T1 2 off	5L 2 off	L102.T1 2 off
DV.2232/j	NV22 Length 9"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	L104.T1 2 off	5L 2 off	L106.T1 2 off
DV.2232/k	NV22 Length 1' 3"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	L108.T1 2 off	5L 2 off	L106.T1 2 off
DV.2232/l	NV22 Length 10"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	L110.T1 2 off	5L 2 off	L110.T1 2 off
DV.2232/m	NV22 Length 7"	5E/4182	AJP	31094 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	S1.T3 2 off	5L 2 off	L110.T1 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2233	**WIRING SET P33**									
FV.2233/a	NV16 Length 8′ 0″	5E/4185	JP	31889 A-MP Ring Tongue 1 off	5X/	31269 A-MP Ring Tongue 1 off	5X/9462745	N23.T– 2 off	2M 2 off	S16.T1 2 off
FV.2233/b	NV16 Length 7″	5E/4185	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	31269 A-MP Ring Tongue 1 off	5X/9462745	S15.T1 2 off	Nil	S16.T1 2 off
FV.2233/c	NV16 Length 7″	5E/4185	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	31269 A-MP Ring Tongue 1 off	5X/9462745	S15.T1 2 off	Nil	S14.T1 2 off
FV.2233/d	NV16 Length 7″	5E/4185	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	31269 A-MP Ring Tongue 1 off	5X/9462745	S13.T1 2 off	Nil	S14.T1 2 off
FV.2233/e	NV16 Length 7″	5E/4185	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	31269 A-MP Ring Tongue 1 off	5X/9462745	S13.T1 2 off	Nil	S12.T1 2 off
FV.2233/f	NV16 Length 7″	5E/4185	JP	31269 A-MP Ring Tongue	5X/9462745	31269 A-MP Ring Tongue 1 off	5X/9462745	S11.T1 2 off	Nil	S12.T1 2 off
DV.2233/g	NV16 Length 7″	5E/4185	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	31269 A-MP Ring Tongue 1 off	5X/9462745	S11.T1 2 off	Nil	S10.T1 2 off
FV.2233/h	NV16 Length 7″	5E/4185	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	31269 A-MP Ring Tongue 1 off	5X/9462745	S9.T1 2 off	Nil	S10.T1 2 off
FV.2233/j	NV16 Length 7″	5E/4185	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	31269 A-MP Ring Tongue 1 off	5X/9462745	S9.T1 2 off	Nil	S8.T1 2 off
FV.2233/k	NV16 Length 7″	5E/4185	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	31269 A-MP Ring Tongue 1 off	5X/9462745	S7.T1 2 off	Nil	S8.T1 2 off
FV.2233/l	NV16 Length 7″	5E/4185	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	31269 A-MP Ring Tongue 1 off	5X/9462745	S7.T1 2 off	Nil	S6.T1 2 off
FV.2233/m	NV16 Length 7″	5E/4185	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	31269 A-MP Ring Tongue 1 off	5X/9462745	S5.T1 2 off	Nil	S6.T1 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
FV.2233/n	NV16 Length 10′ 0″	5E/4185	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	150108 Ring Tongue	A-MP 1 off	5X/	S5.T1 2 off	2M 2 off	S4.T1 2 off
FV.2233/p	NV16 Length 7″	5E/4185	JP	150108 Ring Tongue	A-MP 1 off	5X/	150108 Ring Tongue	A-MP 1 off	5X/	S3.T1 2 off	Nil	S4.T1 2 off
FV.2233/q	NV16 Length 7″	5E/4185	JP	150108 Ring Tongue	A-MP 1 off	5X/	150108 Ring Tongue	A-MP 1 off	5X/	S3.T1 2 off	Nil	S2.T1 2 off
FV.2233/r	NV16 Length 7″	5E/4185	JP	150108 Ring Tongue	A-MP 1 off	5X/	150108 Ring Tongue	A-MP 1 off	5X/	S1.T1 2 off	Nil	S2.T1 2 off
FV.2233/s	NV16 Length 3′ 6″	5E/4185	JP	150108 Ring Tongue	A-MP 1 off	5X/	31889 Ring Tongue	A-MP 1 off	5X/	S1.T1 2 off	2M 2 off	N23.T– 2 off
FV.2233/t	NV20 Length 1′ 7″	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	No Fitting			S40.T1 2 off	Nil	S41.TC 2 off
FV.2233/v	NV20 Length 1′ 8″	5E/4183	JP	150107 Ring Tongue	AM-P 1 off	5X/	31269 Ring Tongue	A-MP 1 off	5X/9462745	N48.TA 2 off	3X 2 off	N49.T2 2 off
FV.2233/w	NV20 Length 1′ 8″	5E/4183	JP	150107 Ring Tongue	A-MP 1 off	5X/	31269 Ring Tongue	A-MP 1 off	5X/9462745	N48.TB 2 off	3X 2 off	N49.T1 2 off
FV.2233/x	NV20 Length 8′ 0″	5E/4183	JP	No Fitting			323000 Slotted Tongue	A-MP 1 off	5X/9450396	S73.T1 2 off	3X 2 off	T1 2 off
FV.2233/y	NV20 Length 8′ 0″	5E/4183	JP	No Fitting			323000 Slotted Tongue	A-MP 1 off	5X/9450396	S73.T2 2 off	3X 2 off	T2 2 off
FV.2233/z	NV20 Length 8′ 0″	5E/4183	JP	No Fitting			323000 Slotted Tongue	A-MP 1 off	5X/9450396	S73.T3 2 off	3X 2 off	T3 2 off
FV.2233/aa	NV20 Length 8′ 0″	5E/4183	JP	No Fitting			323000 Slotted Tongue	A-MP 1 off	5X/9450396	S73.T4 2 off	3X 2 off	T4 2 off
FV.2233/ab	NV20 Length 8′ 0″	5E/4183	JP	No Fitting			323000 Slotted Tongue	A-MP 1 off	5X/9450396	S73.T5 2 off	3X 2 off	T5 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2233/ac	NV20 Length 8′ 0″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S73.T6 2 off	3X 2 off	T7 2 off
FV.2233/ad	NV20 Length 8′ 0″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S73.T7 2 off	3X 2 off	T7 2 off
FV.2233/ae	NV20 Length 8′ 0″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S73.T8 2 off	3X 2 off	T8 2 off
FV.2233/af	NV22 Length 9″	5E/4182	AJP	HC.1187 Tag, Cranked 1 off	5X/7316	31269 A-MP Ring Tongue 1 off	5X/9462745	S49.T5 2 off	Nil	S50.T4 2 off
FV.2233/ag	NV22 Length 11″	5E/4182	AJP	31269 A-MP Ring Tongue 1 off	5X/9462745	HC.1187 Tag, Cranked 1 off	5X/7316	S49.T4 2 off	2V 2 off	S51.T5 2 off
FV.2233/au	NV20 Length 1′ 7″	5E/4183	JP	No Fitting		31882 A-MP Ring Tongue 1 off	5X/	S59+ 2 off	Nil	N24+ 2 off
FV.2233/av	NV20 Length 8′ 0″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S59.B 2 off	1P 2 off	T30 2 off
FV.2233/aw	NV20 Length 8′ 0″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S59.T1 2 off	1P 2 off	T29 2 off
FV.2233/ax	NV20 Length 8′ 0″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S59.T2 2 off	1P 2 off	T28 2 off
FV.2233/ay	NV20 Length 8′ 0″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S59.T3 2 off	1P 2 off	T20 2 off
FV.2233/az	NV20 Length 8′ 0″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S59.T4 2 off	S59.T4 2 off	T19 2 off
FV.2233/ba	NV20 Length 8′ 0″	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	N25+ 2 off	1P 2 off	T25 2 off
FV.2233/bb	NV20 Length 8′ 0″	5E/4183	JP	31269 A-MP Ring Tongue	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	N26+ 2 off	1P 2 off	T21 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
FV.2233/bc	NV20 Length 8' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323000 Slotted Tongue	A-MP 1 off	5X/9450396	N27+ 2 off	1P 2 off	T15 2 off
FV.2233/bd	NV20 Length 8' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323000 Slotted Tongue	A-MP 1 off	5X/9450396	N28+ 2 off	1P 2 off	T11 2 off
FV.2233/be	NV22 Length 8"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	S36.T3 2 off	Nil	L28+ 2 off
FV.2233/bf	NV22 Length 10"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	S37.T3 2 off	Nil	L29+ 2 off
FV.2233/bg	NV22 Length 1' 0"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	S38.T3 2 off	Nil	L30+ 2 off
FV.2233/bh	NV22 Length 1' 2"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	S39.T3 2 off	Nil	L31+ 2 off
FV.2233/bj	NV22 Length 10"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31269 Ring Tongue	A-MP 1 off	5X/9462745	S75.T6 2 off	Nil	S75.T1 2 off
FV.2233/bk	NV22 Length 10"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31269 Ring Tongue	A-MP 1 off	5X/9462745	S75.T4 2 off	Nil	S75.T3 2 off
FV.2233/bl	NV22 Length 10"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31269 Ring Tongue	A-MP 1 off	5X/9462745	S21.T6 2 off	Nil	S21.T1 2 off
FV.2233/bm	NV22 Length 10"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31269 Ring Tongue	A-MP 1 off	5X/9462745	S21.T4 2 off	Nil	S21.T3 2 off
FV.2233/bn	NV22 Length 9' 0"	5E/4182	AJP	No Fitting			31878 Ring Tongue	A-MP 1 off	5X/	S41 2 off	4M 2 off	N58.T1 2 off
FV.2233/bp	NV22 Length 9' 0"	5E/4182	AJP	No Fitting			31878 Ring Tongue	A-MP 1 off	5X/	S41 2 off	4M 2 off	N60.T1 2 off
FV.2233/br	NV22 Length 9' 0"	5E/4182	AJP	No Fitting			31878 Ring Tongue	A-MP 1 off	5X/	S41 2 off	4M 2 off	N53.T1 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2233/bs	NV22 Length 9' 0"	5E/4182	AJP	No Fitting		31878 A-MP Ring Tongue 1 off	5X/	S41 2 off	4M 2 off	N54.T1 2 off
FV.2233/bt	NV22 Length 9' 0"	5E/4182	AJP	No Fitting		31878 A-MP Ring Tongue 1 off	5X/	S41 2 off	4M 2 off	N55.T1 2 off
FV.2233/bu	NV22 Length 9' 0"	5E/4182	AJP	No Fitting		31878 A-MP Ring Tongue 1 off	5X/	S41 2 off	4M 2 off	N56.T1 2 off
FV.2233/bv	NV22 Length 3' 6"	5E/4182	AJP	No Fitting		31878 A-MP Ring Tongue 1 off	5X/	S41 2 off	4M 2 off	N47.T1 2 off
FV.2233/bw	NV22 Length 3' 6"	5E/4182	AJP	No Fitting		31878 A-MP Ring Tongue 1 off	5X/	S41 2 off	4M 2 off	N46.T1 2 off
FV.2233/bx	NV22 Length 3' 6"	5E/4182	AJP	No Fitting		31878 A-MP Ring Tongue 1 off	5X/	S41 2 off	4M 2 off	N45.T1 2 off
FV.2233/by	NV22 Length 8' 0"	5E/4182	AJP	No Fitting		31878 A-MP Ring Tongue 1 off	5X/	S41 2 off	4M 2 off	N13.T1 2 off
FV.2233/bz	NV22 Length 8' 0"	5E/4182	AJP	No Fitting		31878 A-MP Ring Tongue 1 off	5X/	S41 2 off	4M 2 off	N18.T1 2 off
FV.2233/ca	NV22 Length 3' 6"	5E/4182	AJP	No Fitting		31878 A-MP Ring Tongue 1 off	5X/	S41 2 off	4M 2 off	N40.T1 2 off
FV.2233/cb	NV22 Length 3' 6"	5E/4182	AJP	No Fitting		31878 A-MP Ring Tongue 1 off	5X/	S41 2 off	4M 2 off	N41.T1 2 off
FV.2233/cc	NV22 Length 3' 6"	5E/4182	AJP	No Fitting		31878 A-MP Ring Tongue 1 off	5X/	S41 2 off	4M 2 off	N42.T1 2 off
FV.2233/cd	NV22 Length 3' 6"	5E/4182	AJP	No Fitting		31878 A-MP Ring Tongue 1 off	5X/	S41 2 off	4M 2 off	N43.T1 2 off
FV.2233/ce	NV22 Length 8' 0"	5E/4182	AJP	No Fitting		31878 A-MP Ring Tongue 1 off	5X/	S41 2 off	4M 2 off	N39.T1 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2233/cf	NV22 Length 8′ 0″	5E/4182	AJP	No Fitting		31878 A-MP Ring Tongue 1 off	5X/	S41 2 off	4M 2 off	N37.T1 2 off
FV.2233/cg	NV22 Length 8′ 0″	5E/4182	AJP	No Fitting		31878 A-MP Ring Tongue 1 off	5X/	S41 2 off	4M 2 off	N38.T1 2 off
FV.2233/ch	NV20 Length 10″	5E/4183	JP	No Fitting		No Fitting		S41.1C 2 off	Nil	S41.2C 2 off
FV.2233/cj	NV20 Length 8″	5E/4183	JP	HC.1187 Tag, Cranked	5X/7316	HC.1187 A-MP Tag, Cranked 1 off	5X/7316	S46.T2 2 off	Nil	S47.T2 2 off
FV.2233/ck	NV20 Length 1′ 1″	5E/4183	JP	HC.1187 Tag, Cranked 1 off	5X/7316	HC.1187 Tag, Cranked 1 off	5X/7316	S48.T2 2 off	Nil	S47.T2 2 off
FV.2233/cm	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N58.T2 2 off	2H 2 off	T67 2 off
FV.2233/cn	NV22 Length 8′ 0″	5E/4182	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N60.T2 2 off	2H 2 off	T67 2 off
FV.2233/ct	NV20 Length 8′ 0″	5E/4183	JP	31878 A-MP Ring Tongue	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N33.T1 2 off	6H 2 off	T39 2 off
FV.2233/cu	NV20 Length 8′ 0″	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N34.T1 2 off	6H 2 off	T39 2 off
FV.2233/cv	NV20 Length 8′ 0″	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N35.T1 2 off	6H 2 off	T38 2 off
FV.2233/cw	NV20 Length 2′ 6″	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	N49.T2 2 off	8M 2 off	T9 2 off
FV.2233/cx	NV20 Length 10″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S73.TC 2 off	8M 2 off	T9 2 off
FV.2233/cy	NV20 Length 8′ 0″	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T10 2 off	8M 2 off	Z3.D3 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2233/cz	NV20 Length 10′ 0″	5E/4183	JP	31094 A-MP Ring Tongue 1 off	5X/	No Fitting		E11 2 off	8M 2 off	Z3.D3 2 off
FV.2233/da	NV20 Length 8′ 0″	5E/4183	JP	31269 Ring Tongue 1 off	5X/9462745	No Fitting		N24.T+ 2 off	8M 2 off	Z3.D2+ 2 off
FV.2233/db	NV20 Length 10′ 0″	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T32 2 off	8M 2 off	Z3.D2— 2 off
FV.2233/dc	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N53.T2 2 off	1H 2 off	T65 2 off
FV.2233/dd	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N54.T2 2 off	1H 2 off	T65 2 off
FV.2233/de	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N55.T2 2 off	1H 2 off	T64 2 off
FV.2233/df	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N56.T2 2 off	1H 2 off	T64 2 off
FV.2233/dl	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	L10.T2 2 off	1H 2 off	T69 2 off
FV.2233/dm	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	L11.T2 2 off	1H 2 off	T69 2 off
FV.2233/dn	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	L12.T2 2 off	1H 2 off	T68 2 off
FV.2233/dp	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	L13.T2 2 off	1H 2 off	T68 2 off
FV.2233/dq	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N47.T2 2 off	16W 2 off	T57 2 off
FV.2233/dr	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N46.T2 2 off	16W 2 off	T57 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2233/ds	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N45.T2 2 off	16W 2 off	T56 2 off
FV.2233/dw	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N40.T2 2 off	2Q 2 off	T59 2 off
FV.2233/dx	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N41.T2 2 off	2Q 2 off	T59 2 off
FV.2233/dy	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N42.T2 2 off	2Q 2 off	T58 2 off
FV.2233/dz	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N43.T2 2 off	2Q 2 off	T58 2 off
FV.2233/ea	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N13.T2 2 off	1Q 2 off	T47 2 off
FV.2233/ec	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N14.T2 2 off	4Q 2 off	T47 2 off
FV.2233/ed	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N19.T2 2 off	5Q 2 off	T49 2 off
FV.2233/ee	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N20.T2 2 off	5Q/ 2 off	T49 2 off
FV.2233/eg	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N15.T2 2 off	4Q 2 off	T46 2 off
FV.2233/ej	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N16.T2 2 off	4Q 2 off	T46 2 off
FV.2233/ek	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N21.T2 2 off	5Q 2 off	T48 2 off
FV.2233/el	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N22.T2 2 off	5Q 2 off	T48 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2233/en	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N17.T2 2 off	4Q 2 off	T45 2 off
FV.2233/ep	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N18.T2 2 off	1Q 2 off	T45 2 off
FV.2233/er	NV22 Length 11″	5E/4182	AJP	HC.1187 Tag, Cranked 1 off	5X/7316	150107 A-MP Ring Tongue 1 off	5X/	S35.T5 2 off	Nil	S35.T3 2 off
FV.2233/es	NV22 Length 11″	5E/4182	AJP	HC.1187 Tag, Cranked 1 off	5X/7316	150107 A-MP Ring Tongue 1 off	5X/	S76.T5 2 off	Nil	S76.T3 2 off
FV.2233/ez	NV20 Length 8′ 0″	5E/4183	JP	31882 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N24— 2 off	1P 2 off	T36 2 off
FV.2233/fa	NV20 Length 8′ 0″	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/ 9450396	M1— 2 off	1P 2 off	T38 2 off
FV.2233/fb	NV20 Length 8′ 0″	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	M2— 2 off	1P 2 off	T37 2 off
FV.2233/fc	NV20 Length 8′ 0″	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	M3— 2 off	1P 2 off	T37 2 off
FV.2233/fd	NV20 Length 8′ 0″	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	M4— 2 off	1P 2 off	T36 2 off
FV.2233/fj	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N39.T2 2 off	1P 2 off	T35 2 off
FV.2233/fk	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N37.T2 2 off	1P 2 off	T35 2 off
FV.2233/fl	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N38.T2 2 off	1P 2 off	T34 2 off
FV.2233/fm	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N44.T2 2 off	9W 2 off	T33 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2233/fq	NV20 Length 8′ 0″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S59.T5 2 off	1P 2 off	T18 2 off
FV.2233/fs	NV22 Length 10′ 6″	5E/4182	AJP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	S81.T4 2 off	1H 2 off	T63 2 off
FV.2233/ft	NV22 Length 8′ 0″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N61.T2 2 off	1H 2 off	T63 2 off
FV.2233/fu	NV22 Length 9′ 0″	5E/4182	AJP	No Fitting		No Fitting		S41 2 off	1H 2 off	N61.T1 2 off
FV.2233/fv	NV20 Length 8′ 0″	5E/4183	JP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S41 2 off	4M 2 off	T51 2 off
FV.2233/fw	NV20 Length 7″	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	31269 A-MP Ring Tongue 1 off	5X/9462745	S63.T1 2 off	1P 2 off	S63.T4 2 off
FV.2233/fx	NV20 Length 7″	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	31269 A-MP Ring Tongue 1 off	5X/9462745	S62.T1 2 off	1P 2 off	S62.T4 2 off
FV.2233/fy	NV20 Length 7″	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	31269 A-MP Ring Tongue 1 off	5X/9462745	S61.T1 2 off	1P 2 off	S61.T4 2 off
FV.2233/fz	NV20 Length 7″	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	31269 A-MP Ring Tongue 1 off	5X/9462745	S60.T1 2 off	1P 2 off	S60.T4 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2234	**WIRING SET P34**									
EV.2234/a	NV20 Length 1' 10"	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Ring 1 off	5X/9450396	N2.T2 2 off	6M 2 off	T4 2 off
EV.2234/b	NV16 Length 10"	5E/4185	JP	HC.1189 Ring Tongue 1 off	5X/7214	No Fitting		S3.T2 1 off	6M 1 off	S2.S1.TS1 1 off
EV.2234/c	NV16 Length 11"	5E/4185	JP	31882 A-MP Ring Tongue 1 off	5X/	No Fitting		S2.S2.TS2 1 off		S2.S1.TS1 1 off
EV.2234/e	NV16 Length 8"	5E/4185	JP	150107 A-MP Extd. Ring Tongue 1 off	5X/	31882 A-MP Ring Tongue 1 off		S2.S2.T1 1 off		S2.S2.T4 1 off
EV.2234/f	NV16 Length 6"	5E/4185	JP	31882 A-MP Ring Tongue 1 off	5X/	150107 A-MP Extd. Ring Tongue 1 off	5X/	S2.S2.T2 1 off		S2.S2.T3 1 off
EV.2234/g	NV20 Length 5"	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	150107 A-MP Extd. Ring Tongue 1 off	5X/	S6.T1 1 off	6M 1 off	S6.T4 1 off
EV.2234/j	NV20 Length 1' 11"	5E/4183	JP	Z.19926 Slotted Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/	S1.TC 2 off	6M 2 off	T4 2 off
EV.2234/k	NV20 Length 8"	5E/4183	JP	HC.1187 Ring Tongue 1 off	5X/7316	31878 A-MP Ring Tongue 1 off	5X/	S4.T2 1 off	6M 1 off	L1.T1 1 off
EV.2234/m	NV20 Length 1' 9"	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	M3T— 2 off	6M 2 off	T3 2 off
EV.2234/n	NV20 Length 1' 10"	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	N3T+ 2 off	6M 2 off	T1 2 off
EV.2234/o	NV20 Length 1' 9"	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N4.T2 2 off	6M 2 off	T5 2 off
EV.2234/p	Compensating BJ+ (White) 2' 0"		KP	No Fitting		Z.19926 Slotted Tongue 1 off		N1.T+ 2 off	6M 2 off	T9 2 off

RESTRICTED

Argosy 'C' MK.1.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2234/s	NV22 Length 1' 2"	5E/4182	AJP	31094 A-MP Ring Tongue 1 off	5X/	No Fitting		S8.T1 2 off	5L 2 off	R+ 2 off
EV.2234/t	NV22 Length 1' 2"	5E/4182	AJP	31094 A-MP Ring Tongue 1 off	5X/	No Fitting		S8.T1 2 off	5L 2 off	Y+ 2 off
EV.2234/u	NV22 Length 2' 5"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	No Fitting		L101.T1 2 off	5L 2 off	R+ 2 off
EV.2234/v	NV22 Length 2' 4"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	No Fitting		L105.T1 2 off	5L 2 off	Y+ 2 off
EV.2234/w	NV22 Length 9"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L101.T1 1 off	5L 1 off	L102.T1 1 off
EV.2234/x	NV22 Length 11"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L102.T1 1 off	5L 1 off	L103.T1 1 off
EV.2234/y	NV22 Length 9"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L103.T1 1 off	5L 1 off	L104.T1 2 off
EV.2234/z	NV22 Length 11"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L104.T1 1 off	5L 1 off	L108.T1 1 off
EV.2234/aa	NV22 Length 1' 7"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L108.T1 2 off	5L 2 off	L107.T1 2 off
EV.2234/ab	NV22 Length 1' 0"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L107.T1 2 off	5L 2 off	L106.T1 2 off
EV.2234/ac	NV22 Length 1' 5"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L106.T1 2 off	5L 2 off	L105.T1 2 off
EV.2234/ad	NV20 Length 1' 0"	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	N3.T— 2 off	6M 2 off	L1.TE 2 off
EV.2234/ae	NV20 Length 8"	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	No Fitting		PAN.ETH 1 off	6M 1 off	LT— 1 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2235/1	**WIRING SET P35**									
DV.2235/a	NV22 Length 9"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T1 1 off	10L 1 off	BK— 1 off
DV.2235/b	NV22 Length 9"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T2 1 off	10L 1 off	R+ 1 off
DV.2235/c	NV22 Length 10"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T3 1 off	10L 1 off	Y+ 1 off
DV.2235/d	NV22 Length 5"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		31094 A-MP Ring Tongue 1 off		L102.T1 1 off	10L 1 off	S2.T1 1 off
DV.2235/e	NV22 Length 5' 0"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		323000 A-MP Slotted Tongue 1 off	5X/9450396	L102.T1 2 off	10L 2 off	T2 2 off
DV.2235/f	NV22 Length 5' 0"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		323000 A-MP Slotted Tongue 1 off	5X/9450396	L103.T1 2 off	10L 2 off	T3 2 off
DV.2235/g	NV22 Length 1' 0"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		L103.T1 2 off	10L 2 off	L101.T1 2 off
DV.2235/h	NV22 Length 5"	5E/4182	AJP	31094 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		S2.T1 1 off	10L 1 off	L101.T1 1 off
DV.2235/j	NV22 Length 5' 0"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	323000 A-MP Slotted Tongue 1 off	5X/9450396	T1 2 off	10L 2 off	T5 2 off
DV.2235/k	NV16 Length 6"	5E/4185	JP	31882 A-MP Ring Tongue 1 off		31882 A-MP Ring Tongue 1 off		S1.T1 1 off	7M 1 off	S1.T2 1 off
DV.2235/1	NV16 Length 8"	5E/4185	JP	31882 A-MP Ring Tongue 1 off		31882 A-MP Ring Tongue 1 off		S1.TB2 1 off	7M 1 off	S1.TB3 1 off
DV.2235/m	NV16 Length 10"	5E/4185	JP	31882 A-MP Ring Tongue 1 off		31882 A-MP Ring Tongue 1 off		S1.TB4 1 off	7M 1 off	S1.TB 1 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2235/n	NV22 Length 5"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31094 A-MP Ring Tongue 1 off		T8 1 off	Nil	S2.T2 1 off

November 1963
TP27
AL14

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2236	**WIRING SET P36**									
FV.2236/a	NV6 Length 1' 5"	5E/4190	LP	322050 Ring Tongue 1 off 16337/1 Rubber Boot 1 off	5X/ 5CZ/1983	322051 Ring Tongue 1 off 16337/1 Rubber Boot 1 off	5X/ 5CZ/1983	R4.T1 1 off	1V 1 off	M13.T2 1 off
FV.2236/b	NV6 Length 1' 2"	5E/4190	LP	322050 Ring Tongue 1 off 16337/1 Rubber Boot 1 off	5X/ 5CZ/1983	322051 Ring Tongue 1 off 16337/1 Rubber Boot 1 off	5X/ 5CZ/1983	R5.T1 1 off	1V 1 off	M14.T2 1 off
FV.2236/c	NV6 Length 5' 8"	5E/4190	LP	322051 Ring Tongue 1 off 16337/1 Rubber Boot 1 off	5X/ 5CZ/1983	BV.0937 Terminal Lug 1 off		M13.T1 1 off	1V 1 off	M4.T+ 1 off
FV.2236/d	NV6 Length 7' 0"	5E/4190	LP	322051 Ring Tongue 1 off 16337/1 Rubber Boot 1 off	5X/ 5CZ/1983	BV.0937 Terminal Lug 1 off		M14.T1 1 off	1V 1 off	M5.T+ 1 off
FV.2236/e	NV20 Length 5"	5E/4183	JP	31892 Ring Tongue A-MP 1 off	5X/	31884 Ring Tongue 1 off 16936 Rubber Boot 1 off	5X/ 5CZ/1793	M13.T1 1 off	1V 1 off	M13.T3 1 off
FV.2236/f	NV20 Length 5"	5E/4183	JP	31892 Ring Tongue A-MP 1 off	5X/	31884 Ring Tongue 1 off 16936 Rubber Boot 1 off	5X/ 5CZ/1793	M14.T1 1 off	1V 1 off	M14.T3 1 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2236/j	NVMS16 Length 1′ 0″	5E/4201	JP	Socket 2CZ/108948 1 off Cut-Ferrule Z.1381/2 1 off Adaptor Sleeve Z.49397 1 off Insulating Sleeve A.P. 1 off	5X/7043 5X/1333 5X/3146 5F/2336	As End "A"		M1.D1.T1 1 off	2V 1 off	M6.D2.T1 1 off
FV.2236/k	NVMS16 Length 1′ 0″	5E/4201	JP	See FV.2236/j		See FV.2236/j		M1.D1.T2 1 off	2V 1 off	M6.D2.T2 1 off
FV.2236/l	NVMS16 Length 1′ 0″	5E/4201	JP	See FV.2236/j		See FV.2236/j		M1.D1.T3 1 off	2V 1 off	M6.D2.T3 1 off
FV.2236/m	NVMS16 Length 1′ 0″	5E/4201	JP	See FV.2236/j		See FV.2236/j		M1.D1.T4 1 off	2V 1 off	M6.D2.T4 1 off
FV.2236/n	NVMS16 Length 1′ 0″	5E/4201	JP	See FV.2236/j		See FV.2236/j		M1.D1.T5 1 off	2V 1 off	M6.D2.T5 1 off
FV.2236/p	NV12 Length 7′ 6″	5E/4187	KP	Ring Tongue HC.314A 1 off Cut-Ferrule Z.23241/2 1 off	5X/7220 5K/25	32547 A-MP Ring Tongue 1 off	5X/	P36.M6.T— 2 off	2V 2 off	E14 2 off
FV.2236/q	NVMS20 Length 2′ 3″	5E/4199	JP	Socket CZ.84874 1 off Cut-Ferrule Z.2277/2 1 off Adaptor Sleeve Z.49428 1 off Insulating Sleeve A.P. 1 off	5X/7128 5X/240 5X/3148 5F/2336	Ring Tongue 31878 1 off Nut Z.49046 1 off Cut Ferrule Z.23241/4 1 off	Z.970127 Z.970127	M6.D1.TA 1 off	2V 1 off	M11.T1 1 off
FV.2236/r	NVMS20 Length 2′ 3″	5E/4199	JP	See FV.2236/q		See FV.2236/q		M6.D1.TB 1 off	2V 1 off	M11.T2 1 off
FV.2236/s	NVMS20 Length 2′ 3″	5E/4199	JP	See FV.2236/q		See FV.2236/q		M6.D1.TC 1 off	2V 1 off	M11.T3 1 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2236/v	NV20 Length 2′ 4″	5E/4183	JP	Plug CZ.49222 1 off Outlet Set Acc. 2CZ/108177 } 1 off	Z.560300 10H/	Socket CZ.49017 1 off Outlet Set Acc. 2CZ/108177 } 1 off	Z.560120 10H/	M4.D1.TA 1 off	1V 1 off	M9.D1.TA 1 off
FV.2236/w	NV20 Length 2′ 4″	5E/4183	JP	See FV.2236/v		See FV.2236/v		M4.D1.TB 1 off	1V 1 off	M9.D1.TB 1 off
FV.2236/x	NV20 Length 2′ 4″	5E/4183	JP	See FV.2236/v		See FV.2236/v		M4.D1.TC 1 off	1V 1 off	M9.D1.TC 1 off
FV.2236/y	NV20 Length 2′ 4″	5E/4183	JP	See FV.2236/v		See FV.2236/v		M4.D1.TD 1 off	1V 1 off	M9.D1.TD 1 off
FV.2236/z	NV20 Length 2′ 4″	5E/4183	JP	See FV.2236/v		See FV.2236/v		M4.D1.TE 1 off	1V 1 off	M9.D1.TE 1 off
FV.2236/aa	NV12 Length 3′ 4″	5E/4187	KP	Plug CZ.49216 1 off Outlet Set Acc. 2CZ/108171 } 1 off	Z.560270	Socket CZ.49014 1 off Outlet Set Acc. 2CZ/108171 } 1 off	Z.560090 10H/	M4.D2.TA 1 off	1V 1 off	M9.D2.TA 1 off
FV.2236/ab	NV12 Length 3′ 4″	5E/4187	KP	See FV.2236/aa		See FV.2236/aa		M4.D2.TB 1 off	1V 1 off	M9.D2.TB 1 off
FV.2236/ac	NV20 Length 1′ 3″	5E/4183	JP	Socket CZ.49017 1 off Outlet Set Acc. 2CZ/108177 } 1 off	Z.560120 10H/	Plug CZ.49222 1 off Outlet Set Acc. 2CZ/108177 } 1 off	Z.560300 10H/	M10.D1.TA 1 off	1V 1 off	M5.D1.TA 1 off
FV.2236/ad	NV20 Length 1′ 3″	5E/4183	JP	See FV.2236/ac		See FV.2236/ac		M10.D1.TB 1 off	1V 1 off	M5.D1.TB 1 off
FV.2236/ae	NV20 Length 1′ 3″	5E/4183	JP	See FV.2236/ac		See FV.2236/ac		M10.D1.TC 1 off	1V 1 off	M5.D1.TC 1 off
FV.2236/af	NV20 Length 1′ 3″	5E/4183	JP	See FV.2236/ac		See FV.2236/ac		M10.D1.TD 1 off	1V 1 off	M5.D1.TD 1 off
FV.2236/ag	NV20 Length 1′ 3″	5E/4183	JP	See FV.2236/ac		See FV.2236/ac		M10.D1.TE 1 off	1V 1 off	M5.D1.TE 1 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2236/ah	NV12 Length 3' 2"	5E/4187	KP	Socket CZ.49014 1 off Outlet Set Acc. 2CZ/108171 } 1 off	Z.560090 10H/	Plug CZ.49216 1 off Outlet Set Acc. 2CZ/108171 } 1 off	Z.560270 10H/	M10.D2.TA 1 off	1V 1 off	M5.D2.TA 1 off
FV.2236/aj	NV12 Length 3' 2"	5E/4187	KP	See FV.2236/ah		See FV.2236/ah		M10.D2.TB 1 off	1V 1 off	M5.D2.TB 1 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2237/1	**WIRING SET P37**									
EV.2237/a	NV16 Length 1' 11"	5E/4185	JP	Single Plug 2CZ/111225 } 1 off	5X/7149	150108 A-MP Extended Tongue 1 off		P37.D5.C 2 off	1H 2 off	M1.T1 2 off
EV.2237/b	NV16 Length 1' 9"	5E/4185	JP	Single Plug 2CZ/111225 } 1 off	5X/7149	150108 A-MP Extended Tongue 1 off		P37.D5 B 2 off	1H 2 off	M1.T2 2 off
EV.2237/c	NV16 Length 1' 7"	5E/4185	JP	Single Plug 2CZ/111225 } 1 off	5X/7149	150108 A-MP Extended Tongue 1 off		P37.D5.A 2 off	1H 2 off	M1.T3 2 off
EV.2237/d	NV12 Length 9"	5E/4187	KP	Single Plug 2CZ/111225 } 1 off	5X/7149	323002 A-MP Slotted Tongue 1 off		P37.D5.1 2 off	1H 2 off	T11 2 off
EV.2237/e	NV12 Length 11"	5E/4187	KP	Single Plug 2CZ/111225 } 1 off	5X/7149	323002 A-MP Slotted Tongue 1 off		P37.D5.2 2 off	1H 2 off	T17 2 off
EV.2237/f	NV16 Length 1' 3"	5E/4185	JP	Single Plug 2CZ/111224 } 1 off	5X/5805562	323000 A-MP Slotted Tongue 1 off	5X/9450396	P37.D4.5 2 off	1H 2 off	T5 2 off
EV.2237/g	NV16 Length 1' 5"	5E/4185	JP	Single Plug 2CZ/111224 } 1 off	5X/5805562	323000 A-MP Slotted Tongue 1 off	5X/9450396	P37.D4.6 2 off	1H 2 off	T3 2 off
EV.2237/h	NV16 Length 1' 2"	5E/4185	JP	Single Plug 2CZ/111224 } 1 off	5X/5805562	323000 A-MP Slotted Tongue 1 off	5X/9450396	P37.D4.7 2 off	1H 2 off	T1 2 off
EV.2237/j	NV12 Length 1' 10"	5E/4187	KP	Single Plug 2CZ/111404 } 1 off	5X/7146	32544 A-MP Ring Tongue 1 off		P37.D6.1 2 off	1H 2 off	C1.T2 2 off
EV.2237/k	NV12 Length 1' 10"	5E/4187	KP	Single Plug 2CZ/111404 } 1 off	5X/7146	32544 A-MP Ring Tongue 1 off		P37.D6.2 2 off	1H 2 off	C2.T2 2 off
EV.2237/l	NV12 Length 1' 10"	5E/4187	KP	Single Plug 2CZ/111404 } 1 off	5X/7146	32544 A-MP Ring Tongue 1 off		P37.D6.3 2 off	1H 2 off	C3.T2 2 off
EV.2237/n	NV20 Length 1' 5"	5E/4183	JP	Single Plug 2CZ/111401 } 1 off Adaptor Sleeve Z.49428 }	5X/7142 5X/1005131	Single Plug 2CZ/111229 } 1 off Adaptor Sleeve Z.49428 }	5X/7159 5X/1005131	P37.D2.C 2 off	1H 2 off	P37.D1.J 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2237/o	NV22 Length 1′ 5″	5E/4182	AJP	See Cable core " n "		See Cable core " n "		P37.D2.E 2 off	1H 2 off	P37.D1.G 2 off
EV.2237/p	NV22 Length 1′ 4″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		See Cable core " n "		R1.T4 2 off	1H 2 off	P37.D1.A 2 off
EV.2237/q	NV20 Length 1′ 0″	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable core " n "		T18 2 off	1H 2 off	P37.D1.D 2 off
EV.2237/r	NV20 Length 1′ 4″	5E/4183	JP	31878 A-MP Ring Tongue 1 off		See Cable core " n "		R1.T6 2 off	1H 2 off	P37.D1.K 2 off
EV.2237/s	NV22 Length 1′ 4″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		See Cable core " n "		R1.TC 2 off	1H 2 off	P37.D1.V 2 off
EV.2237/t	NV20 Length 1′ 0″	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable core " n "		T20 2 off	1H 2 off	P37.D1.F 2 off
EV.2237/u	NV22 Length 1′ 6″	5E/4182	JP	31879 A-MP Ring Tongue 1 off		See Cable core " n "		R2.T1.N1 2 off	1H 2 off	P37.D1.H 2 off
EV.2237/v	NV22 Length 1′ 2″	5E/4182	AJP	No Fitting		See Cable core " n "		R4.T1 2 off	1H 2 off	P37.D1.U 2 off
EV.2237/w	NV20 Length 27′ 6″	5E/4183	JP	Scoket MS.3108B/24/7S Cable Clamp AN3057–16B Insulating Sleeve A.P. 1 off	5F/2336	See Cable core " n "		Z13.M1.D4.1 2 off	1H 2 off	P37.D1.L 2 off
EV.2237/x	NV20 Length 27′ 6″	5E/4183	JP	See Cable core " w "		See Cable core " n "		Z13.M1.D4.K 2 off	1H 2 off	P37.D1.N 2 off
EV.2237/y	NV20 Length 27′ 6″	5E/4183	JP	See Cable core " w "		See Cable core " n "		Z13.M1.D4.C 2 off	1H 2 off	P37.D1.E 2 off
EV.2237/z	NV20 Length 27′ 6″	5E/4183	JP	See Cable core " w "		323000 A.MP Slotted Tongue 1 off	5X/9450396	Z13.M1.D4.A 2 off	1H 2 off	T19 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2237/aa	NV20 Length 27' 6"	5E/4183	JP	See Cable core "w"		See Cable core "n"		Z13.M1.D4.L 2 off	1H 2 off	P37.D1.P 2 off
EV.2237/ab	NV20 Length 27' 6"	5E/4183	JP	See Cable core "w"		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z13.M1.D4.E 2 off	1H 2 off	T20 2 off
EV.2237/ac	NV20 Length 27' 6"	5E/4183	JP	See Cable core "w"		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z13.M1.D4.P 2 off	1H 2 off	T14 2 off
EV.2237/ad	NV22 Length 27' 6"	5E/4182	AJP	See Cable core "w"		31878 A-MP Ring Tongue 1 off		Z13.M1.D4.D 2 off	1H 2 off	R1.TC 2 off
EV.2237/ae	NV22 Length 27' 6"	5E/4182	AJP	See Cable core "w"		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z13.M1.D4.B 2 off	1H 2 off	T19 2 off
EV.2237/af	NV22 Length 27' 6"	5E/4182	AJP	See Cable core "w"		150108 A-MP Extended Tongue 1 off		Z13.M1.D4.G 2 off	1H 2 off	R3.T5 2 off
EV.2237/ag	NV20 Length 4' 0"	5E/4183	JP	Socket 2CZ/108945 Ferrule Z.18500Z Clip CZ.23144/Z Adaptor Sleeve Z.49428 Insulating Sleeve A.P.	5X/7042 5X/1523 5X/6440 5X/1005131 5F/2336	323000 A-MP Slotted Tongue 1 off	5X/9450396	Z7.M12.D4.B 2 off	1H 2 off	T15 2 off
EV.2237/ah	NV22 Length 4' 0"	5E/4182	AJP	See Cable core "ag"		See Cable core "n"		Z7.M12.D4.A 2 off	1H 2 off	P37.D1.B 2 off
EV.2237/aj	NV22 Length 4' 0"	5E/4182	AJP	See Cable core "ag"		See Cable core "n"		Z7.M12.D4.1 2 off	1H 2 off	P37.D1.C 2 off
EV.2237/ak	NV22 Length 4' 4"	5E/4182	AJP	See Cable core "ag"		31879 A-MP Ring Tongue 1 off		Z7.M12.D4.2 2 off	1H 2 off	R2.T1.N2 2 off
EV.2237/al	NV8 Length 28' 0"	5F/4189	KP	Socket MS.3108B–22–2S Cable Clamp AN.3057–12B Insulating Sleeve C.P. 2 off	5F/2337	322049 A-MP Ring Tongue 1 off		Z13.M1.D3.A 2 off	1H 2 off	M1.TA1 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2237/am	NV8 Length 28' 0"	5E/4189	KP	See Cable core "al"		322049 A-MP Ring Tongue 1 off		Z13.M1.D3.B 2 off	1H 2 off	M1.TB1 2 off
EV.2237/an	NV8 Length 29' 0"	5E/4189	KP	See Cable core "al"		322049 A-MP Ring Tongue 1 off		Z13.M1.D3.C 2 off	1H 2 off	M1.TC1 2 off
EV.2237/ap	NV12 Length 4' 9"	5E/4187	KP	Socket 2CZ/108947 } 1 off Ferrule Z.18500B 1 off Clip CZ.23144/B 1 off Insulating Sleeve C.P. } 1 off	5X/7040 5X/1524 5X/6488 5F/2337	323002 A-MP Slotted Tongue 1 off		Z7.M12.D3.2 2 off	1H 2 off	T6 2 off
EV.2237/aq	NV12 Length 4' 9"	5E/4187	KP	See Cable core "ap"		323002 A-MP Slotted Tongue 1 off		Z7.M12.D3.3 2 off	1H 2 off	T4 2 off
EV.2237/ar	NV12 Length 4' 9"	5E/4187	KP	See Cable core "ap"		323002 A-MP Slotted Tongue 1 off		Z7.M12.D3.4 2 off	1H 2 off	T2 2 off
EV.2237/as	NV20 Length 1' 9"	5E/4183	JP	See Cable core "n"		No Fitting		P37.D2.A 2 off	1H 2 off	R4.T3 2 off
EV.2237/at	NV22 Length 1' 9"	5E/4182	AJP	See Cable core "n"		31878 A-MP Ring Tongue 1 off		P37.D2.B 2 off	1H 2 off	R1.T6.a 2 off
EV.2237/au	NV20 Length 1' 9"	5E/4183	JP	See Cable core "n"		31878 A-MP Ring Tongue 1 off		P37.D2.D 2 off	1H 2 off	R1.T1.a 2 off
EV.2237/av	NV8 Length 1' 4"	5E/4189	KP	Single Plug 2CZ/111406 Adaptor Sleeve Z.66639 }	5X/5805561 5X/	322049 A-MP Ring Tongue 1 off		P37.D3.1 2 off	1H 2 off	M1.T.A 2 off
EV.2237/aw	NV8 Length 1' 5"	5E/4189	KP	See Cable core "av"		322049 A-MP Ring Tongue 1 off		P37.D3.2 2 off	1H 2 off	M1.TB 2 off
EV.2237/ax	NV8 Length 1' 7"	5E/4189	KP	See Cable core "av"		322049 A-MP Ring Tongue 1 off		P37.D3.3 2 off	1H 2 off	M1.TC 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2237/ay	NV20 Length 1′ 3″	5E/4183	JP	31878 A-MP Ring Tongue 1 off		No Fitting		R1.T1 2 off	1H 2 off	R4.T4 2 off
EV.2237/az	NV20 Length 2′ 1″	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31879 A-MP Ring Tongue 1 off		R1.T3 2 off	1H 2 off	R2.T.CT 2 off
EV.2237/ba	NV22 Length 1′ 3″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		No Fitting		R1.T6 2 off	1H 2 off	R4.T3 2 off
EV.2237/bb	NV22 Length 1′ 4″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		323000 A-MP Slotted Tongue 1 off	5X/9450396	R1.TCa 2 off	1H 2 off	T11 2 off
EV.2237/bc	NV22 Length 2′ 1″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		150108 A-MP Extended Tongue 1 off		R1.T3.a 2 off	1H 2 off	R3.T.CT 2 off
EV.2237/bd	NV20 Length 10″	5E/4183	JP	150108 A-MP Extended Tongue 1 off		31879 A-MP Ring Tongue 1 off		M1.T1 2 off	1H 2 off	M1.T6 2 off
EV.2237/be	NV20 Length 7″	5E/4183	JP	150108 A-MP Extended Tongue 1 off		31879 A-MP Ring Tongue 1 off		M1.T2 2 off	1H 2 off	M1.T4 2 off
EV.2237/bf	NV20 Length 7″	5E/4183	JP	150108 A-MP Extended Tongue 1 off		31879 A-MP Ring Tongue 1 off		M1.T3 2 off	1H 2 off	M1.T5 2 off
EV.2237/bg	NV12 Length 2′ 1″	5E/4187	KP	32545 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		M1.TA 2 off	1H 2 off	R2.TA 2 off
EV.2237/bh	NV12 Length 2′ 0″	5E/4187	KP	32545 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		M1.TB 2 off	1H 2 off	R2.TB 2 off
EV.2237/bj	NV12 Length 1′ 11″	5E/4187	KP	32545 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		M1.TC 2 off	1H 2 off	R2.TC 2 off
EV.2237/bk	NV12 Length 1′ 4″	5E/4187	KP	32544 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R2.T.L1 2 off	1H 2 off	R3.TA 2 off
EV.2237/bl	NV12 Length 1′ 3″	5E/4187	KP	32544 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R2.T.L2 2 off	1H 2 off	R3.TB 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2237/bm	NV12 Length 1′ 2″	5E/4187	KP	32544 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R2.T.L2 2 off	1H 2 off	R3.TC 2 off
EV.2237/bn	NV22 Length 2′ 2″	5E/4182	AJP	31879 A-MP Ring Tongue 1 off		323000 A-MP Slotted Tongue 1 off	5X/9450396	R2.T.ET 2 off	1H 2 off	T12 2 off
EV.2237/bp	NV10 Length 1′ 7″	5E/4188	KP	32544 A-MP Ring Tongue 1 off		323002 A-MP Slotted Tongue 1 off		R3.T.L1 2 off	1H 2 off	T6 2 off
EV.2237/bq	NV10 Length 1′ 8″	5E/4188	KP	32544 A-MP Ring Tongue 1 off		323002 A-MP Slotted Tongue 1 off		R3.T.L2 2 off	1H 2 off	T4 2 off
EV.2237/br	NV10 Length 1′ 9″	5E/4188	KP	32544 A-MP Ring Tongue 1 off		323002 A-MP Slotted Tongue 1 off		R3.T.L3 2 off	1H 2 off	T2 2 off
EV.2237/bs	NV22 Length 5″	5E/4182	AJP	150108 A-MP Extended Tongue 1 off		150108 A-MP Extended Tongue 1 off		R3.T.S 2 off	1H 2 off	R3.T.S1 2 off
EV.2237/bt	NV22 Length 2′ 1″	5E/4182	AJP	150108 A-MP Extended Tongue 1 off		323000 A-MP Slotted Tongue 1 off	5X/9450396	R3.T.ET 2 off	1H 2 off	T13 2 off
EV.2237/bu	NV22 Length 1′ 5″	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	R4.T2 2 off	1H 2 off	T12 2 off
EV.2237/bv	NV12 Length 2′ 1″	5E/4187	KP	32545 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		M1.TA 2 off	1H 2 off	C1.T1 2 off
EV.2237/bw	NV12 Length 2′ 1″	5E/4187	KP	32545 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		M1.TB 2 off	1H 2 off	C2.T1 2 off
EV.2237/bx	NV12 Length 1′ 11″	5E/4187	KP	32545 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		M1.TC 2 off	1H 2 off	C3.T1 2 off
EV.2237/by	NV20 Length 1′ 0″	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31878 A-MP Ring Tongue 1 off		T18 2 off	1H 2 off	R1.T4.a 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2238/1	**WIRING SET P38**									
DV.2238/a	NV10 Length 3' 6"	5E/4188	KP	Socket 2CZ/111441 1 off Ferrule Z.18500C 1 off Clip CZ.23144/C 1 off Crimping Sleeve Z. 3 off Insulating Sleeve B.P. 3 off	5X/5805565 5X/1525 5X/6489 5X/6766 5F/2344	32542 Ring Tongue	A-MP 1 off	5X/	P37.D3.1 2 off	1H 2 off	R1.T.A2 2 off
DV.2238/b	NV10 Length 3' 6"	5E/4188	KP	See Cable core " a "		32542 Ring Tongue	A-MP 1 off	5X/	P37.D3.2 2 off	1H 2 off	R1.T.B2 2 off
DV.2238/c	NV10 Length 3' 6"	5E/4188	KP	See Cable core " a "		32542 Ring Tongue	A-MP 1 off	5X/	P37.D3.3 2 off	1H 2 off	R1.T.C2 2 off
DV.2238/d	NV20 Length 3' 3"	5E/4183	JP	Socket 2CZ/111233 1 off Ferrule Z.18500Z 1 off Clip CZ.23144/Z Crimping Sleeve Z.49428 2 off Insulating Sleeve A.P. 1 off	5X/7175 5X/1523 5X/6440 5X/1005131 5F/2336	31882 Ring Tongue	A-MP 1 off	5X/	P37.D2.C 2 off	1H 2 off	R1.T3 2 off
DV.2238/e	NV20 Length 3' 2"	5E/4183	JP	See Cable core " d "		31882 Ring Tongue	A-MP 1 off	5X/	P37.D2.A 2 off	1H 2 off	R1.T6 2 off
DV.2238/f	NV22 Length 4' 8"	5E/4182	AJP	See Cable core " d "		No Fitting			P37.D2.B 2 off	1H 2 off	R4.T1 2 off
DV.2238/g	NV16 Length 4' 8"	5E/4185	JP	See Cable core " d "		No Fitting			P37.D2.D 2 off	1H 2 off	R4.T3 2 off
DV.2238/h	NV22 Length 4' 8"	5E/4182	AJP	See Cable core " d "		31878 Ring Tongue	A-MP 1 off	5X/	P37.D2.E 2 off	1H 2 off	R6.T1.a 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2238/j	NV20 Length 4' 9"	5E/4183	JP	Socket 2CZ/84875 1 off Ferrule Z.18500B 1 off Clip CZ.23144/B 1 off Crimping Sleeve Z.49428 2 off Insulating Sleeve A.P. 2 off	5X/7045 5X/1524 5X/6488 5X/1005131 5F/2336	323000 A-MP Slotted Tongue 1 off	5X/9450396	Z7.M13.D1.2 2 off	1H 2 off	T6 2 off
DV.2238/k	NV20 Length 4' 9"	5E/4183	JP	See Cable core "j"		31878 A-MP Ring Tongue 1 off	5X/	Z7.M13.D1.2 2 off	1H 2 off	R6.T3.a 2 off
DV.2238/l	NV20 Length 4' 3"	5E/4183	JP	See Cable core "j"		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z7.M13.D1.5 2 off	1H 2 off	T5 2 off
DV.2238/m	NV20 Length 5' 3"	5E/4183	JP	See Cable core "j"		No Fitting		Z7.M13.D1.6 2 off	1H 2 off	R5.T4 2 off
DV.2238/n	NV20 Length 5' 3"	5E/4183	JP	See Cable core "j"		No Fitting		Z7.M13.D1.7 2 off	1H 2 off	R5.T1 2 off
DV.2238/o	NV16 Length 6' 6"	5E/4185	JP	Socket 2CZ/84873 Ferrule Z.18764A Clip CZ.23144/Z Crimping Sleeve Z.49428 Insulating Sleeve A.P.	5X/7039 5X/1546 5X/6440 5X/1005131 5F/2336	No Fitting		Z7.M12.D2.A 2 off	1H 2 off	R4.T3 2 off
DV.2238/p	NV20 Length 6' 0"	5E/4183	JP	See Cable core "o"		31878 A-MP Ring Tongue 1 off		Z7.M12.D2.B 2 off	1H 2 off	R6.T4 2 off
DV.2238/q	NV16 Length 6' 0"	5E/4185	JP	See Cable core "o"		31878 A-MP Ring Tongue 1 off		Z7.M12.D2.D 2 off	1H 2 off	R6.T2 2 off
DV.2238/r	NV10 Length 1' 8"	5E/4188	KP	321500 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R1.TA1 1 off	Nil	R2.TA 1 off
DV.2238/s	NV10 Length 1' 9"	5E/4188	KP	321500 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R1.TB1 1 off	Nil	R2.TB 1 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2238/t	NV10 Length 1′ 10″	5E/4188	KP	321500 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R1.TC1 1 off	Nil	R2.TC 1 off
DV.2238/u	NV22 Length 7″	5E/4182	AJP	31882 A-MP Ring Tongue 1 off		31882 A-MP Ring Tongue 1 off		R1.T1 1 off	Nil	R1.T4 1 off
DV.2238/v	NV22 Length 2′ 3″	5E/4182	AJP	31882 A-MP Ring Tongue 1 off		No Fitting		R1.T3 1 off	Nil	R5.T5 1 off
DV.2238/w	NV22 Length 1′ 7″	5E/4182	AJP	31882 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		R1.T6 1 off	Nil	R6.T5 1 off
DV.2238/x	NV20 Length 1′ 4″	5E/4183	JP	31882 A-MP Ring Tongue 1 off		No Fitting		R1.TX1 1 off	Nil	R4.T4 1 off
DV.2238/y	NV20 Length 1′ 2″	5E/4183	JP	31882 A-MP Ring Tongue 1 off		323000 A-MP Slotted Tongue 1 off	5X/9450396	R1.TX2 1 off	Nil	T4 1 off
DV.2238/z	NV22 Length 1′ 4″	5E/4182	AJP	31882 A-MP Ring Tongue 1 off		No Fitting		R1.TX3 1 off	Nil	R4.T4 1 off
DV.2238/aa	NV22 Length 1′ 4″	5E/4182	AJP	31879 A-MP Ring Tongue 1 off		No Fitting		R2.T.CT 1 off	Nil	RS.T3 1 off
DV.2238/ab	NV10 Length 11″	5E/4188	KP	321500 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R3.TA 1 off	Nil	R2.T.L1 1 off
DV.2238/ac	NV10 Length 10″	5E/4188	KP	321500 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R3.TB 1 off	Nil	R2.T.L2 1 off
DV.2238/ad	NV10 Length 9″	5E/4188	KP	321500 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R3.TC 1 off	Nil	R2.T.L3 1 off
DV.2238/ae	NV22 Length 1′ 2″	5E/4182	AJP	31879 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		R3.T5 1 off	Nil	R6.T5.A 1 off
DV.2238/af	NV22 Length 1′ 9″	5E/4182	AJP	31879 A-MP Ring Tongue 1 off		No Fitting		R3.TT 1 off	Nil	R5.T6 1 off

RESTRICTED

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2238/ag	NV22 Length 1' 5"	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	R4.T2 1 off	Nil	T3 1 off
DV.2238/ah	NV22 Length 7"	5E/4182	AJP	No Fitting		No Fitting		R5.T1 1 off	Nil	R5.T6 1 off
DV.2238/aj	NV22 Length 1' 7"	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	R5.T2 1 off	Nil	T3 1 off
DV.2238/ak	5E/4182 Length 1' 5"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		No Fitting		R6.TC 1 off	Nil	R4.T6 1 off
DV.2238/al	NV22 Length 1' 1"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		323000 A-MP Slotted Tongue 1 off	5X/9450396	R6.TC.a 1 off	Nil	T4 1 off
DV.2238/am	NV22 Length 1' 9"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		31879 A-MP Ring Tongue 1 off		T2 1 off	Nil	R3.T.ET 1 off
DV.2238/an	NV22 Length 1' 0"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31879 A-MP Ring Tongue 1 off		T2 1 off	Nil	R2.T.ET 1 off
DV.2238/ap	NV12 Length 5' 2"	5E/4187	KP	31771 Ring Tongue 1 off		323002 A-MP Slotted Tongue 1 off		E133 2 off	1H 2 off	T1 2 off
DV.2238/aq	NV12 Length 5' 2"	5E/4187	KP	31771 A-MP Ring Tongue 1 off		323002 A-MP Slotted Tongue 1 off		E135 2 off	1H 2 off	T5 2 off

RESTRICTED

August 1966
TP27 AL31

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2239/1	**WIRING SET P39**									
EV.2239/a	NV16 Length 1′ 11″	5E/4185	JP	Single Plug 2CZ/111225 } 1 off	5X/7149	Extended Tongue A-MP 150108 1 off	5X/	P39.D5.C 1 off	1H 1 off	M1.T1 1 off
EV.2239/b	NV16 Length 1′ 9″	5E/4185	JP	Single Plug 2CZ/111225 } 1 off	5X/7149	Extended Tongue A-MP 150108 1 off		P39.D5.B 1 off	1H 1 off	M1.T2 1 off
EV.2239/c	NV16 Length 1′ 7″	5E/4185	JP	Single Plug 2CZ/111225 } 1 off	5X/7149	Extended Tongue A-MP 150108 1 off		P39.D5.A 1 off	1H 1 off	M1.T3 1 off
EV.2239/d	NV12 Length 9″	5E/4187	KP	Single Plug 2CZ/111225 } 1 off	5X/7149	323002 A-MP Slotted Tongue 1 off		P39.D5.1 1 off	1H 1 off	T11 1 off
EV.2239/e	NV12 Length 11″	5E/4187	KP	Single Plug 2CZ/111225 } 1 off	5X/7149	323002 A-MP Slotted Tongue 1 off		P39.D5.2 1 off	1H 1 off	T17 1 off
EV.2239/f	NV16 Length 1′ 3″	5E/4185	JP	Single Plug 2CZ/111224 } 1 off	5X/7145	323000 A-MP Slotted Tongue 1 off	5X/9450396	P39.D4.5 1 off	1H 1 off	T5 1 off
EV.2239/g	NV16 Length 1′ 3″	5E/4185	JP	Single Plug 2CZ/111224 } 1 off	5X/7145	323000 A-MP Slotted Tongue 1 off	5X/9450396	P39.D4.6 1 off	1H 1 off	T3 1 off
EV.2239/h	NV16 Length 1′ 2″	5E/4185	JP	Single Plug 2CZ/111224 } 1 off	5X/7145	323000 A-MP Slotted Tongue 1 off	5X/9450396	P39.D4.7 1 off	1H 1 off	T1 1 off
EV.2239/n	NV20 Length 1′ 5″	5E/4183	JP	Single Plug 2CZ/111401 Adaptor Sleeve Z.49428 }	5X/7142 5X/1005131	Single Plug Adaptor Sleeve Z.49428 }	5X/7159 5X/1005131	P39.D2.C 1 off	1H 1 off	P39.D1.J 1 off
EV.2239/o	NV22 Length 1′ 5″	5E/4182	AJP	See Cable core "n"		See Cable core "n"		P39.D2.E 1 off	1H 1 off	P39.D1.G 1 off
EV.2239/p	NV22 Length 1′ 4″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		See Cable core "n"		R1.T4 1 off	1H 1 off	P39.D1.A 1 off
EV.2239/q	NV20 Length 1′ 0″	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable core "n"		T18 1 off	1H 1 off	P39.D1.D 1 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2239/r	NV20 Length 1′ 4″	5E/4183	JP	31878 A-MP Ring Tongue 1 off		See Cable core "n"		R1.T6 1 off	1H 1 off	P39.D1.K 1 off
EV.2239/s	NV22 Length 1′ 4″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		See Cable core "n"		R1.TC 1 off	1H 1 off	P39.D1.V 1 off
EV.2239/t	NV20 Length 1′ 0″	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable core "n"		T20 1 off	1H 1 off	P39.D1.F 1 off
EV.2239/u	NV22 Length 1′ 6″	5E/4182	AJP	31879 A-MP Ring Tongue 1 off		See Cable core "n"		R2.T1.N1 1 off	1H 1 off	P39.D1.H 1 off
EV.2239/v	NV22 Length 1′ 3″	5E/4182	AJP	No Fitting		See Cable core "n"		R4.T1 1 off	1H 1 off	P39.D1.U 1 off
EV.2239/w	NV20 Length 27′ 0″	5E/4183	JP	Socket MS.3108B–24–7S 1 off Cable Clamp AN.3057–16B 1 off Insulating Sleeve AP 1 off	5F/2336	See Cable core "n"		Z13.M2.D4.1 2 off	1H 2 off	P39.D1.L 2 off
EV.2239/x	NV20 Length 27′ 0″	5E/4183	JP	See Cable core "w"		See Cable core "n"		Z13.M2.D4.K 2 off	1H 2 off	P39.D1.N 2 off
EV.2239/y	NV20 Length 27′ 0″	5E/4183	JP	See Cable core "w"		See Cable core "n"		Z13.M2.D4.C 2 off	1H 2 off	P39.D1.E 2 off
EV.2239/z	NV20 Length 27′ 0″	5E/4183	JP	See Cable core "w"		323000 A–MP Slotted Tongue 1 off	5X/9450396	Z13.M2.D4.A 2 off	1H 2 off	T19 2 off
EV.2239/aa	NV20 Length 27′ 0″	5E/4183	JP	See Cable core "w"		See Cable core "n"		Z13.M2.D4.L 2 off	1H 2 off	P39.D1.P 2 off
EV.2239/ab	NV20 Length 27′ 0″	5E/4183	JP	See Cable core "w"		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z13.M2.D4.E 2 off	1H 2 off	T20 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2239/ac	NV20 Length 27' 0"	5E/4183	JP	See Cable core "w"		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z13.M2.D4.P 2 off	1H 2 off	T14 2 off
EV.2239/ad	NV22 Length 27' 0"	5E/4182	AJP	See Cable core "w"		31878 A-MP Ring Tongue 1 off		Z13.M2.D4.D 2 off	1H 2 off	R1.TC 2 off
EV.2239/ae	NV22 Length 27' 0"	5E/4182	AJP	See Cable core "w"		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z13.M2.D4.B 2 off	1H 2 off	T19 2 off
EV.2239/af	AV22 Length 27' 0"	5E/4182	AJP	See Cable core "w"		150108 A-MP Extended Tongue 1 off		Z13.M2.D4.G 2 off	1H 2 off	R3.TS 2 off
EV.2239/ag	NV20 Length 4' 6"	5E/4183	JP	Socket 2CZ/108945 Ferrule Z.18500Z Clip CZ.23144/Z Adaptor Sleeve Z.49397 Adaptor Sleeve } Z.49428 Insulating Sleeve A.P.	5X/7042 5X/1523 5X/6440 5X/3146 5X/1005131 5F/2336	323000 A-MP Slotted Tongue 1 off	5X 9450396	Z7.M14.D4.B 2 off	1H 2 off	T15 2 off
EV.2239/ah	NV22 Length 4' 6"	5E/4182	AJP	See Cable core "ag"		See Cable core "n"		Z7.M14.D4.A 2 off	1H 2 off	P39.D1.B 2 off
EV.2239/aj	NV22 Length 4' 6"	5E/4182	AJP	See Cable core "ag"		See Cable core "n"		Z7.M14.D4.1 2 off	1H 2 off	P39.D1.C 2 off
EV.2239/ak	NV22 Length 4' 6"	5E/4182	AJP	See Cable core "ag"		31879 A-MP Ring Tongue 1 off		Z7.M14.D4.2 2 off	1H 2 off	R2.T1.N2 2 off
EV.2239/al	NV8 Length 27' 0"	5E/4189	KP	Socket MS.3108B-22-2S Cable Clamp AN.3057-12B Insulating Sleeve C.P.	5F/2337	322049 A-MP Ring Tongue 1 off		Z13.M2.D3.A 2 off	1H 2 off	M1.TA1 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2239/am	NV8 Length 27′ 0″	5E/4189	KP	See Cable core "al"		322049 A-MP Ring Tongue 1 off		Z13.M2.D3.B 2 off	1H 2 off	M1.TB1 2 off
EV.2239/an	NV8 Length 27′ 0″	5E/4189	KP	See Cable core "al"		322049 A-MP Ring Tongue 1 off		Z13.M2.D3.C 2 off	1H 2 off	M1.TC1 2 off
EV.2239/ap	NV12 Length 4′ 11″	5E/4187	KP	Socket 2CZ/108947 1 off Ferrule Z.18500B 1 off Clip 2CZ/23144/B 1 off Insulating Sleeve C.P. } 1 off	5X/7040 5X/1524 5X/6488 5F/	323002 A-MP Slotted Tongue 1 off		Z7.M14.D3.2 2 off	1H 2 off	T6 2 off
EV.2239/aq	NV12 Length 4′ 11″	5E/4187	KP	See Cable core "ap"		323002 A-MP Slotted Tongue 1 off		Z7.M14.D3.3 2 off	1H 2 off	T4 2 off
EV.2239/ar	NV12 Length 4′ 11″	5E/4187	KP	See Cable core "ap"		323002 A-MP Slotted Tongue 1 off		Z7.M14.D3.4 2 off	1H 2 off	T2 2 off
EV.2239/as	NV20 Length 1′ 9″	5E/4183	JP	See Cable core "n"		No Fitting		P39.D2.A 2 off	1H 2 off	R4.T3 2 off
EV.2239/at	NV22 Length 1′ 9″	5E/4182	AJP	See Cable core "n"		31878 A-MP Ring Tongue 1 off		P39.D2.B 2 off	1H 2 off	R1.T6a 2 off
EV.2239/au	NV20 Length 1′ 9″	5E/4183	JP	See Cable core "n"		31878 A-MP Ring Tongue 1 off		P39.D2.D 2 off	1H 2 off	R1.T1a 2 off
EV.2239/av	NV8 Length 1′ 4″	5E/4189	KP	Single Plug Adapter Sleeve Z.66639 }	5X/7150 5X/	322049 A-MP Ring Tongue 1 off		P39.D3.1 2 off	1H 2 off	M1.TA 2 off
EV.2239/aw	NV8 Length 1′ 5″	5E/4189	KP	See Cable core "av"		322049 A-MP Ring Tongue 1 off		P39.D3.2 2 off	1H 2 off	M1.TB 2 off
EV.2239/ax	NV8 Length 1′ 7″	5E/4189	KP	See Cable core "av"		322049 A-MP Ring Tongue 1 off		P39.D3.3 2 off	1H 2 off	M1.TC 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2239/ay	NV20 Length 1′ 3″	5E/4183	JP	31878 A-MP Ring Tongue 1 off		No Fitting		R1.T1 1 off	1H 1 off	R4.T4 1 off
EV.2239/az	NV20 Length 2′ 1″	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31879 A-MP Ring Tongue 1 off		R1.T3 1 off	1H 1 off	R2.TCT 1 off
EV.2239/ba	NV22 Length 1′ 3″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		No Fitting		R1.T6 1 off	1H 1 off	R4.T3 1 off
EV.2239/bb	NV22 Length 1′ 4″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		323000 A-MP Slotted Tongue 1 off	5X/9450396	R2.TCa 1 off	1H 1 off	T11 1 off
EV.2239/bc	NV22 Length 2′ 1″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		150108 A-MP Extended Tongue 1 off		R1.T3a 1 off	1H 1 off	R3.TCT 1 off
EV.2239/bd	NV20 Length 10″	5E/4183	JP	150108 A-MP Extended Tongue 1 off		31879 A-MP Ring Tongue 1 off		M1.T1 1 off	1H 1 off	M1.T6 1 off
EV.2239/be	NV20 Length 7″	5E/4183	JP	150108 A-MP Extended Tongue 1 off		31879 A-MP Ring Tongue 1 off		M1.T2 1 off	1H 1 off	M1.T4 1 off
EV.2239/bf	NV20 Length 7″	5E/4183	JP	150108 A-MP Extended Tongue 1 off		31879 A-MP Ring Tongue 1 off		M1–T3 1 off	1H 1 off	M1.T5 1 off
EV.2239/bg	NV12 Length 2′ 1″	5E/4187	KP	32545 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		M1.TA 1 off	1H 1 off	R2.TA 1 off
EV.2239/bh	NV12 Length 2′ 0″	5E/4187	KP	32545 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		M1.TB 1 off	1H 1 off	R2.TB 1 off
EV.2239/bj	NV12 Length 1′ 11″	5E/4187	KP	32545 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		M1.TC 1 off	1H 1 off	R2.TC 1 off
EV.2239/bk	NV12 Length 1′ 4″	5E/4187	KP	32544 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R2.TL1 1 off	1H 1 off	R3.A 1 off
EV.2239/bl	NV12 Length 1′ 3″	5E/4187	KP	32544 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R2.TL2 1 off	1H 1 off	R3.TB 1 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2239/bm	NV12 Length 1' 2"	5E/4187	KP	32544 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R2.TL3 1 off	1H 1 off	R3.TC 1 off
EV.2239/bn	NV22 Length 2' 2"	5E/4182	AJP	31879 A-MP Ring Tongue 1 off		323000 A-MP Slotted Tongue 1 off	5X/9450396	R2.TET 1 off	1H 1 off	T12 1 off
EV.2239/bp	NV10 Length 1' 7"	5E/4188	KP	32544 A-MP Ring Tongue 1 off		323002 A-MP Slotted Tongue 1 off		R3.TL1 1 off	1H 1 off	T6 1 off
EV.2239/bq	NV10 Length 1' 8"	5E/4188	KP	32544 A-MP Ring Tongue 1 off		323002 A-MP Slotted Tongue 1 off		R3.TL2 1 off	1H 1 off	T4 1 off
EV.2239/br	NV10 Length 1' 9"	5E/4188	KP	32544 A-MP Ring Tongue 1 off		323002 A-MP Slotted Tongue 1 off		R3.TL3 1 off	1H 1 off	T2 1 off
EV.2239/bs	NV22 Length 5"	5E/4182	AJP	150108 A-MP Extended Tongue 1 off		150108 A-MP Extended Tongue 1 off		R3.TS 1 off	1H 1 off	RS.TS1 1 off
EV.2239/bt	NV22 Length 2' 1"	5E/4182	AJP	150108 A-MP Extended Tongue 1 off		323000 A-MP Slotted Tongue 1 off	5X/9450396	R3.TET 1 off	1H 1 off	T13 1 off
EV.2239/bu	NV22 Length 1' 5"	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	R4.T2 1 off	1H 1 off	T12 1 off
EV.2239/bv	NV20 Lenth 1' 0"	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31878 A-MP Ring Tongue 1 off		T18 1 off	1H 1 off	R1.T4a 1 off

RESTRICTED

August 1966
TP27 AL31

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2240/1	**WIRING SET P40**									
DV.2240/a	NV10 Length 3' 6"	5E/4188	KP	Socket 2CZ/111441 Ferrule Z.18500/C Clip CZ.23144/C Crimping Sleeve } Z.70388 Insulating Sleeve B.P. }	5X/5805565 5X/1525 5X/6489 5X/6766 5F/2344	32542 A-MP Ring Tongue 1 off		P39.D3.1 2 off	1H 2 off	R1.TA2 2 off
DV.2240/b	NV10 Length 3' 6"	5E/4188	KP	See Cable core "a"		32542 A-MP Ring Tongue 1 off		P39.D3.2 2 off	1H 2 off	R1.TB2 2 off
DV.2240/c	NV10 Length 3' 6"	5E/4188	KP	See Cable core "a"		32542 A-MP Ring Tongue 1 off		P39.D3.3 2 off	1H 2 off	R1.TC2 2 off
DV.2240/d	NV20 Length 4' 0"	5E/4183	JP	Socket 2CZ/111233 Ferrule Z.18500Z Clip CZ.23144/Z Crimping Sleeve } Z.49428 Insulating Sleeve A.P. }	5X/7175 5X/1523 5X/6440 5X/1005131 5F/2336	31882 A-MP Ring Tongue 1 off		P39.D2.C 2 off	1H 2 off	R1.T3 2 off
DV.2240/e	NV20 Length 4' 1"	5E/4183	JP	See Cable core "d"		31882 A-MP Ring Tongue 1 off		P39.D2.A 2 off	1H 2 off	R1.T6 2 off
DV.2240/f	NV22 Length 5' 6"	5E/4182	AJP	See Cable core "d"		No Fitting		P.39.D2.B 2 off	1H 2 off	R4.T1 2 off
DV.2240/g	NV16 Length 5' 6"	5E/4185	JP	See Cable core "d"		No Fitting		P39.D2.D 2 off	1H 2 off	R4.T3 2 off
DV.2240/k	NV22 Length 1' 11"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T8 2 off	1H 2 off	R5.T4 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2240/m	NV16 Length 5' 7"	5E/4185	JP	Socket 2CZ/84873 Ferrule Z.18764/A Clip Z.23144/Z Crimping Sleeve } Z.49428 Insulating Sleeve A.P. }	5X/7039 5X/1546 5X/6440 5X/1005131 5F/2336	No Fitting		Z7.M14.D2.A 2 off	1H 2 off	R4.T3 2 off
DV.2240/n	NV20 Length 4' 9"	5E/4183	JP	See Cable core " m "		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z7.M14.D2B 2 off	1H 2 off	T6 2 off
DV.2240/o	NV16 Length 5' 0"	5E/4185	JP	See Cable core " m "		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z7.M14.2D 2 off	1H 2 off	TD7 2 off
DV.2240/p	NV12 Length 5' 6"	5E/4187	KP	31771 A-MP Ring Tongue 1 off		323002 A-MP Slotted Tongue 1 off		E137 2 off	1H 2 off	T1 2 off
DV.2240/q	NV12 Length 5' 6"	5E/4187	KP	31771 A-MP Ring Tongue 1 off		323002 A-MP Slotted Tongue 1 off		E139 2 off	1H 2 off	T5 2 off
DV.2240/r	NV10 Length 1' 8"	5E/4188	KP	321500 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R1.TA1 1 off	Nil	R2.TA 1 off
DV.2240/s	NV10 Length 1' 9"	5E/4188	KP	321500 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R1.TB1 1 off	Nil	R2.TB 1 off
DV.2240/t	NV10 Length 1' 10"	5E/4188	KP	321500 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R1.TC1 1 off	Nil	R2.TC 1 off
DV.2240/u	NV22 Length 7"	5E/4182	AJP	31882 A-MP Ring Tongue 1 off		31882 A-MP Ring Tongue 1 off		R1.T1 1 off	Nil	R1.T4 1 off
DV.2240/v	NV22 Length 2' 3"	5E/4182	AJP	31882 A-MP Ring Tongue 1 off		No Fitting		R1.T3 1 off	Nil	R5.T5 1 off
DV.2240/w	NV22 Length 1' 11"	5E/4182	AJP	31882 A-MP Ring Tongue 1 off		31879 A-MP Ring Tongue 1 off		R1.T6 1 off	Nil	R3.TS 1 off

August 1966
TP27 AL31

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2240/x	NV20 Length 1' 4"	5E/4183	JP	31882 A-MP Ring Tongue 1 off		No Fitting		R1.TX1 1 off	Nil	R4.T4 1 off
DV.2240/y	NV20 Length 1' 1"	5E/4183	JP	31882 A-MP Ring Tongue 1 off		323000 A-MP Slotted Tongue 1 off	5X/9450396	R1.TX2 1 off	Nil	T4 1 off
DV.2240/z	NV22 Length 1' 4"	5E/4182	AJP	31882 A-MP Ring Tongue 1 off		No Fitting		R1.TX3 1 off	Nil	R4.T6 1 off
DV.2240/aa	NV22 Length 1' 8"	5E/4182	AJP	31879 A-MP Ring Tongue 1 off		No Fitting		R2.TCT 1 off	Nil	R5.T3 1 off
DV.2240/ab	NV10 Length 11"	5E/4188	KP	321500 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R3.TA 1 off	Nil	R2.TL1 1 off
DV.2240/ac	NV10 Length 10"	5E/4188	KP	321500 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R3.TB 1 off	Nil	R2.TL2 1 off
DV.2240/ad	NV10 Length 9"	5E/4188	KP	321500 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R3.TC 1 off	Nil	R2.TL3 1 off
DV.2240/af	NV22 Length 1' 9"	5E/4882	AJP	31879 A-MP Ring Tongue 1 off		No Fitting		R3.TT 1 off	Nil	R5.T6 1 off
DV.2240/ag	NV22 Length 1' 5"	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	R4.T2 1 off	Nil	T3 1 off
DV.2240/ah	NV22 Length 7"	5E/4182	AJP	No Fitting		No Fitting		R5.T1 1 off	Nil	R5.T6 1 off
DV.2240/aj	NV22 Length 1' 7"	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	R5.T2 1 off	Nil	T3 1 off
DV.2240/al	NV22 Length 1' 7"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31879 A-MP Ring Tongue 1 off		T2 1 off	Nil	R3.TET 1 off
DV.2240/am	NV22 Length 1' 0"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31879 A-MP Ring Tongue 1 off		T2 1 off	Nil	R2.TET 1 off

RESTRICTED

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

Argosy 'C' MK.1.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Identification Sleeves		
							Marker No. 1	Code Marker	Marker No. 2
DV.2241	**WIRING SET P41**								
DV.2241/a 1 off	NV22 Length 7"	5E/4182	AJP	HC1187 Tag, Cranked 1 off	5X/7316	HC1187 Tag, Cranked 1 off	S1.T2 1 off	3Q 1 off	S2.T2 1 off
DV.2241/b 1 off	NV22 Length 7"	5E/4182	AJP	HC1187 Tag, Cranked 1 off	5X/7316	HC1187 Tag, Cranked 1 off	S2.T2 1 off	3Q 1 off	S3.T2 1 off
DV.2241/c 1 off	NV22 Length 7"	5E/4182	AJP	HC1187 Tag, Cranked 1 off	5X/7316	HC1187 Tag, Cranked 1 off	S4.T2 1 off	3Q 1 off	S5.T2 1 off
DV.2241/d 1 off	NV22 Length 7"	5E/4182	AJP	HC1878 Tag, Cranked 1 off	5X/7316	HC1187 Tag, Cranked 1 off	S5.T2 1 off	3Q 1 off	S6.T2 1 off

Argosy 'C' MK.1.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Identification Sleeves		
							Marker No. 1	Code Marker	Marker No. 2

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2242	**WIRING SET P42**									
FV.2242/a	NV22 Length 1′ 1″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T1 2 off	5L 2 off	Y2+ 2 off
FV.2242/b	NV22 Length 1′ 1″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T4 2 off	5L 2 off	R2+ 2 off
FV.2242/c	NV22 Length 1′ 1″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T8 2 off	5L 2 off	LT2— 2 off
FV.2242/d	NV22 Length 4′ 0″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	323000 A-MP Slotted Tongue 1 off	5X/9450396	T4 2 off	5L 2 off	T11 2 off
FV.2242/e	NV22 Length 4′ 0″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	323000 A-MP Slotted Tongue 1 off	5X/9450396	T1 2 off	5L 2 off	T12 2 off
FV.2242/f	NV22 Length 4′ 0″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	323000 A-MP Slotted Tongue 1 off	5X/9450396	T7 2 off	5L 2 off	T13 2 off
FV.2242/g	NV22 Length 1′ 7″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T11 2 off	5L 2 off	R+ 2 off
FV.2242/h	NV22 Length 1′ 7″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	No Fitting		T12 2 off	5L 2 off	Y+ 2 off
FV.2242/j	NV22 Length 2′ 1″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450395	No Fitting		T13 2 off	5L 2 off	LT— 2 off
FV.2242/k	NV22 Length 7″	5E/4182	AJP	31879 A-MP Ring Tongue 1 off	5X/	No Fitting		PAN.ETH 2 off	5L 2 off	LT— 2 off
FV.2242/m	NV22 Length 3′ 0″	5E/4182	AJP	No Fitting		CZ.4901411 } 1 off Socket 2CZ/108171 } 1 off Accessory Set	Z.560591	N2 2 off	3F 2 off	— M2.D2A 2 off
FV.2242/n	NV22 Length 3′ 0″	5E/4182	AJP	No Fitting		See Cable FV.2242/m		N2 2 off	3F 2 off	M2.D2B 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2242/p	NV22 Length 6′ 0″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	CZ.49016 } 1 off Socket 2CZ/1018176 } 1 off Accessory Set	Z.560110	T2 2 off	5L 2 off	M3.D10C 2 off
FV.2242/r	NV22 Length 6′ 0″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable FV.2242/p		T5 2 off	5L 2 off	M3.D10A 2 off
FV.2242/s	NV22 Length 6′ 0″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable FV.2242/p		T8 2 off	5L 2 off	M3.D10D 2 off
FV.2242/t	NV22 Length 6′ 0″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable FV.2242/p		T9 2 off	5L 2 off	M3.D10B 2 off
FV.2242/u	NV22 Length 1′ 7″	5E/4182	AJP	CZ.49222 } 1 off Plug 2CZ/108178 } 1 off Accessory Set	Z560300 10H/	CZ.49017 } 1 off Socket 2CZ/108178 } 1 off Accessory Set	Z.560120 10H/	M3.D6A 2 off	1F 2 off	M1.D1.A 2 off
FV.2242/v	NV22 Length 1′ 7″	5E/4182	AJP	See Cable FV.2242/u		See Cable FV.2242/u		M3.D6.B 2 off	1F 2 off	M1.D.1.B 2 off
FV.2242/w	NV22 Length 1′ 7″	5E/4182	AJP	See Cable FV.2242/u		See Cable FV.2242/u		M3.D6.C 2 off	1F 2 off	M1.D1. C 2 off
FV.2242/x	NV22 Length 1′ 7″	5E/4182	AJP	See Cable FV.2242/u		See Cable FV.2242/u		M3.D6.D 2 off	1F 2 off	M1.D1.D 2 off
FV.2242/y	NV22 Length 1′ 7″	5E/4182	AJP	See Cable FV.2242/u		See Cable FV.2242/u		M3.D6.E 2 off	1F 2 off	M1.D1.E 2 off
FV.2242/z	NV22 Length 1′ 7″	5E/4182	AJP	See Cable FV.2242/u		See Cable FV.2242/u		M3.D6.F 2 off	1F 2 off	M2.D1.F 2 off
FV.2242/aa	NV22 Length 2′ 1″	5E/4182	AJP	No Fitting		40–743–733 Parts Kit 1 off		S1F.T1 2 off	1F 2 off	M4.D1.10 2 off
FV.2242/ab	NV22 Length 1′ 11″	5E/4182	AJP	No Fitting		See Cable FV.2242/aa		S1F.T7 2 off	1F 2 off	M1.D1.25 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2242/ac	NV22 Length 1' 10"	5E/4182	AJP	No Fitting		See Cable FV.2242/aa		S1F.T12 2 off	1F 2 off	M4.D1.18 2 off
FV.2242/ad	NV22 Length 2' 0"	5E/4182	AJP	No Fitting		See Cable FV.2242/aa		S1R.T7 2 off	1F 2 off	M4.D2.18 2 off
FV.2242/ae	NV22 Length 1' 9"	5E/4182	AJP	No Fitting		See Cable FV.2242/aa		S1R.T12 2 off	1F 2 off	M4.D2.10 2 off
FV.2242/af	NV22 Length 1' 10"	5E/4182	AJP	No Fitting		See Cable FV.2242/aa		S1R.T18 2 off	1F 2 off	M4.D2.25 2 off
FV.2242/ag	NV22 Length 1' 5"	5E/4182	AJP	CZ.48995/5 Fixed Connector 1 off	Z.560585	See Cable FV.2242/aa		D7.E 2 off	1F 2 off	M4.D1.22 2 off
FV.2242/ah	NV22 Length 1' 5"	5E/4182	AJP	See Cable FV.2242/ag		See Cable FV.2242/aa		D7.A 2 off	1F 2 off	M4.D1.29 2 off
FV.2242/aj	NV22 Length 1' 5"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable FV.2242/aa		T24	1F 2 off	M4.D1.43 2 off
FV.2242/ak	NV22 Length 1' 4"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable FV.2242/aa		T25 2 off	1F 2 off	M4.D2.32 2 off
FV.2242/al	NV22 Length 1' 4"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable FV.2242/aa		T25 2 off	1F 2 off	M4.D1.32 2 off
FV.2242/am	NV22 Length 1' 7"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable FV.2242/aa		T14 2 off	1F 2 off	MD.D1.45 2 off
FV.2242/an	NV22 Length 1' 6"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable FV.2242/aa		T15 2 off	1F 2 off	M4.D1.39 2 off
FV.2242/ap	NV22 Length 1' 6"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable FV.2242/aa		T15 2 off	1F 2 off	M4.D2.39 2 off
FV.2242/ar	NV22 Length 1' 10"	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S1F.T18 2 off	1F 2 off	T16 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2242/as	NV22 Length 1′ 4″	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S1R.T1 2 off	1F 2 off	T26 2 off
FV.2242/at	NV22 Length 2′ 4″	5E/4182	AJP	No Fitting		CZ.49017/1 } 1 off Socket 2CZ.108178 } 1 off Accessory Set	Z.560521 10H/	S1F.T3 2 off	1F 2 off	M3.D1.F 2 off
FV.2242/au	NV22 Length 2′ 3″	5E/4182	AJP	No Fitting		See Cable FV.2242/at		S1F.T9 2 off	1F 2 off	MS.D1.C 2 off
FV.2242/av	NV22 Length 2′ 1″	5E/4182	AJP	No Fitting		See Cable FV.2242/at		S1F.T14 2 off	1F 2 off	M3.D1.E 2 off
FV.2242/aw	NV22 Length 2′ 0″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable FV.2242/at		T14 2 off	1F 2 off	M3.D1.A 2 off
FV.2242/ax	NV22 Length 1′ 9″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable FV.2242/at		T24 2 off	1F 2 off	M3.D1.B 2 off
FV.2242/ay	NV22 Length 1′ 7″	5E/4182	AJP	CZ.48994 Fixed Plug 1 off	Z.560070	See Cable FV.2242/at		M3.D10.A 2 off	1F 2 off	M3.D1.D 2 off
FV.2242/az	NV22 Length 1′ 1″	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S1F.T20 2 off	1F 2 off	T27 2 off
FV.2242/ba	NV22 Length 1′ 4″	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S1R.T3 2 off	1F 2 off	T28 2 off
FV.2242/bb	NV22 Length 1′ 3″	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S1R/T9 2 off	1F 2 off	T29 2 off
FV.2242/bc	NV22 Length 1′ 1″	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9435096	S1R.T14 2 off	1F 2 off	T30 2 off
FV.2242/bd	NV22 Length 1′ 3″	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	S1R.T20 2 off	1F 2 off	T31 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
FV.2242/be	NV22 Length 1' 5"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	CZ.49223/2 Fixed Connector 1 off	Z.560262	T17 2 off	1F 2 off	M3.D9.A 2 off
FV.2242/bf	NV22 Length 1' 4"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable FV.2242/be		T18 2 off	1F 2 off	M3.D9.B 2 off
FV.2242/bg	NV22 Length 1' 4"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable FV.2242/be		T19 2 off	1F 2 off	M3.D9.C 2 off
FV.2242/bh	NV22 Length 1' 4"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable FV.2242/be		T20 2 off	1F 2 off	M3.D9.D 2 off
FV.2242/bj	NV22 Length 1' 3"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable FV.2242/be		T21 2 off	1F 2 off	M3.D9.E 2 off
FV.2242/bk	NV22 Length 1' 7"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	CZ.94223 Fixed Connector 1 off	Z.260260	T17 2 off	1F 2 off	M3.D6.A 2 off
FV.2242/bl	NV22 Length 1' 7"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable FV2242/bk		T18 2 off	1F 2 off	M3.D6.B 2 off
FV.2242/bm	NV22 Length 1' 7"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable FV.2242/bk		T19 2 off	1F 2 off	M3.D6.C 2 off
FV.2242/bn	NV22 Length 1' 6"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable FV.2242/bk		T20 2 off	1F 2 off	M3.D6.D 2 off
FV.2242/bp	NV22 Length 1' 5"			32300 A-MP Slotted Tongue 1 off	5X/9450396	See Cable FV.2242/bk		T21 2 off	1F 2 off	MS.D6.E 2 off
FV.2242/bq	NV22 Length 1' 2"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	CZ.48994 Fixed Plug 1 off	Z.560070	T32 2 off	1F 2 off	M3.D10.C 2 off
FV.2242/br	NV22 Length 1' 7"	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	R+ 2 off	1F 2 off	T32 2 off

Argosy 'C' MK.1.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Identification Sleeves		
							Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2243/1	**WIRING SET P43**									
EV.2243/a	NV16 Length 1′ 11″	5E/4185	JP	Single Plug 2CZ/111225	5X/7149	150108 A-MP Extended Tongue 1 off		P43.D5.C 1 off	1H 1 off	M1.T1 1 off
EV.2243/b	NV16 Length 1′ 9″	5E/4185	JP	Single Plug 2CZ/111225	5X/7149	150108 A-MP Extended Tongue 1 off		P43.D5.B 1 off	1H 1 off	M1.T2 1 off
EV.2243/c	NV16 Length 1′ 7″	5E/4185	JP	Single Plug 2CZ/111225	5X/7149	150108 A-MP Extended Tongue 1 off		P43.D5.A 1 off	1H 1 off	M1.T3 1 off
EV.2243/d	NV12 Length 9″	5E/4187	KP	Single Plug 2CZ/111225	5X/7149	323002 A-MP Slotted Tongue 1 off		P43.D5.1 1 off	1H 1 off	T11 1 off
EV.2243/e	NV12 Length 11″	5E/4187	KP	Single Plug 2CZ/111225	5X/7149	323002 A-MP Slotted Tongue 1 off		P43.D5.2 1 off	1H 1 off	T17 1 off
EV.2243/f	NV16 Length 1′ 3″	5E/4185	JP	Single Plug 2CZ/111224	5X/5805562	323000 A-MP Slotted Tongue 1 off	5X/9450396	P43.D4.5 1 off	1H 1 off	T5 1 off
EV.2243/g	NV16 Length 1′ 3″	5E/4185	JP	Single Plug 2CZ/111224	5X/5805562	323000 A-MP Slotted Tongue 1 off	5X/9450396	P43.D4.6 1 off	1H 1 off	T3 1 off
EV.2243/h	NV16 Length 1′ 2″	5E/4185	JP	Single Plug 2CZ/111224	5X/5805562	323000 A-MP Slotted Tongue 1 off	5X/9450396	P43.D4.7 1 off	1H 1 off	T1 1 off
EV.2243/j	NV12 Length 1′ 10″	5E/4187	KP	Single Plug 2CZ/111404	5X/7146	32544 A-MP Ring Tongue 1 off		P43.D6.1 1 off	1H 1 off	C1.T2 1 off
EV.2243/k	NV12 Length 1′ 10″	5E/4187	KP	Single Plug 2CZ/111404	5X/7146	32544 A-MP Ring Tongue 1 off		P43.D6.2 1 off	1H 1 off	C2.T2 1 off
EV.2243/l	NV12 Length 1′ 10″	5E/4187	KP	Single Plug 2CZ/111404	5X/7146	32544 A-MP Ring Tongue 1 off		P43.D6.3 1 off	1H 1 off	C3.T2 1 off
EV.2243/n	NV20 Length 1′ 5″	5E/4183	JP	Single Plug 2CZ/111401 Adaptor Sleeve Z.49428	5X/7142 5X/1005131	Single Plug 2CZ/111229 Adaptor Sleeve Z.49428	5X/7159 5X/1005131	P43.D2.C 1 off	1H 1 off	P43.D1.J 1 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2243/o	NV22 Length 1′ 5″	5E/4182	AJP	See Cable core "n"		See Cable core "n"		P43.D2.E 1 off	1H 1 off	P43.D1.G 1 off
EV.2243/p	NV22 Length 1′ 4″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		See Cable core "n"		R1.T4 1 off	1H 1 off	P43.D1.A 1 off
EV.2243/q	NV20 Length 1′ 0″	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable core "n"		T18 1 off	1H 1 off	P43.D1.D 1 off
EV.2243/r	NV20 Length 1′ 4″	5E/4183	JP	31878 A-MP Ring Tongue 1 off		See Cable core "n"		R1.T6 1 off	1H 1 off	P43.D1.K 1 off
EV.2243/s	NV22 Length 1′ 4″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		See Cable core "n"		R1.TC 1 off	1H 1 off	P43.D1.V 1 off
EV.2243/t	NV20 Length 1′ 0″	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable core "n"		T20 1 off	1H 1 off	P43.D1.F 1 off
EV.2243/u	NV22 Length 1′ 6″	5E/4182	AJP	31879 A-MP Ring Tongue 1 off		See Cable core "n"		R2.T1.N1 1 off	1H 1 off	P43.D1.H 1 off
EV.2243/v	NV22 Length 1′ 2″	5E/4182	AJP	No Fitting		See Cable core "n"		R4.T1 1 off	1H 1 off	P43.D1.U 1 off
EV.2243/w	NV20 Length 18′ 10″	5E/4183	JP	Socket MS.3108B–24–7S Cable Clamp AN.3057–16B Insulating Sleeve A.P. 1 off	5F/2336	See Cable core "n"		Z14.M2.D4.1 2 off	1H 2 off	P43.D1.L 2 off
EV.2243/x	NV20 Length 18′ 10″	5E/4183	JP	See Cable core "w"		See Cable core "n"		Z14.M2.D4.K 2 off	1H 2 off	P43.D1.N 2 off
EV.2243/y	NV20 Length 18′ 10″	5E/4183	JP	See Cable core "w"		See Cable core "n"		Z14.M2.D4.C 2 off	1H 2 off	P43.D1.E 2 off
EV.2243/z	NV20 Length 18′ 10″	5E/4183	JP	See Cable core "w"		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z14.M2.D4.A 2 off	1H 2 off	T19 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2243/aa	NV20 Length 18' 10"	5E/4183	JP	See Cable core "w"		See Cable core "n"		Z14.M2.D4.L 2 off	1H 2 off	P43.D1.P 2 off
EV.2243/ab	NV20 Length 18' 10"	5E/4183	JP	See Cable core "w"		323000 A-MP Slotted Tongue 1 off		Z14.M2.D4.E 2 off	1H 2 off	T20 2 off
EV.2243/ac	NV20 Length 18' 10"	5E/4183	JP	See Cable core "w"		323000 A-MP Slotted Tongue 1 off		Z14.M2.D4.P 2 off	1H 2 off	T14 2 off
EV.2243/ad	NV22 Length 18' 10"	5E/4182	AJP	See Cable core "w"		31878 A-MP Ring Tongue 1 off		Z14.M2.D4.D 2 off	1H 2 off	R1.TC 2 off
EV.2243/ae	NV22 Length 18' 10"	5E/4182	AJP	See Cable core "w"		323000 A-MP Slotted Tongue 1 off		Z14.M2.D4.B 2 off	1H 2 off	T19 2 off
EV.2243/af	NV22 Length 18' 10"	5E/4182	AJP	See Cable core "w"		150108 A-MP Extended Tongue 1 off		Z14.M2.D4.G 2 off	1H 2 off	R3.TS 2 off
EV.2243/ag	NV20 Length 3' 11"	5E/4183	JP	Socket 2CZ/108945 Ferrule Z.18500Z Clip CZ.23144/Z Adaptor Sleeve Z.49428 Insulating Sleeve A.P.	5X/7042 5X/1523 5X/6440 5X/1005131 5F/2336	323000 A-MP Slotted Tongue 1 off		Z8.M14.D4.B 2 off	1H 2 off	T15 2 off
EV.2243/ah	NV22 Length 3' 11"	5E/4182	AJP	See Cable core "ag"		See Cable core "n"		Z8.M14.D4.A 2 off	1H 2 off	P43.D1.B 2 off
EV.2243/aj	NV22 Length 3' 11"	5E/4182	AJP	Socket 2CZ/108945 Ferrule Z.18500Z Clip CZ.23144/Z Adaptor Sleeve Z.49428 Adaptor Sleeve Z.49397 Insulating Sleeve A.P. 1 off	5X/7042 5X/1523 5X/6440 5X/1005131 5X/3146 5F/2336	See Cable core "n"		Z8.M14.D4.1 2 off	1H 2 off	P43.D1.C 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2243/ak	NV22 Length 4′ 4″	5E/4182	AJP	See Cable core "aj"		31879 A-MP Ring Tongue 1 off		Z8.M14.D4.2 2 off	1H 2 off	R2.T1.N2 2 off
EV.2243/al	NV8 Length 19′ 4″	5E/4189	KP	Socket MS.3108B–22–2S Cable Clamp AN.3057–12B Insulating Sleeve C.P. } 1 off	5F/2337	322049 A-MP Ring Tongue 1 off		Z14.M2.D3.A 2 off	1H 2 off	M1.T.A1 2 off
EV.2243/am	NV8 Length 19′ 4″	5E/4189	KP	See Cable core "al"		322049 A-MP Ring Tongue 1 off		Z14.M2.D3.B 2 off	1H 2 off	M1.T.B1 2 off
EV.2243/an	NV8 Length 19′ 4″	5E/4189	KP	See Cable core "al"		322049 A-MP Ring Tongue 1 off		Z14.M2.D3.C 2 off	1H 2 off	M1.TC1 2 off
EV.2243/ap	NV12 Length 4′ 9″	5E/4187	KP	Socket 2CZ/108947 Ferrule Z.18500/B Clip CZ.23144/B Insulating Sleeve C.P. }	5X/7040 5X/1524 5X/6488 5F/2337	323002 A-MP Slotted Tongue 1 off		Z8.M14.D3.2 2 off	1H 2 off	T6 2 off
EV.2243/aq	NV12 Length 4′ 9″	5E/4187	KP	See Cable core "ap"		323002 A-MP Slotted Tongue 1 off		Z8.M14.D3.3 2 off	1H 2 off	T4 2 off
EV.2243/ar	NV12 Length 4′ 9″	5E/4187	KP	See Cable core "ap"		323002 A-MP Slotted Tongue 1 off		Z8.M14.D3.4 2 off	1H 2 off	T2 2 off
EV.2243/as	NV20 Length 1′ 9″	5E/4183	JP	See Cable core "n"		No Fitting		P43.D2.A 1 off	1H 1 off	R4.T3 1 off
EV.2243/at	NV22 Length 1′ 9″	5E/4182		See Cable core "n"		31878 A-MP Ring Tongue 1 off		P43.D2.B 1 off	1H 1 off	R1.T6.a 1 off
EV.2243/au	NV20 Length 1′ 9″	5E/4183	JP	See Cable core "n"		31878 A-MP Ring Tongue 1 off		P43.D2.D 1 off	1H 1 off	R1.T1.a 1 off
EV.2243/av	NV8 Length 1′ 4″	5E/4189	KP	Single Plug 2CZ/111406 Adaptor Sleeve Z.66639 } 1 off	5X/5805561 5X/	322049 A-MP Ring Tongue 1 off		P43.D3.1 1 off	1H 1 off	M1.TA 1 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2243/aw	NV8 Length 1' 5"	5E/4189	KP	See Cable core "av"		322049 A-MP Ring Tongue 1 off		P43.D3.2 1 off	1H 1 off	M1.TB 1 off
EV.2243/ax	NV8 Length 1' 7"	5E/4189	KP	See Ca ble core "av"		322049 A-MP Ring Tongue 1 off		P43.D3.3 1 off	1H 1 off	M1.TC 1 off
EV.2243/ay	NV20 Length 1' 3"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		No Fitting		R1.T1 1 off	1H 1 off	R4.T4 1 off
EV.2243/az	NV20 Length 2' 1"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31879 A-MP Ring Tongue 1 off		R1.T3 1 off	1H 1 off	R2.T.CT 1 off
EV.2243/ba	NV22 Length 1' 3"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		No Fitting		R1.T6 1 off	1H 1 off	R4.T3 1 off
EV.2243/bb	NV22 Length 1' 4"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		323000 A-MP Slotted Tongue 1 off		R1.TC.a 1 off	1H 1 off	T11 1 off
EV.2243/bc	NV22 Length 2' 1"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		150108 A-MP Extended Tongue 1 off		R1.T3.a 1 off	1H 1 off	R3.TCT 1 off
EV.2243/bd	NV20 Length 10"	5E/4183	JP	150108 A-MP Extended Tongue 1 off		31879 Ring Tongue 1 off		M1.T1 1 off	1H 1 off	M1.T6 1 off
EV.2243/be	NV20 Length 7"	5E/4183	JP	150108 A-MP Extended Tongue 1 off		31879 A-MP Ring Tongue 1 off		M1.T2 1 off	1H 1 off	M1.T4 1 off
EV.2243/bf	NV20 Length 7"	5E/4183	JP	150108 A-MP Extended Tongue 1 off		31879 A-MP Ring Tongue 1 off		M1.T3 1 off	1H 1 off	M1.T5 1 off
EV.2243/bg	NV12 Length 2' 1"	5E/4187	KP	32545 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		M1.TA 1 off	1H 2 off	R2.TA 1 off
EV.2243/bh	NV12 Length 2' 0"	5E/4187	KP	32545 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		M1.TB 1 off	1H 1 off	R2.TB 1 off
EV.2243/bj	NV12 Length 1' 11"	5E/4187	KP	32545 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		M1.TC 1 off	1H 1 off	R2.TC 1 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2243/bk	NV12 Length 1′ 4″	5E/4187	KP	32544 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R2.TL1 1 off	1H 1 off	R3.TA 1 off
EV.2243/bl	NV12 Length 1′ 3″	5E/4187	KP	32544 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R2.TL2 1 off	1H 1 off	R3.TB 1 off
EV.2243/bm	NV12 Length 1′ 2″	5E/4187	KP	32544 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R2.TL3 1 off	1H 1 off	R3.TC 1 off
EV.2243/bn	NV22 Length 2′ 3″	5E/4182	AJP	31879 A-MP Ring Tongue 1 off		323000 A-MP Slotted Tongue 1 off		R2.TET 1 off	1H 1 off	T12 1 off
EV.2243/bp	NV10 Length 1′ 7″	5E/4188	KP	32544 A-MP Ring Tongue 1 off		323002 A-MP Slotted Tongue 1 off		R3.TL1 1 off	1H 1 off	T6 1 off
EV.2243/bq	NV10 Length 1′ 8″	5E/4188	KP	32544 A-MP Ring Tongue 1 off		323002 A-MP Slotted Tongue 1 off		R3.TL2 1 off	1H 1 off	T4 1 off
EV.2243/br	NV10 Length 1′ 9″	5E/4188	KP	32544 A-MP Ring Tongue 1 off		323002 A-MP Slotted Tongue 1 off		R3.TL3 1 off	1H 1 off	T2 1 off
EV.2243/bs	NV22 Length 5″	5E/4182	AJP	150108 A-MP Extended Tongue 1 off		150108 A-MP Extended Tongue 1 off		R3.TS 1 off	1H 1 off	R3.TS1 1 off
EV.2243/bt	NV22 Length 2′ 1″	5E/4182	AJP	150108 A-MP Extended Tongue 1 off		323000 A-MP Slotted Tongue 1 off		R3.TET 1 off	1H 1 off	T13 1 off
EV.2243/bu	NV22 Length 1′ 6″	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off		R4.T2 1 off	1H 1 off	T12 1 off
EV.2243/bv	NV12 Length 2′ 1″	5E/4187	KP	32545 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		M1.TA 1 off	1H 1 off	C1.T1 1 off
EV.2243/bw	NV12 Length 2′ 1″	5E/4187	KP	32545 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		M1.TB 1 off	1H 1 off	C2.T1 1 off
EV.2243/bx	NV12 Length 1′ 11″	5E/4187	KP	32545 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		M1.TC 1 off	1H 1 off	C3.T1 1 off

RESTRICTED

Argosy C. MK.1.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2243/by	NV20 Length 1' 0"	5E/4183	JP	323000 A-MP Slotted Tongue 1 off		31878 A-MP Ring Tongue 1 off		T18 1 off	1H 1 off	R1.T4.a 1 off

Argosy 'C' MK.1

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A' Ref. No.	End Fitting 'B' Ref. No.	Identification Sleeves Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
									Marker No. 1	Code Marker	Marker No. 2
DV.2244/1	**WIRING SET P44**										
DV.2244/a	NV10 Length 3′ 6″	5E/4188	KP	Socket 2CZ/111441 Ferrule Z.18500/C Clip CZ.23144/C Crimping Sleeve Z.70388 Insulating Sleeve B.P. (1 off)	5X/5805565 5X/1525 5X/6489 5X/6766 5F/2337	32542 Ring Tongue	A-MP 1 off		P43.D3.1 2 off	1H 2 off	R1.TA2 2 off
DV.2244/b	NV10 Length 3′ 6″	5E/4188	KP	See Cable core "a"		32542 Ring Tongue	A-MP 1 off		P43.D3.2 2 off	1H 2 off	R1.TB2 2 off
DV.2244/c	NV10 Length 3′ 6″	5E/4188	KP	See Cable core "a"		32542 Ring Tongue	A-MP 1 off		P43.D3.3 2 off	1H 2 off	R1.TC2 2 off
DV.2244/d	NV20 Length 3′ 3″	5E/4183	JP	Socket 2CZ/111233 Ferrule Z.18500Z Clip CZ.23144/Z Adaptor Sleeve Z.49428 Insulating Sleeve A.P. (1 off)	5X/7175 5X/1523 5X/6440 5X/1005131 5F/2336	31882 Ring Tongue	A-MP 1 off		P43.D2.C 2 off	1H 2 off	R1.T3 2 off
DV.2244/e	NV20 Length 3′ 2″	5E/4183	JP	See Cable core "d"		31882 Ring Tongue	A-MP 1 off		P43.D2.A 2 off	1H 2 off	R1.T6 2 off
DV.2244/f	NV22 Length 4′ 8″	5E/4182	AJP	See Cable core "d"		No Fitting			P43.D2.B 2 off	1H 2 off	R4.T1 2 off
DV.2244/g	NV16 Length 4′ 8″	5E/4185	JP	See Cable core "d"		No Fitting			P43.D2.D 2 off	1H 2 off	R4.T3 2 off
DV.2244/h	NV22 Length 4′ 8″	5E/4182	AJP	See Cable core "d"		31878 Ring Tongue	A-MP 1 off		P43.D2.E 2 off	1H 2 off	R6.T1.a 2 off

RESTRICTED

Argosy C. MK.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2244/j	NV20 Length 4′ 3″	5E/4183	JP	Socket 2CZ/84875 Ferrule Z.18500B Clip CZ.23144/B Adaptor Sleeve Z.49428 Insulating Sleeve A.P.	5X/7045 5X/1524 5X/6488 5X/1005131 5F/2336	323000 A-MP Slotted Tongue 1 off	5X/9450396	Z8.M15.D1.1 2 off	1H 2 off	T6 2 off
DV.2244/k	NV20 Length 4′ 9″	5E/4183	JP	See Cable core "j"		31878 A-MP Ring Tongue 1 off		Z8.M15.D1.2 2 off	1H 2 off	R6.T3.a 2 off
DV.2244/l	NV20 Length 4′ 3″	5E/4183	JP	See Cable core "j"		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z8.M15.D1.5 2 off	1H 2 off	T5 2 off
DV.2244/m	NV20 Length 5′ 3″	5E/4183	JP	See Cable core "j"		No Fitting		Z8.M15.D1.6 2 off	1H 2 off	R5.T4 2 off
DV.2244/n	NV20 Length 6′ 6″	5E/4183	JP	See Cable core "j"		No Fitting		Z8.M15.D1.7 2 off	1H 2 off	R5.T1 2 off
DV.2244/o	NV16 Length 6′ 6″	5E/4185	JP	Socket 2CZ/84873 Ferrule Z.18764A Clip CZ.23144/Z Adaptor Sleeve Z.49428 Insulating Sleeve A.P.	5X/7039 5X/1546 5X/6440 5X/1005131 5F/2336	No Fitting		Z8.M14.D2.A 2 off	1H 2 off	R4.T3 2 off
DV.2244/p	NV20 Length 6′ 0″	5E/4183	JP	See Cable core "o"		31878 A-MP Ring Tongue 1 off		Z8.M14.D2.B 2 off	1H 2 off	R6.T4 2 off
DV.2244/q	NV16 Length 6′ 0″	5E/4185	JP	See Cable core "o"		31878 A-MP Ring Tongue 1 off		Z8.M14.D2.D 2 off	1H 2 off	R6.T2 2 off
DV.2244/r	NV10 Length 1′ 8″	5E/4188	KP	321500 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R1.T1A 1 off	Nil	R2.TA 1 off
DV.2244/s	NV10 Length 1′ 9″	5E/4188	KP	321500 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R1.TB1 1 off	Nil	R2.TB 1 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2244/t	NV10 Length 1' 10"	5E/4188	KP	321500 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R1.TC1 1 off	Nil	R2.TC 1 off
DV.2244/u	NV22 Length 7"	5E/4182	AJP	31879 A-MP Ring Tongue 1 off		31879 A-MP Ring Tongue 1 off		R1.T1 1 off	Nil	R1.T4 1 off
DV.2244/v	NV22 Length 2' 6"	5E/4182	AJP	31879 A-MP Ring Tongue 1 off		No Fitting		R1.T3 1 off	Nil	R5.T5 1 off
DV.2244/w	NV22 Length 1' 7"	5E/4182	AJP	31879 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		R1.T6 1 off	Nil	R6.T5 1 off
DV.2244/x	NV20 Length 1' 5"	5E/4183	JP	31879 A-MP Ring Tongue 1 off		No Fitting		R1.TX1 1 off	Nil	R4.T4 1 off
DV.2244/y	NV20 Length 1' 4"	5E/4183	JP	31879 A-MP Ring Tongue 1 off		323000 A-MP Slotted Tongue 1 off	5X/9450396	R1.TX2 1 off	Nil	T4 1 off
DV.2244/z	NV22 Length 1' 8"	5E/4182	JP	31879 A-MP Ring Tongue 1 off		No Fitting		R1.TX3 1 off	Nil	R4.T6 1 off
DV.2244/aa	NV22 Length 1' 8"	5E/4182	AJP	31879 A-MP Ring Tongue 1 off		No Fitting		R2.T.CT 1 off	Nil	R5.T3 1 off
DV.2244/ab	NV10 Length 11"	5E/4188	KP	321500 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R3.TA 1 off	Nil	R2.TL1 1 off
DV.2244/ac	NV10 Length 10"	5E/4188	KP	321500 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R3.TB 1 off	Nil	R2.TL2 1 off
DV.2244/ad	NV10 Length 9"	5E/4188	KP	321500 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R3.TC 1 off	Nil	R2.TL3 1 off
DV.2244/ae	NV22 Length 1' 2"	5E/4182	AJP	31879 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		R3-TS 1 off	Nil	R6.T5.a 1 off
DV.2244/af	NV22 Length 1' 9"	5E/4182	AJP	31879 A-MP Ring Tongue 1 off		No Fitting		R3.TT 1 off	Nil	R5.T6 1 off

RESTRICTED

Argosy 'C' MK.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2244/ag	NV22 Length 1′ 5″	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	R4.T2 1 off	Nil	T3 1 off
DV.2244/ah	NV22 Length 7″	5E/4182	AJP	No Fitting		No Fitting		R5.T1 1 off	Nil	R5.T6 1 off
DV.2244/aj	NV22 Length 1′ 6″	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	R5.T2 1 off	Nil	T3 1 off
DV.2244/ak	NV22 Length 1′ 5″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		No Fitting		R6.TC 1 off	Nil	R4.T6 1 off
DV.2244/al	NV22 Length 1′ 1″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		323000 A-MP Slotted Tongue 1 off	5X/9450396	R6.TC.a 1 off	Nil	T4 1 off
DV.2244/am	NV22 Length 1′ 9″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31879 A-MP Ring Tongue 1 off		T2 1 off	Nil	R3.T.ET 1 off
DV.2244/an	NV22 Length 1′ 0″	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31879 A-MP Ring Tongue 1 off		T2 1 off	Nil	R2.T.ET 1 off
DV.2244/ap	NV12 Length 5′ 2″	5E/4187	KP	31771 A-MP Ring Tongue 1 off		323002 A-MP Slotted Tongue 1 off		E138.P44 2 off	1H 2 off	T1 2 off
DV.2244/aq	NV12 Length 5′ 2″	5E/4187	KP	31771 A-MP Ring Tongue 1 off		323002 A-MP Slotted Tongue 1 off		E140.P44 2 off	1H 2 off	T5 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2245/1	**WIRING SET P45**									
EV.2245/a	NV16 Length 1′ 11″	5E/4185	JP	Single Plug 2CZ/111225	5X/7149	150108 A-MP Extended Tongue 1 off		P45.D5.C 1 off	1H 1 off	M1.T1 1 off
EV.2245/b	NV16 Length 1′ 9″	5E/4185	JP	Single Plug 2CZ/111225	5X/7149	150108 A-MP Extended Tongue 1 off		P45.D5.B 1 off	1H 1 off	M1.T2 1 off
EV.2245/c	NV16 Length 1′ 7″	5E/4185	JP	Single Plug 2CZ/111225	5X/7149	150108 A-MP Extended Tongue 1 off		P45.D5.A 1 off	1H 1 off	M1.T3 1 off
EV.2245/d	NV12 Length 9″	5E/4187	KP	Single Plug 2CZ/111225	5X/7149	323002 A-MP Slotted Tongue 1 off		P45.D5.1 1 off	1H 1 off	T11 1 off
EV.2245/e	NV12 Length 11″	5E/4187	KP	Single Plug 2CZ/111225	5X/7149	323002 A-MP Slotted Tongue 1 off		P45.D5.2 1 off	1H 1 off	T17 1 off
EV.2245/f	NV16 Length 1′ 3″	5E/4185	JP	Single Plug 2CZ/111224	5X/7145	323000 A-MP Slotted Tongue 1 off		P45.D4.5 1 off	1H 1 off	T5 1 off
EV.2245/g	NV16 Length 1′ 3″	5E/4185	JP	Single Plug 2CZ/111224	5X/7145	323000 A-MP Slotted Tongue 1 off		P45.D4.6 1 off	1H 1 off	T3 1 off
EV.2245/h	NV16 Length 1′ 2″	5E/4185	JP	Single Plug 2CZ/111224	5X/7145	323000 A-MP Slotted Tongue 1 off		P45.D4.7 1 off	1H 1 off	T1 1 off
EV.2245/j	NV12 Length 1′ 10″	5E/4187	KP	Single Plug 2CZ/111404	5X/7146	32544 A-MP Ring Tongue 1 off		P45.D6.1 1 off	1H 1 off	C1.T2 1 off
EV.2245/k	NV12 Length 1′ 10″	5E/4187	KP	Single Plug 2CZ/111404	5X/7146	32544 A-MP Ring Tongue 1 off		P45.D6.2 1 off	1H 1 off	C2.T2 1 off
EV.2245/l	NV12 Length 1′ 10″	5E/4187	KP	Single Plug 2CZ/111404	5X/7146	32544 A-MP Ring Tongue 1 off		P45.D6.3 1 off	1H 1 off	3C.T2 1 off
EV.2245/n	NV20 Length 1′ 5″	5E/4183	JP	Single Plug 2CZ/111401 Adaptor Sleeve Z.49428	5X/7142 5X/1005131	Single Plug 2CZ/111229 Adaptor Sleeve Z.49428	5X/7159 5X/1500131	P45.D2.C 1 off	1H 1 off	P45/D1.J 1 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2245/o	NV22 Length 1′ 5″	5E/4182	AJP	See Cable core "n"		See Cable core "n"		P45.D2.E 1 off	1H 1 off	P45.D1.G 1 off
EV.2245/p	NV22 Length 1′ 4″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		See Cable core "n"		R1.T4 1 off	1H 1 off	P45.D1.A 1 off
EV.2245/q	NV20 Length 1′ 0″	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable core "n"		T18 1 off	1H 1 off	P45.D1.D 1 off
EV.2245/r	NV20 Length 1′ 4″	5E/4183	JP	31878 A-MP Ring Tongue 1 off		See Cable core "n"		R1.T6 1 off	1H 1 off	P45.D1.K 1 off
EV.2245/s	NV22 Length 1′ 4″	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		See Cable core "n"		R1.TC 1 off	1H 1 off	P45.D1.V 1 off
EV.2245/t	NV20 Length 1′ 0″	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable core "n"		T20 1 off	1H 1 off	P45.D1.F 1 off
EV.2245/u	NV22 Length 1′ 6″	5E/4182	AJP	31879 A-MP Ring Tongue 1 off		See Cable core "n"		R2.T1.N1 1 off	1H 1 off	P45.D1.H 1 off
EV.2245/v	NV22 Length 1′ 3″	5E/4182	AJP	No Fitting		See Cable core "n"		R4.T1 1 off	1H 1 off	P45.D1.U 1 off
EV.2245/w	NV.20 Length 20′ 6″	5E/4183	JP	Socket MS.3108B–24–7S Cable Clamp AN.3057–16B Insulating Sleeve A.P. 1 off	5F/2336	See Cable core "n"		Z14.M1.D4.1 2 off	1H 2 off	P45.D1.L 2 off
EV.2245/x	NV20 Length 20′ 6″	5E/4183	JP	See Cable core "w"		See Cable core "n"		Z14.M1.D4.K 2 off	1H 2 off	P45.D1.N 2 off
EV.2245/y	NV20 Length 20′ 6″	5E/4183	JP	See Cable core "w"		See Cable core "n"		Z14.M1.D4.C 2 off	1H 2 off	P45.D1.E 2 off
EV.2245/z	NV20 Length 20′ 6″	5E/4183	JP	See Cable core "w"		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z14.M1.D4.A 2 off	1H 2 off	T19 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2245/aa	NV20 Length 20′ 6″	5E/4183	JP	See Cable core " w "		See Cable core " n "		Z14.M1.D4.L 2 off	1H 2 off	P45.D1.P 2 off
EV.2245/ab	NV20 Length 20′ 6″	5E/4183	JP	See Cable core " w "		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z14.M1.D4.E 2 off	1H 2 off	T20 2 off
EV.2245/ac	NV20 Length 20′ 6″	5E/4183	JP	See Cable core " w "		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z14.M1.D4.P 2 off	1H 2 lff	T14 2 off
EV.2245/ad	NV22 Length 20′ 6″	5E/4182	AJP	See Cable core " w "		31878 A-MP Ring Tongue 1 off		Z14.M1.D4.D 2 off	1H 2 off	R1.TC 2 off
EV.2245/ae	NV22 Length 20′ 6″	5E/4182	AJP	See Cable core " w "		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z14.M1.D4.B 2 off	1H 2 off	T19 2 off
EV.2245/af	NV22 Length 20′ 6″	5E/4182	AJP	See Cable core " w "		150108 A-MP Extended Tongue 1 off		Z14.M1.D4.G 2 off	1H 2 off	R3.TS 2 off
EV.2245/ag	NV20 Length 4′ 2″	5E/4183	JP	Socket 2CZ/108945 Ferrule Z.18500Z Clip CZ.23144/Z Adaptor Sleeve Z.49428 Insulating Sleeve A.P. (1 off)	5X/7042 5X/1523 5X/6440 5X/1005131 5F/2336	323000 A-MP Slotted Tongue 1 off	5X/9450396	Z8.M12.D4.B 2 off	1H 2 off	T15 2 off
EV.2245/ah	NV22 Length 4′ 2″	5E/4182	AJP	See Cable core " ag "		See Cable core " n "		Z8.M12.D4.A 2 off	1H 2 off	P45.D1.B 2 off
EV.2245/aj	NV22 Length 4′ 2″	5E/4182	AJP	Socket 2CZ/108945 Ferrule Z.18500Z Clip CZ.23144/Z Adaptor Sleeve Z.49428 Adaptor Sleeve Z.49397 Insulating Sleeve A.P.	5X/7042 5X/1523 5X/6440 5X/1005131 5X/3146 5F/2336	See Cable core " n "		Z8.M12.D4.1 2 off	1H 2 off	P45.D1.C 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2245/ak	NV22 Length 4′ 7″	5E/4182	AJP	See Cable core "aj"		31879 A-MP Ring Tongue 1 off		Z8.M12.D4.2 2 off	1H 2 off	R2.T1.N2 2 off
EV.2245/al	NV8 Length 20′ 6″	5E/4189	KP	Socket MS.3108B-22-2S Cable Clamp AN.3057-12B Insulating Sleeve C.P.	5F/2337	322049 A-MP Ring Tongue 1 off		Z14.M1.D3.A 2 off	1H 2 off	M1.TA1 2 off
EV.2245/am	NV8 Length 20′ 6″	5E/4189	KP	See Cable core "al"		322049 A-MP Ring Tongue 1 off		Z14.M1.D3.B 2 off	1H 2 off	M1.TB1 2 off
EV.2245/an	NV8 Length 20′ 6″	5E/4189	KP	See Cable core "al"		322049 A-MP Ring Tongue 1 off		Z14.M1.D3.C 2 off	1H 2 off	M1.TC1 2 off
EV.2245/ap	NV12 Length 5′ 0″	5E/4187	KP	Socket 2CZ/108947 Ferrule Z.18500/B Clip CZ.23144/B Insulating Sleeve C.P.	5X/7040 5X/1524 5X/6488 5F/2337	323002 A-MP Slotted Tongue 1 off		Z8.M12.D3.2 2 off	1H 2 off	T6 2 off
EV.2245/aq	NV12 Length 5′ 0″	5E/4187	KP	See Cable core "ap"		323002 A-MP Slotted Tongue 1 off		Z8.M12.D3.3 2 off	1H 2 off	T4 2 off
EV.2245/ar	NV12 Length 5′ 0″	5E/4187	KP	See Cable core "ap"		323002 A-MP Slotted Tongue 1 off		Z8.M12.D3.4 2 off	1H 2 off	T2 2 off
EV.2245/as	NV20 Length 1′ 9″	5E/4183	JP	See Cable core "n"		No Fitting		P45.D2.A 1 off	1H 1 off	R4.T3 1 off
EV.2245/at	NV22 Length 1′ 9″	5E/4182	AJP	See Cable core "n"		31878 A-MP Ring Tongue 1 off		P45.D2.B 1 off	1H 1 off	R1.T6.a 1 off
EV.2245/au	NV20 Length 1′ 9″	5E/4183	JP	See Cable core "n"		31878 A-MP Ring Tongue 1 off		P45.D2.D 1 off	1H 1 off	R1.T1.a 1 off
EV.2245/av	NV8 Length 1′ 4″	5E/4189	KP	Single Plug 2CZ/111406 Adaptor Sleeve Z.66639	5X/5805561	322049 A-MP Ring Tongue 1 off		P45.D3.1 1 off	1H 1 off	M1.TA 1 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2245/aw	NV8 Length 1' 5"	5E/4189	KP	See Cable core "av"		322049 A-MP Ring Tongue 1 off		P45.D3.2 2 off	1H 2 off	M1.TB 2 off
EV.2245/ax	NV8 Length 1' 7"	5E/4189	KP	See Cable core "av"		322049 A-MP Ring Tongue 1 off		P45.D3.3 1 off	1H 1 off	M1.TC 1 off
EV.2245/ay	NV20 Length 1' 3"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		No Fitting		R1.T1 1 off	1H 1 off	T4.T4 1 off
EV.2245/az	NV20 Length 2' 2"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31879 A-MP Ring Tongue 1 off		R1.T3 1 off	1H 1 off	R2.TCT 1 off
EV.2245/ba	NV22 Length 1' 3"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		No Fitting		R1.T6 1 off	1H 1 off	R4.T3 1 off
EV.2245/bb	NV22 Length 1' 4"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		323000 A-MP Slotted Tongue 1 off		R1.TC.a 1 off	1H 1 off	T11 1 off
EV.2245/bc	NV22 Length 2' 1"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		150108 A-MP Extended Tongue 1 off		R1.T3.a 1 off	1H 1 off	R3.TCT 1 off
EV.2245/bd	NV20 Length 10"	5E/4183	JP	150108 A-MP Extended Tongue 1 off		31879 A-MP Ring Tongue 1 off		M1.T1 1 off	1H 1 off	M1.T6 1 off
EV.2245/be	NV20 Length 7"	5E/4183	JP	150108 A-MP Extended Tongue 1 off		31879 A-MP Ring Tongue 1 off		M1.T2 1 off	1H 1 off	M1.T4 1 off
EV.2245/bf	NV20 Length 7"	5E/4183	JP	150108 A-MP Extended Tongue 1 off		31879 A-MP Ring Tongue 1 off		M1.T3 1 off	1H 1 off	M1.T5 1 off
EV.2245/bg	NV12 Length 2' 1"	5E/4187	KP	32545 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		M1.TA 1 off	1H 1 off	R2.TA 1 off
EV.2245/bh	NV12 Length 2' 0"	5E/4187	KP	32545 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		M1.TB 1 off	1H 1 off	R2.TB 1 off
EV.2245/bj	NV12 Length 1' 11"	5E/4187	KP	32545 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		M1.TC 1 off	1H 1 off	R2.TC 1 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2245/bk	NV12 Length 1′ 4″	5E/4187	KP	32544 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R2.TL1 1 off	1H 1 off	R3.TA 1 off
EV.2245/bl	NV12 Length 1′ 3″	5E/4187	KP	32544 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R2.TL2 1 off	1H 1 off	R3.TB 1 off
EV.2245/bm	NV12 Length 1′ 2″	5E/4187	KP	32544 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R2.TL3 1 off	1H 1 off	R3.TC 1 off
EV.2245/bn	NV22 Length 2′ 3″	5E/4182	AJP	31879 A-MP Ring Tongue 1 off		323000 A-MP Slotted Tongue 1 off	5X/9450396	R2.TET 1 off	1H 1 off	T12 1 off
EV.2245/bp	NV10 Length 1′ 7″	5E/4188	KP	32544 A-MP Ring Tongue 1 off		323002 A-MP Slotted Tongue 1 off		R3.TL1 1 off	1H 1 off	T6 1 off
EV.2245/bq	NV10 Length 1′ 10″	5E/4188	KP	32544 A-MP Ring Tongue 1 off		323002 A-MP Slotted Tongue 1 off		R3.TL2 1 off	1H 1 off	T4 1 off
EV.2245/br	NV10 Length 1′ 9″	5E/4188	KP	32544 A-MP Ring Tongue 1 off		323002 A-MP Slotted Tongue 1 off		R3.TL3 1 off	1H 1 off	T2 1 off
EV.2245/bs	NV22 Length 5″	5E/4182	AJP	150108 A-MP Extended Tongue 1 off		150108 A-MP Extended Tongue 1 off		R3.TS 1 off	1H 1 off	R3.TS1 1 off
EV.2245/bt	NV22 Length 2′ 1″	5E/4182	AJP	150108 A-MP Extended Tongue 1 off		323000 A-MP Slotted Tongue 1 off	5X/9450396	R3.TET 1 off	1H 1 off	T13 1 off
EV.2245/bu	NV22 Length 1′ 5″	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	R4.T2 1 off	1H 1 off	T12 1 off
EV.2245/bv	NV12 Length 2′ 1″	5E/4187	KP	32545 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		M1.TA 1 off	1H 1 off	C1.T1 1 off
EV.2245/bw	NV12 Length 2′ 1″	5E/4187	KP	32545 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		M1.TB 1 off	1H 1 off	C2.T1 1 off
EV.2245/bx	NV12 Length 1′ 11″	5E/4187	KP	32545 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		M1.TC 1 off	1H 1 off	C3.T1 1 off

RESTRICTED

Argosy 'C' MK.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2245/by	NV20 Length 1' 0"	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31878 A-MP Ring Tongue 1 off		T18 1 off	1H 1 off	R1.T4.a 1 off

August 1966
TP27
AL31

Argosy C. MK.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Identification Sleeves		
							Marker No. 1	Code Marker	Marker No. 2

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2246/1	**WIRING SET P.46**									
DV.2246/a	NV10 Length 3' 6"	5E/4188	KP	Socket 2CZ/111441 Ferrule Z.18500/C Clip CZ.23144/C Adaptor Sleeve Z.70388 Insulating Sleeve B.P.	5X/5805565 5X/1525 5X/6489 5X/6766 5F/	32542 A-MP Ring Tongue 1 off		P45.D3.1 2 off	1H 2 off	R1.TA2 2 off
DV.2246/b	NV10 Length 3' 6"	5E/4188	KP	See Cable core "a"		32542 A-MP Ring Tongue 1 off		P45.D3.2 2 off	1H 2 off	R1.TB2 2 off
DV.2246/c	NV10 Length 3' 6"	5E/4188	KP	See Cable core "a"		32542 A-MP Ring Tongue 1 off		P45.D3.3 2 off	1H 2 off	R1.TC2 2 off
DV.2246/d	NV20 Length 4' 0"	5E/4183	JP	Socket 2CZ/111233 Ferrule Z.18500Z Clip CZ.23144/Z Adaptor Sleeve Z.49428 Insulating Sleeve A.P.	5X/7175 5X/1523 5X/6440 5X/1005131 5F/2336	31882 A-MP Ring Tongue 1 off		P45.D2.C 2 off	1H 2 off	R1.T3 2 off
DV.2246/e	NV20 Length 4' 1"	5E/4183	JP	See Cable core "d"		31882 A-MP Ring Tongue 1 off		P45.D2.A 2 off	1H 2 off	R1.T6 2 off
DV.2246/f	NV22 Length 5' 6"	5E/4182	AJP	See Cable core "d"		No Fitting		P45.D2.B 2 off	1H 2 off	R4.T1 2 off
DV.2246/g	NV16 Length 5' 6"	5E/4185	JP	See Cable core "d"		No Fitting		P45.D2.D 2 off	1H 2 off	R4.T3 2 off
DV.2246/k	NV22 Length 6' 6"	5E/4182	AJP	See Cable core "an"		No Fitting		Z8.M13.D2.F 2 off	1H 2 off	R5.T4 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2246/m	NV16 Length 5′ 5″	5E/4185	JP	Socket 2CZ/84873 Ferrule Z.18764A Clip CZ.23144/Z Adaptor Sleeve Z.49428 Insulating Sleeve A.P.	5X/7039 5X/1546 5X/6440 5X/1005131 5F/2336	No Fitting		Z8.M12.D2.A 2 off	1H 2 off	R4.T3 2 off
DV.2246/n	NV20 Length 4′ 9″	5E/4183	JP	See Cable core " m "		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z8.M12.D2.B 2 off	1H 2 off	T6 2 off
DV.2246/o	NV16 Length 4′ 9″	5E/4185	JP	See Cable core " m "		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z8.M12.D2.D 2 off	1H 2 off	T7 2 off
DV.2246/p	NV12 Length 5′ 6″	5E/4187	KP	31771 A-MP Ring Tongue 1 off		323002 A-MP Slotted Tongue 1 off		E134 2 off	1H 2 off	T1 2 off
DV.2246/q	NV12 Length 5′ 6″	5E/4187	KP	31771 A-MP Ring Tongue 1 off		323002 A-MP Slotted Tongue 1 off		E136 2 off	1H 2 off	T5 2 off
DV.2246/r	NV10 Length 1′ 8″	5E/4188	KP	321500 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R1.TA1 1 off	Nil	R2.TA 1 off
DV.2246/s	NV10 Length 1′ 9″	5E/4188	KP	321500 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R1.TB1 1 off	Nil	R2.TB 1 off
DV.2246/t	NV10 Length 1′ 10″	5E/4188	KP	321500 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R1.TC1 1 off	Nil	R2.TC 1 off
DV.2246/u	NV22 Length 7″	5E/4182	AJP	31882 A-MP Ring Tongue 1 off		31882 A-MP Ring Tongue 1 off		R1.T1 1 off	Nil	R1.T4 1 off
DV.2246/v	NV22 Length 2′ 3″	5E/4182	AJP	31882 A-MP Ring Tongue 1 off		No Fitting		R1.T3 1 off	Nil	R5.T5 1 off
DV.2246/w	NV22 Length 1′ 11″	5E/4182	AJP	31882 A-MP Ring Tongue 1 off		31879 A-MP Ring Tongue 1 off		R1.T6 1 off	Nil	R3.T5 1 off

August 1966
TP27 AL3H

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2246/x	NV20 Length 1' 4"	5E/4183	JP	31882 A-MP Ring Tongue 1 off		No Fitting		R1.TX1 1 off	Nil	R4.T4 1 off
DV.2246/y	NV20 Length 1' 1"	5E/4183	JP	31882 A-MP Ring Tongue 1 off		323000 A-MP Slotted Tongue 1 off	5X/9450396	R1.TX2 1 off	Nil	T4 1 off
DV.2246/z	NV22 Length 1' 4"	5E/4182	AJP	31882 A-MP Ring Tongue 1 off		No Fitting		R1.TX3 1 off	Nil	R4.T6 1 off
DV.2246/aa	NV22 Length 1' 8"	5E/4182	AJP	31879 A-MP Ring Tongue 1 off		No Fitting		R2.TCT 1 off	Nil	R5.T3 1 off
DV.2246/ab	NV10 Length 11"	5E/4188	KP	321500 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R3.TA 1 off	Nil	R2.T.L1 1 off
DV.2246/ac	NV10 Length 10"	5E/4188	KP	321500 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R3.TB 1 off	Nil	R2.TL2 1 off
DV.2246/ad	NV10 Length 9"	5E/4188	KP	321500 A-MP Ring Tongue 1 off		32544 A-MP Ring Tongue 1 off		R3.TC 1 off	Nil	R2.TL3 1 off
DV.2246/af	NV22 Length 1' 9"	5E/4182	AJP	31879 A-MP Ring Tongue 1 off		No Fitting		R3.TT 1 off	Nil	R5.T6 1 off
DV.2246/ag	NV22 Length 1' 5"	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	R4.T2 1 off	Nil	T3 1 off
DV.2246/ah	NV22 Length 7"	5E/4182	AJP	No Fitting		No Fitting		R5.T1 1 off	Nil	R5.T6 1 off
DV.2246/aj	NV22 Length 1' 7"	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	R5.T2 1 off	Nil	T3 1 off
DV.2246/al	NV22 Length 1' 7"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31879 A-MP Ring Tongue 1 off		T2 1 off	Nil	R3.TET 1 off
DV.2246/am	NV22 Length 1' 0"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31879 A-MP Ring Tongue 1 off		T2 1 off	Nil	R2.TET 1 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2246/an	NV22 Length 5' 2"	5E/4182	AJP	Socket P.T06E-12-8S 1 off		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z8.M13.D2.A 2 off	1H 2 off	T11 2 off
DV.2246/ao	NV22 Length 5' 6"	5E/4182	AJP	See Cable core "an"		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z8.M13.D2.B 2 off	1H 2 off	T8 2 off
DV.2246/ap	NV22 Length 5' 9"	5E/4182	AJP	See Cable core "an"		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z8.M13.D2.D 2 off	1H 2 off	T1 2 off
DV.2246/aq	NV22 Length 6' 4"	5E/4182	AJP	See Cable core "an"		31879 A-MP Ring Tongue 1 off		Z8.M13.D2.G 2 off	1H 2 off	R3.TS 2 off
DV.2246/ar	NV22 Length 5' 9"	5E/4182	AJP	See Cable core "an"		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z8.M13.D2.H 2 off	1H 2 off	T5 2 off
DV.2246/as	NV22 Length 5' 4"	5E/4182	AJP	Socket PT.06E-10-6S 1 off		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z8.M13.D1.A 2 off	1H 2 off	T14 2 off
DV.2246/at	NV22 Length 5' 4"	5E/4182	AJP	See Cable core "as"		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z8.M13.D1.B 2 off	1H 2 off	T15 2 off
DV.2246/au	NV22 Length 5' 4"	5E/4182	AJP	See Cable core "as"		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z8.M13.D1.C 2 off	1H 2 off	T9 2 off
DV.2246/av	NV22 Length 5' 4"	5E/4182	AJP	See Cable core "as"		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z8.M13.D1.D 2 off	1H 2 off	T10 2 off
DV.2246/aw	NV22 Length 5' 4"	5E/4182	AJP	See Cable core "as"		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z8.M13.D1.E 2 off	1H 2 off	T12 2 off
DV.2246/ax	NV22 Length 5' 4"	5E/4182	AJP	See Cable core "as"		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z8.M13.D1.F 2 off	1H 2 off	T13 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2247	**WIRING SET (P47)**									
DV.2247/a	NV20 Length 1' 3"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		R5.T2 2 off	6M 2 off	R4.T1 2 off
DV.2247/b	NV20 Length 7"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		R4.T1 2 off	6M 2 off	R3.T1 2 off
DV.2247/c	NV20 Length 7"	5E/4183	JP	31879 A-MP Ring Tongue 1 off		31879 A-MP Ring Tongue 1 off		R4.T3 2 off	6M 2 off	R3.T3 2 off
DV.2247/d	NV20 Length 1' 4"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		R1.T4a 2 off	6M 2 off	R2.T1 2 off
DV.2247/e	NV16 Length 7"	5E/4185	JP	31879 A-MP Ring Tongue 1 off		31879 A-MP Ring Tongue 1 off		R2.T3 2 off	6M 2 off	R3.T3 2 off
DV.2247/f	NV22 Length 1' 4"	5E/4182	JP	31878 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		R1.T1a 2 off	6M 2 off	R1.TC 2 off
DV.2247/g	NV22 Length 1' 3"	5E/4182	JP	31878 A-MP Ring Tongue 1 off		No Fitting		R1.T1a 2 off	6M 2 off	R7.T2 2 off
DV.2247/h	NV20 Length 1' 5"	5E/4183	JP	No Fitting		31878 A-MP Ring Tongue 1 off		R6.T3 2 off	6M 2 off	R1.T3 2 off
DV.2247/j	NV22 Length 1' 3"	5E/4182	JP	323926 A-MP Ring Tongue 1 off		31879 A-MP Ring Tongue 1 off		F1 2 off	6M 2 off	R2.T4 2 off
DV.2247/k	NV20 Length 1' 7"	5E/4183	JP	No Fitting		31878 A-MP Ring Tongue 1 off		R6.T1 2 off	6M 2 off	R3.T1 2 off
DV.2247/l	NV20 Length 1' 2"	5E/4183	JP	No Fitting		31878 A-MP Ring Tongue 1 off		R7.T1 2 off	6M 2 off	R1.TCa 2 off
DV.2247/n	NV16 Length 1' 4"	5E/4185	JP	31879 A-MP Ring Tongue 1 off		323000 A-MP Slotted Tongue 1 off	5X/9450396	R3.T4 2 off	6M 2 off	T1 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2247/p	NV20 Length 1' 1"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		R4.T2 2 off	6M 2 off	R1.T2a 2 off
DV.2247/s	NV16 Length 2' 3"	5E/4185	JP	31879 A-MP Ring Tongue 1 off		31269 A-MP Ring Tongue 1 off		R5.T4 2 off	6M 2 off	S1.T1 2 off
DV.2247/t	NV20 Length 1' 4"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31879 A-MP Ring Tongue 1 off		R1.T2 2 off	6M 2 off	R5.T3 2 off
DV.2247/u	NV20 Length 1' 5"	5E/4183	JP	No Fitting		No Fitting		R6.T1 2 off	6M 2 off	R7.T1 2 off
DV.2247/v	NV22 Length 1' 5"	5E/4182	JP	No Fitting		No Fitting		R6.T4 2 off	6M 2 off	R7.T3 2 off
DV.2247/x	NV20 Length 1' 5"	5E/4183	JP	No Fitting		31879 A-MP Ring Tongue 1 off		R7.T5 2 off	6M 2 off	M1.T2 2 off
DV.2247/ab	NV22 Length	5E/4182	JP	31878 A-MP Ring Tongue 1 off		323000 A-MP Slotted Tongue 1 off	5X/9450396	R1.T1 2 off	6M 2 off	T13 2 off
DV.2247/ac	NV22 Length	5E/4182	JP	323000 A-MP Slotted Tongue	5X/9450396	No Fitting		T12 2 off	6M 2 off	R6.T5 2 off
DV.2247/ad	NV22 Length	5E/4182	JP	No Fitting		No Fitting		R7.T5 2 off	6M 2 off	R7.T4 2 off
DV.2247/ae	NV22 Length	5E/4182	JP	No Fitting		No Fitting		R6.T3 2 off	6M 2 off	R6.T7 2 off

January 1964
TP27 AL14

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2250/1	**WIRING SET P.50**									
DV.2250/a	NV12 Length 1' 4"	5E/4187	KP	323002 A-MP Slotted Tongue 1 off		323002 A-MP Slotted Tongue 1 off		T2 2 off	Nil	T26 2 off
DV.2250/b	NV14 Length 8"	5E/4186	JP	323001 A-MP Slotted Tongue 1 off		323001 A-MP Slotted Tongue 1 off		T3 2 off	Nil	T33 2 off
DV.2250/c	NV12 Length 1' 3"	5E/4187	KP	323002 A-MP Slotted Tongue 1 off		323002 A-MP Slotted Tongue 1 off		T4 2 off	Nil	T24 2 off
DV.2250/d	NV14 Length 11"	5E/4186	JP	323001 A-MP Slotted Tongue 1 off		323001 A-MP Slotted Tongue 1 off		T5 2 off	Nil	T18 2 off
DV.2250/g	Length 2' 0"		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		A1 2 off	Nil	T56 2 off
DV.2250/h	Length 1' 11"		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		B1 2 off	Nil	T55 2 off
DV.2250/j	Length 2' 0"		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		C1 2 off	Nil	T54 2 off
DV.2250/k	Length 2' 0"		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		A2 2 off	Nil	T53 2 off
DV.2250/l	Length 2' 0"		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		B2 2 off	Nil	T52 2 off
DV.2250/m	Length 1' 11"		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		C2 2 off	Nil	T51 2 off
DV.2250/n	Length 1' 5"		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		A3 2 off	Nil	T72 2 off
DV.2250/o	Length 1' 5"		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		B3 2 off	Nil	T71 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2250/p	Length 1′ 8″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		C3 2 off	Nil	T70 2 off
DV.2250/q	Length 1′ 4″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		A4 2 off	Nil	T75 2 off
DV.2250/r	Length 1′ 5″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		B4 2 off	Nil	T74 2 off
DV.2250/s	Length 1′ 4″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		C4 2 off	Nil	T73 2 off
DV.2250/t	Length 1′ 10″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		A5 2 off	Nil	T43 2 off
DV.2250/u	Length 1′ 9″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		B5 2 off	Nil	T42 2 off
DV.2250/v	Length 1′ 11″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		C5 2 off	Nil	T41 2 off
DV.2250/w	Length 1′ 11″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		A6 2 off	Nil	T59 2 off
DV.2250/x	Length 1′ 11″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		B6 2 off	Nil	T58 2 off
DV.2250/p	Length 1′ 11″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		C6 2 off	Nil	T57 2 off
DV.2250/z	Length 1′ 8″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		A7 2 off	Nil	T66 2 off
DV.2250/aa	Length 1′ 7″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		B7 2 off	Nil	T65 2 off
DV.2250/ab	Length 1′ 6″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		C7 2 off	Nil	T64 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2250/ac	Length 1' 7"		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		A8 2 off	Nil	T69 2 off
DV.2250/ad	Length 1' 7"		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		B8 2 off	Nil	T68 2 off
DV.2250/ae	Length 1' 7"		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		C8 2 off	Nil	T67 2 off
DV.2250/af	Length 1' 9"		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		A9 2 off	Nil	T46 2 off
DV.2250/ag	Length 1' 8"		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		B9 2 off	Nil	T45 2 off
DV.2250/ah	Length 1' 9"		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		C9 2 off	Nil	T44 2 off
DV.2250/aj	Length 1' 7"		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		A10 2 off	Nil	T63 2 off
DV.2250/ak	Length 1' 8"		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		B10 2 off	Nil	T62 2 off
DV.2250/al	Length 1' 8"		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		C10 2 off	Nil	T61 2 off

Argosy 'C' MK.1.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

January 1964
TP27
AL14

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2251/1	**WIRING SET P.51**									
DV.2251/a	NV12 Length 1′ 4″	5E/4187	KP	323002 A-MP Slotted Tongue 1 off		323002 A-MP Slotted Tongue 1 off		T2 2 off	Nil	T26 2 off
DV.2251/b	NV14 Length 8″	5E/4186	JP	323001 A-MP Slotted Tongue 1 off		323001 A-MP Slotted Tongue 1 off		T3 2 off	Nil	T33 2 off
DV.2251/c	NV14 Length 11″	5E/4186	JP	323001 A-MP Slotted Tongue 1 off		323001 A-MP Slotted Tongue 1 off		T5 2 off	Nil	T18 2 off
DV.2251/d	NV12 Length 1′ 3″	5E/4187	KP	323002 A-MP Slotted Tongue 1 off		323002 A-MP Slotted Tongue 1 off		T4 2 off	Nil	T24 2 off
DV.2251/g	Length 1′ 5″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		A1 2 off	Nil	T69 2 off
DV.2251/h	Length 1′ 7″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		B1 2 off	Nil	T68 2 off
DV.2251/j	Length 1′ 8″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		C1 2 off	Nil	T67 2 off
DV.2251/k	Length 1′ 6″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		A2 2 off	Nil	T63 2 off
DV.2251/l	Length 1′ 7″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		B2 2 off	Nil	T62 2 off
DV.2251/m	Length 1′ 7″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		C2 2 off	Nil	T61 2 off
DV.2251/n	Length 1 ′10″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		A3 2 off	Nil	T13 2 off
DV.2251/o	Length 1′ 10″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		B3 2 off	Nil	T14 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2251/p	Length 1′ 7″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		C3 2 off	Nil	T15 2 off
DV.2251/q	Length 1′ 5″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		A4 2 off	Nil	T30 2 off
DV.2251/r	Length 1′ 11″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		B4 2 off	Nil	T11 2 off
DV.2251/s	Length 1′ 11″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		C4 2 off	Nil	T12 2 off
DV.2251/t	Length 1′ 4″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		A5 2 off	Nil	T66 2 off
DV.2251/u	Length 1′ 4″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		B5 2 off	Nil	T65 2 off
DV.2251/v	Length 1′ 5″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		C5 2 off	Nil	T64 2 off
DV.2251/w	Length 1′ 3″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		A6 2 off	Nil	T75 2 off
DV.2251/x	Length 1′ 2″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		B6 2 off	Nil	T74 2 off
DV.2251/y	Length 1′ 3″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		C6 2 off	Nil	T73 2 off
DV.2251/z	Length 1′ 9″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		A7 2 off	Nil	T16 2 off
DV.2251/aa	Length 1′ 9″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		B7 2 off	Nil	T17 2 off
DV.2251/ab	Length 2′ 1″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		C7 2 off	Nil	T6 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2251/ac	Length 2′ 0″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		A8 2 off	Nil	T7 2 off
DV.2251/ad	Length 1′ 10″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		B8 2 off	Nil	T32 2 off
DV.2251/ae	Length 2′ 0″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		C8 2 off	Nil	T31 2 off
DV.2251/af	Length 1′ 3″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		A9 2 off	Nil	T72 2 off
DV.2251/ag	Length 1′ 2″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		B9 2 off	Nil	T71 2 off
DV.2251/ah	Length 1′ 6″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		C9 2 off	Nil	T70 2 off
DV.2251/aj	Length 1′ 11″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		A10 2 off	Nil	T34 2 off
DV.2251/ak	Length 1′ 11″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		B10 2 off	Nil	T35 2 off
DV.2251/al	Length 1′ 4″		JP	No Fitting		323001 A-MP Slotted Tongue 1 off		C10 2 off	Nil	T29 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

Argosy C. MK.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2253	**WIRING SET P.53**									
DV.2253/a	NV16 Length 6½"	5E/4185	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	WE.490 Terminal 1 off		P53.T2 1 off		D1+ 1 off
DV.2253/b	NV16 Length 6½"	5E/4185	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	WE.490 Terminal 1 off		P53.T6 1 off		D1— 1 off
DV.2253/c	NV16 Length 6½"	5E/4185	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	AGS.1606/2 Thimble 1 off		P53.T4 1 off		D2+ 1 off
DV.2253/d	NV16 Length 6½"	5E/4185	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	AGS.1606/2 Thimble 1 off		P53.T5 1 off		D2— 1 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

August 1966
TP27 AL31

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2254	**WIRING SET F.54**									
DV.2254/b	NV22 Length 1' 0"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	R1.TC 2 off	3M 2 off	R1.T1A 2 off
DV.2254/d	NV22 Length 1' 5"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	R1.T3 2 off	3M 2 off	T4 2 off
DV.2254/e	NV22 Length 5"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	R1.T1 2 off	3M 2 off	R2.T6.A 2 off
DV.2254/f	NV22 Length 2' 6"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31269 A-MP Ring Tongue 1 off	5X/9462745	R2.TC 2 off	3M 2 off	S1.T3 2 off
DV.2254/m	NV22 Length 2' 6"	5E/4182	AJP	31878 Ring Tongue 1 off	5X/	31269 A-MP Ring Tongue 1 off	5X/9462745	R2.T8 2 off	3M 2 off	S1.T1 2 off
DV.2254/n	NV16 Length 6"	5E/4185	JP	HC.1189 Tag, Cranked 2 off	5X/7214	31269 A-MP Ring Tongue 1 off	5X/9462745	S2.T2 2 off	3M 2 off	S3.T1 2 off
DV.2254/o	NV20 Length 6"	5E/4183	JP	HC.1187 Tag, Cranked 1 off	5X/7316	31269 A-MP Ring Tongue 1 off	5X/9462745	S4.T2 2 off	3M 2 off	S5.T3 2 off
DV.2254/p	NV22 Length 2' 7"	5E/4182	AJP	HC.1187 Tag, Cranked 1 off	5X/7316	31878 A-MP Ring Tongue 1 off	5X/	S1.T5 2 off	3M 2 off	R3.T1 2 off
DV.2254/q	NV22 Length 1' 4"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	R3.T1 2 off	3M 2 off	R1.T6 2 off
DV.2254/r	NV22 Length 1' 1"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 offz	5X/	R1.T6 2 off	3M 2 off	R1.TCA 2 off
DV.2254/s	NV22 Length 1' 7"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31879 A-MP Ring Tongue 1 off	5X/	R1.T4A 2 off	3M 2 off	R3.T4 2 off
DV.2254/t	NV22 Length 2' 3"	5E/4182	AJP	31269 A-MP Ring Tongue 1 off	5X/ 5X/9462745	41878 A-MP Ring Tongue 1 off	5X/	S1.T6 2 off	3M 2 off	R2.TCA 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2254/v	NV22 Length	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	R2.T1A 2 off	3M 2 off	R5.T8A 2 off
DV.2254/w	NV22 Length	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	R2.T8A 2 off	3M 2 off	R5.T1A 2 off
DV.2254/x	NV22 Length	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	HC.1187 Tag, Cranked 1 off	5X/7316	R5.TCA 2 off	3M 2 off	S1.T5 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2255	**WIRING SET (P55)**									
EV.2255/a	NV20 Length 1′ 6″	5E/4183	JP	31879 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	R1.TA1 2 off	4H 2 off	L5 2 off
EV.2255/b	NV20 Length 1′ 8″	5E/4183	JP	31879 A-MP Ring Tongue 1 off	5X/	31269 A-MP Ring Tongue 1 off	5X/9462745	R1.TA2 2 off	4H 2 off	S1.T1 2 off
EV.2255/c	NV20 Length 6″	5E/4183	JP	31889 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	C4.T1 2 off	4H 2 off	L4 2 off
EV.2255/d	NV20 Length 6″	5E/4183	JP	31889 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	C3.T1 2 off	4H 2 off	L3 2 off
EV.2255/e	NV20 Length 6″	5E/4183	JP	31889 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	C2.T1 2 off	4H 2 off	L2 2 off
EV.2255/f	NV20 Length 6″	5E/4183	JP	31889 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	C1.T1 2 off	4H 2 off	L1 2 off
EV.2255/m	NV12 Length 10″	5E/4187	JP	32542 A-MP Ring Tongue 1 off	5X/	32542 A-MP Ring Tongue 1 off	5X/	R1.TA2 2 off	4H 2 off	R1.TB2 2 off
EV.2255/n	NV20 Length 1′ 3″	5E/4183	JP	31879 A-MP Ring Tongue 1 off	5X/	HC.1187 Ring Tongue 1 off	5X/7316	R1.TX2 2 off	4H 2 off	S1.T2 2 off
EV.2255/p	NV10 Length 1′ 3″	5E/4188	KP	32542 A-MP Ring Tongue 1 off	5X/	323002 A-MP Slotted Tongue 1 off	5X/	R1.TB2 2 off	4H 2 off	T15 2 off
EV.2255/q	NV16 Length 8″	5E/4185	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31889 A-MP Ring Tongue 1 off	5X/	T13 2 off	4H 2 off	C4.T2 2 off
EV.2255/r	NV16 Length 8″	5E/4185	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31889 A-MP Ring Tongue 1 off	5X/	T12 2 off	4H 2 off	C3.T2 2 off
EV.2255/s	NV16 Length 9″	5E/4185	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31889 A-MP Ring Tongue 1 off	5X/	T12 2 off	4H 2 off	C2.T2 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
EV.2255/t	NV16 Length 10"	5E/4185	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31889 A-MP Ring Tongue 1 off	5X/	T11 2 off	4H 2 off	C1.T2 2 off
EV.2255/u	NV16 Length 1' 2"	5E/4185	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31879 A-MP Ring Tongue 1 off	5X/	T2 2 off	4H 2 off	ETH 2 off

August 1966
TP27
AL31

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2257	**WIRING SET P.57**									
DV.2257/a	NV22 Length 8' 9"	5E/4182	AJP	31878 A-MP Ring Tongue		31879 A-MP Ring Tongue 1 off		S2.T2 2 off	3W 2 off	TB 2 off
DV.2257/b	NV22 Length 5' 0"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		S2.T1 2 off	3W 2 off	S1.T1 2 off
DV.2257/c	NV22 Length 8' 9"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		31879 A-MP Ring Tongue 1 off		S2.T1 2 off	3W 2 off	TA 2 off
DV.2257/d	NV22 Length 5' 0"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		S2.T2 2 off	3W 2 off	S1.T2 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2258	**WIRING SET P.58**									
DV.2258/a	NV22 Length 10"	5E/4182	AJP	HC.1187 Tag, Cranked 1 off	5X/7316	31878 A-MP Ring Tongue 1 off	5X/	S1.T2 1 off	5M 1 off	L3.T1 1 off
DV.2258/b	NV22 Length 6"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31878 A-MP Ring Tongue 1 off	5X/	T1 1 off	5M 1 off	L101.T1 1 off
DV.2258/c	NV22 Length 7"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L102.T1 1 off	5M 1 off	L101.T1 1 off
DV.2258/d	NV22 Length 6"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L102.T1 1 off	5M 1 off	L103.T1 1 off
DV.2258/e	NV22 Length 10"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31878 A-MP Ring Tongue 1 off	5X/	T2 1 off	5M 1 off	L103.T1 1 off
DV.2258/f	NV22 Length 6"	5E/4182	AJP	31879 A-MP Ring Tongue 1 off	5X/	323926 A-MP Ring Tongue 1 off	5X/9462954	PAN.ETH 1 off	5M 1 off	N1.T2 1 off
DV.2258/g	NV22 Length 3' 7"	5E/4182	AJP	31879 A-MP Ring Tongue 1 off	5X/	Plug CZ.49458 1 off 2CZ.108187 Outlet Acc. Set 1 off Insulating Sleeve A.P. 1 off	Z.560360 10H/ 5F/2336	PAN.ETH 1 off	5M 1 off	P58.D1A 1 off
DV.2258/h	NV22 Length 3' 9"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable DV.2258/g		T1 1 off	5M 1 off	P58.D1.B 1 off
DV.2258/j	NV22 Length 3' 8"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	See Cable DV.2258/g		L3.T1 1 off	5M 1 off	P58.D1.C 1 off
DV.2258/k	NV22 Length 3' 11"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	See Cable DV.2258/g		L1.T1 1 off	5M 1 off	P58.D1.D 1 off
DV.2258/l	NV22 Length 3' 10"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	See Cable DV.2258/g		L2.T1 1 off	5M 1 off	P58.D1.E 1 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2258/m	NV22 Length	5E/4182	AJP	31269 A-MP Ring Tongue 1 off	5X/9462745	See Cable DV.2258/g		S1.T1 1 off	5M 1 off	P58.D1.F 1 off
DV.2258/n	NV22 Length	5E/4182	AJP	HC.1187 Tag, Cranked	5X/7136	See Cable DV.2258/g		S2.T2 1 off	5M 1 off	P58.D1.G 1 off
DV.2258/p	NV22 Length	5E/4182	AJP	31269 A-MP Ring Tongue 1 off	5X/9462745	See Cable DV.2258/g		S2.T1 1 off	5M 1 off	P58.D1.H 1 off
DV.2258/q	NV22 Length	5E/4182	AJP	31269 A-MP Ring Tongue 1 off	5X/9462745	See Cable DV.2258/g		S2.T3 1 off	5M 1 off	P58.D1.J 1 off
DV.2258/r	NV22 Length	5E/4182	AJP	323926 A-MP Ring Tongue 1 off	5X/9462954	See Cable DV.2258/g		N1.T1 1 off	5M 1 off	P58.D1.K 1 off

RESTRICTED

October 1965
TP27
AL22

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2260	**WIRING SET P60**									
DV.2260/a	NV22 Length 4"	5E/4182	AJP	31094 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	S1.T1 2 off	7L 2 off	L101.T1 2 off
DV.2260/b	NV22 Length 6"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L101.T1 2 off	7L 2 off	L102.T1 2 off
DV.2260/c	NV22 Length 6"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	L102.T1 2 off	7L 2 off	L103.T1 2 off
DV.2260/f	NV22 Length 1' 1"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	N1.T1 2 off	9W 2 off	T1 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

Argosy C. MK.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2261	**WIRING SET P.61**									
DV.2261/a	NV20 Length	5E/4183	JP	HC.1187 Tag, Cranked 1 off	5X/7316	323000 A-MP Ring Tongue 1 off	5X/9450396	S2.T5 2 off	6Q 2 off	T1 2 off
DV.2261/b	NV20 Length	5E/4183	JP	HC.1187 Tag, Cranked 1 off	5X/7316	323000 A-MP Ring Tongue 1 off	5X/9450396	S1.T2 2 off	6Q 2 off	T3 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

August 1966
TP27
AL31

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2262	**WIRING SET P.62**									
DV.2262/a	NV12 Length 1' 6"	5E/4187	JP	32546 A-MP Ring Tongue 1 off	5X/	32544 A-MP Ring Tongue 1 off	5X/	T3 1 off	1A 1 off	C1 1 off
DV.2262/b	NV14 Length 1' 6"	5E/4186	JP	31900 A-MP Ring Tongue 1 off	5X/	31960 A-MP Ring Tongue 1 off	5X/	T2 1 off	2B 1 off	C2 1 off
DV.2262/c	NV14 Length 1' 6"	5E/4186	JP	31900 A-MP Ring Tongue 1 off	5X/	31900 A-MP Ring Tongue 1 off	5X/	T2 1 off	2B 1 off	C3 1 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2263	**WIRING SET P.63**									
DV.2263/b	NV20	5E/4183	JP	31878 A-MP Ring Tongue 1 off		323000 A-MP Slotted Tongue 1 off	5X/9450396	R1.TCA 2 off	1A 2 off	T1 2 off
DV.2263/d	NV20	5E/4183	JP	31878 A-MP Ring Tongue 1 off		323000 A-MP Slotted Tongue 1 off	5X/9540396	R4.TCA 2 off	1A 2 off	T2 2 off
DV.2263/l	NV16	5E/4185	JP	31878 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		R4.T1 2 off	1A 2 off	R4.T3 2 off
DV.2264/m	NV16	5E/4185	JP	31878 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		R4.T1A 2 off	1A 2 off	R4.T3A 2 off
DV.2263/ac	NV16	5E/4185	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	S3.T1 2 off	1A 2 off	T21 2 off
DV.2263/ad	NV16	5E/4185	JP	31878 A-MP Ring Tongue 1 off		323000 A-MP Slotted Tongue 1 off	5X/9450396	R4.T1A 2 off	1A 2 off	T23 2 off
DV.2263/ae	NV16	5E/4185	JP	HC.1189 Tag, Cranked 1 off	5X/7214	323000 A-MP Slotted Tongue 1 off	5X/9450396	S3.T2 2 off	1A 2 off	T23 2 off
DV.2263/am	NV20	5E/4183	JP	HC.1189 Tag, Cranked 1 off	5X/7214	323000 A-MP Slotted Tongue 1 off	5X/9450396	S4.T2 2 off	1A 2 off	T39 2 off
DV.2263/ap	NV20	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31269 A-MP Ring Tongue 1 off	5X/9462745	R1.TC 2 off	1A 2 off	S4.T1 2 off
DV.2263/aq	NV20	5E/4183	JP	31878 A-MP Ring Tongue 1 off		Plug CZ.49216/1 1 off Outlet Set Acc. 2CZ.108171 } 1 off	Z.560271	S2.T1 2 off	ZA1 2 off	D3.A 2 off
DV.2263/ar	NV20	5E/4183	JP	31878 A-MP Ring Tongue 1 off		See DV.2263/aq		S2.T2 2 off	1A 2 off	D3.B 2 off
DV.2263/as	NV16	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	323000 A-MP Slotted Tongue 1 off	5X/9450396	C1.T1 2 off	1A 2 off	T28 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2263/at	NV16	5E/4185	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	323000 A-MP Slotted Tongue 1 off	5X/9450396	C2.T1 2 off	1A 2 off	T27 2 off
DV.2263/au	NV20	5E/4183	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	323000 A-MP Slotted Tongue 1 off	5X/9450396	C3.T1 2 off	1A 2 off	T27 2 off
DV.2263/av	NV16	5E/4185	JP JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31878 A-MP Ring Tongue 1 off		C2.T2 2 off	1A 2 off	R4.T3 2 off
DV.2263/aw	NV20	5E/4183	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	323000 A-MP Slotted Tongue 1 off	5X/9450396	C3.T2 2 off	1A 2 off	T30 2 off
DV.2263/ax	NV20 Length 1' 6"	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31884 Ring Tongue 1 off	5X/9450393	T32 2 off	1A 2 off	C4.11 2 off
DV.2263/ay	NV20 Length 1' 3"	5E/4183	JP	31884 A-MP Ring Tongue 1 off	5X/9450393	31878 A-MP Ring Tongue 1 off		C4.T2 2 off	1A 2 off	L1.TB 2 off
DV.2263/az	NV20 Length 3"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		L3.TB 1 off	1A 1 off	L1.TB 1 off
DV.2263/ba	NV20 Length 3"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		L3.TB 1 off	1A 1 off	L5.TB 1 off
DV.2263/bb	NV20 Length 3"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		L6.TB 1 off	1A 1 off	L5.TB 1 off
DV.2263/bc	NV20 Length 3"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		L6.TB 1 ofi	1A 1 off	L4.TB 1 off
DV.2263/bd	NV20 Length 3"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		L2.TB 1 off	1A 1 off	L4.TB 1 off
DV.2263/be	NV.20 Length 1' 3"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31884 A-MP Ring Tongue 1 off	5X/9450393	L2.TB 1 off	1A 1 off	C4.T2 1 off
DV.2263/bf	NV20 Length 1' 3"	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31878 A-MP Ring Tongue 1 off		T3 1 off	1A 1 off	L1.T2 1 off

CABLE (ELECTRICAL) CHARTS

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2263/bg	NV20 Length 3"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		L3.T2 1 off	1A 1 off	L1.T2 1 off
DV.2263/bh	NV20 Length 3"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		L3.T2 1 off	1A 1 off	L5.T2 1 off
DV.2263/bj	NV20 Length 5"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		L6.T2 1 off	1A 1 off	L5.T2 1 off
DV.2263/bk	NV20 Length 3"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		L6.T2 1 off	1A 1 off	L4.T2 1 off
DV.2263/bl	NV20 Length 3"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		L2.T2 1 off	1A 1 off	L4.T2 1 off
DV.2263/bm	NV20 Length 1' 3"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		323000 A-MP Slotted Tongue 1 off	5X/9450396	L2.T2 1 off	1A 1 off	T2 1 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

August 1966
TP27 AL31

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
CV.2264	**WIRING SET P64**									
CV.2264/a	NV20 Length 2' 7"	5E/4183	JP	CZ.49458 Plug 1 off 2CZ/108188 } 1 off Outlet Acc. Set }	Z.560360	Socket 1 off	5D/1734	A 1 off	1A 1 off	D1.1 1 off
CV.2264/b	NV20 Length 2' 7"	5E/4183	JP	See Cable DV.2264/a		Socket 1 off	5D/1734	B 1 off	1A 1 off	D1.2 1 off
CV.2264/c	NV20 Length 2' 7"	5E/4183	JP	See Cable DV.2264/a		Socket 1 off	5D/1734	C 1 off	1A 1 off	D1.3 1 off
CV.2264/d	NV20 Length 2' 7"	5E/4183	JP	See Cable DV.2264/a		Socket 1 off	5D/1734	D 1 off	1A 1 off	D1.4 1 off
CV.2264/e	NV20 Length 2' 7"	5E/4183	JP	See Cable DV.2264/a		Socket 1 off	5D/1734	E 1 off	1A 1 off	D1.5 1 off
CV.2264/f	NV20	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	Attached to Solenoid		T1 1 off	1A 1 off	See end "B"
CV.2264/g	NV20	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	Attached to Solenoid		T2 1 off	1A 1 off	See end "B"
CV.2264/h	NV20 Length	5E/4183	JP	CZ.49460 Plug 1 off 2CZ/108184 } 1 off Outlet Acc. Set }	10H/19149	Socket 1 off	5D/1734	1 1 off	1A 1 off	D2.1 1 off
CV.2264/j	NV20 Length	5E/4183	JP	See Cable DV.2264/h		Socket 1 off	5D/1734	2 1 off	1A 1 off	D2.2 1 off
CV.2264/k	NV20 Length	5E/4183	JP	See Cable DV.2264/h		Socket 1 off	5D/1734	4 1 off	1A 1 off	D2.4 1 off
CV.2264/l	NV20 Length	5E/4183	JP	See Cable DV.2264/h		323000 A-MP Slotted Tongue	5X/9450396	5 1 off	1A 1 off	T1 1 off
CV.2264/m	NV20 Length	5E/4183	JP	See Cable DV.2264/h		323000 A-MP Slotted Tongue 1 off	5X/9450396	6 1 off	1A 1 off	T2 1 off

Argosy 'C' MK.1.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A' Ref. No.	End Fitting 'A'	Ref. No.	Identification Sleeves Marker No. 1	Identification Sleeves Code Marker	Identification Sleeves Marker No. 2	End Fitting 'B'	Ref. No.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2265	**WIRING SET P65**									
DV.2265/a	NV22 Length 1′ 4″	5E/4182	AJP	Socket CZ.49017 1 off 2CZ/108177 } 1 off Outlet Acc. Set }	Z.560120	323000 A-MP Slotted Tongue 1 off	5X/9450396	D2.E 1 off	2B 1 off	T11 1 off
DV.2265/b	NV22 Length 1′ 4″	5E/4182	AJP	See Cable DV.2265/a		323000 A-MP Slotted Tongue 1 off	5X/9450396	D2.C 1 off	2B 1 off	T16 1 off
DV.2265/c	NV22 Length 1′ 4″	5E/4182	AJP	See Cable DV.2265/a		323000 A-MP Slotted Tongue 1 off	5X/9450396	D2.B 1 off	2B 1 off	T3 1 off
DV.2265/d	NV22 Length 1′ 4″	5E/4182	AJP	Socket CZ.49016 1 off 2CZ/108175 } 1 off Outlet Acc. Set }	Z.560110	323000 A-MP Slotted Tongue 1 off	5X/9450396	D1.A 1 off	2B 1 off	T16 1 off
DV.2265/e	NV22 Length 1′ 4″	5E/4182	AJP	See Cable DV.2265/d		323000 A-MP Slotted Tongue 1 off	5X/9450396	D1.B 1 off	2B 1 off	T1 1 off
DV.2265/f	NV22 Length 1′ 4″	5E/4182	AJP	See Cable DV.2265/d		323000 A-MP Slotted Tongue 1 off	5X/9450396	D1.C 1 off	2B 1 off	T10 1 off
DV.2265/g	NV22 Length 7″	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue	5X/9450396	M3 1 off	2B 1 off	T12 1 off
DV.2265/h	NV22 Length 7″	5E/4182	AJP	No Fitting		323000 A-MP Slotted Tongue 1 off	5X/9450396	M3 1 off	2B 1 off	T3 1 off
DV.2265/j	NV22 Length 7″	5E/4182	AJP	31879 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	S1.T1 1 off	2B 1 off	T18 1 off
DV.2265/k	NV22 Length 1′ 0″	5E/4182	AJP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	S2.T1 1 off	2B 1 off	T17 1 off
DV.2265/l	NV22 Length 1′ 2″	5E/4182	AJP	HC.1189 Tag, Cranked 1 off	5X/7214	31878 A-MP Ring Tongue 1 off	5X/	S2.T2 1 off	2B 1 off	F1.T1 1 off
DV.2265/m	NV22 Length 1′ 0″	5E/4182	AJP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9540396	5X/.T1 1 off	2B 1 off	T20 1 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2265/n	NV22 Length 1' 2"	5E/4182	AJP	HC.1189 Tag, Cranked	5X/7214	31878 A-MP Ring Tongue 1 off	5X/	S3.T2 1 off	2B 1 off	F2.T1 1 off
DV.2265/o	NV22 Length 9"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Ring Tongue 1 off	5X/9450396	F1.T2 1 off	2B 1 off	T14 1 off
DV.2265/p	NV22 Length 9"	5E/4182	AJP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Ring Tongue 1 off	5X/9450396	F2.T2 1 off	2B 1 off	T15 1 off
DV.2265/q	NV22 Length 11"	5E/4182	AJP	31878 A-MP Ring Tongue	5X/	323000 A-MP Ring Tongue 1 off	5X/9450396	L1 1 off	2B 1 off	T13 1 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2266	**WIRING SET P66**									
DV.2266/a	NV16 Length 6"	5E/4185	JP	31881 A-MP Ring Tongue 1 off	5X/	31882 A-MP Ring Tongue 1 off	5X/	R1.T3 1 off	2B 1 off	R2.T3 1 off
DV.2266/b	NV16 Length 4"	5E/4185	JP	31881 A-MP Ring Tongue 1 off	5X/	31881 A-MP Ring Tongue 1 off	5X/	R1.T3A 1 off	2B 1 off	R1.T1A 1 off
DV.2266/c	NV16 Length 4"	5E/4185	JP	31881 A-MP Ring Tongue 1 off	5X/	31881 A-MP Ring Tongue 1 off	5X/	R2.T3A 1 off	2B 1 off	R2.T1A 1 off
DV.2266/d	NV22 Length 10"	5E/4182	JP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	R1.TC 1 off	2B 1 off	R3.T3A 1 off
DV.2266/e	NV22 Length 6"	5E/4182	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	R1.TCA 1 off	2B 1 off	T10 1 off
DV.2266/f	NV22 Length 5"	5E/4182	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	R2.TCA 1 off	2B 1 off	T10 1 off
DV.2266/g	NV22 Length 10"	5E/4182	JP	31878 A-MP Ring Tongue 1 off	5X/	323000 A-MP Slotted Tongue 1 off	5X/9450396	R3.TCA 1 off	2B 1 off	T13 1 off
DV.2266/h	NV22 Length 4"	5E/4182	JP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	R3.T1 1 off	2B 1 off	R3.T3 1 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2267	**WIRING SET P67**									
DV.2267/a	NV20 Length 10"	5E/4183	JP	31882 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		R1.TX1 1 off	1H 1 off	M1.T3 1 off
DV.2267/b	NV20 Length 10"	5E/4183	JP	31882 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		R1.TX3 1 off	1H 1 off	M1.T4 1 off
DV.2267/c	NV20 Length 10"	5E/4183	JP	31882 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		R1.TX2 1 off	1H 1 off	M1.T10 1 off
DV.2267/d	NV20 Length 6"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		M1.T7 1 off	Nil	M1.T11 1 off
DV.2267/e	NV12 Length 6' 0"	5E/4187	KP	32542 A-MP Ring Tongue 1 off		323002 A-MP Slotted Tongue 1 off		R1.TA1 2 off	1H 2 off	P37.T6 2 off
DV.2267/f	NV12 Length 6' 0"	5E/4187	KP	32542 A-MP Ring Tongue 1 off		323002 A-MP Slotted Tongue 1 off		R1.TB1 2 off	1H 2 off	P37.T4 2 off
DV.2267/g	NV12 Length 6' 0"	5E/4187	KP	32542 A-MP Ring Tongue 1 off		323002 A-MP Slotted Tongue 1 off		R1.TC1 2 off	1H 2 off	P37.T2 2 off
DV.2267/h	NV20 Length 7' 0"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		M1.T5 2 off	1H 2 off	P38.R6.T4 2 off
DV.2267/j	NV16 Length 7' 0"	5E/4185	JP	31878 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		M1.T6 2 off	1H 2 off	P38.R6.T2 2 off
DV.2267/k	NV16 Length 7' 0"	5E/4185	JP	31878 A-MP Ring Tongue 1 off		No Fitting		M1.T9 2 off	1H 2 off	P38.R4.T3 2 off
DV.2267/l	NV20 Length 6' 0"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31879 A-MP Ring Tongue 1 off		M1.T8 2 off	1H 2 off	P37.R2.T1.N2 2 off
DV.2267/m	NV20 Length 6' 0"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31879 A-MP Ring Tongue 1 off		M1.T11 2 off	1H 2 off	P37.R2.T1.N1 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2267/n	NV20 Length 5' 0"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31884 A-MP Ring Tongue 1 off	5X/9450393	M1.T10 2 off	1H 2 off	E.133 2 off
DV.2267/p	NV20 Length 9' 0"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31884 A-MP Ring Tongue 1 off	5X/9450393	M1.T12 2 off	1H 2 off	E155 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2268	**WIRING SET P68**									
DV.2268/a	NV20 Length 10"	5E/4183	JP	31882 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	R1.TX1 1 off	1H 1 off	M1.T3 1 off
DV.2268/b	NV20 Length 10"	5E/4183	JP	31882 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	R1.TX3 1 off	1H 1 off	M1.T4 1 off
DV.2268/c	NV20 Length 10"	5E/4183	JP	31882 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	R1.TX2 1 off	1H 1 off	M1.T10 1 off
DV.2268/d	NV20 Length 6"	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	31878 A-MP Ring Tongue 1 off	5X/	M1.T7 1 off		M1.T11 1 off
DV.2268/e	NV12 Length 6' 0"	5E/4187	KP	32542 A-MP Ring Tongue 1 off	5X/	323002 A-MP Slotted Tongue 1 off	5X/	R1.TA1 2 off	1H 2 off	P39.T6 2 off
DV.2268/f	NV12 Length 6' 0"	5E/4187	KP	32542 A-MP Ring Tongue 1 off	5X/	323002 A-MP Slotted Tongue 1 off	5X/	R1.TB1 2 off	1H 2 off	P39.T4 2 off
DV.2268/g	NV12 Length 6' 0"	5E/4187	KP	32542 A-MP Ring Tongue 1 off	5X/	323002 A-MP Slotted Tongue 1 off	5X/	R1.TC1 2 off	1H 2 off	P39.T2 2 off
DV.2268/k	NV16 Length 7' 0"	5E/4185	JP	31878 A-MP Ring Tongue 1 off	5X/	No Fitting		M1.T9 2 off	1H 2 off	P40.R4.T3 2 off
DV.2268/l	NV20 Length 6' 0"	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	31879 A-MP Ring Tongue 1 off	5X/	M1.T8 2 off	1H 2 off	P39.R2.T1.N2 2 off
DV.2268/m	NV20 Length 6' 0"	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	31879 A-MP Ring Tongue 1 off	5X/	M1.T11 2 off	1H 2 off	P39.R2.T1.N1 2 off
DV.2268/n	NV20 Length 5' 6"	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	31884 A-MP Ring Tongue 1 off	5X/9450393	M1.T10 2 off	1H 2 off	E137 2 off
DV.2268/p	NV20 Length 5' 0"	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	31884 A-MP Ring Tongue 1 off	5X/9450393	M1.T12 2 off	1H 2 off	E155 2 off

Argosy 'C' MK.1.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Identification Sleeves		
							Marker No. 1	Code Marker	Marker No. 2

Argosy 'C' MK.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2269	**WIRING SET P.69**									
DV.2269/a	NV20 Length 10"	5E/4183	JP	31882 A-MP Ring Tongue 1 off	5X	31878 A-MP Ring Tongue 1 off	5X	R1.TX1 1 off	1H 1 off	M1.T3 1 off
DV.2269/b	NV20 Length 10"	5E/4183	JP	31882 A-MP Ring Tongue 1 off	5X	31878 A-MP Ring Tongue 1 off	5X	R1.TX3 1 off	1H 1 off	M1.T4 1 off
DV.2269/c	NV20 Length 10"	5E/4183	JP	31882 A-MP Ring Tongue 1 off	5X	31878 A-MP Ring Tongue 1 off	5X	R1.TX2 1 off	1H 1 off	M1.T10 1 off
DV.2269/d	NV20 Length 6"	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X	31878 A-MP Ring Tongue 1 off	5X	M1.T7 2 off		M1.T11 1 off
DV.2269/e	NV12 Length 6' 0"	5E/4187	KP	32542 A-MP Ring Tongue 1 off	5X	323002 A-MP Ring Tongue 1 off	5X	R1.TA1 2 off	1H 2 off	P43.T6 2 off
DV.2269/f	NV12 Length 6' 0"	5E/4187	KP	32542 A-MP Ring Tongue 1 off	5X	323002 A-MP Ring Tongue 1 off	5X	R1.TB1 2 off	1H 2 off	P43.T4 2 off
DV.2269/g	NV12 Length 6' 0"	5E/4187	KP	32542 A-MP Ring Tongue 1 off	5X	323002 A-MP Ring Tongue 1 off	5X	R1.TC1 2 off	1H 2 off	P43.T2 2 off
DV.2269/h	NV20 Length 7' 0"	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X	31878 A-MP Ring Tongue 1 off	5X	M1.T5 2 off	1H 2 off	P44.R6.T4 2 off
DV.2269/j	NV16 Length 7' 0"	5E/4185	JP	31878 A-MP Ring Tongue 1 off	5X	31878 A-MP Ring Tongue 1 off	5X	M1.T6 2 off	1H 2 off	P44.R6.T2 2 off
DV.2269/k	NV16 Length 7' 0"	5E/4185	JP	31878 A-MP Ring Tongue 1 off	5X	No Fitting		M1.T9 2 off	1H 2 off	P44.R4.T3 2 off
DV.2269/l	NV20 Length 6' 0"	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X	31879 A-MP Ring Tongue 1 off	5X	M1.T8 2 off	1H 2 off	P43.R2.T2.N2 2 off
DV.2269/m	NV20 Length 6' 0"	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X	31879 A-MP Ring Tongue 1 off	5X	M1.T11 2 off	1H 2 off	P43.R2.T1.N1 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2269/n	NV20 Length 5' 6"	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	31884 A-MP Ring Tongue 1 off	5X/9450393	M1.T10 2 off	1H 2 off	E138 2 off
DV.2269/p	NV20 Length 5' 0"	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	31884 A-MP Ring Tongue 1 off	5X/9450393	M1.T12 2 off	1H 2 off	E156 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2270	**WIRING SET P.70**									
DV.2270/a	NV20 Length 10"	5E/4183	JP	31882 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		R1.TX1 1 off	1H 1 off	M1.T3 1 off
DV.2270/b	NV20 Length 10"	5E/4183	JP	31882 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		R1.TX3 1 off	1JH 1 off	M1.T4 1 off
DV.2270/c	NV20 Length 10"	5E/4183	JP	31882 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		R1.TX2 1 off	1H 1 off	M1.T10 1 off
DV.2270/d	NV20 Length 6"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31878 A-MP Ring Tongue 1 off		M1.T7 1 off	Nil	M1.T11 1 off
DV.2270/e	NV12 Length 6' 0"	5E/4187	KP	32542 A-MP Ring Tongue 1 off		323002 A-MP Slotted Tongue 1 off		R1.TA1 2 off	1H 2 off	P45.T6 2 off
DV.2270/f	NV12 Length 6' 0"	5E/4187	KP	32542 A-MP Ring Tongue 1 off		323002 A-MP Slotted Tongue 1 off		R1.TB1 2 off	1H 2 off	P45.T4 2 off
DV.2270/g	NV12 Length 6' 0"	5E/4187	KP	32542 A-MP Ring Tongue 1 off		323002 A-MP Slotted Tongue 1 off		R1.TC1 2 off	1H 2 off	P45.T2 2 off
DV.2270/k	NV16 Length 7' 0"	5E/4185	JP	31878 A-MP Ring Tongue 1 off		No Fitting		M1.T9 2 off	1H 2 off	P46.R4.T3 2 off
DV.2270/l	NV20 Length 6' 0"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31879 A-MP Ring Tongue 1 off		M1.T8 2 off	1H 2 off	P45.R2.T1.N2 2 off
DV.2270/m	NV20 Length 6' 0"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31879 A-MP Ring Tongue 1 off		M1.T11 2 off	1H 2 off	P45.R2.T1.N1 2 off
DV.2270/n	NV20 Length 5' 6"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31884 A-MP Ring Tongue 1 off	5X/9450393	M1.T10 2 off	1H 2 off	E136 2 off
DV.2270/p	NV20 Length 9' 0"	5E/4183	JP	31878 A-MP Ring Tongue 1 off		31884 A-MP Ring Tongue 1 off	5X/9450393	M1.T12 2 off	1H 2 off	E156 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2