

RESTRICTED

Argosy 'C' MK.I.

CABLE (ELECTRICAL) CHARTS

PANEL FLY-LEAD SETS

Subject 3

PANEL FLY-LEAD SETS

September 1963
TP27 AL14

100-3

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2301	FLY-LEAD SET P1											
DV.2011/6	NV20 Length 23' 0"	5E/4183	JP	HC1187 Tag, Cranked	1 off	5X/7316	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S67.T2 2 off	1P 2 off	P1.F10.M 2 off
DV.2011/14	NV20 Length 21' 6"	5E/4183	JP	HC1187 Tag, Cranked	1 off	5X/7316	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S66.T2 2 off	1P 2 off	P1.F10.L 2 off
DV.2011/36	NV20 Length 22' 0"	5E/4183	JP	HC1187 Tag, Cranked	1 off	5X/7316	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S65.T2 2 off	1P 2 off	P1.F10.K 2 off
DV.2011/44	NV20 Length 21' 6"	5E/4183	JP	HC1187 Tag, Cranked	1 off	5X/7316	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S64.T2 2 off	1P 2 off	P1.F18.H 2 off
DV.2011/62	NV20 Length 10' 0"	5E/4183	JP	150141 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P2.C4.T8 2 off	1P 2 off	P1.F10.M 2 off
DV.2011/69	NV20 Length 10' 0"	5E/4183	JP	150107 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P2.C3.T8 2 off	1P 2 off	P1.F10.L 2 off
DV.2011/76	NV20 Length 10' 0"	5E/4183	JP	150107 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P2.C2.T8 2 off	1P 2 off	P1.F10.K 2 off
DV.2011/84	NV20 Length 10' 0"	5E/4183	JP	150107 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P2.C1.T8 2 off	1P 2 off	P1.F18.H 2 off
DV.2014/11	NV6 Length 22' 0"	5E/4190	LP	322006 Ring Tongue	A-MP 1 off	5X/	322050 Ring Tongue 16337/1 Rubber Boot	A-MP 1 off 1 off	5X/ 5CZ/1983	P1.F1.4 2 off	1V 2 off	P36.R4.T2 2 off
DV.2014/12	NV6 Length 19' 0"	5E/4190	LP	322006 Ring Tongue	A-MP 1 off	5X/	See Cable DV.2014/11			P1.F6 2 off	1V 2 off	P36.R5.T2 2 off
DV.2015/14	NV2 Length 32' 0"	5E/4192	MP	322074 Ring Tongue	A-MP 1 off	5X/	322074 Ring Tongue	A-MP 1 off	5X/	P1.F17 2 off	2V 2 off	P36.M3.+ 2 off
DV.2015/16	NV22 Length 32' 0"	5E/4182	AJP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31879 Ring Tongue	A-MP 1 off	5X/	P1.F19.H 2 off	2V 2 off	J8.T3.R3 2 off

RESTRICTED
Argosy C. Mk.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2015/18	NV2 Length 31' 0"	5E/4192	MP	322074 Ring Tongue	A-MP 1 off	5X/	322074 Ring Tongue	A-MP 1 off	5X/	P1.F15 2 off	2V 2 off	P36.M2. + 2 off
DV.2015/20	NV22 Length 22' 0"	5E/4182	AJP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31879 Ring Tongue	A-MP 1 off	5X/	P1.F19.F 2 off	2V 2 off	J8.R2.T3 2 off
DV.2015/23	NV22 Length 32' 0"	5E/4182	AJP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31879 Ring Tongue	A-MP 1 off	5X/	P1.F19.C 2 off	2V 2 off	J8.R1.T3 2 off
DV.2015/25	NV12 Length 30' 0"	5E/4187	KP	32544 Ring Tongue	A-MP 1 off	5X/	321500 Ring Tongue	A-MP 1 off	5X/	P1.C25.J 2 off	2V 2 off	J8.R6.T3 2 off
DV.2018/8	NV20 Length 35' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31884 Ring Tongue	A-MP 1 off	5X/9450393	J2.R1.T6A 2 off	1H 2 off	P1.C23.A 2 off
DV.2018/25	NV22 Length 16' 0"	5E/4182	AJP	HC1187 Tag, Cranked	1 off	5X/7316	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S25.T2 2 off	1H 2 off	P1.F15.A 2 off
DV.2018/27	NV20 Length 24' 0"	5E/4183	JP	HC1187 Tag, Cranked	A-MP 1 off	5X/7316	31884 Ring Tongue	A-MP 1 off	5X/9450393	P33.S29.T2 2 off	1H 2 off	P1.C23.E 2 off
DV.2018/29	NV16 Length 21' 0"	5E/4185	JP	HC1187 Tag, Cranked	1 off	5X/7316	31884 Ring Tongue	A-MP 1 off	5X/9450393	P33.S33.T2 2 off	1H 2 off	P1.C22.H 2 off
DV.2018/37	NV20 Length 24' 0"	5E/4183	JP	HC1187 Tag, Cranked	1 off	5X/7316	31884 Ring Tongue	A-MP 1 off	5X/9450393	P33.S28.T2 2 off	1H 2 off	P1.C23.H 2 off
DV.2018/39	NV16 Length 24' 0"	5E/4185	JP	HC1187 Tag, Cranked	1 off	5X/7316	31884 Ring Tongue	A-MP 1 off	5X/9450393	P33.S32.T2 2 off	1H 2 off	P1.C22.G 2 off
DV.2018/47	NV20 Length 25' 0"	5E/4183	JP	HC1187 Tag, Cranked	1 off	5X/7316	31884 Ring Tongue	A-MP 1 off	5X/9450393	P33.S27.T2 2 off	1H 2 off	P1.C23.G 2 off
DV.2018/49	NV16 Length 20' 0"	5E/4185	JP	HC1187 Tag, Cranked	1 off	5X/7316	31884 Ring Tongue	A-MP 1 off	5X/9450393	P33.S31.T2 2 off	1H 2 off	P1.C22.F 2 off
DV.2018/57	NV20 Length 24' 0"	5E/4183	JP	HC1187 Tag, Cranked	1 off	5X/7316	31884 Ring Tongue	A-MP 1 off	5X/9450393	P33.S26.T2 2 off	1H 2 off	P1.C23.D 2 off

RESTRICTED

September 1966
TP27
AL31RESTRICTED
Argosy C. Mk.I.

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2018/59	NV16 Length 20' 0"	5E/4185	JP	HC1187 Tag, Cranked	1 off	5X/7316	31884 Ring Tongue	A-MP 1 off	5X/9450393	P33.S30.T2 2 off	1H 2 off	P1.C22.E 2 off
DV.2018/83	NV20 Length 24' 6"	5E/4183	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31878 Ring Tongue	A-MP 1 off	5X/	P1.C23.E 2 off	1H 2 off	J5.R8.T7 2 off
DV.2018/87	NV20 Length 25' 0"	5E/4183	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31878 Ring Tongue	A-MP 1 off	5X/	P1.C23.H 2 off	1H 2 off	J5.R9.T7 2 off
DV.2018/88	NV16 Length 20' 6"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31878 Ring Tongue	A-MP 1 off	5X/	P1.C22.G 2 off	1H 2 off	J5.R9.T5 2 off
DV.2018/92	NV16 Length 20' 6"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31878 Ring Tongue	A-MP 1 off	5X/	P1.C22.F 2 off	1H 2 off	J5.R9.T1 2 off
DV.2018/93	NV16 Length 24' 6"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31878 Ring Tongue	A-MP 1 off	5X/	P1.C23.G 2 off	1H 2 off	J5.R9.T3 2 off
DV.2018/96	NV20 Length 20' 6"	5E/4183	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31878 Ring Tongue	A-MP 1 off	5X/	P1.C22.H 2 off	1H 2 off	J5.R8.T5 2 off
DV.2018/97	NV16 Length 25' 0"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31878 Ring Tongue	A-MP 1 off	5X/	P1.C23.D 2 off	1H 2 off	J5.R8.T3 2 off
DV.2018/98	NV22 Length 20' 6"	5E/4182	AJP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31878 Ring Tongue	A-MP 1 off	5X/	P1.C22.E 2 off	1H 2 off	J5.R8.T1 2 off
DV.2018/171	NV20 Length 22' 0"	5E/4183	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31269 Ring Tongue	A-MP 1 off	5X/9462745	P1.F15.B 2 off	1H 2 off	P33.S80.T3 2 off
DV.2022/92	NV20 Length 20' 6"	5E/4183	JP	No Fitting			31889 Ring Tongue	A-MP 1 off	5X/	P33.S35.T2 2 off	2H 2 off	P1.C22.Q 2 off
DV.2022/94	NV20 Length 35' 0"	5E/	JP	31879 Ring Tongue	A-MP 1 off	5X/	31889 Ring Tongue	A-MP 1 off	5X/	J2.R5.T3 2 off	2H 2 off	P1.C22.R 2 off
DV.2024/1	NV12 Length 50' 0"	5E/4187	KP	32544 Ring Tongue	A-MP 1 off	5X/	323002 Slotted Tongue	A-MP 1 off	5X/	P1.C22.D 2 off	2P 2 off	P53/6.T1 2 off

Argosy C. Mk.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2024/2	NV12 Length 28' 0"	5E/4187	KP	32544 Ring Tongue	A-MP 1 off	5X/	323002 Slotted Tongue	A-MP 1 off	5X/	P1.C22.D 2 off	2P 2 off	P53/2.T1 2 off
DV.2024/3	NV16 Length 28' 0"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P1.C22.C 2 off	2P 2 off	P53./2.T3 2 off
DV.2024/4	NV12 Length 40' 0"	5E/4187	KP	32544 Ring Tongue	A-MP 1 off	5X/	323002 Slotted Tongue	A-MP 1 off	5X/	P1.C22.A 2 off	2P 2 off	P53/5.T1 2 off
DV.2024/5	NV12 Length 20' 0"	5E/4187	KP	32544 Ring Tongue	A-MP 1 off	5X/	323002 Slotted Tongue	A-MP 1 off	5X/	P1.C22.A 2 off	2P 2 off	P53/1.T1 2 off
DV.2024/6	NV16 Length 20' 0"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P1.C22.B 2 off	2P 2 off	P53/1.T3 2 off
DV.2028/1	NV12 Length 42' 0"	5E/4187	KP	32544 Ring Tongue	A-MP 1 off	5X/	HC314A Ring Tongue	1 off	5X/7220	P1.C28.F 2 off	1Q 2 off	P33.S14.T3 2 off
DV.2028/2	NV12 Length 42' 0"	5E/4187	KP	32544 Ring Tongue	A-MP 1 off	5X/	HC314A Ring Tongue	1 off	5X/7220	P1.C25.F 2 off	1Q 2 off	P33.S13.T3 2 off
DV.2028/3	NV12 Length 42' 0"	5E/4187	KP	32544 Ring Tongue	A-MP 1 off	5X/	HC314A Ring Tongue	1 off	5X/7220	P1.C25.E 2 off	1Q 2 off	P33.S12.T3 2 off
DV.2028/4	NV12 Length 42' 0"	5E/4187	KP	32544 Ring Tongue	A-MP 1 off	5X/	HC314A Ring Tongue	1 off	5X/7220	P1.C28.E 2 off	1Q 2 off	P33.S11.T3 2 off
DV.2028/5	NV12 Length 42' 0"	5E/4187	KP	32544 Ring Tongue	A-MP 1 off	5X/	HC314A Ring Tongue	1 off	5X/7220	P1.C28.D 2 off	1Q 2 off	P33.S16.T3 2 off
DV.2028/6	NV12 Length 42' 0"	5E/4187	KP	32544 Ring Tongue	A-MP 1 off	5X/	HC314A Ring Tongue	1 off	5X/7220	P1.C25.D 2 off	1Q 2 off	P33.S15.T3 2 off
DV.2028/7	NV12 Length 42' 0"	5E/4187	KP	32544 Ring Tongue	A-MP 1 off	5X/	HC314A Ring Tongue	1 off	5X/7220	P1.C28.C 2 off	1Q 2 off	P33.S6.T3 2 off
DV.2028/8	NV12 Length 42' 0"	5E/4187	KP	32544 Ring Tongue	A-MP 1 off	5X/	HC314A Ring Tongue	1 off	5X/7220	P1.C25.C 2 off	1Q 2 off	P33.S5.T3 2 off

RESTRICTED

September 1966
TP27
A1M

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2028/9	NV12 Length 42' 0"	5E/4187	KP	32544 Ring Tongue	A-MP 1 off	5X/	HC314A Ring Tongue	1 off	5X/7220	P1.C25.B 2 off	1Q 2 off	P33.S10.T3 2 off
DV.2028/10	NV12 Length 42' 0"	5E/4187	KP	32544 Ring Tongue	A-MP 1 off	5X/	HC314A Ring Tongue	1 off	5X/7220	P1.C28,B 2 off	1Q 2 off	P33.S9.T3 2 off
DV.2028/11	NV12 Length 42' 0"	5E/4187	KP	32544 Ring Tongue	A-MP 1 off	5X/	HC314A Ring Tongue	1 off	5X/7220	P1.C28.A 2 off	1Q 2 off	P33.S8.T3 2 off
DV.2028/12	NV12 Length 42' 0"	5E/4187	KP	32544 Ring Tongue	A-MP 1 off	5X/	HC314A Ring Tongue	1 off	5X/7220	P1.C25.A 2 off	1Q 2 off	P33.S7.T3 2 off
DV.2029/1	NV20 Length 20' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31884 Ring Tongue	A-MP 1 off	5X/9450393	P27.T4 2 off	4Q 2 off	P1.C26.H 2 off
DV.2029/2	NV20 Length 20' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31884 Ring Tongue	A-MP 1 off	5X/9450393	P27.T1 2 off	4Q 2 off	P1.C26.G 2 off
DV.2029/3	NV20 Length 18' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31884 Ring Tongue	A-MP 1 off	5X/9450393	P15.T4 2 off	4Q 2 off	P1.C26.F 2 off
DV.2029/4	NV20 Length 18' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31884 Ring Tongue	A-MP 1 off	5X/9450393	P15.T1 2 off	4Q 2 off	P1.C26.E 2 off
DV.2030/4	NV20 Length 21' 0"	5E/4183	JP	HC1187 Tag, Cranked	1 off	5X/7316	31884 Ring Tongue	A-MP 1 off	5X/9450393	P33.S20.T2 2 off	5Q 2 off	P1.C27.D 2 off
DV.2030/8	NV20 Length 17' 0"	5E/4183	JP	HC1187 Tag, Cranked	1 off	5X/7316	31884 Ring Tongue	A-MP 1 off	5X/9450393	P33.S19.T2 2 off	5Q 2 off	P1.27.C 2 off
DV.2030/12	NV20 Length 18' 0"	5E/4183	JP	HC1187 Tag, Cranked	1 off	5X/7316	31884 Ring Tongue	A-MP 1 off	5X/9450393	P33.S18.T2 2 off	5Q 2 off	P1.C27.B 2 off
DV.2030/16	NV20 Length 18' 0"	5E/4183	JP	HC1187 Tag, Cranked	1 off	5X/7316	31884 Ring Tongue	A-MP 1 off	5X/9450393	P33.S17.T2 2 off	5Q 2 off	P1.C27.A 2 off
DV.2032/6	NV20 Length 22' 6"	5E/4183	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P1.C21.D 2 off	4E 2 off	P20.T61 2 off

Argosy C. M.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2032/12	NV20 Length 18' 0"	5E/4183	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P1.C24.D 2 off	4E 2 off	P20.T65 2 off
DV.2032/18	NV20 Length 18' 0"	5E/4183	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P1.C24.C 2 off	4E 2 off	P20.T67 2 off
DV.2032/24	NV20 Length 22' 0"	5E/4183	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P1.C21.C 2 off	4E 2 off	P20.T80 2 off
DV.2035/3	NV22 Length 22' 0"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S39.T1 2 off	10E 2 off	P1.F13.D 2 off
DV.2035/6	NV22 Length 24' 0"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S38.T1 2 off	10E 2 off	P1.F16.D 2 off
DV.2035/9	NV22 Length 25' 0"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S37.T1 2 off	10E 2 off	P1.F16.C 2 off
DV.2035/12	NV22 Length 20' 0"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S36.T1 2 off	10E 2 off	P1.F13.C 2 off
DV.2035/13	NV22 Length 18' 0"	5E/4182	AJP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31879 Ring Tongue	A-MP 1 off	5X/	P1.C21.B 2 off	10E 2 off	J1.R11.T3 2 off
DV.2035/14	NV22 Length 23' 0"	5E/4182	AJP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31879 Ring Tongue	A-MP 1 off	5X/	P1.C24.B 2 off	10E 2 off	J1.R12.T3 2 off
DV.2035/15	NV22 Length 23' 0"	5E/4182	AJP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31879 Ring Tongue	A-MP 1 off	5X/	P1.C24.A 2 off	10E 2 off	J1.R13.T3 2 off
DV.2035/16	NV22 Length 20' 6"	5E/4182	AJP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31879 Ring Tongue	A-MP 1 off	5X/	P1.C21.A 2 off	10E 2 off	J1.R14.T3 2 off
DV.2036/14	NV20 Length 21' 6"	5E/4183	JP	HC1187 Tag, Cranked	1 off	5X/7316	31884 Ring Tongue	A-MP 1 off	5X/9450393	P33.S4.T5 2 off	2Q 2 off	P1.C28.R 2 off
DV.2036/16	NV20 Length 23' 0"	5E/4183	JP	HC1187 Tag, Cranked	1 off	5X/7316	31884 Ring Tongue	A-MP 1 off	5X/9450393	P33.S3.T5 2 off	2Q 2 off	P1.C25.R 2 off

CABLE (ELECTRICAL) CHART)

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2036/18	NV20 Length 21' 0"	5E/4183	JP	HC1187 Tag, Cranked 1 off	5X/7316	31884 Ring Tongue 1 off	5X/9450393	P33.S2.T5 2 off	2Q 2 off	P1.C25.H 2 off
DV.2036/20	NV20 Length 18' 6"	5E/4183	JP	HC1187 Tag, Cranked 1 off	5X/7316	31884 Ring Tongue 1 off	5X/9450393	P33.S1.T5 2 off	2Q 2 off	P1.C28.H 2 off
DV.2036/21	NV12 Length 26' 0"	5E/4187	KP	32544 Ring Tongue 1 off	5X/	HC314A Ring Tongue 1 off	5X/7220	P1.C28.Q 2 off	2Q 2 off	P33.S4.T3 2 off
DV.2036/22	NV12 Length 22' 6"	5E/4187	KP	32544 Ring Tongue 1 off	5X/	HC314A Ring Tongue 1 off	5X/7220	P1.C25.Q 2 off	2Q 2 off	P33.S3.T3 2 off
DV.2036/23	NV12 Length 22' 6"	5E/4187	KP	32544 Ring Tongue 1 off	5X/	HC314A Ring Tongue 1 off	5X/7220	P1.C25.G 2 off	2Q 2 off	P33.S2.T3 2 off
DV.2036/24	NV12 Length 23' 0"	5E/4187	KP	32544 Ring Tongue 1 off	5X/	HC314A Ring Tongue 1 off	5X/7220	P1.C28.G 2 off	2Q 2 off	P33.S1.T3 2 off
DV.2036/71	NV12 Length 25' 0"	5E/4187	KP	No Fitting (Cable Stowed)		No Fitting		P1 2 off	2Q 2 off	J1 2 off
DV.2036/72	NV12 Length 25' 0"	5E/4187	KP	No Fitting (Cable Stowed)		No Fitting		P1 2 off	2Q 2 off	J1 2 off
DV.2041/6	NV16 Length 26' 6"	5E/4185	JP	HC1189 Tag, Cranked 1 off	5X/7214	31884 Ring Tongue 1 off	5X/9450393	P24.S10.T2 2 off	3K 2 off	P1.C23.J 2 off
DV.2041/12	NV22 Length 21' 0"	5E/4182	AJP	31884 Ring Tongue 1 off	5X/9450393	323000 Slotted Tongue 1 off	5X/9450396	P1.C23.M 2 off	3K 2 off	P20.T93 2 off
DV.2041/14	NV22 Length 24' 0"	5E/4182	AJP	31884 Ring Tongue 1 off	5X/9450393	323000 Slotted Tongue 1 off	5X/9450396	P1.C23.N 2 off	3K 2 off	P20.T94 2 off
DV.2041/17	NV22 Length 24' 0"	5E/4182	AJP	31884 Ring Tongue 1 off	5X/9450393	323000 Slotted Tongue 1 off	5X/9450396	P1.C23.P 2 off	3K 2 off	P20.T95 2 off
DV.2041/19	NV22 Length 21' 0"	5E/4182	AJP	31884 Ring Tongue 1 off	5X/9450393	323000 Slotted Tongue 1 off	5X/9450396	P1.C23.Q 2 off	3K 2 off	P20.T96 2 off

Argosy C. Mk. I.

RESTRICTED

CABLE (ELECTRICAL) CHART.

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2041/21	NV16 Length 16' 6"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31878 Ring Tongue	A-MP 1 off	5X/	P1.C21.M 2 off	3K 2 off	P4.R4.T3 2 off
DV.2041/22	NV16 Length 21' 0"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31878 Ring Tongue	A-MP 1 off	5X/	P1.C23.M 2 off	3K 2 off	P4.R4.T1 2 off
DV.2041/23	NV16 Length 24' 0"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31878 Ring Tongue	A-MP 1 off	5X/	P1.C23.N 2 off	3K 2 off	P4.R3.T3 2 off
DV.2041/24	NV16 Length 21' 0"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31878 Ring Tongue	A-MP 1 off	5X/	P1.C24.L 2 off	3K 2 off	P4.R3.T1 2 off
DV.2041/27	NV16 Length 24' 6"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31878 Ring Tongue	A-MP 1 off	5X/	P1.C23.P 2 off	3K 2 off	P4.R2.T3 2 off
DV.2041/28	NV16 Length 21' 0"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31878 Ring Tongue	A-MP 1 off	5X/	P1.C24.J 2 off	3K 2 off	P4.R2.T1 2 off
DV.2041/29	NV16 Length 19' 0"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31878 Ring Tongue	A-MP 1 off	5X/	P1.C21.K 2 off	3K 2 off	P4.R1.T3 2 off
DV.2041/30	NV16 Length 23' 0"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31878 Ring Tongue	A-MP 1 off	5X/	P1.C23.Q 2 off	3K 2 off	P4.R1.T1 2 off
DV.2041/76	NV22 Length 20' 0"	5E/4182	SJP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31878 Ring Tongue	A-MP 1 off	5X/	P1.C23.J 2 off	3K 2 off	P4.R1.T5 2 off
DV.2051/5	NV20 Length 18' 0"	5E/4183	JP	HC1187 Tag, Cranked	1 off	5X/7316	323926 Ring Tongue	A-MP 1 off	5X/9462954	P24.S7.T2 2 off	1W 2 off	1P.F15.H 2 off
DV.2052/18	NV20 Length 26' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31889 Ring Tongue	A-MP 1 off	5X/	P27.T27 2 off	2W 2 off	P1.C22.K 2 off
DV.2052/19	NV20 Length 23' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31889 Ring Tongue	A-MP 1 off	5X/	P27.T21 2 off	2W 2 off	P1.C22.L 2 off
DV.2052/22	NV20 Length 15' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31889 Ring Tongue	A-MP 1 off	5X/	P15.T21 2 off	2W 2 off	P1.C23.L 2 off

RESTRICTED

September 1966
TP77
A134

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2052/23	NV20 Length 15' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5E/9450396	31889 Ring Tongue	A-MP 1 off	5X/	P15.T27 2 off	2W 2 off	P1.C23.K 2 off
DV.2053/6	NV22 Length 20' 0"	5E/4182	AJP	No Fitting			323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S55.T2 2 off	12W 2 off	P1.F15.K 2 off
DV.2054/1	NV22 Length 19' 0"	5E/4182	AJP	HC1187 Tag, Cranked	1 off	5X/7316	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S74.T2 2 off	15W 2 off	P1.F14.K 2 off
DV.2055/29	NV20 Length 30' 0"	5E/4183	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P1.F12.L 2 off	18W 2 off	J1.T177 2 off
DV.2055/31	NV20 Length 30' 0"	5E/4183	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P1.F12.K 2 off	18W 2 off	J1.T175 2 off
DV.2055/33	NV20 Length 30' 0"	5E/4183	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P1.F12.J 2 off	18W 2 off	J1.T173 2 off
DV.2055/35	NV20 Length 30' 0"	5E/4183	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P1.F12.H 2 off	18W 2 off	J1.T171 2 off
DV.2057/3	NV20 Length 25' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323926 Ring Tongue	A-MP	5X/9462954	P20.T41 2 off	1G 2 off	P1.F18.G 2 off
DV.2058/16	NV22 Length 18' 6"	5E/4182	AJP	31884 Ring Tongue	A-MP 1 off	5X/9450393	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P1.C26.A 2 off	1D 2 off	J1.T50 2 off
DV.2059/6	NV16 Length 25' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31884 Ring Tongue	A-MP 1 off	5X/9450393	P20.T48 2 off	7W 2 off	P1.C26.B 2 off
DV.2061/5	NV20 Length 21' 0"	5E/4183	JP	HC1189 Tag, Cranked	1 off	5X/7214	323926 Ring Tongue	A-MP 1 off	5X/9462954	P20.S1.T2 2 off	3G 2 off	P1.F19.G 2 off
DV.2061/9	NV4 Length 20' 0"	5E/4191	LP	322010 Ring Tongue	A-MP 1 off	5X/	322010 Ring Tongue	A-MP 1 off	5X/	P1.F13 2 off	3G 2 off	P6.R3.T1 2 off
DV.2061/32	NV20 Length 28' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	150107 Ring Tongue	A-MP 1 off	5X/	P20.S1.T1 2 off	3G 2 off	P6.R3.T13 2 off

Argosy C. M.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

[illegible]

RESTRICTED

Argosy C. M.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2063/10	NV22 Length 16' 0"	5E/4182	AJP	HC1187 Tag, Cranked	1 off	5X/7316	323926 Ring Tongue	A-MP 1 off	5X/9462954	P24.S12.T2 2 off	3M 2 off	P1.F10.C 2 off
DV.2063/11	NV22 Length 80' 0"	5E/4182	AJP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P1.F10.D 2 off	3M 2 off	P45.T1 2 off
DV.2063/228	NV22 Length 55' 0"	5E/4182	AJP	323926 Ring Tongue	A-MP 1 off	5X/9462954	No Fitting			P1.F10.C 2 off	3M 2 off	Z5.S4.TE 2 off
DV.2063/233	NV22 Length 26' 0"	5E/4182	AJP	No Fitting			323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S24.T1 2 off	3M 2 off	P1.F10.J 2 off
DV.2065/16	NV16 Length 17' 0"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P1.C27.M 2 off	1K 2 off	P27.T8 2 off
DV.2065/24	NV16 Length 17' 0"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P1.C27.L 2 off	1K 2 off	P27.T10 2 off
DV.2065/27	NV16 Length 21' 0"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P1.C27.N 2 off	1K 2 off	P20.T163 2 off
DV.2065/28	NV20 Length 39' 0"	5E/4183	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31882 Ring Tongue	A-MP 1 off	5X/	P1.F15.G 2 off	1K 2 off	Z3.M29.T1 2 off
DV.2065/32	NV16 Length 20' 0"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P1.C27.K 2 off	1K 2 off	P15.T9 2 off
DV.2065/40	NV16 Length 20' 0"	5E/4785	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P1.C27.J 2 off	1K 2 off	P15.T7 2 off
DV.2065/47	NVMS16 Length 20' 0"	5E/4201	KP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31884 Ring Tongue	A-MP 1 off	5X/9450393	P5.T18 2 off	1K 2 off	P1.C26.N 2 off
DV.2065/48	NVMS16 Length 20' 0"	5E/4201	KP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31884 Ring Tongue	A-MP 1 off	5X/9450393	P5.T16 2 off	1K 2 off	P1.C26.P 2 off
DV.2065/50	NV4 Length 20' 0"	5E/4191	LP	321671 Ring Tongue	A-MP 1 off	5X/	322010 Ring Tongue	A-MP 1 off	5X/	P5.R8.T3 2 off	1K 2 off	P1.F12 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2065/51	NVMS16 Length 19' 0"	5E/4201	KP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31884 Ring Tongue	A-MP 1 off	5X/9450393	P5.T13 2 off	1K 2 off	P1.C26.Q 2 off
DV.2065/52	NVMS16 Length 19' 0"	5E/4201	KP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31884 Ring Tongue	A-MP 1 off	5X/9450393	P5.T11 2 off	1K 2 off	P1.C26.R 2 off
DV.2065/54	NV4 Length 20' 0"	5E/4191	LP	391671 Ring Tongue	A-MP 1 off	5X/	322010 Ring Tongue	A-MP 1 off	5X/	P5.R6.T3 2 off	1K 2 off	P1.F11 2 off
DV.2065/55	NV4 Length 19' 0"	5E/4191	LP	321671 Ring Tongue	A-MP 1 off	5X/	322010 Ring Tongue	A-MP 1 off	5X/	P5.R4.T3 2 off	1K 2 off	P1.F10 2 off
DV.2965/57	NVMS16 Length 18' 0"	5E/4201	KP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31884 Ring Tongue	A-MP 1 off	5X/9450393	P5.T8 2 off	1K 2 off	P1.C26.M 2 off
DV.2965/58	NVMS16 Length 18' 6"	5E/4201	KP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31884 Ring Tongue	A-MP 1 off	5X/9405393	P5.T6 2 off	1K 2 off	P1.C26.L 2 off
DV.2065/59	NV4 Length 19' 0"	5E/4191	LP	321671 Ring Tongue	A-MP 1 off	5X/	322010 Ring Tongue	A-MP 1 off	5X/	P5.R2.T3 2 off	1K 2 off	P1.F9 2 off
DV.2065/61	NVMS16 Length 19' 0"	5E/4201	KP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31884 Ring Tongue	A-MP 1 off	5X/9450393	P5.T3 2 off	1K 2 off	P1.C26.K 2 off
DV.2065/62	NVMS16 Length 19' 0"	5E/4201	KP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31884 Ring Tongue	A-MP 1 off	5X/9450393	P5.T1 2 off	1K 2 off	P1.C26.J 2 off
DV.2067/3	NV20 Length 23' 0"	5E/4183	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P1.C26.C 2 off	3H 2 off	P20.T132 2 off
DV.2067/4	NV20 Length 25' 0"	5E/4183	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P1.C26.D 2 off	3H 2 off	P20.T122 2 off
DV.2067/9	NV20 Length 20' 0"	5E/4183	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31878 Ring Tongue	A-MP 1 off	5X/	P1.C26.C 2 off	3H 2 off	J1.R1.T3 2 off
DV.2067/10	NV20 Length 20' 0"	5E/4183	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31878 Ring Tongue	A-MP 1 off	5X/	P1.C26.D 2 off	3H 2 off	J1.R1.T1 2 off

Argosy C. MK.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2069/2	NV22 Length 20' 0"	5E/4182	AJP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P1.F18.D 2 off	5W 2 off	J1.T15 2 off
DV.2069/3	NV22 Length 20' 0"	5E/4182	AJP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P1.F18.C 2 off	5W 2 off	J1.T19 2 off
DV.2070/1	NV22 Length 19' 6"	5E/4182	AJP	31882 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.N2.T+ 2 off	5D 2 off	P1.F18.F 2 off
DV.2070/2	NV22 Length 19' 0"	5E/4182	AJP	31882 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.N1.T+ 2 off	5D 2 off	P1.F18.E 2 off
DV.2071/1	NV22 Length 50' 0"	5E/4182	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	Socket 2CZ/8472	1 off	5X/7038	P1.F18.K 2 off	16W 2 off	Z22.M2.A 2 off
							Adaptor Sleeve	2 off	5X/1005131			
							Z.49428					
							Water Seal 4700	1 off	5X/7360			
							Filler Plug	2 off	5X/7241			
							PC.14000					
							Insulating Sleeve	2 off	5F/2336			
							A.P.					
DV.2071/3	NV22 Length 50' 0"	5E/4182	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	See Cable DV.2071/1			P1.F18.L 2 off	16W 2 off	Z22.M3.A 2 off
DV.2071/5	NV22 Length 51' 0"	5E/4182	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	See Cable DV.2071/1			P1.F18.M 2 off	16W 2 off	Z22.M4.A 2 off
DV.2072/4	NV22 Length 40' 0"	5E/4182	JP	No Fitting			323926 Ring Tongue	A-MP 1 off	5X/9462954	Z4.S5.TA 2 off	3W 2 off	P1.F12.M 2 off
DV.2072/5	NV22 Length 70' 0"	5E/4182	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P1.F12.M 2 off	3W 2 off	P54.T9 2 off
DV.2072/7	NV22 Length 25' 0"	5E/4182	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31878 Ring Tongue	A-MP 1 off	5X/	P1.F14.F 2 off	3W 2 off	P24.L12.T2 2 off
DV.2073/14	NV22 Length 35' 0"	5E/4182	AJP	323926 Ring Tongue	A-MP 1 off	5X/9462954	Socket	1 off		P1.F14.H 2 off	17W 2 off	Z3.M10.S 2 off
							MS.3106A-20-29S Cable Clamp AN.3057-12	1 off				

RESTRICTED

September 1966
TP27
AL31

Argosy C. Mk.1

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No.
DV.2073/31	NV22 Length 21' 6"	5E/4182	AJP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31879 Ring Tongue	A-MP 1 off	5X/	P1.F14.J 2 off	17W 2 off	J1.R30.T3 2 off
DV.2073/32	NV22 Length 21' 6"	5E/4182	AJP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31879 Ring Tongue	A-MP 1 off	5X/	P1.F14.H 2 off	17W 2 off	J1.R28.T3 2 off
DV.2073/37	NV22 Length 35' 0"	5E/4182	AJP	323926 Ring Tongue	A-MP 1 off	5X/9462954	See Cable DV.2073/14			P1.F14.J 2 off	11W 2 off	Z3.M13.S 2 off
DV.2075/7	NV22 Length 22' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323926 Ring Tongue	A-MP 1 off	5X/9462954	Z3.M16.T2 2 off	9W 2 off	P1.F10.E 2 off
DV.2075/12	NV22 Length 25' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323926 Ring Tongue	A-MP 1 off	5X/9462954	Z3.M18.T2 2 off	9W 2 off	P1.F10.E 2 off
DV.2075/15	NV22 Length 15' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323926 Ring Tongue	A-MP 1 off	5X/9462954	J6.T62 2 off	9W 2 off	P1.F10.F 2 off
DV.2075/16	NV22 Length 20' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323926 Ring Tongue	A-MP 1 off	5X/9462954	P60.T2 2 off	9W 2 off	P1.F10.F 2 off
DV.2076/20	NV16 Length 22' 0"	5E/4185	JP	31882 Ring Tongue	A-MP 1 off	5X/	31884 Ring Tongue	A-MP 1 off	5X/9450393	P29.S1.T1 2 off	1M 2 off	P1.C24.E 2 off
DV.2076/24	NV16 Length 13' 0"	5E/4185	JP	31882 Ring Tongue	A-MP 1 off	5X/	31884 Ring Tongue	A-MP 1 off	5X/9450393	P12.S2.T1 2 off	1M 2 off	P1.C21.E 2 off
DV.2077/1	NV22 Length 22' 0"	5E/4182	AJP	31882 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P21.M23.T+ 2 off	3D 2 off	P1.F14.G 2 off
DV.2077/4	NV22 Length 25' 0"	5E/4182	AJP	31882 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P42.N1.T+ 2 off	3D 2 off	P1.F20.J 2 off
DV.2079/1	NV22 Length 21' 6"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.N52.T2 2 off	8W 2 off	P1.F11.C 2 off

Argosy C. Mk.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2079 3	NV22 Length 21' 6"	5E 4182	AJP	31878 Ring Tongue	A-MP 1 off	5X	323926 Ring Tongue	A-MP 1 off	5X 9462954	P33.N51.T2 2 off	8W 2 off	P1.F11.B 2 off
DV.2079 5	NV22 Length 21' 6"	5E 4182	AJP	31878 Ring Tongue	A-MP 1 off	5X	323926 Ring Tongue	A-MP 1 off	5X 9462954	P33.N50.T2 2 off	8W 2 off	P1.F11.A 2 off
DV.2080 9	NV20 Length 27' 0"	5E 4183	JP	323926 Ring Tongue	A-MP 1 off	5X 9462954	31878 Ring Tongue	A-MP 1 off	5X	P1.F11.G 2 off	1F 2 off	Z3.M24.T79 2 off
DV.2080 10	NV20 Length 27' 0"	5E 4183	JP	323926 Ring Tongue	A-MP 1 off	5X 9462954	31878 Ring Tongue	A-MP 1 off	5X	P1.F11.H 2 off	1F 2 off	Z3.M24.T105 2 off
DV.2080 11	NV20 Length 27' 0"	5E 4183	JP	323926 Ring Tongue	A-MP 1 off	5X 9462954	31878 Ring Tongue	A-MP 1 off	5X	P1.F11.J 2 off	1F 2 off	Z3.M24.T104 2 off
DV.2080 12	NV20 Length 27' 0"	5E 4183	JP	323926 Ring Tongue	A-MP 1 off	5X 9462954	31878 Ring Tongue	A-MP 1 off	5X	P1.F11.K 2 off	1F 2 off	Z3.M24.T76 2 off
DV.2080 13	NV20 Length 27' 0"	5E 4183	JP	323926 Ring Tongue	A-MP 1 off	5X 9462954	31878 Ring Tongue	A-MP 1 off	5X	P1.F11.L 2 off	1F 2 off	Z3.M24.T72 2 off
DV.2081 25	NV20 Length 30' 0"	5E 4183	JP	323000 Slotted Tongue	A-MP 1 off	5X 9450396	323926 Ring Tongue	A-MP 1 off	5X 9462954	Z3.M8.T1 2 off	1C 2 off	P1.F10.A 2 off
DV.2081 29	NV20 Length 15' 6"	5E 4183	JP	31879 Ring Tongue	A-MP 1 off	5X	323926 Ring Tongue	A-MP 1 off	5X 9462954	J6.R2.T4 2 off	1C 2 off	P1.F10.B 2 off
DV.2082 1	NV20 Length 19' 0"	5E 4183	JP	No Fitting			31884 Ring Tongue	A-MP 1 off	5X 9450393	P33.S48.T2 2 off	6H 2 off	P1.C22.P 2 off
DV.2082 8	NV20 Length 26' 0"	5E 4183	JP	31879 Ring Tongue	A-MP 1 off	5X	323926 Ring Tongue	A-MP 1 off	5X 9462954	P31.T19 2 off	6H 2 off	P1.F11.E 2 off
DV.2083 2	NV22 Length 12' 0"	5E 4182	AJP	323926 Ring Tongue	A-MP 1 off	5X 9462954	323000 Slotted Tongue	A-MP 1 off	5X 9450396	P1.F15.J 2 off	14W 2 off	J6.T59 2 off
DV.2084 5	NV20 Length 34' 6"	5E 4183	JP	31878 Ring Tongue	A-MP 1 off	5X	31884 Ring Tongue	A-MP 1 off	5X 9450393	J2.R1.T8A 2 off	8H 2 off	P1.C22.M 2 off

RESTRICTED

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2085/1	NV22 Length 31' 0"	5E/4182	AJP	323926 Ring Tongue	A-MP 1 off	5X/9462954	No Fitting			P1.F16.G 2 off	4D 2 off	Z1.M5.T+ 2 off
DV.2086/1	NV22 Length 18' 6"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.N3.T+ 2 off	6D 2 off	P1.F17.J 2 off
DV.2087/2	NV22 Length 20' 6"	5E/4183	JP	No Fitting			323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S43.T2 2 off	7H 2 off	P1.F15.F 2 off
DV.2087/3	NV10 Length 24' 0"	5E/4188	KP	32544 Ring Tongue	A-MP 1 off	5X/	321500 Ring Tongue	A-MP 1 off	5X/	P1.C27.R 2 off	7H 2 off	J1.R18.T3 2 off
DV.2089/1	NV20 Length 20' 0"	5E/4182	JP	31879 Ring Tongue	TA-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	Z3.M6.T+ 2 off	4F 2 off	P1.F14.L 2 off
DV.2090/1	NV20 Length 23' 6"	5E/4183	JP	31884 Ring Tongue	A-MP 1 off	5X/	Socket CZ 49014 Outlet Set 2CZ/108171	1 off 1 off	Z.560090	P1.C24.Q 2 off	3F 2 off	P42.M2.D1A 2 off
DV.2901/2	NV20 Length 35' 0"	5E/4183	JP	Socket CZ 49017 Outlet Set 2CZ/108177	1 off 1 off	Z.560120	323926 Ring Tongue	A-MP 1 off	5X/9462954	Z22.S3.E 2 off	7D 2 off	P1.F16.J 2 off
DV.2092/2	NV16 Length 30' 6"	5E/4185	JP	HC1189 Tag, Cranked	A-MP 1 off	5X/7214	323926 Ring Tongue	A-MP 1 off	5X/9462954	P24.S19.T2 2 off	1L 2 off	P1.F11.F 2 off
DV.2092/36	NV16 Length 18' 6"	5E/4185	HT20	HC1189 Tag, Cranked	1 off	5X/7214	31884 Ring Tongue	A-MP 1 off	5X/9450393	P24.S20.T2 2 off	1L 2 off	P1.C23.B 2 off
DV.2093/1	NV20 Length 19' 6"	5E/4183	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	HC1189 Tag, Cranked	1 off	5X/7214	P1.C25.L 2 off	2L 2 off	P24.S1.T2 2 off
DV.2093/6	NV10 Length 18' 0"	5E/4188	KP	32544 Ring Tongue	A-MP 1 off	5X/	321550 Ring Tongue	A-MP 1 off	5X/	P1.C25.K 2 off	2L 2 off	J1.R8.T3 2 off
DV.2093/9	NV10 Length 21' 6"	5E/4188	KP	32544 Ring Tongue	A-MP 1 off	5X/	321500 Ring Tongue	A-MP 1 off	5X/	P1.C28.K 2 off	2L 2 off	J1.R9.T3 2 off

Argosy C. Mk.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2093/15	NV20 Length 26' 6"	5E/4183	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	HC1189 Tag, Cranked	1 off	5X/7214	P1.C28.L 2 off	2L 2 off	P24.S2.T2 2 off
DV.2093/52	NV10 Length 18' 0"	5E/4188	KP	32544 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	P1.C25.K 2 off	2L 2 off	J1.R35.TA1 2 off
DV.2093/54	NV10 Length 22' 6"	5E/4188	KP	32544 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	P1.C28.K 2 off	2L 2 off	J1.R36.TA1 2 off
DV.2095/1	NV20 Length 18' 0"	5E/4183	JP	HC 1187 Tag, Cranked	1 off	5X/7316	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S40.T2 2 off	4M 2 off	P1.F14.A 2 off
DV.2095/2	NV20 Length 8' 0"	5E/4183	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323926 Ring Tongue	A-MP 1 off	5X/9462954	Z1.M11.T1 2 off	4M 2 off	P1.F14.A 2 off
DV.2096/1	NV16 Length 20' 0"	5E/4185	KP	31889 Ring Tongue	A-MP 1 off	5X/	31269 Ring Tongue	A-MP 1 off	5X/9462745	P1.C22.J 2 off	2M 2 off	P33.N23.T+ 2 off
DV.2099/21	NV10 Length 51' 0"	5E/4188	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	P55.T11 2 off	4H 2 off	P1.C21.R 2 off
DV.2099/22	NV10 Length 51' 0"	5E/4188	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	P55.T14 2 off	4H 2 off	P1.C24.R 2 off
DV.2099/23	NV10 Length 51' 0"	5E/4188	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	P55.T15 2 off	4H 2 off	P1.C21.Q 2 off
DV.2099/26	NV10 Length 51' 0"	5E/	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32545 Ring Tongue	A-MP	5X/	P55.T1 2 off	4H 2 off	E.98 2 off
DV.2099/27	NV10 Length 51' 0"	5E/	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32545 Ring Tongue	A-MP 1 off	5X/	P55.T10 2 off	4H 2 off	E.98 2 off
DV.2099/28	NV10 Length 51' 0"	5E/	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32545 Ring Tongue	A-MP 1 off	5X/	P55.T9 2 off	4H 2 off	E.98 2 off
DV.2100/15	NV22 Length 20' 0"	5E/4182	AJP	HC 1187 Tag, Cranked	1 off	5X/7316	323926 Ring Tongue	A-MP 1 off	5X/9462954	P24.S14.T2 2 off	5M 2 off	P1.F15.E 2 off

RESTRICTED

September 1966
TP27 ALM

Argosy C. Mk. I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART											
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves			
								Marker No. 1	Code Marker	Marker No. 2	
DV.2101/1	NV22 Length 35' 0"	5E/4182	AJP	HC.1189 Tag, Cranked 1 off	5X/7214	323926 Ring Tongue 1 off	5X/9462954	Z4.S3.T2 2 off	1B 2 off	P1.F10.H 2 off	
DV.2101/2	NV22 Length 35' 0"	5E/4182	AJP	HC.1189 Tag, Cranked 1 off	5X/7214	323926 Ring Tongue 1 off	5X/9462954	Z4.S3.T5 2 off	1B 2 off	P1.F10.G 2 off	
DV.2101/3	NV16 Length 20' 0"	5E/4185	JP	31879 Ring Tongue 1 off	5X/	31884 Ring Tongue 1 off	5X/9450393	J1.R23.T3 2 off	1B 2 off	P1.C23.B 2 off	
DV.2103/5	NV16 Length 32' 0"	5E/4185	JP	31884 Ring Tongue 1 off	5X/9450393	31882 Ring Tongue 1 off	5X/	P1.C28.J 2 off	7M 2 off	P35.S1.T2 2 off	
DV.2104/1	NV16 Length 30' 0"	5E/4185	JP	Single Plug 1 off	5X/7145	31884 Ring Tongue 1 off	5X/9450393	Z5.D19.4 2 off	6Q 2 off	P1.C24.H 2 off	
				2CZ/111224							
				Blanking Plug 1 off	5X/1965						
				Z.22166							
				Adaptor Sleeve 1 off	5X/1005131						
				Z.49428							
				Cut Ferrule 1 off							
				2Z.139980							
				Insulating	5F/2336						
				Sleeve A.P.							
DV.2104/3	NV20 Length 30' 0"	5E/4183	JP	See Cable DV.2104/1		31884 Ring Tongue 1 off	5X/9450393	Z5.D19.5 2 off	6Q 2 off	P1.C27.H 2 off	
DV.2104/6	NV16 Length 30' 0"	5E/4185	JP	See Cable DV.2104/1		31884 Ring Tongue 1 off	5X/9450393	Z5.D19.7 2 off	6Q 2 off	P1.C21.H 2 off	
DV.2105/1	NV00 Length 8' 0"	5E/4195	MP	322089 Ring Tongue 1 off	5X/	322056 Ring Tongue 1 off	5X/	P1.F19 2 off	1A 2 off	P62.T1 2 off	
DV.2105/3	NV14 Length 32' 0"	5E/4186	JP	Socket 1 off	Z.560795	31903 Ring Tongue 1 off	5X/	Z4.D1.B 2 off	1A 2 off	P1.C27.G 2 off	
				CZ.56740/5							
				Outlet Set 1 off							
				2CZ/108172							
DV.2106/3	NV22 Length 32' 0"	5E/4182	AJP	323000 Slotted Tongue 1 off	5X/9450396	323926 Ring Tongue 1 off	5X/9462954	Z4.M24.T28 2 off	19W 2 off	P1.F12.G 2 off	

RESTRICTED
Argosy C. M.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2110/1	NV22 Length 22' 0"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9467245	323926 Ring Tongue	A-MP 1 off	5X/9462954	P26.N14.T1 2 off	20W 2 off	P1.F12.E 2 off
DV.2111/1	NV22 Length 8' 6"	5E/4182	HT15	31884 Ring Tongue	A-MP 1 off	5X/9450393	HC.1187 Tag, Cranked	1 off	5X/7316	P1.C24.P 2 off	9H 2 off	Z1.S7.T2 2 off
DV.2113/1	NV20 Length	5E/4182	HT15	31884 Ring Tongue	A-MP 1 off	5X/9450393	No Fitting			P1.C21.P 2 off	19R 2 off	P42.N1+ 2 off
DV.2121/1	NV20 Length 20' 0"	5E/4183	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	No Fitting			P1.F11.D 2 off	PL 2 off	P23.S2.T2 2 off
DV.2122/1	NV20 Length 30' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323926 Ring Tongue	A-MP 1 off	5X/9462954	Z4.M18.T2 2 off	4L 2 off	P1.F13.J 2 off
DV.2122/4	NV12 Length 24' 0"	5E/4187	KP	32544 Ring Tongue	A-MP 1 off	5X/	321500 Ring Tongue	A-MP 1 off	5X/	P1.C24.F 2 off	4L 2 off	J1.R26.T3 2 off
DV.2122/5	NV12 Length 21' 0"	5E/4187	KP	32544 Ring Tongue	A-MP 1 off	5X/	321500 Ring Tongue	A-MP 1 off	5X/	P1.C21.F 2 off	4L 2 off	J1.R25.T3 2 off
DV.2122/40	NV16 Length 19' 0"	5E/4185	JP	31889 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	P1.C22.N 2 off	4L 2 off	J7.R3.T8 2 off
DV.2123/7	NV12 Length 55' 0"	5E/4187	KP	32544 Ring Tongue	A-MP 1 off	5X/	HC.1190 Tag, Cranked	1 off	5X/7215	P1.C21.G 2 off	8L 2 off	P54.S2.T2 2 off
DV.2124/24	NV22 Length 21' 6"	5E/4182	AJP	r1094 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P28.S2.T2+ 2 off	6L 2 off	P1.F16.L 2 off
DV.2124/25	NV22 Length 21' 6"	5E/4182	AJP	31094 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P28.S2.T1+ 2 off	6L 2 off	P1.F9.A 2 off
DV.2124/26	NV22 Length 21' 6"	5E/4182	AJP	31094 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P28.S3.T1+ 2 off	6L 2 off	P1.F16.L 2 off
DV.2124/27	NV22 Length 21' 6"	5E/4182	AJP	31094 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P28.S3.T2+ 2 off	6L 2 off	P1.F9.A 2 off

RESTRICTED

September 1966
TR27
AL31RESTRICTED
Argosy C. Mk.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2124/28	NV22 Length 16' 6"	5E/4182	AJP	31094 Ring Tongue	A-MP 1 off	5X/	32396 Ring Tongue	A-MP 1 off	5X/9462954	P24.S17.T2+ 2 off	6L 2 off	P1.F9.B 2 off
DV.2124/29	NV22 Length 16' 6"	5E/4182	AJP	31094 Ring Tongue	A-MP 1 off	5X/	32396 Ring Tongue	A-MP 1 off	5X/9462954	P24.S17.T1+ 2 off	6L 2 off	P1.F9.C 2 off
DV.2124/30	NV22 Length 16' 6"	5E/4182	AJP	31094 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P24.S16.T3+ 2 off	6L 2 off	P1.F16.M 2 off
DV.2124/31	NV22 Length 16' 6"	5E/4182	AJP	31094 Ring Tongue	1 off	5X/	32396 Ring Tongue	A-MP 1 off	5X/9462954	P24.S16.T2+ 2 off	6L 2 off	P1.F13.M 2 off
DV.2124/32	NV22 Length 15' 0"	5E/4182	AJP	31094 Ring Tongue	A-MP 1 off	5X/	32396 Ring Tongue	A-MP 1 off	5X/9462954	P16.S1.T2+ 2 off	6L 2 off	P1.F13.L 2 off
DV.2124/33	NV22 Length 20' 0"	5E/4182	AJP	31094 Ring Tongue	A-MP 1 off	5X/	32396 Ring Tongue	A-MP 1 off	5X/9462954	P16.S1.T1+ 2 off	6L 2 off	P1.F9.D 2 off
DV.2124/34	NV22 Length 15' 0"	5E/4182	AJP	31094 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P16.S2.T1+ 2 off	6L 2 off	P1.F13.L 2 off
DV.2124/35	NV22 Length 15' 0"	5E/4182	AJP	31094 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P16.S2.T2+ 2 off	6L 2 off	P1.F9.D 2 off
DV.2125/8	NV22 Length 16' 0"	5E/4182	AJP	31094 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P24.S21.T3+ 2 off	7L 2 off	P1.F13.K 2 off
DV.2125/9	NV22 Length 16' 0"	5E/4182	AJP	31094 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P24.S21.T2+ 2 off	7L 2 off	P1.F16.K 2 off
DV.2125/13	NV22 Length 22' 0"	5E/4182	AJP	HC.1187 Tag, Cranked	1 off	5X/7316	323926 Ring Tongue	A-MP 1 off	5X/9462954	P29.S3.T2 2 off	7L 2 off	P1.F9.E 2 off
DV.2125/14	NV22 Length 19' 0"	5E/4182	AJP	31094 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P12.S4.T1+ 2 off	7L 2 off	P1.F9.G 2 off
DV.2125/15	NV22 Length 23' 0"	5E/4182	AJP	HC.1187 Tag, Cranked	1 off	5X/7316	323926 Ring Tongue	A-MP 1 off	5X/9462954	P12.S3.T2 2 off	7L 2 off	P1.F9.F 2 off

Argosy C. M.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2125/18	NV22 Length 16' 0"	5E/4182	AJP	31094 Ring Tongue	A-MP 1 off		323926 Ring Tongue	A-MP 1 off	5X/9462954	P60.S1.T1+ 2 off	7L 2 off	P1.F9.F 2 off
DV.2125/19	NV22 Length 25' 0"	5E/4182	AJP	31094 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P24.S18.T1+ 2 off	7L 2 off	P1.F13.K 2 off
DV.2126/9	NV16 Length 10' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	HC.1189 Tag, Cranked	1 off	5X/7214	P1.F9.H 2 off	3L 2 off	Z1.S5.T2 2 off
DV.2126/10	NV16 Length 21' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	HC.1189 Tag, Cranked	1 off	5X/7214	P1.F9.J 2 off	3L 2 off	Z1.S6.T2 2 off
DV.2127/1	NV22 Length 21' 0"	5E/4182	AJP	31094 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P34.S8.T1+ 2 off	5L 2 off	P1.F9.M 2 off
DV.2127/2	NV22 Length 20' 0"	5E/4182	AJP	31094 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P32.S1.T1+ 2 off	5L 2 off	P1.F9.K 2 off
DV.2127/3	NV22 Length 19' 0"	5E/4182	AJP	31094 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S79.T6+ 2 off	5L 2 off	P1.F9.L 2 off
DV.2127/4	NV22 Length 19' 0"	5E/4182	AJP	31094 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S79.T3+ 2 off	5L 2 off	P1.F9.K 2 off
DV.2127/5	NV22 Length 20' 0"	5E/4182	AJP	31094 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P32.S1.T3+ 2 off	5L 2 off	P1.F9.L 2 off
DV.2128/1	NV22 Length 36' 0"	5E/4182	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31094 Ring Tongue	A-MP 1 off	5X/	P1.F9.M 2 off	10L 2 off	P35.S2.T1+ 2 off
DV.2130/1	NV20 Length 15' 0"	5E/4183	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31269 Ring Tongue	A-MP 1 off	5X/9467245	P1.F14.M 2 off	12L 2 off	P16.S3.T1 2 off
DV.2130/49	NV18 Length 15' 0"	5E/	HT20	323926 Ring Tongue	A-MP 1 off	5X/9462954	31269 Ring Tongue	A-MP 1 off	5X/9467245	P1.F14.M 2 off	12L 2 off	P16.S3.T1 2 off
DV.2131/1	NV22 Length 40' 0"	5E/4182	HT15	323926 Ring Tongue	A-MP 1 off	5X/9462954	HC.1187 Tag, Cranked	1 off	5X/7316	P1.F16.E 2 off	13L 2 off	Z4.S25.T2 2 off
DV.2132/1	NV20 Length 22' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323926 Ring Tongue	A-MP 1 off	5X/9462954	Z3.M59.T1 2 off	14L 2 off	P1.F9.J 2 off

RESTRICTED

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
CV.2302	FLY-LEAD SFT P.2											
DV.2011/3	NV20 Length 25' 0"	5E/4183	JP	HC.1187 Tag, Cranked	1 off	5X/7316	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S63.T2 2 off	1P 2 off	P2.M4.T4 2 off
DV.2011/7	NV20 Length 25' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	150107 Ring Tongue	A-MP 1 off	5X/	P33.S67.T1 2 off	1P 2 off	P2.C4.T6 2 off
DV.2011/8	NV20 Length 28' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	150107 Ring Tongue	A-MP 1 off	5X/	P33.L36 2 off	1P 2 off	P2.C4.T7 2 off
DV.2011/11	NV20 Length 25' 0"	5E/4183	JP	HC.1187 Tag, Cranked	1 off	5X/7316	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S62.T2 2 off	1P 2 off	P2.M3.T4 2 off
DV.2011/15	NV20 Length 25' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	150107 Ring Tongue	A-MP 1 off	5X/	P33.S66.T1 2 off	1P 2 off	P2.C3.T6 2 off
DV.2011/16	NV20 , Length 29' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	150107 Ring Tongue	A-MP 1 off	5X/	P33.L35 2 off	1P 2 off	P2.C3.T7 2 off
DV.2011/18	NV20 Length 25' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.T19 2 off	1P 2 off	P2.F7 2 off
DV.2011/19	NV20 Length 28' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.T20 2 off	1P 2 off	P2.F5 2 off
DV.2011/20	NV20 Length 23' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.T28 2 off	1P 2 off	P2.F3 2 off
DV.2011/21	NV20 Length 21' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.T29 2 off	1P 2 off	P2.F1 2 off
DV.2011/23	NV20 Length 20' 6"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	P33.N38.T1 2 off	1P 2 off	P2.C5.T7 2 off
DV.2011/24	NV20 Length 20' 6"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	P33.N39.T1 2 off	1P 2 off	P2.C7.T7 2 off
DV.2011/27	NV20 Length 16' 6"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31879 Ring Tongue	A-MP 1 off	5X/	P21.S1.T1 2 off	1P 2 off	P2.C7.T4 2 off

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

September 1966
T727 AL31

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2011/29	NV20 Length 21' 0"	5E/4183	JP	HC.1187 Tag, Cranked 1 off	5X/7316	31879 Ring Tongue 1 off	5X/	P24.S2.T2 2 off	1P 2 off	P2.C5.T8 2 off
DV.2011/30	NV20 Length 21' 0"	5E/4183	JP	31269 Ring Tongue 1 off	5X/9462745	31879 Ring Tongue 1 off	5X/	P21.S2.T1 2 off	1P 2 off	P2.C5.T4 2 off
DV.2011/33	NV20 Length 23' 6"	5E/4183	JP	HC.1187 Tag, Cranked 1 off	5X/7316	323926 Ring Tongue 1 off	5X/9462954	P33.S61.T2 2 off	1P 2 off	P2.M2.T4 2 off
DV.2011/37	NV20 Length 23' 6"	5E/4183	JP	31269 Ring Tongue 1 off	5X/9462745	150107 Ring Tongue 1 off	5X/	P33.S65.T1 2 off	1P 2 off	P2.C2.T6 2 off
DV.2011/38	NV20 Length 23' 6"	5E/4183	JP	31878 Ring Tongue 1 off	5X/	150107 Ring Tongue 1 off	5X/	P33.L34 2 off	1P 2 off	P2.C2.T7 2 off
DV.2011/41	NV20 Length 22' 0"	5E/4183	JP	HC.1187 Tag, Cranked 1 off	5X/7316	323926 Ring Tongue 1 off	5X/9462954	P33.S60.T2 2 off	1P 2 off	P2.M1.T4 2 off
DV.2011/45	NV20 Length 22' 0"	5E/4183	JP	31269 Ring Tongue 1 off	5X/9462745	150107 Ring Tongue 1 off	5X/	P33.S64.T1 2 off	1P 2 off	P2.C1.T6 2 off
DV.2011/46	NV20 Length 22' 0"	5E/4183	JP	31878 Ring Tongue 1 off	5X/	150107 Ring Tongue 1 off	5X/	P33.L33 2 off	1P 2 off	P2.C1.T7 2 off
DV.2011/47	NV20 Length 19' 0"	5E/4183	JP	323926 Ring Tongue 1 off	5X/9462954	31879 Ring Tongue 1 off	5X/	J7.F6 2 off	1P 2 off	P2.C7.T8 2 off
DV.2011/56	NV12 Length 30' 0"	5E/4187	JP	HC.314A Ring Tongue 1 off	5X/7220	321500 Ring Tongue 1 off	5X/	P2.C4.T3 2 off	1P 2 off	Z3.M2.T2 2 off
DV.2011/59	NV12 Length 30' 0"	5E/4187	JP	321500 Ring Tongue 1 off	5X/	321500 Ring Tongue 1 off	5X/	P2.R4.T4 2 off	1P 2 off	Z3.M2.T7 2 off
DV.2011/63	NV12 Length 35' 0"	5E/4187	JP	HC.314A Ring Tongue 1 off	5X/7220	321500 Ring Tongue 1 off	5X/	P2.C3.T3 2 off	1P 2 off	Z3.M1.T2 2 off
DV.2011/66	NV12 Length 34' 0"	5E/4187	KP	321500 Ring Tongue 1 off	5X/	321500 Ring Tongue 1 off	5X/	P2.R3.T4 2 off	1P 2 off	Z3.M1.T7 2 off

Argosy C. Mk.1.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2011/70	NV12 Length 35' 0"	5E/4187	KP	HC.314A Ring Tongue	1 off	5X/7220	321500 Ring Tongue	A-MP 1 off	5X/	P2.C2.T3 2 off	1P 2 off	Z3.M14.T2 2 off
DV.2011/73	NV12 Length 35' 0"	5E/4187	KP	321500 Ring Tongue	A-MP 1 off	5X/	321500 Ring Tongue	A-MP 1 off	5X/	P2.R2.T4 2 off	1P 2 off	Z3.M14.T7 2 off
DV.2011/78	NV12 Length 21' 0"	5E/4187	KP	HC.314A Ring Tongue	1 off	5X/7220	321500 Ring Tongue	A-MP 1 off	5X/	P2.C1.T3 2 off	1P 2 off	Z1.M4.T2 2 off
DV.2011/81	NV12 Length 21' 6"	5E/4187	KP	321500 Ring Tongue	A-MP 1 off	5X/	31825 Ring Tongue	A-MP 1 off	5X/	P2.R1.T4 2 off	1P 2 off	Z1.M4.T7 2 off
DV.2011/121	NV12 Length 10' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32545 Ring Tongue	A-MP 1 off	5X/	P2.T1 2 off	1P 2 off	E.21 2 off
DV.2011/122	NV12 Length 10' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32545 Ring Tongue	A-MP 1 off	5X/	P2.T10 2 off	1P 2 off	E.22 2 off
DV.2011/144	NV20 Length 25' 0"	5E/4183	JP	HC.1187 Tag, Cranked	1 off	5X/7316	31882 Ring Tongue	A-MP 1 off	5X/	P33.S63.T5 2 off	1P 2 off	P2.R4.T1 2 off
DV.2011/145	NV20 Length 25' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S63.T4 2 off	1P 2 off	P2.M4.T16 2 off
DV.2011/147	NV20 Length 25' 0"	5E/4183	JP	HC.1187 Tag, Cranked	1 off	5X/7316	31882 Ring Tongue	A-MP 1 off	5X/	P33.S62.T5 2 off	1P 2 off	P2.R3.T1 2 off
DV.2011/148	NV20 Length 25' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S62.T4 2 off	1P 2 off	P2.M3.T16 2 off
DV.2011/152	NV20 Length 25' 0"	5E/4183	JP	HC.1187 Tag, Cranked	1 off	5X/7316	31882 Ring Tongue	A-MP 1 off	5X/	P33.S61.T5 2 off	1P 2 off	P2.R2.T1 2 off
DV.2011/154	NV20 Length 22' 0"	5E/4183	JP	HC.1187 Tag, Cranked	1 off	5X/7316	31882 Ring Tongue	A-MP 1 off	5X/	P33.S60.T5 2 off	1P 2 off	P2.R1.T1 2 off
DV.2011/155	NV20 Length 22' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S60.T4 2 off	1P 2 off	P2.M1.T16 2 off

RESTRICTED
Argosy C. Mk.1.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2011/156	NV20 Length 23' 6"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S61.T4 2 off	1P 2 off	P2.M2.T16 2 off
DV.2011/158	UT0000 Length 7' 0"	5E/	NP	150339 Ring Tongue	A-MP 1 off	5X/	105339 Ring Tongue	A-MP 1 off	5X/	J7.R1.T2 2 off	1P 2 off	BB.B 2 off
DV.2039/113	NV20 Length 17' 0"	5E/4183	JP	31879 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P2.C5.T12 2 off	6M 2 off	J7.M3.T14 2 off
DV.2041/5	NV16 Length 26' 6"	5E/4185	JP	No Fitting			31883 Ring Tongue	A-MP 1 off	5X/	P24.S8.TC1 2 off	3K 2 off	P2.R6.TC 2 off
DV.2041/25	NV00 Length 12' 0"	5E/4195	MP	322090 Ring Tongue	A-MP 1 off	5X/	322089 Ring Tongue	A-MP 1 off	5X/	P2.R6.T2 2 off	3K 2 off	P4.R6.T+ 2 off
DV.2041/26	NV16 Length 16' 0"	5E/4185	JP	31883 Ring Tongue	A-MP 1 off	5X/	31882 Ring Tongue	A-MP 1 off	5X/	P2.R6.TC 2 off	3K 2 off	P4.R6.TP2 2 off
DV.2097/22	NV20 Length 21' 0"	5E/4183	JP	31882 Ring Tongue	A-MP 1 off	5X/	31882 Ring Tongue	A-MP 1 off	5X/	J7.R15.T3 1 off	4W 2 off	P2.R4.T6 2 off
DV.2097/23	NV20 Length 21' 0"	5E/4183	JP	31882 Ring Tongue	A-MP 1 off	5X/	31882 Ring Tongue	A-MP 1 off	5X/	J7.R14.T3 2 off	4W 2 off	P2.R3.T6 2 off
DV.2097/24	NV20 Length 16' 0"	5E/4183	JP	31882 Ring Tongue	A-MP 1 off	5X/	31882 Ring Tongue	A-MP 1 off	5X/	J7.R13.T3 2 off	4W 2 off	P2.R2.T6 2 off
DV.2097/25	NV20 Length 17' 0"	5E/4183	JP	31882 Ring Tongue	A-MP 1 off	5X/	31882 Ring Tongue	A-MP 1 off	5X/	J7.R12.T3 2 off	4W 2 off	P2.R1.T6 2 off

RESTRICTED

September 1966
P27 AL31

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2303	FLY-LEAD SET P.3											
DV.2011/123	NV20 Length 3' 6"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P3.M1 2 off	1P 2 off	P3.F1 2 off
DV.2011/124	NV20 Length 1' 0"	5E/4183	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31896 Ring Tongue	A-MP 1 off	5X/	P3.F1 2 off	1P 2 off	P3.L1 2 off
DV.2011/125	NV16 Length 10' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31892 Ring Tongue	A-MP 1 off	5X/	P3.F1 2 off	1P 2 off	P2. Chassis 2 off
DV.2011/126	NV16 Length 10' 0"	5E/4186	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31892 Ring Tongue	A-MP 1 off	5X/	P3.F1 2 off	1P 2 off	E.21 2 off
DV.2011/143	NV20 Length 2' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	P3.L1 2 off	1P 2 off	P3.M1 2 off
DV.2015/15	NVMS22 Length 34' 0"	5E/4198	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	320440 Ring Tongue	A-MP 1 off	5X/	P3.F3.A 2 off	2V 2 off	J9.M3.T1 2 off
DV.2015/17	NVMS22 Length 34' 0"	5E/4198	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	320440 Ring Tongue	A-MP 1 off	5X/	P3.F36 2 off	2V 2 off	J9.M3.T3 2 off
DV.2015/19	NVMS22 Length 30' 0"	5E/4198	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	320440 Ring Tongue	A-MP 1 off	5X/	P3.F1A 2 off	2V 2 off	J9.M2.T1 2 off
DV.2015/21	NVMS22 Length 30' 0"	5E/4198	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	320440 Ring Tongue	A-MP 1 off	5X/	P3.F16 2 off	2V 2 off	J9.M2.T3 2 off
DV.2015/22	NVMS22 Length 30' 0"	5E/4198	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	320440 Ring Tongue	A-MP 1 off	5X/	P3.F5A 2 off	2V 2 off	J9.M1.T1 2 off
DV.2015/24	NVMS22 Length 30' 0"	5E/4198	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	320440 Ring Tongue	A-MP 1 off	5X/	P3.F5.G 2 off	2V 2 off	J9.M1.T3 2 off
DV.2016/1	NVMS16 Length 28' 0"	5E/4201	KP	323926 Ring Tongue	A-MP 1 off	5X/9462954	150107 Ring Tongue	A-MP 1 off	5X/	P3.F6.A 2 off	1X 2 off	J9.R5.TA2 2 off
DV.2016/2	NVMS16 Length 30' 0"	5E/4201	KP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31882 Ring Tongue	A-MP 1 off	5X/	P3.F8.F 2 off	1X 2 off	J9.R5.TA2 2 off

Argosy C. Mk.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2016/4	NVMS16 Length 28' 0"	5E/4201	KP	323926 Ring Tongue	A-MP 1 off	5X/9462954	150107 Ring Tongue	A-MP 1 off	5X/	P3.F6.G 2 off	1X 2 off	J9.R7.TA2 2 off
DV.2016/5	NVMS16 Length 28' 0"	5E/4201	KP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31882 Ring Tongue	A-MP 1 off	5X/	P3.F8.M 2 off	1X 2 off	J9.R7.TA2 2 off
DV.2016/10	NV16 Length 4' 6"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323926 Ring Tongue	A-MP 1 off	5X/9462954	P3.F6.F 2 off	1X 2 off	P3.F7.A 2 off
DV.2016/11	NV16 Length 4' 6"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323926 Ring Tongue	A-MP 1 off	5X/9462954	P3.F6.M 2 off	1X 2 off	P3.F7.G 2 off
DV.2016/12	NV16 Length 3' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323926 Ring Tongue	A-MP 1 off	5X/9462954	P3.F7.F 2 off	1X 2 off	P3.F8.A 2 off
DV.2016/13	NV16 Length 3' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323926 Ring Tongue	A-MP 1 off	5X/9462954	P3.F7.M 2 off	1X 2 off	P3.F8.G 2 off
DV.2017/1	NV16 Length 30' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31882 Ring Tongue	A-MP 1 off	5X/	P3.F5.G 2 off	2X 2 off	J9.R1.T2 2 off
DV.2017/2	NV16 Length 30' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31882 Ring Tongue	A-MP 1 off	5X/	P3.F5.A 2 off	2X 2 off	J9.R1.T4 2 off
DV.2017/3	NV16 Length 30' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31882 Ring Tongue	A-MP 1 off	5X/	P3.F5.F 2 off	2X 2 off	J9.R1.T3 2 off
DV.2017/4	NV16 Length 30' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31882 Ring Tongue	A-MP 1 off	5X/	P3.F5.M 2 off	2X 2 off	J9.R1.T1 2 off
DV.2017/5	NV16 Length 30' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	53/9462954	31882 Ring Tongue	A-MP 1 off	5X/	P3.F1.G 2 off	2X 2 off	J9.R2.T2 2 off
DV.2017/6	NV16 Length 30' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31882 Ring Tongue	A-MP 1 off	5X/	P3.F1.A 2 off	2X 2 off	J9.R2.T4 2 off
DV.2017/9	NV16 Length 30' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31882 Ring Tongue	A-MP 1 off	5X/	P3.F2.F 2 off	2X 2 off	J9.R2.T3 2 off

RESTRICTED

September 1966
TR27
AL31

Argosy C. Mk. I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2017/10	NV16 Length 30' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31882 Ring Tongue	A-MP 1 off	5X/	P3.F2.M 2 off	2X 2 off	J9.R2.T1 2 off
DV.2017/11	NV16 Length 30' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31882 Ring Tongue	A-MP 1 off	5X/	P3.F3.G 2 off	2X 2 off	J9.R3.T2 2 off
DV.2017/12	NV16 Length 30' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31882 Ring Tongue	A-MP 1 off	5X/	P3.F3.A 2 off	2X 2 off	J9.R3.T4 2 off
DV.2017/13	NV16 Length 30' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31882 Ring Tongue	A-MP 1 off	5X/	P3.F4.F 2 off	2X 2 off	J9.R3.T3 2 off
DV.2017/14	NV16 Length 30' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31882 Ring Tongue	A-MP 1 off	5X/	P3.F4.M 2 off	2X 2 off	J9.R3.T1 2 off
DV.2017/24	NV16 Length 4' 6"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323926 Ring Tongue	A-MP 1 off	5X/9462954	P3.F1.F 2 off	2X 2 off	P3.F2.A 2 off
DV.2017/25	NV16 Length 4' 6"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323926 Ring Tongue	A-MP 1 off	5X/9462954	P3.F1.M 2 off	2X 2 off	P3.F2.G 2 off
DV.2017/26	NV16 Length 4' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323926 Ring Tongue	A-MP 1 off	5X/9462954	P3.F3.F 2 off	2X 2 off	P3.F4.A 2 off
DV.2017/27	NV16 Length 4' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323926 Ring Tongue	A-MP 1 off	5X/9462954	P3.F3.M 2 off	2X 2 off	P3.F4.G 2 off
DV.2022/17	NV22 Length 40' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	Z4.M9.TA3 2 off	2H 2 off	P3.F8.H 2 off
DV.2022/30	NV22 Length 25' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	Z5.M42.RA3 2 off	2H 2 off	P3.F7.M 2 off
DV.2025/45	NVMS22 Length 25' 0"	5E/4198	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	Socket CZ.49014/2 Outlet Accessory Set 2CZ/108172	1 off 1 off	Z.560592 10H/	P3.F7.B 2 off	1E 2 off	Z3.M20.D2A 2 off

Argosy C. Mk.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2025/46	NVMS22 Length 25' 0"	5E/4198	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	See Cable DV.2025/45			P3.F7.D 2 off	1E 2 off	Z3.M21.D2A 2 off
DV.2025/48	NVMS22 Length 25' 0"	5E/4198	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	See Cable DV.2025/45			P3.F7.C 2 off	1E 2 off	Z3.M22.D2A 2 off
DV.2038/15	NVMS22 Length 28' 0"	5E/4198	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	See Cable DV.2025/45			P3.F7.E 2 off	11E 2 off	Z3.M7.D2A 2 off
DV.2043/13	NVMS22 Length 15' 0"	5E/4198	JP	No Fitting			323926 Ring Tongue	A-MP 1 off	5X/9462954	J6.M4.T115V 2 off	5E 2 off	P3.F6.6B 2 off
DV.2043/14	NVMS22 Length 15' 0"	5E/4198	JP	No Fitting			323926 Ring Tongue	A-MP 1 off	5X/9462954	J6.M3.T115V 2 off	5E 2 off	P3.F6.H 2 off
DV.2043/15	NVMS22 Length 15' 0"	5E/4198	JP	No Fitting			323926 Ring Tongue	A-MP 1 off	5X/9462954	J6.M2.T115V 2 off	5E 2 off	P3.F6.G 2 off
DV.2043/16	NVMS22 Length 15' 0"	5E/4198	JP	No Fitting			323926 Ring Tongue	A-MP 1 off	5X/9462954	J6.M1.T115V 2 off	5E 2 off	P3.F6.A 2 off
DV.2054/3	NV22 Length 20' 6"	5E/4182	AJP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31878 Ring Tongue	A-MP 1 off	5X/	P3.F8.G 2 off	15W 2 off	P6.R1.T7 2 off
DV.2054/4	NV22 Length 20' 6"	5E/4182	AJP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31878 Ring Tongue	A-MP 1 off	5X/	P3.F8.A 2 off	15W 2 off	P6.R1.T1 2 off
DV.2055/30	NV22 Length 40' 0"	5E/4182	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31879 Ring Tongue	A-MP 1 off	5X/	P3.F8.D 2 off	18W 2 off	Z3.M39.T5 2 off
DV.2055/32	NV22 Length 40' 0"	5E/4182	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31879 Ring Tongue	A-MP 1 off	5X/	P3.F8.K 2 off	18W 2 off	Z3.M38.T5 2 off
DV.2055/34	NV22 Length 40' 0"	5E/4182	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31879 Ring Tongue	A-MP 1 off	5X/	P3.F8.J 2 off	18W 2 off	Z3.M37.T5 2 off

RESTRICTED

Argosy C. Mk. I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2055/36	NV22 Length 40' 0"	5E/4182	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31879 Ring Tongue	A-MP 1 off	5X/	P3.F8.C 2 off	18W 2 off	Z3.M36.T5 2 off
DV.2073/16	NVMS22 Length 40' 0"	5E/4198	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	Socket MS.3106A-20- 29S Cable Clamp AN.3057-12	} 1 off } 1 off	5X/8052 10H/	P3.F1.8 2 off	17W 2 off	Z3.M10.R 2 off
DV.2079/39	NVMS22 Length 35' 0"	5E/4198	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	See Cable DV.2073/16			P3.F1.H 2 off	17W 2 off	Z3.M13.R 2 off
DV.2080/3	NVMS20 Length 18' 6"	5E/4199	JP	HC.1187 Tag, Cranked	1 off	5X/7316	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S42.T2 2 off	1F 2 off	P3.F3.L 2 off
DV.2080/4	NVMS20 Length 18' 6"	5E/4199	JP	HC.1187 Tag, Cranked	1 off	5X/7316	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S42.T5 2 off	1F 2 off	P3.F3.E 2 off
DV.2080/7	NVMS20 Length 17' 6"	5E/4199	JP	HC.1187 Tag, Cranked	1 off	5X/7316	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S58.T2 2 off	1F 2 off	P3.F5.J 2 off
DV.2080/8	NVMS20 Length 17' 6"	5E/4199	JP	HC.1187 Tag, Cranked	1 off	5X/7316	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S58.T5 2 off	1F 2 off	P3.F5.C 2 off
DV.2080/14	NVMS20 Length 27' 0"	5E/4199	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31878 Ring Tongue	A-MP 1 off	5X/	P3.F3.D 2 off	1 F 2 off	Z3.M24.T85 2 off
DV.2080/15	NVMS20 Length 24' 0"	5E/4199	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31878 Ring Tongue	A-MP 1 off	5X	P3.F3.K 2 off	1F 2 off	Z3.M24.T83 2 off
DV.2080/16	NVMS20 Length 24' 0"	5E/4199	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	320440 Ring Tongue	A-MP 1 off	5X/	P3.F3.F 2 off	1F 2 off	Z3.S1.T4 2 off
DV.2080/17	NVMS20 Length 25' 0"	5E/4199	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	320440 Ring Tongue	A-MP 1 off	5X/	P3.F5.D 2 off	1F 2 off	Z3.S2.T4 2 off
DV.2080/18	NVMS20 Length 25' 0"	5E/4199	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31878 Ring Tongue	A-MP 1 off	5X/	P3.F5.B 2 off	1F 2 off	Z3.M24.T66 2 off

Argosy 'C' Mk.I.

RESTRICTED

RESTRICTED

September 1966
TP27 AL31

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2080/19	NVMS20 Length 25' 0"	5E/4199	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31878 Ring Tongue	A-MP 1 off	5X/	P3.F5.H 2 off	1F 2 off	Z3.M24.T68 2 off
DV.2080/20	NVMS20 Length 24' 0"	5E/4199	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31878 Ring Tongue	A-MP 1 off	5X/	P3.F3.C 2 off	1F 2 off	Z3.M24.T47 2 off
DV.2081/21	NVMS20 Length 24' 0"	5E/4199	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31878 Ring Tongue	A-MP 1 off	5X/	P3.F3.J 2 off	1F 2 off	Z3.M24.T45 2 off
DV.2081/14	NV20 Length 35' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323926 Ring Tongue	A-MP 1 off	5X/9462954	P20.034 2 off	1C 2 off	P3.F2.A 2 off
DV.2081/15	NV20 Length 35' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323926 Ring Tongue	A-MP 1 off	5X/9462954	P20.T33 2 off	1C 2 off	P3.F2.G 2 off
DV.2081/23	NV20 Length 20' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323926 Ring Tongue	A-MP 1 off	5X/9462954	Z3.M8.T9 2 off	1C 2 off	P3.F1.F 2 off
DV.2081/24	NV20 Length 20' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323926 Ring Tongue	A-MP 1 off	5X/9462954	Z3.M8.T6 2 off	1C 2 off	P3.F1.M 2 off
DV.2081/26	NV20 Length 16' 0"	5E/4183	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	32440 Ring Tongue	A-MP 1 off	5X/	P3.F2.A 2 off	1C 2 off	J6.M6.T1 2 off
DV.2081/27	NV20 Length 16' 0"	5E/4183	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	320440 Ring Tongue	A-MP 1 off	5X/	P3.F2.G 2 off	1C 2 off	J6.M6.T3 2 off
DV.2088/13	NVMS22 Length 17' 0"	5E/4198	JP	Socket CZ.49015 Accessory Set 2CZ/108173	1 off 1 off	Z.560100 10H/	323926 Ring Tongue	A-MP 1 off	5X/9462954	J6.M5.D2A 2 off	6F 2 off	P3.F2.K 2 off
DV.2102/1	NV20 Length 13' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.T1 2 off	3X 2 off	P3.F5.F 2 off
DV.2102/2	NV20 Length 13' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.T2 2 off	3X 2 off	P3.F5.M 2 off
DV.2102/3	NV20 Length 15' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.T3 2 off	3X 2 off	P3.F2.F 2 off

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2303	FLY-LEAD SET P.3											
DV.2011/123	NV20 Length 3' 6"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	P3.M1 2 off	1P 2 off	P3.F1 2 off
DV.2011/124	NV20 Length 1' 0"	5E/4183	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31896 Ring Tongue	A-MP 1 off	5X/	P3.F1 2 off	1P 2 off	P3.L1 2 off
DV.2011/125	NV16 Length 10' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31892 Ring Tongue	A-MP 1 off	5X/	P3.F1 2 off	1P 2 off	P2. Chassis 2 off
DV.2011/126	NV16 Length 10' 0"	5E/4186	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31892 Ring Tongue	A-MP 1 off	5X/	P3.F1 2 off	1P 2 off	E.21 2 off
DV.2011/143	NV20 Length 2' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	P3.L1 2 off	1P 2 off	P3.M1 2 off
DV.2015/15	NVMS22 Length 34' 0"	5E/4198	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	320440 Ring Tongue	A-MP 1 off	5X/	P3.F3.A 2 off	2V 2 off	J9.M3.T1 2 off
DV.2015/17	NVMS22 Length 34' 0"	5E/4198	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	320440 Ring Tongue	A-MP 1 off	5X/	P3.F36 2 off	2V 2 off	J9.M3.T3 2 off
DV.2015/19	NVMS22 Length 30' 0"	5E/4198	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	320440 Ring Tongue	A-MP 1 off	5X/	P3.F1A 2 off	2V 2 off	J9.M2.T1 2 off
DV.2015/21	NVMS22 Length 30' 0"	5E/4198	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	320440 Ring Tongue	A-MP 1 off	5X/	P3.F16 2 off	2V 2 off	J9.M2.T3 2 off
DV.2015/22	NVMS22 Length 30' 0"	5E/4198	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	320440 Ring Tongue	A-MP 1 off	5X/	P3.F5A 2 off	2V 2 off	J9.M1.T1 2 off
DV.2015/24	NVMS22 Length 30' 0"	5E/4198	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	320440 Ring Tongue	A-MP 1 off	5X/	P3.F5.G 2 off	2V 2 off	J9.M1.T3 2 off
DV.2016/1	NVMS16 Length 28' 0"	5E/4201	KP	323926 Ring Tongue	A-MP 1 off	5X/9462954	150107 Ring Tongue	A-MP 1 off	5X/	P3.F6.A 2 off	1X 2 off	J9.R5.TA2 2 off
DV.2016/2	NVMS16 Length 30' 0"	5E/4201	KP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31882 Ring Tongue	A-MP 1 off	5X/	P3.F8.F 2 off	1X 2 off	J9.R5.TA2 2 off

Argosy C. Mk.1.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2016/4	NVMS16 Length 28' 0"	5E/4201	KP	323926 Ring Tongue	A-MP 1 off	5X/9462954	150107 Ring Tongue	A-MP 1 off	5X/	P3.F6.G 2 off	1X 2 off	J9.R7.TA2 2 off
DV.2016/5	NVMS16 Length 28' 0"	5E/4201	KP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31882 Ring Tongue	A-MP 1 off	5X/	P3.F8.M 2 off	1X 2 off	J9.R7.TA2 2 off
DV.2016/10	NV16 Length 4' 6"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323926 Ring Tongue	A-MP 1 off	5X/9462954	P3.F6.F 2 off	1X 2 off	P3.F7.A 2 off
DV.2016/11	NV16 Length 4' 6"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323926 Ring Tongue	A-MP 1 off	5X/9462954	P3.F6.M 2 off	1X 2 off	P3.F7.G 2 off
DV.2016/12	NV16 Length 3' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323926 Ring Tongue	A-MP 1 off	5X/9462954	P3.F7.F 2 off	1X 2 off	P3.F8.A 2 off
DV.2016/13	NV16 Length 3' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323926 Ring Tongue	A-MP 1 off	5X/9462954	P3.F7.M 2 off	1X 2 off	P3.F8.G 2 off
DV.2017/1	NV16 Length 30' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31882 Ring Tongue	A-MP 1 off	5X/	P3.F5.G 2 off	2X 2 off	J9.R1.T2 2 off
DV.2017/2	NV16 Length 30' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31882 Ring Tongue	A-MP 1 off	5X/	P3.F5.A 2 off	2X 2 off	J9.R1.T4 2 off
DV.2017/3	NV16 Length 30' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31882 Ring Tongue	A-MP 1 off	5X/	P3.F5.F 2 off	2X 2 off	J9.R1.T3 2 off
DV.2017/4	NV16 Length 30' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31882 Ring Tongue	A-MP 1 off	5X/	P3.F5.M 2 off	2X 2 off	J9.R1.T1 2 off
DV.2017/5	NV16 Length 30' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	53/9462954	31882 Ring Tongue	A-MP 1 off	5X/	P3.F1.G 2 off	2X 2 off	J9.R2.T2 2 off
DV.2017/6	NV16 Length 30' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31882 Ring Tongue	A-MP 1 off	5X/	P3.F1.A 2 off	2X 2 off	J9.R2.T4 2 off
DV.2017/9	NV16 Length 30' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31882 Ring Tongue	A-MP 1 off	5X/	P3.F2.F 2 off	2X 2 off	J9.R2.T3 2 off

RESTRICTED

September 1966
TR27 AL31

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
CV.2304	FLY-LEAD SET P.4											
DV.2041/2	NV20 Length 30' 0"	5E/4183	JP	31882 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P24.S9.S1.T4 2 off	3K 2 off	P4.T9 2 off
DV.2041/4	NV20 Length 30' 0"	5E/4183	JP	31882 Ring Tongue	A-MP 1 off	-	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P24.S9.S1.T3 2 off	3K 2 off	P4.T8 2 off
DV.2041/7	NV16 Length 30' 0"	5E/4185	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31879 Ring Tongue	A-MP 1 off		P24.S10.T4 2 off	3K 2 off	P4.R5.T4 2 off
DV.2041/9	NV20 Length 30' 0"	5E/4183	JP	31882 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P24.S9.S1.T2 2 off	3K 2 off	P4.T7 2 off
DV.2041/11	NV20 Length 30' 0"	5E/4183	JP	31882 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P24.S9.S1.T1 2 off	3K 2 off	P4.T6 2 off
DV.2041/16	NV22 Length 32' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P4.R4.T5a 2 off	3K 2 off	P20.T91 2 off

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

Argosy C. Mk. I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

CABLE (ELECTRICAL) CHART

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2385	FLY-LEAD SET	P.5										
DV.2065/10	NVMS16 Length 32' 0"	5E/4201	KP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.T17 2 off	1K 2 off	P20.T150 2 off
DV.2065/11	NVMS16 Length 32' 0"	5E/4201	KP	31878 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.R7.T6 2 off	1K 2 off	P20.T117 2 off
DV.2065/12	NVMS16 Length 32' 0"	5E/4201	KP	31878 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.R7.TC 2 off	1K 2 off	P20.T156 2 off
DV.2065/13	NVMS16 Length 30' 6"	5E/4201	KP	31878 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.R7.T1a 2 off	1K 2 off	P20.T160 2 off
DV.2065/14	NVMS16 Length 33' 6"	5E/4201	KP	31878 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.R7.T5a 2 off	1K 2 off	P20.T127 2 off
DV.2065/15	NV16 Length 32' 0"	5E/4185	JP	150109 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.R8.T1 2 off	1K 2 off	P27.T7 2 off
DV.2065/17	NVMS16 Length 33' 0"	5E/4201	KP	31878 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.R7.T6a 2 off	1K 2 off	P20.T1 2 off
DV.2065/18	NVMS16 Length 32' 0"	5E/4201	KP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.T12 2 off	1K 2 off	P20.T149 2 off
DV.2065/19	NVMS16 Length 32' 6"	5E/4201	KP	31878 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.R5.T6 2 off	1K 2 off	P20.T118 2 off
DV.2065/20	NVMS16 Length 32' 0"	5E/4201	KP	31878 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.R5.TC 2 off	1K 2 off	P20.T155 2 off
DV.2065/21	NVMS16 Length 32' 0"	5E/4201	KP	31878 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.R5.T1a 2 off	1K 2 off	P20.T159 2 off
DV.2065/22	NVMS16 Length 32' 6"	5E/4201	KP	31878 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.R5.T5a 2 off	1K 2 off	P20.T128 2 off

RESTRICTED

Argosy C. Mk.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2065/23	NV16 Length 31' 6"	5E/4185	JP	150109 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.R6.T1 2 off	1K 2 off	P27.T9 2 off
DV.2065/25	NVMS16 Length 33' 0"	5E/4201	KP	31878 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.R5.T6a 2 off	1K 2 off	P20.T3 2 off
DV.2065/30	NVMS16 Length 32' 0"	5E/4201	KP	31878 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.R3.T6a 2 off	1K 2 off	P20.T5 2 off
DV.2065/33	NV16 Length 29' 0"	5E/4185	JP	150109 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.R4.T1 2 off	1K 2 off	P15.T10 2 off
DV.2065/34	NVMS16 Length 32' 0"	5E/4201	KP	31878 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.R3.T5a 2 off	1K 2 off	P20.T129 2 off
DV.2065/35	NVMS16 Length 31' 6"	5E/4201	KP	31878 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.R3.T1a 2 off	1K 2 off	P20.T154 2 off
DV.2065/36	NVMS16 Length 31' 6"	5E/4201	KP	31878 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.R3.TC 2 off	1K 2 off	P20.T158 2 off
DV.2065/37	NVMS16 Length 32' 0"	5E/4201	KP	31878 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.R3.T6 2 off	1K 2 off	P20.T199 2 off
DV.2065/38	NVMS16 Length 31' 6"	5E/4201	KP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.T7 2 off	1K 2 off	P20.T148 2 off
DV.2065/39	NVMS16 Length 31' 0"	5E/4201	KP	31878 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.R1.T6a 2 off	1K 2 off	P20.T8 2 off
DV.2065/41	NV16 Length 29' 0"	5E/4185	JP	150109 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.R2.T1 2 off	1K 2 off	P15.T8 2 off
DV.2065/42	NVMS16 Length 31' 6"	5E/4201	KP	31878 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.R1.T5a 2 off	1K 2 off	P20.T130 2 off
DV.2065/43	NVMS16 Length 31' 6"	5E/4201	KP	31878 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.R1.T1a 2 off	1K 2 off	P20.T153 2 off

RESTRICTED

September 1966
T27
AL31

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2065/44	NVMS16 Length 31' 0"	5E/4201	KP	31878 Ring Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.R1.TC 2 off	1K 2 off	P20.T157 2 off
DV.2065/45	NVMS16 Length 32' 0"	5E/4201	KP	31878 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.R1.T6 2 off	1K 2 off	P20.T120 2 off
DV.2065/46	NVMS16 Length 31' 6"	5E/4201	KP	323000 Slotted Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P5.T2 2 off	1K 2 off	P20.T147 2 off
DV.2065/49	NV16 Length 12' 0"	5E/4185	JP	150109 Ring Tongue	A-MP 1 off		31892 Ring Tongue	A-MP 1 off		P5.R8.T2 2 off	1K 2 off	E6 2 off
DV.2065/53	NV16 Length 12' 0"	5E/4185	JP	150109 Ring Tongue	A-MP 1 off		31892 Ring Tongue	A-MP 1 off		P5.R6.T2 2 off	1K 2 off	E7 2 off
DV.2065/56	NV16 Length 12' 0"	5E/4185	JP	150109 Ring Tongue	A-MP 1 off		31892 Ring Tongue	A-MP 1 off		P5.R4.T2 2 off	1K 2 off	E8 2 off
DV.2065/60	NV16 Length 12' 0"	5E/4185	JP	150109 Ring Tongue	A-MP 1 off		31892 Ring Tongue	A-MP 1 off		P5.R2.T2 2 off	1K 2 off	E9 2 off

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

Argosy C. Mk. I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

RESTRICTED

Argosy C. Mk. I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
CV.2306	FLY-LEAD SET	P.6										
DV.2061/10	NV4 Length 25' 0"	5E/4191	LP	322010 Ring Tongue	A-MP 1 off	5X/	322053 Ring Tongue	A-MP 1 off	5X/	P6.R3.T2 2 off	3G 2 off	Z5.M1.T+ 2 off
DV.2061/13	NV20 Length 42' 0"	5E/4183	JP	150107 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	P6.R3.T13 2 off	3G 2 off	Z5.M35.T6 2 off
DV.2061/27	NV20 Length 14' 0"	5E/4183	JP	150107 Ring Tongue	A-MP 1 off	5X/	31892 Ring Tongue	A-MP 1 off	5X/	P6.R3.T12 2 off	3G 2 off	E6 2 off

November 1963
TP27
AL14

RESTRICTED

Argosy C. Mk.I.

CABLE (ELECTRICAL) CHART

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
CV.2307	FLY-LEAD SET	P.7										
DV.2018/30	NV16 Length 23' 6"	5E/4185	JP	31269 Ring Tongue	A-MP 1 off	5X/9450396	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S33.T1 2 off	1H 2 off	P7.F29M.T1 2 off
DV.2018/40	NV16 Length 24' 0"	5E/4185	JP	31269 Ring Tongue	A-MP 1 off	5X/9450396	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S32.T1 2 off	1H 2 off	P7.F29L.T1 2 off
DV.2018/50	NV16 Length 24' 0"	5E/4185	JP	31269 Ring Tongue	A-MP 1 off	5X/9450396	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S31.T1 2 off	1H 2 off	P7.F29K.T1 2 off
DV.2018/60	NV16 Length 24' 0"	5E/4185	JP	31269 Ring Tongue	A-MP 1 off	5X/9450396	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.S30.T1 2 off	1H 2 off	P7.F29J/T1 2 off
DV.2018/66	NV22 Length 5' 0"	5E/4182	AJP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31879 Ring Tongue	A-MP 1 off	5X/	P7.F29G.T1 2 off	1H 2 off	J5.R7.TA1 2 off
DV.2018/67	NV22 Length 5' 0"	5E/4182	AJP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31879 Ring Tongue	A-MP 1 off	5X/	P7.F29H.T1 2 off	1H 2 off	J5.R7.TA3 2 off
DV.2018/68	NV22 Length 5' 0"	5E/4182	AJP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31879 Ring Tongue	A-MP 1 off	5X/	P7.F29E.T1 2 off	1H 2 off	J5.R6.TA1 2 off
DV.2018/69	NV22 Length 5' 0"	5E/4182	AJP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31879 Ring Tongue	A-MP 1 off	5X/	P7.F29.FT1 2 off	1H 2 off	J5.R6.TA3 2 off
DV.2018/70	NV22 Length 5' 0"	5E/4182	AJP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31879 Ring Tongue	A-MP 1 off	5X/	P7.F29C.T1 2 off	1H 2 off	J5.R5.TA1 2 off
DV.2018/71	NV22 Length 5' 0"	5E/4182	AJP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31879 Ring Tongue	A-MP 1 off	5X/	P7.F29D.T1 2 off	1H 2 off	J5.R5.TA3 2 off
DV.2018/72	NV22 Length 5' 0"	5E/4182	AJP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31879 Ring Tongue	A-MP 1 off	5X/	P7.F29A.T1 2 off	1H 2 off	J5.R4.TA1 2 off
DV.2018/73	NV22 Length 5' 0"	5E/4182	AJP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31879 Ring Tongue	A-MP 1 off	5X/	P7.F29B.T1 2 off	1H 2 off	J5.R4.TA3 2 off

Argosy C. MK.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2018/86	NV20 Length 5' 0"	5E/4183	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31878 Ring Tongue	A-MP 1 off	5X/	P7.F29M.T1 2 off	1H 2 off	J5.R8.T6 2 off
DV.2018/89	NV16 Length 5' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31878 Ring Tongue	A-MP 1 off	5X/	P7.F29L.T1 2 off	1H 2 off	J5.R9.T6 2 off
DV.2018/91	NV16 Length 5' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31878 Ring Tongue	A-MP 1 off	5X/	P7.F29K.T1 2 off	1H 2 off	J5.R9.T2 2 off
DV.2018/99	NV16 Length 5' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31878 Rig Tongue	A-MP 1 off	5X/	P7.F29J.T1 2 off	1H 2 off	J5.R8.T2 2 off
DV.2065/99	NV16 Length 41' 6"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P7.F30A.T2 2 off	1K 2 off	P20.T60 2 off
DV.2065/100	NV16 Length 41' 6"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P7.F30B.T2 2 off	1K 2 off	P20.T59 2 off
DV.2065/101	NV16 Length 41' 6"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P7.F30C.T2 2 off	1K 2 off	P20.T50 2 off
DV.2065/102	NV16 Length 41' 6"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P7.F30D.T2 2 off	1K 2 off	P20.T49 2 off
DV.2065/103	NV16 Length 5' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31892 Ring Tongue	A-MP 1 off	5X/	P7.F30A.T1 2 off	1K 2 off	P5.R8.T4 2 off
DV.2065/104	NV16 Length 5' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31892 Ring Tongue	A-MP 1 off	5X/	P7.F30B.T1 2 off	1K 2 off	P5.R6.T4 2 off
DV.2065/105	NV16 Length 4' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31892 Ring Tongue	A-MP 1 off	5X/	P7.F30C.T1 2 off	1K 2 off	P5.R4.T4 2 off
DV.2065/106	NV16 Length 4' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31892 Ring Tongue	A-MP 1 off	5X/	P7.F30D.T1 2 off	1K 2 off	P5.R2.T4 2 off

RESTRICTED

Argosy C. Mk.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
									Marker No. 1	Code Marker	Marker No. 2
DV.2101/6	NV22 Length 35' 0"	5E/4182	AJP	323926 Ring Tongue	A-MP 1 off	5X/	Socket CZ.56743 1 off Protective Cap } 1 off CZ.51538 Outlet Set Acc. } 1 off 2CZ/108178	Z.560820 Z.970055 10H/	P7.F30.J 2 off	1B 2 off	Z5.D18.C 2 off
DV.2101/8	NV22 Length 50' 0"	5E/4182	AJP	323926 Ring Tongue	A-MP 1 off	5X/	Socket CZ.49015 Outlet Set Acc. } 2CZ/108173	Z.560100 10H/	P7.F30H 2 off	1B 2 off	Z22.D1.A 2 off
DV.2101/11	NV22 Length 35' 0"	5E/4182	AJP	323926 Ring Tongue	A-MP 1 off	5X/	See Cable DV.2101/6		P7.F30.G	1B	Z5.D17.C

RESTRICTED

Argosy C. Mk.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
CV.2312	FLYLEAD SET P.12											
DV.2073/5	NV22 Length 12' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/	31269 Ring Tongue	A-MP 1 off	5X/	Z2.M24.T2 2 off	17W 2 off	P12.S6.T4 2 off
DV.2073/8	NV22 Length 17' 0"	5E/4182	AJP	31893 Ring Tongue	A-MP 1 off	5X/ 5X/	Ring Tongue	1 off 1 off	5X/7316	E28 2 off	17W 2 off	P12.S6.T5 2 off
DV.2073/53	NV22 Length 17' 0"	5E/4182	AJP	HC.1187 Ring Tongue	1 off	5X/7316	31893 Ring Tongue	A-MP 1 off	5X/	P12.S7.T5 2 off	17W 2 off	E28 2 off
DV.2076/15	NV16 Length 16' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/	31882 Ring Tongue	A-MP 1 off	5X/	Z2.M19.T1 2 off	1M 2 off	P12.S2.TA4 2 off
DV.2076/16	NV16 Length 16' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/	31882 Ring Tongue	A-MP 1 off	5X/	Z2.-M19.T3 2 off	1M 2 off	P12.S2.TB2 2 off
DV.2076/21	UT16 Length 15' 0"	5E/3896	JP	31885 Ring Tongue	A-MP 1 off	5X/	31887 Ring Tongue	A-MP 1 off	5X/	P12.S2.TA4 2 off	1M 2 off	Z5.M19.T1 2 off
DV.2076/22	UT16 Length 15' 0"	5E/3896	JP	31885 Ring Tongue	A-MP 1 off	5X/	31887 Ring Tongue	A-MP 1 off	5X/	P12.S2.TA3 2 off	1M 2 off	Z5.M19.T2 2 off
DV.2076/23	UT16 Length 15' 0"	5E/3896	JP	31885 Ring Tongue	A-MP 1 off	5X/	31887 Ring Tongue	A-MP 1 off	5X/	P12.S2.TA2 2 off	1M 2 off	Z5.M19.T3 2 off
DV.2125/11	NV22 Length 15' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/	31094 Ring Tongue	A-MP 1 off	5X/	P15.T37 2 off	7L 2 off	P12.S4.T1 2 off
DV.2125/12	NV22 Length 18' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/	31269 Ring Tongue	A-MP 1 off	5X/	P20.T77 2 off	7L 2 off	P12.S3.T1 2 off

RESTRICTED

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

Argosy C. MK.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
CV.2316	FLYLEAD SET P16											
DV.2124/5	NV22 Length 28' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31094 Ring Tongue	A-MP 1 off	5X/	P23.T2 2 off	6L 2 off	P16.S1.T2 2 off
DV.2124/6	NV22 Length 28' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31094 Ring Tongue	A-MP 1 off	5X/	P23.T1 2 off	6L 2 off	P16.S1.T1 2 off
DV.2124/21	NV22 Length 24' 6"	5E/4182	AJP	No Fitting		5X/	31094 Ring Tongue	A-MP 1 off	5X/	P12.L6 2 off	6L 2 off	P16.S1.T1 2 off
DV.2124/22	NV22 Length 24' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31094 Ring Tongue	A-MP 1 off	5X/	P15.T51 2 off	6L 2 off	P16.S2.T1 2 off
DV.2124/23	NV22 Length 24' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31094 Ring Tongue	A-MP 1 off	5X/	P15.T54 2 off	6L 2 off	P16.S2.T2 2 off

RESTRICTED
Argosy C. Mk.I.

RESTRICTED

Argosy C. M.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
CV.2323	FLY-LEAD SET	P.23										
DV.2051/1	NV20 Length 12' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	P23.L4.TB3 2 off	1W 2 off	P27.T23 2 off
DV.2051/2	NV20 Length 12' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	P23.L3.TB3 2 off	1W 2 off	P27.T26 2 off
DV.2051/4	NV20 Length 12' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	P23.L2.TB3 2 off	1W 2 off	P15.T23 2 off
DV.2051/6	NV20 Length 12' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	P23.L1.TB3 2 off	1W 2 off	P15.T26 2 off
DV.2051/55	NV20 Length 8' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	P23.L4.TE 2 off	1W 2 off	P27.T14 2 off
DV.2051/56	NV20 Length 8' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	P23.L3.TE 2 off	1W 2 off	P27.T14 2 off
DV.2051/57	NV20 Length 8' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	P23.L2.TE 2 off	1W 2 off	P15.T14 2 off
DV.2051/58	NV20 Length 8' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	P23.L1.TE 2 off	1W 2 off	P15.T14 2 off
DV.2052/1	NV20 Length 12' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	P23.L4.T1 2 off	2W 2 off	P27.T29 2 off
DV.2052/2	NV20 Length 12' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	P23.L4.T2 2 off	2W 2 off	P27.T27 2 off
DV.2052/7	NV20 Length 12' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	P23.L3.T2 2 off	2W 2 off	P27.T21 2 off
DV.2052/8	NV20 Length 12' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	P23.L3.T1 2 off	2W 2 off	P27.T30 2 off

RESTRICTED

Argosy C. Mk.1.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2052/9	NV20 Length 12' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/ Slotted Tongue	323000 A-MP 1 off	5X/ 2 off	P23.L2.T1 2W 2 off	P15.T30 2 off
DV.2052/10	NV20 Length 12' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/ Slotted Tongue	323000 A-MP 1 off	5X/ 2 off	P23.L2.T2 2W 2 off	P15.T21 2 off
DV.2052/15	NV20 Length 12' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/ Slotted Tongue	323000 A-MP 1 off	5X/ 2 off	P23.L1.T2 2W 2 off	P15.T27 2 off
DV.2052/16	NV20 Length 12' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/ Slotted Tongue	323000 A-MP 1 off	5X/ 2 off	P23.L1.T1 2W 2 off	P15.T29 2 off
DV.2065/1	NV16 Length 12' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/ No Fitting			P27.T7 1K 2 off	P23.S10.T1 2 off
DV.2065/2	NV16 Length 12' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/ HC.1189 Tag, Cranked	1 off	5X/7214	P27.T8 1K 2 off	P23.S10.T2 2 off
DV.2065/3	NV16 Length 12' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/ No Fitting			P27.T9 1K 2 off	P23.S9.T1 2 off
DV.2065/4	NV16 Length 12' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/ HC.1189 Tag, Cranked	1 off	5X/7214	P27.T10 1K 2 off	P23.S9.T2 2 off
DV.2065/5	NV16 Length 12' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/ No Fitting			P15.T10 1K 2 off	P23.S8.T1 2 off
DV.2065/6	NV16 Length 12' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/ HC.1189 Tag, Cranked	1 off	5X/7214	P15.T9 1K 2 off	P23.S8.T2 2 off
DV.2065/7	NV16 Length 12' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/ No Fitting			P15.T8 1K 2 off	P23.S7.T1 2 off
DV.2065/8	NV16 Length 12' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/ HC.1189 Tag, Cranked	1 off	5X/7214	P15.T7 1K 2 off	P23.S7.T2 2 off

RESTRICTED

RESTRICTED
Argosy C. M.I.

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
CV.2324	FLY-LEAD SET	P.24										
DV.2041/1	NV22 Length 28' 0"	5E/4182	AJP	31882 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P24.S9.S2.T4 2 off	3K 2 off	P20.T90 2 off
DV.2041/3	NV22 Length 27' 6"	5E/4182	AJP	31882 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P24.S9.S2.T3 2 off	3K 2 off	P20.T89 2 off
DV.2041/8	NV22 Length 28' 0"	5E/4182	AJP	31882 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P24.S9.S2.T2 2 off	3K 2 off	P20.T88 2 off
DV.2041/10	NV22 Length 28' 0"	5E/4182	AJP	31882 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P24.S9.S2.T1 2 off	3K 2 off	P20.T87 2 off
DV.2051/51	NV20 Length 24' 6"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P24.L9.TB3 2 off	1W 2 off	P27.T24 2 off
DV.2051/52	NV20 Length 22' 6"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P24.L8.TB3 2 off	1W 2 off	P27.T25 2 off
DV.2051/53	NV20 Length 24' 6"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P24.L7.TB3 2 off	1W 2 off	P15.T24 2 off
DV.2051/54	NV20 Length 24' 6"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P24.L6.TB3 2 off	1W 2 off	P15.T25 2 off
DV.2052/4	NV20 Length 22' 6"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P24.L9.T2 2 off	2W 2 off	P27.T22 2 off
DV.2052/5	NV20 Length 23' 6"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P24.L8.T2 2 off	2W 2 off	P27.T28 2 off
DV.2052/12	NV20 Length 23' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P24.L7.T2 2 off	2W 2 off	P15.T28 2 off
DV.2052/13	NV20 Length 23' 6"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P24.L6.T2 2 off	2W 2 off	P15.T22 2 off

Argosy C. Mk.1.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves			
									Marker No. 1	Code Marker	Marker No. 2	
DV.2063/1	NV22 Length 57' 0"	5E/4182	AJP	Socket Outlet Set Acc. 2CZ/108187	1 off 1 off	Z.560850	31878 Ring Tongue	A-MP 1 off	5X/	P58.D1.K 2 off	3M 2 off	P24.L10 2 off
DV.2063/231	NV22 Length 90' 0"	5E/4182	AJP	31879 Ring To0gue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	P54.R3.T4 2 off	3M 2 off	P24.L4.T1 2 off
DV.2063/235	NV22 Length 90' 0"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31269 Ring Tongue	A-MP 1 off	5X/	P54.S13.T6 2 off	3M 2 off	P54.S1.T6 2 off
DV.2063/238	NV22 Length 90' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P24.L10 2 off	3M 2 off	P54.T5 2 off
DV.2072/3	NV22 Length 40' 0"	5E/4182	JP	31878 Ring Tongue	A-MP 1 off	5X/	No Fitting			P24.L13.T1 2 off	3W 2 off	Z4.S5.TB 2 off
DV.2074/8	NV12 Length 45' 0"	5E/4187	KP	HC.1190 Tag, Cranked	1 off	5X/7215	323002 Slotted Tongue	A-MP 1 off	5X/	P24.S6.T2 2 off	2F 2 off	15.M6.T1 2 off
DV.2074/11	NV12 Length 35' 0"	5E/4187	KP	HC.1190 Tag, Cranked	1 off	5X/7215	323002 Slotted Tongue	A-MP 1 off	5X/	P24.S5.T2 2 off	2F 2 off	Z5.M5.T1 2 off
DV.2092/33	NV16 Length 90' 0"	5E/4185	HT20	31269 Ring Tongue	A-MP 1 off	5X/9462745	No Fitting			P24.S20.T1 2 off	1L 2 off	Z22.L1.T1 2 off
DV.2092/34	NV16 Length 90' 0"	5E/4185	HT20	31269 Ring Tongue	A-MP 1 off	5X/9462745	31879 Ring Tongue	A-MP 1 off	5X/	P24.S20.T3 2 off	1L 2 off	Z22.L5.T+ 2 off
DV.2092/35	NV16 Length 25' 0"	5E/4185	HT20	31269 Ring Tongue	A-MP 1 off	5X/9462745	31879 Ring Tongue	A-MP 1 off	5X/	P24.S20.T3 2 off	1L 2 off	Z1.L5.T+ 2 off
DV.2100/3	NV22 Length 3' 0"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	P24.S15.T1 2 off	5M 2 off	P28.L1 2 off
DV.2100/4	NV22 Length 3' 0"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	P24.S14.T1 2 off	5M 2 off	P28.L2 2 off

RESTRICTED

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART										
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2100/5	NV22 Length 44' 0"	5E/4182	AJP	Socket Outlet Set Acc. } 2CZ/108187 } 1 off	Z.560850	HC.1187 Tag, Cranked 1 off	5X/7316	P58.D1.E 2 off	5M 2 off	P24.S15.T2 2 off
DV.2124/3	NV22 Length 27' 0"	5E/4182	AJP	323000 Slotted Tongue A-MP 1 off	5X/9450396	31094 Ring Tongue A-MP 1 off	5X/	P23.T6 2 off	6L 2 off	P24.S17.T2 2 off
DV.2124/4	NV22 Length 27' 0"	5E/4182	AJP	323000 Slotted Tongue A-MP 1 off	5X/9450396	31094 Ring Tongue A-MP 1 off	5X/	P23.T4 2 off	6L 2 off	P24.S17.T1 2 off
DV.2124/10	NV22 Length 25' 0"	5E/4182	AJP	323000 Slotted Tongue A-MP 1 off	5X/9450396	31094 Ring Tongue A-MP 1 off	5X/	P21.T28 2 off	6L 2 off	P24.S16.T3 2 off
DV.2124/11	NV22 Length 25' 0"	5E/4182	AJP	323000 Slotted Tongue A-MP 1 off	5X/9450396	31094 Ring Tongue A-MP 1 off	5X/	P21.T27 2 off	6L 2 off	P24.S16.T2 2 off
DV.2124/20	NV22 Length 10' 0"	5E/4182	AJP	No Fitting		31094 Ring Tongue A-MP 1 off	5X/	Z2.L1+ 2 off	6L 2 off	P24.S17.T1 2 off
DV.2125/6	NV22 Length 6' 0"	5E/4182	AJP	31094 Ring Tongue A-MP 1 off	5X/	No Fitting		P24.S18.T1 2 off	7L 2 off	Z2.L3.T1 2 off
DV.2125/16	NV22 Length 25' 0"	5E/4182	AJP	31094 Ring Tongue A-MP 1 off	5X/	323000 Slotted Tongue A-MP 1 off	5X/9450396	P24.S18.T2 2 off	7L 2 off	P20.T35 2 off
DV.2125/17	NV22 Length 25' 0"	5E/4182	AJP	31094 Ring Tongue A-MP 1 off	5X/	323000 Slotted Tongue A-MP 1 off	5X/9450396	P24.S18.T2 2 off	7L 2 off	P20.T56 2 off
DV.2126/1	NV16 Length 20' 0"	5E/4185	JP	31269 Ring Tongue A-MP 1 off	5X/9462745	31269 Ring Tongue A-MP 1 off	5X/9462745	P24.S4.T1 2 off	3L 2 off	Z1.S5.T1 2 off
DV.2126/2	NV16 Length 20' 0"	5E/4185	JP	31269 Ring Tongue A-MP 1 off	5X/9462745	31269 Ring Tongue A-MP 1 off	5X/9462745	P24.S4.T3 2 off	3L 2 off	Z1.S5.T3 2 off
DV.2126/3	NV16 Length 3' 0"	5E/4185	JP	HC.1189 Tag, Cranked 1 off	5X/7214	No Fitting		P24.S4.T2 2 off	3L 2 off	Z2.L5.T1 2 off

Argosy C. M.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2129/2	NV22 Length 33' 0"	5E/4182	JP	31878 Ring Tongue	A-MP 1 off	5X/	31094 Ring Tongue	A-MP 1 off	5X/	P23.L107.T1 2 off	11L 2 off	P24.S16.T1 2 off
DV.2129/3	NV22 Length 33' 0"	5E/4182	JP	31878 Ring Tongue	A-MP 1 off	5X/	31094 Ring Tongue	A-MP 1 off	5X/	P23.L106.T1 2 off	11L 2 off	P24.S16.T4 2 off

RESTRICTED

October 1966
TP27 AL31

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART										
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
CV.2328	FLYLEAD SET P.28									
DV.2100/1	NV22 Length 40' 0"	5E/4182	AJP	Socket Z.560850 1 off Outlet Acc. Set } 1 off 2CZ.108187		31878 Ring Tongue A-MP 1 off	5X/	P58.D1.C 2 off	5M 2 off	P28.L3 2 off
DV.2100/2	NV22 Length 40' 0"	5E/4182	AJP	See Cable DV.2100/1		31878 Ring Tongue A-MP 1 off	5X/	P58.D1.D 2 off	5M 2 off	P28.L1 2 off
DV.2105/105	NV16 Length 28' 0"	5E/4185	JP	Fixed Coupler } 1 off Plug 2CZ/85414 } Gland Z.63827 1 off Gasket Z.60669 1 off Outlet Acc. Set } 1 off 2CZ/83014		HC.1189 Tag, Cranked A-MP 1 off	5X/7214	Z4.D3.F 2 off	1A 2 off	P28.S6.T5 2 off
DV.2105/197	NV14 Length 28' 0"	5E/4191	JP	See Cable DV.2105/105		See Cable DV.2105/105		Z4.D3.A 2 off	1A 2 off	P28.S6.T3 2 off
DV.2015/198	NV14 Length 28' 0"	5E/4191	JP	See Cable DV.2105/105		31269 Ring Tongue A-MP 1 off	5X/9462745	Z4.D3.B 2 off	1A 2 off	P28.S6.T3 2 off
DV.2105/199	NV16 Length 28' 0"	5E/4185	JP	See Cable DV.2105/105		HC.1189 Tag, Cranked 1 off	5X/7214	Z4.D3.E 2 off	1A 2 off	P28.S5.T2 2 off
DV.2124/1	NV22 Length 24' 6"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31094 Ring Tongue A-MP 1 off	5X/	P23.T9 2 off	6L 2 off	P28.S2.T2 2 off
DV.2124/2	NV22 Length 24' 6"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31904 Ring Tongue A-MP 1 off	5X/	P23.T8 2 off	6L 2 off	P28.S2.T1 2 off
DV.2124/15	NV22 Length 24' 6"	5E/4182	AJP	No Fitting		31904 Ring Tongue A-MP 1 off	5X/	P29.L6 2 off	6L 2 off	P28.S3.T1 2 off
DV.2124/17	NV22 Length 24' 6"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31094 Ring Tongue A-MP 1 off	5X/	P27.T34 2 off	6L 2 off	P28.S3.T1 2 off
DV.2124/18	NV22 Length 24' 6"	5E/4182	AJP	323000 A-MP Slotted Tongue 1 off	5X/9450396	31094 Ring Tongue A-MP 1 off	5X/	P27.T36 2 off	6L 2 off	P28.S3.T2 2 off

Argosy C. Mk.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
CV.2329/1	FLY-LEAD SET	P.29										
DV.2076/13	NV16 Length 10' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off		31882 Ring Tongue	A-MP 1 off		Z2.M18.T1 2 off	1M 2 off	P29.S1.TA4 2 off
DV.2076/14	NV16 Length 10' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off		31882 Ring Tongue	A-MP 1 off		Z2.M18.T3 2 off	1M 2 off	P29.S1.TB2 2 off
DV.2076/17	UT16 Length 12' 6"	5E/3896	JP	31885 Ring Tongue	A-MP 1 off		31887 Ring Tongue	A-MP 1 off		P29.S1.TA4 2 off	1M 2 off	Z5.M18.T1 2 off
DV.2076/18	UT16 Length 13' 0"	5E/3896	JP	31885 Ring Tongue	A-MP 1 off		31887 Ring Tongue	A-MP 1 off		P29.S1.TA3 2 off	1M 2 off	Z5.M18.T2 2 off
DV.2076/19	UT16 Length 13' 0"	5E/3896	JP	31885 Ring Tongue	A-MP 1 off		31887 Ring Tongue	A-MP 1 off		P29.S1.TA2 2 off	1M 2 off	Z5.M18.T3 2 off
DV.2125/10	NV22 Length 16' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off		31269 Ring Tongue	A-MP 1 off		P20.T78 2 off	7L 2 off	P29.S3.T1 2 off

RESTRICTED
Argosy C. Mk.I.

RESTRICTED

Argosy C. Mk.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
CV.2330/1	FLY-LEAD SET	P.30										
DV.2011/127	NV12 Length 4' 0"	5E/4187	KP	321500 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	Z3.M2.T1 2 off	1P 2 off	P30.F4 2 off
DV.2011/128	NV12 Length 4' 0"	5E/4187	KP	321500 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	Z3.M1.T1 2 off	1P 2 off	P30.F3 2 off
DV.2011/129	NV12 Length 4' 0"	5E/4187	KP	321500 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	Z3.M14.T1 2 off	1P 2 off	P30.F2 2 off
DV.2011/130	NV12 Length 14' 0"	5E/4187	KP	321500 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	Z1.M4.T1 2 off	1P 2 off	P30.F1 2 off

RESTRICTED
Argosy 'C' Mk.I.

RESTRICTED

Argosy C. Mk. I.

CABLE (ELECTRICAL) CHART										
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '	Ref. No.	End Fitting ' B '	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2333	FLY-LEAD SET P.33											
DV.2011/25	NV16 Length 29' 0"	5E/4185	JP	150107 Ring Tongue	A-MP 1 off	5X/	31882 Ring Tongue	A-MP 1 off	5X/	P33.S68.T1 2 off	1P 2 off	J7.R2.T13 2 off
DV.2011/186	NV16 Length 28' 0"	5E/4185	JP	150107 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	P33.S68.T6 2 off	1P 2 off	J7.R16.TC 2 off
DV.2011/187	NV20 Length 29' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31882 Ring Tongue	A-MP 1 off	5X/	P33.T30 2 off	1P 2 off	R1.T7 2 off
DV.2014/1	NV20 Length 47' 6"	5E/4183	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	150107 Ring Tongue	A-MP 1 off	5X/	P33.S52.T1 2 off	1V 2 off	P36.R4.TC1 2 off
DV.2014/2	NV22 Length 36' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	P33.L42 2 off	1V 2 off	J9.M4.T2 2 off
DV.2014/5	NV22 Length 47' 0"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	P33.S52.T6 2 off	1V 2 off	J9.R5.TX1 2 off
DV.2014/6	NV20 Length 46' 6"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	150107 Ring Tongue	A-MP 1 off	5X/	P33.S53.T1 2 off	1V 2 off	P36.R5.TC1 2 off
DV.2014/7	NV22 Length 36' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	P33.L43 2 off	1V 2 off	J9.M5.T2 2 off
DV.2014/10	NV22 Length 44' 6"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	P33.S53.T6 2 off	1V 2 off	J9.R7.TX1 2 off
DV.2014/14	NV22 Length 50' 0"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	Socket CZ.49015 Outlet Set Acc. 2CZ/108174	1 off 1 off	10H/0560100 10H/	P33.S52.T4 2 off	1V 2 off	P36.M9.D3B 2 off
DV.2014/18	NV22 Length 56' 0"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	See Cable DV.2014/14			P33.S53.T4 2 off	1V 2 off	P36.M10.D3B 2 off
DV.2015/1	NV22 Length 40' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	P33.L41 2 off	2V 2 off	J8.R3.T4 2 off

Argosy C. Mk. I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2015/3	NV20 Length 55' 0"	5E/4183	JP	150107 Ring Tongue	A-MP 1 off	5X/	31889 Ring Tongue	A-MP 1 off	5X/	P33.S51.T1 2 off	2V 2 off	P36.M3.T1 2 off
DV.2015/4	NV22 Length 50' 0"	5E/4182	AJP	150107 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	P33.S51.T6 2 off	2V 2 off	J9.R3.TC 2 off
DV.2015/5	NV22 Length 40' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	P33.L40 2 off	2V 2 off	J8.R2.T4 2 off
DV.2015/7	NV20 Length 54' 0"	5E/4183	JP	150107 Ring Tongue	A-MP 1 off	5X/	31269 Ring Tongue	A-MP 1 off	5X/9462745	P33.S50.T1 2 off	2V 2 off	P36.M2.T1 2 off
DV.2015/8	NV22 Length 40' 0"	5E/4182	AJP	150107 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	P33.S50.T6 2 off	2V 2 off	J9.R2.TC 2 off
DV.2015/10	NV22 Length 40' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	P33.L39 2 off	2V 2 off	J8.R1.T4 2 off
DV.2015/12	NV22 Length 50' 0"	5E/4182	AJP	150107 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	P33.S49.T1 2 off	2V 2 off	J8.R6.T1 2 off
DV.2015/13	NV22 Length 50' 0"	5E/4182	AJP	150107 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	P33.S49.T6 2 off	2V 2 off	J9.R1.TC 2 off
DV.2018/1	NV20 Length 16' 0"	5E/4183	JP	31879 Ring Tongue	A-MP 1 off	5X/	No Fitting			J2.M3.T2 2 off	1H 2 off	P33.N61.T1 2 off
DV.2018/3	NV20 Length 42' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31269 Ring Tongue	A-MP 1 off	5X/9462745	Z4.M22.T1 2 off	1H 2 off	P33.S81.T6 2 off
DV.2018/4	NV20 Length 42' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	HC.1187 Tag, Cranked	1 off	5X/7316	Z4.M22.T3 2 off	1H 2 off	P33.S81.T5 2 off
DV.2018/5	NV20 Length 42' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31269 Ring Tongue	A-MP 1 off	5X/9462745	Z4.M22.T5 2 off	1H 2 off	P33.S81.T1 2 off
DV.2018/6	NV20 Length 42' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31269 Ring Tongue	A-MP 1 off	5X/9462745	Z4.M22.T7 2 off	1H 2 off	P33.S81.T3 2 off

RESTRICTED

September 1966
TP27 AL31

Argosy C. Mk.1.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No.
DV.2018/7	NV20 Length 16' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31269 Ring Tongue	A-MP 1 off	5X/9462745	J2.T20 2 off	1H 2 off	P33.S80.T1 2 off
DV.2018/14	NV20 Length 13' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	HC.1187 Tag, Cranked	1 off	5X/7316	J2.R1.T1 2 off	1H 2 off	P33.S26.T2 2 off
DV.2018/15	NV20 Length 13' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	HC.1187 Tag, Cranked	1 off	5X/7316	J2.R1.T3 2 off	1H 2 off	P33.S27.T2 2 off
DV.2018/16	NV20 Length 13' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	HC.1187 Tag, Cranked	1 off	5X/7316	J2.R1.T5 2 off	1H 2 off	P33.S28.T2 2 off
DV.2018/17	NV20 Length 13' 6"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	HC.1187 Tag, Cranked	1 off	5X/7316	J2.R1.T7 2 off	1H 2 off	P33.S29.T2 2 off
DV.2018/18	NV20 Length 26" 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31269 Ring Tongue	A-MP 1 off	5X/9462745	Z5.S15.TB 2 off	1H 2 off	P33.S29.T3 2 off
DV.2018/19	NV20 Length 26" 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31269 Ring Tongue	A-MP 1 off	5X/9462745	Z5.S14.TB 2 off	1H 2 off	P33.S28.T3 2 off
DV.2018/20	NV20 Length 26" 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31269 Ring Tongue	A-MP 1 off	5X/9462745	Z5.S13.TB 2 off	1H 2 off	P33.S27.T3 2 off
DV.2018/21	NV20 Length 26" 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31269 Ring Tongue	A-MP 1 off	5X/9462745	Z5.S12.TB 2 off	1H 2 off	P33.S26.T3 2 off
DV.2018/23	NV22 Length 26" 0"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	P33.S80.T2 2 off	1H 2 off	J5.R9.TC 2 off
DV.2018/24	NV22 Length 24" 0"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	P33.S25.T3 2 off	1H 2 off	J5.R4.TX1 2 off
DV.2018/26	NV20 Length 23" 6"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.S29.T3 2 off	1H 2 off	J5.T36 2 off
DV.2018/28	NV20 Length 25" 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.S29.T1 2 off	1H 2 off	J5.T35 2 off

Argosy C. M.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2018/31	NV22 Length 25' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.L13.T1 2 off	1H 2 off	J5.T34 2 off
DV.2018/32	NV22 Length 25' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.L13.TB 2 off	1H 2 off	J5.T33 2 off
DV.2018/33	NV22 Length 25' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	P33.L7 2 off	1H 2 off	J5.M12.T2 2 off
DV.2018/34	NV22 Length 25' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	P33.L27 2 off	1H 2 off	J5.M11.T2 2 off
DV.2018/35	NV22 Length 26' 0"	5E/4182	AJP	323926 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	P33.N56.T1 2 off	1H 2 off	J5.M10.T2 2 off
DV.2018/36	NV20 Length 24' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.S28.T3 2 off	1H 2 off	J5.T32 2 off
DV.2018/38	NV20 Length 24' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.S28.T1 2 off	1H 2 off	J5.T31 2 off
DV.2018/41	NV22 Length 25' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.L12.T1 2 off	1H 2 off	J5.T30 2 off
DV.2018/42	NV22 Length 25' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.L12.TB 2 off	1H 2 off	J5.T29 2 off
DV.2018/43	NV22 Length 25' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	P33.L6 2 off	1H 2 off	J5.M9.T2 2 off
DV.2018/44	NV22 Length 25' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	P33.L26 2 off	1H 2 off	J5.M8.T2 2 off
DV.2018/45	NV22 Length 26' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	P33.N55.T1 2 off	1H 2 off	J5.M7.T2 2 off
DV.2018/46	NV20 Length 25' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.S27.T3 2 off	1H 2 off	J5.T28 2 off

Argosy C. Mk. I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2018/48	NV20 Length 25' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.S27.T1 2 off	1H 2 off	J5.T27 2 off
† DV.2018/51	NV22 Length 25' 6"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	323000 Sleeve Tongue	A-MP 1 off	5X/9450396	P33.L11.T1 2 off	1H 2 off	J5.T26 2 off
† DV.2018/52	NV22 Length 25' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.L11.TB 2 off	1H 2 off	J5.T25 2 off
† DV.2018/53	NV22 Length 26' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	31879 Ring Tongue	A-MP 1 off	5X/	P33.L8 2 off	1H 2 off	J5.M6.T2 2 off
† DV.2018/54	NV22 Length 25' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	31879 Ring Tongue	A-MP 1 off	5X/	P33.L25 2 off	1H 2 off	J5.M5.T2 2 off
† DV.2018/55	NV22 Length 25' 6"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	31879 Ring Tongue	A-MP 1 off	5X/	P33.N54.T1 2 off	1H 2 off	J5.M4.T2 2 off
DV.2018/56	NV20 Length 24' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.S26.T3 2 off	1H 2 off	J5.T24 2 off
DV.2018/58	NV20 Length 24' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.S26.T1 2 off	1H 2 off	J5.T23 2 off
† DV.2018/61	NV22 Length 26' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	233000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.L10.T1 2 off	1H 2 off	J5.T22 2 off
† DV.2018/62	NV22 Length 25' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	323000 Slotted Tongue	A-MP	5X/9450396	P33.L10.TB 2 off	1H 2 off	J5.T21 2 off

RESTRICTED

RESTRICTED
Argosy C. M.L.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2018/63	NV22 Length 26' 0"	5E/4183	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	31879 Ring Tongue	A-MP 1 off	5X/	P33.L5 2 off	1H 2 off	J5.M3.T2 2 off
DV.2018/64	NV22 Length 25' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	31879 Ring Tongue	A-MP 1 off	5X/	P33.L24 2 off	1H 2 off	J5.M2.T2 2 off
DV.2018/65	NV22 Length 26' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	31879 Ring Tongue	A-MP 1 off	5X/	P33.N53.T1 2 off	1H 2 off	J5.M1.T2 2 off
DV.2018/172	NV22 Length 25' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	31879 Ring Tongue	A-MP 1 off	5X/	P33.L13 2 off	1H 2 off	J5.M16.T2 2 off
DV.2018/173	NV22 Length 25' 0"	5E/4182	AJP	31878 HC.296D Ring Tongue	A-MP 1 off	5X/7424	31879 Ring Tongue	A-MP 1 off	5X/	P33.L12 2 off	1H 2 off	J5.M15.T2 2 off
DV.2018/174	NV22 Length 25' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	31879 Ring Tongue	A-MP 1 off	5X/	P33.L11 2 off	1H 2 off	J5.M14.T2 2 off
DV.2018/175	NV22 Length 25' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	31879 Ring Tongue	A-MP 1 off	5X/	P33.L10 2 off	1H 2 off	J5.M13.T2 2 off

RESTRICTED

RESTRICTED
Argosy C. Mk.I.

CABLE (ELECTRICAL) CHART										
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '	Ref. No.	End Fitting ' B '	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
† DV.2022/16	NV22 Length 35' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	Z4.M9.TC3 2 off	2H 2 off	P33.N60.T1 2 off
† DV.2022/38	NV22 Length 30' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	Z5.M40.TC3 2 off	2H 2 off	P33.N58.T1 2 off
DV.2022/52	NV22 Length 35' 0"	5E/4182	AJP	31879 Ring Tongue	A-MP 1 off	5X/	150107 Ring Tongue	A-MP 1 off	5X/	J10.M1.TS 2 off	2H 2 off	P33.S76.T3 2 off
† DV.2022/53	NV22 Length 35' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	31269 Ring Tongue	A-MP 1 off	5X/9462745	J10.R2.TX1 2 off	2H 2 off	P33.S76.T6 2 off
† DV.2022/54	NV22 Length 35' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	31269 Ring Tongue	A-MP 1 off	5X/9462745	J10.R1.TX1 2 off	2H 2 off	P33.S76.T4 2 off
DV.2022/74	NV14 Length 12' 6"	5E/4186	JP	32439 Ring Tongue	A-MP 1 off	5X/	31898 Ring Tongue	A-MP 1 off	5X/	J2.R2.T6 2 off	2H 2 off	P33.S34.T3 2 off
DV.2022/75	NV12 Length 12' 6"	5E/4187	JP	32544 Ring Tongue	A-MP 1 off	5X/	321500 Ring Tongue	A-MP 1 off	5X/	J2.C2.T2 2 off	2H 2 off	P33.S34.T2 2 off
DV.2022/76	NV12 Length 12' 6"	5E/4187	JP	32544 Ring Tongue	A-MP 1 off	5X/	321500 Ring Tongue	A-MP 1 off	5X/	J2.C1.T2 2 off	2H 2 off	P33.S34.T1 2 off
DV.2022/79	NV22 Length 13' 0"	5E/4182	AJP	31879 Ring Tongue	A-MP 1 off	5X/	150107 Ring Tongue	A-MP 1 off	5X/	J2.M1.TS 2 off	2H 2 off	P33.S35.T3 2 off
† DV.2022/81	NV22 Length 18" 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	31879 Ring Tongue	A-MP 1 off	5X/	J2.R3.TC 2 off	2H 2 off	P33.S35.T4 2 off
† DV.2022/82	NV22 Length 13' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	31879 Ring Tongue	A-MP 1 off	5X/	J2.R7.TX1 2 off	2H 2 off	P33.S35.T6 2 off

Argosy C. M.I.

RESTRICTED

RESTRICTED

Argosy C. M.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2022/95	NV20 Length 14' 0"	5E/4183	JP	HC.1187 Tag, Cranked 1 off	5X/7316	31879 Ring Tongue A-MP 1 off	5X/	P33.S76.T2 2 off	2H 2 off	J2.R5.T4 2 off
DV.2036/3	NV20 Length 22' 0"	5E/4183	JP	323000 Slotted Tongue A-MP 1 off	5X/9450396	150107 Ring Tongue A-MP 1 off	5X/	P20.T110 2 off	2Q 2 off	P33.S4.T6 2 off

March 1968
TP27 AL41

RESTRICTED

RESTRICTED

Argosy C. M.L.

CABLE (ELECTRICAL) CHART										
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '	Ref. No.	End Fitting ' B '	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2036/6	NV20 Length 22' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	150107 Ring Tongue	A-MP 1 off	5X/	P20.T108 2 off	2Q 2 off	P33.S3.T6 2 off
DV.2036/9	NV20 Length 22' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	150107 Ring Tongue	A-MP 1 off	5X/	P20.T104 2 off	2Q 2 off	P33.S2.T6 2 off
DV.2036/12	NV20 Length 22' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	150107 Ring Tongue	A-MP 1 off	5X/	P20.T102 2 off	2Q 2 off	P33.S1.T6 2 off
DV.2038/1	NVMS22 Length 13' 0"	5E/4198	JP	Socket CZ.49017 Outlet Set Acc. } 2CZ/108178	1 off 1 off	10H/0560120 10H/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.N6A 2 off	11E 2 off	J2.T46 2 off
DV.2038/2	NVMS22 Length 13' 0"	5E/4198	JP	See Cable DV.2038/1			323000 Slotted Tongue	A-MP 1 off	5X/9450936	P33.N6B 2 off	11E 2 off	J2.T47 2 off
DV.2038/3	NV22 Length 7' 0"	5E/4182	AJP	See Cable DV.2038/1			Socket CZ.49015 Outlet Set } 2CZ/108174	1 off 1 off	10H/0560100 10H/	P33.N6C 2 off	11E 2 off	Z3.M31.D2C 2 off
DV.2038/4	NV22 Length 7' 0"	5E/4182	AJP	See Cable DV.2038/1			See Cable DV.2038/3			P33.N6E 2 off	11E 2 off	Z3.M31.D2B 2 off
DV.2038/5	NV22 Length 7' 0"	5E/4182	AJP	See Cable DV.2038/1			See Cable DV.2038/3			P33.N6F 2 off	11E 2 off	Z3.M31.D2A 2 off
DV.2038/6	NVMS22 Length 23' 0"	5E/4198	JP	HC.1187 Tag, Cranked	1 off	5X/7316	Socket CZ.49014 Outlet Set } 2CZ/108172	1 off 1 off	10H/0560090 10H/	P33.S75.T5 2 off	11E 2 off	Z3.M7.D1A 2 off
DV.2038/7	NVMS22 Length 12' 0"	5E/4198	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.S75.T4 2 off	11E 2 off	J2.T48 2 off
DV.2038/8	NV22 Length 7' 0"	5E/4182	AJP	See Cable DV.2038/1			See Cable DV.2038/3			P33.N5.C 2 off	11E 2 off	Z3.M31.D1.C 2 off
DV.2038/9	NV22 Length 7' 0"	5E/4182	AJP	See Cable DV.2038/1			See Cable DV.2038/3			P33.N5.E 2 off	11E 2 off	Z3.M31.D1.B 2 off

Argosy C. M.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves				
								Marker No. 1	Code Marker	Marker No. 2		
DV.2038/10	NV22 Length 6' 6"	5E/4182	AJP	See Cable DV.2038/1		See Cable DV.2038/3		P33.N5.F 2 off	11E 2 off	Z3.M31.D1.A 2 off		
DV.2038/11	NVMS22 Length 13' 0"	5E/4198	JP	See Cable DV.2038/1		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.N5.B 2 off	11E 2 off	J2.T49 2 off	
DV.2038/12	NVMS22 Length 13' 0"	5E/4198	JP	See Cable DV.2038/1		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.N5.A 2 off	11E 2 off	J2.T50 2 off	
DV.2039/16	NV20 Length 31' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323926 Ring Tongue	A-MP 1 off	5X/9462954	P33.T18 2 off	6M 2 off	J7.F9 2 off
DV.2053/12	NV22 Length 27' 0"	5E/4182	AJP	No Fitting		Socket 2CZ/111233 Cut Ferrule Z.2277/2 Adaptor Sleeve Z.49428 Insulating Sleeve A.P.	1 off 1 off 5 off 5 off	5X/7175 5X/240 5X/1005131 5F/2336	P33.S55.T2 2 off	12W 2 off	Z3.M9.B 2 off	
DV.2053/14	NV22 Length 27' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	See Cable DV.2053/12		P33.L2 2 off	12W 2 off	Z3.M9.E 2 off	
DV.2053/15	NV22 Length 27' 0"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	See Cable DV.2053/12		P33.S55.T3 2 off	12W 2 off	Z3.M9.C 2 off	
DV.2053/16	NV22 Length 27' 0"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	See Cable DV.2053/12		P33.S55.T1 2 off	12W 2 off	Z3.M9.D 2 off	
DV.2054/2	NV22 Length 29' 6"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	P33.S74.T1 2 off	15W 2 off	P6.R1.TC 2 off
DV.2054/7	NVMS22 Length 29' 6"	5E/4198	AJP	No Fitting		Plug CZ.49220 Outlet Set 2CZ/108175	1 off 1 off	10H/0560290 10H/	P33.L18 2 off	15W 2 off	P6.M2.D1B 2 off	
DV.2054/8	NVMS22 Length 29' 6"	5E/4198	AJP	No Fitting		See Cable DV.2054/7			P33.L18 2 off	15W 2 off	P6.M2.D1A 2 off	

RESTRICTED

September 1966
TP27
AL31

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2054/20	NVMS22 Length 29' 6"	5E/4198	AJP	No Fitting		See Cable DV.2054/7		P33.L17 2 off	15W 2 off	P6.M1.D1.A 2 off
DV.2054/21	NVMS22 Length 29' 6"	5E/4198	AJP	No Fitting		See Cable DV.2054/7		P33.L17 2 off	15W 2 off	P6.M1.D1.B 2 off
DV.2063/234	NV22 Length 90' 0"	5E/4182	AJP	No. Fitting		31878 Ring Tongue	A-MP 1 off 5X/	P33.S24.T2 2 off	3M 2 off	P54.R3.T2 2 off
DV.2067/1	NV20 Length 25' 0"	5E/4183	JP	No Fitting		323000 Slotted Tongue	A-MP 1 off 5X/9450396	P33.S23.T2 2 off	3H 2 off	P20.T138 2 off
DV.2067/2	NV20 Length 21' 0"	5E/4183	JP	No Fitting		323000 Slotted Tongue	A-MP 1 off 5X/9450396	P33.S22.T2 2 off	3H 2 off	P20.T124 2 off
DV.2067/6	NV20 Length 25' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off 5X/9462745	323000 Slotted Tongue	A-MP 1 off 5X/9450396	P33.S23.T1 2 off	3H 2 off	P20.T137 2 off
DV.2067/13	NV20 Length 20' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off 5X/9462745	323000 Slotted Tongue	A-MP 1-off 5X/9450396	P33.S22.T1 2 off	3H 2 off	P20.T126 2 off
DV.2071/2	NV22 Length 61' 6"	5E/4182	JP	31878 Ring Tongue	A-MP 1 off 5X/	Socket 2CZ/84872 Adaptor Sleeve Z.49428 Water Seal 4700 Filler Plug PC.14000 Insulating Sleeve A.P.	1 off 2 off 1 off 2 off 2 off 5X/7038 5X/1005131 5X/7360 5X/7241 5F/2336	P33.N45.T1 2 off	16W 2 off	Z22.M2.B 2 off
DV.2071/4	NV22 Length 62' 0"	5E/4182	JP	31878 Ring Tongue	A-MP 1 off 5X/	See Cable DV.2071/2		P33.N46.T1 2 off	16W 2 off	Z22.M3.B 2 off
DV.2071/6	NV22 Length 61' 6"	5E/4182	JP	31878 Ring Tongue	A-MP 1 off 5X/	See Cable DV.2071/2		P33.N47.T1 2 off	16W 2 off	Z22.M4.B 2 off
DV.2071/7	NV22 Length 64' 6"	5E/4182	JP	31878 Ring Tongue	A-MP 1 off 5X/	See Cable DV.2071/2		P33.M9.T1 2 off	16 W 2 off	Z22.M2.B 2 off

RESTRICTED
Argosy C. Mk.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2071/8	NV22 Length 65' 0"	5E/4182	JP	31878 Ring Tongue	A-MP 1 off	5X/	See Cable DV.2071/2		2 off	P33.M10.T1 2 off	16W 2 off	Z22.M3.B 2 off
DV.2071/9	NV22 Length 64' 6"	5E/4182	JP	31878 Ring Tongue	A-MP 1 off	5X/	See Cable DV.2071/2			P33.M11.T1 2 off	16W 2 off	1Z22.M4.B 2 off
DV.2075/9	NV22 Length 8' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	Z3.M16.T1 2 off	9W 2 off	P33.N44.T1 2 off
DV.2080/1	NVMS20 Length 23' 6"	5E/4199	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	P33.S42.T4 2 off	1F 2 off	Z3.M24.T90 2 off
DV.2080/2	NVMS20 Length 23' 6"	5E/4199	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	P33.S42.T1 2 off	1F 2 off	Z3.M24.T87 2 off
DV.2080/5	NVMS20 Length 23' 6"	5E/4199	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	P33.S58.T4 2 off	1F 2 off	Z3.M24.T61 2 off
DV.2080/6	NVMS20 Length 23' 6"	5E/4199	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	P33.S58.T1 2 off	1F 2 off	Z3.M24.T64 2 off
DV.2082/2	NV20 Length 24' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	Socket } 1 off Outlet Set Acc. } 1 off 2CZ/108178		10H/ 0560120 10H/	P33.S48.T1 2 off	6H 2 off	P31.D1.E 2 off
DV.2082/3	NV20 Length 24' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	See Cable DV.2082/2			P33.S48.T3 2 off	6H 2 off	P31.D1.F 2 off
DV.2082/4	NV20 Length 24' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	See Cable DV.2082/2			P33.S47.T1 2 off	6H 2 off	P31.D1.C 2 off
DV.2082/5	NV20 Length 24' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	See Cable DV.2082/2			P33.S47.T3 2 off	6H 2 off	P31.D1.D 2 off
DV.2082/6	NV20 Length 24' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	See Cable DV.2082/2			P33.S46.T1 2 off	6H 2 off	P31.D1.A 2 off

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2082/7	NV20 Length 24' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	See Cable DV.2082/2			P33.S46.T3 2 off	6H 2 off	P31.D1.B 2 off
DV.2083/1	NV22 Length 28' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.L4 2 off	14W 2 off	J6.T60 2 off
DV.2084/7	NV20 Length 14' 6"	5E/4183	JP	31879 Ring Tongue	A-MP 1 off	5X/	HC.1187 Tag, Cranked	1 off	5X/7316	J2.R8.TA.1 2 off	8H 2 off	P33.S45.T2 2 off
DV.2084/8	NV20 Length 36' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.S45.T3 2 off	8H 2 off	Z1.M8.T2 2 off
DV.2084/9	NV20 Length 36' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.S45.T1 2 off	8H 2 off	Z1.M8.T3 2 off
DV.2085/2	NV22 Length 35' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	No Fitting			P33.N36.T1 2 off	4D 2 off	Z1.M5.T2 2 off
DV.2085/3	NV22 Length 35' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	No Fitting			P33.N36.T2 2 off	4D 2 off	Z1.M5.T1 2 off
DV.2085/4	NV22 Length 35' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	No Fitting			P33.N36.T3 2 off	4D 2 off	Z1.M5.T3 2 off
DV.2086/2	NV22 Length 64' 0"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	Fitting Supplied with Temperature Bulb			P33.N3.TR 2 off	6D 2 off	Z5.M7 2 off
DV.2086/4	NV22 Length 64' 0"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31892 Ring Tongue	A-MP 1 off	5X/	P33.N3.TR— 2 off	6D 2 off	E45 2 off
DV.2086/5	NV20 Length 6' 6"	5E/4183	AJP	31892 Ring Tongue	A-MP 1 off	5X/9462745	Fitting Supplied with Temperature Bulb			E45 2 off	6D 2 off	Z5.M7 2 off
DV.2096/2	NV16 Length 18' 0"	5E/4185	KP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31269 Ring Tongue	A-MP 1 off	5X/9462745	P24.S6.T1 2 off	2M 2 off	P33.M23.T— 2 off
DV.2102/9	NV20 Length 15' 0"	5E/4183	JP	31879 Ring Tongue	A-MP 1 off	5X/9462745	31889 Ring Tongue	A-MP 1 off	5X/	P33.N49.T1 2 off	3X 2 off	E11 2 off

Argosy C. Mk.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2104/2	NV22 Length 20' 0"	5E/4182	AJP	Single Plug 1 off Cut Ferrule 1 off 2Z/139980 Adaptor Sleeve 4 off Blanking Plug 1 off Insulating 7 off Sleeve A.P.	5X/7145 5X/1005131 5X/1965 5F/2336	323000 A-MP Slotted Tongue 1 off	5X/9450396	Z5.D19.3 2 off	6Q 2 off	P33.T17 2 off
DV.2104/4	NV22 Length 20' 0"	5E/4182	AJP	See Cable DV.2104/2		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z5.D19.6 2 off	6Q 2 off	P33.T16 2 off

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
CV.2334	FLY-LEAD SET	P.34										
DV.2039/2	NV20 Length 31' 0"	5E/4183	JP	HC.1187 Tag, Cranked	1 off	5X/7316	323926 Ring Tongue	A-MP 1 off	5X/9462954	P34.S7.T2 2 off	6M 2 off	J7.F4 2 off
DV.2039/4	NV20 Length 30' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off		150107 Ring Tongue	A-MP 1 off		P34.N4.T1 2 off	6M 2 off	J7.C10.T7 2 off
DV.2039/5	NV20 Length 30' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	150107 Ring Tongue	A-MP 1 off		P34.S7.T1 2 off	6M 2 off	J7.C10.T6 2 off
DV.2039/6	NV20 Length 27' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off		31879 Ring Tongue	A-MP 1 off		P34.M3.T+ 2 off	6M 2 off	Z3.M3.T4 2 off
DV.2039/15	NV20 Length 31' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off		31884 Ring Tongue	A-MP 1 off	5X/9450393	P34.L1.T1 2 off	6M 2 off	J7.C5 2 off
DV.2039/18	NV20 Length 31' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off		31878 Ring Tongue	A-MP 1 off		P34.L1.T2 2 off	6M 2 off	J7.R7.T1A 2 off
DV.2039/23	NV20 Length 29' 0"	5E/4183	JP	No Fitting			31879 Ring Tongue	A-MP 1 off		P34.S1.TC1 2 off	6M 2 off	J7.R11.TP2 2 off
DV.2039/107	NV20 Length 28' 0"	5E/4183	JP	HC.1187 Tag, Cranked	1 off	5X/7316	31882 Ring Tongue	A-MP 1 off		P34.S6.T5 2 off	6M 2 off	J7.R5.T1 2 off
DV.2039/108	NV20 Length 31' 0"	5E/4183	JP	150107 Ring Tongue	A-MP 1 off		323926 Ring Tongue	A-MP 1 off	5X/9462954	P34.S6.T4 2 off	6M 2 off	J7.M3.T16 2 off
DV.2039/125	NV16 Length 29' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323926 Ring Tongue	A-MP 1 off	5X/9462954	P34.M2.T2 2 off	6M 2 off	J7.M3.T11 2 off
DV.2039/126	NV16 Length 30' 0"	5E/4185	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323926 Ring Tongue	A-MP 1 off	5X/9462954	P34.N3.T— 2 off	6M 2 off	J7.M3.T12 2 off
DV.2039/127	NV20 Length 31' 0"	5E/4183	JP	HC.1187 Tag, Cranked	1 off	5X/7316	323926 Ring Tongue	A-MP 1 off	5X/9462954	P34.S6.T2 2 off	6M 2 off	J7.M3.T15 2 off

Argosy C. M.I.

RESTRICTED

RESTRICTED

Argosy C. Mk.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2039/155	NV16 Length 31' 0"	5E/4185	JP	HC.1189 Tag, Cranked 1 off	5X/7214	31884 Ring Tongue A-MP 1 off	5X/9450393	P34.S3.T2 2 off	6M 2 off	J7.C7 2 off
DV.2039/159	NV16 Length 30' 0"	5E/4185	JP	No Fitting		31887 Ring Tongue A-MP 1 off		P34.S1.TS1 2 off	6M 2 off	J7.R10.TC1 2 off

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No.
CV.2335	FLYLEAD SET P35											
DV.2128/2	NV22 Length 12' 0"	5E/4182	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31892 Ring Tongue	A-MP 1 off	5X/	P35.T4 2 off	10L 2 off	E68 2 off
DV.2128/3	NV22 Length 10' 0"	5E/4182	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket Z.560850 Acc. Set 2CZ.108187	1 off 1 off		P35.T5 2 off	10L 2 off	P58.D1.A 2 off
DV.2128/4	NV22 Length 10' 0"	5E/4182	JP	31094 Ring Tongue	A-MP 1 off	5X/	See Cable DV.2128/3			P35.S2.T2 2 off	10L 2 off	P58.D1.B 2 off

RESTRICTED
Argosy C. M.I.

RESTRICTED

Argosy C. Mk. I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
CV.2338	FLY-LEAD SET	P.38										
† DV.2019/251	NV22 Length 64' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	233000 Slotted Tongue	A-MP 1 off		P38.R6.T1 2 off	1H 2 off	P46.T7 2 off
† DV.2019/252	NV20 Length 64' 0"	5E/4183	JP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	323000 Slotted Tongue	A-MP 1 off		P38.R6.T3 2 off	1H 2 off	P46.T6 2 off
DV.2019/253	NV20 Length 64' 0"	5E/4183	JP	No Fitting			31879 Ring Tongue	A-MP 1 off		P38.R4.T5 2 off	1H 2 off	P46.T1.TY1 2 off
DV.2019/254	NV20 Length 64' 0"	5E/4183	JP	31882 Ring Tongue	A-MP 1 off		No Fitting			P38.R1.TX1 2 off	1H 2 off	P46.R4.T5 2 off
DV.2019/255	NV12 Length 64' 0"	5E/4187	KP	32544 Ring Tongue	A-MP 1 off		321500 Ring Tongue	A-MP 1 off		P38.R1.TA2 2 off	1H 2 off	P46.R1.TA3 2 off
DV.2019/256	NV12 Length 64' 0"	5E/4187	KP	32542 Ring Tongue	A-MP 1 off		321500 Ring Tongue	A-MP 1 off		P38.R1.TB2 2 off	1H 2 off	P46.R1.TB3 2 off
DV.2019/257	NV12 Length 64' 0"	5E/4187	KP	32542 Ring Tongue	A-MP 1 off		321500 Ring Tongue	A-MP 1 off		P38.R1.TC2 2 off	1H 2 off	P46.R1.TC3 2 off
DV.2019/258	NV10 Length 64' 0"	5E/4188	KP	321500 Ring Tongue	A-MP 1 off		32542 Ring Tongue	A-MP 1 off	P38.R1.TA3	1H 2 off	1H 2 off	P46.R1.TA2 2 off
DV.2019/259	NV10 Length 64' 0"	5E/4188	KP	321500 Ring Tongue	A-MP 1 off		32542 Ring Tongue	A-MP 1 off		P38.R1.TB3 2 off	1H 2 off	P46.R1.TB2 2 off
DV.2019/260	NV10 Length 64' 0"	5E/4188	KP	321500 Ring Tongue	A-MP 1 off		32542 Ring Tongue	A-MP 1 off		P38.R1.TC3 2 off	1H 2 off	P46.R1.TC2 2 off
† DV.2019/331	NV22 Length 64' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	P38.R6.T1 2 off	1H 2 off	P70.M1.T6 2 off

Argosy C. M.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2019/332	NV20 Length 64' 0"	5E/4183	JP	31878 or HC.296D Ring Tongue A-MP 1 off	5X/7424	31878 or HC.296D Ring Tongue A-MP 1 off	5X/7424	P38.R6.T3 2 off	1H 2 off	P70.M1.T5 2 off

RESTRICTED

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
CV.2340	FLY-LEAD SET	P.40										
DV.2019/241	NV10 Length 62' 0"	5E/4188	KP	321500 Ring Tongue	A-MP 1 off		32542 Ring Tongue	A-MP 1 off		P40.R1.TC3 2 off	1H 2 off	P44.R1.TC2 2 off
DV.2019/242	NV10 Length 62' 0"	5E/4188	KP	321500 Ring Tongue	A-MP 1 off		32542 Ring Tongue	A-MP 1 off		P40.R1.TB3 2 off	1H 2 off	P44.R1.TB2 2 off
DV.2019/243	NV10 Length 62' 0"	5E/4188	KP	321500 Ring Tongue	A-MP 1 off		32542 Ring Tongue	A-MP 1 off		P40.R1.TA3 2 off	1H 2 off	P44.R1.TA2 2 off
DV.2019/244	NV12 Length 62' 0"	5E/4187	KP	32542 Ring Tongue	A-MP 1 off		321500 Ring Tongue	A-MP 1 off		P40.R1.TC2 2 off	1H 2 off	P44.R1.TC3 2 off
DV.2019/245	NV12 Length 62' 0"	5E/4187	KP	32542 Ring Tongue	A-MP 1 off		321500 Ring Tongue	A-MP 1 off		P40.R1.TB2 2 off	1H 2 off	P44.R1.TB3 2 off
DV.2019/246	NV12 Length 62' 0"	5E/4187	KP	32542 Ring Tongue	A-MP 1 off		321500 Ring Tongue	A-MP 1 off		P40.R1.TA2 2 off	1H 2 off	P44.R1.TA3 2 off
DV.2019/247	NV20 Length 62' 0"	5E/4183	JP	31882 Ring Tongue	A-MP 1 off		No Fitting			P40.R1.TX1 2 off	1H 2 off	P44.R4.T5 2 off
DV.2019/248	NV20 Length 62' 0"	5E/4183	JP	No Fitting			31882 Ring Tongue 1	A-MP 1 off		P40.R4.T5 2 off	1H 2 off	P44.R1.TX1 2 off
DV.2019/249	NV22 Length 62' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off		31878 Ring Tongue	A-MP 1 off		P40.T7 2 off	1H 2 off	P44.R6.T1 2 off
DV.2019/250	NV22 Length 62' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off		31878 Ring Tongue	A-MP 1 off		P40.T6 2 off	1H 2 off	P44.R6.T3 2 off
DV.2019/313	NV20 Length 64' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off		P40.T8 2 off	1H 2 off	P46.T8 2 off
DV.2019/314	NV20 Length 64' 0"	5E/4183	JP	31879 Ring Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off		P40.R3.T5 2 off	1H 2 off	P46.T11 2 off

RESTRICTED
Argosy C. Mk.1.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2019/315	NV20 Length 64' 0"	5E/4183	JP	323000 Slotted Tongue A-MP 1 off		323000 Slotted Tongue A-MP 1 off		P40.T9 2 off	1H 2 off	P46.T9 2 off
DV.2019/316	NV20 Length 64' 0"	5E/4183	JP	323000 Slotted Tongue A-MP 1 off		323000 Slotted Tongue A-MP 1 off		P40.T10 2 off	1H 2 off	P46.T10 2 off

RESTRICTED

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
CV.2342	FLYLEAD SET P42									
DV.2090/4	NVMS20 Length 45' 0"	5E/	JP	Socket CZ.49017 1 off Outlet Set Acc. } 1 off 2CZ.108177	10H/ 0560120	Socket CZ.49017 1 off Outlet Set Acc. } 1 off 2CZ.108177	10H/ 0560120	P42.M2.D3.A 2 off	3F 2 off	Z22.M6.D1.A 2 off
DV.2090/5	NVMS20 Length 45' 0"	5E/	JP	See Cable DV.2090/4		See Cable DV.2090/4		P42.M2.D3.B 2 off	3F 2 off	Z22.M6.D1.B 2 off
DV.2090/6	NVMS20 Length 45' 0"	5E/	JP	See Cable DV.2090/4		See Cable DV.2090/4		P42.M2.D3.C 2 off	3F 2 off	Z22.M6.D1.C 2 off
DV.2090/7	NVMS20 Length 45' 0"	5E/	JP	See Cable DV.2090/4		See Cable DV.2090/4		P42.M2.D3.D 2 off	3F 2 off	Z22.M6.D1.D 2 off
DV.2090/8	NVMS20 Length 45' 0"	5E/	JP	See Cable DV.2090/4		See Cable DV.2090/4		P42.M2.D3.E 2 off	3F 2 off	Z22.M6.D1.E 2 off
DV.2090/9	NVMS20 Length 45' 0"	5E/	JP	See Cable DV.2090/4		See Cable DV.2090/4		P42.M2.D3.F 2 off	3F 2 off	Z22.M6.D1.F 2 off
DV.2090/10	NVMS20 Length 45' 0"	5E/	JP	Socket 1 off Outlet Set Acc. } 1 off 2CZ.108177	Z.560521	Socket 1 off Outlet Set Acc. } 1 off 2CZ.108177	Z.560521	P42.M2.D4.D 2 off	3F 2 off	Z22.M6.D2.D 2 off
DV.2090/11	NVMS20 Length 45' 0"	5E/	JP	See Cable DV.2090/10		See Cable DV.2090/10		P42.M2.D4.E 2 off	3F 2 off	Z22.M6.D2.E 2 off
DV.2090/12	NVMS20 Length 45' 0"	5E/	JP	See Cable DV.2090/10		See Cable DV.2090/10		P42.M2.D4.F 2 off	3F 2 off	Z22.M6.D2.F 2 off
DV.2113/2	NV20 Length	5E/4183	HT.15	No Fitting		31892 Ring Tongue A-MP 1 off	5X/	P42.N1— 2 off	19R 2 off	E20 2 off
DV.2127/6	NV22 Length 12' 0"	5E/4182	AJP	31094 Ring Tongue A-MP 1 off	5X/	323000 Slotted Tongue A-MP 1 off	5X/9450396	P32.S1.T1 2 off	5L 2 off	P42.T2 2 off

RESTRICTED
Argosy C. Mk.1.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2127/7	NV22 Length 12' 0"	5E/4182	AJP	31094 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P32.S1.T3 2 off	5L 2 off	P42.T5 2 off
DV.2127/8	NV22 Length 14' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31892 Ring Tongue	A-MP 1 off	5X/	P42.T7 2 off	5L 2 off	E57 2 off
DV.2127/9	NV22 Length 14' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31892 Ring Tongue	A-MP 1 off	5X/	P42.T10 2 off	5L 2 off	E57 2 off

RESTRICTED

RESTRICTED
Argosy C. Mk. I.

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
CV.2347	FLYLEAD SET P47											
DV.2039/52	UT20 Length 30' 0"	5E/3894	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P47.R1.T6A 2 off	6M 2 off	Z7.M7.T3 2 off
DV.2039/53	UT20 Length 30' 0"	5E/3894	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P47.R1.T5A 2 off	6M 2 off	Z7.M7.T2 2 off
DV.2039/58	NV20 Length 15' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	Socket 2CZ/84872 1 off Water Seal 4653 1 off		5X/7038 5X/6879	P47.R1.T3A 2 off	6M 2 off	Z13.M14.A 2 off
DV.2039/60	NV10 Length 9' 6"	5E/4188	JP	321500 Ring Tongue	A-MP	5X/	Socket 508/1/01367 1 off Cut Ferrule } 1 off Z2263/2		5X/1348	P47.R2.T4 2 off	6M 2 off	Z13.M9.D15
DV.2039/61	NV20 Length 3' 9"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31892 Ring Tongue	A-MP 1 off	5X/	P47.R1.TCA 2 off	6M 2 off	E179 2 off
DV.2039/98	NV20 Length 4' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket 2CZ/8487/6 1 off Cut Ferrule } 1 off Z2263/2		5X/7047 5X/1331	P47.T1 2 off	6M 2 off	Z13.M17.B 2 off
DV.2039/104	NV20 Length 4' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket 2CZ/8487/6 1 off Cut Ferrule } 1 off Z2263/2		5X/7047 5X/1331	P47.T2 2 off	6M 2 off	Z13.M17.C 2 off
DV.2039/136	NV20 Length 4' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket 2CZ/8487/6 1 off Cut Ferrule } 1 off Z2263/2		5X/7047 5X/1331	P47.T5 2 off	6M 2 off	Z13.M17.M 2 off

RESTRICTED
Argosy C. Mk.1.

RESTRICTED

Argosy C. Mk. I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
CV.2350	FLY-LEAD SET	P.50								
DV.2019/300	NV20 Length 2' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	Socket CZ.49016 1 off Outlet Set Acc. } 1 off 2CZ/108176 }	Z.560110	P50.T79 2 off	1H 2 off	P50.S1.C 2 off
DV.2019/301	NV12 Length 6' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	31771 Ring Tongue	A-MP 1 off	P50.T76 2 off	1H 2 off	E157 2 off
DV.2019/302	NV12 Length 6' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	31771 Ring Tongue	A-MP 1 off	P50.T80 2 off	1H 2 off	E159 2 off
DV.2019/303	NV20 Length 7' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	323000 Slotted Tongue	A-MP 1 off	P50.T77 2 off	1H 2 off	Z15.M1.T5 2 off
DV.2019/304	NV12 Length 7' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	323002 Slotted Tongue	A-MP 1 off	P50.T25 2 off	1H 2 off	Z15.M1.T4 2 off
DV.2019/305	NV12 Length 7' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	323002 Slotted Tongue	A-MP 1 off	P50.T1 2 off	1H 2 off	Z15.M1.T3 2 off
DV.2019/306	NV14 Length 7' 0"	5E/4186	JP	323001 Slotted Tongue	A-MP 1 off	323001 Slotted Tongue	A-MP 1 off	P50.T29 2 off	1H 2 off	Z15.M1.T2 2 off
DV.2019/307	NV14 Length 7' 0"	5E/4186	JP	323001 Slotted Tongue	A-MP 1 off	323001 Slotted Tongue	A-MP 1 off	P50.T36 2 off	1H 2 off	Z15.M1.T1 2 off

RESTRICTED

RESTRICTED
Argosy C. Mk.I.

RESTRICTED

Argosy C. MK I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
CV.2351	FLY-LEAD SET	P.51										
DV.2020/518	NV14 Length 7' 0"	5E/4186	JP	323001 Slotted Tongue	A-MP 1 off		323001 Slotted Tongue	A-MP 1 off		P51.T36 2 off	1H 2 off	Z16.M1.T1 2 off
DV.2020/519	NV14 Length 7' 0"	5E/4186	JP	323001 Slotted Tongue	A-MP 1 off		323001 Slotted Tongue	A-MP 1 off		P51.T29 2 off	1H 2 off	Z16.M1.T2 2 off
DV.2020/520	NV12 Length 7' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off		323002 Slotted Tongue	A-MP 1 off		P51.T1 2 off	1H 2 off	Z16.M1.T3 2 off
DV.2020/521	NV12 Length 7' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off		323002 Slotted Tongue	A-MP 1 off		P51.T25 2 off	1H 2 off	Z16.M1.T4 2 off
DV.2020/522	NV20 Length 7' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off		323000 Slotted Tongue	A-MP 1 off		P51.T77 2 off	1H 2 off	Z16.M1.T5 2 off
DV.2020/523	NV12 Length 7' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off		31771 Ring Tongue	A-MP 1 off		P51.T80 2 off	1H 2 off	E158 2 off
DV.2020/524	NV12 Length 7' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off		31771 Ring Tongue	A-MP 1 off		P51.T76 2 off	1H 2 off	E160 2 off
DV.2020/530	NV20 Length 2' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off		Socket CZ.49016 1 off Outlet Set Acc. } 1 off 2CZ/108176 }		Z.560110	P51.T79 2 off	1H 2 off	P51.S1.C 2 off

RESTRICTED
Argosy C. Mk.I.

RESTRICTED

Argosy C. Mk.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
CV.2352	FLYLEAD SET	P.52										
† DV.2056/44	NV22 Length 9' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	Z22.M5.T1 2 off	2G 2 off	P52.M3.TB 2 off
† DV.2056/45	NV22 Length 9' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	Z22.M5.T2 2 off	2G 2 off	P52.M3.TD 2 off
† DV.2056/46	NV22 Length 9' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	Z22.M5.T3 2 off	2G 2 off	P52.M3.TC 2 off
† DV.2056/47	NV22 Length 9' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	Z22.M5.T4 2 off	2G 2 off	P52.M3.TA 2 off
† DV.2056/48	NV22 Length 9' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	Z22.M5.T5 2 off	2G 2 off	P52.M4.T1 2 off
† DV.2056/49	NV22 Length 9' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	Z22.M5.T6 2 off	2G 2 off	P52.M4.T2 2 off
† DV.2056/52	NV22 Length 6' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	P52.M4.T1 2 off	2G 2 off	P52.M5.T1 2 off
† DV.2056/53	NV22 Length 6' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	P52.M4.T2 2 off	2G 2 off	P52.M5.TC w off
DV.2057/13	NV20 Length 12' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	No Fitting			Z22.M5.T9 2 off	1G 2 off	P52.M2.A 2 off

RESTRICTED

Argosy C. M.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2057/14	NV20 Length 12' 0"	5E/1483	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	No Fitting			Z22.M5.T10 2 off	1G 2 off	P52.M2.B 2 off
DV.2057/15	NV20 Length 12' 0"	5E/4183	JP	30997 Ring Tongue	A-MP 1 off	5X/	No Fitting			E35 2 off	1G 2 off	P52.M2.C 2 off
DV.2061/30	NV20 Length 10' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	No Fitting			Z22.M5.T7 2 off	3G 2 off	P52.M1.T1 2 off
DV.2061/31	NV20 Length 10' 0"	5E/4183	JP	30997 Ring Tongue	A-MP 1 off	5X/	No Fitting			E36 2 off	3G 2 off	P52.M1.TC 2 off
DV.2061/35	NV20 Length 5' 0"	5E/4183	JP	31879 Ring Tongue	A-MP 1 off	5X/	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	P52.R4.TA3 2 off	3G 2 off	P52.M4.T1 2 off
DV.2061/36	NV20 Length 5' 0"	5E/4183	JP	31879 Ring Tongue	A-MP 1 off	5X/	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	P52.R4.TB3 2 off	3G 2 off	P52.M4.T2 2 off
DV.2061/37	NV20 Length 61' 0"	5E/4183	JP	31879 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P52.R4.TX2 2 off	3G 2 off	Z5.M35.T8 2 off
DV.2061/38	NV20 Length 6' 0"	5E/4183	JP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	31879 Ring Tongue	A-MP 1 off	5X/	P52.M5.TA 2 off	3G 2 off	P52.R4.A2 2 off
DV.2061/39	NV20 Length 6' 0"	5E/4183	JP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	31879 Ring Tongue	A-MP 1 off	5X/	P52.M5.TC 2 off	3G 2 off	P52.R4.B2 2 off
DV.2061/45	NV20 Length 4' 0"	5E/4183	JP	31879 Ring Tongue	A-MP 1 off	5X/	31882 Ring Tongue	A-MP 1 off	5X/	P52.R4.TX1 2 off	3G 2 off	E.35 2 off
DV.2061/46	NV20 Length 8"	5E/4183	JP	31879 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	P52.R4.TA1 2 off	3G 2 off	P52.R4.TX2 2 off
DV.2061/47	NV20 Length 0' 6"	5E/4183	JP	31879 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP	5X /	P52.R4.TB1 2 off	3G 2 off	P52.R4.TX1 2 off

RESTRICTED

RESTRICTED
Argosy C. Mk.1.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
CV.2354	FLY-LEAD SET	P.54										
DV.2063/14	NV22 Length 32' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	No Fitting			P54.T1 2 off	3M 2 off	Z22.S4.TE 2 off
DV.2063/15	NV22 Length 32' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	No Fitting			P54.T3 2 off	3M 2 off	Z22.S4.TD 2 off
† DV.2063/16	NV22 Length 32' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	No Fitting			P54.R2.T3a 2 off	3M 2 off	Z22.S5.TB 2 off
† DV.2063/17	NV22 Length 32' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	No Fitting			P54.R2.T4a 2 off	3M 2 off	Z22.S5.TD 2 off
† DV.2063/18	NV22 Length 24' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	P54.T4 2 off	3M 2 off	Z6.S45.T5 2 off
† DV.2063/19	NV22 Length 32' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	No Fitting			P54.R2.T6a 2 off	3M 2 off	Z22.S4.TB 2 off
† DV.2063/22	NV22 Length 32' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	No Fitting			P54.R2.T3a 2 off	3M 2 off	6.S44.TE 2 off
† DV.2063/24	NV22 Length 33' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	No Fitting			P54.R1.TC 2 off	3M 2 off	Z6.S43.TC 2 off
DV.2063/25	NV22 Length 33' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	No Fitting			P54.T2 2 off	3M 2 off	Z6.S43.TE 2 off
† DV.2063/27	NV22 Length 20' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-7P 1 off	5X/7424	No Fitting			P54.R2.T1a 2 off	3M 2 off	Z5.M21.TA 2 off

RESTRICTED

Argosy C. M.A.

RESTRICTED

RESTRICTED

TP27
March 1968
AL41

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2063/28	NV22 Length 24' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	P54.R2.T4a 2 off	2M 2 off	Z6.S47.T5 2 off
DV.2063/197	NV22 Length 12' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	31892 Ring Tongue	A-MP 1 off	5X/	P54.R1.TCa 2 off	3M 2 off	E38 2 off
DV.2063/217	NV22 Length 30' 0"	5E/4182	AJP	No Fitting			31879 Ring Tongue	A-MP 1 off	5X/	Z22.M7.A 2 off	3M 2 off	P54.R1.T4 2 off
DV.2063/230	NV22 Length 30' 0"	5E/4182	AJP	31879 Ring Tongue	A-MP 1 off		No Fitting			P54.R3.T3 2 off	3M 2 off	Z5.S4.TA 2 off
DV.2063/232	NV22 Length 30' 0"	5E/4182	AJP	No Fitting			31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	Z22.M7.TC 2 off	3M 2 off	P54.R1.T6A 2 off
DV.2063/242	NV22 Length 15' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P54.R1.T5a 2 off	3M 2 off	Z5.M35.T7 2 off
DV.2063/243	NV22 Length 15' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	323000 Slotted Tongue	A-MP 1 off	5X/9460396	P54.R1.T5 2 off	3M 2 off	Z5.M35.T8 2 off
DV.2063/249	NV22 Length 20' 0"	5E/4182	AJP	31878 or HC.296D Ring Tongue	A-MP 1 off	5X/7424	No Fitting			P54.R5.T8 2 off	3M 2 off	Z5.M21.TA 2 off
DV.2072/6	NV22 Length 30' 0"	5E/4182	JP	31879 Ring Tongue Rubber Boot 16936	A-MP 1 off 1 off	5X/ 5CZ/1793	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z5.D3.A 2 off	3W 2 off	P54.T10 2 off
DV.2072/10	NV22 Length 35' 0"	5E/4182	JP	31879 Ring Tongue Rubber Boot 16936	A-MP 1 off 1 off	5X/ 5CZ/1793	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z5.D2.A 2 off	3W 2 off	P54.T10 2 off

RESTRICTED
Argosy C. Mk.I.

RESTRICTED

Argosy C. Mk.1.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2122/37	NV16 Length 25' 0"	5E/4175	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31269 Ring Tongue	A-MP 1 off	5X/9462745	Z5.M29.T5 2 off	4L 2 off	P54.S5.T1 2 off
DV.2122/38	NV16 Length 20' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31269 Ring Tongue	A-MP 1 off	5X/9462745	Z5.M28.T5 2 off	4L 2 off	P54.S5.T1 2 off
DV.2123/36	NV12 Length- 35' 0"	5E/4187	KP	HC.314A Tag, Cranked	1 off	5X/7220	HC.1190 Tag, Cranked	1 off	5X/7215	Z5.16.T1 2 off	8L 2 off	P54.S3.T20 2 off
DV.2123/38	NV12 Length 21' 0"	5E/4187	KP	HC.1190 Tag, Cranked	1 off	5X/7215	HC.1190 Tag, Cranked	1 off	5X/7215	Z5.L15.T1 2 off	8L 2 off	P54.S3.T2 2 off

March 1968
TP27 AL41

RESTRICTED

RESTRICTED

Argosy C. M.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART										
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
CV.2355	FLY LEAD SET P55									
DV.2099/1	NV16 Length 12' 6"	5E/4185	JP	HE.47648.S7 G.E.C. Connector } 1 off		31889 Ring Tongue A-MP 1 off	5X/	Z4.M10+ 2 off	4H 2 off	P55.C1.T1 2 off
DV.2099/2	NV16 Length 12' 6"	5E/4185	JP	HE.47648.S7 G.E.C. Connector } 1 off		323000 Slotted Tongue A-MP 1 off	5X/9450396	Z4.M10E 2 off	4H 2 off	P55.T1 2 off
DV.2099/3	NV16 Length 12' 6"	5E/4185	JP	HE.47648.S7 G.E.C. Connector } 1 off		323000 Slotted Tongue A-MP 1 off	5X/9450396	Z4.M16— 2 off	4H 2 off	P55.T2 2 off
DV.2099/4	NV16 Length 15' 0"	5E/4185	JP	HE.47648.S7 G.E.C. Connector } 1 off		31889 Ring Tongue A-MP 1 off	5X/	Z4.M11+ 2 off	4H 2 off	P55.C2.T1 2 off
DV.2099/5	NV16 Length 15' 0"	5E/4185	JP	HE.47648.S7 G.E.C. Connector } 1 off		323000 Slotted Tongue A-MP 1 off	5X/9450396	Z4.M11E 2 off	4H 2 off	P55.T3 2 off
DV.2099/6	NV16 Length 15' 0"	5E/4185	JP	HE.47648.S7 G.E.C. Connector } 1 off		323000 Slotted Tongue A-MP 1 off	5X/9450396	Z4.M11— 2 off	4H 2 off	P55.T3 2 off
DV.2099/7	NV16 Length 15' 0"	5E/4185	JP	HE.47648.S7 G.E.C. Connector } 1 off		31889 Ring Tongue A-MP 1 off	5X/	Z5.M37+ 2 off	4H 2 off	P55.C3.T1 2 off
DV.2099/8	NV16 Length 15' 0"	5E/4185	JP	HE.47648.S7 G.E.C. Connector } 1 off		323000 Slotted Tongue A-MP 1 off	5X/9450396	Z5.M37E 2 off	4H 2 off	P55.T5 2 off
DV.2099/9	NV16 Length 15' 0"	5E/4185	JP	HE.47648.S7 G.E.C. Connector } 1 off		323000 Slotted Tongue A-MP 1 off	5X/9450396	Z5.M37— 2 off	4H 2 off	P55.T5 2 off

Argosy C. Mk. I.

RESTRICTED

RESTRICTED

October 1965
ALZ T727

CABLE (ELECTRICAL) CHART											
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves			
								Marker No. 1	Code Marker	Marker No. 2	
DV.2099/10	NV16 Length 17' 0"	5E/4185	JP	HE.47648.S7 G.E.C. Connector } 1 off		31889 Ring Tongue A-MP 1 off	5X/	Z5.M38+ 2 off	4H 2 off	P55.C4.T1 2 off	
DV.2099/11	NV16 Length 17' 0"	5E/4185	JP	HE.47648.S7 G.E.C. Connector } 1 off		323000 Slotted Tongue A-MP 1 off	5X/9450396	Z5.M38E 2 off	4H 2 off	P55.T7 2 off	
DV.2099/12	NV16 Length 17' 0"	5E/4185	JP	HE.47648.S7 G.E.C. Connector } 1 off		323000 Slotted Tongue A-MP 1 off	5X/9450396	Z5.M38— 2 off	4H 2 off	P55.T7 2 off	
DV.2099/13	NV12 Length 15' 0"	5E/4187	JP	KB.107.2 Cannon Connector } 1 off		32542 Ring Tongue A-MP 1 off	5X/	Z5.M39.2 2 off	4H 2 off	P55.R1.A1 2 off	
DV.2099/14	NV20 Length 15' 0"	5E/4183	JP	KB.107.2 Cannon Connector } 1 off		31879 Ring Tongue A-MP 1 off	5X/	Z5.M39.3 2 off	4H 2 off	P55.R1.X1 2 off	
DV.2099/15	NV12 Length 15' 0"	5E/4187	JP	KB.107.2 Cannon Connector } 1 off		323002 Slotted Tongue A-MP 1 off	5X/	Z5.M39.1 2 off	4H 2 off	P55.T8 2 off	
DV.2099/16	NV10 Length 6' 0"	5E/4188	KP	Adaptor BV.2475 1 off	5H/27	323002 Slotted Tongue A-MP 1 off	5X/	Z4.M15— Top 2 off	4H 2 off	P55.T9 2 off	
DV.2099/17	NV10 Length 6' 0"	5E/4188	KP	Adaptor BV.2475 1 off	5H/27	323002 Slotted Tongue A-MP 1 off	5X/	Z4.M15+ Bottom 2 off	4H 2 off	P55.T14 2 off	
DV.2099/18	NV10 Length 6' 0"	5E/4188	KP	Adaptor BV.2475 1 off	5H/27	32542 Ring Tongue A-MP 1 off	5X/	Z4.M15+ Top 2 off	4H 2 off	P55.R1.B3 2 off	
DV.2099/19	NV10 Length 6' 0"	5E/4188	KP	Adaptor BV.2475 1 off	5H/27	323002 Slotted Tongue A-MP 1 off	5X/	Z4.M15— Bottom 2 off	4H 2 off	P55.T10 2 off	

RESTRICTED
Argosy C. Mk.1.

RESTRICTED

Argosy C. M.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
CV.2360	FLYLEAD SET P60											
DV.2075/22	NV22 Length 10' 0"	5E/4182	AJP	31892 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	E29 2 off	9W 2 off	P60.N1.T2 2 off

October 1965
TPZ/ ALZ

RESTRICTED

RESTRICTED

Argosy C. Mk. I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART										
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
CV.2361	FLY-LEAD SET P.61									
DV.2104/9	NV22 Length 14' 4"	5E/4182	AJP	Socket } 1 off 2CZ/111440 } Adaptor Sleeve } 6 off Z.49428 } Water Seal 4931 } 1 off Insulating } 9 off Sleeve A.P. }	5X/7182 5X/1005131 5X/7436 5F/2336	Socket } 1 off 2CZ/84873 } Adaptor Sleeve } 2 off Z.49428 } Water Seal 4930 } 1 off Filler Plug } 2 off PC.14000 } Insulating } 2 off Sleeve A.P. }	5X/7039 5X/1005131 5X/7433 5X/7241 5F/2336	Z5.D20.B 2 off	6Q 2 off	Z5.M48.C 2 off
DV.2104/10	NV22 Length 4' 9"	5E/4182	AJP	31892 A-MP Ring Tongue 1 off		See DV.2104/9		E88 2 off	6Q 2 off	Z5.M48.A 2 off
DV.2104/11	NV22 Length 15' 9"	5E/4182	AJP	See DV.2104/9		See DV.2104/9		Z5.D20.C 2 off	6Q 2 off	Z5.M47.C 2 off
DV.2104/12	NV22 Length 6' 2"	5E/4182	AJP	31892 A-MP Ring Tongue 1 off		See DV.2104/9		E88 2 off	6Q 2 off	Z5.M47.A 2 off
DV.2104/13	NV16 Length 29' 6"	5E/4185	JP	See EV.2104/9		Socket } 1 off 2CZ/111234 } Adaptor Sleeve } 4 off Z.49428 } Water Seal 4931 } 1 off Filler Plug } 2 off PC.14000 } Insulating } 7 off Sleeve A.P. }	5X/5805564 5X/1005131 5X/7436 5X/7241 5F/2336	Z5.D20.1 2 off	6Q 2 off	Z5.D19.4 2 off
DV.2104/14	NV22 Length 29' 6"	5E/4182	AJP	See DV.2104/9		See DV.2104/13		Z5.D20.A 2 off	6Q 2 off	Z5.D19.3 2 off
DV.2104/15	NV20 Length 29' 6"	5E/4183	JP	See DV.2104/9		See DV.2104/13		Z5.D20.G 2 off	6Q 2 off	Z5.D19.5 2 off
DV.2104/16	NV22 Length 29' 6"	5E/4182	AJP	See DV.2104/9		See DV.2104/13		Z5.D20.D 2 off	6Q 2 off	Z5.D19.6 2 off

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

September 1966
TM77 AL71

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2104/17	NV20 Length 29' 6"	5E/4183	JP	See DV.2104/9		See DV.2104/13		Z5.D20.F 2 off	6Q 2 off	Z5.D19.8 2 off
DV.2104/18	NV16 Length 29' 6"	5E/4185	JP	See DV.2104/9		See DV.2104/13		Z5.D20.2 2 off	6Q 2 off	Z5.D19.7 2 off
DV.2104/21	NV16 Length 9' 9"	5E/4185	JP	Plug 2CZ/111225 1 off Shroud Z.1275 1 off Coupling Nut Z.61537 1 off Adaptor Sleeve Z.49428 6 off Water Seal 4931 1 off Insulating Sleeve A.P. 1 off	5X/7149 5X/284 5X/6423 5X/1005131 5X/7436 5F/2336	HC.1189 Tag, Cranked 1 off	5X/7214	Z5.D20.1 2 off	6Q 2 off	P61.S2.T2 2 off
DV.2104/22	NV22 Length 9' 9"	5E/4182	AJP	See DV.2104/21		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z5.D20.A 2 off	6Q 2 off	P61.T4 2 off
DV.2104/23	NV20 Length 9' 9"	5E/4183	JP	See DV.2104/21		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z5.D20.G 2 off	6Q 2 off	P61.T1 2 off
DV.2104/24	NV22 Length 9' 9"	5E/4182	AJP	See DV.2104/21		150107 A-MP Ring Tongue 1 off		Z5.D20.D 2 off	6Q 2 off	P61.S2.T6 2 off
DV.2194/25	NV20 Length 9' 9"	5E/4183	JP	See DV.2104/21		150107 A-MP Ring Tongue 1 off		Z5.D20.F 2 off	6Q 2 off	P61.S2.T6 2 off
DV.2104/26	NV16 Length 9' 9"	5E/4185	JP	See DV.2104/21		HC.1189 Tag, Cranked 1 off	5X/7214	Z5.D20.2 2 off	6Q 2 off	P61.S1.T5 2 off
DV.2104/27	NV22 Length 28' 6"	5E/4182	AJP	No Fitting		Socket 2CZ/111234 1 off Adaptor Sleeve Z.49428 7 off Water Seal 4931 1 off Insulating Sleeve A.P. 9 off	5X/7178 5X/1005131 5X/7436 5F/2336	Z5.M49.T+ 2 off	6Q 2 off	Z5.D21.1 2 off

RESTRICTED
Argosy C. Mk.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2104/28	NV22 Length 28' 6"	5E/4182	AJP	No Fitting		See DV.2104/27		Z5.M49.RL 2 off	6Q 2 off	Z5.D21.2 2 off
DV.2104/29	NV22 Length 28' 6"	5E/4182	AJP	No Fitting		See DV.2104/27		Z5.M49.T3 2 off	6Q 2 off	Z5.D21.3 2 off
DV.2104/30	NV22 Length 28' 6"	5E/4182	AJP	No Fitting		See DV.2104/27		Z5.M49.T1 2 off	6Q 2 off	Z5.D21.4 2 off
DV.2104/31	NV22 Length 28' 6"	5E/4182	AJP	No Fitting		See DV.2104/27		Z5.M49.T2 2 off	6Q 2 off	Z5.D21.5 2 off
DV.2104/32	NV22 Length 14' 6"	5E/4182	AJP	No Fitting		31892 Ring Tongue	A-MP 1 off	Z5.M49.T— 2 off	6Q 2 off	E89 2 off
DV.2104/33	NV22 Length 27' 7"	5E/4182	AJP	Socket	1 off	5X/7039	See DV.2104/27	Z5.S23.C 2 off	6Q 2 off	Z5.D21.7 2 off
				2CZ/84873						
				Adaptor Sleeve	2 off	5X/1005131				
				Z.49428						
				Water Seal 4930	1 off	5X/7433				
				Filler Plug	1 off	5X/7241				
				PC.14000						
				Insulating Sleeve A.P.	3 off	5F/2336				
DV.2104/34	NV22 Length 27' 7"	5E/4182	AJP	See DV.2104/33		See DV.2104/27		Z5.S23.A 2 off	6Q 2 off	Z5.D21.8 2 off
DV.2104/35	NV22 Length 6' 2"	5E/4182	AJP	See DV.2104/33		150107 Ring Tongue	A-MP 1 off	Z5.S24.A 2 off	6Q 2 off	P61.S2.T4 2 off
DV.2104/36	NV22 Length 6' 2"	5E/4182	AJP	See DV.2104/33		31878 Ring Tongue	A-MP 1 off	Z5.S24.C 2 off	6Q 2 off	P61.L2.T 2 off
DV.2104/37	NV22 Length 5' 5"	5E/4182	AJP	No Fitting		323000 Slotted Tongue	A-MP 1 off	5X/9450396 Z5.M50.T+ 2 off	6Q 2 off	P61.T2 2 off
DV.2104/38	NV22 Length 5' 11"	5E/4182	AJP	No Fitting		31882 Ring Tongue	A-MP 1 off	Z5.M50.T1 2 off	6Q 2 off	P61.N2.1 2 off

RESTRICTED

September 1966
TP27 AL31

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2104/39	NV22 Length 5' 11"	5E/4182	AJP	No Fitting		31882 Ring Tongue	A-MP 1 off		Z5.M50.T2 2 off	6Q 2 off P61.N2.2 2 off
DV.2104/40	NV22 Length 5' 5"	5E/4182	AJP	No Fitting		323000 Slotted Tongue	A-MP 1 off	5X 9450396	Z5.M50.TL 2 off	6Q 2 off P61.T4 2 off
DV.2104/41	NV22 Length 5' 11"	5E/4182	AJP	No Fitting		31882 Ring Tongue	A-MP 1 off		Z5.M50.T3 2 off	6Q 2 off P61.N2.3 2 off
DV.2104/42	NV22 Length 11' 7"	5E/4182	AJP	No Fitting		31892 Ring Tongue	A-MP 1 off		Z5.M50.T— 2 off	6Q 2 off E90 2 off
DV.2104/43	NV22 Length 9' 9"	5E/4182	AJP	Plug 2CZ/111224 1 off Shroud Z.1275 1 off Coupling Nut Z.61537 1 off Adaptor Sleeve Z.49428 7 off Water Seal 4931 1 off Insulating Sleeve A.P. 9 off	5X/5805562 5X/284 5X/6423 5X/1005131 5X/7436 5F/2336	323000 Slotted Tongue	A-MP 1 off	5X 9450396	Z5.D21.1 2 off	6Q 2 off P61.T2 2 off
DV.2104/44	NV22 Length 9' 9"	5E/4182	AJP	See DV.2104/43		323000 Slotted Tongue	A-MP 1 off	5X 9450396	Z5.D21.2 2 off	6Q 2 off P61.T5 2 off
DV.2104/45	NV22 Length 10' 3"	5E/4182	AJP	See DV.2104/43		31882 Ring Tongue	A-MP 1 off		Z5.D21.3 2 off	6Q 2 off P61.N1.3 2 off
DV.2104/46	NV22 Length 10' 3"	5E/4182	AJP	See DV.2104/43		31882 Ring Tongue	A-MP 1 off		Z5.D21.4 2 off	6Q 2 off P61.N1.2 2 off
DV.2104/47	NV22 Length 10' 3"	5E/4182	AJP	See DV.2104/43		31882 Ring Tongue	A-MP 1 off		Z5.D21.5 2 off	6Q 2 off P61.N1.1 2 off
DV.2104/48	NV16 Length 9' 9"	5E/4185	JP	See DV.2104/43		150107 Ring Tongue	A-MP 1 off		Z5.D21.6 2 off	6Q 2 off P61.S1.T6 2 off
DV.2104/50	NV22 Length 9' 9"	5E/4182	AJP	See DV.2104/43		31878 Ring Tongue	A-MP 1 off		Z5.D21.7 2 off	6Q 2 off P61.L1.T 2 off

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART										
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2104/52	NV16 Length 13' 2"	5E/4185	JP	150107 Ring Tongue	A-MP 1 off	Socket } 1 off 2CZ/111230 } Water Seal 4930 } 1 off Filler Plug } 2 off PC.14000 } Insulating } 2 off Sleeve A.P. }	5X/7172 5X/7433 5X/7241 5F/2336	P61.S2.T3 2 off	6Q 2 off	Z5.M46.A 2 off
DV.2104/53	NV16 Length 19' 4"	5E/4185	JP	31892 Ring Tongue	A-MP 1 off	See DV.2104/52		E90 2 off	6Q 2 off	Z5.M46.B 2 off
DV.2104/54	NV16 Length 37' 4"	5E/4185	JP	Socket } 1 off 2CZ/111234 } Adaptor Sleeve } 7 off Z.49428 } Water Seal 4931 } 1 off Insulating } 9 off Sleeve A.P. }	5X/7178 5X/1005131 5X/7436 5F/2336	See DV.2104/52		Z5.D21.6 2 off	6Q 2 off	Z5.M45.A 2 off
DV.2104/55	NV16 Length 23' 3"	5E/4185	JP	31892 Ring Tongue	A-MP 1 off	See DV.2104/52		E89 2 off	6Q 2 off	Z5.M45.B 2 off
DV.2104/57	NV20 Length 9' 9"	5E/4183	JP	See DV.2104/21		150107 Ring Tongue	A-MP 1 off	Z5.D20.E 2 off	6Q 2 off	P61.S1.T3 2 off
DV.2104/58	NV22 Length 27' 7"	5E/4182	AJP	See DV.2104/33		See DV.2104/27		Z5.S23.B 2 off	6Q 2 off	Z5.D21.9 2 off
DV.2104/59	NV22 Length 5' 3"	5E/4182	AJP	See DV.2104/21		150107 Ring Tongue	A-MP 1 off	Z5.D20.B 2 off	6Q 2 off	Z5.S24.B 2 off
DV.2104/60	NV22 Length 0' 8"	5E/4182	AJP	See DV.2104/21		323000 Slotted Tongue	A-MP 1 off	5X/9450396 Z5.D20.C 2 off	6Q 2 off	Z5.D21.9 2 off
DV.2104/61	NV22 Length 9' 9"	5E/4182	AJP	See DV.2104/43		150107 Ring Tongue	A-MP 1 off	Z5.D21.8 2 off	6Q 2 off	P61.S1.T1 2 off
DV.2104/62	NV20 Length 29' 6"	5E/4183	AJP	See DV.2104/9		See DV.2104/9		Z5.D19.9 2 off	6Q 2 off	Z5.D20.E 2 off

Argosy C. Mk.1.

RESTRICTED

RESTRICTED

Argosy C. M.L.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

RESTRICTED

Argosy C. M.L.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
CV.2362 DV.2105/2	FLY-LEAD SET P.62 NV14 Length 25' 0"	5E/4186	IP	Socket } 1 off CZ.56740/5 } Outlet Set Acc. } 1 off 2CZ/108172 }	Z.560795	31903 Ring Tongue A-MP 1 off		Z4.D1.A 2 off	1A 2 off	P62.C1 2 off

September 1966
TP27 AL31

RESTRICTED

RESTRICTED

Argosy C. Mk.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART										
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2063	FLY-LEAD SET	P.63								
DV.2105/7	NV14 Length 4' 0"	5E/4186	JP	Socket CZ.49216/5 } 1 off Outlet Set Acc. } 1 off 2CZ/108172 }	Z.560275	323000 Slotted Tongue A-MP 1 off	5X/9450396	Z4.D1.A 2 off	1A 2 off	P63.T31 2 off
DV.2105/9	NVMS20 Length 3' 4"	5E/4199	JP	Plug CZ.74863/5 } 1 off Outlet Set Acc. } 1 off 2CZ/108180 }		31878 Ring Tongue A-MP 1 off	5X/	Z4.D2.A 2 off	ZA 2 off	P63.R1.T5 2 off
DV.2105/10	NVM20 Length 3' 4"	5E/4199	JP	See Cable DV.2105/9		31878 Ring Tongue A-MP 1 off	5X/	Z4.D2.B 2 off	1A 2 off	P63.R1.T3 2 off
DV.2105/11	NVSM20 Length 3' 4"	5E/4199	JP	See Cable DV.2105/9		31878 Ring Tongue A-MP 1 off	5X/	Z4.D2.C 2 off	1A 2 off	P63.R1.T1 2 off
DV.2105/12	NV12 Length 3' 3"	5E/4192	KP	321500 A-MP Ring Tongue 1 off	5X/	35273 Ring Tongue A-MP 1 off	5X/	P63.T1 2 off	1A 2 off	E91 2 off
DV.2105/13	NV12 Length 3' 6"	5E/4192	KP	321500 A-MP Ring Tongue 1 off	5X/	32573 Ring Tongue A-MP 1 off	5X/	P63.T4 2 off	1A 2 off	E92 2 off
DV.2105/14	NV14 Length 3' 6"	5E/4186	JP	Socket CZ.77439 } 1 off Gland Plug } 1 off Z.63827 } Outlet Gasket } 1 off Z.60669 } Cable Entry } 1 off Assy. 2CZ/83015 }		323001 Slotted Tongue A-MP 1 off	5X/9450224	Z4.D3.A 2 off	1A 2 off	P63.T31 2 off
DV.2105/15	NV14 Length 3' 6"	5E/4186	JP	See Cable DV.2105/14		32441 Ring Tongue A-MP 1 off	5X/	Z4.D3.B 2 off	1A 2 off	R3.TC.a 2 off
DV.2105/19	NV16 Length 3' 6"	5E/4185	JP	See Cable DV.2105/14		323001 Slotted Tongue A-MP 1 off	5X/9450224	Z4.D3.F 2 off	1A 2 off	P63.T20 2 off

Argosy C. Mk. I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2105/23	NV20 Length 3' 3"	5E/4183	JP	Socket CZ.66959 1 off Outlet Set Acc. } 1 off 2CZ/108192		323000 Slotted Tongue A-MP 1 off	5X/9450396	Z4.D4.A 2 off	1A 2 off	P63.T8 2 off
DV.2105/25	NV20 Length 3' 3"	5E/4183	JP	See Cable DV.2105/23		323000 Slotted Tongue A-MP 1 off	5X/9450396	Z4.D4.C 2 off	1A 2 off	P63.T10 2 off
DV.2105/26	NV16 Length 3' 3"	5E/4185	JP	See Cable DV.2105/23		323001 Slotted Tongue A-MP 1 off	5X/9450224	Z4.D4.D 2 off	1A 2 off	P63.T24 2 off
DV.2105/27	NV16 Length 3' 3"	5E/4185	JP	See Cable DV.2105/23		323001 Slotted Tongue A-MP 1 off	5X/9450224	Z4.D4.E 2 offz	1A 2 off	P63.T22 2 off
DV.2105/29	NV20 Length 3' 3"	5E/4183	JP	See Cable DV.2105/23		323000 Slotted Tongue A-MP 1 off	5X/9450396	Z4.D4.G 2 off	1A 2 off	P63.T12 2 off
DV.2105/30	NV16 Length 3' 3"	5E/4185	JP	See Cable DV.2105/23		323001 Slotted Tongue A-MP 1 off	5X/9450224	Z4.D4.H 2 off	1A 2 off	P63.T19 2 off
DV.2105/88	NV20 Length 4' 6"	5E/4183	JP	Socket CZ.66959/5 1 off Outlet Set Acc. } 1 off 2CZ/108192		323000 Slotted Tongue A-MP 1 off	5X/9450396	Z4.D5.A 2 off	1A 2 off	P63.T14 2 off
DV.2105/90	NV20 Length 4' 6"	5E/4183	JP	See Cable DV.2105/88		323000 Slotted Tongue A-MP 1 off	5X/9450396	Z4.D5.C 2 off	1A 2 off	P63.T16 2 off
DV.2105/91	NV16 Length 4' 6"	5E/4185	JP	See Cable DV.2105/88		323001 Slotted Tongue A-MP 1 off	5X/9450224	Z4.D5.D 2 off	1A 2 off	P63.T24 2 off
DV.2105/92	NV16 Length 4' 6"	5E/4185	JP	See Cable DV.2105/88		323001 Slotted Tongue A-MP 1 off	5X/9450224	Z4.D5.E 2 off	1A 2 off	P63.T21 2 off
DV.2105/94	NV20 Length 4' 6"	5E/4183	JP	See Cable DV.2105/88		323000 Slotted Tongue A-MP 1 off	5X/9450396	Z4.D5.G 2 off	1A 2 off	P63.T18 2 off
DV.2105/95	NV16 Length 4' 6"	5E/4185	JP	See Cable DV.2105/88		323001 Slotted Tongue A-MP 1 off	5X/9450224	Z4.D5.H 2 off	1A 2 off	P63.T20 2 off

RESTRICTED

September 1966
TP27 AL31

Argosy C. M.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART										
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2105/98	NV16 Length 4' 6"	5E/4185	JP	Socket CZ.49014 1 off Outlet Set Acc. } 1 off 2CZ/108171	Z.560090	323001 A-MP Slotted Tongue 1 off	5X/9450224	J15.D4.B 2 off	1A 2 off	P63.T4 2 off
DV.2105/189	NV20 Length 9' 0"	5E/4183	JP	Socket 1 off Clamp 1 off	105X/68 105X/993	323000 A-MP Slotted Tongue 1 off	5X/9450396	Z4.M27.D1.B 2 off	1A 2 off	P63.T3 2 off
DV.2105/190	NV20 Length 9' 0"	5E/4183	JP	See Cable DV.2105/189		323000 A-MP Slotted Tongue 1 off	5X/9450396	Z4.M27.D1.A 2 off	1A 2 off	P63.T29 2 off
DV.2105/192	NV20 Length 11' 3"	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	Socket CZ.49017 1 off Outlet Set Acc. } 1 off 2CZ/108177	Z.560120	P63.R1.TC.A 2 off	1A 2 off	Z4.M29.D1.E 2 off
DV.2105/193	NV20 Length 11' 3"	5E/4183	JP	31878 A-MP Ring Tongue 1 off	5X/	See Cable DV.2105/192		P63.R1.TC 2 off	1A 2 off	Z4.M29.D1.D 2 off
DV.2105/194	NVMS20 Length 11' 3"	5E/4199	JP	31878 A-MP Ring Tongue 1 off	5X/	See Cable DV.2105/192		P63.R1.T5A 2 off	1A 2 off	Z4.M29.D1.A 2 off
DV.2105/195	NVMS20 Length 11' 3"	5E/4199	JP	31878 A-MP Ring Tongue 1 off	5X/	See Cable DV.2105/192		P63.R1.T3A 2 off	1A 2 off	Z4.M29.D1.B 2 off
DV.2105/196	NVMS20 Length 11' 3"	5E/4199	JP	31878 A-MP Ring Tongue 1 off	5X/	See Cable DV.2105/192		P63.R1.T1a 2 off	1A 2 off	Z4.M29.D1.C 2 off
DV.2105/200	NV20 Length 3' 0"	5E/4183	JP	Plug CZ.49458 1 off Outlet Set Acc. } 1 off 2CZ/108187	Z.560360	323000 A-MP Slotted Tongue 1 off	5X/9450396	J15.D2.B 2 off	1A 2 off	P63.T.13 2 off
DV.2105/201	NV20 Length 3' 0"	5E/4183	JP	See Cable DV.2105/200		323000 Slotted Tongue 1 off	5X/9450396	J15.D2.H 2 off	1A 2 off	P63.T.13 2 off
DV.2105/202	NV20 Length 3' 0"	5E/4183	JP	See Cable DV.2105/200		323000 Slotted Tongue 1 off	5X/9450396	J15.D2.D 2 off	1A 2 off	P63.T.15 2 off
DV.2105/203	NV20 Length 3' 0"	5E/4183	JP	See Cable DV.2105/200		323000 Slotted Tongue 1 off	5X/9450396	J15.D2.K 2 off	1A 2 off	P63.T.15 2 off

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

September 1966
TP27 AL31

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2105/204	NV20 Length 3' 0"	5E/4183	JP	See Cable DV.2105/200		323000 Slotted Tongue 1 off	5X/9450396	J15.D2.F 2 off	1A 2 off	P63.T.17 2 off
DV.2105/205	NV20 Length 3' 0"	5E/4183	JP	See Cable DV.2105/200		323000 Slotted Tongue 1 off	5X/9450396	J15.D2.M 2 off	1A 2 off	P63.T.17 2 off
DV.2105/206	NV20 Length 3' 0"	5E/4183	JP	See Cable DV.2105/200		323000 Slotted Tongue 1 off	5X/9450396	J15.D2.L 2 off	1A 2 off	P63.T.11 2 off
DV.2105/207	NV20 Length 3' 0"	5E/4183	JP	See Cable DV.2105/200		323000 Slotted Tongue 1 off	5X/9450396	J15.D2.E 2 off	1A 2 off	P63.T.11 2 off
DV.2105/208	NV20 Length 3' 0"	5E/4183	JP	See Cable DV.2105/200		323000 Slotted Tongue 1 off	5X/9450396	J15.D2.J 2 off	1A 2 off	P63.T.9 2 off
DV.2105/209	NV20 Length 3' 0"	5E/4183	JP	See Cable DV.2105/200		323000 Slotted Tongue 1 off	5X/9450396	J15.D2.C 2 off	1A 2 off	P63.T.9 2 off
DV.2105/210	NV20 Length 3' 0"	5E/4183	JP	See Cable DV.2125/200		323000 Slotted Tongue 1 off	5X/9450396	J15.D2.G 2 off	1A 2 off	P63.T.7 2 off
DV.2105/211	NV20 Length 3' 0"	5E/4183	JP	See Cable DV.2105/200		323000 Slotted Tongue 1 off	5X/9450396	J15.D2.A 2 off	1A 2 off	P63.T.7 2 off
DV.2105/212	NV20 Length 3' 0"	5E/4183	JP	See Cable DV.2105/98		31884 Ring Tongue 1 off	5X/9450393	J15.D4.A 2 off	1A 2 off	P63.C1.T2 2 off
DV.2105/219	NV20 Length 3' 0"	5E/4183	JP	See Cable DV.2105/14		323000 Slotted Tongue 1 off	5X/9450396	Z4.D3.E 2 off	1A 2 off	P63.T.33 2 off
DV.2105/256	NV20 Length 2' 10"	5E/4183	JP	See Cable DV.2105/88		31878 Ring Tongue 1 off	5X/	Z4.D5.B 2 off	1A 2 off	P63.L2.T1 2 off
DV.2105/257	NV20 Length 2' 10"	5E/4183	JP	See Cable DV.2105/88		31878 Ring Tongue 1 off	5X/	Z4.D5.F 2 off	1A 2 off	P63.L4.T1 2 off
DV.2105/258	NV20 Length 2' 10"	5E/4183	JP	See Cable DV.2105/88		31878 Ring Tongue 1 off	5X/	Z4.D5.J 2 off	1A 2 off	P63.L6.T1 2 off

Argosy C. Mk. I.

RESTRICTED

CABLE (ELECTRICAL) CHART										
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2105/259	NV20 Length 3' 3"	5E/4183	JP	See Cable DV.2105/23	Z.560280	31878 Ring Tongue	A-MP 1 off	5X/ Z4 D4.J 2 off	1A 2 off	P63.L5.T1 2 off
DV.2105/260	NV20 Length 3' 3"	5E/4183	JP	See Cable DV.2105/23		31878 Ring Tongue	A-MP 1 off	Z4.D4.F 2 off	1A 2 off	P63.L3.T1 2 off
DV.2105/261	NV20 Length 3' 3"	5E/4183	JP	See Cable DV.2105/23		31878 Ring Tongue	A-MP 1 off	Z4.D4.B 2 off	1A 2 off	P63.L1.T1 2 off
DV.2105/262	NV14 Length 3' 0"	5E/4186	JP	See Cable DV.2105/7		31878 Ring Tongue	A-MP 1 off	Z4.D1.B 2 off	1A 2 off	P63.T33 2 off
DV.2105/263	NV20 Length 4' 0"	5E/4183	JP	Plug CZ.49218 1 off Outlet Set Acc. } 1 off 2CZ/108173		31878 Ring Tongue	A-MP 1 off	J15.D3.A 2 off	1A 2 off	P63.R4.TC 2 off

RESTRICTED
Argosy C. Mk.I.

RESTRICTED

Argosy C. Mk.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
CV.2365	FLY-LEAD SET P.65											
DV.2107/1	NV22 Length 4' 10"	5E/4182	AJP	31879 Ring Tongue	A-MP 1 off		Socket CZ.49126 1 off Outlet Set Acc. } 1 off 2CZ/108188	10H/0560180	P65.S1.A1 2 off	2B 2 off	Z4.D6.A 2 off	
DV.2107/2	NV22 Length 4' 10"	5E/4182	AJP	31879 Ring Tongue	A-MP 1 off		See DV.2107/1		P65.S1.A2 2 off	2B 2 off	Z4.D6.B 2 off	
DV.2107/3	NV22 Length 4' 10"	5E/4182	AJP	31879 Ring Tongue	A-MP 1 off		See DV.2107/1		P65.S1.A3 2 off	2B 2 off	Z4.D6.C 2 off	
DV.2107/4	NV22 Length 4' 10"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See DV.2107/1		P65.T10 2 off	2B 2 off	Z4.D6.F 2 off	
DV.2107/5	NV22 Length 4' 10"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See DV.2107/1		P65.T11 2 off	2B 2 off	Z4.D6.D 2 off	
DV.2107/6	NV22 Length 4' 10"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See DV.2107/1		P65.T18 2 off	2B 2 off	Z4.D6.E 2 off	
DV.2107/7	NV22 Length 4' 10"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See DV.2107/1		P65.T19 2 off	2B 2 off	Z4.D6.K 2 off	
DV.2107/8	NV22 Length 4' 10"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See DV.2107/1		P65.T20 2 off	2B 2 off	Z4.D6.L 2 off	
DV.2107/9	NV22 Length 4' 10"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See DV.2107/1		P65.T13 2 off	2B 2 off	Z4.D6.M 2 off	
DV.2107/10	NV16 Length 4' 7"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket CZ.49216 1 off Outlet Set Acc. } 1 off 2CZ/108172	10H/0560270	P65.T15 2 off	2B 2 off	Z4.D7.A 2 off	
DV.2107/11	NV16 Length 4' 7"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See DV.2107/10		P65.T1 2 off	2B 2 off	Z4.D7.B 2 off	

Argosy C. Mk. I.

RESTRICTED

RESTRICTED

Argosy C. Mk.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART										
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
CV.2366	FLY-LEAD SET P.66									
DV.2107/31	NV22 Length 9' 6"	5E/4182	AJP	Plug CZ.49458 1 off Outlet Set Acc. } 1 off 2CZ.108187	10H/0560360	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z5.D22.A 2 off	2B 2 off P66.T1 2 off
DV.2107/32	NV22 Length 9' 6"	5E/4182	AJP	See Cable DV.2107/31		323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z5.D22.B 2 off	2B 2 off P66.T2 2 off
DV.2107/33	NV22 Length 9' 6"	5E/4182	AJP	See Cable DV.2107/31		323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z5.D22.C 2 off	2B 2 off P66.T3 2 off
DV.2107/34	NV22 Length 9' 6"	5E/4182	AJP	See Cable DV.2107/31		323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z5.D22.F 2 off	2B 2 off P66.T4 2 off
DV.2107/35	NV22 Length 9' 6"	5E/4182	AJP	See Cable DV.2107/31		31878 Ring Tongue	A-MP 1 off		Z5.D22.D 2 off	2B 2 off P66.R3.C 2 off
DV.2107/36	NV22 Length 9' 6"	5E/4182	AJP	See Cable DV.2107/31		323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z5.D22.E 2 off	2B 2 off P66.T7 2 off
DV.2107/37	NV22 Length 9' 6"	5E/4182	AJP	See Cable DV.2107/31		31878 Ring Tongue	A-MP 1 off		Z5.D22.K 2 off	2B 2 off P66.R3.T3 2 off
DV.2107/38	NV22 Length 9' 6"	5E/4182	AJP	See Cable DV.2107/31		323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z5.D22.L 2 off	2B 2 off P66.T5 2 off
DV.2107/39	NV22 Length 9' 6"	5E/4182	AJP	See Cable DV.2107/31		323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z5.D22.M 2 off	2B 2 off P66.T6 2 off
DV.2107/40	NV22 Length 9' 6"	5E/4182	AJP	See Cable DV.2107/31		323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z5.D22.G 2 off	2B 2 off P66.T13 2 off
DV.2107/41	NV14 Length 9' 6"	5E/4186	JP	Plug CZ.49216 1 off Outlet Set Acc. } 1 off 2CZ.108171	10H/0560270	32442 Ring Tongue	A-MP 1 off		Z5.D23.A 2 off	2B 2 off P66.R2.3 2 off
DV.2107/42	NV14 Length 9' 6"	5E/4186	JP	See Cable DV.2107/41		323001 Slotted Tongue	A-MP 1 off	5X/9450224	Z5.D23.B 2 off	2B 2 off P66.T15 2 off

Argosy C. M.I.

RESTRICTED

RESTRICTED

September 1966
TP27 AL31

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2107/44	NV22 Length 5' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket CZ.49070 1 off Outlet Set Acc. } 1 off 2CZ.108196	10H/0560220	P66.T11 2 off	2B 2 off	Z5.M52.D1.D 2 off	
DV.2107/45	NV22 Length 5' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2107/44		P66.T11 2 off	2B 2 off	Z5.M52.D1.O 2 off	
DV.2107/46	NV22 Length 5' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2107/44		P66.T12 2 off	2B 2 off	Z5.M52.D1.N 2 off	
DV.2107/47	NV22 Length 5' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2107/44		P66.T1 2 off	2B 2 off	Z5.M52.D1.A 2 off	
DV.2107/48	NV22 Length 5' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2107/44		P66.T2 2 off	2B 2 off	Z5.M52.D1.B 2 off	
DV.2107/49	NV22 Length 5' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2107/44		P66.T3 2 off	2B 2 off	Z5.M52.D1.C 2 off	
DV.2107/50	NV22 Length 5' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2107/44		P66.T4 2 off	2B 2 off	Z5.M52.D1.F 2 off	
DV.2107/51	NV22 Length 5' 6"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off		See Cable DV.2107/44		P66.R2.C 2 off	2B 2 off	Z5.M52.D1.H 2 off	
DV.2107/52	NV22 Length 5' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2107/44		P66.T7 2 off	2B 2 off	Z5.M5.2D1.E 2 off	
DV.2107/53	NV22 Length 5' 6"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off		See Cable DV.2107/44		P66.R5.1a 2 off	2B 2 off	Z5.M52.D1.R 2 off	
DV.2107/54	NV22 Length 5' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2107/44		P66.T5 2 off	2B 2 off	Z5.M52.D1.L 2 off	
DV.2107/55	NV22 Length 5' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2107/44		P66.T6 2 off	2B 2 off	Z5.M52.D1.M 2 off	
DV.2107/56	NV22 Length 5' 6"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off		See Cable DV.2107/44		P66.R1.C 2 off	2B 2 off	Z5.M52.D1.J 2 off	

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
									Marker No. 1	Code Marker	Marker No. 2
DV.2107/57	NV22 Length 5' 6"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off		See Cable DV.2107/44		P66.R3.1 2 off	2B 2 off	Z5.M52.D1.K 2 off
DV.2107/58	NV16 Length 5' 0"	5E/4185	JP	31881 Ring Tongue	A-MP 1 off		Socket CZ.51328 1 off Outlet Set Acc. } 1 off 2CZ.108182	Z.560160	P66.R2.1 2 off	2B 2 off	Z5.M52.D2.B 2 off
DV.2107/59	NV16 Length 8' 0"	5E/4185	JP	31881 Ring Tongue	A-MP 1 off		See Cable DV.2107/58		P66.R1.1 2 off	2B 2 off	Z5.M52.D2.A 2 off
DV.2107/60	NV16 Length 8' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2107/58		P66.T14 2 off	2B 2 off	Z5.M52.D2.C 2 off
DV.2107/61	NV16 Length 8' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2107/58		P66.T14 2 off	2B 2 off	Z5.M52.D2.D 2 off

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

Argosy C. Mk.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED