

RESTRICTED

Argosy 'C' MK.I.

CABLE (ELECTRICAL) CHARTS

JUNCTION BOX WIRING SETS

Subject 4

JUNCTION BOX WIRING SETS

September 1963
TP27 AL14

RESTRICTED

100-4

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
EV.2281	WIRING SET J.											
EV.2281/a	NV22 Length 2' 3"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R19.TX2 1 off	2Q 1 off	T258 1 off
EV.2281/b	NV22 Length 2' 7"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	T21.TX2 1 off	2Q 1 off	T25,8 1 off
EV.2281/c	NV22 Length 1' 8"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R27.TX2 1 off	2Q 1 off	T257 1 off
EV.2281/d	NV22 Length 1' 10"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R29.TX2 1 off	2Q 1 off	T257 1 off
EV.2281/e	NV20 Length 8"	5E/4183	JP	150141 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	R17.TX2 1 off	7W 1 off	R17.TA1 1 off
EV.2281/f	NV20 Length 3' 1"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R17.TX1 1 off	7W 1 off	T251 1 off
EV.2281/g	NV22 Length 3' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R18.T2 1 off	7H 1 off	T259 1 off
EV.2281/h	NV22 Length 5"	5E/4182	AJP	150141 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R25.T1 1 off	4L 1 off	R26.T1 1 off
EV.2281/i	NV22 Length 3' 2"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R25.T2 1 off	4L 1 off	T255 1 off
EV.2281/k	NV22 Length 3' 2"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R11.T2 1 off	10E 1 off	T253 1 off
EV.2281/l	NV22 Length 3' 3"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R12.R2 1 off	10E 1 off	T254 1 off
EV.2281/m	NV22 Length 3' 4"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R13.T2 1 off	10E 1 off	T255 1 off

Argosy C. Mk.1.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
EV.2281/n	NV22 Length 3' 5"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R14.T2 1 off	10E 1 off	T256 1 off
EV.2281/t	NV10 Length 2' 6"	5E/4188	KP	32544 Ring Tongue	A-MP 1 off	5X/	323002 Slotted Tongue	A-MP 1 off	5X/	R35.TA2 1 off	2L 1 off	T93 1 off
EV.2281/u	NV10 Length 3' 0"	5E/4188	KP	32544 Ring Tongue	A-MP 1 off	5X/	323002 Slotted Tongue	A-MP 1 off	5X/	R36.TA2 1 off	2L 1 off	T100 1 off
EV.2281/v	NV20 Length 3' 1"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R1.TCa 1 off	3H 1 off	T252 1 off
EV.2281/w	NV20 Length 1' 5"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R1.TC 1 off	3H 1 off	T157 1 off
EV.2281/x	NV20 Length 4' 7"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	R8.T2 1 off	2L 1 off	M5.T2 1 off
EV.2281/y	NV20 Length 4' 7"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	R9.T2 1 off	2L 1 off	M6.T2 1 off
EV.2281/z	NV22 Length 3' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R26.T2 1 off	4L 1 off	T256 1 off
EV.2281/aa	NV22 Length 5"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R6.T6 1 off	5M 1 off	R6.T1 1 off
EV.2281/ab	NV22 Length 1' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R6.T5 1 off	5M 1 off	R5.T5 1 off
EV.2281/ac	NV22 Length 11"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R6.T3 1 off	5M 1 off	R5.T3 1 off
EV.2281/ad	NV22 Length 9"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R6.T1 1 off	6M 1 off	R5.T1 1 off
EV.2281/ae	NV20 Length 3' 10"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	M5.T1 1 off	2L 1 off	T98 1 off

RESTRICTED

September 1966
TP27 AL31

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
EV.2281/af	NV20 Length 3' 9"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	M6.T1 1 off	2L 1 off	T99 1 off
EV.2281/ag	NV12 Length 7' 0"	5E/4187	KP	32545 Ring Tongue	A-MP 1 off	5X/	323002 Slotted Tongue	A-MP 1 off	5X/	E8 2 off	Nil	T251 2 off
EV.2281/ah	NV12 Length 7' 0"	5E/4187	KP	32545 Ring Tongue	A-MP 1 off	5X/	323002 Slotted Tongue	A-MP 1 off	5X/	E9 2 off	Nil	T260 2 off
EV.2281/an	NV22 Length 1' 1"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R6.T7a 1 off	5M 1 off	R5.T7a 1 off
EV.2281/ap	NV22 Length 2' 10"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R6.T3a 1 off	5M 1 off	M3.T1 1 off
EV.2281/aq	NV22 Length 2' 9"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	R6.TCa 1 off	5M 1 off	M3.T2 1 off
EV.2281/ar	NV22 Length 1' 6"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R6.TC 1 off	5M 1 off	T252 1 off
EV.2281/as	NV22 Length 5"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R5.T6 1 off	5M 1 off	R5.T1 1 off
EV.221/at	NV22 Length 1' 8"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R5.TC 1 off	5M 1 off	T253 1 off
EV.2281/au	NV22 Length 3' 1"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Slotted Tongue	A-MP 1 off	5X/	R5.T3a 1 off	5M 1 off	M4.T1 9 off
EV.2281/av	NV22 Length 2' 11"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	R5.TCa 1 off	5M 1 off	M4.T2 1 off
EV.2281/aw	NV22 Length 3' 8"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R5.T5 1 off	5M 1 off	T59 1 off
EV.2281/ax	NV22 Length 6"	5E/4182	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R1.T8a 1 off	17W 1 off	R1.TCa 1 off

Argosy C. Mk.1.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
EV.2281/ay	NV22 Length 5"	5E/4182	AJP	150141 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R28.T2 1 off	17W 1 off	R30.T2 1 off
EV.2281/az	NV22 Length 1' 9"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R28.T2 1 off	17W 1 off	T260 1 off
EV.2281/ba	NV22 Length 5"	5E/4182	AJP	31879 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	R28.T4 1 off	17W 1 off	R30.T4 1 off
EV.2281/bb	NV22 Length 3' 1"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	T5.R1a 1 off	5M 1 off	M16.T1 1 off
EV.2281/bc	NV22 Length 3' 1"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	R5.TCa 1 off	5M 1 off	M16.T2 1 off
EV.2281/bd	NV22 Length 2' 10"	5E/3182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R6.T1a 1 off	5M 1 off	M15.T1 1 off
EV.2281/be	NV22 Length 2' 10"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	R6.TCa 1 off	5M 1 off	M15.T2 1 off
FV.22181/bm	NV20 Length 3' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R2.TC 1 off	2L 1 off	R8.T1 1 off
FV.2281/bn	NV20 Length 3' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R2.TCa 1 off	2L 1 off	T227 1 off
FV.2281/bo	NV12 Length 2' 6"	5E/4187	KP	312500 Ring Tongue	A-MP 1 off	5X/	321500 Ring Tongue	A-MP 1 off	5X/	R2.T1 1 off	2L 1 off	R8.T3 1 off
FV.2281/bp	NV12 Length 4"	5E/4187	KP	312500 Ring Tongue	A-MP 1 off	5X/	321500 Ring Tongue	A-MP 1 off	5X/	R2.T1a 1 off	2L 1 off	R2.T2a 1 off
FV.2281/bq	NV12 Length 2' 6"	5E/4187	KP	312500 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	R2.T2 1 off	2L 1 off	R35.TA2 1 off
FV.2281/br	NV12 Length 2' 0"	5E/4187	KP	312500 Ring Tongue	A-MP 1 off	5X/	323002 Slotted Tongue	A-MP 1 off	5X/	R2.T2a 1 off	2L 1 off	T92 1 off

RESTRICTED

September 1966
TP27
AL31

Argosy C. Mk. I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
FV.2281/bs	NV20 Length 3' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R3.TC 1 off	2L 1 off	R9.T1 1 off
FV.2281/bt	NV20 Length 3' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R3.TCa 1 off	2L 1 off	T229 1 off
FV.2281/bu	NV12 Length 2' 6"	5E/4187	KP	312500 Ring Tongue	A-MP 1 off	5X/	321500 Ring Tongue	A-MP 1 off	5X/	R3.T1 1 off	2L 1 off	R9.T3 1 off
FV.2281/bv	NV12 Length 4"	5E/4187	KP	312500 Ring Tongue	A-MP 1 off	5X/	321500 Ring Tongue	A-MP 1 off	5X/	R3.T1a 1 off	2L 1 off	R3.T2a 1 off
FV.2281/bw	NV12 Length 2' 6"	5E/4187	KP	312500 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	R3.T2 1 off	2L 1 off	R36.TA2 1 off
FV.2281/bx	NV12 Length 2' 3"	5E/4187	KP	312500 Ring Tongue	A-MP 1 off	5X/	323002 Slotted Tongue	A-MP 1 off	5X/	R3.T2a 1 off	2L 1 off	T90 1 off
FV.2281/by	NV20 Length 3' 0"	5E/4183	JP	150141 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R8.T2 1 off	2L 1 off	T228 1 off
FV.2281/bz	NV20 Length 3' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R35.TX2 1 off	2L 1 off	T228 1 off
FV.2281/ca	NV20 Length 3' 0"	5E/4183	JP	150141 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9540396	R9.T2 1 off	2L 1 off	T230 1 off
FV.2281/cb	NV20 Length 3' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R36.TX2 1 off	2L 1 off	T230 1 off

Argosy C. Mk. I.

RESTRICTED

RESTRICTED

Argosy C. Mk.I.

CABLE (ELECTRICAL) CHART										
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '	Ref. No.	End Fitting ' B '	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
EV.2282A	WIRING SET J.2											
EV.2282/a	NV20 Length 1' 2½"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R1.T8 1 off	8H 1 off	R8.TX1 1 off
EV.2282A/b	NV20 Length 8½"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31882 Ring Tongue	A-MP 1 off	5X/	R1.T8a 1 off	8H 1 off	R8.TA2 1 off
EV.2282A/c	NV22 Length 2' 9"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R1.TCa 1 off	1H 1 off	T72 1 off
EV.2282A/d	NV20 Length 3' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R8.TX2 1 off	8H 1 off	T71 1 off
EV.2282A/e	NV22 Length 3' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R7.TX2 1 off	2H 1 off	T74 1 off
EV.2282A/f	NV14 Length 1' 6"	5E/4186	JP	32439 Ring Tongue	A-MP 1 off	5X/	31898 Ring Tongue	A-MP 1 off	5X/	R2.T6a 1 off	2H 1 off	M1.TC 1 off
EV.2282A/g	NV16 Length 1' 3½"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R2.T5a 1 off	2H 1 off	R4.T6 1 off
EV.2282A/h	NV14 Length 1' 6½"	5E/4186	JP	32439 Ring Tongue	A-MP 1 off	5X/	31898 Ring Tongue	A-MP 1 off	5X/	R2.T4a 1 off	2H 1 off	M1.TB 1 off
EV.2282A/i	NV16 Length 1' 5"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R2.T3a 1 off	2H 1 off	R4.T4 1 off
EV.2282A/k	NV14 Length 1' 7½"	5E/4186	JP	32439 Ring Tongue	A-MP 1 off	5X/	31898 Ring Tongue	A-MP 1 off	5X/	R2.T2a 1 off	2H 1 off	M1.TA 1 off
EV.2282A/l	NV16 Length 1' 6½"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R2.T1a 1 off	2H 1 off	R4.TE 1 off
EV.2282A/m	NV22 Length 2' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R2.TCa 1 off	2H 1 off	T74 1 off

Argosy C. Mk.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
EV.2282A/n	NV14 Length 1' 4½"	5E/4186	JP	32439 Ring Tongue	A-MP 1 off	5X/	31899 Ring Tongue	A-MP 1 off	5X/	R2.T4 1 off	2H 1 off	C2.T2 1 off
EV.2282A/o	NV14 Length 1' 4"	5E/4186	JP	32439 Ring Tongue	A-MP 1 off	5X/	31899 Ring Tongue	A-MP 1 off	5X/	R2.T2 1 off	2H 1 off	C1.T2 1 off
EV.2282A/p	NV22 Length 9"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	R2.TC 1 off	2H 1 off	M2.T2 1 off
EV.2282A/q	NV22 Length 1' 5"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	R2.TC 1 off	2H 1 off	R7.TA3 1 off
EV.2282A/r	NV22 Length 1' 8½"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	R3.TC 1 off	2H 1 off	R7.TA1 1 off
EV.2282A/s	NV16 Length 1' 0½"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R3.T5a 1 off	2H 1 off	R4.T5 1 off
EV.2282A/t	NV16 Length 1' 1½"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R3.T3a 1 off	2H 1 off	R4.T3 1 off
EV.2282A/u	NV16 Length 1' 3"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R3.T1a 1 off	2H 1 off	R4.T1 1 off
EV.2282A/w	NV22 Length 1' 9"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R3.TCa 1 off	2H 1 off	T73 1 off
EV.2282A/x	NV16 Length 1' 6"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	R4.T6a 1 off	2H 1 off	F3.T1 1 off
EV.2282A/y	NV16 Length 1' 9"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	R4.T4a 1 off	2H 1 off	F2.T1 1 off
EV.2282A/z	NV16 Length 1' 10"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	R4.T2a 1 off	2H 1 off	F1.T1 1 off
EV.2282A/ab	NV16 Length 1' 5½"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323000 Slotted Tongue	A-MP 1 off	5X/9450396	F1.T2 1 off	2H 1 off	T26 1 off

RESTRICTED

September 1966
TP27 AL31

Argosy C. Mk. I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
EV.2282A/ac	NV16 Length 1' 5"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323000 Slotted Tongue	A-MP 1 off	5X/9450396	F2.T2 1 off	2H 1 off	T24 1 off
EV.2282A/ad	NV16 Length 1' 6"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323000 Slotted Tongue	A-MP 1 off	5X/9450396	F3.T2 1 off	2H 1 off	T22 1 off
EV.2282A/ae	NV22 Length 5"	5E/4182	AJP	31879 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	M1.TT 1 off	2H 1 off	M2.T1 1 off
EV.2282A/af	NV22 Length 1' 6"	5E/4182	AJP	31879 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	M1.TET 1 off	2H 1 off	T73 1 off
EV.2282A/ag	NV12 Length 6' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32545 Ring Tongue	A-MP 1 off	5X/	J2.T71 2 off	Nil 2 off	E25 2 off
EV.2282A/ah	NV12 Length 6' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32545 Ring Tongue	A-MP 1 off	5X/	J2.T75 2 off	Nil	E26 2 off
EV.2282A/aj	NV22 Length 2' 1½"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	M3.T1 1 off	1H 1 off	T19 1 off
EV.2282A/ak	NV22 Length 1' 6"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R5.T2 1 off	2H 1 off	T72 1 off
EV.2282A/al	NV22 Length 5"	5E/4182	AJP	31882 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R9.TA3 1 off	2H 1 off	R9.TX2 1 off
EV.2282A/am	NV22 Length 1' 6"	5E/4182	AJP	31882 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R9.TA3 1 off	2H 1 off	T75 1 off
EV.2282A/an	NV22 Length 1' 0"	5E/4182	AJP	31879 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R9.TA2 1 off	2H 1 off	R4.TCa 1 off
EV.2282A/ap	NV22 Length 1' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	M4.T1 1 off	2H 1 off	R4.TC 1 off
EV.2282A/aq	NV22 Length 5"	5E/4182	AJP	31878 Ring Tongue		5X/	31878 Ring Tongue	A-MP 1 off	5X/	M4.T1 1 off	2H 1 off	M5.T1 1 off

Argosy C. Mk.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
EV.2282A/ar	NV22 Length 1' 0"	5E/4182	AJP	31882 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R9.TA1 1 off	2H 1 off	M2.T1 1 off
EV.2282A/as	NV22 Length 5"	5E/4182	AJP	31882 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R9.TA1 1 off	2H 1 off	R9.TX1 1 off

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
EV.2283	WIRING SET J3											
EV.2283/a	NV20 Length 2' 4"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	T2 2 off	3Q 2 off	R1.TCa 2 off
EV.2283/b	NV20 Length 1' 9"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R1.T3a 2 off	3Q 2 off	T31 2 off
EV.2283/d	NV20 Length 1' 10"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R1.T7a 2 off	3Q 2 off	T35 2 off
EV.2283/e	NV20 Length 6"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R1.T3 2 off	3Q 2 off	R1.T7 2 off
EV.2283/f	NV20 Length 1' 11"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R1.T7 2 off	3Q 2 off	T56 2 off
EV.2283/g	NV12 Length 6' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32545 Ring Tongue	A-MP 1 off	5X/	T1 2 off	Nil	E125 2 off
EV.2283/h	NV12 Length 6' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32545 Ring Tongue	A-MP 1 off	5X/	T8 2 off	Nil	E127 2 off
EV.2283/l	NV22 Length 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	T93 2 off	1Q 2 off	M1.T1 2 off
EV.2283/m	NV22 Length 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	T91 2 off	1Q 2 off	M2.T1 2 off

Argosy C. Mk.1.

RESTRICTED

RESTRICTED

Argosy C. Mk.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting " A "	Ref. No.	End Fitting " B "	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
EV.2284	WIRING SET J.4											
EV.2284/a	NV22 Length 2' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	T91 2 off	1Q 2 off	M1.T1 2 off
EV.2284/b	NV22 Length 2' 7"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	T93 2 off	1Q 2 off	M2.T1 2 off
EV.2284/c	NV12 Length 7' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32545 Ring Tongue	A-MP 1 off	5X/	T1 2 off	Nil	E126 2 off
EV.2284/d	NV12 Length 7' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32545 Ring Tongue	A-MP 1 off	5X/	T7 2 off	Nil	E128 2 off
EV.2284/g	NV20 Length 1' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	T7 2 off	3Q 2 off	R1.Ca 2 off
EV.2284/j	NV20 Length 2' 1"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	T31 2 off	3Q 2 off	R1.T1a 2 off
EV.2284/k	NV20 Length 2' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	T37 2 off	3Q 2 off	R1.T3a 2 off
EV.2284/l	NV20 Length 5"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R1.T7 2 off	3Q 2 off	R1.T3 2 off
EV.2284/m	NV20 Length 7"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	T23 2 off	3Q 2 off	T26 2 off

RESTRICTED
Argosy C. M.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
EV.2285	WIRING SET JS											
EV.2285/g	NV22 Length 2' 1"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R4.TX2 2 off	1H 2 off	T3 2 off
EV.2285/h	NV22 Length 1' 3"	5E/4182	AJP	31879 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R4.TA2 2 off	1H 2 off	R8.T1a 2 off
EV.2285/j	NV22 Length 7"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R4.TX1 2 off	1H 2 off	R5.TX1 2 off
EV.2285/k	NV22 Length 2' 1"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R5.TX2 2 off	1H 2 off	T3 2 off
EV.2285/l	NV22 Length 9"	5E/4182	AJP	31879 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R5.TA2 2 off	1H 2 off	R9.T2a 2 off
EV.2285/m	NV22 Length 1' 10"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R6.TX2 2 off	1H 2 off	T4 2 off
EV.2285/n	NV22 Length 10"	5E/4182	AJP	31879 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R6.TA2 2 off	1H 2 off	R9.T5a 2 off
EV.2285/p	NV22 Length 8"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R6.TX1 2 off	1H 2 off	R7.TX1 2 off
EV.2285/q	NV22 Length 2' 1"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R7.TX2 2 off	1H 2 off	T4 2 off
EV.2285/r	NV22 Length 1' 6"	5E/4182	AJP	31879 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R7.TA2 2 off	1H 2 off	R8.T5a 2 off
EV.2285/s	NV22 Length 1' 9"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R8.TCa 2 off	1H 2 off	T5 2 off
EV.2285/u	NV22 Length 1' 11"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R9.TCa 2 off	1H 2 off	T5 2 off

Argosy C. Mk.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
EV.2285/v	NV16 Length 1' 5"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R10.T3 2 off	1H 2 off	R8.T3 2 off
EV.2285/w	NV22 Length 1' 5"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R10.T2 2 off	1H 2 off	T6 2 off
EV.2285/x	NV16 Length 1' 5"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R11.T3 2 off	1H 2 off	R9.T7 2 off
EV.2285/y	NV22 Length 1' 5"	5X/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R11.T2 2 off	1H 2 off	T6 2 off
EV.2285/z	NV12 Length 9' 0"	5E/4187	KP	32545 Ring Tongue	A-MP 1 off	5X/	323002 Slotted Tongue	A-MP 1 off	5X/	E6.J5 2 off	Nil	T1 2 off
EV.2285/aa	NV12 Length 9' 0"	5E/4187	KP	32545 Ring Tongue	A-MP 1 off	5X/	323002 Slotted Tongue	A-MP 1 off	5X/	E7.J5 2 off	Nil	T7 2 off
EV.2285/ab	NV22 Length 10"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R8.TC 2 off	1H 2 off	R9.TC 2 off
EV.2285/ac	NV22 Length 7"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R6.TX1 2 off	1H 2 off	R5.TX1 2 off

RESTRICTED

September 1966
TP27 AL31

Argosy C. Mk.1.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
EV.2286	WIRING SET J.6											
EV.2286/a	NV20 Length 8"	5E/4183	JP	No Fitting			323000 Slotted Tongue	A-MP 1 off	5X/9450396	M1TC 1 off	5E 1 off	T1 1 off
EV.2286/b	NV20 Length 10"	5E/4183	JP	No Fitting			323000 Slotted Tongue	A-MP 1 off	5X/9450396	M2TC 1 off	5E 1 off	T2 1 off
EV.2286/c	NV20 Length 6"	5E/4183	JP	No Fitting			323000 Slotted Tongue	A-MP 1 off	5X/9450396	M3TC 1 off	5E 1 off	T2 1 off
EV.2286/d	NV20 Length 10"	5E/4183	JP	No Fitting			323000 Slotted Tongue	A-MP 1 off	5X/9450396	M4TC 1 off	5E 1 off	T3 1 off
EV.2286/e	Wire Supplied with Switch		AJP	No Fitting			323000 Slotted Tongue	A-MP 1 off	5X/9450396	S1 1 off	14W 1 off	T59 1 off
EV.2286/f			AJP	No Fitting			323000 Slotted Tongue	A-MP 1 off	5X/9450396	S1 1 off	14W 1 off	T60 1 off
EV.2286/l	NV20 Length 9"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	320440 Ring Tongue	A-MP 1 off	5X/	R2.T2 1 off	1C 1 off	M6.T5 1 off
EV.2286/m	NV20 Length 5"	5E/4183	JP	150141 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	R2.T2 1 off	1C 1 off	M7.T2 1 off
EV.2286/n	NV20 Length 1' 0"	5E/4183	JP	31879 Ring Tongue	A-MP 1 off	5X/	320440 Ring Tongue	A-MP 1 off	5X/	R2.T4 1 off	1C 1 off	M6.T4 1 off
EV.2286/o	NV20 Length 1' 11"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R2.T1 1 off	1C 1 off	T79 1 off
EV.2286/p	NV20 Length 6"	5E/4183	JP	150141 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R2.T1 1 off	1C	M7.T1 1 off
EV.2286/q	NV20 Length 1' 11"	5E/4183	JP	320440 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	M6.T2 1 off	1C 1 off	T4 1 off

Argosy C. Mk.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
EV.2286/r	NV22 Length 1' 4"	5E/4182	AJP	31879 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R3.T3 1 off	6W 1 off	T71 1 off
EV.2286/s	NV22 Length 1' 3"	5E/4182	AJP	31879 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R3.T4 1 off	6W 1 off	T72 1 off
EV.2286/t	NV22 Length 1' 4"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9430396	R3.T1 1 off	6W 1 off	T6 1 off
EV.2286/y	NV22 Length 10"	5E/4182	JP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	R3.T2 1 off	6W 1 off	M11.T2 1 off
EV.2286/z	NV22 Length 3"	5E/4182	JP	31879 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	M11.T2 1 off	12L 1 off	M12.T2 1 off

RESTRICTED

September 1966
TP27
A131

RESTRICTED
Argosy C. Mk.I.

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
FV.2287/1	WIRING SET J.7											
FV.2287/a	NV20 Length 1' 2"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R3.TCA 2 off	4W 2 off	R4.TCA 2 off
FV.2287/b	NV20 Length 4' 2"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31893 Ring Tongue	A-MP 1 off	5X/	R3.T3A 2 off	4W 2 off	E1 2 off
FV.2287/c	NV20 Length 5"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R3.T3 2 off	4W 2 off	R3.TC 2 off
FV.2287/d	NV20 Length 1' 3"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R4.TC 2 off	4W 2 off	R3.TC 2 off
FV.2287/f	NV16 Length 5' 0"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	31884 Ring Tongue	A-MP 1 off	5X/9450393	R3.T7 2 off	4W 2 off	C3.T1 2 off
FV.2287/g	NV20 Length 6' 0"	5E/4183	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31878 Ring Tongue	A-MP 1 off	5X/	F2.T1 2 off	1P 2 off	R3.T2A 2 off
FV.2287/h	NV20 Length 5' 10"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	R3.T1 2 off	4W 2 off	F1.T1 2 off
FV.2287/m	NV16 Length 4' 7"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	31884 Ring Tongue	A-MP 1 off	5X/9450393	R4.T7 2 off	4W 2 off	C2.T1 2 off
FV.2287/n	NV10 Length 6"	5E/4188	KP	32544 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	C1.T2 2 off	4W 2 off	C2.T2 2 off
FV.2287/o	NV10 Length 6"	5E/4188	KP	32544 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	C2.T2 2 off	4W 2 off	C3.T2 2 off
FV.2287/p	NV10 Length 7"	5E/4188	KP	32544 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	C3.T2 2 off	4W 2 off	C5.T2 2 off
FV.2287/t	NV20 Length 4' 10"	5E/4183	JP	31882 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R1.T4 2 off	1P 2 off	R3.T2 2 off

Argosy C. Mk.1.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
FV.2287/u	NV10 Length 3' 3"	5E/4188	KP	32544 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	C1.T2 2 off	1P 2 off	R2.T2C 2 off
FV.2287/v	NV16 Length 4' 2"	5E/4185	KP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31893 Ring Tongue	A-MP 1 off	5X/	F1.T2 2 off	4W 2 off	R2.T2A 2 off
FV.2287/w	NV16 Length 3' 0"	5E/4185	JP	31882 Ring Tongue	A-MP 1 off	5X/	31893 Ring Tongue	A-MP 1 off	5X/	R1.T12 2 off	1P 2 off	E1 2 off
FV.2287/x	NV20 Length 3' 0"	5E/4183	JP	31882 Ring Tongue	A-MP 1 off	5X/	31893 Ring Tongue	A-MP 1 off	5X/	R2.T12 2 off	1P 2 off	E1 2 off
FV.2287/y	NV20 Length 1' 6"	5E/4183	JP	150107 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	C10.T7 2 off	6M 2 off	M3.T18 2 off
FV.2287/z	NV16 Length 4"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323926 Ring Tongue	A-MP 1 off	5X/9462954	F2.T1 2 off	1P 2 off	F3.T1 2 off
FV.2287/aa	NV4 Length 2' 7"	5E/4191	LP	322010 Ring Tongue	A-MP 1 off	5X/	322010 Ring Tongue	A-MP 1 off	5X/	R2.T2B 2 off	1P 2 off	M4.TX 2 off
FV.2287/ab	NV4 Length 2' 1"	5E/4191	LP	322010 Ring Tongue	A-MP 1 off	5X/	322010 Ring Tongue	A-MP 1 off	5X/	E2 2 off	1P 2 off	M5.T— 2 off
FV.2287/ac	NV4 Length 3' 10"	5E/4191	LP	322010 Ring Tongue	A-MP 1 off	5X/	322010 Ring Tongue	A-MP 1 off	5X/	R2.T2A 2 off	1P 2 off	M5.TX 2 off
FV.2287/ad	NV4 Length 3' 1"	5E/4191	LP	322010 Ring Tongue	A-MP 1 off	5X/	322010 Ring Tongue	A-MP 1 off	5X/	E1 2 off	1P 2 off	M4.T— 2 off
FV.2287/af	NV20 Length 5' 5"	5E/4183	JP	31882 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	R5.T5 2 off	6M 2 off	M3.T17 2 off
FV.2287/ag	NV16 Length 3' 11"	5E/4185	KP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31884 Ring Tongue	A-MP 1 off	5X/9450393	F6.T2 2 off	1P 2 off	R2.T2D 2 off
FV.2287/ah	NV20 Length 5' 8"	5E/4183	JP	31882 Ring Tongue	A-MP 1 off	5X/	105107 Ring Tongue	A-MP 1 off	5X/	R5.T5 2 off	6M 2 off	C10.T8 2 off

RESTRICTED

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
FV.2287/am	NV20 Length 5' 3"	5E/4183	JP	31882 Ring Tongue	A-MP 1 off	5X/	150107 Ring Tongue	A-MP 1 off	5X/	R5.T2 2 off	6M 2 off	C10.T5 2 off
FV.2287/an	NV16 Length 3' 5"	5E/4185	JP	31882 Ring Tongue	A-MP 1 off	5X/	31893 Ring Tongue	A-MP 1 off	5X/	R5.T2 2 off	6M 2 off	E1 2 off
FV.2287/at	NV20 Length 1' 3"	5E/4183	JP	150107 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	C10.T5 2 off	6M 2 off	M3.T7 2 off
FV.2287/av	NV20 Length 1' 10"	5E/4183	JP	31883 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	R6.TC2 2 off	6M 2 off	M3.T7 2 off
FV.2287/aw	NV16 Length 3' 3"	5E/4185	JP	31883 Ring Tongue	A-MP 1 off	5X/	31893 Ring Tongue	A-MP 1 off	5X/	R6.TC2 2 off	6M 2 off	E1 2 off
FV.2287/az	NV12 Length 4' 3"	5E/4187	KP	321500 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	C10.T4 2 off	6M 2 off	C4.T1 2 off
FV.2287/bb	NV12 Length 3' 9"	5E/4187	JP	32546 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	M3.T1 2 off	6M 2 off	C4.T2 2 off
FV.2287/bc	NV16 Length 2' 0"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31884 Ring Tongue	A-MP 1 off	5X/9450393	F8.T2 2 off	6M 2 off	C4.T2 2 off
FV.2287/bd	NV20 Length 5' 6"	5E/4183	JP	31882 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	1 off	5X/9462954	R5.T3 2 off	6M 2 off	M3.T13 2 off
FV.2287/be	NV20 Length 1' 10"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R7.TC 2 off	4W 2 off	M2.T1 2 off
FV.2287/bg	NV20 Length 5' 2"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31884 Ring Tongue	A-MP 1 off	5X/9450393	R7.T1 2 off	4W 2 off	C2.T1 2 off
FV.2287/bk	NV4 Length 3' 4"	5E/4191	LP	322010 Ring Tongue	A-MP 1 off	5X/	322052 Ring Tongue	A-MP 1 off	5X/	R10.T2 2 off	1P 2 off	R2.T2C 2 off
FV.2287/bo	NV4 Length 3' 3"	5E/4191	LP	322010 Ring Tongue	A-MP 1 off	5X/	322010 Ring Tongue	A-MP 1 off	5X/	R1.T1 2 off	1P 2 off	R10.T1 2 off

RESTRICTED
Argosy C. Mk.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
FV.2287/bq	NV20 Length 1' 3"	5E/4183	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323926 Ring Tongue	A-MP 1 off	5X/9462954	M3.T4 2 off	6M 2 off	M3.T15 2 off
FV.2287/bs	NV20 Length 4' 3"	5E/4183	JP	31882 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	R2.T10 2 off	1P 2 off	F6.T1 2 off
FV.2287/bv	NV16 Length 6"	5E/4185	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323926 Ring Tongue	A-MP 1 off	5X/9462954	F8.T2 2 off	6M 2 off	F9.T2 2 off
FV.2287/bx	NV10 Length 6"	5E/4188	KP	32544 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	C5.T2 2 off	6M 2 off	C6.T2 2 off
FV.2287/by	NV10 Length 6"	5E/4188	KP	32544 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	C6.T2 2 off	6M 2 off	C7.T2 2 off
FV.2287/cc	NV20 Length 2' 3"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31883 Ring Tongue	A-MP 1 off	5X/	R3.T3a 2 off	6M 2 off	R10.TC2 2 off
FV.2287/cf	UT0000 Length 2' 5"	5E/4197	NP	150339 Ring Tongue	A-MP 1 off	5X/	150339 Ring Tongue	A-MP 1 off	5X/	R2.T2E 2 off	6M 2 off	C10.T1 2 off
FV.2287/cg	NV20 Length 2' 6"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31893 Ring Tongue	A-MP 1 off	5X/	R16.TCA 2 off	6M 2 off	E2 2 off
FV.2287/ch	NV20 Length 4' 10"	5E/4183	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	150107 Ring Tongue	A-MP 1 off	5X/	F4.T1 2 off	6M 2 off	C10.T8 2 off
FV.2287/ck	NV10 Length 6"	5E/4188	KP	32544 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	C7.T2 2 off	4W 2 off	C8.T2 2 off
FV.2287/cl	NV10 Length 3' 0"	5E/4188	KP	32544 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	C8.T2 2 off	6M 2 off	R2.T2D 2 off
FV.2287/cm	NV16 Length 5' 2"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31879 Ring Tongue	A-MP 1 off	5X/	C8.T1 2 off	4W 2 off	R15.T4 2 off
FV.2287/cn	NV16 Length 5' 2"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31879 Ring Tongue	A-MP 1 off	5X/	C8.T1 2 off	4W 2 off	R12.T4 2 off

RESTRICTED

Argosy C. Mk. I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
FV.2287/cp	NV16 Length 4"	5E/4185	JP	31879 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	R12.T4 2 off	4W 2 off	R13.T4 2 off
FV.2287/cq	NV16 Length 4"	5E/4185	JP	31879 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	R13.T4 2 off	4W 2 off	R14.T4 2 off
FV.2287/cr	NV16 Length 4"	5E/4185	JP	31879 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	R14.T4 2 off	4W 2 off	R15.T4 2 off
FV.2287/cs	NV16 Length 1' 6"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R7.TC 2 off	4W 2 off	R15.T2 2 off
FV.2287/ct	NV20 Length 1' 8"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R4.TC 2 off	4W 2 off	R12.T2 2 off
FV.2287/cu	NV16 Length 7"	5E/4185	JP	150141 Ring Tongue	A-MP 1 off	5X/	150141 Ring Tongue	A-MP 1 off	5X/	R15.T2 2 off	4W 2 off	R14.T2 2 off
FV.2287/cv	NV16 Length 1' 0"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R14.T2 2 off	4W 2 off	R13.T2 2 off
FV.2287/cw	NV16 Length 7"	5E/4185	JP	150141 Ring Tongue	A-MP 1 off	5X/	150141 Ring Tongue	A-MP 1 off	5X/	R13.T2 2 off	4W 2 off	R12.T2 2 off
FV.2287/cx	NV16 Length 1' 3"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R7.TCA 2 off	4W 2 off	R12.T1 2 off
FV.2287/cy	NV16 Length 4"	5E/4185	JP	150141 Ring Tongue	A-MP 1 off	5X/	150141 Ring Tongue	A-MP 1 off	5X/	R12.T1 2 off	4W 2 off	R13.T1 2 off
FV.2287/cz	NV16 Length 4"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R13.T1 2 off	4W 2 off	R14.T1 2 off
FV.2287/da	NV16 Length 4"	5E/4185	JP	150141 Ring Tongue	A-MP 1 off	5X/	150141 Ring Tongue	A-MP 1 off	5X/	R14.T1 2 off	4W 2 off	R15.T1 2 off
FV.2287/db	NV20 Length 2' 1"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R15.T1 2 off	4W 2 off	R4.TCA 2 off

Argosy C. Mk.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
FV.2287/df	NV00 Length 1' 4"	5E/4195	MP	P.1237.GB Ring Tongue	A-MP 1 off	5X/	P.1237.GB Ring Tongue	A-MP 1 off	5X/	C11.T1 2 off	1P 2 off	R1.T1 2 off
FV.2287/dh	NV20 Length 3' 2"	5E/4183	JP	31879 Ring Tongue	A-MP 1 off	5X/	31882 Ring Tongue	A-MP 1 off	5X/	C11.T3 2 off	1P 2 off	R1.T13 2 off
FV.2287/dj	NV20 Length 5' 8"	5E/4183	JP	31882 Ring Tongue	A-MP 1 off	5X/	150107 Ring Tongue	A-MP 1 off	5X/	R5.T6 2 off	6M 2 off	C10.T6 2 off
FV.2287/dk	NV16 Length 3' 8"	5E/4185	JP	31882 Ring Tongue	A-MP 1 off	5X/	31882 Ring Tongue	A-MP 1 off	5X/	R1.T12 2 off	6M 2 off	R2.T12 2 off
FV.2287/dm	NV20 Length 5"	5E/4183	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	323926 Ring Tongue	A-MP 1 off	5X/9462954	M3.T3 2 off	6M 2 off	M3.T5 2 off
FV.2287/dn	NV20 Length 3' 6"	5E/4183	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31884 Ring Tongue	A-MP 1 off	5X/9450393	M3.T5 2 off	6M 2 off	C4.T1 2 off
FV.2287/dp	NV20 Length 5' 2"	5E/4183	JP	31882 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	R5.T1 2 off	6M 2 off	F8.T1 2 off
FV.2287/dq	NV20 Length 1' 7"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31882 Ring Tongue	A-MP 1 off	5X/	R7.T3a 2 off	6M 2 off	R5.T6 2 off
FV.2287/dr	NV20 Length 1' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	R3.TCA 2 off	4W 2 off	T4 2 off
FV.2287/ds	NV12 Length 2' 6"	5E/4187	JP	32544 Ring Tongue	A-MP 1 off	5X/	323002 Slotted Tongue	A-MP 1 off	5X/	C1.T1 2 off	4W 2 off	T7 2 off
FV.2287/dt	NV20 Length 2' 9"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31883 Ring Tongue	A-MP 1 off	5X/	R16.TCA 2 off	1P 2 off	R10.TC2 2 off
FV.2287/du	NV20 Length 4' 5"	5E/4183	JP	31883 Ring Tongue	A-MP 1 off	5X/	31883 Ring Tongue	A-MP 1 off	5X/	R6.TC 2 off	6M 2 off	R10.TC1 2 off
FV.2287/dv	NV12 Length 2' 5"	5E/4187	KP	321500 Ring Tongue	A-MP 1 off	5X/	32546 Ring Tongue	A-MP 1 off	5X/	R16.T1.A 2 off	1P 2 off	R10.T1 2 off

RESTRICTED

September 1966
TP27
AL31

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
FV.2287/dw	NV12 Length 2' 6"	5E/4187	KP	321500 Ring Tongue	A-MP 1 off	5X/	32546 Ring Tongue	A-MP 1 off	5X/	R16.T3.A 2 off	1P 2 off	R10.T1 2 off
FV.2287/dx	NV12 Length 2' 3"	5E/4187	KP	321500 Ring Tongue	A-MP 1 off	5X/	32546 Ring Tongue	A-MP 1 off	5X/	R16.T1 2 off	1P 2 off	R10.T2 2 off
FV.2287/dy	NV12 Length 3' 6"	5E/4187	KP	321500 Ring Tongue	A-MP 1 off	5X/	32546 Ring Tongue	A-MP 1 off	5X/	R16.T3 2 off	1P 2 off	R2.T2.B 2 off
FV.2287/dz	NV20 Length 3' 11"	5E/4183	JP	31882 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/946294	R1.T8 2 off	1P 2 off	F7.T1 2 off
FV.2287/ea	NV20 Length 3' 11"	5E/4183	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31893 Ring Tongue	A-MP 1 off	5X/	F7.T2 2 off	1P 2 off	R2.T1 2 off
FV.2287/eb	NV20 Length 3' 11"	5E/4183	JP	323926 Ring Tongue	A-MP 1 off	5X/9462954	31882 Ring Tongue	A-MP 1 off	5X/	F5.T1 2 off	1P 2 off	R1.T6 2 off

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

Argosy C. Mk.I.

CABLE (ELECTRICAL) CHART										
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '	Ref. No.	End Fitting ' B '	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
EV.2288	WIRING SET J.8											
EV.2288/a	NV12 Length 6' 6"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32547 Ring Tongue	A-MP 1 off	5X/	J8.T1 2 off	Nil	E13 2 off
EV.2288/b	NV12 Length 3' 6"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32547 Ring Tongue	A-MP 1 off	5X/	J8.T8 2 off	Nil	E14 2 off
EV.2288/j	NV22 Length 6"	5E/4182	AJP	150141 Extended Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	R1.T1 1 off	2V 1 off	M1.T2 1 off
EV.2288/k	NV22 Length 10"	5E/4182	AJP	150141 Extended Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R1.T2 1 off	2V 1 off	M1.T1 1 off
EV.2288/l	NV22 Length 9"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	R1.T2 1 off	2V 1 off	T1 1 off
EV.2288/m	NV22 Length 6"	5E/4182	AJP	150141 Extended Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	R2.T1 1 off	2V 1 off	M2.T2 1 off
EV.2288/n	NV22 Length 10"	5E/4182	AJP	150141 Extended Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R2.T2 1 off	2V 1 off	M2.T1 1 off
EV.2288/p	NV22 Length 9"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	R2.T2 1 off	2V 1 off	T2 1 off
EV.2288/q	NV22 Length 6"	5E/4182	AJP	150141 Extended Tongue	A-MP 1 off	5X/	31879 Ring Tongue		5X/	R3.T1 1 off	2V 1 off	M3.T2 1 off
EV.2288/r	NV22 Length 10"	5E/4182	AJP	150141 Extended Tongue	A-MP 1 off	5X/	31878 Ring Tongue		5X/	R3.T2 1 off	2V 1 off	M3.T1 1 off
EV.2288/s	NV22 Length 7"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	R3.T2 1 off	2V 1 off	T2 1 off
EV.2288/t	NV22 Length 6"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	R6.T2 1 off	2V 1 off	T4 1 off

RESTRICTED

RESTRICTED
Argosy C. Mk.1.

RESTRICTED

Argosy C. Mk. I.

CABLE (ELECTRICAL) CHART										
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '	Ref. No.	End Fitting ' B '	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
EV.2289	WIRING SET J.9											
EV.2289/a	NV22 Length 1' 7"	5E/4182	AJP	320440 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	M1.T2 1 off	2V 1 off	T10 1 off
EV.2289/b	NV22 Length 1' 4"	5E/4182	AJP	320440 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	M2.T2 1 off	2V 1 off	T9 1 off
EV.2289/c	NV22 Length 1' 1"	5E/4182	AJP	320440 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	M3.T2 1 off	2V 1 off	T9 1 off
EV.2289/d	NV16 Length 1' 0"	5E/4185	JP	31882 Ring Tongue	A-MP 1 off	5X/	31882 Ring Tongue	A-MP 1 off	5X/	R1.T3.a 1 off	2X 1 off	R2.T4.a 1 off
EV.2289/e	NV16 Length 1' 0"	5E/4185	JP	31882 Ring Tongue	A-MP 1 off	5X/	31882 Ring Tongue	A-MP 1 off	5X/	R1.T1.a 1 off	2X 1 off	R2.T2.a 1 off
EV.2289/f	NV22 Length 1' 4"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	R1.TC.a 1 off	2V 1 off	T1 1 off
EV.2289/g	NV16 Length 1' 0"	5E/4185	JP	31882 Ring Tongue	A-MP 1 off	5X/	31882 Ring Tongue	A-MP 1 off	5X/	R2.T4.a 1 off	2X 1 off	R3.T3.a 1 off
EV.2289/h	NV22 Length 1' 1"	5E/4182	AJP	150142 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R4.TX1 1 off	1V 1 off	M4.T1 1 off
EV.2289/j	NV16 Length 1' 0"	5E/4185	JP	31882 Ring Tongue	A-MP 1 off	5X/	31882 Ring Tongue	A-MP 1 off	5X/	R2.T3.a 1 off	2X 1 off	R3.T4.a 1 off
EV.2289/k	NV16 Length 1' 0"	5E/4185	JP	31882 Ring Tongue	A-MP 1 off	5X/	31882 Ring Tongue	A-MP 1 off	5X/	R2.T2.a 1 off	2X 1 off	R3.T1.a 1 off
EV.2289/l	NV16 Length 1' 0"	5E/4185	JP	31882 Ring Tongue	A-MP 1 off	5X/	31882 Ring Tongue	A-MP 1 off	5X/	R2.T1.a 1 off	2X 1 off	R3.T2.a 1 off
EV.2289/m	NV22 Length 1' 7"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	R2.TC.a 1 off	2V 1 off	T2 1 off

RESTRICTED
Argosy C. MK.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
EV.2289/n	NV22 Length 1' 11"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	R3.TC.a 1 off	2V 1 off	T2 1 off
EV.2289/p	NV22 Length 1' 11"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	R4.TX2 1 off	1V 1 off	T3 1 off
EV.2289/q	NV22 Length 10"	5E/4182	AJP	150142 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R6.TX1 1 off	1V 1 off	M5.T1 1 off
EV.2289/r	NV16 Length 4"	5E/4185	JP	31879 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	R4.TA3 1 off	1X 1 off	R5.TA3 1 off
EV.2289/s	NV22 Length 1' 9"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	R6.TX2 1 off	1V 1 off	T4 1 off
EV.2289/t	NV22 Length 1' 7"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	R7.TX2 1 off	1V 1 off	T4 1 off
EV.2289/u	NV16 Length 7"	5E/4185	JP	31879 Ring Tongue	A-MP 1 off	5X/	150108 Ring Tongue	A-MP 1 off	5X/	R5.TA1 1 off	1X 1 off	R7.TA3 1 off
EV.2289/v	NV16 Length 5"	5E/4185	JP	150108 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	R5.TA3 1 off	1X 1 off	R7.TA1 1 off
EV.2289/w	NV22 Length 2' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/	R5.TX2 1 off	1V 1 off	T3 1 off
EV.2289/x	NV16 Length 4"	5E/4185	JP	31879 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	R6.TA3 1 off	1X 1 off	R7.TA3 1 off
EV.2289/y	NV12 Length 5' 10"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32547 Ring Tongue	A-MP 1 off	5X/	T1 2 off	Nil	E13 2 off
EV.2289/z	NV12 Length 3' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32547 Ring Tongue	A-MP 1 off	5X/	T5 2 off	Nil	E14 2 off
EV.2289/aa	NV12 Length 3' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	T6 2 off	Nil	E48 2 off

RESTRICTED

October 1963
TP27

RESTRICTED
Argosy C. Mk.I.

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
EV.2289/ab	NV12 Length 3' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	T10 2 off	Nil	E49 2 off
EV.2289/ac	NV16 Length 4"	5E/4185	JP	31882 Ring Tongue	A-MP 1 off	5X/	31882 Ring Tongue	A-MP 1 off	5X/	R1.T1 1 off	2X 1 off	R1.T2 1 off
EV.2289/ad	NV16 Length 4"	5E/4185	JP	31882 Ring Tongue	A-MP 1 off	5X/	31882 Ring Tongue	A-MP 1 off	5X/	R1.T3 1 off	2X 1 off	R1.T4 1 off
EV.2289/ae	NV16 Length 4"	5E/4185	JP	31882 Ring Tongue	A-MP 1 off	5X/	31882 Ring Tongue	A-MP 1 off	5X/	R2.T1 1 off	2X 1 off	R2.T2 1 off
EV.2289/af	NV16 Length 4"	5E/4185	JP	31882 Ring Tongue	A-MP 1 off	5X/	31882 Ring Tongue	A-MP 1 off	5X/	R2.T3 1 off	2X 1 off	R2.T4 1 off
EV.2289/ag	NV16 Length 4"	5E/4185	JP	31882 Ring Tongue	A-MP 1 off	5X/	31882 Ring Tongue	A-MP 1 off	5X/	R3.T1 1 off	2X 1 off	R3.T2 1 off
EV.2289/ah	NV16 Length 4"	5E/4185	JP	31882 Ring Tongue	A-MP 1 off	5X/	31882 Ring Tongue	A-MP 1 off	5X/	R3.T3 1 off	2X 1 off	R3.T4 1 off

RESTRICTED
Argosy C. Mk.I.

RESTRICTED

Argosy C. M.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2290	WIRING SET J10											
DV.2290/a	NV22 Length 10"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31879 Ring Tongue	A-MP 1 off	5X/	T1 2 off	2H 2 off	M1.TET 2 off
DV.2290/b	NV22 Length 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	T2 2 off	2H 2 off	R1.TX2 2 off
DV.2290/c	NV22 Length 7"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	T2 2 off	2H 2 off	R2.TX2 2 off
DV.2290/d	NV22 Length 8"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	T3 2 off	2H 2 off	R3.TCa 2 off
DV.2290/e	NV22 Length 1' 1"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	T4 2 off	2H 2 off	R4.TCa 2 off
DV.2290/f	NV16 Length 7"	5E/4185	JP	150107 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	M1.TL2 2 off	2H 2 off	R3.T5 2 off
DV.2290/g	NV16 Length 9"	5E/4185	JP	31879 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	M1.TA 2 off	2H 2 off	R4.T2a 2 off
DV.2290/h	NV16 Length 1' 0"	5E/4185	JP	31879 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	M1.TB 2 off	2H 2 off	R4.T4a 2 off
DV.2290/i	NV22 Length 6"	5E/4182	AJP	31879 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	M1.TT 2 off	2H 2 off	M2.T1 2 off
DV.2290/j	NV22 Length 10"	5E/4182	AJP	31879 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	M2.T2 2 off	2H 2 off	R4.TC 2 off
DV.2290/k	NV22 Length 11"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	R1.TX1 2 off	2H 2 off	R2.TA1 2 off
DV.2290/l	NV16 Length 9"	5E/4185	JP	31879 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R1.TA2 2 off	2H 2 off	R3.T1 2 off

RESTRICTED
Argosy C. M.I.

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2290/m	NV22 Length 1' 1"	5E/4182	AJP	31879 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R2.TA3 2 off	2H 2 off	R4.TC 2 off
DV.2290/n	NV16 Length 1' 3"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R3.T2 2 off	2H 2 off	R4.T1a 2 off
DV.2290/p	NV16 Length 1' 3"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	R3.T4 2 off	2H 2 off	R4.T3a 2 off
DV.2290/q	NV12 Length 10' 0"	5E/4187	JP	323002 Slotted Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	J10.T1 2 off	2H 2 off	E59 2 off
DV.2290/r	NV12 Length 10' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	J10.T4 2 off	2H 2 off	E60 2 off

RESTRICTED
Argosy C. Mk. I.