

RESTRICTED
***Argosy* 'C' MK.I.**

CABLE (ELECTRICAL) CHARTS
JUNCTION BOX FLY-LEAD SET

Subject 5
JUNCTION BOX FLY-LEAD SET

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2381	JB.1 FLYLEAD SET											
DV.2108/13	NV20 Length 42' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J2.R1.TC 2 off	1H 2 off	J1.T158 2 off
DV.2029/5	NV20 Length 31' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P27.T6 2 off	4Q 2 off	J1.T111 2 off
DV.2029/6	NV20 Length 31' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P27.T5 2 off	4Q 2 off	J1.T112 2 off
DV.2029/7	NV20 Length 31' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P27.T3 2 off	4Q 2 off	J1.T114 2 off
DV.2029/8	NV20 Length 31' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P27.T2 2 off	4Q 2 off	J1.T115 2 off
DV.2029/9	NV20 Length 29' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P15.T6 2 off	4Q 2 off	J1.T117 2 off
DV.2029/10	NV20 Length 29' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P15.T5 2 off	4Q 2 off	J1.T118 2 off
DV.2029/11	NV20 Length 30' 6"	5E/4183	JP	323000 Slottee Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P15.T3 2 off	4Q 2 off	J1.T120 2 off
DV.2029/12	NV20 Length 29' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P15.T2 2 off	4Q 2 off	J1.T109 2 off
DV.2032/1	NV22 Length 32' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T61 2 off	4E 2 off	P20.T85 2 off
DV.2032/2	NV22 Length 32' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T62 2 off	4E 2 off	P20.T84 2 off
DV.2032/3	NV22 Length 32' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T63 2 off	4E 2 off	P20.T86 2 off

RESTRICTED
Argosy C. Mk.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2032/4	NV20 Length 32' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T64 2 off	4E 2 off	P20.T62 2 off
DV.2032/5	NV20 Length 32' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T65 2 off	4E 2 off	P20.T63 2 off
DV.2032/7	NV22 Length 32' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T66 2 off	4E 2 off	P20.T82 2 off
DV.2032/8	NV22 Length 32' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T67 2 off	4E 2 off	P20.T81 2 off
DV.2032/9	NV22 Length 32' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T68 2 off	4E 2 off	P20.T83 2 off
DV.2032/10	NV20 Length 32' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T69 2 off	4E 2 off	P20.T66 2 off
DV.2032/11	NV20 Length 32' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T70 2 off	4E 2 off	P20.T6.4 2 off
DV.2032/13	NV22 Length 32' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T71 2 off	4E 2 off	P20.T75 2 off
DV.2032/14	NV22 Length 32' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T72 2 off	4E 2 off	P20.T74 2 off
DV.2032/15	NV22 Length 32' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T73 2 off	4E 2 off	P20.T76 2 off
DV.2032/16	NV20 Length 32' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T74 2 off	4E 2 off	P20.T69 2 off
DV.2032/17	NV20 Length 32' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T75 2 off	4E 2 off	P20.T68 2 off
DV.2032/19	NV22 Length 32' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T76 2 off	4E 2 off	P20.T72 2 off

RESTRICTED

RESTRICTED
Argosy C. Mk. I.

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2032/20	NV22 Length 32' 6"	5E/4183	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T77 2 off	4E 2 off	P20.T71 2 off
DV.2032/21	NV22 Length 32' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T78 2 off	4E 2 off	P20.T73 2 off
DV.2032/22	NV20 Length 32' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T79 2 off	4E 2 off	P20.T79 2 off
DV.2032/23	NV20 Length 32' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T80 2 off	4E 2 off	P20.T70 2 off
DV.2035/2	NV22 Length 29' 0"	5E/4182	AJP	Tag, Cranked HC.1189	1 off	5X/7214	31878 Ring Tongue	A-MP 1 off	5X/	P33.S29.T2 2 off	10E 2 off	J1.R11.T1 2 off
DV.2035/5	NV22 Length 30' 6"	5E/4182	AJP	Tag, Cranked HC.1189	1 off	5X/7214	31878 Ring Tongue	A-MP 1 off	5X/	P33.S38.T2 2 off	10E 2 off	J1.R12.T1 2 off
DV.2035/8	NV22 Length 30' 6"	5E/4182	AJP	Tag, Cranked HC.1189	1 off	5X/7214	31878 Ring Tongue	A-MP 1 off	5X/	P33.S37.T2 2 off	10E 2 off	J1.R13.T1 2 off
DV.2035/11	NV22 Length 29' 0"	5E/4182	AJP	Tag, Cranked HC.1189	1 off	5X/7214	31878 Ring Tongue	A-MP 1 off	5X/	P33.S36.T2 2 off	10E 2 off	J1.R14.T1 2 off
DV.2036/1	NV20 Length 40' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	P20.T109 2 off	2Q 2 off	J1.R29.TX1 2 off
DV.2036/2	NV20 Length 32' 6"	5E/4183	JP	150107 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	P33.S4.T4 2 off	2Q 2 off	J1.R29.TA1 2 off
DV.2036/4	NV20 Length 40' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	P20.T107 2 off	2Q 2 off	J1.R27.TX1 2 off
DV.2036/5	NV20 Length 32' 6"	5E/4183	JP	150107 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	P33.S3.T4 2 off	2Q 2 off	J1.R27.TA1 2 off
DV.2036/7	NV20 Length 40' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	P20.T103 2 off	2Q 2 off	J1.R21.TX1 2 off

RESTRICTED
Argosy C. MK.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2036/8	NV20 Length 35' 0"	5E/4183	JP	150107 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	P33.S2.T4 2 off	2Q 2 off	J1.R21.TA1
DV.2036/10	NV20 Length 40' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	P20.T101 2 off	2Q 2 off	J1.R19.TX1 2 off
DV.2036/11	NV20 Length 31' 6"	5E/4183	JP	150107 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	P33.S1.T4 2 off	2Q 2 off	J1 R19.TA1 2 off
DV.2036/13	NV20 Length 22' 6"	5E/4183	JP	150107 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	P33.S4.T6 2 off	2Q 2 off	J1.R29.TA2 2 off
DV.2036/15	NV20 Length 22' 6"	5E/4183	JP	150107 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	P33.S3.T6 2 off	2Q 2 off	J1.R27.TA2 2 off
DV.2036/17	NV20 Length 22' 0"	5E/4183	JP	150107 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	P33.S2.T6 2 off	2Q 2 off	J1.R21.TA2 2 off
DV.2036/19	NV20 Length 22' 6"	5E/3183	JP	150107 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	P33.S1.T6 2 off	2Q 2 off	J1.R19.TA2 2 off
DV.2036/69	NV16 Length 35' 0"	5E/4185	JP	No Fitting			No Fitting			P33	2Q	J1
DV.2036/70	NV16 Length 35' 0"	5E/4185	JP	No Fitting			No Fitting			P33	2Q	J1
DV.2043/37	NV22 Length 36' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J1.T84 2 off	5E 2 off	P21.L4.TB3 2 off
DV.2043/38	NV22 Length 36' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J1.T83 2 off	5E 2 off	P21.L3.TB3 2 off
DV.2043/39	NV22 Length 36' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J1.T82 2 off	5E 2 off	P21.L2.TB3 2 off
DV.2043/40	NV22 Length 36' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Slotted Tongue	A-MP 1 off	5X/	J1.T81 2 off	5E 2 off	P21.L1.TB3 2 off

RESTRICTED

RESTRICTED
Argosy C. Mk.I.

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2046/1	NV22 Length 33' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P21.T1 2 off	7E 2 off	J1.T21 2 off
DV.2046/2	NV22 Length 33' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P21.T3 2 off	7E 2 off	J1.T22 2 off
DV.2046/3	NV22 Length 32' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P21.T5 2 off	7E 2 off	J1.T23 2 off
DV.2046/4	NV22 Length 32' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P21.T7 2 off	7E 2 off	J1.T24 2 off
DV.2046/5	NV22 Length 33' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P21.T19 2 off	7E 2 off	T1.T32 2 off
DV.2046/6	NV22 Length 32' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P21.T9 2 off	7E 2 off	J1.T25 2 off
DV.2046/7	NV22 Length 32' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P21.T11 2 off	7E 2 off	J1.T26 2 off
DV.2046/8	NV22 Length 31' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5/9450396	P21.T13 2 off	7E 2 off	J1.T27 2 off
DV.2046/9	NV22 Length 31' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P21.T15 2 off	7E 2 off	J1.T28 2 off
DV.2049/1	NV22 Length 32' 0"	5E/4182	AJP	No Fitting			323000 Slotted Tongue	A-MP 1 off	5X/9450396	P21.N12.T1 2 off	8E 2 off	J1.T1 2 off
DV.2049/2	NV22 Length 32' 0"	5E/4182	AJP	No Fitting			323000 Slotted Tongue	A-MP 1 off	5X/9450396	P21.N12.T2 2 off	8E 2 off	J1.T2 2 off
DV.2049/3	NV22 Length 32' 0"	5E/4182	AJP	No Fitting			323000 Slotted Tongue	A-MP 1 off	5X/9450396	P21.N12.T3 2 off	8E 2 off	J1.T3 2 off
DV.2049/4	NV22 Length 32' 0"	5E/4182	AJP	No Fitting			323000 Slotted Tongue	A-MP 1 off	5X/9450396	P21.N11.T1 2 off	8E 2 off	J1.T4 2 off

Argosy C. MK.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '	Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
									Marker No. 1	Code Marker	Marker No. 2
DV.2049/5	NV22 Length 32' 0"	5E/4182	AJP	No Fitting		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P21.N11.T2 2 off	8E 2 off	J1.T5 2 off
DV.2049/6	NV22 Length 32' 0"	5E/4182	AJP	No Firtting ...		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P21.N11.T3 2 off	8E 2 off	J1.T6 2 off
DV.2049/7	NV22 Length 31' 6"	5E/4182	AJP	No Fitting		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P21.N10.T1 2 off	8E 2 off	J1.T7 2 off
DV.2049/8	NV22 Length 31' 6"	5E/4182	AJP	No Fitting		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P21.N10.T2 2 off	8E 2 off	J1.T8 2 off
DV.2049/9	NV22 Length 31' 6"	5E/4182	AJP	No Fitting		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P21.N10.T3 2 off	8E 2 off	J1.T9 2 off
DV.2049/10	NV22 Length 31' 6"	5E/4182	AJP	No Fitting		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P21.N9.T1 2 off	8E 2 off	J1.T10 2 off
DV.2049/11	NV22 Length 31' 6"	5E/4182	AJP	No Fitting		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P21.N9.T2 2 off	8E 2 off	J1.T11 2 off
DV.2049/12	NV22 Length 31' 6"	5E/4182	AJP	No Fitting		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P21.N9.T3 2 off	8E 2 off	J1.T12 2 off
DV.2050/1	BJ Length 33' 0"	5E/	KP	Z.76184 Tag, Quick Release 1 off	5X/6730	No Fitting			J1.T307 2 off	9E 2 off	P21.N8.T— 2 off
DV.2050/2	BJ Length 33' 0"	5E/	KP	Z.19926 Ring Tongue No. 3 1 off	5X/9400065	No Fitting			J1.T309 2 off	9E 2 off	P12.N8.T+ 2 off
DV.2050/3	BJ Length 33' 0"	5E/	KP	Z.75184 Tag, Quick Release 1 off	5X/6730	No Fitting			J1.T310 2 off	9E 2 off	P21.N7.T— 2 off
DV.2050/4	BJ Length 33' 0"	5E/	KP	Z.19926 Ring Tongue No. 3 1 off	5X/9400065	No Fitting			J1.T312 2 off	9E 2 off	P21.N7.T+ 2 off
DV.2050/5	BJ Length 35' 0"	5E/	KP	Z.76184 Tag, Quick Release 1 off	5X/6730	No Fitting			J1.T313 2 off	8E 2 off	P21.N6.T— 2 off

RESTRICTED

September 1966
TP27 AL31

Argosy C. Mk. I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '	Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves			
									Marker No. 1	Code Marker	Marker No. 2	
DV.2050/6	BJ Length 35' 0"	5E/	KP	Z.19926 Ring Tongue No. 3 1 off	5X/9400065	No Fitting			J1.T315 2 off	9E 2 off	P21.N6.T+ 2 off	
DV.2050/7	BJ Length 35' 0"	5E/	KP	Z.76184 Tag, Quick Release 1 off	5X/6730	No Fitting			J1.T316 2 off	9E 2 off	P21.N5.T— 2 off	
DV.2050/8	BJ Length 35' 0"	5E/	KP	Z.19926 Ring Tongue No. 3 1 off	5X/9400065	No Fitting			J1.T318 2 off	9E 2 off	P21.N5.T+ 2 off	
DV.2051/3	NV20 Length 28' 6"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P24.S7.T1 2 off	1W 2 off	J1.T165 2 off
DV.2051/7	NV20 Length 33' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T161 2 off	1W 2 off	P27.T23 2 off
DV.2051/8	NV20 Length 33' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T163 2 off	1W 2 off	P27.T25 2 off
DV.2051/9	NV20 Length 29' 0"	5E/4183	JP	323000 Slotted Tongue	AMP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T167 2 off	1W 2 off	P15.T23 2 off
DV.2051/10	NV20 Length 29' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T169 2 off	1W 2 off	P15.T25 2 off
DV.2052/3	NV20 Length 28' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Ring Tongue	A-MP 1 off	5X/9450396	P24.L9.T1 2 off	2W 2 off	J1.T150 2 off
DV.2052/6	NV20 Length 27' 6"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P24.L8.T1 2 off	2W 2 off	J1.T149 2 off
DV.2052/11	NV20 Length 28' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P24.L7.T1 2 off	2W 2 off	J1.T160 2 off
DV.2052/14	NV20 Length 28' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P24.L6.T1 2 off	2W 2 off	J1.T159 2 off
DV.2052/17	NV20 Length 34' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P27.T29 2 off	2W 2 off	J1.T142 2 off

Argosy C. Mk.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2052/20	NV20 Length 35' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P27.T30 2 off	2W 2 off	J1.T144 2 off
DV.2052/21	NV20 Length 32' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P15.T30 2 off	2W 2 off	J1.T146 2 off
DV.2052/24	NV20 Length 32' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P15.T29 2 off	2W 2 off	J1.T148 2 off
DV.2055/1	NV20 Length 30' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T107 2 off	18W 2 off	P20.T55 2 off
DV.2055/2	NV20 Length 30' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T105 2 off	18W 2 off	P20.T54 2 off
DV.2055/3	NV20 Length 30' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T103 2 off	18W 2 off	P20.T53 2 off
DV.2055/4	NV20 Length 30' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T101 2 off	18W 2 off	P20.T52 2 off
DV.2055/38	NV20 Length 20' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31879 Ring Tongue	A-MP 1 off	5X	J1.T178 2 off	18W 2 off	Z3.M39.T3 2 off
DV.2055/39	NV20 Length 20' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31879 Ring Tongue	A-MP 1 off	5X	J1.T108 2 off	Z8W 2 off	Z3.M39.T4 2 off
DV.2055/42	NV20 Length 20' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31879 Ring Tongue	A-MP 1 off	5X	J1.T176 2 off	18W 2 off	Z3.M38.T3 2 off
DV.2055/43	NV20 Length 20' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31879 Ring Tongue	A-MP 1 off	5X	J1.T106 2 off	18W 2 off	Z3.M38.T4 2 off
DV.2055/46	NV20 Length 20' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31879 Ring Tongue	A-MP 1 off	5X	J1.T174 2 off	18W 2 off	Z3.M37.T3 2 off
DV.2055/47	NV20 Length 20' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31879 Ring Tongue	A-MP 1 off	5X	J1.T104 2 off	18W 2 off	Z3.M37.T4 2 off

RESTRICTED

September 1966
TP27 AL31

Argosy C. Mk.1.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2055/50	NV20 Length 20' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31879 Ring Tongue	A-MP 1 off	5X/	J1.T172 2 off	18W 2 off	Z3.M36.T3 2 off
DV.2055/51	NV20 Length 20' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31879 Ring Tongue	A-MP 1 off	5X/	J1.T102 2 off	18W 2 off	Z3.M36.T4 2 off
DV.2057/4	NV22 Length 30' 0"	5E/4182	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P20.T42 2 off	1G 2 off	J1.T41 2 off
DV.2057/5	NV20 Length 30' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P20.T44 2 off	1G 2 off	J1.T42 2 off
DV.2057/8	NV20 Length 60' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T43 2 off	1G 2 off	Z22.M5.T9 2 off
DV.2058/12	NV22 Length 29' 0"	5E/4182	AJP	150107 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P21.N21.T2 2 off	1D 2 off	J1.T45 2 off
DV.2058/13	NV22 Length 29' 0"	5E/4182	AJP	150107 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P21.N21.T3 2 off	1D 2 off	J1.T46 2 off
DV.2058/14	NV22 Length 29' 0"	5E/4182	AJP	150107 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P21.N21.T5 2 off	1D 2 off	J1.T47 2 off
DV.2058/15	NV22 Length 29' 0"	5E/4182	AJP	150107 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P21.N21.T6 2 off	1D 2 off	J1.T48 2 off
DV.2059/7	NV20 Length 29' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	P20.T46 2 off	7W 2 off	J1.R17.TX2 2 off
DV.2059/8	NV16 Length 29' 6"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P20.T151 2 off	7W 2 off	J1.T29 2 off
DV.2059/24	NV16 Length 35' 0"	5E/4185	JP	No Fitting			31879 Ring Tongue	A-MP 1 off	5X/	Z2.M10.T+ 2 off	7W 2 off	J1.R17.TA2 2 off
DV.2061/7	NV20 Length 30' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P20.S2.T1 2 off	3G 2 off	J1.T88 2 off

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

September 1966
TP27
AL31

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2063/12	NV22 Length 70' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J1.T89 2 off	3M 2 off	P54.R1.T3a 2 off
DV.2067/5	NV20 Length 35' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T153 2 off	3H 2 off	P20.T136 2 off
DV.2067/7	NV20 Length 24' 6"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31269 Ring Tongue	A-MP 1 off	5X/9462745	J1.R1.T3a 2 off	3H 2 off	P33.S23.T1 2 off
DV.2067/8	NV20 Length 24' 6"	5E/4183	JP	31878 Slotted Tongue	A-MP 1 off	5X/	31269 Ring Tongue	A-MP 1 off	5X/9462745	J1.R1.T4 2 off	3H 2 off	P33.S23.T3 2 off
DV.2067/11	NV20 Length 25' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31269 Ring Tongue	A-MP 1 off	5X/9462745	J1.R1.T2 2 off	3H 2 off	P33.S22.T3 2 off
DV.2067/12	NV20 Length 25' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31269 Ring Tongue	A-MP 1 off	5X/9462745	J1.R1.T1a 2 off	3H 2 off	P33.S22.T1 2 off
DV.2067/14	NV20 Length 35' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J1.T154 2 off	3H 2 off	P20.T125 2 off
DV.2069/1	NV22 Length 25' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.L46 2 off	5W 2 off	J1.T14 2 off
DV.2069/4	NV22 Length 25' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.L45 2 off	5W 2 off	J1.T18 2 off
DV.2073/17	NV22 Length 20' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket MS.3106A-20-29S Cable Clamp AN.3057-12	1 off	5X/8052 10H/	J1.T121 2 off	17W 2 off	Z3.M10.D 2 off
DV.2073/18	NV22 Length 20' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See DV.2073/17			J1.T126 2 off	17W 2 off	Z3.M10.E 2 off
DV.2073/19	NV22 Length 20' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See DV.2073/17			J1.T123 2 off	17W 2 off	Z3.M10.C 2 off

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2073/20	NV22 Length 20' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See DV.2073/17			J1.T124 2 off	17W 2 off	Z3.M10.A 2 off
DV.2073/29	NV22 Length 33' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31879 Ring Tongue	A-MP 1 off	5X/	Z2.M25.T2 2 off	17W 2 off	J1.R30.T4 2 off
DV.2073/34	NV22 Length 30' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2073/17			J1.T131 2 off	17W 2 off	Z3.M13.D 2 off
DV.2073/38	NV22 Length 30' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	See Cable DV.2073/17			J1.R30.T1 2 off	17W 2 off	Z3.M13.P 2 off
DV.2073/40	NV22 Length 34' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2073/17			J1.T136 2 off	17W 2 off	Z3.M13.E 2 off
DV.2073/41	NV22 Length 30' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2073/17			J1.T133 2 off	17W 2 off	Z3.M13.C 2 off
DV.2073/42	NV22 Length 30' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2073/17			J1.T134 2 off	17W 2 off	Z3.M13.A 2 off
DV.2073/51	NV22 Length 34' 0"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	P12.S7.T4 2 off	17W 2 off	J1.R1.T8 2 off
DV.2073/52	NV22 Length 30' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	See DV.2073/17			J1.R28.T1 2 off	17W 2 off	Z3.M10.P 2 off
DV.2087/1	NV22 Length 25' 6"	5E/4182	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	P33.S43.T1 2 off	7H 2 off	J1.R18.T1 2 off
DV.2087/4	NV10 Length 28' 6"	5E/4188	KP	321500 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	J1.R18.T4 2 off	7H 2 off	Z3.M5.Y 2 off
DV.2092/1	NV16 Length 27' 6"	5E/4185	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P24.S19.T1 2 off	1L 2 off	J1.T51 2 off
DV.2093/4	NV20 Length 25' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31269 Ring Tongue	A-MP 1 off	5X/9462745	J1.T94 2 off	2L 2 off	P24.S3.T1 2 off

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

September 1966
TP27 AL31

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2093/5	NV20 Length 25' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31269 Ring Tongue	A-MP 1 off	5X/9462745	J1.T95 2 off	2L 2 off	P24.S3.T3 2 off
DV.2093/7	NV20 Length 26' 6"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31269 Ring Tongue	A-MP 1 off	5X/9462745	J1.R8.T1 2 off	2L 2 off	P24.S1.T3 2 off
DV.2093/8	NV20 Length 25' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J1.T98 2 off	2L 2 off	P24.L1.T1 2 off
DV.2093/10	NV20 Length 26' 6"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31269 Ring Tongue	A-MP 1 off	5X/9462745	J1.R9.T1 2 off	2L 2 off	P24.S2.T3 2 off
DV.2093/11	NV20 Length 25' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31269 Ring Tongue	A-MP 1 off	5X/9462745	J1.T96 2 off	2L 2 off	P24.S3.T6 2 off
DV.2093/12	NV20 Length 25' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31269 Ring Tongue	A-MP 1 off	5X/9462745	J1.T97 2 off	2L 2 off	P24.S3.T4 2 off
DV.2093/53	NV20 Length 28' 6"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31269 Ring Tongue	A-MP 1 off	5X/9462745	J1.R35.TX1 2 off	2L 2 off	P24.S1.T1 2 off
DV.2093/55	NV20 Length 28' 6"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31269 Ring Tongue	A-MP 1 off	5X/9462745	J1.R36.TX1 2 off	2L 2 off	P24.S2.T1 2 off
DV.2097/13	NV20 Length 25' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J1.T141 2 off	4W 2 off	J7.R4.T7a 2 off
DV.2097/14	NV20 Length 25' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J1.T143 2 off	4W 2 off	J7.R4.T5a 2 off
DV.2097/15	NV20 Length 25' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J1.T145 2 off	4W 2 off	J7.R4.T3a 2 off
DV.2097/16	NV20 Length 25' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J1.T147 2 off	4W 2 off	J7.R4.T1a 2 off

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART											
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves			
								Marker No. 1	Code Marker	Marker No. 2	
DV.2100/6	NV22 Length 56' 0"	5E/4182	AJP	Socket CZ.56745 Outlet Set Acc. 2CZ/108187	Z.560850 10H/	31878 Ring Tongue	A-MP 1 off	5X/	P58.D1.F 2 off	5M 2 off	J1.R5.T7 2 off
DV.2100/7	NV22 Length 56' 0"	5E/4182	AJP	See DV.2100/6		31878 Ring Tongue	A-MP 1 off	5X/	P58.D1.G 2 off	5M 2 off	J1.R6.T6a 2 off
DV.2100/8	NV22 Length 56' 0"	5E/4182	AJP	See DV.2100/6		31878 Ring Tongue	A-MP 1 off	5X/	P58.D1.H 2 off	5M 2 off	J1.R5.T3a 2 off
DV.2100/9	NV22 Length 56' 0"	5E/4182	AJP	See DV.2100/6		31878 Ring Tongue	A-MP 1 off	5X	P58.D1.J 2 off	5M 2 off	J1.R5.T5a 2 off
DV.2100/10	NV22 Length 26' 6"	5E/4182	AJP	Tag, Cranked HC.1187	5X/7316	31878 Ring Tongue	A-MP 1 off	5X	P28.S1.T2 2 off	5M 2 off	J1.R5.T6a 2 off
DV.2100/11	NV22 Length 26' 6"	5E/4182	AJP	31269 Ring Tongue	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X	P28.S1.T1 2 off	5M 2 off	J1.R6.T3a 2 off
DV.2100/12	NV22 Length 26' 6"	5E/4182	AJP	31269 Ring Tongue	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	P28.S1.T3 2 off	5M 2 off	J1.R6.T5a 2 off
DV.2100/13	NV22 Length 26' 6'	5E/4182	AJP	31269 Ring Tongue	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X	P28.S4.T1 2 off	5M 2 off	J1.R6.T7 2 off
DV.2100/14	NV22 Length 26' 6"	5E/4182	AJP	Tag, Cranked HC.1187	5X/7316	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P28.S4.T2 2 off	5M 2 off	J1.T59 2 off
DV.2100/16	NV22 Length 23' 0"	5E/4182	AJP	31269 Ring Tongue	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X	P24.S15.T3 2 off	5M 2 off	J1.R5.T6 2 off
DV.2100/17	NV22 Length 23' 0"	5E/4182	AJP	31269 Ring Tongue	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	P24.S15.T1 2 off	5M 2 off	J1.R5.T3 2 off
DV.2100/22	NV22 Length 44' 0"	5E/4182	AJP	31878 Ring Tongue	5X/	Adaptor Sleeve Z.49428	1 off	5X/1005131	J1.R6.T7a 2 off	5M 2 off	Z5.M36.T1 2 off

RESTRICTED
Argosy C. Mk. I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2100/24	NV22 Length 42' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	No Fitting			J1.R6.T3 2 off	5M 2 off	Z5.L2 2 off
DV.2100/25	NV22 Length 42' 0"	5E/4182	ALP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	No Fitting			J1.T60 2 off	5M 2 off	Z5.L1 2 off
DV.2101/4	NV16 Length 15' 0"	5E/4185	JP	31879 Ring Tongue	A-MP 1 off	5X/	323926 Ring Tongue	A-MP 1 off	5X/9462954	J1.R23.T4 2 off	1B 2 off	P7.F30G 2 off
DV.2122/6	NV22 Length 16' 0"	5E/4182	AJP	Tag, Cranked HC.1187	1 off	5X/7316	31878 Ring Tongue	A-MP 1 off	5X/	Z1.S4.T2 2 off	4L 2 off	J1.R25.T1 2 off
DV.2122/9	NV12 Length 14' 0"	5E/4187	KP	321500 Ring Tongue	A-MP 1 off	5X/	323002 Slotted Tongue	A-MP 1 off	5X/	J1.R26.T4 2 off	4L 2 off	Z5.M33.T3 2 off
DV.2122/11	NV12 Length 15' 0"	5E/4187	KP	321500 Ring Tongue	A-MP 1 off	5X/	323002 Slotted Tongue	A-MP 1 off	5X/	J1.R25.T4 2 off	4L 2 off	Z5.M24.T3 2 off

RESTRICTED

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2382	FLYLEAD SET J.2											
DV.2018/9	NV20 Length 14' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	No Fitting			J2.R1.T7a 2 off	1H 2 off	Z5.S15.TC 2 off
DV.2018/10	NV20 Length 14' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	No Fitting			J2.R1.T5a 2 off	1H 2 off	Z5.S14.TC 2 off
DV.2018/11	NV20 Length 14' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	No Fitting			J2.R1.T3a 2 off	1H 2 off	Z5.S13.TC 2 off
DV.2018/12	NV20 Length 14' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	No Fitting			J2.R1.T1a 2 off	1H 2 off	Z5.S12.TC 2 off
DV.2018/161	NV20 Length 34' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Connector MS.3106A- 10SL-3S Cable Clamp AN.3057-4	1 off 1 off	5X/	J2.T20 2 off	1H 2 off	Z4.M19.D2C 2 off
DV.2018/169	NV29 Length 35' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	Z4.M22.T9 2 off	1H 2 off	J2.R1.T6 2 off
DV.2022/21	NV16 Length 28' 0"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	31889 Ring Tongue	A-MP 1 off	5X/	J10.R4.T4 2 off	2H 2 off	J2.C.2.T1 2 off
DV.2022/22	NV16 Length 28' 0"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	31889 Ring Tongue	A-MP 1 off	5X/	J10.R4.T2 2 off	2H 2 off	J2.C1.T1 2 off
DV.2022/25	NV22 Length 23' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31882 Ring Tongue	A-MP 1 off	5X/	Z5.M14.TX2 2 off	2H 2 off	J2.R7.TA2 2 off
DV.2022/27	NV22 Length 23' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	Z5.M42.TD3 2 off	2H 2 off	J2.M1.T5 2 off
DV.2022/57	NV14 Length 10' 0"	5E/4186	JP	31900 Ring Tongue	A-MP 1 off	5X/	31898 Ring Tongue	A-MP 1 off	5X/	Z.2M20.TC 2 off	2H 2 off	J2.M1.TL.3 2 off

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

September 1966
TP27
AL31

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2022/58	NV14 Length 10' 0"	5E/4186	JP	31900 Ring Tongue	A-MP 1 off	5X/	31898 Ring Tongue	A-MP 1 off	5X/	Z2.M20.TB 2 off	2H 2 off	J2.M1.TL.2 2 off
DV.2022/60	NV14 Length 10' 0"	5E/4186	JP	31900 Ring Tongue	A-MP 1 off	5X/	31898 Ring Tongue	A-MP 1 off	5X/	Z2.M20.TA 2 off	2H 2 off	J2.M1.TL.1 2 off
DV.2022/61	NV16 Length 10' 0"	5E/4185	JP	31889 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	Z2.M20.TA1 2 off	2H 2 off	J2.R3.T1 2 off
DV.2022/62	NV16 Length 10' 0"	5E/4185	JP	31889 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	Z2.M20.TA3 2 off	2H 2 off	J2.R3.T2 2 off
DV.2022/64	NV16 Length 6' 0"	5E/4185	JP	31889 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	Z2.M20.TB3 2 off	2H 2 off	J2.R3.T4 2 off
DV.2022/97	NV22 Length 21' 6"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	Z5.M42.TD1 2 off	2H 2 off	J2.M4.T2 2 off
DV.2022/98	NV22 Length 21' 6"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	Z5.M40.TC2 2 off	2H 2 off	J2.M5.T2 2 off
DV.2022/99	NV22 Length 21' 6"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	Z5.M40.TD1 2 off	2H 2 off	J2.M5.T1 2 off
DV.2022/102	NV22 Length 21' 6"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	Z5.M42.TC2 2 off	2H 2 off	J2.M1.TCT 2 off
DV.2022/108	NV16 Length 6' 0"	5E/4185	JP	31889 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	Z2.M20.TB1 2 off	2H 2 off	J2.R3.T5 2 off
DV.2022/109	NV16 Length 6' 0"	5E/4185	JP	31889 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	Z2.M20.TC1 2 off	2H 2 off	J2.R3.T7 2 off
DV.2022/110	NV16 Length 6' 0"	5E/4185	JP	31889 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	Z2.M20.TC3 2 off	2H 2 off	J2.R3.T8 2 off
DV.2025/1	NVMS22 Length 13' 0"	5E/4198	JP	Socket CZ.49017 Outlet Set Acc. } 2CZ/108178 }	1 off 1 off	10H/0560120	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.N11.A 2 off	1E 2 off	J2.T31 2 off

Argosy C. Mk. I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves			
									Marker No. 1	Code Marker	Marker No. 2	
DV.2025/2	NVMS22 Length 13' 0"	5E/4198	JP	See Cable DV.2025/1		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.N11.B 2 off	1E 2 off	J2.T32 2 off	
DV.2025/6	NVMS22 Length 13' 0"	5E/4198	JP	See Cable DV.2025/1		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.N10.A 2 off	1E 2 off	J2.T33 2 off	
DV.2025/7	NVMS22 Length 13' 0"	5E/4198	JP	See Cable DV.2025/1		323000 Slotted Tongue	A-MP 1 off	5X/9350396	P33.N10.B 2 off	1E 2 off	J2.T34 2 off	
DV.2025/11	NVMS22 Length 13' 0"	5E/4198	JP	See Cable DV.2025/1		323000 Slotted Tongue	A-MP 1 off	52/9450396	P33.N12.A 2 off	1E 2 off	J2.T35 2 off	
DV.2025/12	NVMS22 Length 13' 0"	5E/4198	JP	See Cable DV.2025/1		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.N12.B 2 off	1E 2 off	J2.T36 2 off	
DV.2025/16	NVMS22 Length 12' 6"	5E/4198	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.S21.T1 2 off	1E 2 off	J2.T37 2 off
DV.2025/18	NVMS22 Length 13' 0"	5E/4198	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.S21.T4 2 off	1E 2 off	J2.T38 2 off
DV.2025/20	NVMS22 Length 13' 0"	5E/4198	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.S75.T1 2 off	1E 2 off	J2.T39 2 off
DV.2025/25	NVMS22 Length 13' 0"	5E/4198	JP	See Cable DV.2025/1		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.N7.B 2 off	1E 2 off	J2.T40 2 off	
DV.2025/26	NVMS22 Length 13' 0"	5E/4198	JP	See Cable DV.2025/1		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.N7.A 2 off	1E 2 off	J2.T41 2 off	
DV.2025/31	NVMS22 Length 13' 0"	5E/4198	JP	See Cable DV.2025/1		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.N9.A 2 off	1E 2 off	J2.T43 2 off	
DV.2025/35	NVMS22 Length 13' 0"	5E/4198	JP	See Cable DV.2025/1		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.N8.B 2 off	1E 2 off	J2.T44 2 off	
DV.2025/36	NVMS22 Length 13' 0"	5E/4198	JP	See Cable DV.2025/1		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P33.N8.A 2 off	1E 2 off	J2.T45 2 off	

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

September 1966
TP27 AL31

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2075/1	NV22 Length 12' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450936	31878 Ring Tongue	A-MP 1 off	5X/	J2.T61 2 off	9W 2 off	P26.N12.T1 2 off
DV.2075/8	NV22 Length 12' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z3.M16.T3 2 off	9W 2 off	J2.T62 2 off
DV.2084/3	NV20 Length 15' 0"	5E/4183	JP	No Fitting			31878 Ring Tongue	A-MP 1 off	5X/	Z5.S15.TE 2 off	8H 2 off	J2.R1.T8 2 off
DV.2084/4	NV20 Length 15' 0"	5E/4183	JP	No Fitting			31882 Ring Tongue	A-MP 1 off	5X/	Z5.S12.TE 2 off	8H 2 off	J2.R8.TA2 2 off
DV 2084/6	UT20 Length 38' 6"	5E/3894	JP	31879 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	J2.R8.TA3 2 off	8H 2 off	Z1.S3.T1 2 off

Argosy C. MK.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART										
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2383	FLY-LEAD SET JB.3									
DV.2025/64	NVMS22 Length 46' 0"	5E/4198	JP	323000 A-MP Slotted Tongue 1 off	5X 9450396	323000 A-MP Slotted Tongue 1 off	5X 9450396	J4.T108 2 off	1E 2 off	J3.T113 2 off
DV.2025/65	NVMS22 Length 30' 0"	5E/4198	JP	Socket CZ.49016 1 off Outlet Set Acc. } 1 off 2CZ.108175 }	Z.560110	323000 A-MP Slotted Tongue 1 off	5X 9450396	Z9.M28.C 2 off	1E 2 off	J3.T111 2 off
FV.2025/66	NVMS22 Length 11' 0"	5E/4198	JP	See Cable DV.2025/65		323000 A-MP Slotted Tongue 1 off	5X 9450396	Z13.M6.C 2 off	1E 2 off	J3.T112 2 off
DV.2025/67	NVMS22 Length 11' 0"	5E/4198	JP	See Cable DV.2025/65		323000 A-MP Slotted Tongue 1 off	5X 9450396	Z13.M7.C 2 off	1E 2 off	J3.T113 2 off
DV.2025/68	NVMS22 Length 11' 0"	5E/4198	JP	See Cable DV.2025/65		323000 A-MP Slotted Tongue 1 off	5X 9450396	Z13.M7.B 2 off	1E 2 off	J3.T114 2 off
DV.2025/69	NVMS22 Length 11' 0"	5E/4198	JP	See Cable DV.2025/65		323000 A-MP Slotted Tongue 1 off	5X 9450396	Z13.M7.A 2 off	1E 2 off	J3.T115 2 off
DV.2025/70	NVMS22 Length 11' 0"	5E/4198	JP	See Cable DV.2025/65		323000 A-MP Slotted Tongue 1 off	5X 9450396	Z13.M6.B 2 off	1E 2 off	J3.T116 2 off
DV.2025/71	NVMS22 Length 11' 0"	5E/4198	JP	See Cable DV.2025/65		323000 A-MP Slotted Tongue 1 off	5X 9450396	Z13.M6.A 2 off	1E 2 off	J3.T117 2 off
DV.2025/72	NVMS22 Length 30' 0"	5E/4198	JP	See Cable DV.2025/65		323000 A-MP Slotted Tongue 1 off	5X 9450396	Z9.M28.B 2 off	1E 2 off	J3.T108 2 off
DV.2025/73	NVMS22 Length 30' 0"	5E/4198	JP	See Cable DV.2025/65		323000 A-MP Slotted Tongue 1 off	5X 9450396	Z9.M28.A 2 off	1E 2 off	J3.T109 2 off

Argosy C. Mk. I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2026/8	NV20 Length 31' 0"	5E/4183	JP	Socket 1 off Adaptor Sleeve 2 off Filler Plug 2 off PC.14000 Water Seal 4930 1 off Elbow Assy. 1 off 2CZ/139944 Ferrule Gasket 1 off 2Z.84914/A Insulating 2 off Sleeve A.P.	5X/7039 5X/1005131 5X/7241 5X/7433 5F/2336	323000 A-MP Slotted Tongue 1 off	5X/9450396	Z7.S8.B 2 off	3Q 2 off	J3.T56 2 off
DV.2026/9	NV20 Length 28' 0"	5E/4183	JP	HC.1187 Tag, Cranked 1 off	5X/7316	323000 A-MP Slotted Tongue 1 off	5X/9450396	P41.S1.T2 2 off	3Q 2 off	J3.T21 2 off
DV.2026/10	NV20 Length 28' 0"	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	P41.S1.T1 2 off	3Q 2 off	J3.T39 2 off
DV.2026/11	NV20 Length 28' 0"	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	P41.S1.T3 2 off	3Q 2 off	J3.T22 2 off
DV.2026/12	NV20 Length 28' 0"	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	P41.S2.T1 2 off	3Q 2 off	J3.T46 2 off
DV.2026/13	NV20 Length 28' 0"	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	P41.S2.T3 2 off	3Q 2 off	J3.T23 2 off
DV.2026/14	NV20 Length 28' 0"	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	P41.S3.T1 2 off	3Q 2 off	J3.T47 2 off
DV.2026/15	NV20 Length 28' 0"	5E/4183	JP	31269 A-MP Ring Tongue 1 off	5X/9462745	323000 A-MP Slotted Tongue 1 off	5X/9450396	P41.S3.T3 2 off	3Q 2 off	J3.T24 2 off
DV.2026/16	NV22 Length 28' 0"	5E/4182	AJP	Socket CZ.49126 1 off Outlet Set Acc. 1 off 2CZ/108187	Z.560180	323000 A-MP Slotted Tongue 1 off	5X/9450396	P41.N5.K 2 off	3Q 2 off	J3.T101 2 off
DV.2026/17	NV22 Length 28' 0"	5E/4182	AJP	See Cable DV.2026/16		323000 A-MP Slotted Tongue 1 off	5X/9450396	P41.N5.J 2 off	3Q 2 off	J3.T102 2 off

Argosy C. M.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2026/18	NV22 Length 28' 0"	5E/4182	AJP	See Cable DV.2026/16			323000 Slotted Tongue	A-MP 1 off	5X/9450396	P41.N5.H 2 off	3Q 2 off	J3.T103 2 off
DV.2026/19	NV22 Length 28' 0"	5E/4182	AJP	See Cable DV.2026/16			323000 Slotted Tongue	A-MP 1 off	5X/9450396	P41.N5.G 2 off	3Q 2 off	J3.T104 2 off
DV.2026/20	NV22 Length 28' 0"	5E/4182	AJP	See Cable DV.2026/16			323000 Slotted Tongue	A-MP 1 off	5X/9450396	P41.N5.F 2 off	3Q 2 off	J3.T105 2 off
DV.2026/21	NV22 Length 28' 0"	5E/4182	AJP	See Cable DV.2026/16			323000 Slotted Tongue	A-MP 1 off	5X/9450396	P41.N5.E 2 off	3Q 2 off	J3.T11 2 off
DV.2026/22	NV22 Length 28' 0"	5E/4182	AJP	See Cable DV.2026/16			323000 Slotted Tongue	A-MP 1 off	5X/9450396	P41.N5.D 2 off	3Q 2 off	J3.T13 2 off
DV.2026/23	NV22 Length 28' 0"	5E/4182	AJP	See Cable DV.2026/16			323000 Slotted Tongue	A-MP 1 off	5X/9450396	P41.N5.C 2 off	3Q 2 off	J3.T15 2 off
DV.2026/24	NV22 Length 28' 0"	5E/4182	AJP	See Cable DV.2026/16			323000 Slotted Tongue	A-MP 1 off	5X/9450396	P41.N5.B 2 off	3Q 2 off	J3.T17 2 off
DV.2026/25	NV22 Length 28' 0"	5E/4182	AJP	See Cable DV.2026/16			323000 Slotted Tongue	A-MP 1 off	5X/9450396	P41.N5.A 2 off	3Q 2 off	J3.T19 2 off
DV.2026/26	NV22 Length 28' 0"	5E/4182	AJP	See Cable DV.2026/16			323000 Slotted Tongue	A-MP 1 off	5X/9450396	P41.N5.L 2 off	3Q 2 off	J3.T8 2 off
DV.2026/27	NV20 Length 28' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	P41.S4.T1 2 off	3Q 2 off	J3.R1.T1a 2 off
DV.2026/28	NV20 Length 28' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P41.S4.T3 2 off	3Q 2 off	J3.T25 2 off
DV.2026/29	NV20 Length 28' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	P41.S5.T1 2 off	3Q 2 off	J3.R1.T3a 2 off
DV.2026/30	NV20 Length 28' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P41.S5.T3 2 off	3Q 2 off	J3.T33 2 off

Argosy C. Mk.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2026/32	NV20 Length 28' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	P41.S6.T1 2 off	3Q 2 off	J3.R1.T7a 2 off
DV.2026/33	NV20 Length 28' 0"	5E/4183	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P41.S6.T3 2 off	3Q 2 off	J3.T37 2 off
DV.2026/36	NV20 Length 46' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J3.T21 2 off	3Q 2 off	J4.T21 2 off
DV.2026/37	NV20 Length 46' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J3.T39 2 off	3Q 2 off	J4.R1.T1a 2 off
DV.2026/38	NV20 Length 46' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J3.T22 2 off	3Q 2 off	J4.T33 2 off
DV.2026/39	NV20 Length 46' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	J3.R1.TC 2 off	3Q 2 off	J4.R1.TC 2 off
DV.2026/40	NV20 Length 46' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J3.T46 2 off	3Q 2 off	J4.R1.T3a 2 off
DV.2026/41	NV20 Length 46' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J3.T23 2 off	3Q 2 off	J4.T35 2 off
DV.2026/42	NV20 Length 46' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J3.T47 2 off	3Q 2 off	J4.R1.T7a 2 off
DV.2026/43	NV20 Length 46' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	J3.R1.T1 2 off	3Q 2 off	J4.R1.T7 2 off
DV.2026/44	NV20 Length 46' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J3.T24 2 off	3Q 2 off	J4.T23 2 off

RESTRICTED

September 1966
TP27
AL31

Argosy C. Mk. I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2026/45	NV20 Length 22' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket 2CZ/84873	1 off	5X/7039	J3.T12 2 off	3Q 2 off	Z7.S10.B 2 off
							Adaptor Sleeve	2 off	5X/1005131			
							Ferrule Z.22675A	1 off	5X/2110			
							Ferrule Z.22676A	1 off	5X/2117			
							Gland HV.3318A	1 off				
							Insulating Sleeve A.P.	2 off	5F/2336			
DV.2026/48	NV20 Length 22' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	See Cable DV.2026/45			J3.R1.T1a 2 off	3Q 2 off	Z7.S10.A 2 off
DV.2026/50	NV20 Length 17' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket 2CZ/84873	1 off	5X/7039	J3.T3 2 off	3Q 2 off	Z7.M5.A 2 off
							Adaptor Sleeve	2 off	5X/1005131			
							Z.49428					
							Water Seal 4930	1 off	5X/7433			
							Insulating Sleeve A.P.	2 off	5F/2336			
DV.2026/51	NV20 Length 17' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2026/50			J3.T14 2 off	3Q 2 off	Z7.M5.C 2 off
DV.2026/52	NV20 Length 16' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2026/45			J3.T14 2 off	3Q 2 off	Z7.S12.B 2 off
DV.2026/53	NV20 Length 16' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2026/45			J3.T32 2 off	3Q 2 off	Z7.S12.A 2 off
DV.2026/54	NV20 Length 22' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2026/45			J3.T32 2 off	3Q 2 off	Z9.S6.A 2 off
DV.2026/55	NV20 Length 14' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2026/45			J3.T34 2 off	3Q 2 off	Z7.S11.A 2 off
DV.2026/56	NV20 Length 20' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2026/45			J3.T34 2 off	3Q 2 off	Z9.S5.A 2 off

Argosy C. M.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
									Marker No. 1	Code Marker	Marker No. 2
DV.2026/57	NV20 Length 22' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2026/50		J3.T16 2 off	3Q 2 off	Z9.S6.B 2 off
DV.2026/58	NV20 Length 16' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP	5X/9450396	See Cable DV.2026/50		J3.T16 2 off	3Q 2 off	Z7.M18.C 2 off
DV.2026/59	NV20 Length 16' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2026/50		J3.T3 2 off	3Q 2 off	Z7.M18.A 2 off
DV.2026/60	NV20 Length 23' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2026/50		J3.T4 2 off	3Q 2 off	Z9.M5.A 2 off
DV.2026/61	NV20 Length 23' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2026/50		J3.T18 2 off	3Q 2 off	Z9.M5.C 2 off
DV.2026/62	NV20 Length 29' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2026/45		J3.T18 2 off	3Q 2 off	Z9.S8.B 2 off
DV.2026/63	NV20 Length 29' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2026/45		J3.T36 2 off	3Q 2 off	Z9.S8.A 2 off
DV.2026/64	NV20 Length 37' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2026/45		J3.T36 2 off	3Q 2 off	Z9.S10.A 2 off
DV.2026/65	NV20 Length 30' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2026/45		J3.T38 2 off	3Q 2 off	Z9.S7.A 2 off
DV.2026/66	NV20 Length 32' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2026/45		J3.T38 2 off	3Q 2 off	Z9.S9.A 2 off
DV.2026/67	NV20 Length 37' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2026/45		J3.T20 2 off	3Q 2 off	Z9.S10.B 2 off
DV.2026/68	NV20 Length 28' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2026/50		J3.T20 2 off	3Q 2 off	Z9.M8.C 2 off
DV.2026/69	NV20 Length 28' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2026/50		J3.T4 2 off	3Q 2 off	Z9.M8.A 2 off

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2026/105	NV20 Length 46' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J3.T101 2 off	3Q 2 off	J4.T19 2 off
DV.2026/106	NV20 Length 46' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J3.T102 2 off	3Q 2 off	J4.T17 2 off
DV.2026/107	NV20 Length 46' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J3.T103 2 off	3Q 2 off	J4.T15 2 off
DV.2026/108	NV20 Length 46' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J3.T104 2 off	3Q 2 off	J4.T13 2 off
DV.2026/109	NV20 Length 46' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J3.T105 2 off	3Q 2 off	J4.T11 2 off
DV.2028/27	NV22 Length 11' 0"	5E/4182	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket 2CZ/84872 Water Seal 4930 Adaptor Sleeve Z.49428 Filler Plug PC.14000 Insulating Sleeve A.P.	1 off 1 off 2 off 2 off 2 off 2 off	5X/7038 5X/7433 5X/1005131 5X/7241 5F/2336	J3.T99 2 off	1Q 2 off	Z7.SB.B 2 off
DV.2028/28	NV22 Length 11' 0"	5E/4182	JP	31879 Ring Tongue	A-MP 1 off	5X/	See Cable DV.2028/27			J3.M1.T2 2 off	1Q 2 off	Z7.S13.A 2 off
DV.2028/43	NV16 Length 20' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket 2CZ/111230 Water Seal 4930 Filler Plug PC.14000 Insulating Sleeve A.P.	1 off 1 off 2 off 2 off	5X/7172 5X/7433 5X/7241 5F/2336	J3.T94 2 off	1Q 2 off	Z7.M8.A 2 off
DV.2028/45	NV16 Length 20' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2028/43			J3.T92 2 off	1Q 2 off	Z7.M9.A 2 off

Argosy C. Mk.1.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves			
								Marker No. 1	Code Marker	Marker No. 2	
DV.2028/47	NV16 Length 14' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X 9450396	See Cable DV.2028/43	J3.T98 2 off	1Q 2 off	Z7.M10.A 2 off	
DV.2028/49	NV16 Length 14' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X 9450396	Socket } 1 off 2CZ 111230 Gland HV.3318A 1 off Ferrule Z.22675A 1 off Ferrule Z.22676A 1 off Insulating } 2 off Sleeve A.P.	5X 7172 5X/2110 5X/2117 5F/2336	J3.T97 2 off	1Q 2 off Z7.M11.A 2 off	
DV.2028/51	NV16 Length 33' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X 9450396	See Cable DV.2028/49	J3.T96 2 off	1Q 2 off	Z9.M11.A 2 off	
DV.2028/53	NV16 Length 33' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X 9450396	See Cable DV.2028/49	J3.T95 2 off	1Q 2 off	Z9.M12.A 2 off	
DV.2038/22	NVMS22 Length 46' 0"	5E/4198	JP	323000 Slotted Tongue	A-MP 1 off	5X 9450396	323000 Slotted Tongue	A-MP 1 off	J4.T83 2 off	11E 2 off J3.T81 2 off	
DV.2038/23	NVMS22 Length 24' 0"	5E/4198	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket CZ.49016 1 off Outlet Set Acc. } 1 off 2CZ/108175	Z.560110	J3.T82 2 off	11E 2 off Z13.M5.C 2 off	
DV.2038/24	NVMS22 Length 24' 0"	5E/4198	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2038/23	J3.T83 2 off	11E 2 off	Z13.M5.B 2 off	
DV.2038/25	NVMS22 Length 24' 0"	5E/4198	JP	323000 Slotted Tongue	A-MP 1 off	5X 9450396	See Cable DV.2038/23	J3.T84 2 off	11E 2 off	Z13.M5.A 2 off	
DV.2054/61	NV22 Length 22' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X	323000 Slotted Tongue	A-MP 1 off	5X 9450396	J3.T69 2 off	15W 2 off Z7.M20.T2 2 off
DV.2054/62	NV22 Length 22' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X 9450396	323000 Slotted Tongue	A-MP 1 off	5X 9450396	J3.T67 2 off	15W 2 off Z7.M20.T4 2 off
DV.2054/70	NV22 Length 16' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X 9450396	323000 Slotted Tongue	A-MP 1 off	5X 9450396	J3.T70 2 off	15W 2 off Z9.M6.T2 2 off

RESTRICTED

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2054/71	NV22 Length 16' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J3.T66 2 off	15W 2 off	Z9.M6.T4 2 off
DV.2092/17	NV20 Length 58' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z11.M2.T6 2 off	1L 2 off	J3.T49 2 off
DV.2093/31	NV20 Length 52' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J3.T51 2 off	2L 2 off	Z11.M2.T5 2 off
DV.2093/32	NV20 Length 52' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J3.T52 2 off	2L 2 off	Z11.M2.T4 2 off
DV.2093/33	NV10 Length 52' 0"	5E/4188	KP	323002 Slotted Tongue	A-MP 1 off	5X/	323002 Slotted Tongue	A-MP 1 off	5X/	J3.T53 2 off	2L 2 off	Z11.M2.T2 2 off
DV.2093/34	NV10 Length 52' 0"	5E/4188	KP	323002 Slotted Tongue	A-MP 1 off	5X/	323002 Slotted Tongue	A-MP 1 off	5X/	J3.T54 2 off	2L 2 off	Z11.M2.T1 2 off
DV.2093/35	NV20 Length 52' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J3.T55 2 off	2L 2 off	Z11.M2.T3 2 off
DV.2093/65	NV12 Length 30' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	J3.T44 2 off	2L 2 off	Z7.L3.TR 2 off
DV.2093/66	NV12 Length 30' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	J3.T43 2 off	2L 2 off	Z7.L3.TY 2 off
DV.2130/9	NV22 Length 48' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J3.T41 2 off	12L 2 off	Z9.M37.T1 2 off
DV.2130/10	NV22 Length 16' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J3.T42 2 off	12L 2 off	Z13.M22.T1 2 off

RESTRICTED
Argosy C. Mk.I.

RESTRICTED

Argosy C. Mk. I.

CABLE (ELECTRICAL) CHART										
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '	Ref. No.	End Fitting ' B '	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

CABLE (ELECTRICAL) CHART										
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2384	FLY-LEAD SET JB.4									
DV.2025/55	NVMS22 Length 30' 0"	5E/4198	JP	Socket CZ.49016 1 off Outlet Set Acc. } 1 off 2CZ/108175	10H/0560110	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z10.M28.A 2 off	1E 2 off J4.T111 2 off
DV.2025/56	NVMS22 Length 30' 0"	5E/4198	JP	See Cable DV.2025/55		323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z10.M28.B 2 off	1E 2 off J4.T112 2 off
DV.2025/57	NVMS22 Length 30' 0"	5E/4198	JP	See Cable DV.2025/55		323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z10.M28.C 2 off	1E 2 off J4.T105 2 off
DV.2025/58	NVMS22 Length 11' 0"	5E/4198	JP	See Cable DV.2025/55		323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z14.M6.A 2 off	1E 2 off J4.T113 2 off
DV.2025/59	NVMS22 Length 11' 0"	5E/4198	JP	See Cable DV.2025/55		323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z14.M6.B 2 off	1E 2 off J4.T114 2 off
DV.2025/60	NVMS22 Length 11' 0"	5E/4198	JP	See Cable DV.2025/55		323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z14.M6.C 2 off	1E 2 off J4.T106 2 off
DV.2025/61	NVMS22 Length 11' 0"	5E/4198	JP	See Cable DV.2025/55		323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z14.M7.A 2 off	1E 2 off J4.T115 2 off
DV.2025/62	NVMS22 Length 11' 0"	5E/4198	JP	See Cable DV.2025/55		323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z14.M7.B 2 off	1E 2 off J4.T116 2 off
DV.2025/63	NVMS22 Length 11' 0"	5E/4198	JP	See Cable DV.2025/55		323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z14.M7.C 2 off	1E 2 off J4.T107 2 off
DV.2026/4	NV20 Length 31' 0"	5E/4183	JP	Socket 2CZ/84873 1 off Adaptor Sleeve } 2 off 249428 Filler Plug } 2 off PC.14000 Water Seal 4930 1 off Elbow Assy. } 1 off 2CZ/189944 Ferrule } 1 off 2Z.84914/A Insulating } 2 off Sleeve A.P.	5X/7039 5X/1005131 5X/7241 5X/7433 5F/2336	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z8.S8.A 2 off	3Q 2 off J4.T21 2 off

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

September 1966
TP27 AL31

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2026/5	NV20 Length 31' 0"	5E/4183	JP	See Cable DV.2026/4		31878 A-MP Ring Tongue 1 off		Z8.S8.B 2 off	3Q 2 off	J4.R1.T1 2 off
DV.2026/70	NV20 Length 28' 0"	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	Socket 2CZ/84873 1 off Adaptor Sleeve } 2 off Z.49428 Water Seal 4930 Insulating } 2 off Sleeve A.P.	5X/7039 5X/1005131 5X/7433 5F/2336	J4.T2 2 off	3Q 2 off	Z10.M8.A 2 off
DV.2026/71	NV20 Length 28' 0"	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable DV.2026/70		J4.T20 2 off	3Q 2 off	Z10.M8.C 2 off
DV.2026/72	NV20 Length 37' 0"		JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	Socket 2CZ/84873 1 off Adaptor Sleeve } 2 off Z.49428 Ferrule Z.22675A 1 off Ferrule Z.22676A 1 off Gland HV.3318A Insulating } 2 off Sleeve A.P.	5X/7039 5X/1005131 5X/2110 5X/2117 5F/2336	J4.T20 2 off	3Q 2 off	Z10.S10.B 2 off
DV.2026/73	NV20 Length 32' 0"	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable DV.2026/72		J4.T34 2 off	3Q 2 off	Z10.S9.A 2 off
DV.2026/74	NV20 Length 30' 0"	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable DV.2026/72		J4.T34 2 off	3Q 2 off	Z10.S7.A 2 off
DV.2026/75	NV20 Length 37' 0"	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable DV.2026/72		J4.T32 2 off	3Q 2 off	Z.10.S10.A 2 off
DV.2026/76	NV20 Length 29' 0"	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable DV.2026/72		J4.T32 2 off	3Q 2 off	Z10.S8.A 2 off
DV.2026/77	NV20 Length 29' 0"	5E/4183	JP	323000 A-MP Slotted Tongue 1 off	5X/9450396	See Cable DV.2026/72		J4.T18 2 off	3Q 2 off	Z10.S8.B 2 off

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART										
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2026/78	NV20 Length 23' 0"	5E/4183	JP	323000 Slotted Tongue A-MP 1 off	5X/9450396	See Cable DV.2026/70		J4.T18 2 off	3Q 2 off	Z10.M5.C 2 off
DV.2026/79	NV20 Length 23' 0"	5E/4183	JP	323000 Slotted Tongue A-MP 1 off	5X/9450396	See Cable DV.2026/70		J4.T2 2 off	3Q 2 off	Z10.M5.A 2 off
DV.2026/80	NV20 Length 16' 0"	5E/4183	JP	323000 Slotted Tongue A-MP 1 off	5X/9450396	See Cable DV.2026/70		J4.T3 2 off	3Q 2 off	Z8.M18.A 2 off
DV.2026/81	NV20 Length 16' 0"	5E/4183	JP	323000 Slotted Tongue A-MP 1 off	5X/9450396	See Cable DV.2026/70		J4.T16 2 off	3Q 2 off	Z8.M18.C 2 off
DV.2026/82	NV20 Length 22' 0"	5E/4183	JP	323000 Slotted Tongue 1 off	5X/9450396	See Cable DV.2026/72		J4.T16 2 off	3Q 2 off	Z10.S6.B 2 off
DV.2026/83	NV20 Length 20' 0"	5E/4183	JP	323000 Slotted Tongue A-MP 1 off	5X/9450396	See Cable DV.2026/72		J4.T36 2 off	3Q 2 off	Z10.S5.A 2 off
DV.2026/84	NV20 Length 22' 0"	5E/4183	JP	323000 Slotted Tongue A-MP 1 off	5X/9450396	See Cable DV.2026/72		J4.T38 2 off	3Q 2 off	Z10.S6.A 2 off
DV.2026/85	NV20 Length 14' 0"	5E/4183	JP	323000 Slotted Tongue A-MP 1 off	5X/9450396	See Cable DV.2026/72		J4.T36 2 off	3Q 2 off	Z8.S11.A 2 off
DV.2026/86	NV20 Length 16' 0"	5E/4183	JP	323000 Slotted Tongue A-MP 1 off	5X/9450396	See Cable DV.2026/72		J4.T38 2 off	3Q 2 off	Z8.S12.A 2 off
DV.2026/87	NV20 Length 16' 0"	5E/4183	JP	323000 Slotted Tongue A-MP 1 off	5X/9450396	See Cable DV.2026/72		J4.T14 2 off	3Q 2 off	Z8.S12.B 2 off
DV.2026/88	NV20 Length 17' 0"	5E/4183	JP	323000 Slotted Tongue A-MP 1 off	5X/9450396	See Cable DV.2026/70		J4.T14 2 off	3Q 2 off	Z8.M5.C 2 off
DV.2026/89	NV20 Length 17' 0"	5E/4183	JP	323000 Slotted Tongue A-MP 1 off	5X/9450396	See Cable DV.2026/70		J4.T3 2 off	3Q 2 off	Z8.M5.A 2 off
DV.2026/92	NV20 Length 22' 0"	5E/4183	JP	323000 Slotted Tongue A-MP 1 off	5X/9450396	See Cable DV.2026/72		J4.T12 2 off	3Q 2 off	Z8.S10.B 2 off

Argosy C. Mk.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2026/94	NV20 Length 22' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	See Cable DV.2026/72			J4.R1.T7a 2 off	3Q 2 off	Z8.S10.A 2 off
DV.2028/29	NV16 Length 33' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket } 1 off 2CZ/111230 Gland HV.3318A 1 off Ferrule Z.22675A 1 off Ferrule Z.22676A 1 off Insulating } 2 off Sleeve A.P.		5X/7172	J4.T95 2 off	1Q 2 off	Z10.M12.A 2 off
DV.2028/31	NV16 Length 33' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket } 1 off 2CZ/111230 Water Seal 4930 1 off Filler Plug } 2 off PC.14000 Insulating } 2 off Sleeve A.P.		5X/7172	J4.T96 2 off	1Q 2 off	Z10.M11.A 2 off
DV.2028/33	NV16 Length 14' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2028/31			J4.T97 2 off	1Q 2 off	Z8.M11.A 2 off
DV.2028/35	NV16 Length 14' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2028/31			J4.T98 2 off	1Q 2 off	Z8.M10.A 2 off
DV.2028/37	NV16 Length 20' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2028/31			J4.T92 2 off	1Q 2 off	Z8.M9.A 2 off
DV.2028/39	NV22 Length 14' 0"	5E/4182	JP	31879 Ring Tongue	A-MP 1 off	5X/	Socket 2CZ.84872 1 off Adaptor Sleeve } 2 off Z.49428 Water Seal 4930 1 off Filler Plug } 2 off PC.14000 Insulating } 1 off Sleeve A.P.		5X/7038 5X/1005131	J4.M1.T2 2 off	1Q 2 off	Z8.S13.A 2 off
DV.2028/41	NV16 Length 16' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2928/31			J4.T94 2 off	1Q 2 off	Z8.M8.A 2 off

RESTRICTED

September 1966
TP27
AL31

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2028/42	NV22 Length 11' 0"	5E/4182	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2028/39			J4.T99 2 off	1Q 2 off	Z8.S13.B 2 off
DV.2038/19	NVMS22 Length 15' 0"	5E/4198	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket CZ.49016 1 off Outlet Set Acc.) 1 off 2CZ/108175)		10H/ 0560110	J4.T81 2 off	11E 2 off	Z14.M5.A 2 off
DV.2038/20	NVMS22 Length 15' 0"	5E/4198	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2038/19			J4.T82 2 off	11E 2 off	Z13.M5.B 2 off
DV.2038/21	NVMS22 Length 15' 0"	5E/4198	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2038/19			J4.T83 2 off	11E 2 off	Z14.M5.C 2 off
DV.2054/48	NV22 Length 16' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z10.M6.T2 2 off	15W 2 off	J4.T79 2 off
DV.2054/49	NV22 Length 16' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z10.M6.T4 2 off	15W 2 off	J4.T77 2 off
DV.2054/56	NV22 Length 22' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z8.M23.T2 2 off	15W 2 off	J4.T80 2 off
DV.2054/57	NV22 Length 22' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z8.M23.T4 2 off	15W 2 off	J4.T76 2 off
DV.2092/13	NV20 Length 58' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z12.M2.T6 2 off	1L 2 off	J4.T59 2 off
DV.2093/26	NV20 Length 52' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J4.T45 2 off	2L 2 off	Z12.M2.T3 2 off
DV.2093/27	NV10 Length 52' 0"	5E/4188	KP	323002 Slotted Tongue	A-MP 1 off	5X/	323002 Slotted Tongue	A-MP 1 off	5X/	J4.T46 2 off	2L 2 off	Z12.M2.T1 2 off
DV.2093/28	NV10 Length 52' 0"	5E/4188	KP	323002 Slotted Tongue	A-MP 1 off	5X/	323002 Slotted Tongue	A-MP 1 off	5X/	J4.T47 2 off	2L 2 off	Z12.M2.T2 2 off
DV.2093/29	NV20 Length 52' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J4.T48 2 off	2L 2 off	Z12.M2.T4 2 off

Argosy C. M.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2093/30	NV20 Length 52' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J4.T49 2 off	2L 2 off	Z12.M2.T5 2 off
DV.2093/62	NV12 Length 30' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	J4.T56 2 off	2L 2 off	Z8.L3.TR 2 off
DV.2093/63	NV12 Length 30' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	J4.T57 2 off	2L 2 off	Z8.L3.TY 2 off
DV.2130/7	NV22 Length 16' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J4.T42 2 off	12L 2 off	Z14.M22.T1 2 off
DV.2130/8	NV22 Length 48' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J4.T42 2 off	12L 2 off	Z10.M37.T1 2 off

RESTRICTED

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART											
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '	Ref. No.	Identification Sleeves		
									Marker No. 1	Code Marker	Marker No. 2
CV.2386	FLY-LEAD SET	JB.6									
DV.2043/1	NV22 Length 17' 6"	5E/4182	AJP	No Fitting			No Fitting		J6.M4.T26V 2 off	5E 2 off	P21.N20.T1 2 off
DV.2043/2	NV22 Length 17' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	No Fitting		J6.T58 2 off	5E 2 off	P21.N20.T3 2 off
DV.2043/3	NV22 Length 17' 6"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	No Fitting		J6.T57 2 off	5E 2 off	P21.N20.T2 2 off
DV.2043/4	NV22 Length 18' 0"	5E/4182	AJP	No Fitting			No Fitting		J6.M3.T26V 2 off	5E 2 off	P21.N19.T1 2 off
DV.2043/5	NV22 Length 18' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	No Fitting		J6.T56 2 off	5E 2 off	P21.N19.T3 2 off
DV.2043/6	NV22 Length 18' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9405396	No Fitting		J6.T55 2 off	5E 2 off	P21.N19.T2 2 off
DV.2043/7	NV22 Length 18' 0"	5E/4182	AJP	No Fitting			No Fitting		J6.M2.T26V 2 off	5E 2 off	P21.N18.T1 2 off
DV.2043/8	NV22 Length 18' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	No Fitting		J6.T54 2 off	5E 2 off	P21.N18.T3 2 off
DV.2043/9	NV22 Length 18' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	No Fitting		J6.T53 2 off	5E 2 off	P21.N18.T2 2 off
DV.2043/10	NV22 Length 18' 0"	5E/4182	AJP	No Fitting			No Fitting		J6.M1.T26V 2 off	5E 2 off	P21.N17.T1 2 off
DV.2043/11	NV22 Length 18' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	No Fitting		J6.T52 2 off	5E 2 off	P21.N17.T3 2 off
DV.2043/12	NV22 Length 18' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	No Fitting		J6.T51 2 off	5E 2 off	P21.N17.T2 2 off

Argosy C. Mk.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2044/1	NV22 Length 17' 6"	5E/4182	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	No Fitting			J6.T11 2 off	6E 2 off	P21.N20.T6 2 off
DV.2044/2	NV22 Length 17' 6"	5E/4182	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	No Fitting			J6.T12 2 off	6E 2 off	P21.N20.T5 2 off
DV.2044/3	NV22 Length 17' 6"	5E/4182	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	No Fitting			J6.T13 2 off	6E 2 off	P21.N19.T6 2 off
DV.2044/4	NV22 Length 17' 6"	5E/4182	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	No Fitting			J6.T14 2 off	6E 2 off	P21.N19.T5 2 off
DV.2044/5	NV22 Length 17' 6"	5E/4182	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	No Fitting			J6.T15 2 off	6E 2 off	P21.N18.T6 2 off
DV.2044/6	NV22 Length 17' 6"	5E/4182	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	No Fitting			J6.T16 2 off	6E 2 off	P21.N18.T5 2 off
DV.2044/7	NV22 Length 17' 6"	5E/4182	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	No Fitting			J6.T17 2 off	6E 2 off	P21.N17.T6 2 off
DV.2044/8	NV22 Length 17' 6"	5E/4182	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	No Fitting			J6.T18 2 off	6E 2 off	P21.N17.T5 2 off
DV.2047/1	NV20 Length 6' 1"	5E/4183	JP	Socket 2CZ/111238 Ferrule Z.1384/2 Insert Z.49397 Insert Z.49428	1 off 1 off 1 off 1 off	5X/7192 5X/319 5X/3146 5X/3148	323000 Slotted Tongue A-MP 1 off	5X/9450396	P12.S1.W 2 off	2K 2 off	J6.T21 2 off	
DV.2047/2	NV20 Length 6' 2"	5E/4183	JP	See Cable DV.2047/1			323000 Slotted Tongue A-MP 1 off	5X/9450396	P12.S1.X 2 off	2K 2 off	J6.T22 2 off	
DV.2047/3	NV20 Length 6' 1"	5E/4183	JP	See Cable DV.2047/1			323000 Slotted Tongue A-MP 1 off	5X/9450396	P12.S1.Q 2 off	2K 2 off	J6.T23 2 off	
DV.2047/4	NV20 Length 6' 0"	5E/4183	JP	See Cable DV.2047/1			323000 Slotted Tongue A-MP 1 off	5X/9450396	P12.S1.R 2 off	2K 2 off	J6.T24 2 off	

RESTRICTED

Argosy C. MK.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART											
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '	Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
									Marker No. 1	Code Marker	Marker No. 2
DV.2047/5	NV20 Length 6' 0"	5E/4183	JP	See Cable DV.2047/1		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P12.S1.Y 2 off	2K 2 off	J6.T25 2 off
DV.2047/6	NV20 Length 5' 11"	5E/4183	JP	See Cable DV.2047/1		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P12.S1.P 2 off	2K 2 off	J6.T26 2 off
DV.2047/7	NV20 Length 5' 11"	5E/4183	JP	See Cable DV.2047/1		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P12.S1.S 2 off	2K 2 off	J6.T27 2 off
DV.2047/8	NV20 Length 5' 11"	5E/4183	JP	See Cable DV.2047/1		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P12.S1.U 2 off	2K 2 off	J6.T28 2 off
DV.2047/9	NV20 Length 6' 4"	5E/4183	JP	See Cable DV.2047/1		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P12.S1.T 2 off	2K 2 off	J6.T47 2 off
DV.2047/10	NV20 Length 6' 6"	5E/4183	JP	See Cable DV.2047/1		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P12.S1.V 2 off	2K 2 off	J6.T41 2 off
DV.2047/11	NV20 Length 5' 10"	5E/4183	JP	See Cable DV.2047/1		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P12.S1.N 2 off	2K 2 off	J6.T29 2 off
DV.2047/12	NV20 Length 5' 10"	5E/4183	JP	See Cable DV.2047/1		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P12.S1.M 2 off	2K 2 off	J6.T30 2 off
DV.2047/13	NV20 Length 6' 6"	5E/4183	JP	See Cable DV.2047/1		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P12.S1.J 2 off	2K 2 off	J6.T31 2 off
DV.2047/14	NV20 Length 6' 6"	5E/4183	JP	See Cable DV.2047/1		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P12.S1.K 2 off	2K 2 off	J6.T32 2 off
DV.2047/15	NV20 Length 6' 6"	5E/4183	JP	See Cable DV.2047/1		323000 Slotted Tongue	A-MP 1 off	5X/9450396	P12.S1.I 2 off	2K 2 off	J6.T43 2 off
DV.2047/16	NV20 Length 6' 7"	5E/4183	JP	See Cable DV.2047/1		323000 Slotted Tongue	A-MP 2 off	5X/9450396	P12.S1.H 2 off	2K 2 off	J6.T33 2 off
DV.2047/17	NV20 Length 6' 6"	5E/4183	JP	See Cable DV.2047/1		323000 Slotted Tongue	A-MP 2 off	5X/9450396	P12.S1.L 2 off	2K 2 off	J6.T34 2 off

Argosy C. MK.I.

RESTRICTED

RESTRICTED

September 1966
TP27
AL31

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '	Ref. No.	End Fitting ' B '	Ref. No.	Identification Sleeves			
								Marker No. 1	Code Marker	Marker No. 2	
DV.2047/18	NV20 Length 6' 6"	5E/4183	JP	See Cable DV.2047/1		323000 Slotted Tongue	A-MP 2 off	5X/9450396	P12.S1.A 2 off	2K 2 off	J6.T35 2 off
DV.2047/19	NV20 Length 6' 5"	5E/4183	JP	See Cable DV.2047/1		323000 Slotted Tongue	A-MP 2 off	5X/9450396	P21.S1.C 2 off	2K 2 off	J6.T36 2 off
DV.2047/20	NV20 Length 6' 5"	5E/4183	JP	See Cable DV.2047/1		323000 Slotted Tongue	A-MP 2 off	5X/9450396	P12.S1.F 2 off	2K 2 off	J6.T37 2 off
DV.2047/21	NV20 Length 6' 5"	5E/4183	JP	See Cable DV.2047/1		323000 Slotted Tongue	A-MP 2 off	5X/9450396	P12.S1.E 2 off	2K 2 off	J6.T38 2 off
DV.2047/22	NV20 Length 6' 4"	5E/4183	JP	See Cable DV.2047/1		323000 Slotted Tongue	A-MP 2 off	5X/9450396	P12.S1.D 2 off	2K 2 off	J6.T39 2 off
DV.2047/23	NV20 Length 6' 4"	5E/4183	JP	See Cable DV.2047/1		323000 Slotted Tongue	A-MP 2 off	5X/9450396	P12.S1.G 2 off	2K 2 off	J6.T40 2 off
DV.2075/5	NV22 Length 12' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 2 off	5X/9450396	31878 Ring Tongue	A-MP 2 off	5X/ J6.T61 2 off	9W 2 off	P12.N7.T1 2 off
DV.2081/13	NV20 Length 17' 6"	5E/4183	JP	323000 Ring Tongue	A-MP 2 off	5X/9450396	31879 Ring Tongue	A-MP 2 off	5X/ P20.T32 2 off	1C 2 off	J6.R2.T3 2 off
DV.2088/1	Miniature Cable Type 12B Length 13' 0"	5E/9100031	MP	Socket CZ.49126 } 1 off Accessory Set } 1 off 2CZ/108015 }	Z.560180	Plug CZ.49458 } 1 off Accessory Set } 1 off 2CZ/108015 }	Z.560360	P14.N6 2 off	6F 2 off	J6.M5.D1 2 off	
DV.2088/14	NVMS22 Length 2' 0"	5E/4198	JP	Socket CZ.49015 } 1 off Accessory Set } 1 off 2CZ/108173 }	Z.560100	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J6.M5.D28 2 off	6F 2 off	J6.T5 2 off
DV.2094/174	NV22 Length 16' 0"	5E/4182	AJP	31879 Ring Tongue	A-MP 1 off	5X/ 31878 Ring Tongue	A-MP 1 off	5X/ J6.R3.T4 2 off	6W 2 off	P23.L17 2 off	
DV.2094/175	NV22 Length 23' 0"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/ P24.S19.T1 2 off	6W 2 off	J6.R3.T2 2 off

Argosy C. Mk.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2094/178	NV22 Length 23' 0"	5E/4182	AJP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	P24.S19.T1 2 off	6W 2 off	J6.M11.T1 2 off
DV.2130/2	UT20 Length 16' 0"	5E/3894	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	P16.S3.T4 2 off	12L 2 off	J6.M10.T1 2 off
DV.2130/3	UT20 Length 16' 0"	5E/3894	JP	31269 Ring Tongue	A-MP 1 off	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	P16.S3.T6 2 off	12L 2 off	J6.M10.T2 2 off
DV.2130/5	NV22 Length 16' 0"	5E/4182	AJP	HC.1189 Tag, Cranked	1 off	5X/7214	31878 Ring Tongue	A-MP 1 off	5X/	P16.S3.T2 2 off	12L 2 off	J6.M12.T1 2 off
DV.2130/50	UT18 Length 16' 0"	5E/	HT20	31269 Ring Tongue	A-MP 1 off	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	P16.S3.T4 2 off	12L 2 off	J6.M10.T1 2 off
DV.2130/51	UT18 Length 16' 0"	5E/	HT20	31269 Ring Tongue	A-MP 1 off	5X/9462745	31878 Ring Tongue	A-MP 1 off	5X/	P16.S3.T6 2 off	12L 2 off	J6.U13.T2 2 off
DV.2130/59	UT18 Length 1' 0"	5E/	HT20	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	J6.M10.T2 2 off	12L 2 off	J6.M13.T1 2 off

RESTRICTED

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

Argosy C. Mk.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART										
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
CV.2387/1	FLY-LEAD SET	J.7								
DV.2011/28	NV20 Length 31' 6"	5E/4183	JP	HC.1187 Tag, Cranked 1 off	5X/7316	31882 Ring Tongue A-MP 1 off	5X/	P21.S1.T2 2 off	1P 2 off	J7.R2.T10 2 off
DV.2011/135	NV00 Length 6' 0"	5E/4195	MP	322089 Ring Tongue	5X/	BV.1095 Ring Tongue A-MP 1 off	5X/	J7.F13 2 off	1P 2 off	Z5.D4.T+1 2 off
DV.2011/136	NV00 Length 6' 0"	5E/4195	MP	322089 Ring Tongue A-MP 1 off	5X/	BV.1095 Ring Tongue A-MP 1 off	5X/	E1	1P	ZB.D4.T-
DV.2011/165	NV20 Length 32' 0"	5E/4183	JP	31879 Ring Tongue A-MP 1 off	5X/	150107 Ring Tongue A-MP	5X/	J7.C11.T4 2 off	1P 2 off	P33.S68.T4 2 off
DV.2011/167	NV20 Length 40' 0"	5E/4183	JP	HC.1189 Tag, Cranked 1 off	5X/7214	31882 Ring Tongue A-MP 1 off	5X/	P33.S68.T2 2 off	1P 2 off	J7.R1.T5 2 off
DV.2011/185	NV20 Length 30' 0"	5E/4183	JP	31878 Ring Tongue A-MP 1 off	5X/	31882 Ring Tongue A-MP 1 off	5X/	P33.N37.T1 2 off	1P 2 off	J7.R2.T9 2 off
DV.2039/41	NV12 Length 34' 0"	5E/4187	JP	321501 Ring Tongue A-MP 1 off	5X/	31825 Ring Tongue A-MP 1 off	5X/	J7.R5.T4 2 off	6M 2 off	Z3.M3.T7 2 off
DV.2039/117	NV12 Length 30' 0"	5E/4187	KP	HC.314A Ring Tongue 1 off	5X/7220	312500 Ring Tongue A-MP 1 off	5X/	J7.C10.T3 2 off	6M 2 off	Z3.M3.T2 3 off
DV.2097/2	NV20 Length 29' 0"	5E/4183	JP	31879 Ring Tongue A-MP 1 off	5S/	31269 Ring Tongue A-MP 1 off	5X/9462745	J7.M2 2 off	4W 2 off	P24.S11.T4 2 off
DV.2097/3	NV20 Length 29' 0"	5E/4183	JP	31878 Ring Tongue A-MP 1 off	5X/	31269 Ring Tongue A-MP 1 off	5X/9462745	J7.R3.T1a 2 off	4W 2 off	P24.S11.T1 2 off
DV.2097/4	NV20 Length 50' 0"	5E/4183	JP	323000 Slotted Tongue A-MP 1 off	5X/9450396	No Fittings		J7.T1.1 2 off	4W 2 off	Z22.S1.T1 2 off
DV.2097/5	NV20 Length 29' 0"	5E/4183	JP	323000 Slotted Tongue A-MP 1 off	5X/9450396	31878 Ring Tongue A-MP 1 off	5X/	J7.T2 2 off	4W 2 off	P24.L2.T1 2 off

Argosy C. Mk.1.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2097/7	NV20 Lenbth 29' 0"	5E/4183	JP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	J7.R7.TCa 2 off	4W 2 off	P24.L3.T1 2 off
DV.2097/9	NV20 Length 29' 0"	5E/4183	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31878 Ring Tongue	A-MP 1 off	5X/	J7.C1 2 off	4W 2 off	P24.L3.T2 2 off
DV.2097/27	NV20 Length 48' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket Adaptor Sleeve Water Seal 4930 Insulating Sleeve A.P.	1 off 4 off 1 off 4 off	5X/7039 5X/1005131 5X/7433 5F/2336	J7.T1 2 off	4W 2 off	Z22.S6.TB 2 off
DV.2097/28	NV20 Length 48' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2097/27			J7.T4 2 off	4W 2 off	Z22.S6.TC 2 off
DV.2097/29	NV20 Length 48' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2097/27			J7.T7 2 off	4W 2 off	Z22.S6.TD 2 off
DV.2097/31	NV20 Length 25' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2097/27			J7.T2 2 off	4W 2 off	Z22.S4.TB 2 off
DV.2097/32	NV20 Length 25' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2097/27			J7.T5 2 off	4W 2 off	Z22.S4.TC 2 off
DV.2097/33	NV20 Length 25' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2097/27			J7.T8 2 off	4W 2 off	Z22.S4.TD 2 off
DV.2097/35	NV20 Length 48' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2097/27			J7.T3 2 off	4W 2 off	Z22.S5.TB 2 off
DV.2097/36	NV20 Length 48' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2097/27			J7.T5 2 off	4W 2 off	Z22.S5.TC 2 off
DV.2097/37	NV20 Length 48' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2097/27			J7.T9 2 off	4W 2 off	Z22.S5.TD 2 off
DV.2097/38	NV20 Length 50' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	No Fitting			J7.T9 2 off	4W 2 off	Z22.S2.T2 2 off

RESTRICTED

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2097/39	NV20 Length 50' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	No Fitting			J7.T6 2 off	4W 2 off	Z22.S2.T1 2 off
DV.2122/39	NV16 Length 60' 0"	5E/4185	JP	31878 Ring Tongue	A-MP 1 off	5X/	HC.1189 Tag, Cranked	1 off	5X/7214	J7.R3.T8A 2 off	4L 2 off	P54.S5.T2 2 off
DV.2122/41	NV16 Length 25' 0"	5E/4185	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	Z5.M23.T4 2 off	4L 2 off	J7.P3.T7A 2 off
DV.2126/5	NV20 Length 24' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	Z1.M17.T4 2 off	3L 2 off	J7.R3.T5a 2 off

Argosy C. M.I.

RESTRICTED

RESTRICTED

Argosy C. Mk. I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
CV.2388	FLY-LEAD SET	J.8										
DV.2014 15	NV20 Length 3' 6"	5E 4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	150107 Extd. Ring Tongue	A-MP 1 off	5X	J8.T6 2 off	1V 2 off	P36.R4.TC2 2 off
DV.2014 16	NV20 Length 2' 7"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Ring Tongue 31884 Rubber Boot 16936/1	1 off 1 off	5X 2CZ/1793	J8.T6 2 off	1V 2 off	P36.M13.T4 2 off
DV.2014 19	NV20 Length 3' 6"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	150107 Extd. Ring Tongue	A-MP 1 off	5X	J8.T7 2 off	1V 2 off	P36.R5.TC2 2 off
DV.2014 20	NV20 Length 2' 1"	5E/4183	JP	323000 Slotted Tongue	1 off	5X/9450396	Ring Tongue 31884 Rubber Boot 16936/1	1 off 1 off	5X 5CZ/1793	J8.T7 2 off	1V 2 off	P36.M14.T4 2 off
DV 2015 26	NV22 Length 3' 10"	5E/4182	AJP	31879 Ring Tongue	A-MP 1 off	5X/	320440 Ring Tongue	A-MP 1 off	5X	J8.R3.T3 2 off	2V 2 off	J9.M3.T4 2 off
DV.2015 27	NV22 Length 3' 6"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	320440 Ring Tongue	A-MP 1 off	5X/	J8.R3.T1 2 off	2V 2 off	J9.M3.T5 2 off
DV.2015 28	NV22 Length 4' 1"	5E/4172	AJP	31879 Ring Tongue	A-MP 1 off	5X/	320440 Ring Tongue	A-MP 1 off	5X/	J8.R2.T3 2 off	2V 2 off	J9.M2.T4 2 off
DV.2015 29	NV22 Length 3' 10"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	320440 Ring Tongue	A-MP 1 off	5X/	J8.R2.T1 2 off	2V 2 off	J9.M2.T5 2 off
DV.2015 30	NV22 Length 4' 6"	5E/4182	AJP	31879 Ring Tongue	A-MP 1 off	5X/	320440 Ring Tongue	A-MP 1 off	5X/	J8.R1.T3 2 off	2V 2 off	J9.M1.T4 2 off
DV.2015 31	NV22 Length 4' 3"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	320440 Ring Tongue	A-MP 1 off	5X/	J8.R1.T1 2 off	2V 2 off	J9.M1.T5 2 off

Argosy C. MK.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2015/32	NV12 Length 10' 6"	5E/4187	KP	321500 Ring Tongue	A-MP 1 off	5X/	Socket 2CZ/111232 Cut Ferrule Z.14485/B Insulating Sleeve B.P.	} 1 off } 1 off } 1 off	5X/7174 5X/1383 5F/2344	J8.R6.T4 2 off	2V 2 off	P36.M6.D3+ 2 off
DV.2015/33	NV20 Length 6' 7"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31889 Ring Tongue	A-MP 1 off	5X/	J8.T5 2 off	2V 2 off	P36.M3.T2 2 off
DV.2015/34	NV20 Length 5' 4"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31889 Ring Tongue	A-MP 1 off	5X/	J8.T5 2 off	2V 2 off	P36.M2.T2 2 off

RESTRICTED

Argosy C. M.I.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
CV.2389	FLY-LEAD SET	J.9										
DV.2014/13	NV22 Length 12' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	Socket CZ.49015 1 off Outlet Set Acc. } 1 off 2CZ/108174	Z.560100 10H/	J9.R4.TX1 2 off	1V 2 off	P36.M9.D3.C 2 off	
DV.2014/17	NV22 Length 15' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	See Cable DV.2014/13		J9.R6.TX1 2 off	1V 2 off	P36.M10.D3.C 2 off	
DV.2016/6	NVMS16 Length 8' 9"	5E/4201	KP	31882 Ring Tongue	A-MP 1 off	5X/	Socket CZ.49216 1 off Outlet Set } 1 off 2CZ/108171	Z.560270 10H/	J9.R4.TA2 2 off	1X 2 off	P36.M9.D4.A 2 off	
DV.2016/7	NVMS16 Length 8' 9"	5E/4201	KP	323000 Slotted Tongue	A-MP 1 off	5X/	See Cable DV.2016/6		J9.T8 2 off	1X 2 off	P36.M9.D4.B 2 off	
DV.2016/8	NVMS16 Length 9' 10"	5E/4201	KP	31882 Ring Tongue	A-MP 1 off	5X/	See Cable DV.2016/6		J9.R6.TA2 2 off	1X 2 off	P36.M10.D4.A 2 off	
DV.2016/9	NVMS16 Length 9' 10"	5E/4201	KP	323000 Slotted Tongue	A-MP 1 off	5X/	See Cable DV.2016/6		J9.T7 2 off	1X 2 off	P36.M10.D4.B 2 off	
DV.2017/15	NVMS20 Length 9' 2"	5E/4199	JP	31882 Ring Tongue	A-MP 1 off	5X/	Ring Tongue 31878 3 off Nut Z.49046 1 off Cut-Ferrule } 1 off Z.23241/4	5X/ Z.970127 5K/27	J9.R1.T4A 2 off	2X 2 off	P36.M11.T1 2 off	
DV.2017/16	NVMS20 Length 9' 2"	5E/4199	JP	323000 Slotted Tongue	A-MP 1 off	5X/	See Cable DV.2017/15		J9.T8 2 off	2X 2 off	P36.M11.T2 2 off	
DV.2017/17	NVMS20 Length 9' 2"	5E/4199	JP	31882 Ring Tongue	A-MP 1 off	5X/	See Cable DV.2017/15		J9.R1.T2A 2 off	2X 2 off	P36.M11.T3 2 off	
DV.2017/18	NVM12 Length 4' 7"	5E/4203	KP	351500 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/ J9.R1.T3A 2 off	2X 2 off	P36.M2.TA 2 off	
DV.2017/19	NVM12 Length 4' 7"	5E/4203	KP	351500 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/ J9.R1.T1A 2 off	2X 2 off	P36.M2.TC 2 off	

Argosy C. Mk.1.

RESTRICTED

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2017/20	NVM12 Length 4' 7"	5E/4203	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	J9.T7 2 off	2X 2 off	P36.M2.TB 2 off
DV.2017/21	NVM12 Length 6' 11"	5E/4203	KP	351500 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	J9.R3.T2A 2 off	2X 2 off	P36.M3.TC 2 off
DV.2017/22	NVM12 Length 6' 11"	5E/4203	KP	351500 Ring Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	J9.R3.T4A 2 off	2X 2 off	P36.M3.TA 2 off
DV.2017/23	NVM12 Length 6' 11"	5E/4203	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	J9.T6 2 off	2X 2 off	P36.M3.TB 2 off

RESTRICTED

September 1963
TP27RESTRICTED
Argosy C. Mk.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
CV.2390 DV.2022/6	FLYLEAD SET 10 NV16 Length 16' 0"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31878 Ring Tongue	A-MP 1 off	5X/	Z4.M8.T2 2 off	2H 2 off	J10.R3.T4a 2 off
DV.2022/7	NV16 Length 16' 0"	5E/4185	JP	31884 Ring Tongue	A-MP 1 off	5X/9450393	31878 Ring Tongue	A-MP 1 off	5X/	Z4.M8.T1 2 off	2H 2 off	J10.R3.T2a 2 off
DV.2022/8	NV16 Length 10' 0"	5E/4185	JP	31882 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	Z4.M7.TB 2 off	2H 2 off	J10.M1.TL2 2 off
DV.2022/9	NV22 Length 6' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	Z4.M9.TC2 2 off	2H 2 off	J10.M1.TCT 2 off
DV.2022/10	NV16 Length 10' 0"	5E/4185	JP	31882 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	Z4.M7.TA 2 off	2H 2 off	J10.M1.TL1 2 off
DV.2022/11	NV22 Length 6' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	Z4.M9.TD3 2 off	2H 2 off	J10.M1.T5 2 off
DV.2022/12	NV22 Length 6' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31878 Ring Tongue	A-MP 1 off	5X/	Z4.M9.TD1 2 off	2H 2 off	J10.R3.TC 2 off
DV.2022/13	NV22 Length 6' 0"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	Z4.M9.TX2 2 off	2H 2 off	J10.R2.TA2 2 off
DV.2022/14	NV16 Length 10' 0"	5E/4185	JP	31882 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	Z4.M7.TA2 2 off	2H 2 off	J10.R1.TA3 2 off
DV.2022/15	NV16 Length 10' 0"	5E/4185	JP	31882 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	Z4.M7.TA 2 off	2H 2 off	J10.R1.TA1 2 off
DV.2022/96	NV22 Length 4' 6"	5E/4182	AJP	31878 Ring Tongue	A-MP 1 off	5X/	31879 Ring Tongue	A-MP 1 off	5X/	Z4.M9.TC1 2 off	2H 2 off	J10.M1.TT 2 off

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
CV.2391	FLY-LEAD SET	J.11										
DV.2018/152	NV20 Length 71' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J11.T35 2 off	1H 2 off	J12.T37 2 off
DV.2018/153	NV22 Length 14' 0"	5E/4182	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket Water Seal 4656 Filler Plug PC.14000 Filler Plug PC.14001 Insulating Sleeve A.P. Insulating Sleeve B.P.	1 off 1 off 9 off 2 off 2 off 14 off 1 off	5X/7192 5X/6882 5X/7241 5X/7243 5F/2336 5F/2344	J11.T35 2 off	1H 2 off	P39.D1.U 2 off
DV.2018/154	NV22 Length 14' 0"	5E/4182	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2018/153			J11.T36 2 off	1H 2 off	P37.D1.U 2 off
DV.2018/155	NV22 Length 71' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J11.T37 2 off	1H 2 off	J12.T38 2 off
DV.2018/156	NV22 Length 26' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J11.T37 2 off	1H 2 off	Z7.S7.T4 2 off
DV.2047/45	UT20 Length 23' 0"	5E/3894	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket Water Seal 4931/S Filler Plug PC.14000 Sleeve Z.49428 Insulating Sleeve A.P.	1 off 1 off 2 off 7 off 7 off	5X/7045 5X/7636 5X/7241 5X/1005131 5F/2336	J11.T42 2 off	2K 2 off	Z19.M23.9 2 off
DV.2047/46	UT20 Length 23' 0"	5E/3894	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2047/45			J11.T45 2 off	2K 2 off	Z19.M23.4 2 off
DV.2047/47	UT20 Length 23' 0"	5E/3894	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2047/45			J11.T46 2 off	2K 2 off	Z19.M23.3 2 off

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

September 1966
TP27 AL31

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2047/48	UT20 Length 15' 0"	5E/3894	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Single Plug } 1 off 5CZ/84870 } Coupling Nut } 1 off Z.61541 } Moulding Gasket } 1 off Z.23195 } Water Seal 4700 } 1 off Filler Plug } 1 off PC.14000 } Sleeve Z.49428 } 3 off Shroud Z.27441 } 1 off Insulating } 3 off Sleeve A.P. } Kit Size "A" } 1 off 2CZ/140244 }	5X/7030 5X/6301 5X/6167 5X/7360 5X/7241 5X/1005131 5X/3151 5F/2336 5X/7891	J11.T43 2 off	2K 2 off	Z19.D24.C 2 off	
DV.2047/51	UT20 Length 43' 0"	5E/3894	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2047/45		J11.T47 2 off	2K 2 off	Z17.M14.3 2 off	
DV.2047/52	UT20 Length 43' 0"	5E/3894	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2047/45		J11.T45 2 off	2K 2 off	Z17.M14.4 2 off	
DV.2047/53	UT20 Length 43' 0"	5E/3894	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2047/45		J11.T43 2 off	2K 2 off	Z17.M14.9 2 off	
DV.2047/58	UT20 Length 40' 0"	5E/3894	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2047/48		J11.T42 2 off	2K 2 off	Z17.D24.C 2 off	
DV.2052/37	NV22 Length 19' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 A-MP Ring Tongue 1 off	5X/	J11.T24 2 off	2W 2 off	P41.N4.T+ 2 off	
DV.2052/38	NV22 Length 19' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 A-MP Ring Tongue 1 off	5X/	J11.T22 2 off	2W 2 off	P41.N3.T+ 2 off	
DV.2052/39	NV22 Length 19' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 A-MP Ring Tongue 1 off	5X/	J11.T28 2 off	2W 2 off	P41.N1.T+ 2 off	
DV.2052/40	NV22 Length 19' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 A-MP Ring Tongue 1 off	5X/	J11.T26 2 off	2W 2 off	P41.N2.T+ 2 off	

RESTRICTED

Argosy C. M.I.

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2052/51	NV20 Length 14' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket Adaptor Sleeve Water Seal 4930 Filler Plug PC.14000 Elbow Assy. 2CZ/139944 Insulating Sleeve A.P.	1 off 2 off 1 off 2 off 1 off 2 off	5X/7039 5X/1005131 5X/7433 5X/7241 5X/8026 5F/2336	J11.T24 2 off	2W 2 off	Z7.M22.D1.C 2 off
DV.2052/52	NV20 Length 14' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket Adaptor Sleeve Water Seal 4930 Filler Plug PC.14000 Elbow Assy. 2CZ/139944 Insulating Sleeve A.P.	1 off 2 off 1 off 2 off 1 off 2 off	5X/7038 5X/1005131 5X/7433 5X/7241 5X/8026 5F/2336	J11.T22 2 off	2W 2 off	Z7.M22.D2.A 2 off
DV.2052/54	NV12 Length 3' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	J11.T10 2 off	2W 2 off	E137 2 off
DV.2052/56	UT20 Length 40' 0"	5E/3894	JP	323002 Slotted Tongue	A-MP 1 off	5X/	See Cable DV.2052/52			J11.T28 2 off	2W 2 off	Z9.M27.D2.A 2 off
DV.2052/57	UT20 Length 40' 0"	5E/3894	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2052/51			J11.T26 2 off	2W 2 off	Z9.M27.D1.C 2 off
DV.2052/60	NV12 Length 3' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	J11.T1 2 off	2W 2 off	E139 2 off
DV.2052/65	NV22 Length 19' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J11.T10 2 off	2W 2 off	P41.N4.T— 2 off
DV.2052/66	NV22 Length 19' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J11.T9 2 off	2W 2 off	P41.N3.T— 2 off

RESTRICTED
Argosy C. Mk.I.

RESTRICTED

September 1966
TP27 AL31

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2052/67	NV22 Length 19' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J11.T1 2 off	2W 2 off	P41.N1.T— 2 off
DV.2052/68	NV22 Length 19' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J11.T2 2 off	2W 2 off	P41.N2.T— 2 off
DV.2057/10	NV22 Length 26' 0"	5E/4182	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J11.T15 2 off	1G 2 off	Z7.S7.T6 2 off
DV.2057/11	NV20 Length 26' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J11.T16 2 off	1G 2 off	Z7.S7.T5 2 off
DV.2058/27	NV22 Length 17' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J11.T17 2 off	1D 2 off	Z13.S1.T2 2 off
DV.2058/29	NV22 Length 21' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J11.T18 2 off	1D 2 off	Z7.S4.T3 2 off
DV.2058/30	NV22 Length 14' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J11.T19 2 off	1D 2 off	Z7.S2.T2 2 off
DV.2059/11	NV20 Length 71' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J12.T30 2 off	7W 2 off	J11.T13 2 off
DV.2059/12	NV20 Length 71' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J12.T29 2 off	7W 2 off	J11.T11 2 off
DV.2059/19	NV20 Length 21' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J11.T12 2 off	7W 2 off	Z7.S3.T1 2 off
DV.2059/20	NV20 Length 21' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J11.T14 2 off	7W 2 off	Z7.S3.T2 2 off
DV.2061/18	NV20 Length 71' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J12.T47 2 off	3G 2 off	J11.T49 2 off
DV.2061/20	NV20 Length 71' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	J12.T46 2 off	3G 2 off	J11.T50 2 off

RESTRICTED
Argosy C. Mk. I

RESTRICTED

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2061/21	NV20 Length 14' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J11.T50 2 off	3G 2 off	Z7.S2.T4 2 off
DV.2061/24	NV20 Length 14' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J11.T48 2 off	3G 2 off	Z7.S2.T5 2 off
DV.2067/34	UT20 Length. 21' 0"	5E/3894	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket Adaptor Sleeve Water Seal 4930 Insulating Sleeve A.P.	1 off 4 off 4 off 4 off	5X/7039 5X/1005131 5X/7433 5F/2336	J11.T33 2 off	3H 2 off	Z19.M10.B 2 off
DV.2067/36	UT20 Length 21' 0"	5E/3894	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2067/34			J11.T32 2 off	3H 2 off	Z19.M10.D 2 off
DV.2067/40	UT20 Length 11' 0"	5E/3894	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Receptacle PT.06E-14- 19S Insulating Sleeve A.P.	1 off (Thorn) 7 off	5CZ/6632 5F/2336	J11.T33 2 off	3H 2 off	Z7.M28.M 2 off
DV.2067/43	UT20 Length 17' 0"	5E/3894	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket CZ.49017 Outlet Set. Acc. 2CZ/108178	1 off 1 off	Z.560120	J11.T31 2 off	3H 2 off	Z19.M12.B 2 off
DV.2067/49	UT22 Length 11' 0"	5E/3893	AJP	Receptacle PT.06E-14- 19S Insulating Sleeve A.P.	1 off (Thorn) 7 off	5CZ/6632 5F/2336	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z7.M28.F 2 off	3H 2 off	J11.T51 2 off
DV.2104/7	NV20 Length 19' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	150107 Ring Tongue	A-MP 1 off	5X/	J11.T39 2 off	6Q 2 off	P41.S3.T1 2 off
DV.2104/8	NV20 Length 19' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	150107 Ring Tongue	A-MP 1 off	5X/	J11.T38 2 off	6Q 2 off	P41.S4.T1 2 off

RESTRICTED
Argosy C. Mk.1.

RESTRICTED

Argosy C. Mk.I.

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
CV.2392	FLY-LEAD SET	J.12										
DV.2018/157	NV22 Length 26' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J12.T36 2 off	1H 2 off	Z8.S7.T4 2 off
DV.2018/158	NV22 Length 14' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket 2CZ/111238 Water Seal 4656 Filler Plug PC.14000 Filler Plug PC.14001 Insulating Sleeve A.P. Insulating Sleeve B.P.	1 off 1 off 9 off 2 off 2 off 14 off 1 off	5X/7192 5X/6882 5X/7241 5X/7243 5F/2336 5F/2344	J12.T36 2 off	1H 2 off	P45.D1.U 2 off
DV.2018/159	NV22 Length 14' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2018/158			J12.T37 2 off	1H 2 off	P43.D1.U 2 off
DV.2018/160	NV22 Length 26' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Tag, Cranked HC.1189	1 off	5X/7214	J12.T38 2 off	1H 2 off	Z8.S7.T5 2 off
DV.2020/439	NV22 Length 14' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	323000 Slotted Tongue	A-MP 1 off	5X/9450396	P46.T14 2 off	1H 2 off	J12.T60 2 off
DV.2047/32	UT20 Length 37' 0"	5E/3894	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket 2CZ/84875 Water Seal 4931'S Sleeve Z.49428 Filler Plug PC.14000 Insulating Sleeve A.P.	1 off 1 off 7 off 2 off 7 off	5X/7045 5X/7636 5X/1005131 5X/7241 5F/2336	J12.T43 2 off	2K 2 off	Z20.M14.9 2 off
DV.2047/33	UT20 Length 37' 0"	5E/3894	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2047/32			J12.T41 2 off	2K 2 off	Z20.M14.4 2 off
DV.2047/34	UT20 Length 37' 0"	5E/3894	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2047/32			J12.T42 2 off	2K 2 off	Z20.M14.3 2 off

Argosy C. MK.I.

RESTRICTED

RESTRICTED

September 1966
TP27
AL31

CABLE (ELECTRICAL) CHART

Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting ' A '		Ref. No.	End Fitting ' B '		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2047/37	UT20 Length 39' 0"	5E/3894	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Single Plug } 1 off 2CZ/84870 } Shroud Z.27441 } 1 off Coupling Nut } 1 off Z.61541 } Moulding Gasket } 1 off Z.23195 } Water Seal 4700 } 1 off Filler Plug } 1 off PC.14000 } Sleeve Z.49428 } 3 off Insulating } 3 off Sleeve A.P. } Kit Size "A" } 1 off 2CZ/140244 }	5X/7030 5X/3151 5X/6301 5X/6167 5X/7360 5X/7241 5X/1005131 5F/2336 5X/7891	J12.T44 2 off	2K 2 off	Z20.D24.C 2 off	
DV.2047/40	UT20 Length 17' 0"	5E/3894	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2047/37		J12.T44 2 off	2K 2 off	Z18.D24.C 2 off	
DV.2052/33	NV22 Length 19' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 A-MP Ring Tongue 1 off	5X/	J12.T24 2 off	2W 2 off	P48.N4.T+ 2 off	
DV.2052/34	NV22 Length 19' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 A-MP Ring Tongue 1 off	5X/	J12.T22 2 off	2W 2 off	P48.N3.T+ 2 off	
DV.2052/35	NV22 Length 19' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 A-MP Ring Tongue 1 off	J12.T28	J12.T28 2 off	2W 2 off	P48.N1.T+ 2 off	
DV.2052/36	NV22 Length 19' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 A-MP Ring Tongue 1 off	5X/	J12.T26 2 off	2W 2 off	P48.N2.T+ 2 off	
DV.2052/42	UT20 Length 39' 0"	5E/3894	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket 2CZ/84873 1 off Sleeve Z.49428 2 off Water Seal 4930 1 off Filler Plug } 2 off PC.14000 } Insulating } 2 off Sleeve A.P. } Elbow Assy. } 1 off 2CZ/139944 }	5X/7039 5X/1005131 5X/7433 5X/7241 5F/2336 5X/8026	J12.T22 2 off	2W 2 off	Z10.M27.D1C 2 off	

Argosy C. Mk.1.

RESTRICTED

RESTRICTED

CABLE (ELECTRICAL) CHART										
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'	Ref. No.	End Fitting 'B'	Ref. No.	Identification Sleeves		
								Marker No. 1	Code Marker	Marker No. 2
DV.2052/43	UT20 Length 39' 0"	5E/3894	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket 2CZ/84872 1 off Sleeve Z.49428 2 off Water Seal 4930 1 off Filler Plug } 2 off P4.14000 } Insulating } 2 off Sleeve A.P. } Elbow Assy. } 1 off 2CZ/139944	5X/7038 5X/1005131 5X/7433 5X/7241 5F/2336 5X/8026	J12.T24 2 off	2W 2 off Z10.M27.D2A 2 off
DV.2052/45	NV12 Length 3' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	J12.T10 2 off 2W 2 off E140 2 off
DV.2052/47	NV20 Length 14' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2052/43		J12.T26 2 off	3W 2 off Z8.M25.D2A 2 off
DV.2052/48	NV20 Length 14' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	See Cable DV.2052/42		J12.T28 2 off	2W 2 off Z8.M25.D1.C 2 off
DV.2052/59	NV12 Length 3' 0"	5E/4187	KP	323002 Slotted Tongue	A-MP 1 off	5X/	32544 Ring Tongue	A-MP 1 off	5X/	J12.T1 2 off 2W 2 off E138 2 off
DV.2052/61	NV22 Length 19' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J12.T1 2 off 2W 2 off P48.N4.T— 2 off
DV.2052/62	NV22 Length 19' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J12.T2 2 off 2W 2 off P.48.N3.T— 2 off
DV.2052/63	NV22 Length 19' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J12.T10 2 off 2W 2 off P48.N1.T— 2 off
DV.2052/64	NV22 Length 19' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J12.T9 2 off 2W 2 off P48.N2.T— 2 off
DV.2058/24	NV22 Length 14' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J12.T15 2 off 1D 2 off Z8.S2.T2 2 off
DV.2058/25	NV22 Length 21' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J12.T16 2 off 1D 2 off Z8.S4.T3 2 off

Argosy C. Mk.I.

RESTRICTED

RESTRICTED

September 1966
TP27 AL31

CABLE (ELECTRICAL) CHART												
Part No.	Cable Type Size	Ref. No.	Sleeve Size	End Fitting 'A'		Ref. No.	End Fitting 'B'		Ref. No.	Identification Sleeves		
										Marker No. 1	Code Marker	Marker No. 2
DV.2058/26	NV22 Length 17' 0"	5E/4182	AJP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J12.T17 2 off	1D 2 off	Z14.S1.T2 2 off
DV.2059/15	NV20 Length 21' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J12.T29 2 off	7W 2 off	Z8.S3.T1 2 off
DV.2059/16	NV20 Length 21' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J12.T30 2 off	7W 2 off	Z8.S3.T2 2 off
DV.2061/17	NV20 Length 14' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J12.T47 2 off	3G 2 off	Z8.S2.T5 2 off
DV.2061/19	NV20 Length 14' 0"	5E/4183	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	31878 Ring Tongue	A-MP 1 off	5X/	J12.T46 2 off	3G 2 off	Z8.S2.T4 2 off
DV.2067/23	UT20 Length 17' 0"	5E/3894	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Free Socket CZ.49017 Outlet Set Acc. 2CZ/108178	1 off 1 off	10H/ 0560120	J12.T31 2 off	3H 2 off	Z18.M12.B 2 off
DV.2067/28	UT20 Length 11' 0"	5E/3894	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Receptacle PT.06E-14-19S Insulating Sleeve A.P.	1 off 7 off	5CZ/6632 5F/2336	J12.T33 2 off	3H 2 off	Z8.M28.M 2 off
DV.2067/29	UT20 Length 22' 0"	5E/3894	JP	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Socket 2CZ/84873 Sleeve Z.49428 Water Seal 4930 Insulating Sleeve A.P.	1 off 4 off 1 off 4 off	5X/7039 5X/1005131 5X/4733 5F/2336	J12.T32 2 off	3H 2 off	Z18.M10.D 2 off
DV.2067/31	UT20 Length 22' 0"	5E/3894	JP	323000 Slotted Tongue	A-MP	5X/9450396	See Cable DV.2067/29			J12.T33 2 off	3H 2 off	Z18.M10.B 2 off
DV.2067/47	UT22 Length 11' 0"	5E/3893	AJP	Receptacle PT.06E-14-19S Insulating Sleeve A.P.	1 off 7 off	5CZ/6632 5F/2336	323000 Slotted Tongue	A-MP 1 off	5X/9450396	Z8.M28.F 2 off	3H 2 off	J12.T51 2 off

Argosy C. Mk.I.

RESTRICTED