

RESTRICTED

**Argosy C. MK.I.**

CABLE (ELECTRICAL CHARTS)

LIGHTING PANEL WIRING SET

Subject 6

**LIGHTING PANEL WIRING SET**

February 1967  
TP27 AL39

100-6

RESTRICTED

G.O. Rugby 378096 185 11/68 1803/1



CABLE (ELECTRICAL) CHART

| CABLE (ELECTRICAL) CHART                  |                       |          |                |                      |               |          |                      |               |          |                        |                |                  |
|-------------------------------------------|-----------------------|----------|----------------|----------------------|---------------|----------|----------------------|---------------|----------|------------------------|----------------|------------------|
| Part No.                                  | Cable Type<br>Size    | Ref. No. | Sleeve<br>Size | End Fitting<br>' A ' |               | Ref. No. | End Fitting<br>' B ' |               | Ref. No. | Identification Sleeves |                |                  |
|                                           |                       |          |                |                      |               |          |                      |               |          | Marker No. 1           | Code<br>Marker | Marker No. 2     |
| EV.2224 SHEET 2 WIRING SET P24 (LIGHTING) |                       |          |                |                      |               |          |                      |               |          |                        |                |                  |
| EV.2224/a                                 | NV22<br>Length 2' 1"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | S21.T3<br>2 off        | 7L<br>2 off    | L101.T1<br>2 off |
| EV.2224/b                                 | NV22<br>Length 1' 3"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L101.T1<br>2 off       | 7L<br>2 off    | L102.T1<br>2 off |
| EV.2224/c                                 | NV22<br>Length 1' 11" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L102.T1<br>2 off       | 7L<br>2 off    | L103.T1<br>2 off |
| EV.2224/e                                 | NV22<br>Length 2' 8"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L104.T1<br>2 off       | 7L<br>2 off    | L105.T1<br>2 off |
| EV.2224/f                                 | NV22<br>Length 10"    | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L105.T1<br>2 off       | 7L<br>2 off    | L106.T1<br>2 off |
| EV.2224/g                                 | NV22<br>Length 2' 2"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L106.T1<br>2 off       | 7L<br>2 off    | L107.T1<br>2 off |
| EV.2224/h                                 | NV22<br>Length 1' 2"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L107.T1<br>2 off       | 7L<br>2 off    | L108.T1<br>2 off |
| EV.2224/j                                 | NV22<br>Length 11"    | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L108.T1<br>2 off       | 7L<br>2 off    | L109.T1<br>2 off |
| EV.2224/k                                 | NV22<br>Length 1' 0"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L109.T1<br>2 off       | 7L<br>2 off    | L110.T1<br>2 off |
| EV.2224/l                                 | NV22<br>Length 11"    | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L110.T1<br>2 off       | 7L<br>2 off    | L111.R1<br>2 off |
| EV.2224/m                                 | NV22<br>Length 1' 0'  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L111.T1<br>2 off       | 7L<br>2 off    | L112.T1<br>2 off |
| EV.2224/n                                 | NV22<br>Length 9"     | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L112.T1<br>2 off       | 7L<br>2 off    | L113.T1<br>2 off |

RESTRICTED

RESTRICTED  
Argosy C. Mk.I.

RESTRICTED

October 1965  
AL22 TP27

## CABLE (ELECTRICAL) CHART

| Part No.   | Cable Type<br>Size    | Ref. No. | Sleeve<br>Size | End Fitting<br>'A'   |               | Ref. No. | End Fitting<br>'B'   |               | Ref. No. | Identification Sleeves |                |                  |
|------------|-----------------------|----------|----------------|----------------------|---------------|----------|----------------------|---------------|----------|------------------------|----------------|------------------|
|            |                       |          |                |                      |               |          |                      |               |          | Marker No. 1           | Code<br>Marker | Marker No. 2     |
| EV.2224/o  | NV22<br>Length 1' 9"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L113.T1<br>2 off       | 7L<br>2 off    | L114.T1<br>2 off |
| EV.2224/p  | NV22<br>Length 1' 7"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L115.T1<br>2 off       | 7L<br>2 off    | L116.T1<br>2 off |
| EV.2224/q  | NV22<br>Length 9"     | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L116.T1<br>2 off       | 7L<br>2 off    | L117.T1<br>2 off |
| EV.2224/r  | NV22<br>Length 6"     | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L117.T1<br>2 off       | 7L<br>2 off    | S21.T3<br>2 off  |
| EV.2224/s  | NV22<br>Length 2' 9"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | S21.T2<br>2 off        | 7L<br>2 off    | L120.T1<br>2 off |
| EV.2224/t  | NV22<br>Length 11"    | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L120.T1<br>2 off       | 7L<br>2 off    | L121.T1<br>2 off |
| EV.2224/u  | NV22<br>Length 3' 4"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L121.T1<br>2 off       | 7L<br>2 off    | L137.T1<br>2 off |
| EV.2224/v  | NV22<br>Length 2' 5"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L138.T1<br>2 off       | 7L<br>2 off    | L123.T1<br>2 off |
| EV.2224/w  | NV22<br>Length 1' 11" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L124.T1<br>2 off       | 7L<br>2 off    | L125.T1<br>2 off |
| EV.2224/x  | NV22<br>Length 10"    | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L125.T1<br>2 off       | 7L<br>2 off    | L126.T1<br>2 off |
| EV.2224/y  | NV22<br>Length 10"    | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L126.T1<br>2 off       | 7L<br>2 off    | L127.T1<br>2 off |
| EV.2224/z  | NV22<br>Length 11"    | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L127.T1<br>2 off       | 7L<br>2 off    | L128.T1<br>2 off |
| EV.2224/aa | NV22<br>Length 1' 0"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L128.T1<br>2 off       | 7L<br>2 off    | L129.T1<br>2 off |

RESTRICTED  
Argosy C. Mk.1.



CABLE (ELECTRICAL) CHART

| Part No.   | Cable Type<br>Size    | Ref. No. | Sleeve<br>Size | End Fitting<br>'A'   |               | Ref. No. | End Fitting<br>'B'   |               | Ref. No. | Identification Sleeves |                |                  |
|------------|-----------------------|----------|----------------|----------------------|---------------|----------|----------------------|---------------|----------|------------------------|----------------|------------------|
|            |                       |          |                |                      |               |          |                      |               |          | Marker No. 1           | Code<br>Marker | Marker No. 2     |
| EV.2224/ab | NV22<br>Length 10"    | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L129.T1<br>2 off       | 7L<br>2 off    | L130.T1<br>2 off |
| EV.2224/ac | NV22<br>Length 7"     | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L130.T1<br>2 off       | 7L<br>2 off    | L131.T1<br>2 off |
| EV.2224/ad | NV22<br>Length 10"    | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L131.T1<br>2 off       | 7L<br>2 off    | L132.T1<br>2 off |
| EV.2224/ae | NV22<br>Length 7"     | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L132.T1<br>2 off       | 7L<br>2 off    | L133.T1<br>2 off |
| EV.2224/af | NV22<br>Length 1' 11" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L133.T1<br>2 off       | 7L<br>2 off    | L134.T1<br>2 off |
| EV.2224/ag | NV22<br>Length 2' 8"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L135. T1<br>2 off      | 7L<br>2 off    | L136.T1<br>2 off |
| EV.2224/ah | NV22<br>Length 2' 0"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L136.T1<br>2 off       | 7L<br>2 off    | S21.T2<br>2 off  |
| EV.2224/aj | NV22<br>Length 1' 5"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L137.T1<br>2 off       | 7L<br>2 off    | L122.T1<br>2 off |
| EV.2224/ak | NV22<br>Length 1' 0"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L122.T1<br>2 off       | 7L<br>2 off    | L138.T1<br>2 off |
| EV.2224/al | NV22<br>Length 10"    | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L104.T1<br>2 off       | 7L<br>2 off    | L118.T1<br>2 off |
| EV.2224/am | NV22<br>Length 6"     | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L103.T1<br>2 off       | 7L<br>2 off    | L118.T1<br>2 off |
| EV.2224/an | NV22<br>Length 2' 7"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L119.T1<br>2 off       | 7L<br>2 off    | L116.T1<br>2 off |
| EV.2224/ao | NV22<br>Length 3' 4"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L139.T1<br>2 off       | 7L<br>2 off    | L136.T1<br>2 off |

RESTRICTED

Argosy C. Mk.I.

RESTRICTED

CABLE (ELECTRICAL) CHART

| Part No. | Cable Type<br>Size | Ref. No. | Sleeve<br>Size | End Fitting<br>'A' | Ref. No. | End Fitting<br>'B' | Ref. No. | Identification Sleeves |                |              |
|----------|--------------------|----------|----------------|--------------------|----------|--------------------|----------|------------------------|----------------|--------------|
|          |                    |          |                |                    |          |                    |          | Marker No. 1           | Code<br>Marker | Marker No. 2 |
|          |                    |          |                |                    |          |                    |          |                        |                |              |

## CABLE (ELECTRICAL) CHART

| CABLE (ELECTRICAL) CHART |                                  |          |                |                      |               |     |                      |               |     |                        |                |                  |
|--------------------------|----------------------------------|----------|----------------|----------------------|---------------|-----|----------------------|---------------|-----|------------------------|----------------|------------------|
| Part No.                 | Cable Type<br>Size               | Ref. No. | Sleeve<br>Size | End Fitting<br>'A'   |               |     | End Fitting<br>'B'   |               |     | Identification Sleeves |                |                  |
|                          |                                  |          |                |                      |               |     |                      |               |     | Marker No. 1           | Code<br>Marker | Marker No. 2     |
| <b>FV.2233</b>           | <b>WIRING SET P33 (LIGHTING)</b> |          |                |                      |               |     |                      |               |     |                        |                |                  |
| FV.2233/a                | NV22<br>Length 2' 0"             | 5E/4182  | AJP            | 31094<br>Ring Tongue | A-MP<br>1 off | 5X/ | 31094<br>Ring Tongue | A-MP<br>1 off | 5X/ | S78.T1+<br>2 off       | 5L<br>2 off    | S79.T1+<br>2 off |
| FV.2233/b                | NV22<br>Length 2' 0"             | 5E/4182  | AJP            | 31094<br>Ring Tongue | A-MP<br>1 off | 5X/ | 31094<br>Ring Tongue | A-MP<br>1 off | 5X/ | S78.T4+<br>2 off       | 5L<br>2 off    | S79.T4+<br>2 off |
| FV.2233/c                | NV22<br>Length 2' 0"             | 5E/4182  | AJP            | 31094<br>Ring Tongue | A-MP<br>1 off | 5X/ | No Fitting           |               |     | S78.T4<br>2 off        | 5L<br>2 off    | R+<br>2 off      |
| FV.2233/d                | NV22<br>Length 2' 0"             | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/ | No Fitting           |               |     | L122.T1<br>2 off       | 5L<br>2 off    | R+<br>2 off      |
| FV.2233/e                | NV22<br>Length 2' 0"             | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/ | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/ | L122.T1<br>2 off       | 5L<br>2 off    | L120.T1<br>2 off |
| FV.2233/f                | NV22<br>Length 2' 0"             | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/ | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/ | L118.T1<br>2 off       | 5L<br>2 off    | L120.T1<br>2 off |
| FV.2233/g                | NV22<br>Length 2' 0"             | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/ | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/ | L118.T1<br>2 off       | 5L<br>2 off    | L116.T1<br>2 off |
| FV.2233/h                | NV22<br>Length 2' 0"             | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/ | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/ | L114.T1<br>2 off       | 5L<br>2 off    | L116.T1<br>2 off |
| FV.2233/j                | NV22<br>Length 2' 0"             | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/ | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/ | L114.T1<br>2 off       | 5L<br>2 off    | L112.T1<br>2 off |
| FV.2233/k                | NV22<br>Length 2' 0"             | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/ | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/ | L110.T1<br>2 off       | 5L<br>2 off    | L112.T1<br>2 off |
| FV.2233/l                | NV22<br>Length 2' 0"             | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/ | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/ | L110.T1<br>2 off       | 5L<br>2 off    | L108.T1<br>2 off |
| FV.2233/m                | NV22<br>Length 2' 0"             | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/ | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/ | L106.T1<br>2 off       | 5L<br>2 off    | L108.T1<br>2 off |

RESTRICTED

October 1965  
AL22 TP27

| CABLE (ELECTRICAL) CHART |                      |          |                |                      |               |          |                      |               |          |                        |                |                  |
|--------------------------|----------------------|----------|----------------|----------------------|---------------|----------|----------------------|---------------|----------|------------------------|----------------|------------------|
| Part No.                 | Cable Type<br>Size   | Ref. No. | Sleeve<br>Size | End Fitting<br>'A'   |               | Ref. No. | End Fitting<br>'B'   |               | Ref. No. | Identification Sleeves |                |                  |
|                          |                      |          |                |                      |               |          |                      |               |          | Marker No. 1           | Code<br>Marker | Marker No. 2     |
| FV.2233/n                | NV22<br>Length 2' 0" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L106.T1<br>2 off       | 5L<br>2 off    | L104.T1<br>2 off |
| FV.2233/P                | NV22<br>Length 2' 0" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L102.T1<br>2 off       | 5L<br>2 off    | L104.T1          |
| FV.2233/q                | NV22<br>Length 2' 0" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31094<br>Ring Tongue | A-MP<br>1 off | 5X/      | L102.T1<br>2 off       | 5L<br>2 off    | S78.T3<br>2 off  |
| FV.2233/r                | NV22<br>Length 2' 0" | 5E/4182  | AJP            | 31094<br>Ring Tongue | A-MP<br>1 off | 5X/      | No Fitting           |               |          | S78.T1<br>2 off        | 5L<br>2 off    | Y+<br>2 off      |
| FV.2233/s                | NV22<br>Length 2' 0" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | No Fitting           |               |          | L123.T1<br>2 off       | 5L<br>2 off    | Y+<br>2 off      |
| FV.2233/t                | NV22<br>Length 2' 0" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L123.T1<br>2 off       | 5L<br>2 off    | L121.T1<br>2 off |
| FV.2233/u                | NV22<br>Length 2' 0" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L119.T1<br>2 off       | 5L<br>2 off    | L121.T1<br>2 off |
| FV.2233/v                | NV22<br>Length 2' 0" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP          | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L119.T1<br>2 off       | 5L<br>2 off    | L117.T1<br>2 off |
| FV.2233/w                | NV22<br>Length 2' 0" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L115.T1<br>2 off       | 5L<br>2 off    | L117.T1<br>2 off |
| FV.2233/x                | NV22<br>Length 2' 0" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L115.T1<br>2 off       | 5L<br>2 off    | L113.T1<br>2 off |
| FV.2233/y                | NV22<br>Length 2' 0" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L111.T1<br>2 off       | 5L<br>2 off    | L113.T1          |
| FV.2233/z                | NV22<br>Length 2' 0" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L111.T1<br>2 off       | 5L<br>2 off    | L102.T1<br>2 off |
| FV.2233/aa               | NV22<br>Length 2' 1" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L107.T1<br>2 off       | 5L<br>2 off    | L109.T1<br>2 off |

RESTRICTED  
Argosy C. Mk. I.



RESTRICTED

## CABLE (ELECTRICAL) CHART

| Part No.   | Cable Type<br>Size   | Ref. No. | Sleeve<br>Size | End Fitting<br>'A'   |               | Ref. No. | End Fitting<br>'B'   |               | Ref. No. | Identification Sleeves |                |                  |
|------------|----------------------|----------|----------------|----------------------|---------------|----------|----------------------|---------------|----------|------------------------|----------------|------------------|
|            |                      |          |                |                      |               |          |                      |               |          | Marker No. 1           | Code<br>Marker | Marker No. 2     |
| FV.2233/ab | NV22<br>Length 2' 1" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L107.T1<br>2 off       | 5L<br>2 off    | L105.T1<br>2 off |
| FV.2233/ac | NV22<br>Length 2' 1" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L103.T1<br>2 off       | 5L<br>2 off    | L105.T1<br>2 off |
| FV.2233/ad | NV22<br>Length 2' 1" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L103.T1<br>2 off       | 5L<br>2 off    | L101.T1<br>2 off |
| FV.2233/ae | NV22<br>Length 2' 1" | 5E/4182  | AJP            | 31094<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | S78.T2<br>2 off        | 5L<br>2 off    | L101.T1<br>2 off |
| FV.2233/af | NV22<br>Length 7"    | 5E/4182  | AJP            | 31094<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | S79.T4<br>2 off        | 5L<br>2 off    | L144.T1<br>2 off |
| FV.2233/ag | NV22<br>Length 2' 1" | 5E/4182  | AJP            | No Fitting           |               |          | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | R4+<br>2 off           | 5L<br>2 off    | L144.T1<br>2 off |
| FV.2233/ah | NV22<br>Length 2' 0" | 5E/4182  | AJP            | No Fitting           |               |          | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | R4+<br>2 off           | 5L<br>2 off    | L142.T1<br>2 off |
| FV.2233/aj | NV22<br>Length 1' 4" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L140.T1<br>2 off       | 5L<br>2 off    | L142.T1<br>2 off |
| FV.2233/ak | NV<br>Length 2' 0"   | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L140.T1<br>2 off       | 5L<br>2 off    | L138.T1<br>2 off |
| FV.2233/al | NV22<br>Length 1' 3" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L136.T1<br>2 off       | 5L<br>2 off    | L138.T1<br>2 off |
| FV.2233/am | NV22<br>Length 11"   | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L136.T1<br>2 off       | 5L<br>2 off    | L134.T1<br>2 off |
| FV.2233/an | NV22<br>Length 1' 0" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L132.T1<br>2 off       | 5L<br>2 off    | L134.T1<br>2 off |
| FV.2233/ap | NV22<br>Length 6' 0" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31094<br>Ring Tongue | A-MP<br>1 off | 5X/      | L132.T1<br>2 off       | 5L<br>2 off    | S79.T6<br>2 off  |

RESTRICTED  
Argosy C. M.I.

## CABLE (ELECTRICAL) CHART

| Part No.   | Cable Type<br>Size   | Ref. No. | Sleeve<br>Size | End Fitting<br>'A'   |               | Ref. No. | End Fitting<br>'B'   |               | Ref. No. | Identification Sleeves |                |                  |
|------------|----------------------|----------|----------------|----------------------|---------------|----------|----------------------|---------------|----------|------------------------|----------------|------------------|
|            |                      |          |                |                      |               |          |                      |               |          | Marker No. 1           | Code<br>Marker | Marker No. 2     |
| FV.2233/aq | NV22<br>Length 7"    | 5E/4182  | AJP            | 31094<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | S79.T3<br>2 off        | 5L<br>2 off    | L145.T1<br>2 off |
| FV.2233/ar | NV22<br>Length 2' 1" | 5E/4182  | AJP            | No Fitting           |               |          | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | Y4+<br>2 off           | 5L<br>2 off    | L145.T1<br>2 off |
| FV.2233/as | NV22<br>Length 2' 1" | 5E/4182  | AJP            | No Fitting           |               |          | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | Y4+<br>2 off           | 5L<br>2 off    | L143.T1<br>2 off |
| FV.2233/at | NV22<br>Length 10"   | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L141.T1<br>2 off       | 5L<br>2 off    | L143.T1<br>2 off |
| FV.2233/au | NV22<br>Length 1' 2" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L141.T1<br>2 off       | 5L<br>2 off    | L139.T1<br>2 off |
| FV.2233/av | NV22<br>Length 1' 8" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L137.T1<br>2 off       | 5L<br>2 off    | L139.T1<br>2 off |
| FV.2233/aw | NV22<br>Length 9"    | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L137.T1<br>2 off       | 5L<br>2 off    | L135.T1<br>2 off |
| FV.2233/ax | NV22<br>Length 9"    | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L133.T1<br>2 off       | 5L<br>2 off    | L135.T1<br>2 off |
| FV.2233/ay | NV22<br>Length 1' 5" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L133.T1<br>2 off       | 5L<br>2 off    | L131.T1<br>2 off |
| FV.2233/az | NV22<br>Length 6' 0" | 5E/4182  | AJP            | 31094<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | S79.T1<br>2 off        | 5L<br>2 off    | L131.T1<br>2 off |
| FV.2233/ba | NV22<br>Length 8' 0" | 5E/4182  | AJP            | 31094<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | S79.T5<br>2 off        | 5L<br>2 off    | L164.T1<br>2 off |
| FV.2233/bb | NV22<br>Length 1' 9" | 5E/4182  | AJP            | No Fitting           |               |          | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | R2+<br>2 off           | 5L<br>2 off    | L164.T1<br>2 off |
| FV.2233/bc | NV22<br>Length 1' 4" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | R2+<br>2 off           | 5L<br>2 off    | L162.T1<br>2 off |

RESTRICTED

October 1965  
AL22 TP27

RESTRICTED  
Argosy C. Mk. I.

## CABLE (ELECTRICAL) CHART

| Part No.   | Cable Type<br>Size    | Ref. No. | Sleeve<br>Size | End Fitting<br>'A'   |               | Ref. No. | End Fitting<br>'B'   |               | Ref. No. | Identification Sleeves |                |                  |
|------------|-----------------------|----------|----------------|----------------------|---------------|----------|----------------------|---------------|----------|------------------------|----------------|------------------|
|            |                       |          |                |                      |               |          |                      |               |          | Marker No. 1           | Code<br>Marker | Marker No. 2     |
| FV.2233/bd | NV22<br>Length 1' 4"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L160.T1<br>2 off       | 5L<br>2 off    | L162.T1<br>2 off |
| FV.2233/be | NV22<br>Length 1' 4"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L160.T1<br>2 off       | 5L<br>2 off    | L158.T1<br>2 off |
| FV.2233/bf | NV22<br>Length 1' 11" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L156.T1<br>2 off       | 5L<br>2 off    | L158.T1<br>2 off |
| FV.2233/bg | NV22<br>Length 2' 3"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L156.T1<br>2 off       | 5L<br>2 off    | L154.T1<br>2 off |
| FV.2233/bh | NV22<br>Length 1' 10" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L152.T1<br>2 off       | 5L<br>2 off    | L154.T1<br>2 off |
| FV.2233/bj | NV22<br>Length 8' 0"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31094<br>Ring Tongue | A-MP<br>1 off | 5X/      | L152.T1<br>2 off       | 5L<br>2 off    | S79.T4<br>2 off  |
| FV.2233/bk | NV22<br>Length 8' 0"  | 5E/4182  | AJP            | 31094<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | S79.T2<br>2 off        | 5L<br>2 off    | L163.T1<br>2 off |
| FV.2233/bl | NV22<br>Length 1' 11" | 5E/4182  | AJP            | No Fitting           |               |          | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | V2+<br>2 off           | 5L<br>2 off    | L163.T1<br>2 off |
| FV.2233/bm | NV22<br>Length 1' 9"  | 5E/4182  | AJP            | No Fitting           |               |          | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | V2+<br>2 off           | 5L<br>2 off    | L161.T1<br>2 off |
| FV.2233/bn | NV22<br>Length 1' 5"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L159.T1<br>2 off       | 5L<br>2 off    | L161.T1<br>2 off |
| FV.2233/bp | NV22<br>Length 2' 5"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L159.T1<br>2 off       | 5L<br>2 off    | L157.T1<br>2 off |
| FV.2233/bq | NV22<br>Length 1' 6"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L155.T1<br>2 off       | 5L<br>2 off    | L157.T1<br>2 off |
| FV.2233/br | NV22<br>Length 2' 6"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L155.T1<br>2 off       | 5L<br>2 off    | L153.T1<br>2 off |



## CABLE (ELECTRICAL) CHART

| Part No.   | Cable Type<br>Size    | Ref. No. | Sleeve<br>Size | End Fitting<br>'A'   |               | Ref. No. | End Fitting<br>'B'   |               | Ref. No. | Identification Sleeves |                |                   |
|------------|-----------------------|----------|----------------|----------------------|---------------|----------|----------------------|---------------|----------|------------------------|----------------|-------------------|
|            |                       |          |                |                      |               |          |                      |               |          | Marker No. 1           | Code<br>Marker | Marker No. 2      |
| FV.2233/bs | NV22<br>Length 1' 11" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L151.T1<br>2 off       | 5L<br>2 off    | L153.T1<br>2 off  |
| FV.2233/bt | NV22<br>Length 8' 0"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31094<br>Ring Tongue | A-MP<br>1 off | 5X/      | L151.T1<br>2 off       | 5L<br>2 off    | S79.T3<br>2 off   |
| FV.2233/bu | NV22<br>Length 2' 1"  | 5E/4182  | AJP            | 31094<br>Ring Tongue | A-MP<br>1 off | 5X/      | No Fitting           |               |          | S79.T5<br>2 off        | 5L<br>2 off    | L194.T1<br>2 off  |
| FV.2233/bv | NV22<br>Length 1' 9"  | 5E/4182  | AJP            | No Fitting           |               |          | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | R3+<br>2 off           | 5L<br>2 off    | L188.T1<br>2 off  |
| FV.2233/bw | NV22<br>Length 1' 9"  | 5E/4182  | AJP            | No Fitting           |               |          | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | R3+<br>2 off           | 5L<br>2 off    | L186.T1<br>2 off  |
| FV.2233/bx | NV22<br>Length 1' 3"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L184.T1<br>2 off       | 5L<br>2 off    | L186.1T1<br>2 off |
| FV.2233/by | NV22<br>Length 11"    | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L184.T1<br>2 off       | 5L<br>2 off    | L182.T1<br>2 off  |
| FV.2233/bz | NV22<br>Length 10"    | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L180.T1<br>2 off       | 5L<br>2 off    | L182.T1<br>2 off  |
| FV.2233/ca | NV22<br>Length 8"     | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L180.T1<br>2 off       | 5L<br>2 off    | L178.T1<br>2 off  |
| FV.2233/cb | NV22<br>Length 10"    | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L176.T1<br>2 off       | 5L<br>2 off    | L178.T1<br>2 off  |
| FV.2233/cc | NV22<br>Length 1' 8"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L176.T1<br>2 off       | 5L<br>2 off    | L174.T1<br>2 off  |
| FV.2233/cd | NV22<br>Length 10"    | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L172.T1<br>2 off       | 5L<br>2 off    | L174.T1<br>2 off  |
| FV.2233/ce | NV22<br>Length 8' 0"  | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31094<br>Ring Tongue | A-MP<br>1 off | 5X/      | L172.T1<br>2 off       | 5L<br>2 off    | S79.T6<br>2 off   |

RESTRICTED

October 1965  
AL22 T727

Argosy C. M.I.

RESTRICTED

## CABLE (ELECTRICAL) CHART

| Part No.   | Cable Type<br>Size   | Ref. No. | Sleeve<br>Size | End Fitting<br>'A'   |               | Ref. No. | End Fitting<br>'B'   |               | Ref. No. | Identification Sleeves |                |                  |
|------------|----------------------|----------|----------------|----------------------|---------------|----------|----------------------|---------------|----------|------------------------|----------------|------------------|
|            |                      |          |                |                      |               |          |                      |               |          | Marker No. 1           | Code<br>Marker | Marker No. 2     |
| FV.2233/cf | NV22<br>Length 8' 0" | 5E/4182  | AJP            | 31094<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | S79.T2<br>2 off        | 5L<br>2 off    | L185.T1<br>2 off |
| FV.2233/cg | NV22<br>Length 1' 9" | 5E/4182  | AJP            | No Fitting           |               |          | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | Y3+<br>2 off           | 5L<br>2 off    | L185.T1<br>2 off |
| FV.2233/ch | NV22<br>Length 1' 9" | 5E/4182  | AJP            | No Fitting           |               |          | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | Y3+<br>2 off           | 5L<br>2 off    | L183.T1<br>2 off |
| FV.2233/cj | NV22<br>Length 10"   | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L181.T1<br>2 off       | 5L<br>2 off    | L183.T1<br>2 off |
| FV.2233/ck | NV22<br>Length 1' 5" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L181.T1<br>2 off       | 5L<br>2 off    | L179.T1<br>2 off |
| FV.2233/cl | NV22<br>Length 1' 2" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L177.T1<br>2 off       | 5L<br>2 off    | L179.T1<br>2 off |
| FV.2233/cm | NV22<br>Length 10"   | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L177.T1<br>2 off       | 5L<br>2 off    | L175.T1<br>2 off |
| FV.2233/cn | NV22<br>Length 9"    | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L173.T1<br>2 off       | 5L<br>2 off    | L175.T1<br>2 off |
| FV.2233/cp | NV22<br>Length 11"   | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L173.T1<br>2 off       | 5L<br>2 off    | L171.T1<br>2 off |
| FV.2233/cq | NV22<br>Length 8' 0" | 5E/4182  | AJP            | 31094<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | S79.T1<br>2 off        | 5L<br>2 off    | L171.T1<br>2 off |
| FV.2233/cr | NV22<br>Length 8' 0" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31094<br>Ring Tongue | A-MP<br>1 off | 5X/      | L188.T1<br>2 off       | 5L<br>2 off    | L190.T1<br>2 off |
| FV.2233/cs | NV22<br>Length 1' 7" | 5E/4182  | AJP            | No Fitting           |               |          | 31094<br>Ring Tongue | A-MP<br>1 off | 5X/      | L194.T1<br>2 off       | 5L<br>2 off    | L192.T1<br>2 off |
| FV.2233/t  | NV22<br>Length 1' 7" | 5E/4182  | AJP            | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | L190.T1<br>2 off       | 5L<br>2 off    | L192.T1<br>2 off |

RESTRICTED

Argosy C. Mk.I.

# CABLE (ELECTRICAL) CHART

| Part No.  | Cable Type<br>Size   | Ref. No. | Sleeve<br>Size | End Fitting<br>'A' | Ref. No. | End Fitting<br>'B'                          | Ref. No.   | Identification Sleeves |                |              |
|-----------|----------------------|----------|----------------|--------------------|----------|---------------------------------------------|------------|------------------------|----------------|--------------|
|           |                      |          |                |                    |          |                                             |            | Marker No. 1           | Code<br>Marker | Marker No. 2 |
| FV.2233/u | NV22<br>Length 2' 1" | 5E/4182  | AJP            | No Fitting         |          | 323000<br>Slotted Tongue      A-MP<br>1 off | 5X/9450396 | L194.T2<br>2 off       | 5L<br>2 off    | T62<br>2 off |

RESTRICTED

RESTRICTED

| CABLE (ELECTRICAL) CHART |                                  |          |                |                      |               |          |                          |               |            |                        |                |                |
|--------------------------|----------------------------------|----------|----------------|----------------------|---------------|----------|--------------------------|---------------|------------|------------------------|----------------|----------------|
| Part No.                 | Cable Type<br>Size               | Ref. No. | Sleeve<br>Size | End Fitting<br>'A'   |               | Ref. No. | End Fitting<br>'B'       |               | Ref. No.   | Identification Sleeves |                |                |
|                          |                                  |          |                |                      |               |          |                          |               |            | Marker No. 1           | Code<br>Marker | Marker No. 2   |
| DV.2256                  | WIRING SET ZONE P56/1 (LIGHTING) |          |                |                      |               |          |                          |               |            |                        |                |                |
| DV.2256/a                | UT20<br>Length 3' 6"             | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L1.P56/1.M23<br>1 off  | 4L<br>2 off    | L1.T1<br>2 off |
| DV.2256/b                | UT20<br>Length 3' 9"             | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L2.P56/1.M23<br>1 off  | 4L<br>2 off    | L2.T2<br>2 off |
| DV.2256/c                | UT20<br>Length 4' 0"             | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L3.P56/1.M23<br>1 off  | 4L<br>2 off    | L3.T2<br>1 off |
| DV.2256/d                | UT20<br>Length 4' 2"             | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L4.P56/1.M23<br>1 off  | 4L<br>2 off    | L4.T3<br>1 off |
| DV.2256/e                | UT20<br>Length 3' 10"            | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 32300<br>Slotted Tongue  | A-MP<br>1 off | 5X/9450396 | L5.P56/1.M23<br>1 off  | 4L<br>2 off    | L5.T5<br>1 off |
| DV.2256/f                | UT20<br>Length 4' 3"             | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L6.P56/1.M23<br>1 off  | 4L<br>2 off    | L6.T6<br>1 off |
| DV.2256                  | WIRING SET P56/2 (LIGHTING)      |          |                |                      |               |          |                          |               |            |                        |                |                |
| DV.2256/a                | UT20<br>Length 2' 9"             | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L1.P56/2.M24<br>1 off  | 4L<br>2 off    | L1.T1<br>1 off |
| DV.2256/b                | UT20<br>Length 3' 0"             | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L2.P56/2.M23<br>1 off  | 4L<br>2 off    | L2.T2<br>1 off |
| DV.2256/c                | UT20<br>Length 3' 3"             | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L3.P56/2.M24<br>1 off  | 4L<br>2 off    | L3.T2<br>1 off |
| DV.2256/d                | UT20<br>Length 3' 5"             | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L4.P56/2.M24<br>1 off  | 4L<br>2 off    | L4.T3<br>1 off |
| DV.2256/e                | UT20<br>Length 3' 1"             | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L5.P56/2.M24<br>1 off  | 4L<br>2 off    | L5.T4<br>1 off |
| DV.2256/f                | UT20<br>Length 3' 6"             | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L6.P56/2.M24<br>1 off  | 4L<br>2 off    | L6.T5<br>1 off |

RESTRICTED  
Argosy C. Mk.I.



## CABLE (ELECTRICAL) CHART

| Part No.  | Cable Type<br>Size          | Ref. No. | Sleeve<br>Size | End Fitting<br>'A'   |               | Ref. No. | End Fitting<br>'B'       |               | Ref. No.   | Identification Sleeves |                |                |
|-----------|-----------------------------|----------|----------------|----------------------|---------------|----------|--------------------------|---------------|------------|------------------------|----------------|----------------|
|           |                             |          |                |                      |               |          |                          |               |            | Marker No. 1           | Code<br>Marker | Marker No. 2   |
| DV.2256   | WIRING SET P56/3 (LIGHTING) |          |                |                      |               |          |                          |               |            |                        |                |                |
| DV.2256/a | UT20<br>Length 2' 0"        | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L1.P56/3.M25<br>1 off  | 4L<br>2 off    | L1.T1<br>1 off |
| DV.2256/b | UT20<br>Length 1' 8"        | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L2.P56/3.M25<br>1 off  | 4L<br>2 off    | L2.T2<br>1 off |
| DV.2256/c | UT20<br>Length 1' 6"        | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L3.P56/3.M25<br>1 off  | 4L<br>2 off    | L3.T2<br>1 off |
| DV.2256/d | UT20<br>Length 1' 4"        | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L4.P56/3.M25<br>1 off  | 4L<br>2 off    | L4.T3<br>1 off |
| DV.2256/e | UT20<br>Length 1' 8"        | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L5.P56/3.M25<br>1 off  | 4L<br>2 off    | L5.T4<br>1 off |
| DV.2256/f | UT20<br>Length 1' 3"        | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L6.P56/3.M25<br>1 off  | 4L<br>2 off    | L6.T5<br>1 off |
| DV.2256   | WIRING SET P56/1 (LIGHTING) |          |                |                      |               |          |                          |               |            |                        |                |                |
| DV.2256/a | UT20<br>Length 1' 6"        | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L1.P56/4.M26<br>1 off  | 4L<br>2 off    | L1.T1<br>1 off |
| DV.2256/b | UT20<br>Length 1' 9"        | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L2.P56/4.M26<br>1 off  | 4L<br>2 off    | L2.T2<br>1 off |
| DV.2256/c | UT20<br>Length 2' 0"        | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L3.P56/4.M26<br>1 off  | 4L<br>2 off    | L3.T2<br>1 off |
| DV.2256/d | UT20<br>Length 2' 2"        | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L4.P56/4.M26<br>1 off  | 4L<br>2 off    | L4.T3<br>1 off |
| DV.2256/e | UT20<br>Length 1' 10"       | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L5.P56/4.M26<br>1 off  | 4L<br>2 off    | L5.T4<br>1 off |
| DV.2256/f | UT20<br>Length 2' 3"        | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L6.P56/4.M26<br>1 off  | 4L<br>2 off    | L6.T5<br>1 off |

RESTRICTED

October 1965  
ATA TT7RESTRICTED  
Argosy C. Mk.I.

RESTRICTED

## CABLE (ELECTRICAL) CHART

| Part No.       | Cable Type<br>Size                 | Ref. No. | Sleeve<br>Size | End Fitting<br>'A'   |               | Ref. No. | End Fitting<br>'B'       |               | Ref. No.   | Identification Sleeves |                |                |
|----------------|------------------------------------|----------|----------------|----------------------|---------------|----------|--------------------------|---------------|------------|------------------------|----------------|----------------|
|                |                                    |          |                |                      |               |          |                          |               |            | Marker No. 1           | Code<br>Marker | Marker No. 2   |
| <b>DV.2256</b> | <b>WIRING SET P56/5 (LIGHTING)</b> |          |                |                      |               |          |                          |               |            |                        |                |                |
| DV.2256/a      | UT20<br>Length 2' 8"               | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L1.P56/5.M27<br>1 off  | 4L<br>2 off    | L1.T1<br>1 off |
| DV.2256/b      | UT20<br>Length 2' 5"               | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L2.P56/5.M27<br>1 off  | 4L<br>2 off    | L2.T2<br>1 off |
| DV.2256/c      | UT20<br>Length 2' 2"               | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L3.P56/5.M27<br>1 off  | 4L<br>2 off    | L3.T2<br>1 off |
| DV.2256/d      | UT20<br>Length 2' 0"               | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L4.P56/5.M27<br>1 off  | 4L<br>2 off    | L4.T3<br>1 off |
| DV.2256/e      | UT20<br>Length 2' 4"               | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L5.P56/5.M27<br>1 off  | 4L<br>2 off    | L5.T4<br>1 off |
| DV.2256/f      | UT20<br>Length 1' 11"              | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L6.P56/5.M27<br>1 off  | 4L<br>2 off    | L6.T5<br>1 off |
| <b>DV.2256</b> | <b>WIRING SET P56/6 (LIGHTING)</b> |          |                |                      |               |          |                          |               |            |                        |                |                |
| DV.2256/a      | UT20<br>Length 2' 8"               | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L1.P56/6.M28<br>1 off  | 4L<br>2 off    | L1.T1<br>1 off |
| DV.2256/b      | UT20<br>Length 2' 4"               | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L2.P56/6.M28<br>1 off  | 4L<br>2 off    | L2.T2<br>1 off |
| DV.2256/c      | UT20<br>Length 2' 2"               | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L3.P56/6.M28<br>1 off  | 4L<br>2 off    | L3.T2<br>1 off |
| DV.2256/d      | UT20<br>Length 2' 0"               | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L4.P56/6.M28<br>1 off  | 4L<br>2 off    | L4.T3<br>1 off |
| DV.2256/e      | UT20<br>Length 2' 4"               | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L5.P56/6.M28<br>1 off  | 4L<br>2 off    | L5.T4<br>1 off |
| DV.2256/f      | UT20<br>Length 1' 11"              | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L6.P56/6.M28<br>1 off  | 4L<br>2 off    | L6.T5<br>1 off |

RESTRICTED  
Argosy C. MK.I.

## CABLE (ELECTRICAL) CHART

| Part No.  | Cable Type<br>Size          | Ref. No. | Sleeve<br>Size | End Fitting<br>'A'   |               | Ref. No. | End Fitting<br>'B'       |               | Ref. No.   | Identification Sleeves |                |                |
|-----------|-----------------------------|----------|----------------|----------------------|---------------|----------|--------------------------|---------------|------------|------------------------|----------------|----------------|
|           |                             |          |                |                      |               |          |                          |               |            | Marker No. 1           | Code<br>Marker | Marker No. 2   |
| DV.2256   | WIRING SET P56/7 (LIGHTING) |          |                |                      |               |          |                          |               |            |                        |                |                |
| DV.2256/a | UT20<br>Length 1' 9"        | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L1.P56/7.M29<br>1 off  | 4L<br>2 off    | L1.T1<br>1 off |
| DV.2256/b | UT20<br>Length 2' 0"        | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L2.P56/7.M29<br>1 off  | 4L<br>2 off    | L2.T2<br>1 off |
| DV.2256/c | UT20<br>Length 2' 3"        | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L3.P56/7.M29<br>1 off  | 4L<br>2 off    | L3.T2<br>1 off |
| DV.2256/d | UT20<br>Length 2' 5"        | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L4.P56/7.M29<br>1 off  | 4L<br>2 off    | L4.T3<br>1 off |
| DV.2256/e | UT20<br>Length 2' 1"        | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L5.P56/7.M29<br>1 off  | 4L<br>2 off    | L5.T4<br>1 off |
| DV.2256/f | UT20<br>Length 2' 6"        | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L6.P56/7.M29<br>1 off  | 4L<br>2 off    | L6.T5<br>1 off |
| DV.2256   | WIRING SET P56/8 (LIGHTING) |          |                |                      |               |          |                          |               |            |                        |                |                |
| DV.2256/a | UT20<br>Length 1' 9"        | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L1.P56/8.M30<br>1 off  | 4L<br>2 off    | L1.T1<br>1 off |
| DV.2256/b | UT20<br>Length 2' 0"        | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L2.P56/8.M30<br>1 off  | 4L<br>2 off    | L2.T2<br>1 off |
| DV.2256/c | UT20<br>Length 2' 3"        | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L3.P56/8.M30<br>1 off  | 4L<br>2 off    | L3.T2<br>1 off |
| DV.2256/d | UT20<br>Length 2' 5"        | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L4.P56/8.M30<br>1 off  | 4L<br>2 off    | L4.T3<br>1 off |
| DV.2256/e | UT20<br>Length 2' 1"        | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | P5.P56/8.M30<br>1 off  | 4L<br>2 off    | L5.T4<br>1 off |
| DV.2256/f | UT20<br>Length 2' 6"        | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L6.P56/8.M30<br>1 off  | 4L<br>2 off    | L6.T5<br>1 off |

RESTRICTED

October 1965  
ALZ  
TPZ

Argosy C. M.I.

RESTRICTED



RESTRICTED

## CABLE (ELECTRICAL) CHART

| Part No.       | Cable Type<br>Size                  | Ref. No. | Sleeve<br>Size | End Fitting<br>'A'   |               | Ref. No. | End Fitting<br>'B'       |               | Ref. No.   | Identification Sleeves |                |                |
|----------------|-------------------------------------|----------|----------------|----------------------|---------------|----------|--------------------------|---------------|------------|------------------------|----------------|----------------|
|                |                                     |          |                |                      |               |          |                          |               |            | Marker No. 1           | Code<br>Marker | Marker No. 2   |
| <b>DV.2256</b> | <b>WIRING SET P56/9 (LIGHTING)</b>  |          |                |                      |               |          |                          |               |            |                        |                |                |
| DV.2256/a      | UT20<br>Length 2' 0"                | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L1.P56/9.M31<br>1 off  | 4L<br>2 off    | L1.T1<br>1 off |
| DV.2256/b      | UT20<br>Length 1' 8"                | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L2.P56/9.M31<br>1 off  | 4L<br>2 off    | L2.T2<br>1 off |
| DV.2256/c      | UT20<br>Length 1' 5"                | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L3.P56/9.M31<br>1 off  | 4L<br>2 off    | L3.T2<br>1 off |
| DV.2256/d      | UT20<br>Length 1' 2"                | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L4.P56/9.M31<br>1 off  | 4L<br>2 off    | L4.T3<br>1 off |
| DV.2256/e      | UT20<br>Length 1' 7"                | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L5.P56/9.M31<br>1 off  | 4L<br>2 off    | L5.T4<br>1 off |
| DV.2256/f      | UT20<br>Length 1' 3"                | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L6.P56/9.M31<br>1 off  | 4L<br>2 off    | L6.T5<br>1 off |
| <b>DV.2256</b> | <b>WIRING SET P56/10 (LIGHTING)</b> |          |                |                      |               |          |                          |               |            |                        |                |                |
| DV.2256/a      | UT20<br>Length 2' 0"                | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L1.P56/10.M32<br>1 off | 4L<br>2 off    | L1.T1<br>1 off |
| DV.2256/b      | UT20<br>Length 1' 7"                | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L2.P56/10.M32<br>1 off | 4L<br>2 off    | L2.T2<br>1 off |
| DV.2256/c      | UT20<br>Length 1' 5"                | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L3.P56/10.M32<br>1 off | 4L<br>2 off    | L3.T2<br>1 off |
| DV.2256/d      | UT20<br>Length 1' 2"                | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L4.P56/10.M32<br>1 off | 4L<br>2 off    | L4.T3<br>1 off |
| DV.2256/e      | UT20<br>Length 1' 7"                | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L5.P56/10.M32<br>1 off | 4L<br>2 off    | L5.T4<br>1 off |
| DV.2256/f      | UT20<br>Length 1' 3"                | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L6.P56/10.M32<br>1 off | 4L<br>1 off    | L6.T5<br>1 off |

RESTRICTED  
Argosy C. Mk.I.



## CABLE (ELECTRICAL) CHART

| Part No.       | Cable Type<br>Size   | Ref. No.                 | Sleeve<br>Size | End Fitting<br>'A'   |               | Ref. No. | End Fitting<br>'B'       |               | Ref. No.   | Identification Sleeves |                |                |
|----------------|----------------------|--------------------------|----------------|----------------------|---------------|----------|--------------------------|---------------|------------|------------------------|----------------|----------------|
|                |                      |                          |                |                      |               |          |                          |               |            | Marker No. 1           | Code<br>Marker | Marker No. 2   |
| <b>DV.2256</b> | <b>WIRING SET</b>    | <b>P56/11 (LIGHTING)</b> |                |                      |               |          |                          |               |            |                        |                |                |
| DV.2256/a      | UT20<br>Length 2' 0" | 5E/3894                  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L1.P56/11.M33<br>1 off | 4L<br>1 off    | L1.T1<br>1 off |
| DV.2256/b      | UT20<br>Length 1' 8" | 5E/3894                  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L2.P56/11.M33<br>1 off | 4L<br>2 off    | L2.T2<br>1 off |
| DV.2256/c      | UT20<br>Length 1' 5" | 5E/3894                  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L3.P56/11.M33<br>1 off | 4L<br>2 off    | L3.T2<br>1 off |
| DV.2256/d      | UT20<br>Length 1' 2" | 5E/3894                  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L4.P56/11.M33<br>1 off | 4L<br>2 off    | L4.T3<br>1 off |
| DV.2256/e      | UT20<br>Length 1' 8" | 5E/3894                  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L5.P56/11.M33<br>1 off | 4L<br>2 off    | L5.T4<br>1 off |
| DV.2256/f      | UT20<br>Length 1' 3" | 5E/3894                  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L6.P56/11.M33<br>1 off | 4L<br>2 off    | L6.T5<br>1 off |
| <b>DV.2256</b> | <b>WIRING SET</b>    | <b>P56/12 (LIGHTING)</b> |                |                      |               |          |                          |               |            |                        |                |                |
| DV.2256/a      | UT20<br>Length 2' 0" | 5E/3894                  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L1.P56/12.M34<br>1 off | 4L<br>2 off    | L1.T1<br>1 off |
| DV.2256/b      | UT20<br>Length 1' 8" | 5E/3894                  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L2.P56/12.M34<br>1 off | 4L<br>2 off    | L2.T2<br>1 off |
| DV.2256/c      | UT20<br>Length 1' 5" | 5E/3894                  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L3.P56/12.M34<br>1 off | 4L<br>2 off    | L3.T2<br>1 off |
| DV.2256/d      | UT20<br>Length 1' 2" | 5E/3894                  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L4.P56/12.M34<br>1 off | 4L<br>2 off    | L4.T3<br>1 off |
| DV.2256/e      | UT20<br>Length 1' 7" | 5E/3894                  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L5.P56/12.M34<br>1 off | 4L<br>2 off    | L5.T4<br>1 off |
| DV.2256/f      | UT20<br>Length 1' 3" | 5E/3894                  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L6.P56/12.M34<br>1 off | 4L<br>2 off    | L6.T5<br>1 off |

RESTRICTED

October 1965  
AL2 1727

RESTRICTED  
Argosy C. Mk.I.

RESTRICTED

Argosy C. M.I.

CABLE (ELECTRICAL) CHART

| Part No. | Cable Type<br>Size | Ref. No. | Sleeve<br>Size | End Fitting<br>'A' | Ref. No. | End Fitting<br>'B' | Ref. No. | Identification Sleeves |                |              |
|----------|--------------------|----------|----------------|--------------------|----------|--------------------|----------|------------------------|----------------|--------------|
|          |                    |          |                |                    |          |                    |          | Marker No. 1           | Code<br>Marker | Marker No. 2 |
|          |                    |          |                |                    |          |                    |          |                        |                |              |

October 1965  
T77/ AL2

RESTRICTED

CABLE (ELECTRICAL) CHART

| Part No.       | Cable Type<br>Size        | Ref. No. | Sleeve<br>Size | End Fitting<br>'A'   |               | Ref. No. | End Fitting<br>'B'       |               | Ref. No.   | Identification Sleeves |                |                |
|----------------|---------------------------|----------|----------------|----------------------|---------------|----------|--------------------------|---------------|------------|------------------------|----------------|----------------|
|                |                           |          |                |                      |               |          |                          |               |            | Marker No. 1           | Code<br>Marker | Marker No. 2   |
| <b>DV.2256</b> | <b>WIRING SET 'P56/13</b> |          |                |                      |               |          |                          |               |            |                        |                |                |
| DV.2256/a      | UT.20<br>Length 2' 11"    | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L1.P56/13.M17<br>1 off | 3L<br>2 off    | L1.T1<br>1 off |
| DV.2256/b      | UT20<br>Length 2' 7"      | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L2.P56/13.M17<br>1 off | 3L<br>2 off    | L2.T2<br>1 off |
| DV.2256/c      | UT20<br>Length 2' 5"      | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L3.P56/13.M17<br>1 off | 3L<br>2 off    | L3.T2<br>1 off |
| DV.2256/d      | UT20<br>Length 2' 2"      | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L4.P56/13.M17<br>1 off | 3L<br>2 off    | L4.T3<br>1 off |
| DV.2256/e      | UT20<br>Length 2' 7"      | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L5.P56/13.M17<br>1 off | 3L<br>2 off    | L5.T4<br>1 off |
| DV.2256/f      | UT20<br>Length 2' 2"      | 5E/3894  | JP             | 31878<br>Ring Tongue | A-MP<br>1 off | 5X/      | 323000<br>Slotted Tongue | A-MP<br>1 off | 5X/9450396 | L6.P56/13.M17<br>1 off | 3L<br>2 off    | L6.T5<br>1 off |

RESTRICTED

Argosy C. M.I.

RESTRICTED