



Chapter 26

FIRE PROTECTION

		Fig.
26-0	INSTALLATION—FUNCTIONAL SYSTEM	1
26-1	EXTINGUISHER IN WING	-
-1	Pipe and Bottle (LH)	1
	Pipes and Bottle (RH)	2
26-2	PIPES IN NACELLES	-
-1	Installation (Outboard)	1
	Installation (Inboard)	2
26-3	FIREWIRE IN NACELLES	-
-1	Installation, Rear of Fireproof Bulkhead (Outboard, LH)	1
	Installation, Rear of Fireproof Bulkhead (Outboard, RH)	2
	Installation, Rear of Fireproof Bulkhead (Inboard)	3
	Installation, Forward of Fireproof Bulkhead	4
26-4	EXTINGUISHERS—DETECTORS	-
-1	Extinguishers in Flight Deck	1
	Extinguishers for A.A.P.P.	2
	Extinguishers in Freight Compartment	3
	Smoke Detector and Mounting	4
26-5	EXPLOSION SUPPRESSION	-
-1	EXPLOSION SUPPRESSION IN FUEL TANKS (Functional)	1
	Auxiliary Tank	2
	No. 1 Tank	3
	No. 2 Tank	4
	No. 3 Tank	5
	No. 4 Tank	6
	No. 5 Tank	7
26-6	ELECTRICS	-
-1	ENGINE BAY, FIRE WARNING INSTALLATION	-
	Cable Run in Cockpit	1
	Cable Run to Firewire Relay Units	2
	Cable Run to Engines	3
-2	FIRE EXTINGUISHERS, INSTALLATION	-
	Cable Run in Cockpit	1
	Cable Run to J.B.11 and J.B.12	2
	Cable Run to Fire Extinguisher Bottles (LH)	3
	Cable Run to Fire Extinguisher Bottles (RH)	4
-3	INSTALLATION OF CRASH SYSTEM	-
	Cable Run in Cockpit	1
	Cable Run to Forward Crash Switch	2
	Cable Run to Aft Crash Switches	3
-4	ENGINE FIRE AND TURBINE COOLING AIR FAILURE	-
	Cable Run in Cockpit	1
	Cable Run in Cockpit Fairing	2
	Cable Run to Engines (LH)	3
	Cable Run to Engines (RH)	4
-5	SMOKE DETECTOR INSTALLATION	-
	Cable Run to Detector Unit	1
-6	EXPLOSION PROTECTION, INSTALLATION	-
	(FUEL TANKS)	
	Cable Run in Cockpit	1
	Cable Run to J.B.3 and J.B.4, Tailbooms	2
	Cable Run to Auxiliary and No. 1 Tanks	3
	Cable Run to No. 2 and No. 3 Tanks (LH)	4
	Cable Run to No. 4 and No. 5 Tanks (LH)	5
	Cable Run to No. 2 and No. 3 Tanks (RH)	6
	Cable Run to No. 4 and No. 5 Tanks (RH)	7

Argosy 'C' MK.I.



FUNCTIONAL SYSTEM
FIGURE I.
RESTRICTED

PC1103/2

August 1963

TP27

RESTRICTED

Argosy C. MK.I.

FIRE PROTECTION

INSTALLATION
(FUNCTIONAL SYSTEM)

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
1-			FIRE PROTECTION, INSTALLATION (Ref. Drgs. FE.0076, FP.0165, FN.0660, FJ.1020 and Vickers Drgs. 81037 Sht. 43, 84037 Sht. 3)						Ref.			
1			Extinguisher Bottle Assembly in Wing (LH) (See 26-1-1, Fig. 1)						Ref.			
2			Extinguisher Bottle Assembly in Wing (RH) (See 26-1-1, Fig. 2)						Ref.			
3			Pipe Installation in Nacelle (Inboard) (See 26-2-1, Fig. 1)						Ref.			
4			Pipe Installation in Nacelle (Outboard) (See 26-2-1, Fig. 2)						Ref.			
5			Firewire, Rear of Fireproof Bulkhead (Outboard, LH) (See 26-3-1, Fig. 1)						Ref.			
6			Firewire, Rear of Fireproof Bulkhead (Outboard, RH) (See 26-3-1, Fig. 2)						Ref.			
7			Firewire, Rear of Fireproof Bulkhead (Inboard) (See 26-3-1, Fig. 3)						Ref.			
8			Firewire, Forward of Fireproof Bulkhead (See 26-3-1, Fig. 4)						Ref.			
9			Extinguishers in Flight Deck (See 26-4-1, Fig. 1) (See 26-4-1, Fig. 2)						Ref.			
10			Extinguishers for A.A.P.P. System (See 26-4-1, Fig. 2) (See 26-4-1, Fig. 3)						Ref.			
11			Extinguishers in Freight Compartment (See 26-4-1, Fig. 3) (See 26-4-1, Fig. 4)						Ref.			
12			Smoke Detector and Mounting (See 26-4-1, Fig. 4) (See 26-5-1, Fig. 1)						Ref.			
13			Explosion Suppression (26-5-1, Fig. 1) (See 26-5-1, Fig. 1)						Ref.			

RESTRICTED

Argosy C MK.I.

FIRE PROTECTION


EXTINGUISHER IN WING

Subject 1


EXTINGUISHER IN WING

RESTRICTED

Argosy 'C' MK.I.



PC 1255/2



26-1-1

EXTINGUISHER ASSEMBLY IN WING (L.H.)

FIGURE 1

RESTRICTED

PAGE 1

JULY 1963

TP27

Argosy C. MK.I.

EXTINGUISHER IN WING

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
1-		—	EXTINGUISHER ASSEMBLY IN WING - PIPE AND BOTTLE (LH) (Ref. Drg. FE.0076)						Ref.			
1		FE.0342/1	Bottle, Extinguisher and Support (Inboard)						1			
			ATTACHING PARTS									
2	28DU/9414410	A.102/16G	Bolt, 5/16" UNF 2A						2		C	
†	28W/9489335	SP.124/G	Washer, 5/16" UNF						2		C	
†	28M/17799	A.125/G/66	Nut, Stiff, 5/16" UNF 2B						2		C	
3	28DU/1201843	A.119/3E	Bolt, Csk. 1/4" UNF 2A						4		C	
			* * *									
4	27N/102	14A	Bottle, Extinguisher (FE.0342/3 ND) (Graviner)						1		A	
5	12K/1306	A.716	Unit, Cartridge Firing (Graviner)						1		A	
6	12K/1307	A.717	Unit, Cartridge Firing (Graviner)						1		A	
7	27N/117	10B	Bracket, Extinguisher (FE.0342/4 ND) (Graviner)						1		B	
8	2344	BE.0043/6	Block, Spacing						4		C	
9	2343	BE.0043/5	Bracket						2		C	
10	2345	BE.0043/7/UN	Bracket Assembly, Angle						1		C	
11	28M/18643	A.161/E	Nut, Anchor, 1/4" UNF 2B						9		C	
12		—	Bulkhead Assembly, Front Spar						Ref.			
			(See 54-1-1, Fig 3, Index 2)									
13	28M/18643	A.161/E	Nut, Anchor, 1/4" UNF 2B						2		C	
14		—	Cable (See 26-6-2, Fig. 3, Index 37)						Ref.			
15	2369	FE.0058/123	Pipe Assembly, From Bottle to N.R.V.						1		C	
16	2353	FE.0058/96	Pipe Assembly, From Bottle to Joint						1		C	
17	2367	FE.0058/117	Pipe Assembly, From Joint to Joint						1		C	
18	7783	C.12888/F	Olive (King Aircraft)						8		C	
19	7782	C.12887/F	Nipple (King Aircraft)						11		C	
20	2350	FE.0076/38	Fairlead, Half (Pipe Guide)						4		C	
			ATTACHING PARTS									
21	28DU/9480158	A.102/3B	Bolt, No. 6 UNC 2A						3		C	
†	28W/9471274	SP.124/B	Washer, No. 6 UNC						3		C	
†	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						3		C	
			* * *									
22	27N/293	A.520	Valve, Non-Return (Graviner)						1		B	
			ATTACHING PARTS									
23	28DU/9419974	A.102/14D	Bolt, No. 10 UNF 2A						3		C	
†	28W/9457834	SP.124/D	Washer, No. 10 UNF						3		C	
†	28M/9706320	A.125/D/66	Nut, Stiff, No. 10 UNF 2B						3		C	
			* * *									
24		—	Pipe Assembly (See 26-2-1, Fig. 1, Index 3)						Ref.			
25	2365	FE.0058/115	Pipe Assembly, From Joint to Joint						1		C	
26	2368	FE.0058/122	Pipe Assembly, From N.R.V. to Joint						1		C	
27		—	Clip Assembly						1			
			ATTACHING PARTS									
28	28DU/9419567	A.102/4D	Bolt, No. 10 UNF 2A						1		C	
†	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
†	28M/9706320	A.125/D/66	Nut, Stiff, No. 10 UNF 2B						1		C	
			* * *									
29	5K/3049	AS.4526/12	Clip, "P"						2		C	
30		BE.0077	Bracket (Make from Ref. 30B/1759)						1			LM
31	2366	FE.0058/116	Pipe Assembly, From Joint to Joint						1		C	
32	2362	FE.0058/110	Pipe Assembly, From Joint to Joint						1		C	
33	2355	FE.0058/98	Pipe Assembly, From Joint to Joint						1		C	
34	2354	FE.0058/97	Pipe Assembly, From Joint to Joint						1		C	

Argosy C. MK.I.


Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
1-35	—	—	Clamp Block Assembly (See 29—4—4, Fig. 1, Index 9)						Ref.			
36	2361	FE.0058/109	Pipe Assembly, From Joint to Joint						1		C	
37		FE.0058/114	Pipe Assembly, From Joint to Joint						1			
38	—	—	Clip Assembly (Underside of Fireproof Casings)						2			
			ATTACHING PARTS									
39	28DU/9419967	A.102/2D	Bolt, No. 10 UNF 2A						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						2		C	
	28M/9706320	A.125/D/66	Nut, Stiff, No. 10 UNF 2B						1		C	
			* * *									
40	5K/3049	AS.4526/12	Clip, "P"						1		C	
41	2359	FE.0058/102	Pipe Assembly, From Joint to N.R.V.						1		C	
42	2356	FE.0058/99	Pipe Assembly						1		C	
43	2350	FE.0076/38	ND	Fairlead, Half (Pipe Guide) (See Index 20)					2		C	
			ATTACHING PARTS									
44	28DU/9419561	A.102/2B	Bolt, No. 6 UNC 2A						3		C	
	28W/9471274	SP.124/B	Washer, No. 6 UNC						3		C	
	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						3		C	
			* * *									
45	27M/293	A.520	Valve, Non-Return (Graviner)						1		B	
			ATTACHING PARTS									
46	28DU/9419976	A.102/16D	Bolt, No. 10 UNF 2A						3		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						3		C	
	28M/9706320	A.125/D/66	Nut, Stiff, No. 10 UNF 2B						3		C	
			* * *									
47		FE.0076/24	ND	Spacer (Between Valve and Fireproof Casing)					1			
48	2363	FE.0058/113	Pipe Assembly, From N.R.V. to Joint						1		C	
49	2357	FE.0058/100	Pipe Assembly, From Joint to Bottle						1		C	
50		EE.0340/1	Bottle, Extinguisher and Support Assembly (Outboard)						1			
			ATTACHING PARTS									
51	28DU/9414410	A.102/16G	Bolt, 5/16" UNF 2A						2		C	
52	28DU/9414411	A.102/17G	Bolt, 5/16" UNF 2A						2		C	
	28W/9489335	SP.124/G	Washer, 5/16" UNF						4		C	
	28M/17799	A.125/G/66	Nut, Stiff, 5/16" UNF 2B						4		C	
			* * *									
53	27N/102	14A	Bottle, Extinguisher (EE.0340/31 ND) (Graviner)						1		A	
54	12K/1303	A.716	Unit, Cartridge Firing (Graviner)						1		A	
55	12K/1307	A.717	Unit, Cartridge Firing (Graviner)						1		A	
56	27N/117	10B	Bracket, Extinguisher (EE.0340/8 ND) (Graviner)						1		B	
57	2347	DE.0458/1	Bracket						1		C	V
58		BE.0054/22	Plate, Angle						1			
59		BE.0457	Plate, Angle						1			
60	2349	DE.0159/1	Shield Assembly, Heat						1		C	
61		DE.0159/2	ND	Shield					1			
62		DE.0159/3	ND	Clip					2			
63		DE.0159/4	ND	Piece, Packing					2			
64		CE.0054/33/UN	Clip Assembly						1			
65		CE.0456	Bracket						1			
66	2348	CE.0054/66	ND	Clip Assembly					1		C	
			ATTACHING PARTS									
67	28DU/9419565	A.102/1D	Bolt, No. 10 UNF 2A						3		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						3		C	
	28M/9706320	A.125/D/66	Nut, Stiff, No. 10 UNF 2B						3		C	
			* * *									

Argosy 'C' MK.I.

EXTINGUISHER IN WING

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
† 1-68	7739	SP.41831/12						Clip	1		C	
								ATTACHING PARTS				
† 69	28DU/9414349	A.102/10E						Bolt, 1/4" UNF 2A	2		C	
†	28M/9419130	A.125/E/66						Nut, 1/4" UNF 2B	2		C	
								* * *				
† 70	2346	CE.0054/2						Bracket	1		C	
71		BE.0054/6/UN						Plate, Angle	1			
								ATTACHING PARTS				
† 72	28DU/9419967	A.102/2D						Bolt, No. 10 UNF 2A	4		C	
†	28W/9457834	SP.124/D						Washer, No. 10 UNF	4		C	
								* * *				
† 73	28M/9466528	A.136/D/66						Nut, Anchor, No. 10 UNF 2B	4		C	
74		—						Cable (See 26-6-2, Fig. 3, Index 39)	Ref.			
75		—						Pipe Assembly (See 26-2-1, Fig. 1, Index 2)	Ref.			

Argosy C. MK.I.



EXTINGUISHER ASSY IN WING R.H.

FIGURE 2

JULY 1963

TP 27

Argosy C. MK.I.

EXTINGUISHER IN WING

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
2-		—	EXTINGUISHER ASSEMBLY IN WING PIPE AND BOTTLE (RH) (Ref. Drg. FE.0076)						Ref.			
1		FE.0342/2	Bottle Extinguisher and Upper Support Assembly (Inboard)						1			
			ATTACHING PARTS									
2	28DU/9414410	A.102/16G	Bolt, 5/16" UNF 2A						2		C	
	28VV/9489335	SP.124/G	Washer, 5/16" UNF						2		C	
	28M/17799	A.125/G/66	Nut, Stiff, 5/16" UNF 2B						2		C	
3	28DU/1201843	A.119/3E	Bolt, 1/4" UNF 2A						2		C	
			* * *									
4	27N/102	14A	Bottle, Extinguisher (EE.0342/3 ND) (Graviner)						1		A	
5	12K/1306	A.716	Unit, Cartridge Firing (Graviner)						1		A	
6	12K/1307	A.717	Unit, Cartridge Firing (Graviner)						1		A	
7	27N/117	10B	Bracket, Extinguishing (FE.0342/ND) (Graviner)						1		B	
8	2344	BE.0043/6	Block, Spacing						4		C	
9	2343	BE.0043/5	Bracket						2		C	
10	2371	BE.0043/8/UN	Bracket Assembly, Angle						1		C	
11	28M/18643	A.161/E	Nut, Anchor, 1/4" UNF 2B						2		C	
12		—	Cable (See 26-6-2, Fig. 3, Index 39)						Ref.			
13		—	Bulkhead Assembly, Front Spar						Ref.			
			(See 54-1-1, Fig. 3, Index 2)									
14	28M/18643	A.161/E	Nut, Anchor, 1/4" UNF 2B						2		C	
15	7783	C.12888/F	Olive (King Aircraft)						8		C	
16	7782	C.12887/F	Nipple, (King Aircraft)						9		C	
17	2378	FE.0058/103	Pipe Assembly, From Bottle to Joint						1		C	
18	2391	FE.0058/125	Pipe Assembly, From Bottle to N.R.V.						1		C	
19	2350	FE.0076/38	Fairlead, Half						4		C	
			ATTACHING PARTS									
20	28DU/9480158	A.102/3B	Bolt, No. 6 UNC 2A						3		C	
	28VV/9471274	SP.124/B	Washer, No. 6 UNC						3		C	
	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						3		C	
			* * *									
21	27N/293	A.520	Valve, Non-Return (Graviner)						1		B	
			ATTACHING PARTS									
22	28DU/9419974	A.102/14D	Bolt, No. 10 UNF 2A						3		C	
	28VV/9457834	SP.124/D	Washer, No. 10 UNF						3		C	
	28M/9706320	A.125/D/66	Nut, Stiff, No. 10 UNF 2B						3		C	
			* * *									
23	2392	FE.0058/126	Pipe Assembly, From N.R.V. to Joint						1		C	
24	2386	FE.0058/118	Pipe Assembly, From Joint to Joint						1		C	
25		—	Clip Assembly, To Front Spar Bulkhead						1			
			ATTACHING PARTS									
26	28DU/9419967	A.102/2D	Bolt, No. 10 UNF 2A						1		C	
	28VV/1010519	SP.122/D	Washer, No. 10 UNF						1		C	
	28M/9706320	A.125/D/66	Nut, Stiff, No. 10 UNF 2B						1		C	
			* * *									
27	5K.3049	AS.4526/12	Clip, "P"						2		C	
28		AS.2807/5/04	Piece, Distance (Make from T35 or T45 x 20 SWG)						1			LM
29	2387	FE.0058/119	Pipe Assembly, From Joint to Joint						1		C	
30	2385	FE.0058/112	Pipe Assembly, From Joint to Joint						1		C	
32	2388	FE.0058/120	Pipe Assembly, From Joint to Joint						1		C	
32	2389	FE.0058/121	Pipe Assembly, From Joint to Joint						1		C	

RESTRICTED

Argosy 'C' MK.I.

FIRE PROTECTION

EXTINGUISHER IN WING

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
2-33		—							3			
34	28DU/9419970	A.102/9D										
	28W/9457834	SP.124/D							1		C	
	28M/9706320	A.125/D/66							1		C	
									1		C	
35	5K/1037291	AS.4525/12							2		C	
	28E/1059060	AGS.2081/12							2		C	
36		GSP.361/3							1			
37		—										
38		—							Ref.			
39	2394	FE.0058/111							1		C	
40	2382	FE.0058/106							1		C	
41		—							2			
42	28DU/9419967	A.102/2D							1		C	
	28W/9457834	SP.124/D							2		C	
	28M/9706320	A.125/D/66							1		C	
43	5K/3049	AS.4526/12							1		C	
44	27N/293	A.520							1		B	
45	28DU/9419976	A.102/16D							3		C	
	28W/9457834	SP.124/D							3		C	
	28M/9706320	A.125/D/66							3		C	
46		—							Ref.			
47	9648	FE.0058/129							1		C	
48	2380	FE.0058/104							1		C	
49	2350	FE.0076/38	ND						2		C	
50	28DU/9419561	A.102/2B							3		C	
	28W/9471274	SP.124/B							3		C	
	28M/1011993	A.125/B/66							3		C	
51	9647	FE.0058/128							1		C	
52		EE.0341/1							1			
53	28DU/9414410	A.102/16G							4		C	
	28W/9489335	SP.124/G							4		C	
	28M/17799	A.125/G/66							4		C	
54	27N/102	14A							1		A	
55	12K/1306	A.716							1		A	
56	12K/1307	A.717							1		A	
57	27N/117	10B							1		B	
58	2375	CE.0055/33							1		C	
59	2372	BE.0055/27							1		C	
60	2373	BE.0055/28							1		C	
61	2349	DE.0159/1							1		C	
62		DE.0159/2	ND						1			
63		DE.0159/3	ND						2			
64		DE.0159/4	ND						2			

RESTRICTED

FIRE PROTECTION

EXTINGUISHER IN WING

Argosy 'C' MK.I.

[illegible]

RESTRICTED


Argosy 'C' MK.I.

FIRE PROTECTION
PIPES AND NACELLES

Subject 2
PIPES AND NACELLES

RESTRICTED

RESTRICTED
Argosy 'C' MK.I.



PIPE INSTLN INB'D NACELLES
FIGURE I
RESTRICTED

Argosy C. MK.1.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
1-		—	PIPE INSTALLATION IN NACELLE (INBOARD) (LH)						Ref.			
		—	(Ref. Drg. FE.0076 and 84037 Sht. 3 Vickers)									
		—	PIPE INSTALLATION IN NACELLE (INBOARD) (RH)						Ref.			
		—	(Ref. Drgs. FE.0076 and 84037 Sht. 3 Vickers)									
1		—	Valve, Non-Return (LH) (See 26-1-1, Fig. 1, Index 22) . . .						Ref.			
2	7783	C.12888/F	Olive (King Aircraft)						1			
3	2370	FE.0058/124	Pipe Assembly (LH) From N.R.V. to Joint						1		C	
	2393	FE.0058/127	Pipe Assembly (RH) From N.R.V. to Joint (See Index 3) . . .						1		C	
4	5K/3049	AS.4526/12	Clip "P"						2		C	
			ATTACHING PARTS									
5	28DU/9419967	A.102/2D	Bolt, No. 10 UNF 2A						1		C	
†		28W/9457834	Washer, No. 10 UNF						1		C	
†		28M/9706320	Nut, Stiff, No. 10 UNF 2B						1		C	
			* * *									
6	5K/3049	AS.4526/12	Clip "P"						1		C	
			ATTACHING PARTS									
7	28DU/9419565	A.102/1D	Bolt, No. 10 UNF 2A						1		C	
†		28W/9457834	Washer, No. 10 UNF						1		C	
†		28M/9706320	Nut, Stiff, No. 10 UNF 2B						1		C	
			* * *									
8	2360	FE.0058/108	Pipe Assembly (LH) From Joint to Bulkhead						1		C	
	2383	FE.0058/107	Pipe Assembly (RH) From Joint to Bulkhead (See Index 8) . .						1		C	
			ATTACHING PARTS									
9	28DU/9419560	A.102/1B	Bolt, No. 6 UNC 2A						2		C	
†		28W/9471274	Washer, No. 6 UNC						2		C	
†		28M/1011993	Nut, Stiff, No. 6 UNC 2B						2		C	
			* * *									
†	10	28W/1037445	Washer, Tab						1		C	
	11	2352	Pipe, Spray (LH)						1		C	
		2376	Pipe, Spray (RH) (See Index 12)						1		C	
	12	—	Clip Assembly						1			
			ATTACHING PARTS									
13	28DU/9434443	A.102/5B	Bolt, No. 6 UNC 2A						1		C	
†		28W/9129655	Washer, No. 6 UNC						1		C	
†		28M/1011993	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
14		STD.842/16	Clip "P" (Make from S4/22 or S84/22)						1			LM
†		AS.2807/4/04	Piece, Distance (Make from Ref. 30A/9610379)						1			LM
16		FE.0076/58	Strip, Bonding						A.R.			
17	28DU/9482046	A.104/1D	Bolt, No. 10 UNF 2A						1		C	
†		28W/5806394	Washer, No. 10 UNF						1		C	
19		—	Clip Assembly						1			
			ATTACHING PARTS									
20	28DU/9434443	A.102/5B	Bolt, No. 6 UNC 2A						1		C	
†		28W/9129655	Washer, No. 6 UNC						1		C	
†		28M/1011993	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
21		STD.842/16	Clip "P" (Make from S4/22 or S84/22)						1			LM
†		AS.4561/1	Washer, Tab						1		C	
23		FE.0076/58	Strip, Bonding						A.R.			
†		AS.2807/4/04	Piece, Distance (Make from Ref. 30A/9610379)						1			LM

RESTRICTED

FIRE PROTECTION


PIPES IN NACELLES

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
1-25		—						Pipe Assembly	1			
								ATTACHING PARTS				
26	28D/9133011	A.25/2C						Bolt, 2 BA	2		C	
	28M/1013107	A.24/CS						Nut, Slotted, 2 BA	2		C	
27	28P/9710567	SP90/C4						Pin, Cotter, Split	2		C	
								* * *				
28	50076	70137-31						Pipe Connection, Forward (Vickers)	1		C	
29	—	RK.22994						Connection, 3-Way (See Engine Vol. 3)	Ref.			
30	50075	80237-145						Hose, Flexible (Vickers)	1		C	
31	50074	70137 Sht. 83						Clip Assembly (Vickers)	1		C	
								ATTACHING PARTS				
32	28D/9436920	A.25/1C						Bolt, 2 BA	4		C	
	28W/1007983	AGS.162/C						Washer, Spring, 2 BA	4		C	
	28M/9403520	A.27/CP						Nut, Plain, 2 BA	4		C	
								* * *				
33		70137-89	ND					Clip, Half, Top (Vickers)	1			
34		70137-93	ND					Clip, Half, Bottom (Vickers)	1			
35		70137-91	ND					Clip, Tie	1			
36		70116/1593						Washer, Plate (Vickers)	1			
37	1867	BE.0061/45						Connection, Bulkhead	1		C	
38	1868	BE.0061/48						Washer, Plate	1		C	
								ATTACHING PARTS (For Indices 37, 38 and 39)				
39	28D/9133011	A.25/2C						Bolt, 2 BA	3		C	
	28W/9419402	SP.13/C						Washer, 2 BA	3		C	
	28M/9436836	AGS.2001/C/2						Nut, Stiff, 2 BA	3		C	
								* * *				
40	7782	C.12887/F						Nipple (King Aircraft)	2		C	

RESTRICTED

Argosy 'C' MK.I.



PIPE INSTLN. OUTBD NACELLES

FIGURE 2

RESTRICTED

Argosy C. MK.1.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
2-		—	PIPE INSTALLATION IN NACELLE (OUTBOARD) (LH)						Ref.			
		—	(Ref. Drgs. FE.0076 and 84037 Sht. 3 Vickers)									
		—	PIPE INSTALLATION IN NACELLE (OUTBOARD) (RH)						Ref.			
		—	(Ref. Drgs. FE.0076 and 84037 Sht. 3 Vickers)									
1		—	Valve, Non Return (LH) (See 26-1-1, Fig. 1, Index 45)						Ref.			
2	2358	FE.0058/101	Pipe Assembly (LH) From N.R.V. to Bulkhead						1		C	
	2381	FE.0058/105	Pipe Assembly (RH) From N.R.V. to Bulkhead						1		C	
			(See Index 2)									
			ATTACHING PARTS									
3	28DU/9419560	A.102/1B	Bolt, No. 6 UNC 2A						2		C	
†	28W/9471274	SP.124/B	Washer, No. 6 UNC						2		C	
†	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						2		C	
			* * *									
†	4	28W/	Washer, Tab						1		C	
	5	5K/3049	Clip, "P"						1		C	
			ATTACHING PARTS									
6	28DU/9419967	A.102/2/D	Bolt, No. 10 UNF 2A						1		C	
†	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
†	28M/9706320	A.125/D/66	Nut, Stiff, No. 10 UNF 2B						1		C	
			* * *									
7	7782	C.12887/F	Nipple (King Aircraft Ltd.)						1		C	
8	2351	EE.0069/13	Pipe, Spray (LH)						1		C	
	2377	EE.0069/16	Pipe, Spray (RH) (See Index 8)						1		C	
9		STD.843/17	Clip, "P" (Make from S4/22 or S84/22)						1			LM
			ATTACHING PARTS									
10	28DU/9419967	A.102/2D	Bolt, No. 10 UNF 2A						1		C	
†	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
†	28M/9706320	A.125/D/66	Nut, Stiff, No. 10 UNF 2B						1		C	
			* * *									
†	11	AS.2807/5/04	Tube, Distance (Make From T.35 or T45 x 20 SWG)						1			LM
12	FE.0076/58	ND	Strip, Bonding						A.R.			
13	—	—	Clip Assembly						1			
			ATTACHING PARTS									
14	28DU/9419967	A.102/2D	Bolt, No. 10 UNF 2A						1		C	
†	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
†	28M/9706320	A.125/D/66	Nut, Stiff, No. 10 UNF 2B						1		C	
			* * *									
15		STD.843/17	Clip, "P" (Make from S4/22 or S84/22)						1			LM
16	28W/9435073	AS.4561/2	Washer, Tab						1		C	
†	17	AS.2807/5/04	Tube Distance (Make from T35 or T45 x 21 SWG)						1			LM
18		FE.0076/58	Strip, Bonding						A.R.			
19	28DU/9482046	A.104/1D	Bolt, No. 10 UNF 2A						1		C	
†	20	28W/5806394	Washer, No. 10 UNF						1		C	
21		—	Pipe Assembly						1			
			ATTACHING PARTS									
22	28D/9133011	A.25/2C	Bolt, 2 BA						1		C	
†	28M/1013107	A.24/CS	Nut, Slotted, 2 BA						2		C	
†	23	28P/9710567	Pin, Cotter, Split						2		C	
			* * *									

RESTRICTED

FIRE PROTECTION

PIPES IN NACELLES

Argosy C. MK.1.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
2-24	50076	70137-31						Pipe, Connection, Fwd. (Vickers)	1		C	
25	50075	80237-145						Hose, Flexible (Vickers)	1		C	
26	50074	70137 Sht. 83						Clip Assembly (Vickers)	1		C	
								ATTACHING PARTS				
27	28D/9436920	A.25/1C						Bolt, 2 BA	4		C	
	28W/1007983	AGS.162/C						Washer, Spring, 2 BA	4		C	
	28M/9403520	A.27/CP						Nut, Plain, 2 BA	4		C	
								* * *				
28		70137-89	ND					Clip, Half, Top (Vickers)	1			
29		70137-91	ND					Clip, Tie (Vickers)	1			
30		70137-93	ND					Clip, Half, Bottom (Vickers)	1			
31	1868	BE.0061/48						Washer, Plate	1		C	
32	1867	BE.0061/45						Connection, Bulkhead	1		C	
33		70116/1593						Washer, Plate (Vickers)	1			
								ATTACHING PARTS (For Indices 30, 31 and 32)				
34	28D/9133011	A.25/2C						Bolt, 2 BA	3		C	
	28W/9419402	SP.13/C						Washer, 2 BA	3		C	
	28M/9436836	AGS.2001/C/2						Nut, Stiff, 2 BA	3		C	
								* * *				
35		RK.27994						Connection, 3 Way (See Engine Vol. 3)	Ref.			
36	7783	C.12888/F						Olive (King Aircraft)	1		C	

RESTRICTED

Argosy 'C' MK.I.


FIRE PROTECTION
FIREWIRE IN NACELLES

Subject 3

FIREWIRE IN NACELLES

RESTRICTED

RESTRICTED

Argosy 'C' MK.I.

INSTALLATION REAR OF FIREPROOF
BULKHEAD OUTBOARD (L.H)

FIGURE 1


RESTRICTED

PC 1116

Argosy C. MK.1.

Fig. & Index	Ref. No.	Part No.	Nomenclature					Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5				
1-			FIREWIRE IN NACELLES								
			INSTALLATION REAR OF FIREPROOF BULKHEAD, ... Ref.								
			OUTBOARD (LH) (Mod. 25) (Ref. Drg. FE.0076)								
†	1	5CZ/5222	D.900	Fitting, Bulkhead (Graviner)				1		B	
				ATTACHING PARTS							
	2	28DU/9419565	A.102/1D	Bolt, No. 10 UNF 2A				3		C	
†		28W/9457834	SP.124/D	Washer, No. 10 UNF				3		C	
†		28M/9706320	A.125/D/66	Nut, Stiff, No. 10 UNF 2B				3		C	
				* * *							
	3	28W/9435073	AS.4561/2	Washer, Tab				1		C	
	4	5CZ/5553	D.2004	Washer, Copper (Graviner)				2		C	
	5	5CZ/5554	D.2003	Washer, Split, Anti-Friction (Graviner)				2		C	
†	6	5CZ/7001128	D.2370/120	Element, Firewire (10 ft.) (Graviner)				1		A	
	7	5CZ/6362	D.2765	Bush, Rubber (Graviner)				16		C	
	8		STD.842/13	Clip, "P" (Make from S4 or S84, 22 SWG)				6		LM	
				ATTACHING PARTS							
†	9	28DU/9419560	A.102/1B	Bolt, No. 6 UNC 2A				1		C	
†		28W/9471274	SP.124/B	Washer, No. 6 UNC				1		C	
				* * *							
	10		—	Clip Assembly				7			
				ATTACHING PARTS							
†	11	28DU/9419562	A.102/4B	Bolt, No. 6 UNC 2A				1		C	
†		28W/9471274	SP.124/B	Washer, No. 6 UNC				1		C	
†		28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B				1		C	
				* * *							
†	12		STD.842/13	Clip, "P" (Make from S4 or S84, 22 SWG)				1			LM
	13		AS.2808/5/04	Tube, Distance (Make from Ref. 30A/9610381)				1			LM
	14		STD.842/13	Clip, "P" (Make from S4 or S84, 22 SWG)				2			LM
				ATTACHING PARTS							
†	15	28DU/9419560	A.102/1B	Bolt, No. 6 UNC 2A				1		C	
†		28W/9471274	SP.124/B	Washer, No. 6 UNC				1		C	
†		28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B				1		C	
				* * *							
	16		—	Bush Assembly, Support				1			
				ATTACHING PARTS							
†	17	28DU/9419560	A.102/1B	Bolt, No. 6 UNC 2A				4		C	
†		28W/9471274	SP.124/B	Washer, No. 6 UNC				4		C	
†		28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B				4		C	
				* * *							
	18	2342	BE.0056/5	Plate				1		C	
	19	2340	BE.0056/3	Holder, Bush				1		C	
	20	2341	BE.0056/4	Retainer, Bush				1		C	
	21		—	Joint Assembly				1			
	22		FE.0076/40	Plate				1			
	23	5CZ/5254	D.828	Coupling, Flanged (Graviner)				1		B	
†	24	28W/1037445	AS.4561/1	Washer, Tab				1		C	
				* * *							

Argosy C. MK.I.



INSTALLATION REAR OF FIREPROOF
BULKHEAD OUTBOARD (RH)

FIGURE 2

RESTRICTED


PC 1117

July 1963

TP 27

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
2-		—	INSTALLATION REAR OF FIREPROOF BULKHEAD, OUT-BOARD (RH) (Mod. 25) (Ref. Drg. FE.0076)						Ref.			
† 1	5CZ/5222	D.900	Fitting, Bulkhead (Graviner)						1		B	
			ATTACHING PARTS									
2	28DU/9419565	A.102/1D	Bolt, No. 10 UNF 2A						3		C	
† 28W/9457834		SP.124/D	Washer, No. 10 UNF						3		C	
† 28M/9704320		A.125/D/6	Nut, Stiff, No. 10 UNF 2B						3		C	
			* * *									
3	28W/9435073	AS.4561/2	Washer, Tab						1		C	
4	5CZ/5553	D.2004	Washer, Copper (Graviner)						2		C	
5	5CZ/5554	D.2003	Washer, Split, Anti-Friction (Graviner)						2		C	
† 6	5CZ/7001128	D.2370/120	Element, Firewire (1 ft.) (Graviner)						1		A	
7	5CZ/6362	D.2765	Bush, Rubber (Graviner)						15		C	
8		STD.842/13	Clip, "P" (Make from S4 or S84, 22 SWG)						6			LM
			ATTACHING PARTS									
9	28DU/9419560	A.102/1B	Bolt, No. 6 UNC 2A						1		C	
† 28W/9471274		SP.124/B	Washer, No. 6 UNC						1		C	
			* * *									
10		—	Clip Assembly						7			
			ATTACHING PARTS									
11	28DU/9419562	A.102/4B	Bolt, No. 6 UNC 2A						1		C	
† 28W/9471274		SP.124/B	Washer, No. 6 UNC						1		C	
† 28M/1011993		A.125/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
12		STD.842/13	Clip, "P" (Make from S4 or S84, 22 SWG)						1			LM
† 13		AS.2808/5/04	Tube, Distance (Make from Ref. 30A/9610381)						1			LM
14		—	Bush Assembly, Support						1			
			ATTACHING PARTS									
15	28DU/9419560	A.102/1B	Bolt, No. 6 UNC 2A						4		C	
† 28W/9471274		SP.124/B	Washer, No. 6 UNC						4		C	
† 28M/1011993		A.125/B/66	Nut, Stiff, No. 6 UNC 2B						4		C	
			* * *									
16	2342	BE.0056/5	Plate						1		C	
17	2340	BE.0056/3	Holder, Bush						1		C	
18	2341	BE.0056/4	Retainer, Bush						1		C	
19		STD.842/13	Clip, "P" (Make from S4 or S84, 22 SWG)						1			LM
			ATTACHING PARTS									
20	28DU/9419560	A.102/1B	Bolt, No. 6 UNC 2A						1		C	
† 28W/9471274		SP.124/B	Washer, No. 6 UNC						1		C	
† 28M/1011993		A.125/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
21		—	Joint Assembly						1			
22		FE.0076/40	Plate						1			
23	5CZ/5254	D.828	Coupling, Flanged (Graviner)						1		B	
† 24	28W/1037445	AS.4561/1	Washer, Tab						1		C	

Argosy 'C' MK.I.

INSTALLATION REAR OF FIREPROOF
BULKHEAD, INBOARD (LH & RH)

FIGURE 3
RESTRICTED

Argosy C. MK.I.

FIREWIRE IN NACELLES


Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
3-		—	INSTALLATION REAR OF FIREPROOF BULKHEAD IN-BOARD (Mod. 25) (Ref. Drg. FE.0076)						Ref.			
† 1	5CZ/5222	D.900	Fitting, Bulkhead (Graviner)						1		B	
			ATTACHING PARTS									
2	28DU/9419565	A.102/1D	Bolt, No. 10 UNF 2A						3		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						3		C	
†	28M/9706320	A.125/D/66	Nut, Stiff, No. 10 UNF 2B						3		C	
			* * *									
3	28W/9435073	AS.4561/2	Washer, Tab						1		C	
4	5CZ/5553	D.2004	Washer, Copper (Graviner)						2		C	
5	5CZ/5554	D.2003	Washer, Split, Anti-Friction (Graviner)						2		C	
†	6	5CZ/7001128	Element, Firewire (10 ft.) (Graviner)						1		A	
7	5CZ/6362	D.2765	Bush, Rubber (15 off LH, 16 off RH) (Graviner)						31		C	
8		—	Clip Assembly						13			
			ATTACHING PARTS									
9	28DU/9419562	A.102/4B	Bolt, No. 6 UNC 2A						1		C	
	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
†	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
10		STD.842/13	Clip "P" (Make from S4 or S84, 22 SWG)						1			LM
†	11	AS.2808/5/04	Tube, Distance (Make from Ref. 30A/9610381)						1			LM
12		STD.842/13	Clip "P" (Make from S4 or S84, 22 SWG)						1			LM
			ATTACHING PARTS									
13	28DU/9419560	A.102/1B	Bolt, No. 6 UNC 2A						1		C	
	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
			* * *									
14		—	Clip Assembly (RH only)						1			
			ATTACHING PARTS									
15	28DU/9419568	A.102/6D	Bolt, No. 10 UNF 2A						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
†	28M/9706320	A.125/D/66	Nut, Stiff, No. 10 UNF 2B						1		C	
			* * *									
16		STD.843/13	Clip "P" (Make from S4 or S84, 22 SWG)						1			LM
†	17	AS.2808/5/04	Tube, Distance (Make from Ref. 30A/9610381)						1			LM
18		—	Bush Assembly, Support						1			
			ATTACHING PARTS									
19	28DU/9419560	A.102/1B	Bolt, No. 6 UNC 2A						4		C	
	28W/9471274	SP.124/B	Washer, No. 6 UNC						4		C	
†	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						4		C	
			* * *									
20	2342	BE.0056/5	Plate						1		C	
21	2340	BE.0056/3	Holder, Bush						1		C	
22	2341	BE.0056/4	Retainer, Bush						1		C	
23		—	Joint Assembly						1			
24		FE.0076/40	Plate						1			
25	5CZ/5254	D.828	Coupling, Flanged (Graviner)						1		B	
†	26	28W/1037445	AS.4561/1	Washer, Tab					1		C	

RESTRICTED

FIRE PROTECTION

FIREWIRE IN NACELLES

Argosy C MK.1



INSTLN FORWARD OF FIREPROOF BLKHD

FIGURE 4

RESTRICTED

APRIL 1966

AL34 TP 27

26-3-1

PAGE 7

PC 1254/2

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature					Units Per Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5				
4-			INSTALLATION FORWARD OF FIREPROOF BULKHEAD					Ref.			
			(Mod. 25) (Ref. Drgs. FE.0763, DE.0466, Vickers 81037 Sht. 43)								
1			Joint Assembly (See Figs. 1, 2 and 3)					Ref.			
2	5CZ/5553	D.2004	Washer, Copper (Graviner)					2		C	
3	5CZ/5554	D.2003	Washer, Anti-Friction (Graviner)					2		C	
4	5CZ/7001127	D.2370/60	Element, Firewire (5 ft.) (Graviner) (Pre Mod. 847)					5		A	
†	5CZ/7001127	D.2370/60	Element, Firewire (5 ft.) Graviner) (Mod. 847)					4		A	
†	4A 5CZ/7923	D.2370/66	Element, Firewire (5 ft. 6 ins.) (Graviner) (Mod. 847) ..					1		A	
5			Clip, Assembly					9			
			ATTACHING PARTS								
6	28D/9140644	A.25/9C	Bolt, 2BA					1		C	
	28W/9419402	SP.13/C	Washer, 2 BA					1		C	
			* * *								
7	2554	72437-33	Clip, Firewire (Vickers)					1		C	
8	5CZ/6362	D.2765	Bush, Rubber (Graviner)					1		C	
9		AS.2808/5/07	Tube, Distance (Make from Ref. 30A/9610381)					1			LM
10	5CZ/5838	D.2291	Coupling, Hexagon (Graviner)					1		B	
11	2556	72437-29	Clip, Joint (Vickers)					1		C	
			ATTACHING PARTS								
12	28D/9436920	A.25/1C	Bolt, 2 BA					1		C	
	28W/9436805	SP.11/C	Washer, 2 BA					1		C	
13	28W/9416643	SP.47/C	Washer, Spring, 2 BA					1		C	
	28M/1010996	A.24/CP	Nut, Plain, 2 BA					1		C	
			* * *								
14		—	Clip, Assembly					8			
			ATTACHING PARTS								
15	28D/9436920	A.25/1C	Bolt, 2 BA					1		C	
	28W/9436805	SP.11/C	Washer, 2 BA					1		C	
16	28W/9416643	SP.47/C	Washer, Spring, 2 BA					1		C	
	28M/1010996	A.24/CP	Nut, Plain, 2 BA					1		C	
			* * *								
17	50062	72437 1	Clip, Tube (Vickers)					1		C	
18	2554	72437 33	Clip, Firewire (Vickers)					1		C	
19	5CZ/6362	D.2765	Bush, Rubber (Graviner)					1		C	
20			Fitting, Bulkhead					1			
21	5CZ/6362	D.2765	Bush, Rubber (Graviner)					1		C	
22		RK.17431	Housing, Split (See Engines Vol. 3)					Ref.			
23		RK.16094	Housing (See Engines Vol. 3)					Ref.			
24		RK.16097	Plate, Stiffening (See Engines Vol. 3)					Ref.			
25			Clip, Assembly					2			
			ATTACHING PARTS								
26	28D/1011029	A.25/1E	Bolt, 1/4" BSF					1		C	
	28W/9436801	SP.11/E	Washer, 1/4"					1		C	
27	28W/9416644	SP.47/E	Washer, Spring, 1/4"					1		C	
			* * *								
28	50149	81037-119	Clip, Firewire (Vickers)					1		C	
29	5CZ/6362	D.2765	Bush, Rubber (Graviner)					1		C	
30		RK.15987	Bracket (See Engines Vol. 3)					Ref.			
31			Clip, Assembly					2			
			ATTACHING PARTS								
32	28D/1011029	A.25/1E	Bolt, 1/4" BSF					1		C	
	28W/9436801	SP.11/E	Washer, 1/4"					1		C	
33	28W/9416644	SP.47/E	Washer, Spring, 1/4"					1		C	
†	28M/1010998	A.24/EP	Nut, Plain, 1/4" BSF					1		C	
			* * *								

RESTRICTED

Argosy 'C' MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
4-34	50065	72437-35							1		C	
35	50150	81037-121							1		C	
36	5CZ/6362	D.2765							1		C	
37		—							1			
38	28D/1011245	A.25/10E							1		C	
	28W/9436801	SP.11/E							1		C	
39	28W/9416644	SP.47/E							1		C	
40	50065	72437-35							1		C	
41	5CZ/6362	D.2765							1		C	
42	50146	VGS.6207/8/90							1		C	
43		—							2			
44	1429829	72437-79							1		C	
45	28D/1011029	A.25/1E							1		C	
	28W/9436801	SP.11/E							1		C	
46	28W/9416644	SP.47/E							1		C	
47	5CZ/5838	D.2291							1		B	
48	5CZ/5553	D.2004							2		C	
49	5CZ/5554	D.2003							2		C	
50		—							1			
51	28D/9436920	A.25/1C							1		C	
	28W/9436805	SP.11/C							1		C	
52	28W/9416643	SP.47/C							1		C	
	28M/1010996	A.24/CP							1		C	
53	2554	72437-33							1		C	
54	50147	72437-59							1		C	
55	5CZ/6362	D.2765							1		C	
56	50148	81037-117							1		C	
57		—							1			
	28W/9436801	SP.11/E							1		C	
58	28W/9416644	SP.47/E							1		C	
	28M/1010998	A.24/EP							1		C	
59	50149	81037-119							1		C	
60	5CZ/6362	D.2765							1		C	
61		—							10			
62	28D/1011029	A.25/1E							1		C	
	28W/9436801	SP.11/E							1		C	
63	28W/9416644	SP.47/E							1		C	
64	50065	72437-35							1		C	
65	5CZ/6362	D.2765							1		C	

RESTRICTED

RESTRICTED

Argosy C MK.I.

FIRE PROTECTION

EXTINGUISHERS — DETECTORS

Subject 4

EXTINGUISHERS — DETECTORS

July 1963

TP27 AL9

RESTRICTED


26-4

RESTRICTED

FIRE PROTECTION

EXTINGUISHERS-DETECTORS

Argosy 'C' MK.I.



PC1087/2

26-4-1

EXTINGUISHERS IN FLIGHT DECK

August 1963

Page 1

FIGURE 1.

TP27



RESTRICTED

Argosy C. Mk.1.

EXTINGUISHERS-DETECTORS

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
1-		—	FIRE EXTINGUISHERS AND SMOKE DETECTOR						Ref.			
		—	EXTINGUISHERS IN FLIGHT DECK (Ref. Drg. FN.0660) ..									
1		DN.1864/1	Mounting Assembly, Fire Extinguisher, Co-Pilot						1			
			ATTACHING PARTS									
2	28S/1013562	A.204/D28	Screw, No. 10 UNF 2A						5		C	
			* * *									
3	27N/106	11B/180	Bracket, Extinguisher Mounting (Graviner)						1		B	
4	27N/299	Mk.34H	Bottle, Extinguisher (Graviner)						1		A	
5		DN.1898/1	Bracket Assembly (See 25-1-8, Fig. 8, Index 36)						Ref.			
6		EN.1522/1	Mounting Assembly, Fire Extinguisher, Flight Engineer ...						1			
			ATTACHING PARTS									
7		A.204/D26	Screw, No. 10 UNF 2A						5			
†	28W/9457834	SP.124/D	Washer, No. 10 UNF						5		C	
†	28M/9706320	A.125/D/66	Nut, Staff, No. 10 UNF 2B						5		C	
			* * *									
8	27N/106	11B/180	Bracket, Extinguisher Mounting (Graviner)						1		B	
9	27N/299	Mk.34H	Bottle, Extinguisher (Graviner)						1		A	
10		CS.0521/5	Panel, Side (See 31-2-2, Fig. 1, Index 5)						Ref.			
11		EN.1523/1	Mounting Assembly, Fire Extinguishers, Navigator						1			
			ATTACHING PARTS									
†	12	28S/1009965	Screw, No. 10 UNF 2A						4		C	
†		28M/9706320	Nut, Staff, No. 10 UNF 2B						4		C	
			* * *									
13	27N/106	11B/180	Bracket, Extinguisher Mounting (Graviner)						1		B	
14	27N/299	Mk.34H	Bottle, Extinguisher (Graviner)						1		A	
15		CN.1523/2	Member, Horizontal						1			
			ATTACHING PARTS									
†	16	28DU/9419565	Bolt, No. 10 UNF 2A						2		C	
		28M/9706320	Nut, Staff, No. 10 UNF 2B						2		C	
			* * *									
17		BN.1523/5	Bracket						2			
18		BN.1523/7	Bracket, Bottom						1			

Argosy 'C' MK.I.



EXTINGUISHER FOR A.A.P.
FIGURE 2
RESTRICTED

August 1963

TP 27


PC 1503

Argosy C. MK.I.

EXTINGUISHERS-DETECTORS

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
2-		—	EXTINGUISHER FOR A.A.P.P. (Ref. Drg. FJ.1020)						Ref.			
1		FJ.1188/1	Extinguisher Assembly, Fire						1			
			ATTACHING PARTS									
† 2	28DU/9414147	A.104/1G	Bolt, 5/16" UNF 2A						4		C	
	28W/1013781	SP.122/G	Washer, 5/16" UNF						4		C	
†	28M/9145380	A.127/G/66	Nut, Stiff, 5/16" UNF 2B						4			
			* * *									
3	27N/115	7B	Bracket (Graviner)						1		B	
4	27N/100	12A	Bottle, Extinguisher (Graviner)						1		A	
5	3707	BJ.1188/4	Adaptor, Special						1		C	
6	3706	CJ.1188/3	Pipe, Flexible, Complete						1		C	
7	28E/1200550	AS.3190/12C	Clip, "P"						1		C	
			ATTACHING PARTS									
8	28DU/9419565	A.102/1D	Bolt, No. 10 UNF 2A						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
			* * *									
9	28E/9428427	No. 81/2	Clip (Terry's)						1		C	
			ATTACHING PARTS									
10	28DU/9419560	A.102/1B	Bolt, No. 6 UNC 2A						1		C	
	28W/9129655	SP.122/B	Washer, No. 6 UNC						1		C	
†	28M/1010838	A.126/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
11		—	Bracket (See 55—2—1, Fig. 6, Index 28)						Ref.			
12		—	A.A.P.P. (See 49—1—1, Fig. 1, Index 1)						Ref.			

Argosy C. MK.I.



PC1504

EXTINGUISHERS IN FREIGHT COMPARTMENT
FIGURE 3



RESTRICTED

Argosy C. Mk. I.

EXTINGUISHERS-DETECTORS

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
3-		—	EXTINGUISHERS IN FREIGHT COMPARTMENT (Mod. 218) Ref.									
			(Ref. Drg. FU.3190)									
1		DU.5293	Angle						1			
2		DU.5292	Angle						1			
3		BU.5296	Angle						4			
4		BU.3190/203	Plate						1			
5		CU.5291/1	Top Hat Assembly						2			
			ATTACHING PARTS									
6	28DU/9419565	A.102/1D	Bolt, No. 10 UNF 2A						4		C	
	28W/1010519	SP.122/D	Washer, No. 10 UNF						4		C	
†	28M/9706320	A.125/D/66	Nut, Stiff, No. 10 UNF 2B						4		C	
			* * *									
7		CU.5291/2	Top Hat Section						1			
†	28M/9466528	A.136/D/66	Nut, Anchor, No. 10 UNF 2B						4			
9		CU.5294	Web						1			
10		CU.5295	Web						1			
11		CU.5290/1	Bracket Assembly						1			
12		CU.5290/2	Bracket						1			
†	28M/9466528	A.136/D/66	Nut, Anchor, No. 10 UNF 2B						2		C	
14		CU.5289/1	Bracket Assembly						1			
15		CU.5289/2	Bracket						1			
†	28M/18668	A.157/D/66	Nut, Anchor, No. 10 UNF 2B						2		C	
17	27N/106	11B/180	Bracket, Extinguisher Mounting (Graviner)						4		B	
			ATTACHING PARTS									
18	28DU/9480271	A.173/3D	Bolt, No. 10 UNF 2A						4		C	
			* * *									
19	27N/299	Mk. 34H	Bottle, Extinguisher (Graviner)						4		A	

RESTRICTED
Argosy 'C' MK.I.



SMOKE DETECTOR & MOUNTING
FIGURE 4

PC1086/2

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
4-	27N/132	— PSDA.1/G4 FV.3093/1	SMOKE DETECTOR AND MOUNTING (Ref. Drg. FV.2517)						Ref.		A	
			Detector Unit, Smoke (Pyrene)						1			
			Racking, Cockpit Fairing						1			

RESTRICTED

Argosy 'C' MK.I.

FIRE PROTECTION



EXPLOSION SUPPRESSION

Subject 5

EXPLOSION SUPPRESSION

RESTRICTED

Argosy 'C' MK.I.



EXPLOSION SUPPRESSION IN FUEL TANKS.

FIGURE.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
1-		—	EXPLOSION SUPPRESSION IN FUEL TANKS (WINGS) ...						Ref.			
			(Ref. Drg. FP.0165)									
1		—	Explosion Suppression In Auxiliary Tank (See Fig. 2)						Ref.			
2		—	Explosion Suppression In No. 1 Tank (See Fig. 3)						Ref.			
3		—	Explosion Suppression In No. 2 Tank (See Fig. 4)						Ref.			
4		—	Explosion Suppression In No. 3 Tank (See Fig. 5)						Ref.			
5		—	Explosion Suppression In No. 4 Tank (See Fig. 6)						Ref.			
6		—	Explosion Suppression In No. 5 Tank (See Fig. 7)						Ref.			

Argosy 'C' MK.I.

EXPLOSION SUPPRESSION

[illegible]

RESTRICTED





26-5-1
Page 2.

Argosy C. MK.I.

EXPLOSION SUPPRESSION

TANK TOP SKIN

TANK TOP SKIN



PC1083/2

EXPLOSION SUPPRESSION AUXILIARY TANK

FIGURE 2

RESTRICTED

August 1963

TP27

RESTRICTED
Argosy C. MK.I.

FIRE PROTECTION
EXPLOSION SUPPRESSION

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
†	2-	—	EXPLOSION SUPPRESSION IN AUXILIARY TANK						Ref.			
	1	CP.0265/1	(Ref. Drg. FP.0170) (Pre Mod. 972)									
	2	1834	Column, Suppressor, No. 15						1			
			ATTACHING PARTS									
	3	27N/185	Clip (Fireproof Tanks Ltd.)						8		C	
			* * *									
			Plate, Pivot (Graviner)						2		C	
			ATTACHING PARTS									
†	4	28DU/9434467	Bolt, No. 10 UNF 2A (Top only)						3		C	
†	5	28DU/1211945	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
†		28DU/1211946	Bolt, No. 10 UNF 2A (Bottom only) } Use as						3		C	
†		28DU/1211947	Bolt, No. 10 UNF 2A (Bottom only) } required						3		C	
†		28W/9457834	Bolt, No. 10 UNF 2A (Bottom only) }						3		C	
		28M/9438439	Washer, No. 10 UNF						6		C	
			Nut, Stiff, No. 10 UNF 2B						6		C	
			* * *									
	6	1836	Spider, Flexible (Fireproof Tanks Ltd.)						2		C	
	7	27N/180	Plate, Shorting (Graviner)						1		C	
	8	27N/292	Suppressor, 100 cc. (Graviner)						1		A	
	9	12G/1445	Detonator (Graviner)						1		C	
	10	27N/179	Suppressor, 175 cc. (Graviner)						4		A	
	11	12G/1430	Detonator (Graviner)						4		C	
	12	27N/181	Dummy, 175 cc. (Graviner)						1		A	
	13	27N/184	Conductor (Graviner)						1		C	
			ATTACHING PARTS (For Indices 8, 10 and 12)									
†	14	1562	Bolt, Special, No. 10 UNF						15		C	
		28W/9457834	Washer, No. 10 UNF						15		C	
		28M/9438439	Nut, Stiff, No. 10 UNF 2B						15		C	
			* * *									
	15	27N/182	Plate, Deflector (Graviner)						1		C	
	16	27N/199	Block, Terminal (Graviner)						1		C	
			* * *									
	17	1561	Piece, Packing						A.R.		C	
	18	CP.0266/1	Column, Suppressor, No. 16						1			
			ATTACHING PARTS									
	19	1834	Clip (Fireproof Tanks Ltd.)						8		C	
			* * *									
	20	27N/185	Plate, Pivot (Graviner)						2		C	
			ATTACHING PARTS									
†	21	28DU/9434467	Bolt, No. 10 UNF 2A (Top only)						3		C	
†	22	28DU/1211941	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
†		28DU/1211942	Bolt, No. 10 UNF 2A (Bottom only) } Use as						3		C	
†		28W/9457834	Bolt, No. 10 UNF 2A (Bottom only) } required						3		C	
		28M/9438439	Washer, No. 10 UNF						6		C	
			Nut, Stiff, No. 10 UNF 2B						6		C	
			* * *									
	23	1836	Spider, Flexible (Fireproof Tanks Ltd.)						2		C	
	24	27N/180	Plate, Shorting (Graviner)						1		C	
	25	27N/179	Suppressor, 175 cc. (Graviner)						4		A	
†	26	12G/1430	Detonator (Graviner)						4		C	

RESTRICTED

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
†	2-27	27N/181	E.165						Dummy, 175 cc. (Graviner)	1		A
	28	27N/184	E.228						Conductor (Graviner)	1		C
									ATTACHING PARTS (For Indices 25 and 27)			
	29	1562	BP.0246						Bolt, Special, No. 10 UNF	12		C
		28W/9457834	SP.124/D						Washer, No. 10 UNF	12		C
		28M/9438437	A.130/D						Nut, Stiff, No. 10 UNF 2B	12		C
				*	*	*						
	30	27N/182	E.186						Plate, Deflector (Graviner)	1		C
	31	27N/199	E.587						Block, Terminal (Graviner)	1		C
	32	27N/189	E.403						Spacer (Graviner)	1		C
†									ATTACHING PARTS (For Indices 30, 31 and 32)			
	33	28DU/1212525	A.169/8D						Bolt, No. 10 UNF 2A	3		C
		28W/9457834	SP.124/D						Washer, No. 10 UNF	3		C
		28M/9538439	A.130/D						Nut, Stiff, No. 10 UNF 2B	3		C
				*	*	*						
	34	1561	BP.0210						Piece, Packing	A.R.		C

RESTRICTED


Argosy 'C' MK.I.

EXPLOSION SUPPRESSION

[illegible]

RESTRICTED

26-5-1
Page 6

Argosy C. MK.I.

RESTRICTED

Argosy C. MK.I.

FIRE PROTECTION
EXPLOSION SUPPRESSION

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
†	3-	—	EXPLOSION SUPPRESSION No. 1 TANK (Ref. Drg. FP.0171) (Pre Mod. 972)						Ref.			
	1	CP.0251/1	Column, Suppressor, No. 1						1			
			ATTACHING PARTS									
	2	1834	Clip (Fireproof Tanks Ltd.)						8		C	
	3	27N/185	Plate, Pivot (Graviner)						2		C	
			ATTACHING PARTS									
	4	28DU/9434467	Bolt, No. 10 UNF 2A (Top only)						3		C	
†	5	28DU/1211941	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
†		28DU/1211942	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
†		28DU/1211943	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
†		28DU/1211945	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
†		28W/9457834	Washer, No. 10 UNF						6		C	
†		28M/9438439	Nut, Stiff, No. 10 UNF 2B						6		C	
	6	1836	Spider, Flexible (Fireproof Tanks Ltd.)						2		C	
	7	27N/180	Plate, Shorting (Graviner)						1		C	
	8	27N/292	Suppressor, 100 cc. (Graviner)						2		A	
	9	12G/1445	Detonator (Graviner)						2		C	
	10	27N/179	Suppressor, 175 cc. (Graviner)						2		A	
	11	12G/1430	Detonator (Graviner)						2		C	
	12	27N/181	Dummy (Graviner)						2		A	
	13	27N/184	Conductor (Graviner)						2		C	
			ATTACHING PARTS (For Indices 8, 10 and 12)									
	14	1562	Bolt, Special, No. 10 UNF						15		C	
†		28W/9457834	Washer, No. 10 UNF						15		C	
		28M/9438439	Nut, Stiff, No. 10 UNF 2B						15		C	
	15	27N/182	Plate, Deflector (Graviner)						1		C	
	16	27N/199	Block, Terminal (Graviner)						1		C	
	17	27N/190	Spacer (Graviner)						1		C	
			ATTACHING PARTS (For Indices 15, 16 and 17)									
†	18	28DU/1212525	Bolt, No. 10 UNF 2A						3		C	
†		28W/9457834	Washer, No. 10 UNF						3		C	
		28M/9438439	Nut, Stiff, No. 10 UNF 2B						3		C	
	19	1561	Piece, Packing						A.R.		C	
	20	CP.0252/1	Column, Suppressor, No. 2						1			
			ATTACHING PARTS									
	21	1834	Clip (Fireproof Tanks Ltd.)						8		C	
	22	27N/185	Plate, Pivot (Graviner)						2		C	
			ATTACHING PARTS									
†	23	28DU/9434467	Bolt, No. 10 UNF 2A (Top only)						3		C	
†	24	28DU/1211941	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
†		28DU/1211942	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
†		28DU/1211943	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
†		28W/9457834	Washer, No. 10 UNF						6		C	
†		28M/9438439	Nut, Stiff, No. 10 UNF 2B						6		C	
	25	1836	Spider, Flexible (Graviner)						2		C	
	26	27N/180	Plate, Shorting (Graviner)						1		C	
	27	27N/292	Suppressor, 100 cc. (Graviner)						2		A	
	28	12G/1445	Detonator (Graviner)						2		C	
	29	27N/179	Suppressor, 175 cc. (Graviner)						2		A	
	30	12G/1430	Detonator (Graviner)						2		C	

RESTRICTED
Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
†	3-31	27N/181	E.165					Dummy, 175 cc. (Graviner)	2		A	
	32	27N/184	E.228					Conductor (Graviner)	2		C	
								ATTACHING PARTS (For Indices 27, 29 and 31)				
	33	1562	BP.0246					Bolt, Special, No. 10 UNF	15		C	
		28W/9457834	SP.124/D					Washer, No. 10 UNF	15		C	
		28M/9438439	A.130/D					Nut, Stiff, No. 10 UNF 2B	15		C	
†	34	27N/182	E.186					Plate, Deflector (Graviner)	1		C	
	35	27N/199	E.587					Block, Terminal (Graviner)	1		C	
	36	27N/191	E.405					Spacer (Graviner)	1		C	
								ATTACHING PARTS (For Indices 34, 35 and 36)				
	37	28DU/1212525	A.169/8D					Bolt, No. 10 UNF 2A	3		C	
		28W/9457834	SP.124/D					Washer, No. 10 UNF	3		C	
†		28M/9438439	A.130/D					Nut, Stiff, No. 10 UNF 2B	3		C	
	38	1561	BP.0210					Piece, Packing	A.R.		C	
	39		CP.0253/1					Column, Suppressor, No. 3	1			
								ATTACHING PARTS				
	40	1834	FT.1826					Clip (Fireproof Tanks Ltd.)	8		C	
†	41	27N/185	E.270					Plate, Pivot (Graviner)	2		C	
								ATTACHING PARTS				
	42	28DU/9434467	A.170/1D					Bolt, No. 10 UNF 2A (Top only)	3		C	
	43	28DU/1211942	A.170/3D					Bolt, No. 10 UNF 2A (Bottom only)	3		C	
		28DU/1211943	A.170/4D					Bolt, No. 10 UNF 2A (Bottom only)	3		C	
		28DU/1211945	A.170/6D					Bolt, No. 10 UNF 2B (Bottom only)	3		C	
†		28W/9457834	SP.124/D					Washer, No. 10 UNF	6		C	
		28M/9438439	A.130/D					Nut, Stiff, No. 10 UNF 2B	6		C	
	44	1836	FT/B/8514					Spider, Flexible (Fireproof Tanks Ltd.)	2		C	
	45	27N/180	E.155					Plate, Shorting (Graviner)	1		C	
	46	27N/292	E.557					Suppressor, 100 cc. (Graviner)	2		A	
†	47	12G/1445	E.868					Detonator (Graviner)	2		C	
	48	27N/181	E.165					Dummy, 175 cc. (Graviner)	2		A	
	49	27N/184	E.228					Conductor (Graviner)	2		C	
	50	27N/179	E.121					Suppressor, 175 cc. (Graviner)	1		A	
	51	12G/1430	E.734					Detonator (Graviner)	1		C	
								ATTACHING PARTS (For Indices 46, 48 and 50)				
†	52	1562	BP.0246					Bolt, Special, No. 10 UNF	12		C	
		28W/9457834	SP.124/D					Washer, No. 10 UNF	12		C	
		28M/9438439	A.130/D					Nut, Stiff, No. 10 UNF 2B	12		C	
	53	27N/182	E.186					Plate, Deflector (Graviner)	1		C	
	54	27N/199	E.587					Block, Terminal (Graviner)	1		C	
†	55	27N/195	E.410					Spacer (Graviner)	1		C	
								ATTACHING PARTS (For Indices 53, 54 and 55)				
	56	28DU/1212525	A.169/8D					Bolt, No. 10 UNF 2A	3		C	
		28W/9457834	SP.124/D					Washer, No. 10 UNF	3		C	
		28M/9438439	A.130/D					Nut, Stiff, No. 10 UNF 2B	3		C	
†	57	1561	BP.0210					Piece, Packing	A.R.		C	


Argosy 'C' MK.I.

EXPLOSION SUPPRESSION

April 1961
TP27 AL2

26-5-1
Page 10

Argosy C. MK.I.



EXPLOSION SUPPRESSION No 2 TANK

FIGURE 4

RESTRICTED

RESTRICTED

Argosy C. MK.I.

FIRE PROTECTION
EXPLOSION SUPPRESSION

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Qty. Code
			1	2	3	4	5	6				
† 4-		—	EXPLOSION SUPPRESSION No. 2 TANK (Ref. Drg. FP.0172) (Pre Mod. 972)						Ref.			
1		CP.0255/1	Column, Suppressor, No. 5						1			
			ATTACHING PARTS									
2	1834	FT.1826	Clip (Fireproof Tanks Ltd.)						8		C	
			* * *									
3	27N/185	E.270	Plate, Pivot (Graviner)						2		C	
			ATTACHING PARTS									
4	28DU/9434467	A.170/1D	Bolt, No. 10 UNF 2A (Top only)						3		C	
† 5	28DU/1211941	A.170/2D	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
†	28DU/1211942	A.170/3D	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
†	28W/9457834	SP.124/D	Washer, No. 10 UNF						6		C	
	28M/9438439	A.130/D	Nut, Stiff, No. 10 UNF 2B						6		C	
			* * *									
6	1836	FT/B/8514	Spider, Flexible (Fireproof Tanks Ltd.)						2		C	
7	27N/180	E.155	Plate, Shorting (Graviner)						1		C	
8	27N/179	E.121	Suppressor, 175 cc. (Graviner)						2		A	
9	12G/1430	E.734	Detonator (Graviner)						2		C	
10	27N/200	E.626	Dummy, 100 cc. (Graviner)						2		A	
11	27N/201	E.627	Conductor (Graviner)						2		C	
12	27N/292	E.557	Suppressor, 100 cc. (Graviner)						2		A	
13	12G/1445	E.868	Detonator (Graviner)						2		C	
			ATTACHING PARTS (For Indices 8, 10 and 12)									
† 14	1562	BP.0246	Bolt, Special, No. 10 UNF						15		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						15		C	
	28M/9438439	A.130/D	Nut, Stiff, No. 10 UNF 2B						15		C	
			* * *									
15	27N/182	E.186	Plate, Deflector (Graviner)						1		C	
16	27N/199	E.587	Block, Terminal (Graviner)						1		C	
17	27N/187	E.401	Spacer (Graviner)						1		C	
			ATTACHING PARTS (For Indices 15, 16 and 17)									
† 18	28DU/1212525	A.169/8D	Bolt, No. 10 UNF 2A						3		C	
†	28W/9457834	SP.124/D	Washer, No. 10 UNF						3		C	
	28M/9438439	A.130/D	Nut, Stiff, No. 10 UNF 2B						3		C	
			* * *									
19	1561	BP.0210	Piece, Packing						A.R.		C	
20		CP.0254/1	Column, Suppressor, No. 4						1			
			ATTACHING PARTS									
21	1834	FT.1826	Clip (Fireproof Tanks Ltd.)						8		C	
			* * *									
22	27N/185	E.270	Plate, Pivot (Graviner)						2		C	
			ATTACHING PARTS									
23	28DU/9434467	A.170/1D	Bolt, No. 10 UNF 2A (Top only)						3		C	
† 24	28DU/1211941	A.170/2D	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
†	28DU/1211942	A.170/3D	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
†	28DU/1211943	A.170/4D	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
†	28W/9457834	SP.124/D	Washer, No. 10 UNF						6		C	
	28M/9438439	A.120/D	Nut, Stiff, No. 10 UNF 2B						6		C	
			* * *									
25	1836	FT/B/8514	Spider, Flexible (Fireproof Tanks Ltd.)						2		C	
26	27N/180	E.155	Plate, Shorting (Graviner)						1		C	
27	27N/292	E.557	Suppressor, 100 cc. (Graviner)						2		A	
28	12G/1445	E.868	Detonator (Graviner)						2		C	

RESTRICTED

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
4-29	27N/179	E.121						Suppressor, 175 cc. (Graviner)	2		A	
30	12G/1430	E.734						Detonator (Graviner)	2		C	
31	27N/181	E.165						Dummy, 175 cc. (Graviner)	1		A	
32	27N/184	E.228						Conductor (Graviner)	1		C	
								ATTACHING PARTS (For Indices 27, 29 and 31)				
33	1562	BP.0246						Bolt, Special	12		C	
	28VV/9457834	SP.124/D						Washer, No. 10 UNF	12		C	
	28M/9438439	A.130/D						Nut, Stiff, No. 10 UNF 2B	12		C	
				*	*	*						
34	27N/182	E.186						Plate, Deflector (Graviner)	1		C	
35	27N/199	E.587						Block, Terminal (Graviner)	1		C	
36	27N/188	E.402						Spacer (Graviner)	1		C	
								ATTACHING PARTS (For Indices 34, 35 and 36)				
37	28DU/1212525	A.169/8D						Bolt, No. 10 UNF 2A	3		C	
	28VV/9457834	SP.124/D						Washer, No. 10 UNF	3		C	
	28M/9438439	A.130/D						Nut, Stiff, No. 10 UNF 2B	3		C	
				*	*	*						
38	1561	BP.0210						Piece, Packing	A.R.		C	
39		CP.0256/1						Column, Suppressor, No. 6	1			
								ATTACHING PARTS				
40	1834	FT.1826						Clip, (Fireproof Tanks Ltd.)	8		C	
				*	*	*						
41	27N/185	E.270						Plate, Pivot (Graviner)	2		C	
								ATTACHING PARTS				
42	28DU/9434467	A.170/1D						Bolt, No. 10 UNF 2A (Top only)	3		C	
43	28DU/1211941	A.170/2D						Bolt, No. 10 UNF 2A (Bottom only)	3		C	
	28DU/1211942	A.170/3D						Bolt, No. 10 UNF 2A (Bottom only)	3		C	
	28DU/1211943	A.170/4D						Bolt, No. 10 UNF 2A (Bottom only)	3		C	
	28VV/9457834	SP.124/D						Washer, No. 10 UNF	6		C	
	28M/9438439	A.130/D						Nut, Stiff, No. 10 UNF 2B	6		C	
				*	*	*						
44	1836	FT/B/8514						Spider, Flexible (Fireproof Tanks Ltd.)	2		C	
45	27N/180	E.155						Plate, Shorting (Graviner)	1		C	
46	27N/179	E.121						Suppressor, 175 cc. (Graviner)	2		A	
47	12G/1430	E.734						Detonator (Graviner)	2		C	
48	27N/181	E.165						Dummy, 175 cc. (Graviner)	1		A	
49	27N/184	E.228						Conductor (Graviner)	1		C	
50	27N/200	E.626						Dummy, 100 cc. (Graviner)	1		A	
51	27N/201	E.627						Conductor (Graviner)	1		C	
52	27N/292	E.557						Suppressor, 100 cc. (Graviner)	1		A	
53	12G/1445	E.868						Detonator (Graviner)	1		C	
								ATTACHING PARTS (For Indices 46, 48, 50 and 52)				
54	1562	BP.0246						Bolt, Special, No. 10 UNF	12		C	
	28VV/9457834	SP.124/D						Washer, No. 10 UNF	12		C	
	28M/9438439	A.130/D						Nut, Stiff, No. 10 UNF 2B	12		C	
				*	*	*						
55	27N/182	E.186						Plate, Deflector (Graviner)	1		C	
56	27N/199	E.587						Block, Terminal (Graviner)	1		C	
57	27N/188	E.402						Spacer (Graviner)	1		C	
								ATTACHING PARTS (For Indices 55, 56 and 57)				
58	28DU/1212525	A.169/8D						Bolt, No. 10 UNF 2A	3		C	
	28VV/9457834	SP.124/D						Washer, No. 10 UNF	3		C	
	28M/9438439	A.130/D						Nut, Stiff, No. 10 UNF 2B	3		C	
				*	*	*						
59	1561	BP.0210						Piece, Packing	A.R.		C	


Argosy 'C' MK.I.

EXPLOSION SUPPRESSION

August 1963
TP27 AL9

26-5-1
Page 14

Argosy 'C' MK.I.



PC1084/2

RESTRICTED

Argosy C. MK.I.

FIRE PROTECTION
EXPLOSION SUPPRESSION

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
5-		—	EXPLOSION SUPPRESSION IN No. 3 TANK						Ref.			
			(Ref. Drg. FP.0173) (Pre Mod. 972)									
1		CP.0259/1	Column, Suppressor, No. 9						1			
			ATTACHING PARTS									
2	1834	FT.1826	Clip (Fireproof Tanks Ltd.)						8		C	
			* * *									
3	27N/185	E.270	Plate, Pivot (Graviner)						2		C	
			ATTACHING PARTS									
4	28DU/9434467	A.170/1D	Bolt, No. 10 UNF 2A (Top only)						3		C	
5	28DU/1211941	A.170/2D	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
	28DU/1211942	A.170/3D	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
	28DU/1211943	A.170/4D	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						6		C	
	28M/9438439	A.130/D	Nut, Stiff, No. 10 UNF 2B						6		C	
			* * *									
6	1836	FT/B/8514	Spider, Flexible (Fireproof Tanks Ltd.)						2		C	
7	27N/180	E.155	Plate, Shorting (Graviner)						1		C	
8	27N/179	E.121	Suppressor, 175 cc. (Graviner)						2		A	
9	12G/1430	E.734	Detector (Graviner)						2		C	
10	27N/200	E.626	Dummy, 100 cc. (Graviner)						1		A	
11	27N/201	E.627	Conductor (Graviner)						1		C	
12	27N/292	E.557	Suppressor, 100 cc. (Graviner)						1		A	
13	12G/1445	E.868	Detector (Graviner)						1		C	
			ATTACHING PARTS (For Indices 8, 10 and 12)									
14	1562	BP.0246	Bolt, Special, No. 10 UNF						9		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						9		C	
	28M/9438439	A.130/D	Nut, Stiff, No. 10 UNF 2B						9		C	
			* * *									
15	27N/182	E.186	Plate, Deflector (Graviner)						1		C	
16	27N/199	E.587	Block, Terminal (Graviner)						1		C	
17	27N/187	E.401	Spacer (Graviner)						1		C	
			ATTACHING PARTS (For Indices 15, 16 and 17)									
18	28DU/1212525	A.169/8D	Bolt, No. 10 UNF 2A						3		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						3		C	
	28M/9438439	A.130/D	Nut, Stiff, No. 10 UNF 2B						3		C	
			* * *									
19	1561	BP.0210	Piece, Packing						A.R.		C	
20		CP.0257/1	Column, Suppressor, No. 7						1			
			ATTACHING PARTS									
21	1834	FT.1826	Clip (Fireproof Tanks Ltd.)						8		C	
			* * *									
22	27N/185	E.270	Plate, Pivot (Graviner)						2		C	
			ATTACHING PARTS									
23	28DU/9434467	A.170/1D	Bolt, No. 10 UNF 2A (Top only)						3		C	
24	28DU/1211941	A.170/2D	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
	28DU/1211942	A.170/3D	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
	28DU/1211943	A.170/4D	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
	28DU/1211945	A.170/6D	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						6		C	
	28M/9438439	A.130/D	Nut, Stiff, No. 10 UNF 2B						6		C	
			* * *									

June 1968

TP27 AL43

RESTRICTED

26-5-1

Page 16



Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
5-25	1836	FT/B/8514							2		C	
	26	27N/180							1		C	
	27	12G/1430							3		C	
	28	27N/179							3		A	
†												
	29	1562							3		C	
		28W/9457834							3		C	
		28M/9438439							3		C	
†												
	30	27N/182							1		C	
	31	27N/189							1		C	
†	32	28DU/1212525							3		C	
		28W/9457834							3		C	
		28M/9438439							3		C	
†	33	27N/191							1		C	
	34	27N/188							1		C	
	35	1562							3		C	
†		28W/9457834							3		C	
		28M/9438439							3		C	
†	36	1561							A.R.		C	
	37	CP.0258/1							1			
	38	1834							8		C	
†												
	40	28DU/9434467							3		C	
		28W/9457834							3		C	
		28M/9438439							3		C	
†												
	41	27N/182							1		C	
	42	27N/189							1		C	
	43	1561							A.R.		C	
†	44	1836							1		C	
	45	27N/185							1		C	
	46	28DU/1211950							3		C	
†		28DU/1211951							3		C	
		28DU/1211953							3		C	
		28W/9457834							3		C	
†		28M/9438439							3		C	
	47	1836							1		C	
	48	27N/180							1		C	

FIRE PROTECTION

EXPLOSION SUPPRESSION

†

Argosy 'C' MK.I.



EXPLOSION SUPPRESSION N° 4 TANK

FIGURE 6

RESTRICTED

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Qty. Code
			1	2	3	4	5	6				
† 6—		—	EXPLOSION SUPPRESSION No. 4 TANK (Ref. Drg. FP.0174) (Pre Mod. 972)						Ref.			
1		C.P.0262/1	Column, Suppressor, No. 12						1			
			ATTACHING PARTS									
2	1834	FT.1826	Clip (Fireproof Tanks Ltd.)						8		C	
			* * *									
3	27N/185	E.270	Plate, Pivot (Graviner)						1		C	
			ATTACHING PARTS									
4	28DU/16769	A.170/2D	Bolt, No. 10 UNF 2A (Top only)						3		C	
†	28W/9457834	SP.124/D	Washer, No. 10 UNF						3		C	
	28M/9438439	A.130/D	Nut, Stiff, No. 10 UNF 2B						3		C	
			* * *									
5	27N/182	E.186	Plate, Deflector (Graviner)						1		C	
6	27N/199	E.587	Block, Terminal (Graviner)						1		C	
7	1561	BP.0210	Piece, Packing						A.R.		C	
8	1836	FT/B/8514	Spider, Flexible (Fireproof Tanks Ltd.)						1		C	
9	27N/185	E.270	Plate, Pivot (Graviner)						1		C	
			ATTACHING PARTS (For Indices 5, 6, 7, 8 and 9)									
†	10	28DU/1211952	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
†		28DU/1211953	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
†		28DU/1211954	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
†		28W/9457834	Washer, No. 10 UNF						3		C	
		28M/9438439	Nut, Stiff, No. 10 UNF 2B						3		C	
			* * *									
	11	1836	Spider, Flexible (Fireproof Tanks Ltd.)						1		C	
	12	27N/180	Plate, Shorting (Graviner)						1		C	
	13	27N/179	Suppressor, 175 cc. (Graviner)						1		A	
	14	12G/1430	Detonator (Graviner)						1		C	
	15	27N/292	Suppressor, 100 cc. (Graviner)						1		A	
	16	12G/1445	Detonator (Graviner)						1		C	
			ATTACHING PARTS (For Indices 13 and 15)									
	17	1562	Bolt, Special, No. 10 UNF						3		C	
†		28W/9457834	Washer, No. 10 UNF						3		C	
		28M/9438439	Nut, Stiff, No. 10 UNF 2B						3		C	
			* * *									
	18		Column, Suppressor, No. 11						1			
			ATTACHING PARTS									
	19	1834	Clip (Fireproof Tanks Ltd.)						8		C	
			* * *									
	20	27N/185	Plate, Pivot (Graviner)						1		C	
			ATTACHING PARTS									
†	21	28DU/1211941	Bolt, No. 10 UNF 2A						3		C	
†		28W/9457834	Washer, No. 10 UNF						3		C	
		28M/9438439	Nut, Stiff, No. 10 UNF 2B						3		C	
			* * *									
	22	27N/182	Plate, Deflector (Graviner)						1		C	
	23	27N/199	Block, Terminal (Graviner)						1		C	
	24	1561	Piece, Packing						A.R.		C	
	25	1836	Spider, Flexible (Fireproof Tanks Ltd.)						1		C	
	26	27N/185	Plate, Pivot (Graviner)						1		C	
			ATTACHING PARTS									
†	27	28DU/1211949	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
†		28DU/1211950	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
†		28DU/1211951	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
†		28W/9457834	Washer, No. 10 UNF						3		C	
		28M/9438439	Nut, Stiff, No. 10 UNF 2B						3		C	
			* * *									

RESTRICTED

FIRE PROTECTION

Argosy C. MK.I.

EXPLOSION SUPPRESSION



Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
6-28	1836	FT/B/8514							Spider, Flexible (Fireproof Tanks Ltd.)	1	C	
29	27N/180	E.155							Plate, Shorting (Graviner)	1	C	
30	17N/179	E.121							Suppressor, 175 cc. (Graviner)	1	A	
31	12G/1430	E.734							Detonator (Graviner)	1	C	
32	27N/292	E.557							Suppressor, 10 cc. (Graviner)	2	A	
33	12G/1445	E.868							Detonator (Graviner)	2	C	
									ATTACHING PARTS			
†	34	1562							Bolt, Special, No. 10 UNF	6	C	
†		28W/9457834							Washer, No. 10 UNF	6	C	
		28M/9438439							Nut, Stiff, No. 10 UNF 2B	6	C	
									* * *			
	35	CP.0260/1							Column, Suppressor, No. 10	1		
									ATTACHING PARTS			
	36	1834							Clip (Fireproof Tanks Ltd.)	8	C	
									* * *			
	37	27N/185							Plate, Pivot (Graviner)	2	C	
									ATTACHING PARTS			
†	38	28DU/9434467							Bolt, No. 10 UNF 2A (Top only)	3	C	
†	39	28DU/1211941							Bolt, No. 10 UNF 2A (Bottom only)	3	C	
†		28DU/1211942							Bolt, No. 10 UNF 2A (Bottom only)	3	C	
†		28DU/1211943							Bolt, No. 10 UNF 2A (Bottom only)	3	C	
†		28W/9457834							Washer, No. 10 UNF	6	C	
		28M/9438439							Nut, Stiff, No. 10 UNF 2B	6	C	
									* * *			
	40	1836							Spider, Flexible (Fireproof Tanks Ltd.)	2	C	
	41	27N/180							Plate, Shorting (Graviner)	1	C	
	42	27N/179							Suppressor, 175 cc. (Graviner)	2	A	
	43	12G/1430							Detonator (Graviner)	2	C	
	44	27N/292							Suppressor, 100 cc. (Graviner)	1	A	
	45	12G/1445							Detonator (Graviner)	1	C	
									ATTACHING PARTS (For Indices 42 and 44)			
†	46	1562							Bolt, Special, No. 10 UNF	6	C	
		28W/9457834							Washer, No. 10 UNF	6	C	
		28M/9438439							Nut, Stiff, No. 10 UNF	6	C	
									* * *			
	47	27N/182							Plate, Deflector (Graviner)	1	C	
	48	27N/199							Block, Terminal (Graviner)	1	C	
	49	27N/187							Spacer (Graviner)	1	C	
									ATTACHING PARTS (For Indices 47, 48 and 49)			
†	50	28DU/1212525							Bolt, No. 10 UNF 2A	3	C	
†		28W/9457834							Washer, No. 10 UNF	3	C	
		28M/9438439							Nut, Stiff, No. 10 UNF 2B	3	C	
									* * *			
	51	1561							Piece, Distance	A.R.	C	

Argosy 'C' MK.I.

EXPLOSION SUPPRESSION

[illegible]

Argosy 'C' MK.I.



RESTRICTED

Argosy C. MK.I.

FIRE PROTECTION

EXPLOSION SUPPRESSION

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
†	7-	—	EXPLOSION SUPPRESSION No. 5 TANK						Ref.			
			(Ref. Drg. FP.0175) (PRE MOD. 972)									
	1	CP.0264/1	Column, Suppressor, No. 14						1			
			ATTACHING PARTS									
	2	1834	Clip (Fireproof Tanks Ltd.)						8		C	
			* * *									
	3	27N/185	Plate, Pivot (Graviner)						2		C	
			ATTACHING PARTS									
†	4	28DU/1211941	Bolt, No. 10 UNF 2A (Top only)						3		C	
†	5	28DU/1211941	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
†		28DU/1211942	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
†		28DU/1211943	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
†		28W/9457834	Washer, No. 10 UNF						6		C	
†		28M/9438439	Nut, Stiff, No. 10 UNF 2B						6		C	
			* * *									
	6	1836	Spider, Flexible (Fireproof Tanks Ltd.)						2		C	
	7	27N/180	Plate, Shorting (Graviner)						1		C	
	8	27N/292	Suppressor, 100 cc. (Graviner)						2		C	
	9	22G/1445	Detonator (Graviner)						2		C	
			ATTACHING PARTS									
	10	1562	Bolt, Special, No. 10 UNF						3		C	
†		28W/9457834	Washer, No. 10 UNF						3		C	
		28M/9438439	Nut, Stiff, No. 10 UNF 2B						3		C	
			* * *									
	11	27N/182	Plate, Deflector (Graviner)						1		C	
	12	27N/199	Block, Terminal (Graviner)						1		C	
	13	27N/188	Spacer (Graviner)						1		C	
			ATTACHING PARTS (For Indices 11, 12 and 13)									
†	14	28DU/1212525	Bolt, No. 10 UNF 2A						3		C	
†		28W/9457834	Washer, No. 10 UNF						3		C	
†		28M/9438439	Nut, Stiff, No. 10 UNF 2B						3		C	
			* * *									
	15	1561	Piece, Packing						A.R.		C	
	16	CP.0267/1	Column, Suppressor, No. 18						18			
			ATTACHING PARTS									
	17	1834	Clip (Fireproof Tanks Ltd.)						8		C	
			* * *									
	18	27N/185	Plate, Pivot (Graviner)						2		C	
			ATTACHING PARTS									
†	19	28DU/1211941	Bolt, No. 10 UNF 2A (Top only)						3		C	
†	20	28DU/1211941	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
†		28DU/1211942	Bolt, No. 10 UNF 2A (Bottom only)						3		C	
†		28W/9457834	Washer, No. 10 UNF						6		C	
†		28M/9438439	Nut, Stiff, No. 10 UNF 2B						6		C	
			* * *									
	21	1836	Spider, Flexible (Fireproof Tanks Ltd.)						2		C	
	22	27N/180	Plate, Shorting (Graviner)						1		C	
	23	27N/179	Suppressor, 175 cc. (Graviner)						1		A	
	24	12G/1430	Detonator (Graviner)						1		C	
	25	27N/182	Plate, Deflector (Graviner)						1		C	
	26	27N/199	Block, Terminal (Graviner)						1		C	
	27	27N/195	Spacer (Graviner)						1		C	
			ATTACHING PARTS (For indices 24, 25, 26 and 27)									
†	28	28DU/1212525	Bolt, No. 10 UNF						3		C	
†		28W/9457834	Washer, No. 10 UNF						3		C	
		28M/9438439	Nut, Stiff, No. 10 UNF 2B						3		C	

RESTRICTED
Argosy C. MK.L

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
† † † †	7-29	1561	BP.0210						Piece, Packing	A.R.		C
	30		CP.0263/1						Column, Suppressor, No. 13	1		
									ATTACHING PARTS			
	31	1834	FT.1826						Clip (Fireproof Tanks Ltd.)	8		C
				*	*	*						
	32	27N/185	E.270						Plate, Pivot (Graviner)	2		C
									ATTACHING PARTS			
	33	28DU/1211941	A.170/2D						Bolt, No. 10 UNF 2A (Top only)	3		C
	34	28DU/1211941	A.170/2D						Bolt, No. 10 UNF 2A (Bottom only)	3		C
		28DU/1211942	A.170/3D						Bolt, No. 10 UNF 2A (Bottom only)	3		C
† †		28VV/9457834	SP.124/D						Washer, No. 10 UNF	6		C
		28M/9438439	A.130/D						Nut, Stiff, No. 10 UNF 2B	6		C
				*	*	*						
	35	1836	FT/B/8514						Spider, Flexible (Fireproof Tanks Ltd.)	2		C
	36	27N/180	E.155						Plate, Shorting (Graviner)	1		C
	37	27N/179	E.121						Suppressor, 175 cc. (Graviner)	1		A
	38	12G/1430	E.734						Detonator (Graviner)	1		C
	39	26N/292	E.557						Suppressor, 100 cc. (Graviner)	1		A
	40	12G/1445	E.868						Detonator (Graviner)	1		C
									ATTACHING PARTS (For Indices 37 and 39)			
† †	41	1562	BP.0246						Bolt, Special, No. 10 UNF	3		C
		28VV/9457834	SP.124/D						Washer, No. 10 UNF	3		C
		28M/9438439	A.130/D						Nut, Stiff, No. 10 UNF 2B	3		C
				*	*	*						
	42	27N/182	E.186						Plate, Deflector (Graviner)	1		C
	43	27N/199	E.587						Block, Terminal (Graviner)	1		C
	44	27N/187	E.401						Spacer (Graviner)	1		C
									ATTACHING PARTS (For Indices 42, 43 and 44)			
	45	28DU/1212525	A.169/8D						Bolt, No. 10 UNF 2A	3		C
		28VV/9457834	SP.14/D						Washer, No. 10 UNF	3		C
† †		28M/9438439	A.130/D						Nut, Stiff, No. 10 UNF 2B	3		C
				*	*	*						
	46	1561	BP.0210						Piece, Packing	A.R.		C

RESTRICTED

Argosy 'C' MK.I.

FIRE PROTECTION

ELECTRICS


Subject 6

ELECTRICS


RESTRICTED

RESTRICTED

Argosy 'C' MK.I.



PC 1097/2



26-6-1

PAGE 1

CABLE RUN IN COCKPIT

FIGURE I

RESTRICTED

November 1963



TP 27

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
1-		—	ENGINE BAY FIRE WARNING INSTALLATION (Ref. Drg. EV.2001 Sht. 51)						Ref.			
		—	CABLE RUN IN COCKPIT (Ref. Drgs. FS.0516, FV.2517, FV.2518)						Ref.			
†	1	—	Panel Assembly (P.23) (See 25-1-6, Fig. 1).....						Ref.			
	2	5CW/4400340	Switch, Push Button (Page).....						8		B	
	3	5L/9959118	Filament, 28v., 1w. (Atlas)						8		B	
	4	—	Block Assembly, Terminal (See 35-2-1, Fig. 1, Index 45)						Ref.			
	5	—	Clip Assembly (See 24-1-2, Fig. 8, Index 9).....						Ref.			
	6	—	Clip Assembly (See 24-3-1, Fig. 1, Index 75)						Ref.			
	7	—	Clip Assembly (See 24-3-1, Fig. 1, Index 87)						Ref.			
	8	—	Clip Assembly (See 24-3-1, Fig. 1, Index 93)						Ref.			
	9	28E/ AS.3180	Clip (Size to Suit)						19		C	
			ATTACHING PARTS									
†	10	28S/1275287	Screw, Panhead, No. 6 UNC (A.205/B14)						1		C	
†		28W/9471274	Washer, No. 6 UNC						1		C	
†		28M/1011993	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
	11	—	Clip Assembly (See 24-3-1, Fig. 1, Index 83)						Ref.			
	12	28E/ AS.3180	Clip (Size to Suit)						2		C	
			ATTACHING PARTS									
†	13	28S/9513165	Screw, Panhead, No. 6 UNC (A.205/B16)						1		C	
†		28W/9471274	Washer, No. 6 UNC						1		C	
†		28M/1011993	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
	14	—	Clip Assembly (See 33-1-1, Fig. 2, Index 12)						Ref.			
	15	—	Panel Assembly (P.24) (See 31-1-1, Fig. 1)						Ref.			
	16	—	Block, Terminal (See 52-6-1, Fig. 1, Index 8)						Ref.			
†			* * *									
†	17	5CW/1047692	Switch (Mod. 241) (C.W.C.)						1		B	
			ATTACHING PARTS									
	18	28S/1007469	Screw, Csk., 4 BA.....						2		C	
			* * *									
	19	—	Panel Assembly (P.3) (See 24-2-1, Fig. 4, Index 2)						Ref.			
	20	—	Panel, Fuse (See 24-2-1, Fig. 4, Index 43)						Ref.			
	21	—	Fuse (2.4 amp.) (See 24-2-1, Fig. 4, Index 47)						Ref.			
	22	—	Panel Assembly (P.1) (See 24-2-1, Fig. 3, Index 1)						Ref.			
	23	—	Panel, Fuse (See 24-2-1, Fig. 3, Index 44)						Ref.			
	24	—	Panel, Fuse (See 24-2-1, Fig. 3, Index 45)						Ref.			
	25	—	Fuse (2.4 amp.) (See 24-2-1, Fig. 3, Index 52)						Ref.			
	26	—	Fuse (4 amp.) (See 24-2-1, Fig. 3, Index 53)						Ref.			
	27	—	Duct Assembly (See 24-1-2, Fig. 4, Index 26)						Ref.			
	28	—	Duct Assembly (See 24-1-2, Fig. 4, Index 40)						Ref.			
	29	—	Clip Assembly (See 24-1-2, Fig. 5, Index 109)						Ref.			
	30	—	Box Assembly (J.B.1) (See 24-2-2, Fig. 1, Index 2)						Ref.			
	31	—	Block, Terminal (See 24-2-2, Fig. 1, Index 46)						Ref.			
	32	5X/1004082	Link, Commoning, 2-way (Plessey)						9		C	
	33	—	Clip Assembly (See 24-1-2, Fig. 6, Index 89)						Ref.			
	34	26FX/4211	Clip, Saddle						1		C	
	35	5F/9434857	Strapping (Hellermann)						A.R.		C	
	36	5F/9138822	Stud (Hellermann)						A.R.		C	
			Set, Fly-lead (P.1)						Ref.			
	37	DV.2051/5	Cable						1			

Argosy 'C' MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
1-		DV.2323	Set, Fly-lead (P.23)						Ref.			
38		DV.2051/1	Cable						1			
39		DV.2051/2	Cable						1			
40		DV.2051/4	Cable						1			
41		DV.2051/6	Cable						1			
42		DV.2051/55	Cable						1			
43		DV.2051/56	Cable						1			
44		DV.2051/57	Cable						1			
45		DV.2051/58	Cable						1			
		DV.2324	Set, Fly-lead (P.24)						Ref.			
46		DV.2051/51	Cable						1			
47		DV.2051/52	Cable						1			
48		DV.2051/53	Cable						1			
49		DV.2051/54	Cable						1			
		DV.2381	Set, Fly-lead (J.B.1)						Ref.			
50		DV.2051/3	Cable						1			
51		DV.2051/7	Cable						1			
52		DV.2051/8	Cable						1			
53		DV.2051/9	Cable						1			
54		DV.2051/10	Cable						1			
		DV.2401	Set, Wiring (Zone 1)						Ref.			
55		DV.2051/21	Cable						1			
56		DV.2051/22	Cable						1			
57		DV.2051/23	Cable						1			
58		DV.2051/24	Cable						1			
59		DV.2051/28	Cable						1			
60		DV.2051/29	Cable						1			
61		DV.2051/30	Cable						1			
		DV.2403	Set, Wiring (Zone 3)						Ref.			
62		DV.2051/11	Cable						1			
63		DV.2051/12	Cable						1			
64		DV.2051/13	Cable						1			
65		DV.2051/17	Cable						1			
66		DV.2051/18	Cable						1			
67		DV.2051/19	Cable						1			
68		DV.2051/20	Cable						1			
		DV.2402	Set, Wiring (Zone 2)						Ref.			
69		DV.2479/27	Cable (Mod. 239)						1			
70		DV.2479/28	Cable (Mod. 239)						1			
71		—	Earth Point Assembly, E.30, E.32 (Mod. 239)						2			
72	9282	BV.0364/4	Stud.						1		C	
	28W/9471273	SP.124/E	Washer, 1/4" UNF						6		C	
73	28M/9416046	A.103/ET	Nut, Thin, 1/4" UNF 2B						2		C	
	28M/9418915	A.125/E/77	Nut, Stiff, 1/4" UNF 2B						2		C	



CABLE RUN TO FIREWIRE RELAY UNITS, NACELLES

FIGURE 2
RESTRICTED



Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
2-		—	CABLE RUN TO FIREWIRE RELAY UNITS (NACELLES)						Ref.			
			(Ref. Drgs. FV.2505, FV.2506, FV.2507, FV.2521)									
1		—	Panel Assembly (J.B.1) (See 24-2-2, Fig. 1)						Ref.			
2		—	Duct Assembly (See 24-1-2, Fig. 5, Index 39)						Ref.			
3		—	Fairlead Assembly (See 33-1-1, Fig. 6, Index 6)						Ref.			
4		—	Fairlead Assembly (See 33-1-1, Fig. 3, Index 7)						Ref.			
5	26FX/4211	STD.1687/2	Clip, Saddle						8		C	
6	5F/9434857	HV.3341	Strapping (Hellermann)						A.R.		C	
7	5F/9138822	NY.3342	Stud (Hellermann)						A.R.		C	
8	5X/6865	SR.3827	Bung, Pressure (B1, B2) (Hellermann)						2		C	
9	5X/7244	PC.14044	Plug, Filler 6A (Hellermann)						52		C	
10	5X/7245	PC.14005	Plug, Filler 12A (Hellermann)						17		C	
11	5X/7246	PC.14006	Plug, Filler 24A (Hellermann)						5		C	
12	5X/7247	PC.14007	Plug, Filler 35A (Hellermann)						1		C	
13		—	Clip Assembly (See 24-1-1, Fig. 4, Index 72)						Ref.			
14		—	Clip Assembly (See 24-1-1, Fig. 7, Index 74)						Ref.			
15		—	Clip Assembly (See 24-1-1, Fig. 4, Index 17)						Ref.			
16		—	Fairlead Assembly (See 77-1-1, Fig. 2, Index 43)						Ref.			
17		—	Clip Assembly (See 77-1-1, Fig. 3, Index 13)						Ref.			
18		AS.3181	Clip (Size to Suit)						6			
			ATTACHING PARTS									
† 19	28S/1220234	A217/B20	Screw, Panhead, No. 6 UNC (A.205/B20)						1		C	
	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
†	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
20		AS.3181	Clip (Size to Suit)						4			
			ATTACHING PARTS									
21	28DU/9419565	A.102/1D	Bolt, No. 10 UNF 2A						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
			* * *									
22		—	Unit Assembly, Firewire, Control						2			
			ATTACHING PARTS									
† 23	28S/1221215	A.217/D48	Screw, Panhead, No. 10 UNF (A.205/D48)						6		C	
			* * *									
24	5CZ/7404	162D	Unit, Control (Graviner) (Mod. 730)						2		A	
† 25	5CZ/1027621	D.2240	Plate, Relay Base (Graviner)						2		A	
26		—	Channel Assembly (See 24-2-2, Fig. 6, Index 24)						Ref.			
		DV.2407	Set Wiring (Zone 7)						Ref.			
27		DV.2051/25	Cable						1			
28		DV.2051/26	Cable						1			
29		DV.2051/27	Cable						1			
30		DV.2051/41	Cable						1			
31		DV.2051/43	Cable						1			
32		DV.2051/44	Cable						1			
33		DV.2051/46	Cable						1			
34		DV.2051/48	Cable						1			
35		DV.2051/49	Cable						1			
		DV.2408	Set Wiring (Zone 8)						Ref.			
36		DV.2051/14	Cable						1			
37		DV.2051/15	Cable						1			
38		DV.2051/16	Cable						1			

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
2-39		DV.2051/31						Cable	1			
40		DV.2051/33						Cable	1			
41		DV.2051/34						Cable	1			
42		DV.2051/36						Cable	1			
43		DV.2051/38						Cable	1			
44		DV.2051/39						Cable	1			
45		—						Earth Point Assembly (E.137, E.138, E.139, E.140, E.155, E.156)	6			
46		BV.0363/6						Bolt	1			
† 47	28W/9457834	SP.124/D						Washer, No. 10 UNF	4		C	
† 48	28M/9419540	A.103/DT						Nut, Thin, No. 10 UNF 2B	1		C	
	28M/9419990	A.125/D/77						Nut, Stiff, No. 10 UNF 2B	1		C	
		AS.3180						Clip (Size to Suit)	1			
† 49	28S/1220234	A.217/B20						ATTACHING PARTS Screw, Panhead, No. 6 UNC (A.205/B20)	1		C	
		AS.3180						* * * Clip (Size to Suit)	1			
† 51	28S/1220268	A217/B24						ATTACHING PARTS Screw, Panhead, No. 6 UNC (A.205/B24)	1		C	
								* * *				
52		DV.2051/21						Cable (See Fig. 1, Index 55)	Ref.			
53		DV.2051/22						Cable (See Fig. 1, Index 56)	Ref.			
54		DV.2051/23						Cable (See Fig. 1, Index 57)	Ref.			
55		DV.2051/24						Cable (See Fig. 1, Index 58)	Ref.			
56		DV.2051/28						Cable (See Fig. 1, Index 59)	Ref.			
57		DV.2051/29						Cable (See Fig. 1, Index 60)	Ref.			
58		DV.2051/30						Cable (See Fig. 1, Index 61)	Ref.			
59		DV.2051/11						Cable (See Fig. 1, Index 62)	Ref.			
60		DV.2051/12						Cable (See Fig. 1, Index 63)	Ref.			
61		DV.2051/13						Cable (See Fig. 1, Index 64)	Ref.			
62		DV.2051/17						Cable (See Fig. 1, Index 65)	Ref.			
63		DV.2051/18						Cable (See Fig. 1, Index 66)	Ref.			
64		DV.2051/19						Cable (See Fig. 1, Index 67)	Ref.			
65		DV.2051/20						Cable (See Fig. 1, Index 68)	Ref.			
66		—						Clip Assembly (See 24-1-1, Fig. 7, Index 16)	Ref.			
67		—						Fairlead Assembly (See 77-1-1, Fig. 5, Index 24)	Ref.			
68		—						Clip Assembly (See 77-1-1, Fig. 6, Index 10)	Ref.			

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				



CABLE RUN TO ENGINES

FIGURE 3

Argosy C. Mk.1.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
3-		—	CABLE RUN TO ENGINES						Ref.			
			(Ref. Drgs. FV.2511, FV.2512, FV.2513, FV.2514, FV.2521)									
1		—	Fairlead Assembly (See 77-1-1, Fig. 2, Index 43)						Ref.			
2		—	Clip Assembly (See 24-1-1, Fig. 3, Index 32)						Ref.			
3		—	Clip Assembly (See 24-1-1, Fig. 3, Index 26)						Ref.			
4		—	Fitting, Bulkhead (See 26-3-1, Fig. 3)						Ref.			
5		—	Clip Assembly (See 77-1-1, Fig. 2, Index 32)						Ref.			
6		—	Fairlead Assembly (See 77-1-1, Fig. 2, Index 29)						Ref.			
7		—	Clip Assembly (See 77-1-1, Fig. 2, Index 25)						Ref.			
8		—	Duct Assembly (See 24-1-1, Fig. 2, Index 3)						Ref.			
9		—	Clip Assembly (See 24-1-1, Fig. 1, Index 69)						Ref.			
10		—	Duct Assembly (See 24-1-1, Fig. 1, Index 56)						Ref.			
11		—	Clip Assembly (See 24-1-1, Fig. 1, Index 40)						Ref.			
12		—	Fitting, Bulkhead (See 26-3-1, Fig. 1)						Ref.			
13		—	Fitting, Bulkhead (See 26-3-1, Fig. 2)						Ref.			
14		—	Clip Assembly (See 24-1-1, Fig. 1, Index 27)						Ref.			
15		—	Fairlead Assembly						3			
			ATTACHING PARTS									
16	28DU/9419561	A.102/2B	Bolt, No. 6 UNC 2A						4		C	
†	28W/9471274	SP.124/B	Washer, No. 6 UNC						4		C	
†	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						4		C	
			* * *									
17		BV.1188	Fairlead, Half						2			
18		—	Clip Assembly						10			
			ATTACHING PARTS									
†	19	28S/1220234	Screw, Panhead, No. 6 UNC (A.205/B20)						1		C	
†		28W/9471274	Washer, No. 6 UNC						1		C	
†		28M/1011993	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
20		CV.0340/1	Clip						1			
21	28E/	AS.3181	Clip (Size to Suit)						1		C	
22		—	Fairlead Assembly (See 77-1-1, Fig. 5, Index 24)						Ref.			
23	28E/	AS.3181	Clip (Size to Suit)						1		C	
			ATTACHING PARTS									
24	28DU/9419967	A.102/2D	Bolt, No. 10 UNF 2A						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
			* * *									
25		—	Clip Assembly (See 24-1-1, Fig. 7, Index 44)						Ref.			
26	28E/	AS.3181	Clip (Size to Suit)						1		C	
			ATTACHING PARTS									
†	27	28S/9513165	Screw, Panhead, No. 6 UNC (A.205/B16)						1		C	
		28W/9129655	Washer, No. 6 UNC						1		C	
†		28M/1011993	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
28		—	Clip Assembly (See 24-1-1, Fig. 5, Index 55)						Ref.			
29		—	Duct Assembly (See 24-1-1, Fig. 5, Index 40)						Ref.			
30		—	Clip Assembly (See 24-1-1, Fig. 5, Index 32)						Ref.			
31		—	Clip Assembly						1			
			ATTACHING PARTS									
†	32	28S/9513165	Screw, Panhead, No. 6 UNC (A.205/B16)						1		C	
†		28W/9471274	Washer, No. 6 UNC						1		C	
†		28M/1011993	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
33		CV.0340/1	Clip						1			
34	28E/	AS.3181	Clip (Size to Suit)						1		C	

RESTRICTED

Argosy C. MK.1.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
3-35		—						Earth Point Assembly, E.113, 115, 116, 118, 145, 147, 148, 150	8			
36		BV.0363/6						Bolt	1			
	28W/9457834	SP.124/D						Washer, No. 10 UNF	4		C	
37	28M/9419540	A.103/DT						Nut, Thin, No. 10 UNF 2B	1		C	
	28M/9419990	A.125/D/77						Nut, Stiff, No. 10 UNF 2B	1		C	
		CV.2417						Set, Wiring (Zone 17)	Ref.			
38		DV.2051/47						Cable	1			
39		DV.2051/50						Cable	1			
		CV.2419						Set, Wiring (Zone 19)	Ref.			
40		DV.2051/42						Cable	1			
41		DV.2051/45						Cable	1			
		CV.2418						Set, Wiring (Zone 18)	Ref.			
42		DV.2051/37						Cable	1			
43		DV.2051/40						Cable	1			
		CV.2420						Set, Wiring (Zone 20)	Ref.			
44		DV.2051/32						Cable	1			
45		DV.2051/35						Cable	1			
46		DV.2051/31						Cable (See Fig. 2, Index 39)	Ref.			
47		DV.2051/34						Cable (See Fig. 2, Index 41)	Ref.			
48		DV.2051/36						Cable (See Fig. 2, Index 42)	Ref.			
49		DV.2051/39						Cable (See Fig. 2, Index 44)	Ref.			
50		DV.2051/41						Cable (See Fig. 2, Index 30)	Ref.			
51		DV.2051/44						Cable (See Fig. 2, Index 32)	Ref.			
52		DV.2051/46						Cable (See Fig. 2, Index 33)	Ref.			
53		DV.2051/49						Cable (See Fig. 2, Index 35)	Ref.			
54		—						Element, Firewire (See 26—3—1, Fig. 1, Index 6)	Ref.			
55		—						Element, Firewire (See 26—3—1, Fig. 3, Index 6)	Ref.			
56		—						Element, Firewire (See 26—3—1, Fig. 2, Index 6)	Ref.			

RESTRICTED

RESTRICTED

Argosy 'C' MK.I.



FIRE PROTECTION

ELECTRICS

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
			TRANSFER MARKERS									
		BV.2573/1	Transfer, " L1 "						1			
		BV.2573/2	Transfer, " L2 "						1			
		BV.2573/3	Transfer, " L3 "						1			
		BV.2573/4	Transfer, " L4 "						1			
		BV.2573/6	Transfer, " L6 "						1			
		BV.2573/7	Transfer, " L7 "						1			
		BV.2573/8	Transfer, " L8 "						1			
		BV.2573/9	Transfer, " L9 "						1			
		BV.2574/16	Transfer, " M16 "						4			
		BV.2574/17	Transfer, " M17 "						2			
		BV.2574/19	Transfer, " M19 "						2			
		BV.2574/23	Transfer, " M23 "						1			
		BV.2574/24	Transfer, " M24 "						1			
		BV.2574/26	Transfer, " M26 "						1			
		BV.2574/27	Transfer, " M27 "						1			
		BV.2577/7	Transfer, " S7 "						1			

RESTRICTED

Argosy 'C' MK.I.



CABLE RUN IN COCKPIT

FIGURE I

RESTRICTED

PC 1077/2

NOVEMBER 1963

TP 27

Argosy C. MK.I.

FIRE PROTECTION

ELECTRICS

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
1-		—	FIRE EXTINGUISHER INSTALLATION (Ref. Drg. EV.2001 Sht. 52)						Ref.			
1		—	CABLE RUN IN COCKPIT (Ref. Drgs. FV.2502, FV.2517)						Ref.			
2		—	Panel Assembly (P.23) (See 25-1-6, Fig. 1).....						Ref.			
3		—	Switch (See 26-6-1, Fig. 1, Index 2)						Ref.			
4		—	Block Assembly, Terminal (See 35-2-1, Fig. 1, Index 45) ..						Ref.			
5		—	Clip Assembly (See 24-1-2, Fig. 8, Index 9)						Ref.			
6		—	Clip Assembly (See 24-3-1, Fig. 1, Index 75)						Ref.			
7		—	Clip Assembly (See 24-3-1, Fig. 1, Index 87)						Ref.			
8		—	Clip Assembly (See 24-1-2, Fig. 8, Index 21)						Ref.			
9		—	Clip Assembly (See 24-3-1, Fig. 1, Index 93)						Ref.			
10		—	Clip (See 26-6-1, Fig. 1, Index 9)						Ref.			
11	26FX/4211	STD.1687/2	Clip Assembly (See 24-1-2, Fig. 6, Index 89)						Ref.			
12	5F/9434857	HV.3341	Clip, Saddle						1		C	
13	5F/9138822	NY.3342	Strapping (Hellermann)						A.R.		C	
14		—	Stud (Hellermann)						A.R.		C	
15		—	Clip (See 26-6-1, Fig. 1, Index 12)						Ref.			
16		—	Clip Assembly (See 33-1-1, Fig. 2, Index 12)						Ref.			
17		—	Panel Assembly (P.24) (See 31-1-1, Fig. 1).....						Ref.			
18		—	Duct Assembly (See 24-1-2, Fig. 4, Index 10)						Ref.			
19		—	Panel Assembly (P.1) (See 24-2-1, Fig. 1, Index 2)						Ref.			
20		—	Panel Circuit Breaker (See 24-2-1, Fig. 3, Index 6)						Ref.			
21		—	Panel Circuit Breaker (See 24-2-1, Fig. 3, Index 7)						Ref.			
22		—	Breaker, Circuit (See 24-2-1, Fig. 3, Index 13)						Ref.			
23		—	Clip Assembly (See 24-1-2, Fig. 5, Index 109)						Ref.			
24		—	Box Assembly (J.B.1) (See 24-2-2, Fig. 1, Index 2)						Ref.			
25	5X/1004082	Z.50210	Block Terminal (See 24-2-2, Fig. 1, Index 46)						Ref.			
		DV.2301	Link, Commoning 2-Way (Plessey)						4		C	
		DV.2052/18	Set, Flylead (P.1)						Ref.			
26		DV.2052/19	Cable						1			
27		DV.2052/22	Cable (See 24-1-2, Fig. 5, Index 109)						1			
28		DV.2052/23	Cable						1			
29		CV.2323	Cable						1			
30		DV.2052/1	Set, Flylead (P.23)						Ref.			
31		DV.2052/2	Cable						1			
32		DV.2052/7	Cable						1			
33		DV.2052/8	Cable						1			
34		DV.2052/9	Cable						1			
35		DV.2052/10	Cable						1			
36		DV.2052/15	Cable						1			
37		DV.2052/16	Cable						1			
		CV.2324	Set, Flylead (P.24)						Ref.			
38		DV.2052/4	Cable						1			
39		DV.2052/5	Cable						1			
40		DV.2052/12	Cable						1			
41		DV.2052/13	Cable						1			
		DV.2381	Set, Flylead (J.B.1)						Ref.			
42		DV.2052/3	Cable						1			
43		DV.2052/6	Cable						1			
44		DV.2052/11	Cable						1			
45		DV.2052/14	Cable						1			

FIRE PROTECTION

Argosy 'C' MK.I.

ELECTRICS

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Key. Code
			1	2	3	4	5	6				
1-46		DV.2052/17						Cable	1			
47		DV.2052/20						Cable	1			
48		DV.2052/21						Cable	1			
49		DV.2052/24						Cable	1			
		DV.2401						Set Wiring (Zone 1)	Ref.			
50		DV.2052/29						Cable	1			
51		DV.2052/30						Cable	1			
52		DV.2052/31						Cable	1			
53		DV.2052/32						Cable	1			
		DV.2403						Set Wiring (Zone 3)	Ref.			
54		DV.2052/25						Cable	1			
55		DV.2052/26						Cable	1			
56		DV.2052/27						Cable	1			
57		DV.2052/28						Cable	1			

Argosy 'C' MK.I.

ELECTRICS

November 1963
TP27 AL12


26-6-2
Page 4

RESTRICTED

FIRE PROTECTION

ELECTRICS

Argosy 'C' MK.I.



PC1076/2

26-6-2

PAGE 5

CABLE RUN TO JB11 & JB12

FIGURE 2

RESTRICTED

NOVEMBER 1963

TR 27

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
2-		—	CABLE RUN TO J.B.11 AND J.B.12						Ref.			
			(Ref. Drgs. FV.2505, FV.2506, FV.2507)									
1		—	Panel Assembly (J.B.1) (See 24-2-2, Fig. 1, Index 2) . . .						Ref.			
2		—	Duct Assembly (See 24-1-2, Fig. 5, Index 39)						Ref.			
3		—	Fairlead Assembly (See 33-1-1, Fig. 6, Index 6)						Ref.			
4		—	Fairlead Assembly (See 33-1-1, Fig. 3, Index 7)						Ref.			
5	26FX/4211	STD.1687/2	Clip, Saddle						8		C	
6	5F/9434857	HV.3341	Strapping (Hellermann)						A.R.		C	
7	5F/9138822	NY.3342	Stud (Hellermann)						A.R.		C	
8		—	Bung (B1, B2) (See 26-6-1, Fig. 2, Index 8)						Ref.			
9		—	Clip Assembly (See 24-1-1, Fig. 4, Index 72)						Ref.			
10		—	Clip Assembly (See 24-1-1, Fig. 7, Index 74)						Ref.			
11		—	Clip Assembly (See 24-1-1, Fig. 4, Index 17)						Ref.			
12		—	Fairlead Assembly (See 77-1-1, Fig. 2, Index 43)						Ref.			
13		—	Clip Assembly (See 77-1-1, Fig. 3, Index 13)						Ref.			
14	28E/	AS.3181	Clip (Size to Suit)						6		C	
			ATTACHING PARTS									
† 15	28S/1220234	A.217/B20	Screw, Panhead, No. 6 UNC (A.205/B20)						1		C	
†	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
†	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 28						1		C	
			* * *									
16	28E/	AS.3181	Clip (Size to Suit)						2		C	
			ATTACHING PARTS									
† 17	28S/1220235	A.217/D20	Screw, Panhead, No. 10 UNF (A.205/D20)						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
†	28M/9706320	A.125/D/66	Nut, Stiff, No. 10 UNF						1		C	
			* * *									
18		—	Box Assembly (J.B.11) (See 24-2-2, Fig. 6)						Ref.			
19		—	Clip Assembly (See 24-1-1, Fig. 7, Index 16)						Ref.			
20		—	Fairlead Assembly (See 77-1-1, Fig. 5, Index 24)						Ref.			
21		—	Clip Assembly (See 77-1-1, Fig. 6, Index 10)						Ref.			
22		—	Box Assembly (J.B.12) (See 77-1-1, Fig. 6)						Ref.			
23		—	Block, Terminal (See 24-2-2, Fig. 6, Index 12)						Ref.			
		CV.2391	Set, Flylead (J.B.11)						Ref.			
24		DV.2052/37	Cable						1			
25		DV.2052/38	Cable						1			
26		DV.2052/39	Cable						1			
27		DV.2052/40	Cable						1			
28		DV.2052/65	Cable						1			
29		DV.2052/66	Cable						1			
30		DV.2052/67	Cable						1			
31		DV.2052/68	Cable						1			
32		DV.2052/51	Cable						1			
33		DV.2052/52	Cable						1			
34		DV.2052/54	Cable						1			
35		DV.2052/56	Cable						1			
36		DV.2052/57	Cable						1			
37		DV.2052/60	Cable						1			
		DV.2392	Set, Flylead (J.B.12)						Ref.			
38		DV.2052/33	Cable						1			
39		DV.2052/34	Cable						1			
40		DV.2052/35	Cable						1			
41		DV.2052/36	Cable						1			
42		DV.2052/61	Cable						1			

RESTRICTED

FIRE PROTECTION

ELECTRICS

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
2-43		DV.2052/62						Cable	1			
44		DV.2052/63						Cable	1			
45		DV.2052/64						Cable	1			
46		DV.2052/42						Cable	1			
47		DV.2052/43						Cable	1			
48		DV.2052/45						Cable	1			
49		DV.2052/47						Cable	1			
50		DV.2052/48						Cable	1			
51		DV.2052/59						Cable	1			
52		DV.2052/29						Cable (See Fig. 1, Index 50)	Ref.			
53		DV.2052/30						Cable (See Fig. 1, Index 51)	Ref.			
54		DV.2052/31						Cable (See Fig. 1, Index 52)	Ref.			
55		DV.2052/32						Cable (See Fig. 1, Index 53)	Ref.			
56		DV.2052/25						Cable (See Fig. 1, Index 54)	Ref.			
57		DV.2052/26						Cable (See Fig. 1, Index 55)	Ref.			
58		DV.2052/27						Cable (See Fig. 1, Index 56)	Ref.			
59		DV.2052/28						Cable (See Fig. 1, Index 57)	Ref.			
60		—						Earth Point Assembly (See 26-6-1, Fig. 2, Index 45) ... (E.137, E.138, E.139, E.140)	Ref.			



Argosy 'C' MK.I.

ELECTRICS

November 1963
TP27 AL12

26-6-2
Page 8

RESTRICTED
Argosy 'C' MK.I.



CABLE RUN TO FIRE EXTINGUISHERS (L.H.)

FIGURE 3

RESTRICTED

PC1075/2

NOVEMBER 1963

T.R. 27

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
3-		—	CABLE RUN TO FIRE EXTINGUISHER BOTTLES L.H. ...						Ref.			
			(Ref. Drgs. FV.2505, FV.2506, FV.2508, FV.2521, DV.2607, EV.2605)									
1		—	Box Assembly (J.B.11) (See 24-2-2, Fig. 6)						Ref.			
2		AS.3181	Clip (Size to Suit)						4			
			ATTACHING PARTS									
† 3	28S/1220234	A.217/B20	Screw, Panhead, No. 6 UNC (A.205/B20)						1		C	
†	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
†	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
4		—	Clip Assembly (See 77-1-1, Fig. 3, Index 13)						Ref.			
5		AS.3180	Clip (Size to Suit)						5			
			ATTACHING PARTS									
† 6	28S/9513165	A.217/B16	Screw, Panhead, No. 6 UNC (A.205/B16)						1		C	
†	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
†	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
7		—	Clip Assembly (See 33-1-2, Fig. 3, Index 4)						Ref.			
8		—	Clip Assembly						1			
			ATTACHING PARTS									
9	28DU/9419561	A.102/2B	Bolt, No. 6 UNC 2A						1		C	
†	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
			* * *									
10		AS.3180	Clip (Size to Suit)						1			
11		BV.0502/1/UN	Bracket Assembly						1			
12		—	Bottle, Extinguisher (See 26-1-1, Fig. 1, Index 1)						Ref.			
13		—	Door, Main U/C Forward (Ref. Drg. FK.5203)						Ref.			
			(See 32-1-1, Fig. 2)									
14		EV.2605/1	Shroud Assembly						1			
† 15	28M/1223887	A.136/B/66	Nut, Anchor, No. 6 UNC 2B						10		C	
16	28M/9438468	A.157/B	Nut, Anchor, No. 6 UNC 2B						4		C	
17		DV.2607/1	Panel Assembly (P.41)						1			
			ATTACHING PARTS									
† 18	28S/9513165	A.217/B16	Screw, Panhead, No. 6 UNC (A.205/B16)						14		C	
			* * *									
19		CV.2607/2	Panel						1			
20	27N/241	A.381	Holder, Fuse (Graviner)						4		B	
† 21	27N/171	E.301	Fuse (Graviner) (Pre Mod. 647)						4		C	
†	27N/317	A.984	Fuse (Graviner) (Mod. 647)						1		C	
22		CV.2977	Gasket, Rubber						1			
23		—	Fairlead Assembly (See 77-1-1, Fig. 2, Index 43)						Ref.			
24		—	Duct Assembly (See 24-1-1, Fig. 2, Index 3)						Ref.			
25		—	Clip Assembly (See 24-1-1, Fig. 1, Index 73)						Ref.			
26		—	Clip Assembly (See 24-1-1, Fig. 1, Index 78)						Ref.			
27		—	Clip Assembly (See 80-1-1, Fig. 6, Index 36)						Ref.			
28		—	Fairlead Assembly (See 80-1-1, Fig. 6, Index 44)						Ref.			
29		—	Clip Assembly (See 80-1-1, Fig. 6, Index 62)						Ref.			
30		AS.3181	Clip (Size to Suit)						2			
			ATTACHING PARTS									
† 31	28S/9513165	A.217/B16	Screw, Panhead, No. 6 UNC (A.205/B16)						1		C	
†	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
†	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
32		EV.2508/47	ND	Tubing, Helsyn 100 (Hellermann)					A.R.			
33		EV.2508/48	ND	Foil, Aluminium					A.R.			

RESTRICTED

Argosy C. MK.1.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
3-34		—						Bottle, Extinguisher (See 26—1—1, Fig. 1, Index 50)	Ref.			
35		—						Duct Assembly (See 24—1—1, Fig. 1, Index 56)	Ref.			
36		—						Earth Point Assembly, E.103, E.105	2			
37	7037	BV.0363/7						Bolt	1		C	
†	28W/9471273	SP.124/E						Washer, 1/4" UNF	4		C	
38	28M/9416046	A.103/ET						Nut, Thin, 1/4" UNF 2B	1		C	
†	28M/9418915	A.125/E/77						Nut, Stiff, 1/4" UNF 2B	1		C	
		DV.2407						Set, Wiring (Zone 7)	Ref.			
39		DV.2052/50						Cable	1			
40		DV.2052/53						Cable	1			
		DV.2409						Set, Wiring (Zone 9)	Ref.			
41		DV.2052/55						Cable	1			
42		DV.2052/58						Cable	1			
43		—						Earth Point Assembly (See 26—6—1, Fig. 2, Index 45) . . .	Ref.			
44		DV.2052/51						Cable (See Fig. 2, Index 32)	Ref.			
45		DV.2052/52						Cable (See Fig. 2, Index 33)	Ref.			
46		DV.2052/56						Cable (See Fig. 2, Index 35)	Ref.			
47		DV.2052/57						Cable (See Fig. 2, Index 36)	Ref.			
48		DV.2052/37						Cable (See Fig. 2, Index 24)	Ref.			
49		DV.2052/38						Cable (See Fig. 2, Index 25)	Ref.			
50		DV.2052/39						Cable (See Fig. 2, Index 26)	Ref.			
51		DV.2052/40						Cable (See Fig. 2, Index 27)	Ref.			
52		DV.2052/65						Cable (See Fig. 2, Index 28)	Ref.			
53		DV.2052/66						Cable (See Fig. 2, Index 29)	Ref.			
54		DV.2052/67						Cable (See Fig. 2, Index 30)	Ref.			
55		DV.2052/68						Cable (See Fig. 2, Index 31)	Ref.			

RESTRICTED

Argosy 'C' MK.I.



ELECTRICS

November 1963
TP27 AL12

Page 12

RESTRICTED

Argosy 'C' MK.I.



CABLE RUN TO FIRE EXTINGUISHERS (R.H.)

FIGURE 4

RESTRICTED

Argosy C. Mk.1.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
† 4-		—	CABLE RUN TO FIRE EXTINGUISHER BOTTLES (R.H.) (Ref. Drgs. FV.2505, FV.2507, FV.2509, FV.2521, EV.2727)						Ref.			
1		—	Box Assembly (J.B.12) (See 24-2-2, Fig. 6)						Ref.			
2		AS.3181	Clip (Size to Suit)						3			
			ATTACHING PARTS									
† 3	28S/1220234	A.217/B20	Screw, Panhead, No. 6 UNC (A.205/B20)						1		C	
†	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
†	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
4		AS.3181	Clip (Size to Suit)						1			
			ATTACHING PARTS									
† 5	28S/1220235	A.217/D20	Screw, Panhead, No. 10 UNF (A.205/D20)						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
†	28M/9706320	A.125/D/66	Nut, Stiff, No. 10 UNF 2B						1		C	
			* * *									
6		—	Clip Assembly (See 77-1-1, Fig. 6, Index 10)						Ref.			
7		AS.3180	Clip (Size to Suit)						5			
			ATTACHING PARTS									
† 8	28S/9513165	A.217/B16	Screw, Panhead, No. 6 UNC (A.205/B16)						1		C	
†	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
†	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
9		—	Clip Assembly (See 33-1-2, Fig. 3, Index 4)						Ref.			
10		—	Clip Assembly						1			
			ATTACHING PARTS									
† 11	28DU/9419561	A.102/2B	Bolt, No. 6 UNC 2A						1		C	
†	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
			* * *									
12		AS.3180	Clip (Size to Suit)						1		C	
13		BV.0502/1/UN	Bracket Assembly						1			
14		—	Bottle, Extinguisher (See 26-1-1, Fig. 2, Index 1)						Ref.			
15		—	Door, Main U/C Forward (Ref. Drg. FK.5203/2) (See 32-1-1, Fig. 2)						Ref.			
16		EV.2727/1	Shroud Assembly						1			
17	28M/1223887	A.136/B/66	Nut, Anchor, No. 6 UNC 2B						9		C	
18		CV.2613/1	Panel Assembly (P.48)						1			
			ATTACHING PARTS									
† 19	28S/9513165	A.217/B16	Screw, Panhead, No. 6 UNC (A.205/B16)						1			
			* * *									
20		BV.2613/2	Panel						1			
21		BV.2695	Gasket, Rubber						1			
22	27N/241	A.381	Holder, Fuse (Graviner)						4		B	
23	27N/171	E.301	Fuse (Graviner) (Pre Mod. 647)						4		C	
	27N/317	A.984	Fuse (Graviner) (Mod. 647)						1		C	
24		—	Fairlead Assembly (See 77-1-1, Fig. 5, Index 24)						Ref.			
25		—	Duct Assembly (See 24-1-1, Fig. 2, Index 3)						Ref.			
26		—	Clip Assembly (See 24-1-1, Fig. 5, Index 55)						Ref.			
27		—	Duct Assembly (See 24-1-1, Fig. 5, Index 40)						Ref.			
28		—	Clip Assembly (See 80-1-1, Fig. 8, Index 12)						Ref.			
29		—	Fairlead Assembly (See 80-1-1, Fig. 8, Index 44)						Ref.			
30		—	Clip Assembly (See 80-1-1, Fig. 8, Index 51)						Ref.			
31		AS.3181	Clip (Size to Suit)						2			
			ATTACHING PARTS									
† 32	28S/9513165	A.217/B16	Screw, Panhead, No. 6 UNC (A.205/B16)						1		C	
†	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
†	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
33		FV.2509/47	ND	Tubing, Helsyn 100 (Hellermann)					A.R.			
34		FV.2509/48	ND	Foil, Aluminium					A.R.			

RESTRICTED

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
4-35		—							Ref.			
36		—							2			
37	7037	BV.0363/7							1		C	
†	28W/9471273	SP.124/E							4		C	
38	28M/9416046	A.103/ET							1		C	
†	28M/94188915	A.125/E/77							1		C	
39		—							Ref.			
		DV.2408							Ref.			
40		DV.2052/46							1			
41		DV.2052/49							1			
		DV.2410							Ref.			
42		DV.2052/41							1			
43		DV.2052/44							1			
44		DV.2052/42							Ref.			
45		DV.2052/43							Ref.			
46		DV.2052/47							Ref.			
47		DV.2052/48							Ref.			
48		DV.2052/33							Ref.			
49		DV.2052/34							Ref.			
50		DV.2052/35							Ref.			
51		DV.2052/36							Ref.			
52		DV.2052/61							Ref.			
53		DV.2052/62							Ref.			
54		DV.2052/63							Ref.			
55		DV.2052/64							Ref.			

RESTRICTED

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
			TRANSFER MARKERS									
		BV.2571/1	Transfer	"	D1	"			4			
		BV.2571/2	Transfer	"	D2	"			4			
		BV.2574/22	Transfer	"	M22	"			1			
		BV.2574/25	Transfer	"	M25	"			1			
		BV.2574/27	Transfer	"	M27	"			2			
		BV.2675/1	Transfer	"	N1	"			2			
		BV.2575/2	Transfer	"	N2	"			2			
		BV.2575/3	Transfer	"	N3	"			2			
		BV.2575/4	Transfer	"	N4	"			2			

Argosy 'C' MK.I.






Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
1-		—	INSTALLATION OF CRASH SYSTEM						Ref.			
		—	CABLE RUN IN COCKPIT						Ref.			
		—	(Ref. Drgs. EV.2001, Sht. 97, FV.2502, FV.2517 and FS.0516)									
1		—	Panel Assembly (P.2) (See 24-1-2, Fig. 2)						Ref.			
2		—	Relay Assembly (See 24-1-2, Fig. 3, Index 68)						Ref.			
3		—	Clip Assembly						6			
†	4	28S/1275287	ATTACHING PARTS									
†		28W/9471274	Screw, Panhead, No. 6 UNC (A.205/B14)						1		C	
†		28M/1011993	Washer, No. 6 UNC						1		C	
		A.125/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
	5	28E/	* * *									
	6	26FX/4211	Clip (Size to Suit)						1		C	
	7	5F/9434857	Clip, Saddle						A.R.		C	
	8	5F/9138822	Strapping (Hellermann)						A.R.		C	
	9	—	Stud (Hellermann)						A.R.		C	
	10	5CX/5508	Panel, Centre Roof (P.24) (See 31-1-1, Fig. 1)						Ref.			
	11	5L/9959118	Lampholder (Blue) (Page)						2		B	
†		—	Filament, 28V, 1W. (Atlas)						2		B	
†	12	5CW/1047699	Switch (C.W.C.) (Mod. 241)						1		B	
	13	28S/1007469	ATTACHING PARTS									
		A.33/B14	Screw, Panhead, No. 6 UNC						4		C	
	14	—	* * *									
	15	—	Duct Assembly (See 24-1-2, Fig. 4, Index 40)						Ref.			
	16	—	Clip Assembly (See 24-1-2, Fig. 5, Index 109)						Ref.			
	17	—	Box Assembly (J.B.1) (See 24-2-2, Fig. 1, Index 2)						Ref.			
	18	—	Block, Terminal (See 24-2-2, Fig. 1, Index 46)						Ref.			
		CV.2302	Conduit Assembly (See 24-1-2, Fig. 8, Index 27)						Ref.			
	19	DV.2097/22	Set, Flylead (P.2)						Ref.			
	20	DV.2097/23	Cable						1			
	21	DV.2097/24	Cable						1			
	22	DV.2097/25	Cable (Mod. 90)						1			
		CV.2387	Cable						1			
	23	DV.2097/2	Set, Flylead (J.B.7)						Ref.			
	24	DV.2097/3	Cable						1			
	25	DV.2097/5	Cable						1			
	26	DV.2097/7	Cable						1			
	27	DV.2097/9	Cable						1			
		DV.2381	Cable						1			
	28	DV.2097/13	Set, Flylead (J.B.1)						Ref.			
	29	DV.2097/14	Cable						1			
	30	DV.2097/5	Cable						1			
	31	DV.2097/16	Cable						1			

RESTRICTED

Argosy 'C' MK.I.



PC 1074/2

CABLE RUN TO FORWARD CRASH SWITCH
FIGURE 2
RESTRICTED

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
2-		—	CABLE RUN TO FORWARD CRASH SWITCH						Ref.			
			(Ref. Drgs. FV.2627, FV.2655 and FV.2656)									
1		—	Conduit Assembly (See 24-1-2, Fig. 8, Index 27)						Ref.			
2		—	Conduit Assembly (See 24-1-2, Fig. 8, Index 34)						Ref.			
3		—	Clip Assembly (See 24-1-2, Fig. 8, Index 35)						Ref.			
4	28E/	AS.3180	Clip (Size to Suit)						2		C	
5		BV.3175	Fairlead, Half						2			
			ATTACHING PARTS									
†	6	28S/1220268	A.217/B24	Screw, Panhead, No. 6 UNC (A.205/B24)					4		C	
†		28W/9471274	SP.124/B	Washer, No. 6 UNC					4		C	
†		28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B					4		C	
				* * *								
	7		CV.0409/76	Clip					2			
				ATTACHING PARTS								
†	8	28S/9513165	A.217/B16	Screw, Panhead, No. 6 UNC (A.205/B16)					2		C	
†		28W/9471274	SP.124/B	Washer, No. 6 UNC					2		C	
†		28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B					2		C	
				* * *								
	9		—	Tube, P.V.C.					A.R.			
	10		—	Bdx Battery (See 25-2-6, Fig. 6)					Ref.			
	11		—	Clip Assembly					11			
				ATTACHING PARTS								
†	12	28S/9513165	A.217/B16	Screw, Panhead, No. 6 UNC (A.205/B16)					1		C	
†		28W/9471274	SP.124/B	Washer, No. 6 UNC					1		C	
†		28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B					1		C	
				* * *								
	13	28E/	AS.3180	Clip (Size to Suit)					1		C	
	14		—	Fairlead, Split (See 24-1-2, Fig. 10, Index 55)					Ref.			
	15		—	Earth Point Assembly (E.1) (See 24-1-2, Fig. 10, Index 18)					Ref.			
	16		—	Panel Assembly, Fuse (See 24-1-2, Fig. 10, Index 43) ..					Ref.			
	17	5920-99-012-0231	—	Fuseholder, Sealed Panel (Belling & Lee)					3		C	
†	18	28S/1009988	A.44/A12	Screw, Rd. Hd., 6 BA					3		C	
		28W/9995407	SP.25/A	Washer, 6 BA					9		C	
	19	28W/9416641	SP.47/A	Washer, Spring, 6 BA					3		C	
		28M/10273	AGS.2001/A/4	Nut, Stiff, 6 BA					3		C	
	20	10H/0590112	L.693/4-0	Fuse, 4 Amp., (Belling & Lee)					3		C	
	21		CV.3058/1	Bracket Assembly, Circuit					1			
				ATTACHING PARTS								
†	22	28S/9513165	A.217/B16	Screw, Panhead, No. 6 UNC (A.205/B16)					4		C	
†		28W/9471274	SP.124/B	Washer, No. 6 UNC					4		C	
				* * *								
†	23	5CY/1032892	7CZ/106664/10	Breaker, Circuit, 10 Amp. (Plessey)					1		B	
†	24	5CY/1032894	7CZ/106664/20	Breaker, Circuit, 20 Amp. (Plessey)					3		B	
	25		CV.3046/1	Plate Assembly					1			
	26	28M/9438468	A.157/B	Nut, Anchor, No. 6 UNC 2B					2		C	
	27	9176	BV.3377	Label (Mod. 289)					1		C	
	28		—	Relay Assembly					3			
				ATTACHING PARTS								
†	29	28S/1275287	A.217/B14	Screw, Panhead, No. 6 UNC (A.205/B14)					2		C	
				* * *								
†	30	5CW/1035026	7CZ/105648/1	Switch, Relay (Plessey)					1		A	
	31		BV.2597/1	Bracket Assembly					2			
	32		BV.2697/2	Plate					1			
†	33	28M/1223887	A.136/B/66	Nut, Anchor, No. 6 UNC 2B					1		C	
†	34	5CW/9994741	P.243254	Switch, Magnetic Relay (Plessey)					4		A	
				ATTACHING PARTS								
†	35	28S/1220268	A.217/B24	Screw, Panhead, No. 6 UNC (A.205/B24)					2		C	

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
2-36		—										
† 37	28S/1028578	A.217/B36							1			
	28W/9419401	SP.10/B										
38	5CZ/5403	G.J.3/M							2		C	
39		CV.0413/1										
40		SP.97321/30							1		C	
41		—							1		B	
† 42	5X/9450403	Z.28426							1			
† 43	5X/1004088	CZ.24285							1		B	
44	5X/3275	CZ.26808							1		B	
45		STD.1953							A.R.			
46	5X/1004082	Z.50210							6		C	
47		—							Ref.			
48		—							Ref.			
49		—							Ref.			
50		—							Ref.			
51		SR.3412							1			
52		—							Ref.			
53	28E/	AS.3180							1		C	
† 54	28DU/9419561	A.102/2B							1		C	
† 55	28W/9471274	SP.124/B							1		C	
† 56	28M/1011993	A.125/B/66							1		C	
55	5K/1009087	SP.40/A10							1		C	
56		—							1			
† 57	28DU/9480223	A.113/2D							8		C	
† 58	28W/5806394	SP.125/D							8		C	
† 59	28M/9419990	A.125/D/77							8		C	
58	27N/303	PCS.2AN							1		A	
59	8800	DV.1445							1		C	
60		—							Ref.			
61		—							Ref.			
62		—							Ref.			
63		—							Ref.			
64		—							1			
† 65	7037	BV.0363/7							1		C	
† 66	28W/9471273	SP.124/E							4		C	
	28M/9416046	A.103/ET							1		C	
	28M/9418915	A.125/E/77							1		C	
		CV.2422							Ref.			
67		DV.2097/30							1			
		CV.2387							Ref.			
68		DV.2097/31							1			
69		DV.2097/32							1			
70		DV.2097/33							1			
71		DV.2097/22							Ref.			
72		DV.2097/23							Ref.			
73		DV.2097/24							Ref.			
74		DV.2097/25							Ref.			

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Qty. Code
			1	2	3	4	5	6				
2-75		DV.2097/2	Cable	(See	Fig. 1,	Index	23)		Ref.			
76		DV.2097/3	Cable	(See	Fig. 1,	Index	24)		Ref.			
77		DV.2097/5	Cable	(See	Fig. 1,	Index	25)		Ref.			
78		DV.2097/7	Cable	(See	Fig. 1,	Index	26)		Ref.			
79		DV.2097/9	Cable	(See	Fig. 1,	Index	27)		Ref.			
80		DV.2097/13	Cable	(See	Fig. 1,	Index	28)		Ref.			
81		DV.2097/14	Cable	(See	Fig. 1,	Index	29)		Ref.			
82		DV.2097/15	Cable	(See	Fig. 1,	Index	30)		Ref.			
83		DV.2097/16	Cable	(See	Fig. 1,	Index	31)		Ref.			
84		DV.2097/4	Cable	(See	Fig. 3,	Index	33)		Ref.			
85		DV.2097/27	Cable	(See	Fig. 3,	Index	34)		Ref.			
86		DV.2097/35	Cable	(See	Fig. 3,	Index	37)		Ref.			
87		DV.2097/28	Cable	(See	Fig. 3,	Index	35)		Ref.			
88		DV.2097/36	Cable	(See	Fig. 3,	Index	38)		Ref.			
89		DV.2097/29	Cable	(See	Fig. 3,	Index	36)		Ref.			
90		DV.2097/37	Cable	(See	Fig. 3,	Index	39)		Ref.			
91		DV.2097/38	Cable	(See	Fig. 3,	Index	40)		Ref.			
92		DV.2097/39	Cable	(See	Fig. 3,	Index	41)		Ref.			

TP27

PC1070/2

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
3-		—	CABLE RUN TO AFT CRASH SWITCHES						Ref.			
			(Ref. Drgs. FV.2521, FV.2655)									
1		—	Fairlead (See 24-1-2, Fig. 8, Index 61)						Ref.			
2		—	Clip Assembly (Frames 6 to 21, See 33-1-1, Fig. 8)						Ref.			
3		—	Clip Assembly						6			
			ATTACHING PARTS									
4	28DU/9419967	A.102/2D	Bolt, No. 10 UNF 2A						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
			* * *									
5	28E/	AS.3180	Clip (Size to Suit)						1		C	
6		—	Clip Assembly						3			
			ATTACHING PARTS									
7	28DU/9419972	A.102/11D	Bolt, No. 10 UNF 2A						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
			* * *									
8	28E/	AS.3180	Clip (Size to Suit)						1		C	
9		BV.0957/6	Spader						1		C	
10		—	Clip Assembly						13			
			ATTACHING PARTS									
† 11	28S/9513165	A.217/B16	Screw, Panhead, No. 6 UNC (A.205/B16)						1		C	
† 12	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
			* * *									
12	28E/	AS.3180	Clip						1		C	
13		BV.0502/1/UN	Bracket						1			
14		—	Switch Assembly, Inertia						1			
			ATTACHING PARTS									
† 15	28S/1220235	A.217/D20	Screw, Panhead, No. 10 UNF (A.205/D20)						4		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						4		C	
			* * *									
16		CV.2976/1	Channel Assembly						1			
† 17	28M/9466528	A.136/D/66	Nut, Anchor, No. 10 UNF 2B						4		C	
18	27N/93	8C	Switch, Inertia (Graviner)						2		A	
			ATTACHING PARTS									
† 19	28S/9511318	A.217/D24	Screw, Panhead, No. 10 UNF (A.205/D24)						4		C	
† 20	28S/1285515	A.217/D28	Screw, Panhead, No. 10 UNF (A.205/D28)						4		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						8		C	
			* * *									
21		—	Switch Assembly, Crash						2			
22	28DU/9480223	A.113/2D	Bolt, No. 10 UNF 2A						7		C	
23	28DU/9419967	A.102/2D	Bolt, No. 10 UNF 2A						1		C	
† 24	28W/5806394	SP.125/D	Washer, No. 10 UNF						8		C	
† 25	28M/9419990	A.125/D/77	Nut, Stiff, No. 10 UNF 2B						8		C	
			* * *									
24	27N/303	PCS.2AW	Switch, Crash (Pyrene)						1		A	
25	8800	DV.1445	Gasket, Rubber						1		C	
26		—	Earth Point Assembly, E.15, E.96, E.95						3			
27	7037	BV.0363/7	Bolt, 1/4"						1		C	
† 28	28W/9471273	SP.124/E	Washer, 1/4" UNF						4		C	
	28M/9416046	A.103/ET	Nut, Thin, 1/4" UNF 2B						1		C	
† 29	28M/9418915	A.125/E/77	Nut, Stiff, 1/4" UNF 2B						1		C	
		CV.2422	Set, Wiring (Zone 22)						Ref.			
29		DV.2097/1	Cable)						1			
30		DV.2097/26	Cable)						1			
31		DV.2097/30	Cable) (Mod. 85)						1			
32		DV.2097/34	Cable)						1			

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
3-		CV.2387						Set. Flylead (J.B.7)	Ref.			
33		DV.2097/4						Cable	1			
34		DV.2097/27						Cable)	1			
35		DV.2097/28						Cable)	1			
36		DV.2097/29						Cable)	1			
37		DV.2097/35						Cable)	1			
38		DV.2097/36						Cable) (Mod. 85)	1			
39		DV.2097/37						Cable)	1			
40		DV.2097/38						Cable)	1			
41		DV.2097/39						Cable)	1			



Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
			TRANSFER MARKERS									
		BV.2573/2	Transfer,	"	L2	"						
		BV.2573/3	Transfer,	"	L3	"						
		BV.2574/2	Transfer,	"	M2	"						
		BV.2576/3	Transfer,	"	R3	"						
		BV.2576/4	Transfer,	"	R4	"						
		BV.2576/7	Transfer,	"	R7	"						
		BV.2576/12	Transfer,	"	R12	"						
		BV.2576/13	Transfer,	"	R13	"						
		BV.2576/14	Transfer,	"	R14	"						
		BV.2576/15	Transfer,	"	R15	"						
		BV.2577/1	Transfer,	"	S1	"						
		BV.2577/2	Transfer,	"	S2	"						
		BV.2577/4	Transfer,	"	S4	"						
		BV.2577/5	Transfer,	"	S5	"						
		BV.2577/6	Transfer,	"	S6	"						
		BV.2577/11	Transfer,	"	S11	"						

RESTRICTED

FIRE PROTECTION

ELECTRICS

Argosy 'C' MK.I.



26-6-4

Page 1

CABLE RUN IN COCKPIT

FIGURE 1

RESTRICTED

NOVEMBER 1963

TP 27

Argosy C. MK.I

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
1-		—	ENGINE FIRE AND TURBINE COOLING AIR FAILURE (Mod. 5) (Ref. Drg. EV.2001, Sht. 55)						Ref.			
			CABLE RUN IN COCKPIT (Ref. Drgs. ES.0641, FV.2502, FV.2517, FV.2518, FV.2523)									
† 1		—	Panel Assembly (See 76-1-1, Fig. 2, Index 87)						Ref.			
2	5CW/4400363	C.1101/A/8	Switch, Push Button (Page)						4		B	
3		—	Clip Assembly						1			
			ATTACHING PARTS									
4	28DU/9419968	A.102/5D	Bolt, No. 10 UNF 2A						1		C	
			* * *									
5	28E/	AS.3180	Clip (Size to Suit)						1		C	
6		AWS.220/5/19/ 30 SWG	Spacer						1			
7		—	Plate (Ref. Drg. DM.0643) (See 76-1-1, Fig. 2, Index 87)						Ref.			
8		—	Block, Terminal (See 61-1-1, Fig. 2, Index 6)						Ref.			
9		—	Clip Assembly (See 32-5-1, Fig. 3, Index 50)						Ref.			
10		—	Block, Terminal (See 22-2-1, Fig. 2, Index 12)						Ref.			
11	28E/	AS.3180	Clip (Size to Suit)						1		C	
			ATTACHING PARTS									
† 12	28S/1027483	A.217/B12	Screw, Panhead, No. 6 UNC (A.205/B12)						1		C	
†	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
†	28M/1010838	A.126/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
13		—	Clip Assembly (See 24-1-2, Fig. 8, Index 9)						Ref.			
14		—	Clip Assembly (See 24-1-2, Fig. 8, Index 21)						Ref.			
15		—	Clip Assembly (See 77-2-1, Fig. 6, Index 53)						Ref.			
16		—	Clip Assembly (See 77-2-1, Fig. 6, Index 47)						Ref.			
17		—	Clip Assembly (See 77-2-1, Fig. 6, Index 41)						Ref.			
18		—	Duct Assembly (See 77-2-1, Fig. 6, Index 23)						Ref.			
19		—	Panel Assembly (P.1) (See 24-2-1, Fig. 1, Index 2)						Ref.			
20		—	Panel, Fuse (See 24-2-1, Fig. 3, Index 42)						Ref.			
21		—	Fuse (2.4 amp.) (See 24-2-1, Fig. 3, Index 52)						Ref.			
22		—	Panel Assembly (P.3) (See 24-2-1, Fig. 4, Index 2)						Ref.			
23		—	Panel, Fuse (See 24-2-1, Fig. 4, Index 45)						Ref.			
24		—	Fuse (2.4 amp.) (See 24-2-1, Fig. 4, Index 47)						Ref.			
25		—	Clip Assembly (See 24-1-2, Fig. 1, Index 40)						Ref.			
26		—	Conduit (See 24-1-2, Fig. 1, Index 24)						Ref.			
27		—	Conduit (See 24-1-2, Fig. 1, Index 24)						Ref.			
28		—	Conduit (See 24-1-2, Fig. 1, Index 26)						Ref.			
29		—	Conduit (See 24-1-2, Fig. 1, Index 27)						Ref.			
30		—	Clip Assembly (See 24-1-2, Fig. 5, Index 109)						Ref.			
31		—	Box Assembly (J.B.1) (See 24-2-2, Fig. 1, Index 2)						Ref.			
32		—	Block, Terminal (See 24-2-2, Fig. 1, Index 46)						Ref.			
33	5X/1004082	Z.50210	Link, Commoning, 2-way (Plessey)						8		C	
34		—	Duct Assembly (See 24-1-2, Fig. 5, Index 39)						Ref.			
35		—	Fairlead Assembly (See 33-2-2, Fig. 6, Index 1)						Ref.			
36		—	Clip Assembly (See 33-2-2, Fig. 6, Index 30)						Ref.			
37		—	Clip Assembly (See 33-2-2, Fig. 6, Index 34)						Ref.			
38		—	Clip Assembly (See 24-3-1, Fig. 1, Index 93)						Ref.			
39	28E/	AS.3180	Clip (Size to Suit)						1		C	
			ATTACHING PARTS									
† 40	28S/9513165	A.217/B16	Screw, Panhead, No. 6 UNC (A.205/B16)						1		C	
†	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
†	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
41		—	Clip Assembly (See 24-3-1, Fig. 1, Index 87)						Ref.			
42		—	Clip Assembly (See 24-3-1, Fig. 1, Index 75)						Ref.			

RESTRICTED


Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
1-43	28E/	AS.3180						Clip (Size to Suit)	7		C	
								ATTACHING PARTS				
† 44	28S/1275287	A.217/B14						Screw, Panhead, No. 6 UNC (A.205/B14)	1		C	
†	28W/9471274	SP.124/B						Washer, No. 6 UNC	1		C	
†	28M/1011993	A.125/B/66						Nut, Stiff, No. 6 UNC 2B	1		C	
								* * *				
45		—						Clip Assembly	1			
								ATTACHING PARTS				
† 46	28DU/9419561	A.102/2B						Bolt, No. 6 UNC 2A	1		C	
†	28W/9471274	SP.124/B						Washer, No. 6 UNC	1		C	
†	28M/1011993	A.125/B/66						Nut, Stiff, No. 6 UNC 2B	1		C	
								* * *				
47	28E/	AS.3180						Clip	1		C	
48		BV.0502/2/UN ND						Bracket	1			
49		—						Earth Point Assembly, E.21	1			
† 50	7037	BV.0363/7						Bolt, 1/4" UNF	1		C	
	28W/9471273	SP.124/E						Washer, 1/4" UNF	4		C	
† 51	28M/9416046	A.103/ET						Nut, Thin, 1/4" UNF 2B	1		C	
†	28M/9418915	A.125/E/77						Nut, Stiff, 1/4" UNF 2B	1		C	
52		DV.2479/3						Cable, Earth	1			
53	5F/9434857	HV.3341						Strapping (Hellermann)	A.R.		C	
54	5F/9138822	NY.3342						Stud (Hellermann)	A.R.		C	
		DV.2381						Set, Flylead (J.B.1)	Ref.			
55		DV.2055/1						Cable	1			
56		DV.2055/2						Cable	1			
57		DV.2055/3						Cable	1			
58		DV.2055/4						Cable	1			
59		DV.2055/38						Cable)	1			
60		DV.2055/39						Cable)	1			
61		DV.2055/42						Cable)	1			
62		DV.2055/43						Cable) (Mod. 26)	1			
63		DV.2055/46						Cable)	1			
64		DV.2055/47						Cable)	1			
65		DV.2055/50						Cable)	1			
66		DV.2055/51						Cable)	1			
		DV.2403						Set, Wiring (Zone 3)	Ref.			
67		DV.2055/8						Cable	1			
68		DV.2055/12						Cable	1			
69		DV.2055/37						Cable	1			
70		DV.2055/41						Cable	1			
		DV.2402						Set, Wiring (Zone 2)	Ref.			
71		DV.2055/21						Cable)	1			
72		DV.2055/22						Cable)	1			
73		DV.2055/23						Cable)	1			
74		DV.2055/24						Cable) (Mod. 26)	1			
75		DV.2055/25						Cable)	1			
76		DV.2055/26						Cable)	1			
77		DV.2055/27						Cable)	1			
78		DV.2055/28						Cable)	1			
		DV.2401						Set, Wiring (Zone 1)	Ref.			
79		DV.2055/16						Cable	1			
80		DV.2055/20						Cable	1			
81		DV.2055/45						Cable	1			
82		DV.2055/49						Cable	1			

RESTRICTED

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Qty. Code
			1	2	3	4	5	6				
1-		DV.2301						Set. Wiring (P.1)	Ref.			
83		DV.2055/29						Cable	1			
84		DV.2055/31						Cable	1			
85		DV.2055/33						Cable	1			
86		DV.2055/35						Cable	1			
		DV.2303						Set. Wiring (P.3)	Ref.			
87		DV.2055/30						Cable	1			
88		DV.2055/32						Cable (Mod. 26)	1			
89		DV.2055/34						Cable	1			
90		DV.2055/36						Cable	1			
91		—						Duct Assembly (See 24-1-2, Fig. 4, Index 15)	Ref.			

Argosy 'C' MK.I.



PC1101/2

FIGURE 2

RESTRICTED

NOVEMBER 1963

TP 27

Argosy C. Mk.1.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
2-		—	CABLE RUN IN COCKPIT FAIRING						Ref.			
			(Ref. Drgs. FV.2502, FV.2517, FV.2521, FV.2808, DV.3064)									
1		—	Bulkhead, Soundproof (See 25-1-9, Fig. 1)						Ref.			
2	28E/	AS.3180	Clip (Size to Suit)						1		C	
			ATTACHING PARTS									
† 3	28S/9511318	A.217/D24	Screw, Panhead, No. 10 UNF (A.205/D24)						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
4	28W/9416643	SP.47/C	Washer, Spring, 2 BA						1		C	
			* * *									
5		BV.2543/1	Saddle Assembly						1			
			ATTACHING PARTS									
† 6	28S/9511319	A.217/D24	Screw, Panhead, No. 10 UNF (A.205/D24)						2		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						2		C	
7	28W/9416643	SP.47/C	Washer, Spring, 2 BA						2		C	
			* * *									
8		—	Clip Assembly (See 77-1-2, Fig. 1, Index 37)						Ref.			
9		—	Clip Assembly (See 77-1-2, Fig. 1, Index 40)						Ref.			
10		—	Clip Assembly (See 77-1-2, Fig. 1, Index 43)						Ref.			
11		—	Clip Saddle (See 77-1-2, Fig. 1, Index 34)						Ref.			
12		—	Clip Assembly (See 77-1-2, Fig. 1, Index 24)						Ref.			
13		—	Clip Assembly (See 24-1-2, Fig. 1, Index 9)						Ref.			
14		—	Bung (B3, B4, B5, B6) (See 24-1-2, Fig. 1, Index 5)						Ref.			
15	5X/7253	SR.3807	Bung (B20, B21) (Hellermann)						2		C	
16	5X/7244	PC.14004	Plug/Filler (Hellermann)						18		C	
17	5X/7245	PC.14005	Plug/Filler (Hellermann)						4		C	
18	5X/7246	PC.14006	Plug/Filler (Hellermann)						1		C	
19		—	Fairlead Assembly (See 33-1-1, Fig. 3, Index 7)						Ref.			
20		—	Duct Assembly (See 24-1-2, Fig. 5, Index 39)						Ref.			
21		—	Fairlead Assembly (See 33-1-1, Fig. 6, Index 6)						Ref.			
22		—	Rack Assembly (Ref. Drg. FV.3093)						Ref.			
23	5K/1200718	SP.40/B14	Grommet						4			
24		DV.3064/1	Box Assembly (P.59) (Mod. 26)						1			
			ATTACHING PARTS									
† 25	28S/1275287	A.217/B14	Screw, Panhead, No. 6 UNC (A.205/B14)						4		C	
† 25	28W/9471274	SP.124/B	Washer, No. 6 UNC						4		C	
			* * *									
26	5X/1002694	CZ.50207	Block, Terminal, 5-way (Plessey)						2		B	
			ATTACHING PARTS									
† 27	28S/1220232	A.217/B28	Screw, Panhead, No. 6 UNC (A.205/B28)						2		C	
† 27	28W/9471274	SP.124/B	Washer, No. 6 UNC						2		C	
			* * *									
28	6A/3580	FD.871	Spool, Lead Adjustment (Sangamo-Weston)						4		B	
29	5K/9128569	SP.40/A14	Grommet						2		C	
30		STD.1953	Sleeve, Marker						A.R.			
31		EV.3063/1	Box Assembly, Well						1			
32		EV.3063/5	Bracket						4			
33		CV.2763/8	Lug						2			
34	28M/9438451	A.137/B	Nut, Anchor, No. 6 UNC 2B						6		C	
35	7036	EV.3063/3	Lid Assembly						1		C	
			ATTACHING PARTS									
† 36	28S/1027483	A.217/B12	Screw, Panhead, No. 6 UNC (A.205/B12)						2		C	
† 36	28W/9471274	SP.124/B	Washer, No. 6 UNC						2		C	
			* * *									

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
2-37	5CZ/6893	IX.23.FWU/1/350						Unit Amplifier (Mod. 26) (Smiths)	4		A	
								ATTACHING PARTS				
† 38	28S/1220235	A.217/D20						Screw, No. 10 UNF (A.205/D20)	4		C	
	28W/9457834	SP.124/D						Washer, No. 10 UNF	4		C	
								* * *				
39		—						Clip Assembly	1			
								ATTACHING PARTS				
† 40	28S/9513165	A.217/B16						Screw, Panhead, No. 6 UNC (A.205/B16)	1		C	
†	28W/1471274	SP.124/B						Washer, No. 6 UNC	1		C	
								* * *				
41	28E/	AS.3180						Clip (Size to Suit)	1		C	
42		—						Clip Assembly	3			
								ATTACHING PARTS				
† 43	28S/1220318	A.217/B32						Screw, Panhead, No. 6 UNC (A.205/B32)	1		C	
†	28W/9471274	SP.124/B						Washer, No. 6 UNC	1		C	
								* * *				
44	28E/	AS.3180						Clip (Size to Suit)	1		C	
45		BV.0957/10						Spacer	1			
46		—						Earth Point Assembly, E.65, E.66	2			
47	7037	BV.0363/7						Bolt, 1/4" UNF, (Mod. 26)	1		C	
†	28W/9471273	SP.124/E						Washer, 1/4" UNF	4		C	
48	28M/9416046	A.103/ET						Nut, Thin, 1/4" UNF 2B	1		C	
†	28M/9418915	A.125/E/77						Nut, Stiff, 1/4" UNF 2B	1		C	
49	28E/	AS.3180						Clip (Size to Suit)	1		C	
								ATTACHING PARTS				
† 50	28S/1036875	A.217/D16						Screw, Panhead, No. 10 UNF (A.205/D16)	1		C	
	28W/9457834	SP.124/D						Washer, No. 10 UNF	1		C	
†	28M/9438422	A.125/D/66						Nut, Stiff, No. 10 UNF	1		C	
								* * *				
51		SP.52020/26						Clip (Make from L.3/22 or L.38/22)	1			LM
								ATTACHING PARTS				
† 52	28S/9513165	A.217/B16						Screw, Panhead, No. 6 UNC (A.205/B16)	1		C	
†	28W/9471275	SP.123/B						Washer, No. 6 UNC	1		C	
†	28M/1010838	A.126/B/66						Nut, Stiff, No. 6 UNC 2B	1		C	
								* * *				
53	5F/9434857	HV.3341						Strapping (Hellermann)	A.R.		C	
54	5F/9138822	NY.3342						Stud (Hellermann)	A.R.		C	
		DV.2403						Set Wiring (Zone 3)	Ref.			
55		DV.2055/40						Cable)	1			
56		DV.2055/44						Cable)	1			
57		DV.2055/48						Cable)	1			
58		DV.2055/52						Cable)	1			
59		DV.2055/53						Cable)	1			
60		DV.2055/54						Cable) (Mod. 26)	1			
61		DV.2055/55						Cable)	1			
62		DV.2055/56						Cable)	1			
63		DV.2055/57						Cable)	1			
64		DV.2055/58						Cable)	1			
65		DV.2055/60						Cable) "	1			
66		DV.2055/63						Cable)	1			
		DV.2401						Set Wiring (Zone 1)	Ref.			
67		DV.2055/59						Cable)	1			
68		DV.2055/61						Cable) (Mod. 26)	1			
69		DV.2055/62						Cable)	1			
70		DV.2055/64						Cable)	1			

RESTRICTED
Argosy 'C' MK.I.

FIRE PROTECTION

ELECTRICS



Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
2-71		DV.2055/37	Cable	(See Fig. 1, Index 69)					Ref.			
72		DV.2055/8	Cable	(See Fig. 1, Index 67)					Ref.			
73		DV.2055/41	Cable	(See Fig. 1, Index 70)					Ref.			
74		DV.2055/12	Cable	(See Fig. 1, Index 68)					Ref.			
75		DV.2055/45	Cable	(See Fig. 1, Index 81)					Ref.			
76		DV.2055/16	Cable	(See Fig. 1, Index 79)					Ref.			
77		DV.2055/49	Cable	(See Fig. 1, Index 82)					Ref.			
78		DV.2055/20	Cable	(See Fig. 1, Index 80)					Ref.			
79		DV.2055/38	Cable	(See Fig. 1, Index 59)					Ref.			
80		DV.2055/39	Cable	(See Fig. 1, Index 60)					Ref.			
81		DV.2055/21	Cable	(See Fig. 1, Index 71)					Ref.			
82		DV.2055/22	Cable	(See Fig. 1, Index 72)					Ref.			
83		DV.2055/30	Cable	(See Fig. 1, Index 87)					Ref.			
84		DV.2055/42	Cable	(See Fig. 1, Index 61)					Ref.			
85		DV.2055/43	Cable	(See Fig. 1, Index 62)					Ref.			
86		DV.2055/23	Cable	(See Fig. 1, Index 73)					Ref.			
87		DV.2055/24	Cable	(See Fig. 1, Index 74)					Ref.			
88		DV.2055/32	Cable	(See Fig. 1, Index 88)					Ref.			
89		DV.2055/46	Cable	(See Fig. 1, Index 63)					Ref.			
90		DV.2055/47	Cable	(See Fig. 1, Index 64)					Ref.			
91		DV.2055/25	Cable	(See Fig. 1, Index 75)					Ref.			
92		DV.2055/26	Cable	(See Fig. 1, Index 76)					Ref.			
93		DV.2055/34	Cable	(See Fig. 1, Index 89)					Ref.			
94		DV.2055/50	Cable	(See Fig. 1, Index 65)					Ref.			
95		DV.2055/51	Cable	(See Fig. 1, Index 66)					Ref.			
96		DV.2055/57	Cable	(See Fig. 1, Index 77)					Ref.			
97		DV.2055/28	Cable	(See Fig. 1, Index 78)					Ref.			
98		DV.2055/36	Cable	(See Fig. 1, Index 90)					Ref.			

RESTRICTED

FIRE PROTECTION

ELECTRICS

Argosy C. MK.I.



CABLE RUN TO ENGINES L.H.

FIGURE 3

RESTRICTED

26-6-4

Page 9

NOVEMBER 1963

TP 27


PC 1100/2

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
3-		—	CABLE RUN TO ENGINES (Ref. Drgs. FV.2511, FV.2512)						Ref.			
1		—	Bung (B3, B5) (See 24-1-2, Fig. 1, Index 5)						Ref.			
2		—	Bung (B21) (See Fig. 2, Index 15)						Ref.			
3		—	Clip Assembly (See 24-1-1, Fig. 4, Index 72)						Ref.			
4		—	Conduit Assembly (See 24-1-1, Fig. 4, Index 37)						Ref.			
5		—	Conduit Assembly (See 24-1-1, Fig. 4, Index 24)						Ref.			
6		—	Clip Assembly (See 24-1-1, Fig. 4, Index 17)						Ref.			
7		—	Conduit Assembly (See 24-1-1, Fig. 4, Index 2)						Ref.			
8		—	Clip Assembly (See 24-1-1, Fig. 3, Index 47)						Ref.			
9		—	Fairlead Assembly (See 77-2-1, Fig. 2, Index 14)						Ref.			
10		—	Clip Assembly (See 77-2-1, Fig. 2, Index 8)						Ref.			
11		—	Plate Assembly, Mounting						2			
			ATTACHING PARTS									
12	28D/9436920	A.25/1C	Bolt, 2 BA						13		C	
13	28D/1008149	A.25/2B	Bolt, 4 BA						4		C	
			* * *									
14	7038	CV.3044	Plate, Mounting (Mod. 26)						1		C	
15		81337-43	Shroud, Cable (Vickers)						1			
16		81336-705	Bracket (Vickers)						1			
17		BV.1259	Plate, Blanking						1			
			ATTACHING PARTS									
18	28S/1006979	A.32/A10	Screw, Round Hd., 6 BA						4		C	
	28M/1987493	AGS.2001/A1	Nut, Stiff, 6 BA						4		C	
			* * *									
19		—	Detector, Fire Breather Pipe						Ref.			
			(See A.P.4752A, Engine Vol. III)									
20		EV.2461/16	Cable Assembly (See 72-8-1, Fig. 1, Index 6)						Ref.			
21		—	Detector, Overheat Turbine Air Cooling						Ref.			
			(See A.P.4752A, Engine Vol. III)									
22		—	Duct Assembly (See 24-1-1, Fig. 2, Index 3)						Ref.			
23		—	Clip Assembly (See 24-1-1, Fig. 1, Index 69)						Ref.			
24		—	Clamp Assembly (See 77-2-1, Fig. 1, Index 21)						Ref.			
25		—	Clip Assembly (See 77-2-1, Fig. 1, Index 9)						Ref.			
26		DV.2055/45	Cable (See Fig. 1, Index 81)						Ref.			
27		DV.2055/16	Cable (See Fig. 1, Index 79)						Ref.			
28		DV.2055/59	Cable (See Fig. 2, Index 67)						Ref.			
29		DV.2055/61	Cable (See Fig. 2, Index 68)						Ref.			
30		DV.2055/49	Cable (See Fig. 1, Index 82)						Ref.			
31		DV.2055/20	Cable (See Fig. 1, Index 80)						Ref.			
32		DV.2055/62	Cable (See Fig. 2, Index 69)						Ref.			
33		DV.2055/64	Cable (See Fig. 2, Index 70)						Ref.			

RESTRICTED

Argosy 'C' MK.I.



CABLE RUN TO ENGINES R.H.

FIGURE 4

RESTRICTED

PC1099/2

NOVEMBER 1963

TP 27

Argosy C. MK.1.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
4-		—	CABLE RUN TO ENGINE (R.H.)						Ref.			
			(Ref. Drgs. FV.2513, FV.2514)									
1		—	Bung (B4, B6) (See 24-1-2, Fig. 1, Index 5)						Ref.			
2		—	Bung (B20) (See Fig. 2, Index 15)						Ref.			
3		—	Clip Assembly (See 24-1-1, Fig. 7, Index 69)						Ref.			
4		—	Clip Assembly (See 24-1-1, Fig. 7, Index 74)						Ref.			
5		—	Conduit Assembly (See 24-1-1, Fig. 7, Index 35)						Ref.			
6		—	Conduit Assembly (See 24-1-1, Fig. 7, Index 23)						Ref.			
7		—	Clip Assembly (See 24-1-1, Fig. 7, Index 16)						Ref.			
8		—	Conduit Assembly (See 24-1-1, Fig. 7, Index 2)						Ref.			
9		—	Clip Assembly (See 77-2-1, Fig. 4, Index 30)						Ref.			
10		—	Fairlead Assembly (See 77-2-1, Fig. 4, Index 23)						Ref.			
11		—	Clip Assembly (See 77-2-1, Fig. 4, Index 18)						Ref.			
12		—	Clip Assembly (See 77-2-1, Fig. 4, Index 13)						Ref.			
13		—	Plate Assembly, Mounting						2			
			ATTACHING PARTS									
14	28D/9436920	A.25/1C	Bolt, 2 BA						13		C	
15	28D/1008149	A.25/2B	Bolt, 4 BA						4		C	
			* * *									
16	7038	CV.3044	Plate, Mounting (Mod. 26)						1		C	
17		81337-43	Shroud, Cable (Vickers)						1			
18		81336-705	Bracket (Vickers)						1			
19		BV.1259	Plate, Blanking						1			
			ATTACHING PARTS									
20	28S/1006979 28M/1987493	A.32/A10 AGS.2001/A/1	Screw, Round Hd., 6 BA						4		C	
			Nut, Self, 6 BA						4		C	
			* * *									
21		—	Detector, Fire Breather Pipe						Ref.			
			(See AP.4752A Engine Vol. III)									
22		EV.2461/16	Cable Assembly (See 72-8-1, Fig. 1, Index 6)						Ref.			
23		—	Detector, Overheat Turbine Air Cooling						Ref.			
			(See AP.4752A Engine Vol. III)									
24		—	Duct Assembly (See 24-1-1, Fig. 2, Index 3)						Ref.			
25		—	Clip Assembly (See 24-1-1, Fig. 5, Index 55)						Ref.			
26		—	Duct Assembly (See 24-1-1, Fig. 5, Index 40)						Ref.			
27		—	Clip Assembly (See 77-2-1, Fig. 3, Index 24)						Ref.			
28		—	Clamp Assembly (See 77-2-1, Fig. 3, Index 19)						Ref.			
29		—	Clip Assembly (See 77-2-1, Fig. 3, Index 8)						Ref.			
30		DV.2055/37	Cable (See Fig. 1, Index 69)						Ref.			
31		DV.2055/8	Cable (See Fig. 1, Index 67)						Ref.			
32		DV.2055/53	Cable (See Fig. 2, Index 59)						Ref.			
33		DV.2055/55	Cable (See Fig. 2, Index 61)						Ref.			
34		DV.2055/41	Cable (See Fig. 1, Index 70)						Ref.			
35		DV.2055/12	Cable (See Fig. 1, Index 68)						Ref.			
36		DV.2055/56	Cable (See Fig. 2, Index 62)						Ref.			
37		DV.2055/58	Cable (See Fig. 2, Index 64)						Ref.			

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
		—	TRANSFER MARKERS									
		BV.2571/13	Transfer,	D13"					4			
		BV.2571/15	Transfer,	D15"	(Mod. 26)				4			
		BV.2573/15	Transfer,	L15"					1			
		BV.2573/16	Transfer,	L16"					1			
		BV.2573/17	Transfer,	L17"					1			
		BV.2573/18	Transfer,	L18"					1			
		BV.2574/1	Transfer,	M1"	)				1			
		BV.2574/2	Transfer,	M2"	)				1			
		BV.2574/3	Transfer,	M3"	)				1			
		BV.2574/4	Transfer,	M4"	)	(Mod. 26)			1			
		BV.2574/36	Transfer,	M36"	)				1			
		BV.2574/37	Transfer,	M37"	)				1			
		BV.2574/38	Transfer,	M38"	)				1			
		BV.2574/39	Transfer,	M39"	)				1			
		BV.2574/101	Transfer,	M101"					4			
		BV.2574/102	Transfer,	M102"					4			


Argosy 'C' MK.I.

ELECTRICS

November 1963
TP27 AL12

26-6-4
Page 14

RESTRICTED
Argosy 'C' MK.I.



PC 1073/2

CABLE RUN TO DETECTOR UNITS
FIGURE 1
RESTRICTED

NOVEMBER 1963

TP 27

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Qty. Code
			1	2	3	4	5	6				
1-		—	SMOKE DETECTOR INSTALLATION						Ref.			
			CABLE RUN TO DETECTOR UNIT						Ref.			
			(Ref. Drgs., FV.2502, FV.2517, FS.0519, DV.2001, Sht. 53)									
1		—	Panel Assembly (P.1) (See 24-2-1, Fig. 1, Index 2)						Ref.			
2		—	Panel, Fuse (See 24-2-1, Fig. 1, Index 2)						Ref.			
3		—	Fuse (2.4 amp.) (See 24-2-1, Fig. 3, Index 52)						Ref.			
4		—	Clip Assembly (See 26-6-4, Fig. 1, Index 43)						Ref.			
5		—	Clip Assembly (See 26-6-4, Fig. 1, Index 45)						Ref.			
6		—	Panel Assembly (P.33) (See 31-2-1, Fig. 1)						Ref.			
7	5CX/4330419	A.915/A/6	Lamp, Warning (Red) (Page)						1		B	
8	5L/9959118	—	Filament, 28V. 1W. (Atlas)						1		B	
9	5CW/7539	XD.777	Switch (C.W.C.) (Mod. 241)						1		B	
			ATTACHING PARTS									
10	28S/1200066	A.33/B20	Screw, Csk. Hd., 4 BA						2		C	
			* * *									
11		—	Clip Assembly (See 33-2-2, Fig. 6, Index 34)						Ref.			
12		—	Clip Assembly (See 33-2-2, Fig. 6, Index 30)						Ref.			
13		—	Fairlead Assembly (See 33-1-1, Fig. 6, Index 6)						Ref.			
14		—	Rack Assembly (See 25- — , Fig. , Index)						Ref.			
15		—	Grommet (See 26-6-4, Fig. 2, Index 23)						Ref.			
16	27N/132	PSDA 1G/4	Unit, Smoke Detector (Pyrene)						1		A	
17		—	Clip Assembly						4			
			ATTACHING PARTS									
18	28S/1220234	A.217/B20	Screw, Panhead, No. 6 UNC (A.205/B20)						1		C	
	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
	28M/1011993	A.125/B/66	Nut, Sluff, No. 6 UNC 2B						1		C	
			* * *									
19	28E/	AS.3180	Clip (Size to Suit)						2		C	
20	28E/	AS.3180	Clip (Size to Suit)						2		C	
			ATTACHING PARTS									
21	28S/1036875	A.217/D16	Screw, Panhead, No. 10 UNF (A.205/D16)						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
	28M/9706320	A.125/D/66	Nut, Sluff, No. 10 UNF 2B						1		C	
			* * *									
22	28E/	AS.3180	Clip (Size to Suit)						1		C	
			ATTACHING PARTS									
23	28S/9513165	A.217/B16	Screw, Panhead, No. 6 UNC (A.205/B16)						1		C	
	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
	28M/1011993	A.125/B/66	Nut, Sluff, No. 6 UNC 2B						1		C	
			* * *									
24		—	Earth Point Assembly (E.55) (See 21-7-1, Fig. 1, Index 42)						Ref.			
25	5F/9434857	HV.3341	Strapping (Hellermann)						A.R.		C	
26	5F/9138822	NY.3342	Stud (Hellermann)						A.R.		C	
		DV.2301	Set, Flylead (P.1)						Ref.			
27		DV.2053/6	Cable						1			
		DV.2333	Set, Flylead (P.33)						Ref.			
28		DV.2053/12	Cable						1			
29		DV.2053/14	Cable						1			
30		DV.2053/15	Cable						1			
31		DV.2053/16	Cable						1			
		DV.2403	Set, Wiring (Zone 3)						Ref.			
32		DV.2053/13	Cable						1			

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
			TRANSFER MARKERS									
		BV.2573/2	Transfer,	"L2"					1			
		BV.2574/9	Transfer,	"M9"					1			
		BV.2577/55	Transfer,	"S55"					1			

Argosy C. MK.I.


ELECTRICS

November 1963
TP27 AL12

26-6-5
Page 4

RESTRICTED

Argosy C. MK.I



PC1072/2

26-6-6

PAGE 1

CABLE RUN IN COCKPIT

FIGURE 1

RESTRICTED

NOVEMBER 196

A.L. 35 T.P. 27

Argosy 'C' MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
1-		—	EXPLOSION PROTECTION INSTALLATION						Ref.			
			(FUEL TANKS) (Ref. Drg. FV.2001, Sht. 54)						Ref.			
			CABLE RUN IN COCKPIT (Ref. Drgs. FV.2502, FV.2517, FV.2521, EV.2718, FS.0519)						Ref.			
1		—	Panel Assembly (P.3) (See 24-2-1, Fig. 4, Index 2)						Ref.			
2		—	Panel, Fuse (See 24-2-1, Fig. 4, Index 45)						Ref.			
3		—	Fuse (2.4 amp.) (See 24-2-1, Fig. 4, Index 47)						Ref.			
4		—	Panel, Fuse (See 24-2-1, Fig. 3, Index 44)						Ref.			
5		—	Fuse (2.4 amp.) (See 24-2-1, Fig. 3, Index 52)						Ref.			
6		—	Clip: Assembly (See 22-2-1, Fig. 1, Index 58)						Ref.			
7		—	Clip: (See 22-2-1, Fig. 1, Index 14)						Ref.			
8		—	Clip: Assembly (See 22-2-1, Fig. 1, Index 16)						Ref.			
9		AS.3180	Clip: (Size to Suit)						2			
			ATTACHING PARTS									
10	28S/1275287	A.217/B14	Screw, Panhead, No. 6 UNC						1		C	
	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
11		—	Panel Assembly (P.33) (See 31-2-1, Fig. 2)						Ref.			
12		—	Lamp Assembly						2			
13	5CX/5578	D.681 MBC	Lampholder (Bulgin)						1		B	
14	5L/9961102	LN.1	Lamp Filament Neon (G.E.C.)						1		B	
15		—	Switch Assembly						1			
			ATTACHING PARTS									
16	28S/1200066	A.33/B20	Screw, Csk. Hd., 4 BA						2		C	
			* * *									
17	5CW/1047692	XD.781	Switch, Mod. 241 (C.W.C.)						1		B	
18	5CW/6988	A.262	Sleeve (Page)						1		C	
19		—	Clip: Assembly (See 24-1-2, Fig. 6, Index 83)						Ref.			
20		—	Clip: Assembly (See 24-1-2, Fig. 6, Index 89)						Ref.			
21		—	Duct Assembly (See 24-1-2, Fig. 4, Index 15)						Ref.			
22		—	Duct Assembly (See 24-1-2, Fig. 4, Index 40)						Ref.			
23		—	Clip: (See 29-5-1, Fig. 1, Index 21)						Ref.			
24		—	Chassis Assembly (See 24-2-1, Fig. 5, Index 2)						Ref.			
25		—	Plate, Base (See 24-2-1, Fig. 5, Index 19)						Ref.			
26		—	Block Assembly, Terminal (See 24-2-1, Fig. 5, Index 12)						Ref.			
27	5X/1004082	Z.50210	Link, Commoning, 2-Way (Plessey) (Mod. 286)						1		C	
28		STD.1953/8	Marker, Terminal, Ident.						1			
		STD.1953/9	Marker, Terminal, Ident.						1			
29		DV.2453/1	Unit, Overvoltage and Cable Assembly						1			
30		DV.2453/2	Unit, Overvoltage and Cable Assembly						1			
			ATTACHING PARTS (For Indices 29 or 30)									
31	28S/1036875	A.217/D16	Screw, Panhead, No. 10 UNF						4		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						4		C	
			* * *									
32	27N/257	E.841	Unit, Overvoltage (Graviner)						1		A	
33		2CZ.108059	Outlet, Accessory Set (Plessey)						1			
34	10H/0560350	CZ.53157	Plug: (Plessey)						1		C	
35	5CW/1035026	7CZ.105648/1	Relay (Plessey)						2		A	
			ATTACHING PARTS									
36	28S/1275287	A.217/B14	Screw, Panhead, No. 6 UNC						2		C	
	28W/9471274	SP.124/B	Washer, No. 6 UNC						2		C	
			* * *									

RESTRICTED

FIRE PROTECTION

ELECTRICS

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
1-37	27N/164	E.483 Mk. 2							Powerpack (Graviner)	2		A
									ATTACHING PARTS			
38	28S/9131095	A.31/C14							Screw, Cheese Hd., 2 BA	4		C
	28W/1009699	SP.55/C							Washer, Spring, Double Coil, 2 BA	4		C
									* * *			
39		—							Earth Point Assembly, E.41, E.42	3		
40	7037	BV.0363/7							Bolt, Special 1/4" UNF.	1		C
	28W/9471273	SP.124/E							Washer, 1/4" UNF.	4		C
41	28M/9416046	A.103/ET							Nut, Thin, 1/4" UNF 2B	1		C
†	28M/9418915	A.125/E/77							Nut, Stiff, 1/4" UNF 2B	1		C
		—							Earth Point Assembly, E.46, E.47	2		
†	43	28S/1285515							Screw, Panhead, No. 10 UNF (A.205/D28)	1		C
		28W/9457834							Washer, No. 10 UNF.	4		C
	44	28M/9419540							Nut, Thin, No. 10 UNF 2B	1		C
†		28M/9419990							Nut, Stiff, No. 10 UNF 2B	1		C
	45	—							Clip Assembly (See 24-1-2, Fig. 5, Index 109)	Ref.		
	46	—							Duct Assembly (See 24-1-2, Fig. 5, Index 39)	Ref.		
	47	—							Fairlead Assembly (See 33-1-1, Fig. 6, Index 6)	Ref.		
	48	—							Bung (B.1, B.2) (See 26-6-1, Fig. 2, Index 8)	Ref.		
	49	—							Fairlead Assembly (See 33-1-1, Fig. 3, Index 7)	Ref.		
		DV.2301							Set, Flylead (P.1)	Ref.		
	50	DV.2054/1							Cable.	1		
		DV.2303							Set, Flylead (P.3)	Ref.		
	51	DV.2054/3							Cable.	1		
	52	DV.2054/4							Cable.	1		
		DV.2333							Set, Flylead (P.33)	Ref.		
	53	DV.2054/2							Cable.	1		
	54	DV.2054/7							Cable.	1		
	55	DV.2054/8							Cable.	1		
	56	DV.2054/20							Cable.	1		
	57	DV.2054/21							Cable.	1		
	58	DV.2054/24							Cable (See Fig. 2, Index)	Ref.		
	59	DV.2054/25							Cable (See Fig. 2, Index)	Ref.		
	60	DV.2054/162							Cable (See Fig. 2, Index)	Ref.		
	61	DV.2054/163							Cable (See Fig. 2, Index)	Ref.		
†	62	5F/9434857							Strapping (Hellermann)	A.R.		C
	63	5F/9138822							Stud (Hellermann)	A.R.		C
	64	CV.2487/1							Limiter and Cable Assembly, Detector Voltage	1		
									(Mod. 848)			
									ATTACHING PARTS			
	65	28S/9140642							Screw, Cheese Hd., 4 BA	2		C
		28W/9419401							Washer, 4 BA	2		C
†		28M/1278189							Nut, Stiff, 4 BA	2		C
									* * *			
	66	27N/353							Limiter, Detector Voltage (Graviner) (Mod. 848)	1		B

Argosy 'C' MK.I.

ELECTRICS

[illegible]

RESTRICTED


26-6-6
Page 4

RESTRICTED

Argosy 'C' MK.I.

FIRE PROTECTION

ELECTRICS



PC1090/2

CABLE RUN TO JB3&JB4 IN TAIL BOOMS
FIGURE 2

26-6-6

PAGE 5

NOVEMBER 1963

T.R.27


RESTRICTED

Argosy C. MK.1.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
2-		—	CABLE RUN TO J.B.3 AND J.B.4 IN TAILBOOMS						Ref.			
			(Ref. Drgs. FV.2505, FV.2700, FV.2784)									
1		—	Bung (B1 B2) (See 26-6-1, Fig. 2, Index 8)						Ref.			
2		—	Clip Assembly (See 24-1-1, Fig. 4, Index 72)						Ref.			
3		—	Clip Assembly (See 24-1-1, Fig. 4, Index 17)						Ref.			
4		—	Fairlead Assembly (See 77-1-1, Fig. 2, Index 43)						Ref.			
5		—	Clip Assembly (See 33-1-1, Fig. 3, Index 46)						Ref.			
6		—	Saddle Assembly (See 33-1-1, Fig. 3, Index 50)						Ref.			
7		—	Clip Assembly (See 33-1-1, Fig. 4, Index 1)						Ref.			
8	26FX/4211	STD.1687/2	Clip Saddle						10		C	
† 9	5F/9434857	HV.3341	Strapping (Hellermann)						A.R.		C	
† 10	5F/9138822	HV.3342	Stud (Hellermann)						A.R.		C	
11		—	Box Assembly (J.B.3 and J.B.4) (See 24-2-2, Fig. 3)						Ref.			
12		—	Block Terminal (See 24-2-2, Fig. 3, Index 12)						Ref.			
13	5X/1004082	Z.50210	Link, Commoning, 2-way (Plessey)						4		C	
14		—	Clip Assembly (See 22-3-1, Fig. 5, Index 5)						Ref.			
15		—	Clip Assembly (See 22-3-1, Fig. 5, Index 9)						Ref.			
16		—	Clip Assembly (See 33-1-1, Fig. 4, Index 33)						Ref.			
17		BV.3351	Strip, Rubbing						2			
18		—	Clip Assembly (See 24-1-1, Fig. 7, Index 74)						Ref.			
19		—	Clip Assembly (See 24-1-1, Fig. 7, Index 16)						Ref.			
20		—	Fairlead Assembly (See 77-1-1, Fig. 5, Index 24)						Ref.			
21		—	Clip Assembly (See 33-1-1, Fig. 6, Index 39)						Ref.			
22		—	Clip Assembly (See 33-1-1, Fig. 6, Index 43)						Ref.			
23		—	Saddle Assembly (See 33-1-1, Fig. 6, Index 47)						Ref.			
24		—	Clip Assembly (See 33-1-1, Fig. 6, Index 53)						Ref.			
25		—	Clip Assembly (See 33-1-1, Fig. 6, Index 63)						Ref.			
26	28E/	AS.3180	Clip (Size to Suit)						7		C	
			ATTACHING PARTS									
† 27	28S/9513165	A.217/B16	Screw, Panhead, No. 6 UNC (A.205/B16)						1		C	
†	28N/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
†	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
28		—	Clip Assembly (See 33-1-1, Fig. 7, Index 6)						Ref.			
29		—	Clip Assembly (See 33-1-1, Fig. 7, Index 12)						Ref.			
		DV.2401	Set, Wiring Zone 1						Ref.			
30		DV.2054/24	Cable						1			
31		DV.2054/25	Cable						1			
		DV.2403	Set, Wiring Zone 3						Ref.			
32		DV.2054/162	Cable)						1			
33		DV.2054/163	Cable) (Mod. 286)						1			
† 34		DV.2054/56	Cable (See Fig. 3, Index 70)						Ref.			
† 35		DV.2054/57	Cable (See Fig. 3, Index 71)						Ref.			
† 36		DV.2054/48	Cable (See Fig. 6, Index 78)						Ref.			
† 37		DV.2054/49	Cable (See Fig. 6, Index 79)						Ref.			
† 38		DV.2054/61	Cable (See Fig. 3, Index 68)						Ref.			
† 39		DV.2054/62	Cable (See Fig. 3, Index 69)						Ref.			
† 40		DV.2054/70	Cable (See Fig. 4, Index 79)						Ref.			
† 41		DV.2054/71	Cable (See Fig. 4, Index 80)						Ref.			

Argosy 'C' MK.I.

ELECTRICS



PC1098/2

RESTRICTED

PAGE 7

T.R 27

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
3-		—	CABLE RUN TO AUXILIARY AND No. 1 FUEL TANKS (Ref. Drgs. FV2205, FV.2521, EV.2586, FP.0170 FP.0171) (PRE MOD. 972)						Ref.			
1		—	Strip, Rubbing (See Fig. 2, Index 17)						Ref.			
2		BV.0804	Strip, Rubbing						1			
3		BV.0805	Strip, Rubbing						1			
4		—	Conduit (See 23—3—1, Fig. 4, Index 22)						Ref.			
5	5F/9434857	HV.3341	Strapping (Hellermann)						A.R.		C	
6	5F/9138822	HV.3342	Stud (Hellermann)						A.R.		C	
7		—	Clip Assembly						6			
			ATTACHING PARTS									
† 8	28S/9513165	A217/B16	Screw, Panhead, No. 6 UNC (A.205/B16)						1		C	
	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
† 8	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
	9	28E/	Clip (Size to Suit)						1		C	
	10	—	Conduit Assembly						1			
	11	EV.2751/1	Conduit						1			
	12	AW.42319/2	Clip						1			
			ATTACHING PARTS									
† 13	28S/1036875	A.217/D16	Screw, Panhead, No. 10 UNF (A.205/D16)						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
	28M/9706320	A.125/D/66	Nut, Stiff, No. 10 UNF 2B						1		C	
	14	—	Conduit Assembly						1			
			* * *									
	15	EV.2751/2	Conduit						1			
	16	AW.28265/2	Clip						1			
			ATTACHING PARTS									
† 17	28S/1036875	A.217/D16	Screw, Panhead, No. 10 UNF (A.205/D16)						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
	28M/9706320	A.125/D/66	Nut, Stiff, No. 10 UNF 2B						1		C	
			* * *									
	18	—	Clip Assembly						8			
			ATTACHING PARTS									
† 19	28S/1275287	A217/B14	Screw, Panhead, No. 6 UNC (A.205/B14)						1		C	
	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
† 19	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC						1		C	
			* * *									
	20	28E/	Clip						1		C	
	21	—	Block Assembly, Terminal						2			
			ATTACHING PARTS									
	22	5X/9450403	Pillar, Fixing						1		C	
			* * *									
	23	5X/1002694	Block, Terminal, 5-way (Plessey)						1		B	
	24	5X/9149641	Cover, Terminal Block (Plessey)						1		B	
	25	5X/1004082	Link, Commoning, 2-way (Plessey)						2		C	
	26	STD.1953	Marker, Terminal Ident						A.R.			
	27	BV.3113/1	Label, Instruction						1			
	28	—	Earth Point Assembly E.161, E.162						2			
† 29	28S/1285575	A.217/D28	Screw, Panhead, No. 10 UNF (A.205/D28)						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
	30	28W/5806394	Washer, Thick, No. 10 UNF						1		C	
	31	—	Detector (See 28—1—1, Fig. 1, Index 93)						Ref.			
	32	—	Lamp Test (See 28—1—1, Fig. 1, Index 96)						Ref.			
	33	—	Connector, Bulkhead (See 28—1—1, Fig. 1, Index 97)						Ref.			
	34	—	Detector (See 28—1—1, Fig. 2, Index 16)						Ref.			
	35	—	Lamp Test (See 28—1—1, Fig. 2, Index 19)						Ref.			

Argosy C. MK.1.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
3-36		—							Ref.			
37	7538	BV.3157/1							4		C	
38		—							8			
† 39	28S/1275287	A.217/B14							1		C	
	28W/9471274	SP.124/B							1		C	
†	28M/1011993	A.125/B/66							1		C	
40	28E/	AS.3180							1		C	
41		BV.1142							1			
42	5K/9128569	SP.40/A14							4		C	
43	1371	BV.2454/1							4		C	
44	10H/0560300	CZ.49222							1		C	
45		BV.2454/3							1			
46		BV.2715							4			
47		—							4			
† 48	28S/1220235	A.217/D20							1		C	
	28W/9457834	SP.124/D							1		C	
49	27N/170	E.318							1		B	
50	27N/176	E.302							1		C	
51	27N/204	E.303							1		C	
52		BV.2728/1							4			
† 53	28M/9466528	A.136/D/66							2		C	
54		CV.3092/1							1			
55		CV.3092/7							1			
56		CV.3092/6							1			
57		CV.3092/12							1			
58	6A/6900	LJG/40							6		B	
59	6A/6874	LJG/27							2		B	
60	6A/6905	LJG/50							2		B	
61		—							Ref.			
62		—							Ref.			
63		—							Ref.			
64		—							Ref.			
65		—							Ref.			
66		—							Ref.			
67		—							Ref.			
		DV.2383							Ref.			
68		DV.2054/61							1			
69		DV.2054/62							1			
		DV.2384							Ref.			
70		DV.2054/56							1			
71		DV.2054/57							1			
		CV.2407							Ref.			
72		DV.2054/58							1			
73		DV.2054/59							1			
74		DV.2054/60							1			
75		DV.2054/144							1			
76		DV.2054/63							1			
77		DV.2054/64							1			
78		DV.2054/65							1			
79		DV.2054/145							1			


Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
3-		CV.2408						Set. Wiring (Zone 8)	Ref.			
80		DV.2054/50						Cable	1			
81		DV.2054/51						Cable	1			
82		DV.2054/52						Cable	1			
83		DV.2054/142						Cable	1			
84		DV.2054/53						Cable	1			
85		DV.2054/54						Cable	1			
86		DV.2054/55						Cable	1			
87		DV.2054/143						Cable	1			

RESTRICTED

FIRE PROTECTION

ELECTRICS

Argosy C. MK.I.



PC1091/2

CABLE RUN TO
No 2 & No 3 FUEL TANKS (L.H.)

FIGURE 4

RESTRICTED

26-6-6

PAGE 11

NOVEMBER 1963

TP 27

Argosy C. Mk.1.


Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
4-		—	CABLE RUN TO No. 2 AND No. 3 FUEL TANKS (LH) (Ref. Drgs. FV.2508, FV.2519, FV.2521, FP.0172, FP.0173) (Pre Mod. 972)						Ref.			
1		—	Clip Assembly (See 33—1—1, Fig. 5, Index 2)						Ref.			
2		—	Clip Assembly						1			
			ATTACHING PARTS									
† 3	28S/9513165	A.217/B16	Screw, Panhead, No. 6 UNC (A.205/B16)						1		C	
	28M/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
†	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
4	28E/	AS.3180	Clip (Size to Suit)						1		C	
5		BV.0833	Bracket						1			
6		—	Clip Assembly						1			
			ATTACHING PARTS									
† 7	28S/9513165	A.217/B16	Screw, Panhead, No. 6 UNC (A.205/B16)						1		C	
†	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
†	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
8	28E/	AS.3180	Clip (Size to Suit)						1		C	
9		BV.0833/1	Bracket						1			
10		—	Clip Assembly						6			
			ATTACHING PARTS									
† 11	28S/1220169	A.217/B18	Screw, Panhead, No. 6 UNC (A.205/B18)						1		C	
†	28W/9271274	SP.124/B	Washer, No. 6 UNC						1		C	
†	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
12	28E/	AS.3180	Clip (Size to Suit)						1		C	
13		—	Block Assembly, Terminal						2			
			ATTACHING PARTS									
14	5X/9450403	Z.28426	Pillar, Fixing (Plessey)						2		C	
	28W/9419401	SP.10/B	Washer, 4 BA						2		C	
	28M/1086618	AGS.2002/B/1	Nut, Stiff, 4 BA						2		C	
			* * *									
15	5X/1002694	CZ.50207	Block, Terminal (5-Way) (Plessey)						1		B	
16	5X/9149641	CZ.26805	Cover, Transparent (Plessey)						1		B	
17	5X/1004082	Z.50210	Link, Commoning (2-Way) (Plessey)						2		C	
18		STD.1953	Marker, Ident						A.R.			
19		BV.3040/4	Label, Instruction						1			
20		BV.3113/1	Label, Instruction						1			
21		—	Fuse Assembly, Indicator						2			
			ATTACHING PARTS									
† 22	28S/1036875	A.217/D16	Screw, Panhead, No. 10 UNF (A.205/D16)						2		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						2		C	
	28M/9706320	A.125/D/66	Nut, Stiff, No. 10 UNF 2B						2		C	
			* * *									
23	27N/170	E.318	Holder, Fuse (Graviner)						1		B	
24	27N/204	E.303	Fuse (Graviner)						1		C	
25		CV.2713	Bracket						1			
26	1371	BV.2454/1	Plug Assembly, Shorting						2		C	
27	10H/0560300	CZ.49222	Plug, Free (Plessey)						1		C	
28		BV.2454/3	Cap, Blanking						1			
29		CV.2712	Bracket						2			
30		—	Earth, Point Assembly, E.163, E.165						2			
† 31	28S/1285515	A.217/D28	Screw, Panhead, No. 10 UNF (A.205/D28)						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						4		C	
32	28M/9419540	A.103/DT	Nut, Thin, No. 10 UNF 2B						1		C	
	28M/9706320	A.125/D/66	Nut, Stiff, No. 10 UNF 2B						1		C	
33		DV.2752/1	Conduit						1			

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
4-34		AW.28265/2						Clip	2			
								ATTACHING PARTS				
† 35	28S/1927933	A.219/D20						Screw, Panhead, No. 10 UNF (A.209/D20)	1		C	
	28W/9457824	SP.124/D						Washer, No. 10 UNF	1		C	
	28M/9438436	A.129/D						Nut, Stiff, No. 10 UNF 2B	1		C	
								* * *				
36	28E/9435723	AS.3181/8B						Clip	7		C	
								ATTACHING PARTS				
† 37	28S/1275292	A.219/B14						Screw, Panhead, No. 6 UNC (A.209/B14)	1		C	
	28W/9471274	SP.124/B						Washer, No. 6 UNC	1		C	
	28M/9438434	A.129/B						Nut, Stiff, No. 6 UNC 2B	1		C	
								* * *				
38		AW.42319/2						Clip	2			
								ATTACHING PARTS				
† 39	28S/1927933	A.219/D20						Screw, Panhead, No. 10 UNF (A.209/D20)	1		C	
	28W/9457834	SP.124/D						Washer, No. 10 UNF	1		C	
	28M/9438436	A.129/D						Nut, Stiff, No. 10 UNF 2B	1		C	
								* * *				
40		—						Clip Assembly	12			
								ATTACHING PARTS				
† 41	28S/1275287	A.217/B14						Screw, Panhead, No. 6 UNC (A.205/B14)	1		C	
	28W/9471274	SP.124/B						Washer, No. 6 UNC	1		C	
† 42	28M/1011993	A.125/B/66						Nut, Stiff, No. 6 UNC 2B	1		C	
	28M/1010838	A.126/B/66						Nut, Stiff, No. 6 UNC 2B	1		C	
								* * *				
43	28E/	AS.3180						Clip (Size to Suit)	1		C	
44		BV.1142						Bracket	1			
45	7538	BV.3157/1						Adaptor Assembly	2		C	
46		—						Bracket Assembly, Terminal Miniature	4			
								ATTACHING PARTS				
† 47	28S/9435591	A.204/A14						Screw, Csk. Hd., No. 4 UNC	2		C	
	28M/9709202	A.125/A/66						Nut, Stiff, No. 4 UNC 2B	2		C	
								* * *				
† 48	5X/1997586	CX.72441						Block, Terminal Miniature (5-Way) (Plessey)	1		B	
49		BV.3329						Cover	1			
								ATTACHING PARTS				
50	28S/9995324	A.32/A16						Screw, Rd. Hd., 6 BA	2		C	
	28W/9416641	SP.47/A						Washer, 6 BA	2		C	
								* * *				
51		BV.3328						Plate, Mounting	1			
								ATTACHING PARTS				
† 52	28M/9706321	A.126/D/66						Nut, Stiff, No. 10 UNF 2B	2		C	
								* * *				
53		—						Detector Assembly (See 28—1—1, Fig. 3, Index 6)	Ref.			
54		—						Lamp, Test (See 28—1—1, Fig. 3, Index 12)	Ref.			
55		—						Connector, Bulkhead (See 28—1—1, Fig. 3, Index 13)	Ref.			
56		—						Tank, Fuel, No. 2 (See 28—1—1, Fig. 3)	Ref.			
57		—						Suppressor, Column (See 26—5—1, Fig. 4, Index 20)	Ref.			
58		—						Suppressor, Column (See 26—5—1, Fig. 4, Index 1)	Ref.			
59		—						Suppressor, Column (See 26—5—1, Fig. 4, Index 39)	Ref.			
60	6A/5386	LJG/45						Cable (Waymouth Gauge, Ltd.)	2		B	
61	6A/5384	LJG/30						Cable (Waymouth Gauge, Ltd.)	1		B	
62		CV.3092/2	ND					Label, Tank, No. 2	1			
63		CV.3092/3	ND					Label, Tank No. 3	1			
								ATTACHING PARTS (For Indices 62 or 63)				
† 64	28S/1220158	A.217/A18						Screw, Panhead, No. 4 UNC (A.205/A18)	4		C	
†	28W/1928349	SP.125/A						Washer, No. 4 UNC	4		C	
								* * *				

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of L.	Icy. Code
			1	2	3	4	5	6				
4-65		—	Conduit	(See 33-1-1, Fig. 5, Index 6)					Ref.			
66		—	Conduit	(See 33-1-1, Fig. 5, Index 13)					Ref.			
67		—	Conduit	(See 33-1-1, Fig. 5, Index 14)					Ref.			
68		DV.2753/1	Conduit						1			
69		—	Detector Assembly	(See 28-1-1, Fig. 4, Index 6)					Ref.			
70		—	Lamp, Test	(See 28-1-1, Fig. 4, Index 12)					Ref.			
71		—	Connector, Bulkhead	(See 28-1-1, Fig. 4, Index 13)	...				Ref.			
72		—	Tank, Fuel, No. 3	(See 28-1-1, Fig. 4)					Ref.			
73		—	Suppressor, Column	(See 26-5-1, Fig. 5, Index 1)					Ref.			
74		—	Suppressor, Column	(See 26-5-1, Fig. 5, Index 20)					Ref.			
75		—	Suppressor, Column	(See 26-5-1, Fig. 5, Index 37)					Ref.			
76	6A/6905	LJG/50	Cable	(Waymouth Gauge, Ltd.)					1		B	
77	6A/5390	LJG/69	Cable	(Waymouth Gauge, Ltd.)					1		B	
78	6A/6899	LJG/18	Cable	(Waymouth Gauge, Ltd.)					1		B	
		DV.2383	Set, Flylead	(J.B.3)					Ref.			
79		DV.2054/70	Cable						1			
80		DV.2054/71	Cable						1			
		CV.2409	Set, Wiring	(Zone 9)					Ref.			
81		DV.2054/66	Cable						1			
82		DV.2054/67	Cable						1			
83		DV.2054/68	Cable						1			
84		DV.2054/69	Cable						1			
85		DV.2054/114	Cable						1			
86		DV.2054/115	Cable						1			
87		DV.2054/146	Cable						1			
88		DV.2054/116	Cable						1			
89		DV.2054/118	Cable						1			
90		DV.2054/117	Cable						1			
91		DV.2054/119	Cable						1			
92		DV.2054/76	Cable						1			
93		DV.2054/77	Cable						1			
94		DV.2054/72	Cable						1			
95		DV.2054/73	Cable						1			
96		DV.2054/74	Cable						1			
97		DV.2054/75	Cable						1			
98		DV.2054/120	Cable						1			
99		DV.2054/121	Cable						1			
100		DV.2054/122	Cable						1			
101		DV.2054/124	Cable						1			
102		DV.2054/123	Cable						1			
103		DV.2054/125	Cable						1			
104		DV.2054/147	Cable						1			
105		DV.2054/82	Cable	(See Fig. 5, Index 82)					Ref.			
106		DV.2054/83	Cable	(See Fig. 5, Index 83)					Ref.			

Argosy 'C' MK.I.



PC 1092/2

Argosy C. MK.1.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
5—		—	CABLE RUN TO No. 4 AND No. 5 FUEL TANKS (LH)						Ref.			
			(Ref. Drgs. FV.2508, FV.2519, FV.2520, FV.2521, FP.0174, FP.0175) (PRE MOD. 972)									
1		—	Conduit (See 33—1—1, Fig. 5, Index 14)						Ref.			
2		—	Conduit (See 33—1—1, Fig. 5, Index 36)						Ref.			
3		—	Clip Assembly						5			
			ATTACHING PARTS									
† 4	28S/1220169	A.217/B18	Screw, Panhead, No. 6 UNC (A.205/B18)						1		C	
	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
†	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
5	28E/	AS.3180	Clip (Size to Suit)						1		C	
6		—	Block Assembly, Terminal						2			
			ATTACHING PARTS									
7	5X/9450403	Z.28426	Pillar, Fixing (Plessey)						2		C	
	28W/9419401	SP.10/B	Washer, 4 BA						2		C	
	28M/1086618	AGS.2002/B/1	Nut, Stiff, 4 BA						2		C	
			* * *									
8	5X/1002694	CZ.50207	Block, Terminal, 5-way (Plessey)						1		B	
9	5X/9149641	CZ.26805	Cover, Block, Terminal (Plessey)						1		B	
10	5X/1004082	Z.50210	Link, Terminal, Connecting, 2-way (Plessey)						2		C	
11		STD.1953	Marker, Terminal, Ident.						A.R.			
12		BV.3113	Label, Instruction						1			
13		BV.3040/4	Label, Instruction						1			
14		—	Fuse Assembly, Indicator						2			
			ATTACHING PARTS									
† 15	28S/1036875	A.217/D16	Screw, Panhead, No. 10 UNF (A.205/D16)						2		C	
	28W/9451834	SP.124/D	Washer, No. 10 UNF						2		C	
	28M/9706320	A.125/D/66	Nut, Stiff, No. 10 UNF 2B						2		C	
			* * *									
16	27N/170	E.318	Holder, Fuse (Graviner)						1		B	
17	27N/204	E.303	Fuse (Graviner)						1		C	
18		CV.2714	Bracket						1			
19	1371	BV.2454/1	Plug Assembly						2		C	
20	10H/0560300	CZ.49222	Plug, Free (Plessey)						1		C	
21		BV.2454/3	Cap, Blanking, Tufnol (Plessey)						1			
22		BV.2715	Bracket						2			
23	26FX/4211	STD.1687/2	Clip, Saddle						3		C	
24			Earth Point Assembly, E.167, E.169						2			
† 25	28S/1285515	A.217/D28	Screw, Panhead, No. 10 UNF (A.205/D28)						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						4		C	
26	28M/9419540	A.103/DT	Nut, Thin, No. 10 UNF 2B						1		C	
	28M/9706320	A.125/D/66	Nut, Stiff, No. 10 UNF 2B						1		C	
27		CV.3092/4	Label, Instruction						1			
28		CV.3092/5	Label, Instruction						1			
			ATTACHING PARTS (For Indices 27 or 28)									
† 29	28S/1220158	A.217/A18	Screw, Panhead, No. 4 UNC (A.205/A18)						4		C	
	28W/17847	SP.125/A	Washer, No. 4 UNC						4		C	
			* * *									
30		DV.2754/1	Conduit						1			
31		AW.42319/2	Clip						2			
			ATTACHING PARTS									
† 32	28S/1927933	A.219/D20	Screw, Panhead, No. 10 UNF (A.209/D20)						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
	28M/9438436	A.129/D	Nut, stiff, No. 10 UNF 2B						1		C	
			* * *									

RESTRICTED

Argosy C. MK.1.


Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
5-33	28E/9435723	AS.3181/8B	Clip						2		C	
			ATTACHING PARTS									
† 34	28S/1275292	A.219/B14	Screw, Panhead, No. 6 UNC (A.209/B14)						1		C	
	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
	28M/9438434	A.129/B	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
35		AW.28265/2	Clip						1			
			ATTACHING PARTS									
† 36	28S/1927933	A.219/D20	Screw, Panhead, No. 10 UNF (A.209/D20)						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
	28M/9438436	A.129/D	Nut, Stiff, No. 10 UNF 2B						1		C	
			* * *									
37		—	Clip Assembly						6			
			ATTACHING PARTS									
† 38	28S/1275287	A.217/B14	Screw, Panhead, No. 6 UNC (A.205/B14)						1		C	
	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
†	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC						1		C	
†	39	28M/9706321	Nut, Stiff, No. 10 UNF 2B						1		C	
			* * *									
40	28E/	AS.3180	Clip (Size to Suit)						1		C	
41		BV.1142	Bracket						1			
42	7538	BV.3157/1	Adaptor Assembly						2		C	
43	8492	TDS.27/B-40-B	Lead Bonding						1		C	
44		—	Block Assembly, Terminal						4			
			ATTACHING PARTS									
45	28S/9435591	A.204/A14	Screw, Csk. Hd., No. 4 UNC						2		C	
	28M/9709202	A.125/A/66	Nut, Stiff, No. 4 UNC 2B						2		C	
			* * *									
† 46	5X/1997586	CZ.72441	Block, Terminal, Miniature, 5-way (Plessey)						1		B	
47		BV.3329	Cover						1			
			ATTACHING PARTS									
48	28S/9995324	A.32/A16	Screw, Rd. Hd., 6 BA						2		C	
	28W/9416641	SP.47/A	Washer, 6 BA						2		C	
			* * *									
49		BV.3328	Plate Mounting						1			
			ATTACHING PARTS									
† 50	28M/9706321	A.126/D/66	Nut, Stiff, No. 10 UNF 2B						2		C	
			* * *									
51		—	Detector Assembly (See 28-1-1, Fig. 5, Index 6)						Ref.			
52		—	Lamp, Test (See 28-1-1, Fig. 5, Index 12)						Ref.			
53		—	Connector, Bulkhead (See 28-1-1, Fig. 5, Index 13)						Ref.			
54		—	Tank, Fuel, No. 4 (See 28-1-1, Fig. 5, Index 1)						Ref.			
55		—	Column, Suppressor (See 26-5-1, Fig. 6, Index 35)						Ref.			
56		—	Column, Suppressor (See 26-5-1, Fig. 6, Index 18)						Ref.			
57		—	Column, Suppressor (See 26-5-1, Fig. 6, Index 1)						Ref.			
58	6A/6875	LJG/60	Cable (Waymouth Gauge Ltd.)						1		B	
59	6A/6906	LJG/81	Cable (Waymouth Gauge Ltd.)						1		B	
60	6A/3584	LJG/30	Cable (Waymouth Gauge Ltd.)						2		B	
61		—	Conduit (See 33-1-1, Fig. 5, Index 48)						Ref.			
62		DV.2755/1	Conduit						1			
63		AW.42319/2	Clip						1			
			ATTACHING PARTS									
† 64	28S/1220160	A.219/D16	Screw, Panhead, No. 10 UNF (A.209/D16)						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
	28M/9438436	A.129/D	Nut, Stiff, No. 10 UNF 2B						1		C	
			* * *									

RESTRICTED

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
5-65	28E/9435723	AS.3181/8B	Clip						2		C	
			ATTACHING PARTS									
† 66	28S/1027484	A.209/B12	Screw, Panhead, No. 6 UNC						1		C	
	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
	28M/9438434	A.129/B	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
67		—	Clip Assembly						1			
			ATTACHING PARTS									
† 68	28S/1220160	A.219/D16	Screw, Panhead, No. 10 UNF (A.209/D16)						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
	28M/9438436	A.129/D	Nut, Stiff, No. 10 UNF 2B						1		C	
			* * *									
69	28E/	AS.3180	Clip (Size to Suit)						1		C	
		BV.3335/1	Bracket						1			
71	28E/	AS.3180	Clip (Size to Suit)						8		C	
			ATTACHING PARTS									
† 72	28M/9706321	A.126/D/66	Nut, Stiff, No. 10 UNF 2B						1		C	
			* * *									
73		—	Detector Assembly (See 28-1-1, Fig. 6, Index 8)						Ref.			
74		—	Lamp, Test (See 28-1-1, Fig. 6, Index 20)						Ref.			
75		—	Connector (See 28-1-1, Fig. 6, Index 21)						Ref.			
76		—	Tank, Fuel No. 5 (See 28-1-1, Fig. 6, Index 1)						Ref.			
77	6A/5390	LJG/69	Cable (Waymouth Gauge Ltd.)						1		B	
78	6A/6874	LJG/27	Cable (Waymouth Gauge Ltd.)						1		B	
79		—	Column, Suppressor (See 26-5-1, Fig. 7, Index 30)						Ref.			
80		—	Column, Suppressor (See 26-5-1, Fig. 7, Index 1)						Ref.			
81		—	Column, Suppressor (See 26-5-1, Fig. 7, Index 16)						Ref.			
		CV.2409	Set, Wiring (Zone 9)						Ref.			
82		DV.2054/82	Cable						1			
83		DV.2054/83	Cable						1			
84		DV.2054/78	Cable						1			
85		DV.2054/148	Cable						1			
86		DV.2054/79	Cable						1			
87		DV.2054/80	Cable						1			
88		DV.2054/126	Cable						1			
89		DV.2054/127	Cable						1			
90		DV.2054/81	Cable						1			
91		DV.2054/128	Cable						1			
92		DV.2054/130	Cable						1			
93		DV.2054/129	Cable						1			
94		DV.2054/131	Cable						1			
95		DV.2054/88	Cable						1			
96		DV.2054/89	Cable						1			
97		DV.2054/84	Cable						1			
98		DV.2054/149	Cable						1			
99		DV.2054/85	Cable						1			
100		DV.2054/86	Cable						1			
101		DV.2054/87	Cable						1			
102		DV.2054/132	Cable						1			
103		DV.2054/133	Cable						1			
104		DV.2054/135	Cable						1			
105		DV.2054/137	Cable						1			
106		DV.2054/134	Cable						1			
107		DV.2054/136	Cable						1			

RESTRICTED
Argosy 'C' MK.I.



CABLE RUN TO
NO 2 & NO 3 FUEL TANKS (R.H.)

FIGURE 6

RESTRICTED

Argosy C. Mk.1.


Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
6-		—	CABLE RUN TO No. 2 AND No. 3 FUEL TANKS (RH) ...						Ref.			
			(Ref. Drgs. FV.2509, FV.2519, FV.2521, FP.0172, FP.0173) (Pre Mod. 972)									
1		—	Clip Assembly (See 33-1-1, Fig. 7, Index 12)						Ref.			
2		—	Clip Assembly						1			
			ATTACHING PARTS									
3	28S/9513165	A.217/B16	Screw, Panhead, No. 6 UNC						1		C	
	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
4	28E/	AS.3181	Clip (Size to Suit)						1		C	
5		BV.0833	Bracket						1			
6		—	Clip Assembly						1			
			ATTACHING PARTS									
7	28S/9513165	A.217/B16	Screw, Panhead, No. 6 UNC						1		C	
	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
8	28E/	AS.3180	Clip (Size to Suit)						1		C	
9		BV.0833/1	Bracket						1			
10		—	Clip Assembly						6			
			ATTACHING PARTS									
† 11	28S/1220169	A.217/B18	Screw, Panhead, No. 6 UNC (A.205/B18)						1		C	
	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
12	28E/	AS.3180	Clip (Size to Suit)						1		C	
13		—	Block Assembly, Terminal						2			
			ATTACHING PARTS									
14	5X/9450403	Z.28426	Pillar, Fixing (Plessey)						2		C	
	28W/9419401	SP.10/B	Washer, 4 BA						2		C	
	28M/1086618	AGS.2002/B/1	Nut, Stiff, 4 BA						2		C	
			* * *									
15	5X/1002694	CZ.50207	Block, Terminal (5-way) (Plessey)						1		B	
16	5X/9149641	CZ.26805	Cover, Transparent (Plessey)						1		C	
17	5X/1004082	Z.50210	Link, Commoning (2-way) (Plessey)						2		C	
18		STD.1953	Marker, Terminal, Ident						A.R.			
19		BV.3040/4	Label, Instruction						2			
20		—	Fuse Assembly, Indicator						2			
			ATTACHING PARTS									
21	28S/1036875	A.217/D16	Screw, Panhead, No. 10 UNF						2		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						2		C	
	28M/9706320	A.125/D/66	Nut, Stiff, No. 10 UNF 2B						2		C	
			* * *									
22	27N/170	E.318	Holder, Fuse (Graviner)						1		B	
23	27N/204	E.303	Fuse (Graviner)						1		C	
24		CV.2713	Bracket						1			
25	1371	BV.2454/1	Plug Assembly						2		C	
26	10H/0560300	CZ.49222	Plug, Free						1		C	
27		BV.2454/3	Cap, Blanking (Tufnol)						1			
28		CV.2712	Bracket						2			
29		—	Earth Point Assembly, E.164, E.166						2			
† 30	28S/1285515	A.217/D28	Screw, Panhead, No. 10 UNF (A.205/D28)						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						4		C	
31	28M/9419540	A.103/DT	Nut, Thin, No. 10 UNF 2B						1		C	
	28M/9706320	A.125/D/66	Nut, Stiff, No. 10 UNF 2B						1		C	
32		DV.2752/2	Conduit						1			

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
6-33		AW.423192	Clip						2			
			ATTACHING PARTS									
† 34	28S/1927933	A.219/D20	Screw, Panhead, No. 10 UNF (A.209/D20)						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
	28M/9438436	A.129/D	Nut, Stiff, No. 10 UNF 2B						1		C	
			* * *									
35	28E/9435723	AS.3181/8B	Clip						1		C	
			ATTACHING PARTS									
36	28S/1275292	A.219/B14	Screw, Panhead, No. 6 UNC						1		C	
	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
	28M/9438434	A.129/B	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
37		AW.28265/2	Clip						2			
			ATTACHING PARTS									
† 38	28S/1927933	A.219/D20	Screw, Panhead, No. 10 UNF (A.209/D20)						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
	28M/9438436	A.129/D	Nut, Stiff, No. 10 UNF 2B						1		C	
			* * *									
39		—	Clip Assembly						12			
			ATTACHING PARTS									
40	28S/1275287	A.217/B14	Screw, Panhead, No. 6 UNC						1		C	
	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
41	28M/9706321	A.126/D/66	Nut, Stiff, No. 10 UNF 2B						1		C	
			* * *									
42	28E/	AS.3180	Clip (Size to Suit)						1		C	
43		BV.1142	Bracket						1			
44	7538	BV.3157/1	Adaptor Assembly						2		C	
45		—	Block Assembly, Terminal, Miniature						4			
			ATTACHING PARTS									
46	28S/9435591	A.204/A14	Screw, Csk. Hd., No. 4 UNC						2		C	
	28M/9709202	A.125/A/66	Nut, Stiff, No. 4 UNC 2B						2		C	
			* * *									
† 47	5X/1997586	CZ.72441	Block, Terminal, Miniature (5-way) (Plessey)						1		B	
48		BV.3329	Cover						1			
			ATTACHING PARTS									
49	28S/9995324	A.32/A16	Screw, Rd. Hd., 6 BA						2		C	
	28W/9416641	SP.47/A	Washer, Spring, 6 BA						2		C	
			* * *									
50		BV.3328	Plate, Mounting						1			
			ATTACHING PARTS									
† 51	28M/9706321	A.126/D/66	Nut, Stiff, No. 10 UNF 2B						2		C	
			* * *									
52		—	Detector Assembly (See 28-1-1, Fig. 3, Index 6)						Ref.			
53		—	Lamp, Test (See 28-1-1, Fig. 3, Index 12)						Ref.			
54		—	Connector, Bulkhead (See 28-1-1, Fig. 3, Index 13)						Ref.			
55		—	Tank, Fuel, No. 2 (See 28-1-1, Fig. 3)						Ref.			
56		—	Suppressor, Column (See 26-5-1, Fig. 4, Index 20)						Ref.			
57		—	Suppressor, Column (See 26-5-1, Fig. 4, Index 1)						Ref.			
58		—	Suppressor, Column (See 26-5-1, Fig. 4, Index 39)						Ref.			
59	6A/5386	LJG/45	Cable (Waymouth Gauge Ltd.)						2		B	
60	6A/5384	LJG/30	Cable (Waymouth Gauge Ltd.)						1		B	
61		CV.3092/8	Label, Instruction						1			
62		CV.3092/9	Label, Instruction						1			
			ATTACHING PARTS (For Indices 61 or 62)									
† 63	28S/1220158	A.217/A18	Screw, Panhead, No. 4 UNC (A.205/A18)						4		C	
	28W/1928349	SP.125/A	Washer, Packing, No. 4 UNC						4		C	
			* * *									

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per Assy.	Usage Code	C. of E.	Qty. Code
			1	2	3	4	5	6				
6-64		—	Conduit	(See 33-1-1, Fig. 7, Index 16)					Ref.			
65		—	Conduit	(See 33-1-1, Fig. 7, Index 22)					Ref.			
66		—	Conduit	(See 33-1-1, Fig. 7, Index 26)					Ref.			
67		DV.2753/2	Conduit						1			
68		—	Detector Assembly	(See 28-1-1, Fig. 4, Index 6)					Ref.			
69		—	Lamp Test	(See 28-1-1, Fig. 4, Index 12)					Ref.			
70		—	Connector, Bulkhead	(See 28-1-1, Fig. 4, Index 13)	...				Ref.			
71		—	Tank, Fuel No. 3	(See 28-1-1, Fig. 4)					Ref.			
72		—	Suppressor, Column	(See 26-5-1, Fig. 5, Index 1)					Ref.			
73		—	Suppressor, Column	(See 26-5-1, Fig. 5, Index 20)					Ref.			
74		—	Suppressor, Column	(See 26-5-1, Fig. 5, Index 37)					Ref.			
75	6A/6905	LIG/50	Cable	(Weymouth Gauge Ltd.)					1		B	
76	6A/5390	LIG/69	Cable	(Weymouth Gauge Ltd.)					1		B	
77	6A/6899	LIG/18	Cable	(Weymouth Gauge Ltd.)					1		B	
		DV.2384	Set, Flylead	(J.B.4)					Ref.			
78		DV.2054/48	Cable						1			
79		DV.2054/49	Cable						1			
		CV.2410	Set, Wiring	(Zone 10)					Ref.			
80		DV.2054/44	Cable						1			
81		DV.2054/45	Cable						1			
82		DV.2054/46	Cable						1			
83		DV.2054/47	Cable						1			
84		DV.2054/108	Cable						1			
85		DV.2054/109	Cable						1			
86		DV.2054/141	Cable						1			
87		DV.2054/10	Cable						1			
88		DV.2054/112	Cable						1			
89		DV.2054/111	Cable						1			
90		DV.2054/113	Cable						1			
91		DV.2054/42	Cable						1			
92		DV.2054/43	Cable						1			
93		DV.2054/38	Cable						1			
94		DV.2054/39	Cable						1			
95		DV.2054/40	Cable						1			
96		DV.2054/41	Cable						1			
97		DV.2054/102	Cable						1			
98		DV.2054/103	Cable						1			
99		DV.2054/140	Cable						1			
100		DV.2054/104	Cable						1			
101		DV.2054/106	Cable						1			
102		DV.2054/105	Cable						1			
103		DV.2054/107	Cable						1			
104		DV.2054/36	Cable	(See Fig. 7, Index 82)					Ref.			
105		DV.2054/37	Cable	(See Fig. 7, Index 83)					Ref.			

Argosy 'C' MK.I.



CABLE RUN TO
No 4 & No 5 FUEL TANKS (R.H.)

FIGURE 7

RESTRICTED

November 1963

TP 27

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
7-		—	CABLE RUN TO No. 4 AND No. 5 FUEL TANKS (RH) ...						Ref.			
			(Ref. Drgs. FV.2509, FV.2519, FV.2520, FV.2521, FP.0174, FP.0175) (PRE MOD. 972)									
1		—	Conduit (See 31-1-1, Fig. 7, Index 27)						Ref.			
2		—	Conduit (See 33-1-1, Fig. 7, Index 47)						Ref.			
3		—	Clip Assembly						5			
			ATTACHING PARTS									
† 4	28S/1220169	A.217/B18	Screw, Panhead, No. 6 UNC (A.205/B18)						1		C	
	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
†	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
5	28E/	AS.3180	Clip (Size to Suit)						1		C	
6		—	Block Assembly, Terminal						2			
			ATTACHING PARTS									
7	5X/9450403	Z.28426	Pillar, Fixing (Plessey)						2		C	
	28W/9419401	SP.10/B	Washer, 4 BA						2		C	
	28M/1086618	AGS.2002/B/1	Nut, Stiff, 4 BA						2		C	
			* * *									
8	5X/1002694	CZ.50207	Block, Terminal, 5-way (Plessey)						1		B	
9	5X/9149641	CZ.26805	Cover, Terminal Block (Plessey)						1		C	
10	5X/1004082	Z.50210	Link, Terminal, Connecting (Plessey)						2		C	
11		STD.1953	Marker, Terminal, Ident						A.R.			
12		BV.3113	Label, Instruction						1			
13		BV.3040/4	Label, Instruction						1			
14		—	Fuse Assembly, Indicator						2			
			ATTACHING PARTS									
† 15	28S/1036875	A.217/D16	Screw, Panhead, No. 10 UNF (A.205/D16)						2		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						2		C	
†	28M/9706320	A.125/D/66	Nut, Stiff, No. 10 UNF 2B						2		C	
			* * *									
16	27N/170	E.318	Holder, Fuse (Graviner)						1		B	
17	27N/204	E.303	Fuse (Graviner)						1		C	
18		CV.2714	Bracket						1			
19	1371	BV.2454/1	Plug Assembly						2		C	
20	10H/0560300	CZ.49222	Plug, (Plessey)						1		C	
21		BV.2454/3	Cap, Blanking, Tufnol (Plessey)						1			
22		BV.2715	Bracket						2			
23	26FX/4211	STD.1687/2	Clip, Saddle						3		C	
24		—	Earth Point Assembly, E.168 and E.170						2			
† 25	28S/1285515	A.217/D28	Screw, Panhead, No. 10 UNF (A.205/D28)						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
26	28M/9419540	A.103/DT	Nut, Thin, No. 10 UNF 2B						1		C	
	28M/9706320	A.125/D/66	Nut, Stiff, No. 10 UNF 2B						1		C	
27		CV.3092/10	Label, Instruction						1			
28		CV.3092/11	Label, Instruction						1			
			ATTACHING PARTS									
† 29	28S/1220158	A.217/A18	Screw, Panhead, No. 4 UNC (A.205/A18)						4		C	
†	28W/1928349	SP.125/A	Washer, No. 4 UNC						4		C	
			* * *									
30		DV.2754/2	Conduit						1			
31		AW.28265/2	Clip						1			
			ATTACHING PARTS									
† 32	28S/1927933	A.219/D20	Screw, Panhead, No. 10 UNF (A.209/D20)						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
	28M/9438436	A.129/D	Nut, Stiff, No. 10 UNF 2B						1		C	

Argosy C. Mk.1.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
7-33	28E/9435723	AS.3181/8B	Clip						2		C	
			ATTACHING PARTS									
† 34	28S/1275292	A.219/B14	Screw, Panhead, No. 6 UNC (A.209/B14)						1		C	
	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
	28M/9438434	A.129/B	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
35		AW.42319/2	Clip						1			
			ATTACHING PARTS									
† 36	28S/1927933	A.219/D20	Screw, Panhead, No. 10 UNF (A.209/D20)						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
	28M/9438436	A.129/D	Nut, Stiff, No. 10 UNF 2B						1		C	
			* * *									
37		—	Clip Assembly						6			
			ATTACHING PARTS									
† 38	28S/1275287	A.217/B14	Screw, Panhead, No. 6 UNC (A.205/B14)						1		C	
	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
†	28M/1011993	A.125/B/66	Nut, Stiff, No. 6 UNC 2B						1		C	
† 39	28M/9706321	A.126/D/66	Nut, Stiff, No. 10 UNF 2B						1		C	
			* * *									
40	28E/	AS.3180	Clip (Size to Suit)						1		C	
41		BV.1142	Bracket						1			
42	7583	BV.3157/1	Adaptor Assembly						2		C	
43	8492	TDS.27/B-40-B	Lead, Bonding						1		C	
44		—	Block Assembly, Terminal						4			
			ATTACHING PARTS									
45	28S/9435591	A.204/A14	Screw, Csk. Hd., No. 4 UNC						2		C	
†	28M/9709202	A.125/A/66	Nut, Stiff, No. 4 UNC 2B						2		C	
			* * *									
† 46	5X/1997586	CZ.72441	Block, Miniature Terminal, 5-Way (Plessey)						1		B	
47		BV.3329	Cover						1			
			ATTACHING PARTS									
48	28S/9995324	A.32/A16	Screw, Rd. Hd., 6 BA						2		C	
	28W/9416641	SP.47/A	Washer, 6 BA						2		C	
			* * *									
49		BV.3328	Plate, Mounting						1			
			ATTACHING PARTS									
† 50	28M/9706321	A.126/D/66	Nut, Stiff, No. 10 UNF 2B						2		C	
			* * *									
51		—	Detector Assembly (See 28-1-1, Fig. 5, Index 6)						Ref.			
52		—	Lamp, Test (See 28-1-1, Fig. 5, Index 12)						Ref.			
53		—	Connector, Bulkhead (See 28-1-1, Fig. 5, Index 13)						Ref.			
54		—	Tank, Fuel, No. 4 (See 28-1-1, Fig. 5, Index 1)						Ref.			
55		—	Column, Suppressor (See 26-5-1, Fig. 6, Index 35)						Ref.			
56		—	Column, Suppressor (See 26-5-1, Fig. 6, Index 18)						Ref.			
57		—	Column, Suppressor (See 26-5-1, Fig. 6, Index 1)						Ref.			
58	6A/6875	LJG/60	Cable (Waymouth Gauge Ltd.)						1		B	
59	6A/6906	LJG/81	Cable (Waymouth Gauge Ltd.)						1		B	
60	6A/5384	LJG/30	Cable (Waymouth Gauge Ltd.)						1		B	
61		—	Conduit (See 33-1-1, Fig. 7, Index 59)						Ref.			
62		DV.2755/2	Conduit						1			
63		AW.28265/2	Clip						1			
			ATTACHING PARTS									
† 64	28S/1220160	A.219/D16	Screw, Panhead, No. 10 UNF (A.209/D16)						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
	28M/9438436	A.129/D	Nut, Stiff, No. 10 UNF 2B						1		C	
			* * *									

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
7-65	28E/9435723	AS.3181/8B	Clip						2		C	
			ATTACHING PARTS									
† 66	28S/1214234	A.209/B12	Screw, Panhead, No. 6 UNC						1		C	
†	28W/9471274	SP.124/B	Washer, No. 6 UNC						1		C	
	28M/9438434	A.129/B	Nut, Stiff, No. 6 UNC 2B						1		C	
			* * *									
67		—	Clip Assembly						1			
			ATTACHING PARTS									
† 68	28S/1220160	A.219/D16	Screw, Panhead, No. 10 UNF (A.209/D16)						1		C	
	28W/9457834	SP.124/D	Washer, No. 10 UNF						1		C	
	28M/9438436	A.129/D	Nut, Stiff, No. 10 UNF 2B						1		C	
			* * *									
69		AS.3180	Clip (Size to Suit)						1		C	
70		BV.3335/2	Bracket						1			
71		AS.3180	Clip (Size to Suit)						8			
			ATTACHING PARTS									
† 72	28M/9706321	A.126/D/66	Nut, Stiff, No. 10 UNF 2B						1		C	
			* * *									
73		—	Detector Assembly (See 28—1—1, Fig. 6, Index 8)						Ref.			
74		—	Lamp, Test (See 28—1—1, Fig. 6, Index 20)						Ref.			
75		—	Connector (See 28—1—1, Fig. 6, Index 21)						Ref.			
76		—	Tank Fuel, No. 5 (See 28—1—1, Fig. 6, Index 1)						Ref.			
77	6A/5390	LJG/69	Cable (Waymouth Gauge Ltd.)						1		B	
78	6A/6874	LJG/27	Cable (Waymouth Gauge Ltd.)						1		B	
79		—	Column, Suppressor (See 26—5—1, Fig. 7, Index 30)						Ref.			
80		—	Column, Suppressor (See 26—5—1, Fig. 7, Index 1)						Ref.			
81		—	Column, Suppressor (See 26—5—1, Fig. 7, Index 16)						Ref.			
		CV.2410	Set, Wiring (Zone 10)						Ref.			
82		DV.2054/36	Cable						1			
83		DV.2054/37	Cable						1			
84		DV.2054/32	Cable						1			
85		DV.2054/139	Cable						1			
86		DV.2054/33	Cable						1			
87		DV.2054/34	Cable						1			
88		DV.2054/96	Cable						1			
89		DV.2054/97	Cable						1			
90		DV.2054/35	Cable						1			
91		DV.2054/98	Cable						1			
92		DV.2054/100	Cable						1			
93		DV.2054/99	Cable						1			
94		DV.2054/101	Cable						1			
95		DV.2054/30	Cable						1			
96		DV.2054/31	Cable						1			
97		DV.2054/26	Cable						1			
98		DV.2054/138	Cable						1			
99		DV.2054/27	Cable						1			
100		DV.2054/28	Cable						1			
101		DV.2054/29	Cable						1			
102		DV.2054/90	Cable						1			
103		DV.2054/91	Cable						1			
104		DV.2054/93	Cable						1			
105		DV.2054/95	Cable						1			
106		DV.2054/92	Cable						1			
107		DV.2054/94	Cable						1			

Argosy C. MK.I.

Fig. & Index	Ref. No.	Part No.	Nomenclature						Units Per. Assy.	Usage Code	C. of E.	Icy. Code
			1	2	3	4	5	6				
			TRANSFER - MARKERS						Ref.			
		BV.2571/1	Transfer, "D1"						4			
		BV.2571/2	Transfer, "D2"						4			
		BV.2571/3	Transfer, "D3"						4			
		BV.2571/4	Transfer, "D4"						4			
		BV.2571/5	Transfer, "D5"						2			
		BV.2571/6	Transfer, "D6"						2			
		BV.2571/7	Transfer, "D7"						2			
		BV.2571/8	Transfer, "D8"						2			
		BV.2573/1	Transfer, "L1"						4			
		BV.2573/2	Transfer, "L2"						4			
		BV.2573/3	Transfer, "L3"						2			
		BV.2573/4	Transfer, "L4"						2			
		BV.2573/5	Transfer, "L5"						2			
		BV.2573/6	Transfer, "L6"						2			
		BV.2573/7	Transfer, "L7"						2			
		BV.2573/8	Transfer, "L8"						2			
		BV.2573/17	Transfer, "L17"						1			
		BV.2573/18	Transfer, "L18"						1			
		BV.2574/1	Transfer, "M1"						1			
		BV.2574/2	Transfer, "M2"						1			
		BV.2574/3	Transfer, "M3"						3			
		BV.2574/4	Transfer, "M4"						3			
		BV.2574/6	Transfer, "M6"						2			
		BV.2574/7	Transfer, "M7"						2			
		BV.2574/9	Transfer, "M9"						2			
		BV.2574/10	Transfer, "M10"						2			
		BV.2574/19	Transfer, "M19"						1			
		BV.2574/20	Transfer, "M20"						1			
		BV.2574/21	Transfer, "M21"						3			
		BV.2574/22	Transfer, "M22"						3			
		BV.2574/23	Transfer, "M23"						3			
		BV.2574/24	Transfer, "M24"						3			
		BV.2574/25	Transfer, "M25"						2			
		BV.2574/26	Transfer, "M26"						2			
		BV.2574/29	Transfer, "M29"						2			
		BV.2574/30	Transfer, "M30"						2			
		BV.2574/31	Transfer, "M31"						2			
		BV.2574/32	Transfer, "M32"						2			
		BV.2574/33	Transfer, "M33"						2			
		BV.2574/34	Transfer, "M34"						2			
		BV.2574/35	Transfer, "M35"						2			
		BV.2574/36	Transfer, "M36"						2			
		BV.2575/1	Transfer, "N1"						4			
		BV.2575/2	Transfer, "N2"						4			
		BV.2575/3	Transfer, "N3"						2			
		BV.2575/4	Transfer, "N4"						1			
		BV.2574/5	Transfer, "M5"						1			