



Figure 21. Guillotine and Static Line Installation

GUILLOTINE AND STATIC LINE INSTALLATION

FIG/ INDEX NO	PART NO	NOMENCLATURE	USAGE CODE	UNITS PER ASSY
21-	MBEU26155	Guillotine & Static Line Installation		1
-1	AS1248-8C	Bolt - 2BA Mush Head		2
-2	AS1248-14C	Bolt - 2BA Mush Head		1
-3	AGS2001-C1	Nut - Stiff 2BA		3
-4	SP13-C	Washer - 2BA		3
-5	MBEU26572	Bush - Spacer		2
-6	MBEU26571	Bush - Spacer		1
-7	MBEU6134	Sear - Assy		1
-8	MBEU35796	Guillotine Assy (Mod 3293)		1
-9	MBEU11211	Bolt - Special Pivot		2
-10	MBEU17026	Guard - Assy		1
-11	A204-D8	Screw - ¹⁰ / ₃₂ " UNC - C's'k		2
-12	MBEU26264	Plate - Back		1
-13	MBEU11215	Plunger		1
-14	MBEU11206	Spring		1
-15	MBEU16796	Washer - Locking		1
-16	MBEU25654	Housing - Firing Pin		1
-17	MBEU23087	Pin - Assy Firing		1
-18	MBEU1310	Washer - Special		1
-19	MBEU1306	Spindle		1
-20	MBEU1305	Roller		1
-21	MBEU16795	Collar - Retaining		1
-22	MBEU1386	Spring		1
-23	MBEU23088	Pin - Firing		1
-24	MBEU35798	Sleeve - Sub. Assy Retaining		1
-25	MBEU16223	Plunger		1
-26	MBEU8392	Spring		1
-27	OS-11	Ring - 'O'		1
-28	MBEU23795	Cutter - Assy		1
-29	MBEU23792	Plug		1
-30	MBEU24242	Body		1

* Item not illustrated

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.



LIGHTNING MK. 1
COVER PITOT HEAD
EB2-88-5111