



**AP 109F-0104-15F**

(Formerly AP 109F-0104-1 and  
superseding AP 109F-0104-5F  
dated August 1970)

# **CANOPY JETTISON EQUIPMENT**

## **(HUNTER F Mk 6, F (GA) Mk 9, FR Mk 10 and GA Mk 11 AIRCRAFT)**

### **GENERAL AND TECHNICAL INFORMATION**

### **BAY SERVICING SCHEDULES**

BY COMMAND OF THE DEFENCE COUNCIL

*Mirr Whitman*

Ministry of Defence

Sponsored for use in the

ROYAL NAVY by DGA (N)

ROYAL AIR FORCE by DWSE (RAF)

Prepared by Martin - Baker Aircraft Co. Ltd., Chalgrove

Publications authority ATP/MOD(PE)

Service users should send their comments through the channel  
prescribed for the purpose in:

AP 100N-0101 (RN)

AP 100B-01 Order 0504 (RAF)

## AMENDMENT RECORD

Amndt	Incorporated by	Date
1	{Sect P	
2		
3	J. Kau	20.5.91
4	J. Kau	20.5.91
5	J. Kau	10.9.93
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		
29		
30		
31		
32		
33		
34		

Amndt	Incorporated by	Date
35		
36		
37		
38		
39		
40		
41		
42		
43		
44		
45		
46		
47		
48		
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		
61		
62		
63		
64		
65		
66		
67		
68		

**AMENDMENT RECORD (continued)**

Amdt	Incorporated by	Date
69		
70		
71		
72		
73		
74		
75		
76		
77		
78		
79		
80		
81		
82		
83		
84		

Amdt	Incorporated by	Date
85		
86		
87		
88		
89		
90		
91		
92		
93		
94		
95		
96		
97		
98		
99		
100		

## RECORD OF ADVANCE INFORMATION LEAFLETS

CONTENTS

Preliminary material

- Title page
- Amendment record and AIL record
- Contents (this leaf)
- Lethal warning
- Modification record

GENERAL AND TECHNICAL INFORMATION (-1)

Separator leaf

Chapters

- 1 General

BAY SERVICING SCHEDULES (-5F)

Separator leaf  
Bay servicing schedule

Amendments

Changes of technical import to this publication are indicated by the symbols  
►-----► outside the type area.

LETHAL WARNING

- 1 The assisted escape system and associated explosive operated jettison mechanisms fitted to aircraft are a potential source of lethal injury to personnel and damage to Government property if inadvertently operated.
- 2 Safety devices in the form of safety pins, levers and switches are provided for use when the aircraft is on the ground to safeguard against this danger.
- 3 On entering the cockpit/cabin of an aircraft, it is the responsibility of the individual to be able to recognise the assisted escape system safety devices in that aircraft and to ensure that they are correctly applied at all times in accordance with para 4 below.
- 4 Instructions for the correct positioning of the assisted escape system safety devices in each aircraft type and mark are detailed in the Servicing Schedules and Aircrew Manual related to that aircraft.

MODIFICATION RECORD

The following record confirms that this publication incorporates all technical changes necessitated by the modifications listed below. Information on modification titles, classification categories and Mark ► applicabilities is given in the relevant Topic -2.

GENERAL AND TECHNICAL INFORMATION (-1)

This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

