

CONTROLS  
FLYING CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Mat. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	—	CONTROLS, FLYING, IN REAR FUSELAGE, ASSEMBLY (E.F3.45.5) Spares for:—	—	—	—	32/—
	E.B3.45.113	. AUTOSTABILISER, rudder, assembly Spares for:—	1	—	—	32/1
SW/2629	E.E. CO. B'FORD AE.4010 Mk 3	. . ACTUATOR, rudder trim  Attachments:—	1	—	A	32/2
7234	E.B2.45.2723	. . Bolt, shouldered	1	S.96	C	32/3
28D/1215683	A59/4E	. . Bolt, 1/4" BSF hex. head	1	—	C	32/4
28M/1011467	A27/ES	. . Nut, 1/4" BSF slotted	1	—	C	32/5
28P/9527619	SP90/C7	. . Pin, split	1	—	C	32/6
28W/9416644	SP47/E	. . Washer, 1/4" BSF spring	1	—	C	32/7
2565	E.B2.45.589	. . BLOCK, coupling, autostabiliser anchor and pivot Attachments:—	1	L65	C	32/8
28N/1046381	SP121/E	. . Collar	1	—	C	32/9
28P/9527619	SP90/C7	. . Pin, split	1	—	C	32/10
28P/17193	SP113/E10	. . Pin, shear, 1/4" dia. x 1".17 long	1	—	C	32/11
6102567	E.F3.45.1043	. . FITTING, end, group (Mod. 4668) Spares for:—	1	—	B	32/12
	HOFFMANN CA.O.CD3/16 CBAO E.F3.45.1041	. . . BALLRACE  . . . END-FITTING Attachments:—	1	—	—	32/13
2587	E.B2.45.651	. . Nut, special	1	S96	C	32/14
2573	E.B2.45.2159	. . LEVER, and cradle, assembly Consisting of:—	1	—	B	32/15
2A/9500420	HOFFMANN T.21	. . . BALLRACE	1	—	C	32/16
2577	GEO. SALTER 5108/131	. . . CIRCLIP, truarc	1	—	C	32/17
2576	E.B2.45.2147	. . . COLLAR, distance	1	L62 or L63	C	32/18
2574	E.B2.45.2153	. . . CRADLE, assembly Spares for:—	1	—	B	32/19
	E.B2.45.2261	. . . . CRADLE, half, assembly Spares for:—	1	—	—	32/20
2A/9501176	HOFFMANN S.3	. . . . . BALLRACE	1	—	C	32/21
	E.B2.45.2149	. . . . . CRADLE, half	1	L65	—	32/22
	EEAS.3/C	. . . . . HOUSING, ballrace	1	—	—	32/23
	E.B2.45.2263	. . . . . PLATE, side, cradle, assembly Spares for:—	1	—	—	32/24
2A/9501176	HOFFMANN S.3	. . . . . BALLRACE	1	—	C	32/25

CONTROLS  
FLYING CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Mtrl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	EEAS.3/C	. . . . . HOUSING, ballrace	1	L65	—	32/26
	E.B2.45.2151	. . . . . PLATE, side, cradle	1	L65	—	32/27
		Attachments:—				
2575	E.B2.45.2155	. . . . . Bolt, special	3	—	C	32/28
2578	E.B2.45.2145	. . . . . LEVER, assembly	1	—	B	32/29
		Spares for:—				
2A/9500465	HOFFMANN N.3112	. . . . . BALLRACE	3	—	C	32/30
	EEAS.3/CC	. . . . . HOUSING, ballrace	1	L65	—	32/31
10867	E.B2.45.2621	. . . . . HOUSING, bearing, assembly	1	—	B	32/32
		Spares for:—				
2A/9500420	HOFFMANN T.21	. . . . . BALLRACE	1	—	C	32/33
	E.B2.45.2617	. . . . . HOUSING, bearing	1	S96	—	32/34
28D/1011030	A25/2E	. . . . . Bolt, 1/4" BSF hex. head	4	—	C	32/35
28M/1007403	A27/ET	. . . . . Nut, 1/4" BSF plain	4	L65	C	32/36
	E.B2.45.2141	. . . . . LEVER	1	L65	—	32/37
13758	E.B2.07.603	. . . . . PLATE, side (E.B2.45.769)	2	L72	C	32/38
	EEAS.4/22C	. . . . . WASHER, packing	2	L72	—	32/39
		Attachments:—				
2566	E.B2.45.1263	. . Bolt, special	1	S96	C	32/40
2567	E.B2.45.2167	. . Bolt, special	1	S96	C	32/41
28P/9527619	SP90/C7	. . Pin, split	1	—	C	32/42
28W/9419477	SP15/J	. . Washer, 3/8" BSF plain	1	—	C	32/43
2572	E.B2.45.749	. . LINK, between autostabiliser and feel unit levers	1	—	C	32/44
		Attachments:—				
28D/1213608	A59/8G	. . Bolt, 5/16" BSF hex. head	2	—	C	32/46
28M/5808571	A27/GS	. . Nut, 5/16" BSF slotted	2	—	C	32/47
28P/9527619	SP90/C7	. . Pin, split	2	—	C	32/48
28W/9419403	SP13/G	. . Washer, 5/16" BSF plain	4	—	C	32/49
21440	E.B2.45.1041	. . STRUT, jury (for use when autostabiliser jack is not fitted)	1	—	B	32/50
2580	E.B2.45.2003	. . UNIT, artificial feel, assembly (Pre-Mod. 4389)	1	—	A	33/1
1504002	E.B2.45.3259	. . UNIT, artificial feel, assembly (Mod. 4389) (Pre-Mod. 4778)	1	—	A	33/1A
6102913	E.B2.45.3333	. . UNIT, artificial feel, assembly (Mod. 4778)	1	—	A	33/1B
		Spares for:—				
2A/9500417	SKEFCO CBS5	. . . BALLRACE, piston rod, assembly	1	—	C	33/2
	E.B2.45.2005	. . . BLOCK, cylinder, assembly	1	—	—	33/3
		Spares for:—				
	E.B2.45.2729	. . . . . ADAPTER, body	1	S96	—	33/4
		Attachments:—				
	E.B2.45.2731	. . . . . Bolt, adapter	1	S96	—	33/5
28F/9428452	AGS.1186/A	. . . . . Seal, bonded	2	—	C	33/6
	E.B2.45.1995	. . . . . BLOCK, cylinder	1	S97	—	33/7
28F/9128952	AGS.1174	. . . . . SCREW, bleeder, 1/4" BSF	1	—	C	33/8
	E.B2.45.1653	. . . COLLAR, anchor plate separator	4	—	—	33/9
	E.B2.45.2645	. . . COLLAR, anchor plate separator	4	—	—	33/10

CONTROLS  
FLYING CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	E.B2.45.2007	. . . LEVER, assembly (Pre mod. 4389)	1	-	-	33/11
	E.B2.45.3265	. . . LEVER, assembly (Mod. 4389)	1	-	-	33/11A
		Spares for:-				
2A/9500417	SKEFCO CBS5	. . . . BALLRACE	1	-	C	33/12
2A/9500461	RANSOME & MARLES DCF.½	. . . . BALLRACE	1	-	C	33/13
2A/9500420	HOFFMANN T.21	. . . . BALLRACE (Pre mod 4389)	1	-	C	33/14
	HOFFMANN T21/L12	. . . . BALLRACE (Mod.4389)	1	-	-	33/14A
	E.B2.45.2093	. . . . BUSH, flanged	1	L65	-	33/15
	EEAS.3/H	. . . . HOUSING, ballrace	1	-	-	33/16
	E.B2.45.1981	. . . . LEVER	1	L65	-	33/17
		Attachments:-				
33299	GEO. SALTER 5100/50	. . . Ring, retaining	1	-	C	33/18
	E.B2.45.2009	. . . LEVER, assembly (Pre-mod. 4389)	1	-	-	33/19
	E.B2.45.3267	. . . LEVER, assembly (Mod. 4389)	1	-	-	33/19A
		Spares for:-				
2A/9500417	SKEFCO CBS.5	. . . . BALLRACE	1	-	C	33/20
2A/9500461	RANSOME & MARLES DCF.½	. . . . BALLRACE	1	-	C	33/21
2A/9500420	HOFFMANN T21	. . . . BALLRACE (Pre-mod. 4389)	1	-	C	33/22
	HOFFMANN T21/L12	. . . . BALLRACE (Mod. 4389)	1	-	-	33/22A
2A/9500465	SKEFCO 1132498	. . . . BALLRACE	1	-	C	33/23
	E.B2.45.2093	. . . . BUSH, flanged	1	L65	-	33/24
	EEAS.3/CC	. . . . HOUSING, ballrace	1	L65	-	33/25
	EEAS.3/H	. . . . HOUSING, ballrace	1	L65	-	33/26
	E.B2.45.1987	. . . . LEVER	1	L65	-	33/27
	EEAS.4/26C	. . . . WASHER, packing	2	L72	-	33/28
		Attachments:-				
33299	GEO. SALTER 5100/50	. . . Ring, retaining	1	-	C	33/29
	E.B1.45.1277	. . . LINK, assembly (Pre-mod. 4389)	2	-	-	33/30
	E.B2.45.3271	. . . LINK, assembly (Mod. 4389)	2	-	-	33/30A
		Spares for:-				
2A/9500417	SKEFCO CBS.5	. . . . BALLRACE	1	-	C	33/31
	EEAS.3/H	. . . . HOUSING, ballrace	1	L65	-	33/32

CONTROLS  
FLYING CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	E.B1.45.1309	. . . . LINK, forked Attachments:—	1	—	—	33/33
	E.B2.45.2011	. . . Bolt, special	1	S97	—	33/34
	E.B2.45.697	. . . Nut, special	1	S95	—	33/35
28P/9560929	SP90/E8	. . . Pin, split	1	—	C	33/36
	E.B1.45.1285	. . . Pin	2	S97	—	33/37
12336	GEO. SALTER 5100/62	. . . Ring, retaining	2	—	C	33/38
	E.B1.45.1495	. . . PISTON	1	S15	—	33/39
	E.B2.45.695	. . . PLATE Attachments:—	2	L65	—	33/40
28D/1213601	A59/25E	. . . Bolt, 1/4" BSF hex. head	2	—	C	33/41
28M/1011475	A27/EP	. . . Nut, 1/4" BSF plain	2	—	C	33/42
28W/9419405	SP15/E	. . . Washer, 1/4" BSF plain (Pre-Mod. 4778)	2	—	C	33/43
28W/9471243	SP124/E	. . . Washer (Mod. 4778)	2	—	C	33/43A
	E.B2.45.2015	. . . PLATE, anchor	2	L73	—	33/44
	E.B2.45.2017	. . . PLATE, anchor	2	L65	—	33/45
	E.B2.45.2095	. . . PLATE, guide Attachments:—	1	S15	—	33/46
36380	E.B2.45.2615	. . . Bolt, special, 1/4" BSF hex. head	2	S95	C	33/47
28M/1007403	A27/ET	. . . Nut, 1/4" BSF thin	2	—	C	33/48
33301	WELLWORTHY RC.3090	. . . RING, piston	2	—	C	33/49
	E.B1.45.1279	. . . ROD, piston, assembly (Pre-Mod. 4389)	1	—	—	33/50
	E.B2.45.3261	. . . ROD, piston, assembly (Mod. 4389) (Pre-Mod. 4778)	1	—	—	33/50A
	E.B2.45.3335	. . . ROD, piston, assembly (Mod. 4778) Spares for:—	1	—	—	33/50B
	E.B1.45.1315	. . . . BEARING, rod end Attachments:—	1	—	—	33/51
28P/1011099	SP28/G8	. . . . Pin, taper, 3/32" dia. x 1" long	1	—	C	33/52
	E.B1.45.1313	. . . . CAP	1	—	—	33/53
28N/2001695	AGS.2030/89	. . . . CIRCLIP	1	—	C	33/54
	E.B1.45.1311	. . . . ROD, piston (Pre-Mod. 4389)	1	—	—	33/55
	E.B2.45.3263	. . . . ROD, piston (Mod. 4389)	1	—	—	33/55A
27QA/1007954	DOWTY	. . . . SEAL, 'O' ring (Pre-Mod. 4389)	1	—	C	33/56
	SP900/11	. . . . SEAL, 'O' ring (Mod. 4389)	1	—	—	33/56A
	1.00 113.1109	. . . . SEAL, square section (Mod. 4778)	1	—	—	33/56B
27QA/313	DOWTY	. . . SEAL, 'O' ring, cylinder block gland (Pre-Mod. 4389)	1	—	C	33/57
	SP901/3	. . . SEAL, 'O' ring (Mod. 4389) (Pre-Mod. 4778)	1	—	—	33/57A
	1.00 225.1109	. . . SPRING, assembly Spares for:—	4	—	—	33/58
	E.B2.45.1957	. . . . FITTING, spring end, assembly Spares for:—	1	—	—	33/59
	E.B2.45.1967	. . . . . FITTING, spring end	1	S96	—	33/60
	E.B2.45.1969	. . . . . FITTING, spring end	1	S96	—	33/61
	UNBRAKO Series 50	. . . . . SCREW, set, 6 BA x 1/8"	1	—	—	33/62

CONTROLS  
FLYING CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	E.B2.45.1961	. . . . FITTING, spring end, assembly Spares for:—	1	—	—	33/63
	M. B. & BRASS CT.172	. . . . . BEARING, cylindrical, 1/4" long	1	—	—	33/64
	E.B2.45.1971	. . . . . FITTING, spring end	1	S96	—	33/65
	E.B2.45.1973	. . . . . FITTING, spring end	1	S96	—	33/66
	UNBRAKO Series SD	. . . . . SCREW, set, 6 BA x 1/8" long	1	—	—	33/67
	UNBRAKO Series C	. . . . . Screw, set, 6 BA x 0".1 long	2	—	—	33/68
10840	UNBRAKO Series SP	. . . . . SCREW, set, 6 BA x 5/16" long	2	—	C	33/69
	E.B2.45.1963	. . . . . SPRING	1	DTD215 or 239	—	33/70
	E.B2.45.1965	. . . . . SPRING	1	DTD215 or 239	—	33/71
	E.B2.45.1641	. . . . . TRUNNION Attachments:—	1	S96	—	33/72
26FZ/1122	EEAS.63	. . . Nut, 2 BA slotted	1	S96	C	33/73
28M/9403520	A27/CP	. . . Nut, 2 BA plain	1	—	C	33/74
28P/9527619	SP90/C7	. . . Pin, split	1	—	C	33/75
	E.B2.45.1979	. . . Spigot	1	S96	—	33/76
28W/9419402	SP13/C	. . . Washer, 2 BA plain (Pre-Mod. 4778)	1	—	C	33/77
28W/1010519	SP122/D	. . . Washer (Mod. 4778)	1	—	C	33/77A
	EEAS.28/30/3A	. . . Washer, shim	1	Alum.	—	33/78
	E.B1.45.1925	. . . TUBE, torque. Attachments:—	1	L65	—	33/79
28D/9133011	A25/2C	. . . Bolt, 2 BA hex. head	7	—	C	33/80
28M/9403520	A27/CP	. . . Nut, 2 BA plain	7	—	C	33/81
	E.F3.45.623	. LEVER, tailplane, and feel unit, assembly (Pre-Mod. 4318)	1	—	—	34/1
	E.F3.45.985	. LEVER, tailplane, and feel unit, assembly (Mod. 4318) Spares for:—	1	—	—	34/1A
5W/6019	E.E. CO. B'FORD AE.4062 Mk. 2	. . ACTUATOR, trim	1	—	A	34/9
		Attachments:—				
28D/9435056	A59/13J	. . Bolt, 3/8" BSF hex. head	1	—	C	34/3
28N/1046381	SP121/E	. . Collar, 1/4" internal	1	—	C	34/4
28M/1011476	A27/JS	. . Nut, 3/8" BSF slotted	1	—	C	34/5
28P/17193	SP113/E10	. . Pin, shear	1	—	C	34/6
28P/9527619	SP90/C7	. . Pin, split	2	—	C	34/7
2591	E.B2.45.1831	. . Tube, spacing	2	L62	C	34/8
2581	E.B2.45.567	. . EYE-END, jury strut pick-up assembly Spares for:—	1	—	B	34/10
2A/9500463	HOFFMANN CA.1	. . . BALLRACE	1	—	C	34/11
	E.B2.45.615	. . . FITTING, eye-end	1	L65	—	34/12

**CONTROLS**  
**FLYING CONTROLS IN REAR FUSELAGE**

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	EEAS.3/D	. . . HOUSING, ballrace Attachments:-	1	L65	-	34/13
28D/1212319	A60/BE	. . Bolt, 1/4" BSF shear	1	-	C	34/14
12413	E.B2.45.2829	. . LEVER, and cradle, assembly Spares for:-	1	-	B	34/15
	E.B2.45.2837	. . . LEVER, assembly Spares for:-	1	-	-	34/16
2A/9500463	HOFFMANN CA.1	. . . . BALLRACE	1	-	C	34/17
2A/9500465	HOFFMANN N.3112	. . . . BALLRACE	1	-	C	34/18
2A/9500419	HOFFMANN T.17	. . . . BALLRACE	1	-	C	34/19
	EEAS.3/CC	. . . . HOUSING, ballrace	1	L65	-	34/20
	E.B2.45.2067	. . . . HOUSING, ballrace	1	S96	-	34/21
	E.B2.45.2847	. . . . LEVER Attachments:-	1	L65	-	34/22
28D/9133011	A25/2C	. . . . Bolt, 2BA hex. head	4	-	C	34/23
28M/9403520	A27/CP	. . . . Nut, 2BA plain	4	-	C	34/24
28W/9419475	SP15/C	. . . . Washer, 2BA plain	4	-	C	34/25
	E.B2.45.2849	. . . . PLATE, cover	2	L72	-	34/26
2583	E.B2.45.601	. . . . TUBE, spacer, lever pivot ballrace housing	1	L72	C	34/27
	E.B2.45.2839	. . . LEVER, and pivot, assembly Spares for:-	1	-	-	34/28
	E.B2.45.2851	. . . . LEVER, assembly Spares for:-	1	-	-	34/29
2A/9500410	HOFFMANN CS.1	. . . . . BALLRACE	1	-	C	34/30
	EEAS.3/A	. . . . . HOUSING, ballrace	1	L65	-	34/31
	E.B2.45.2863	. . . . . LEVER	1	L65	-	34/32
	EEAS.4/22A	. . . . . WASHER, packing	2	L72	-	34/33
	E.B2.45.3047	. . . . . PLATE, locking Attachments:-	1	L65	-	34/34
26FZ/6217	EEAS.1/1E	. . . . . Screw, 1/4" BSF 120° c'sk head	4	S96	C	34/35
	E.B2.45.2853	. . . . . SHAFT, pivot	1	S96	-	34/36
	E.B2.45.2841	. . . LEVER, and housing, assembly Spares for:-	1	-	-	34/37
	E.B2.45.621	. . . . . BUSH	1	S95	-	34/38
	E.B2.45.2855	. . . . . LEVER, assembly Spares for:-	1	-	-	34/39
2A/9500410	HOFFMANN CS.1	. . . . . BALLRACE	1	-	C	34/40

**CONTROLS**  
**FLYING CONTROLS IN REAR FUSELAGE**

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	EEAS.3/A	. . . . . HOUSING, ballrace	1	L65	-	34/42
	E.B2.45.2861	. . . . . LEVER	1	L65	-	34/43
	EEAS.4/22A	. . . . . WASHER, packing	2	L72	-	34/44
		Attachments:-				
26FZ/6217	EEAS.1/1E	. . . . . Screw, 1/4" BSF 120° c'sk head	4	S96	C	34/45
	E.B2.45.2857	. . . . . SHAFT, housing	1	S96	-	34/46
	E.B2.45.3095	. . . . . SHIM, laminated	1	LA3	-	34/47
33911	E.B2.45.3117	. . . . . WASHER, laminated	1	LA3	C	34/48
26P/9157790	SP28/L8	. . . PIN, taper, 5/16" dia. x 1" long	1	-	C	34/49
28P/15706	SP28/L12	. . . PIN, taper, 5/16" long x 1".5 long	1	-	C	34/50
		Attachments:-				
28D/1215685	A59/6E	. . Bolt, 1/4" BSF hex. head	2	-	C	34/51
28P/9527619	SP90/C7	. . Pin, split	2	-	C	34/52
2586	E.B2.45.649	. . NUT, special, jury strut turnbarrel locking L.H. thread	1	S96	C	34/53
2587	E.B2.45.651	. . NUT, special, jury strut turnbarrel locking R.H. thread (Pre-mod. 4318)	1	S96	C	34/54
12414	E.B2.45.2831	. . ROD, connecting	1	L65	C	34/55
		Attachments:-				
28D/1215686	A59/7E	. . Bolt, 1/4" BSF hex. head	1	-	C	34/56
28M/1011467	A27/ES	. . Nut, 1/4" BSF slotted	1	-	C	34/57
2590	E.B2.45.587	. . Pin	1	S95	C	34/58
28P/9527619	SP90/C7	. . Pin, split	1	-	C	34/59
2589	GEO. SALTER 5100/25	. . Ring, truarc retaining	2	-	C	34/60
28W/9419405	SP15/E	. . Washer, 1/4" BSF plain	2	-	C	34/61
21440	E.B2.45.1041	. . STRUT, jury (Pre-mod. 4318)	1	-	B	34/62
1484472	E.F3.45.987	. . STRUT, jury (Mod. 4318)	1	-	B	34/62A
		Spares for:-				
1484473	E.F3.45.995	. . . . . END, CONNECTION	1	S95	C	
2587	E.B2.45.651	. . . . . NUT, special, end connection locking, R.H. thread	1	S96	C	
2592	E.B2.45.827	. . TURNBARREL (Pre.mod. 4318)	1	L65	C	34/63
6012969	E.B2.45.3327	. . UNIT, feel, assembly (Mod. 4747)	1	-	A	35/1
		Spares for:-				
	E.B2.45.3295	. . . . . BLOCK, cylinder, assembly	1	-	-	35/2
		Spares for:-				
	E.B2.45.2501 or E.B2.45.2503 or E.B2.45.2505	. . . . . BLOCK, cylinder	1	S96	-	35/3
	E.B2.45.1809	. . . . . NUT, gland	1	L65	-	35/4
	E.B2.45.2495 or E.B2.45.2497 or E.B2.45.2499	. . . . . PISTON	1	S515	-	35/5

**CONTROLS**  
**FLYING CONTROLS IN REAR FUSELAGE**

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
28F/9128952	AGS.1174	. . . . . SCREW, bleed, 1/4" BSF	1	-	C	35/6
	UNBRAKO Series SC	. . . . . SCREW, set, socket, 2BA x 1/4" long	1	-	-	35/7
	DOWTY 100/112/1109	. . . . . SEAL, 'O' ring	1	-	-	35/8
	DOWTY 100/018/1109	. . . . . SEAL, 'O' ring	1	-	-	35/9
	E.B1.45.1151	. . . . . SHAFT, pivot	1	-	-	35/10
	E.B2.45.1821	. . . . . SHAFT, pivot	1	S96	-	35/11
	E.B2.45.3331	. . . . . BOLT, special	2	-	C	35/12
	28D/1011244	A25/9E	. . . . . BOLT, 1/4" BSF hex. head, fork to piston rod assembly attachment	2	-	C
GEO.SALTER 5100/87		. . . . . CIRCLIP, piston rod assembly torsion shaft	2	-	-	35/14
DOWTY 102602001		. . . . . COUPLING, swivel, assembly (Mod. 4680)	1	-	-	35/15
30375	E.B2.45.2945	. . . . . CRANK, L.H. Attachments:-	1	L65	C	35/16
28D/1007971	A25/1/4B	. . . . . Bolt, 4BA hex. head	2	-	C	35/17
28M/1006504	A27/BT	. . . . . Nut, 4BA thin	2	-	C	35/18
	E.B2.45.2946	. . . . . CRANK, R.H. Attachments:-	1	L65	-	35/19
28D/1007971	A25/1/4B	. . . . . Bolt, 4BA hex. head	2	-	C	35/20
28M/1006504	A27/BT	. . . . . Nut, 4BA thin	2	-	C	35/21
	E.B2.45.2835	. . . . . LEVER, and link, assembly Spares for:-	1	-	-	35/22
	E.B2.45.1819	. . . . . BLOCK, spacer, assembly Spares for:-	1	-	-	35/23
2A/9500412	HOFFMANN CS.3	. . . . . BALLRACE	1	-	C	35/24
	E.B2.45.1793	. . . . . BLOCK, spacer	1	L65	-	35/25
	E.B2.45.1783	. . . . . FORK	1	S96	-	35/26
	E.B2.45.2845	. . . . . LEVER, assembly Spares for:-	1	-	-	35/27
2A/9500463 26FZ/75	HOFFMANN CA1	. . . . . BALLRACE	1	-	C	35/28
	EEAS.3/D	. . . . . HOUSING, ballrace	1	L65	C	35/29
	E.B2.45.2859	. . . . . LEVER	1	L65	-	35/30
	EEAS.4/22C	. . . . . WASHER, packing Attachments:-	4	L72	-	35/31
	E.B2.45.591	. . . . . Bolt, special	4	S95	-	35/32
	E.B2.45.1799	. . . . . PIN, pivot	1	S96	-	35/33



CONTROLS  
FLYING CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	E.B1.45.1115	. . . . . PLATE, assembly	1	—	—	35/34
30314	E.B2.45.1785	. . . . . PLATE, side, assembly	1	—	C	35/35
		Spares for:—				
2A/9500412	HOFFMANN CS3	. . . . . BALLRACE	1	—	C	35/36
2A/9500411	HOFFMANN N.3106	. . . . . BALLRACE	1	—	C	35/37
	EEAS.3/A	. . . . . HOUSING, ballrace	1	L65	—	35/38
	EEAS.3/C	. . . . . HOUSING, ballrace	1	L65	—	35/39
	E.B2.45.1787	. . . . . PLATE, side	1	L65	—	35/40
2589	GEO. SALTER 5100/25	. . . . . RING, retaining	1	—	C	35/41
	E.B2.45.2219,	. . . . . LINK, assembly	1	—	—	35/42
		Spares for:—				
	E.B2.45.1783	. . . . . FORK	1	S96	—	35/43
	E.B2.45.1799	. . . . . PIN, pivot	1	S96	—	35/44
	E.B2.45.2267	. . . . . PLATE, side, assembly	1	—	—	35/45
		Spares for:—				
2A/9500412	HOFFMANN CS.3	. . . . . BALLRACE	1	—	C	35/46
2A/9500411	HOFFMANN N.3106	. . . . . BALLRACE	1	—	C	35/47
	EEAS.3/A	. . . . . HOUSING, ballrace	1	L65	—	35/48
	EEAS.3/C	. . . . . HOUSING, ballrace	1	L65	—	35/49
	E.B2.45.2265	. . . . . PLATE, side	1	L65	—	35/50
2589	GEO. SALTER 5100/25	. . . . . RING, retaining, truarc	1	L65	C	35/51
28M/1006475	A27/CT	. . . . . NUT, 2 BA thin, bridge plate to cylinder block attachment	2	—	C	35/52
28M/1011467	A27/ES	. . . . . NUT, 1/4" BSF slotted, fork to piston rod assembly attachment	2	—	C	35/53
28P/9559603	SP90/C6	. . . . . PIN, split, 1/16" x 3/4" long, spring guide pin attachment	2	—	C	35/54
28P/1040788	SP90/C8	. . . . . PIN, split, 1/16" x 1" long, fork to piston rod	2	—	C	35/55
	E.B2.45.2391	. . . . . PIN	1	S96	—	35/56
	E.B2.45.2947	. . . . . PIN, crank	1	S96	—	35/57
	E.B2.45.3319	. . . . . PLATE, bridge, assembly (Mod. 4747)	1	—	—	35/58
		Spares for:—				
	E.B2.45.1363	. . . . . FITTING, spring end	2	L65	—	35/60
	E.B2.45.3313	. . . . . FITTING, spring end, assembly	2	L65	—	35/83
		Spares for:—				
	E.B2.45.1373	. . . . . BUSH	1	—	—	35/59
	E.B2.45.3311	. . . . . FITTING, spring end	1	—	—	35/61
	E.B2.45.1367	. . . . . GUIDE	2	L65	—	35/62
28D/1011475	A27/EP	. . . . . NUT, 1/4" BSF plain, spring end fitting locking	2	—	C	35/64

CONTROLS  
FLYING CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
28N/13623	E.B2.45.3305	. . . . PLATE, bridge, sub-assembly Spares for:—	1	L65	—	35/65
	HOFFMANN CJ.3	. . . . JOINT, self-aligning	1	—	C	35/63
	E.B2.45.3303	. . . . PLATE, bridge	1	—	—	35/65A
	UNBRAKO Series C	. . . . SCREW, 6 BA x 1/8" long	4	—	—	35/66
	E.B2.45.1371	. . . . SPRING, tension-compression	2	DTD215 or 239	—	35/67
2A/9500419	E.B2.45.1805	. . . . TRUNNION	2	S92	—	35/68
	E.B2.45.1773	. . . ROD, piston assembly Spares for:—	1	—	—	35/69
	HOFFMANN T17	. . . . BALLRACE	2	—	C	35/70
	E.B2.45.2745	. . . . BUSH, flanged	2	S94	—	35/71
	E.B2.45.2931	. . . . ROD, piston, sub-assembly Spares for:—	1	—	—	35/72
2A/8054125	E.B2.45.1781	. . . . BUSH, piston rod	1	S15	—	35/73
	E.B2.45.1775	. . . . ROD, piston	1	L65	—	35/74
	HOFFMANN R.Y.A.D.O.	. . . . ROLLER, needle	39	—	C	35/75
	E.B2.45.1777	. . . . SHAFT, torsion	1	DTD87	—	35/80
	E.B2.45.1803	. . . TUBE, spacing	2	L65	—	35/81
28W/1010519	SP122/D	. . . WASHER, 2 BA plain, spring guide pin attachment	2	—	—	35/82
6084	E.B3.45.33	. LEVER, rudder input mounting Spares for:—	1	—	—	36/1
	E.B2.45.2681	. . ANGLE, locking Attachments:—	1	—	C	36/2
28D/9133011	A25/2C	. . Bolt, 2 BA hex. head	1	—	C	36/3
6112	E.B3.45.35	. . LEVER, rudder input, assembly Spares for:—	1	—	B	36/4
2A/9500410	E.B3.45.39	. . . BALLRACE, assembly Spares for:—	1	—	—	36/5
	HOFFMANN CS.1	. . . . BALLRACE	2	—	C	36/6
	E.B2.45.2069	. . . . HOUSING, ballrace	1	S96	—	36/7
	E.B1.45.1075	. . . . TUBE, distance Attachments:—	1	—	—	36/8
	28D/9133012	A25/3C	. . . Bolt, 2 BA hex. head	1	—	C
28D/1200119	A25/4C	. . . Bolt, 2 BA hex. head	2	—	C	36/10
28M/9403520	A27/CP	. . . Nut, 2 BA plain	3	—	C	36/11
28W/9419402	SP13/C	. . . Washer, 2 BA plain	1	—	C	36/12
12415	E.B3.45.115	. . . FORK-END Attachments:—	1	S96	C	36/13
12416	E.B3.45.145	. . . Bolt, special	1	HTS597	C	36/14
26FZ/3569	EEAS.63/E	. . . Nut, slotted	1	S96	C	36/15
28P/9527619	SP90/C7	. . . Pin, split	1	—	C	36/16
	AS.2808/6/012	. . . Tube, distance	1	—	—	36/17

CONTROLS  
FLYING CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	E.B3.45.41	. . . LEVER, rudder input, sub-assembly Spares for:—	2	—	—	36/18
2A/9500465	HOFFMANN N.3112	. . . . BALLRACE	1	—	C	36/19
	ROSE BROS. RS.4	. . . . BEARING, Hiem Unibal	1	—	—	36/20
	EEAS.3/CC	. . . . HOUSING, ballrace	1	L65	—	36/21
	E.B3.45.37	. . . . LEVER, rudder input	1	—	—	36/22
28N/9156370	SP21	. . . . NIPPLE, grease, 1/4" BSF	1	—	C	36/23
28M/1006939	A27/GP	. . . NUT, 5/16" BSF plain, fork-end locking Attachments:—	1	—	C	36/24
28D/1213735	A30/9E	. . Bolt, 1/4" BSF hex. head	1	—	C	36/25
28W/9419405	SP15/E	. . Washer, 1/4" BSF plain	1	—	C	36/26
	E.F2.45.187	. LEVER, and covers, rudder control, at frames 50—51, assembly (Pre-Mod. 4255)	1	—	—	36/27
	E.F3.45.899	. LEVER, and covers, rudder control, at frames 50—51, assembly (Mod. 4255) Spares for:—	1	—	—	36/27A
1484447	E.F3.45.913	. . BLOCK, sealing (Mod. 4255)	1	BS2572	C	36/28
1484448	E.F3.45.915	. . BLOCK, sealing (Mod. 4255)	1	Type F3	C	36/29
28D/9138768	A25 1/2C	. . BOLT, 2 BA hex. head (Mod. 4255)	7	—	C	36/30
28D/9436920	A25/1C	. . BOLT, 2 BA hex. head (Mod. 4255)	5	—	C	
28D/9435710	A25/11C	. . BOLT, 2 BA hex. head (Mod. 4255)	4	—	C	36/31
1484446	E.F3.45.907	. . BOX, sealing	1	S515	C	36/32
1484451	E.F3.45.975	. . CHANNEL, sealing, assembly (Mod. 4255)	1	S515	C	36/33
10870	E.B3.45.95	. . GUARD, chain, assembly (Pre-Mod. 4255)	1	—	C	36/36
1504137	E.F3.45.977	. . GUARD, chain, assembly (Mod. 4255)	1	—	C	36/36A
1484445	E.F3.45.955	. . GUARD, debris, assembly (Mod. 4255) Attachments:—	1	S515	—	36/34
28D/9436920	A25/1C	. . Bolt, 2 BA hex. head	13	—	C	36/35
10873	E.B3.45.55	. . LEVER, and spring feel, rudder control assembly (Pre-Mod. 4255)	1	—	A	36/37

**CONTROLS**  
**FLYING CONTROLS IN REAR FUSELAGE**

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
1484452	E.B3.45.419	. . . LEVER, and spring feel, rudder control assembly (Mod. 4255) Spares for:-	1	-	A	36/37A
10872	E.B3.45.285	. . . . ARM, lever assembly Spares for:-	2	-	C	36/38
	E.B3.45.65	. . . . . ARM, lever	1	L73	-	36/39
	E.B2.45.1725	. . . . . BUSH Attachments:-	2	Oillite	-	36/40
28D/9133011	A25/2C	. . . Bolt, 2BA hex. head	6	-	C	36/41
26 FZ/1122	EEAS.83	. . . Nut, slotted	6	S96	C	36/42
28P/9527619	SP90/C7	. . . Pin, split	6	-	C	36/43
2A/9500418	HOFFMANN T13	. . . BALLRACE, upper chain sprocket shaft	2	-	C	36/44
1484681	E.B2.07.885	. . . BACKPLATE (E.B2.45.2707) Attachments:-	2	L72	C	36/45
28D/9436920	A25/1C	. . . Bolt, 2BA hex. head	6	-	C	36/46
28M/9433473	AGS.2002/C/1	. . . Nut, stiff, 2BA	6	-	C	36/47
	E.B3.45.87	. . . BRACKET, spring anchorage	1	L65	-	36/48
10874	E.B2.45.2795	. . . CHAIN	1	AS.201/17P	C	36/49
10875	E.B2.45.2797	. . . CHAIN	1	AS.201/17P	C	36/50
34277	E.B3.07.69	. . . GUARD, chain, lower sprocket (E.B3.45.339) Attachments:-	1	S514	C	36/51
28D/9138768	A25/1/2C	. . . Bolt, 2BA hex. head	3	-	C	36/52
28M/1278190	AGS.2001/C/1	. . . Nut, stiff, 2BA	2	-	C	36/53
3371	E.B2.45.2517	. . . GUARD, chain, upper sprocket Attachments:-	1	L65	C	36/54
28D/9133011	A25/2C	. . . Bolt, 2BA hex. head	2	-	C	36/55
28M/9433473	AGS.2002/C/1	. . . Nut, stiff, 2BA	2	-	C	36/56
13760	E.B2.07.639	. . . HOUSING, bearing (E.B2.45.2705)	1	L65	C	36/57
13761	E.B2.07.649	. . . HOUSING, bearing (E.B2.45.2709)	1	L65	C	36/58
9978	E.B3.45.59	. . . LEVER, assembly Spares for:-	1	-	B	37/1
9979	E.B3.45.93	. . . . HOUSING, assembly Spares for:-	1	-	B	37/2
2A/9500417	SKEFCO CBS.5	. . . . . BALLRACE	2	-	C	37/3
	E.B3.45.99	. . . . . HOUSING	1	S96	-	37/4
	E.B3.45.101	. . . . . TUBE, distance	1	T4	-	37/5
	E.B3.45.89	. . . . . LEVER, assembly Spares for:-	1	-	-	37/6
2A/9500465	HOFFMANN N.3112	. . . . . BALLRACE	2	-	C	37/7
	EEAS.3/CC	. . . . . HOUSING, ballrace	2	L65	-	37/8
	E.B3.45.97	. . . . . LEVER	1	L65	-	37/9
	EEAS.4/22C	. . . . . WASHER, packing	4	L72	-	37/10
9980	E.B3.45.91	. . . . . SPROCKET Attachments:-	1	L65	C	37/11
28D/1013172	AS.1242/5C	. . . . Bolt, 2BA c'sk head	4	-	C	37/12
28M/9403520	A27/CP	. . . . Nut, 2BA plain Attachments:-	4	-	C	37/13
28M/1011467	A27/ES	. . . Nut, 1/4" BSF slotted	1	-	C	37/14
28P/9527619	SP90/C7	. . . Pin, split, 1/16" x 1" long	1	-	C	37/15
9982	E.B3.45.69	. . . Washer	1	L72	C	37/16

CONTROLS  
FLYING CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
2608	E.B2.45.1747	. . . ROD, tension, chain adjustment	2	S96	C	37/17
	UNBRAKO	. . . SCREW, cap, knurled head, 2BA x 5/8" long	1	-	-	37/18
	Series C					
9981	E.B3.45.63	. . . SHAFT, upper chain sprocket	1	L65	C	37/19
	E.B3.45.85	. . . SHAFT, lower chain sprocket	1	L65	-	37/20
10877	E.B3.45.129	. . . SHIM, laminated, 1/16" thick, packing at structure base, starboard side	1	LA3	C	37/21
10878	E.B3.45.131	. . . SHIM, laminated, 1/16" thick, packing at structure base, port side	1	LA3	C	37/22
2610	E.B2.45.1703	. . . SPRING, assembly	1	-	C	37/23
		Spares for:-				
	E.B2.45.1705	. . . . FITTING, spring end, assembly	1	-	-	37/24
		Spares for:-				
28N/13511	HOFFMANN CJ1	. . . . . BEARING	1	-	C	37/25
	E.B2.45.1717	. . . . . FITTING, spring end	1	L65	-	37/26
	E.B2.45.1707	. . . . . FITTING, spring end	1	L65	-	37/27
	E.B2.45.1715	. . . . . NUT, 1/4" BSF	1	L65	-	37/28
	E.B2.45.1713	. . . . . ROD, guide	1	S96	-	37/29
10840	UNBRAKO	. . . . . SCREW, set, 6BA 5/16" long	2	-	C	37/30
	Series SP					
	E.B2.45.1709	. . . . . SPRING	1	DTD.215 or 239	-	37/31
	E.B2.45.1711	. . . . . TRUNNION	1	S96	-	37/32
		Attachments:-				
28D/1215683	A59/4E	. . . Bolt, 1/4" BSF hex. head	2	-	C	37/33
28W/1011467	A27/ES	. . . Nut, 1/4" BSF slotted	2	-	C	37/34
28P/9527619	SP90/C7	. . . Pin, split	2	-	C	37/35
28W/1009149	SP122/E	. . . Washers, 1/4" UNF packing	2	-	C	37/36
	E.B3.45.61	. . . SPROCKET, chain, upper	1	L65	-	37/37
	E.B3.03.12	. . . STRUCTURE, assembly (E.B3.45.57) (Pre-mod 4255)	1	-	-	
7360	AS.2809/14/069	. . . TUBE, distance, upper chain sprocket	1	-	-	37/38
	E.F3.03.127	. . . UNIT, mounting, rudder spring feel assembly (E.F3.45.931) (Mod. 4255)	1	-	-	37/39
		Spares for:-				
	E.B3.45.83	. . . . . ANGLE	1	L72	-	37/40
10879	E.F2.45.189	. . PLATE, cover, top (Pre- Mod 4255)	1	L72	C	37/41
	E.F3.45.1003	. . PLATE, cover, top (Mod 4255)	1	L72	-	37/41A
		Attachments:-				
28D/1007981	AS.1248/1/2C	. . Bolt, 2BA mushroom head	4	-	C	37/42
28D/9138768	A25/1/2C	. . Bolt, 2BA hex. head	5	-	C	37/43
7365	E.B2.45.2721	. . Washer, pad	5	L72	C	37/44

**CONTROLS**  
**FLYING CONTROLS IN REAR FUSELAGE**

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
10880	E.F2.45.193	. . PLATE, cover, front (Pre-Mod 4255) Attachments:-	1	L72	C	37/45
28D/1007981	AS.1248/½C	. . Bolt, 2BA mushroom head	8	-	C	
	E.F3.45.973	. . PLATE, cover, front (Mod 4255) Attachments:-	1	L72	-	37/45A
28D/9138768	A25/½C	. . Bolt, 2BA hex. head	2	-	C	37/46
28D/1214091	A25/2C	. . Bolt, 2BA hex. head	3	-	C	37/47
28D/1007981	AS.1248/½C	. . Bolt, 2BA mushroom head	8	-	C	37/48
7361	E.B2.45.2713	. . PLATE, cover, front, forward (Pre-mod 4255) Attachments:-	1	L72	C	37/49
10871	EEAS.222/½C	. . Bolt, special, 2BA	6	H.T.S.	C	
28D/9138768	A25/½C	. . Bolt, 2BA hex. head	6	-	C	
	E.F3.45.901	. . PLATE, cover, front, forward (Mod. 4255) Attachments:-	1	L72	-	37/49A
28D/9138768	A25/½C	. . Bolt, 2BA hex. head	9	-	C	37/50
28D/9436920	A25/1C	. . Bolt, 2BA hex. head	3	-	C	37/51
1484449	E.F3.45.919	. . Packing	1	L72	C	37/52
7362	E.B2.45.2715	. . PLATE, cover, front aft (Pre-mod 4255) Attachments:-	1	L72	C	
28D/9138768	A25/½C	. . Bolt, 2BA hex. head	9	-	C	
	E.F3.45.903	. . PLATE, cover, front, aft (Mod. 4255) Attachments:-	1	L72	-	37/53
28D/9138768	A25/½C	. . Bolt, 2BA hex. head	7	-	C	37/54
28D/9436920	A25/1C	. . Bolt, 2BA hex. head	1	-	C	37/55
1484450	E.F3.45.971	. . SHIM, laminated (Mod. 4255)	3	LA3	C	37/56
	E.F3.45.1007	. . SHIM, laminated (Mod. 4255)	2	LA3	-	
	E.F2.45.163	. LEVER, at frames 31-34, assembly Spares for:-	1	-	-	38/1
10477	E.B2.45.3009	. . BOLT, special, lever pivot Attachments:-	1	S96	C	38/2
28M/1011476	A27/JS	. . Nut, 3/8" BSF slotted	1	-	C	38/3
28P/9527619	SP90/C7	. . Pin, split	1	-	C	38/4
28W/9419466	SP13/J	. . Washer, 3/8" BSF plain	1	-	C	38/5
28W/9419477	SP15/J	. . Washer, 3/8" BSF plain	1	-	C	38/6
10478	E.F2.45.161	. . LEVER, rudder control, assembly Spares for:-	1	-	B	38/7
2A/9500413	HOFFMANN N.3108	. . . BALLRACE	2	-	C	38/8
2A/9500465	HOFFMANN N.3112	. . . BALLRACE	2	-	C	38/9
	E.F2.45.165	. . . HOUSING, ballrace	2	S21	-	38/10
	E.B2.45.2985	. . . HOUSING, ballrace Attachments:-	1	S94	-	38/11
28D/1214091	AS.1242/2C	. . . Bolt, 2BA c'sk head	4	-	C	38/12
28M/9403520	A27/CP	. . . Nut, 2BA plain	4	-	C	38/13
	E.F2.45.157	. . . LEVER	1	S96	-	38/14
	E.B2.45.3007	. . . TUBE, ballrace spacing	1	L62	-	38/15
	E.F2.45.167	. . . WASHER, packing	4	S510	-	38/16

**CONTROLS**  
**FLYING CONTROLS IN REAR FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
10479	E.F.2.45.159	. . LEVER, tailplane control, assembly Spares for:-	1	-	B	38/17
2A/9500413	HOFFMANN N.3108	. . . BALLRACE	2	-	C	38/18
2A/9500465	HOFFMANN N.3112	. . . BALLRACE	2	-	C	38/19
	E.F.2.45.165	. . . HOUSING, ballrace	2	S21	-	38/20
	E.B.2.45.2989	. . . HOUSING, ballrace Attachments:-	1	S94	-	38/21
28D/9133011	A25/2C	. . . Bolt, 2BA hex. head	6	-	C	38/22
28M/9403520	A27/CP	. . . Nut, 2BA plain	6	-	C	38/23
	E.F.2.45.155	. . . LEVER	1	S96	-	38/24
2599	E.B.2.45.781	. . . TUBE, ballrace spacing	1	L62	C	38/25
	E.F.2.45.167	. . . WASHER, packing	4	S510	-	38/26
	E.B.2.45.2405	. LEVER, between frames 46 and 47, assembly Spares for:-	1	-	-	38/27
2600	E.B.2.45.2407	. . LEVER, tailplane, assembly Spares for:-	1	-	B	38/28
2A/9500417	HOFFMANN CS7	. . . BALLRACE	2	-	C	38/29
2A/9500465	HOFFMANN N.3112	. . . BALLRACE	2	-	C	38/30
	EEAS.3/CC	. . . HOUSING, ballrace	2	L65	-	38/31
	E.B.2.45.2411	. . . HOUSING, ballrace Attachments:-	1	S95	-	38/32
28D/9133011	A25/2C	. . . Bolt, 2 BA hex. head	4	-	C	38/33
28M/9403520	A27/CP	. . . Nut, 2BA plain	4	L65	C	38/34
	E.B.2.45.2409	. . . LEVER, tailplane	1	L65	-	38/35
2601	E.B.1.45.367	. . . TUBE, ballrace, distance	1	-	C	38/36
26FZ/1043	EEAS.4/18C	. . . WASHER, packing Attachments:-	4	L72	C	38/37
28M/13259	A27/NS	. . Nut, 1/2" BSF slotted	1	-	C	38/38
28P/9560929	SP90/E8	. . Pin, split, 3/32" x 1".25 long	1	-	C	38/39
28W/9419468	SP13/N	. . Washer, 1/2" BSF plain	1	-	C	38/40
6057	E.B.3.45.119	. ROD, fork, rudder control, assembly Spares for:-	1	-	B	38/41
12417	E.B.3.45.23	. . FORK-END	1	S96	C	38/42
12418	E.B.3.45.117	. . NUT, special, fork-end locking	1	-	C	38/43
	E.B.3.45.27	. . PLUG, end Attachments:-	1	S96	-	38/44
28P/1008610	SP28/H6	. . Pin, taper	2	-	C	38/45
	E.B.3.45.29	. . PLUG, end Attachments:-	1	S96	-	38/46
28P/1008610	SP28/H6	. . Pin, taper	2	-	C	38/47
	E.B.3.45.31	. . TUBE Attachments:-	1	T45	-	38/48
10869	EEAS.95/8E	. Bolt, special, 1/4" BSF	1	S97	C	38/49
26FZ/3569	EEAS.63/E	. Nut, 1/4" BSF slotted	1	S96	C	38/50
28P/9527619	SP90/C7	. Pin, split	1	-	C	38/51
10883	AS.2808/6/01	. Tube, distance	2	-	C	38/52
	EEAS.28/15HU	. Washer	1	S515	-	38/53

**CONTROLS**  
**FLYING CONTROLS IN REAR FUSELAGE**

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Mtl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
36580	E.F3.45.793	. ROD, control, tailplane, (Pre-mod 4245) Spares for:-	1	-	B	38/54A
	EEAS.188	. . FITTING, end, ballrace	1	Alum. Alloy	-	38/55A
	EEAS.192	. . Pin	2	S92	-	
	EEAS.186/2	. . FORK-END Attachments:-	1	Alum. Alloy	-	38/66
	EEAS.192	. . Pin	2	S92	-	
	E.B2.45.897	. . SLEEVE	1	-	-	38/59A
	E.F3.45.795	. . TUBE Attachments:-	2	30/178	-	38/61A
26FZ/1095	EEAS.37/14A	. . Nipple	8	S96	C	38/58A
26FZ/1571	EEAS.38/2A	. . Spoke (Make from 28R/6124) Attachments:-	4	S96	C/LM	38/60A
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	2	S95	C	38/63
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	2	S96	C	38/64
28P/9527619	SP90/C7	. Pin, split	2	-	C	38/65
1441436	E.B2.45.3171	. ROD, control, tailplane (Mod. 4245) Spares for:-	1	-	B	38/54
2A/9500465	HOFFMANN N.3112	. . BALL RACE	1	-	C	38/55
1441438	E.B2.45.3183	. . COLLAR	1	S61	C	38/56
	E.B2.45.909	. . HOUSING, ballrace	1	-	-	38/57
26FZ/1095	EEAS.37/14A	. . NIPPLE	8	S96	C	38/58
1441437	E.B2.45.3185	. . SLEEVE	1	S92	C	38/59
26FZ/1571	EEAS.38/2A	. . SPOKE, (Make from 28R/6124)	4	S96	C/LM	38/60
	E.B2.45.3173	. . TUBE, assembly	1	T55	-	38/61
	E.B2.45.3175	. . TUBE, assembly Attachments:-	1	T55	-	38/62
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	2	S95	C	38/63
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	2	S96	C	38/64
28P/9527619	SP90/C7	. Pin, split	2	-	C	38/65
36581	E.F3.45.785	. ROD, control, tailplane (Pre-mod 4245) Spares for:-	1	-	B	39/1A
	E.B2.45.825	. . FITTING, end Attachments:-	1	L65	-	39/2A
	EEAS.192	. . Pin	2	S92	-	39/3
	EEAS.186/1	. . FORK-END Attachments:-	1	Alum. Alloy	-	39/48
	EEAS.192	. . Pin	2	S92	-	39/49
12410	E.B2.45.941	. . FORK-END Attachments:-	1	L65	C	39/4A
28M/9452821	A27/NT	. . Nut, 1/2" BSF thin	1	-	C	39/5
	E.F3.45.627	. . INSERT Attachments:-	1	L65	-	39/6A
	EEAS.192	. . Pin	4	S92	-	39/7
	E.B2.45.897	. . SLEEVE	1	L65	-	39/8A
	E.F3.45.789	. . TUBE (short)	1	30/178	-	39/9
	E.F3.45.787	. . TUBE, (long) Attachment:-	1	30/178	-	39/10
26FZ/1095	EEAS.37/14A	. . Nipple	4	S96	C	39/11
26FZ/1571	EEAS.38/2A	. . Spoke (Make from 28R/6124)	2	S96	C/LM	39/12



CONTROLS  
FLYING CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	E.F3.45.791	. . TUBE	1	30/178	-	39/13A
		Attachments:-				
26FZ/1095	EEAS.37/14A	. . Nipple	4	S96	C	39/11
26FZ/1571	EEAS.38/2A	. . Spoke (Make from 28R/6124)	2	S96	C/LM	39/12
2592	E.B2.45.827	. . TURNBARREL	1	L65	C	39/14A
		Attachments:-				
28M/14298	A27/NTL	. . Nut, 1/4" BSF L.H. thread, thin	1	-	C	39/15
		Attachments:-				
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	1	S96	C	39/16
28D/1215686	A59/7E	. Bolt, 1/4" BSF hex. head	1	-	C	39/17
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	1	S96	C	39/18
28M/1011467	A27/ES	. Nut, 1/4" BSF slotted	1	-	C	39/19
28P/9527619	SP90/C7	. Pin, split	2	-	C	39/20
1441440	E.B2.45.3191	. ROD, control, tailplane (Mod. 4257)	1	-	B	39/1
		Spares for:-				
	E.B2.45.3195	. . FITTING, end	1	S92	-	39/2
		Attachments:-				
	EEAS.192	. . Pin	2	S92	-	39/3
1441441	E.B2.45.3197	. . FORK-END	1	S92	C	39/4
		Attachments:-				
28M/9452621	A27/NT	. . Nut, 1/4" BSF thin	1	-	C	39/5
	E B2.45.3201	. . INSERT	1	L65	-	39/6
		Attachments:-				
	EEAS.192	. . Pin	4	S92	-	39/7
1441437	E B2.45.3185	. . SLEEVE	1	S92	C	39/8
	E.F3.45.789	. . TUBE (short)	1	30/178	-	39/9
	E.F3.45.787	. . TUBE (long)	1	30/178	-	39/10
		Attachments:-				
26FZ/1095	EEAS.37/14A	. . Nipple	4	S96	C	39/11
26FZ/1571	EEAS.38/2A	. . Spoke (Make from 28R/6124)	2	S96	C/LM	39/12
	E.B2.45.3193	. . TUBE, welded assembly	1	30/178	-	39/13
		Attachments:-				
26FZ/1095	EEAS.37/14A	. . Nipple	4	S96	C	39/11
26FZ/1571	EEAS.38/2A	. . Spoke (Make from 28R/6124)	2	S96	C/LM	39/12
1441442	E.B2.45.3199	. . TURNBARREL	1	S92	C	39/14
		Attachments:-				
28M/14298	A27/NTL	. . Nut, 1/4" BSF L.H. thread, thin	1	-	C	39/15
		Attachments:-				
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	1	S95	C	39/16
28D/1215686	A59/7E	. Bolt, 1/4" BSF hex. head	1	-	C	39/17
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	1	S96	C	39/18
28M/1011467	A27/ES	. Nut, 1/4" BSF slotted	1	-	C	39/19
28P/9527619	SP90/C7	. Pin, split	2	-	C	39/20

**CONTROLS**  
**FLYING CONTROLS IN REAR FUSELAGE**

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
2621	E.B2.45.507	. ROD, control, rudder and tailplane, assembly Spares for:-	2	-	B	39/21
2A/9500465	HOFFMANN N.3112	. . BALLRACE	1	-	C	39/22
	E.B2.45.909	. . HOUSING, ballrace Attachments:-	1	BAC M37	-	39/23
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	4	S95	C	39/24
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	4	S96	C	39/25
28P/9527619	SP90/C7	. Pin, split	4	-	C	39/26
2622	E.B2.45.509	. ROD, control, rudder, assembly Spares for:-	2	-	B	39/27
	E.B2.45.895	. . SLEEVE	1	L65	-	39/28
	E.B2.45.875	. . TUBE, assembly Attachments:-	1	-	-	39/29
26FZ/1095	EEAS.37/14A	. . Nipple	4	S96	C	39/30
26FZ/1571	EEAS.38/2A	. . Spoke (Make from 28R/6124)	2	S96	C/LM	39/31
	E.B2.45.877	. . TUBE, assembly Attachments:-	1	-	-	39/32
26FZ/1095	EEAS.37/14A	. . Nipple	4	S96	C	39/30
26FZ/1571	EEAS.38/2A	. . Spoke (Make from 28R/6124) Attachments:-	2	S96	C/LM	39/31
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	1	S95	C	39/33
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	1	S96	C	39/34
28P/9527619	SP90/C7	. Pin, split	1	-	C	39/35
1441433	E.B2.45.3205	. ROD, control, tailplane assembly (Mod. 4245) Spares for:-	1	-	B	39/36
1441434	E.B2.45.3181	. . SLEEVE	1	S92	C	39/37
	E.B2.45.875	. . TUBE, assembly Attachments:-	1	-	-	39/29
26FZ/1095	EEAS.37/14A	. . Nipple	4	S96	C	39/30
26FZ/1571	EEAS.38/2A	. . Spoke (Make from 28R/6124)	2	S96	C/LM	39/31
	E.B2.45.877	. . TUBE, assembly Attachments:-	1	-	-	39/32
26FZ/1095	EEAS.37/14A	. . Nipple	4	S96	C	39/30
26FZ/1571	EEAS.38/2A	. . Spoke (Make from 28R/6124) Attachments:-	2	S96	C/LM	39/31
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	1	S95	C	39/33
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	1	S96	C	39/34
28P/9527619	SP90/C7	. Pin, split	1	-	C	39/35
2623	E.B2.45.511	. ROD, control, rudder, assembly Spares for:-	1	-	B	39/38
	EEAS.188	. . FITTING, end ballrace Attachments:-	1	Alum. Alloy	-	39/39
	EEAS.192	. . Pin	2	S92	-	39/40
	EEAS.186/1	. . FORK-END Attachments:-	1	Alum. Alloy	-	39/41
	EEAS.192	. . Pin	2	S92	-	39/42

CONTROLS  
FLYING CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Mtl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	E.B2.45.927	. . TUBE Attachments:-	1	L62	-	39/43
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	1	S96	C	39/44
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	1	S96	C	39/45
28P/9527619	SP90/C7	. Pin, split	1	-	C	39/46
2625	E.B2.45.517	. ROD, control, rudder, assembly Spares for:-	1	-	B	39/47
2A/9500465	HOFFMANN N.3112	. . BALLRACE	1	-	C	39/22
	E.B2.45.909	. . HOUSING, ballrace Attachments:-	1	BAC M37	-	39/23
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	2	S95	C	39/24
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	2	S96	C	39/25
28P/9527619	SP90/C7	. Pin, split	2	-	C	39/26
36582	E.F3.45.797	. ROD, control, tailplane, assembly (Pre mod. 4245) Spares for:-	1	-	B	40/1A
	EEAS.188	. . FITTING, end, ballrace Attachments:-	1	Alum. Alloy	-	40/2A
	EEAS.192	. . Pin	2	S92	-	
	EEAS.186/1	. . FORK-END Attachments:-	1	Alum. Alloy	-	40/74
	EEAS.192	. . Pin	2	S92	-	40/75
	E.B2.45.897	. . SLEEVE	1	-	-	40/6A
	E.F3.45.799	. . TUBE Attachments:-	2	30/178	-	40/8A
26FZ/1095	EEAS.37/14A	. . Nipple	8	S96	C	40/5
26FZ/1571	EEAS.38/2A	. . Spoke (Make from 28R/6124) Attachments:-	4	S96	C/LM	40/7
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	1	S95	C	40/10
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	1	S96	C	40/11
28P/9527619	SP90/C7	. Pin, split	1	-	C	40/12
1441439	E.B2.45.3187	. ROD, control, tailplane, assembly (Mod 4245) Spares for:-	1	-	B	40/1
2A/9500465	HOFFMANN N.3112	. . BALLRACE	1	-	C	40/2
1441438	E.B2.45.3183	. . COLLAR	1	BAC M37	C	40/3
	E.B2.45.909	. . HOUSING, ballrace	1	BAC M37	-	40/4
26FZ/1095	EEAS.37/14A	. . NIPPLE	8	S96	C	40/5
26FZ/1571	EEAS.38/2A	. . SPOKE (Make from 28R/6124)	4	S96	C/LM	40/7
	E.B2.45.3185	. . SLEEVE	1	S92	-	40/6
	E.B2.45.3161	. . TUBE, assembly	1	30/178	-	40/8
	E.B2.45.3165	. . TUBE, assembly Attachments:-	1	30/178	-	40/9
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	1	S95	C	40/10
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	1	S96	C	40/11
28P/9527619	SP90/C7	. Pin, split	1	-	C	40/12
2627	E.B2.45.521	. ROD, control, rudder, assembly Attachments:-	1	-	B	40/13
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	1	S95	C	40/14
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	1	S96	C	40/15
28P/9527619	SP90/C7	. Pin, split	1	-	C	40/16

CONTROLS  
FLYING CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		<b>1 2 3 4 5 6</b>				
36579	E.F3.45.779	. ROD, control, tailplane, assembly (Pre-Mod. 4245) Spares for:—	1	—	B	40/17A
	E.F3.45.783	. . BAR, balance	1	Alum. Alloy	—	40/18A
	EEAS.215	. . FITTING, end	1	Alum. Alloy	—	40/19A
	EEAS.192	Attachments:— . . Pin	2	S92	—	40/20
12380	EEAS.216	. . FORK-END Attachments:—	1	—	C	40/21A
12395	EEAS.214	. . Nut, special	1	S94	C	40/22
	E.B4.45.953	. . FORK-END Attachments:—	1	L65	—	40/23A
	EEAS.192	. . Pin Attachments:—	2	S92	—	40/24
2363	EEAS.191	. Bolt, 3/16" BSF hex. head	1	S95	C	40/26
28D/1213436	A59/15G	. Bolt, 5/16" BSF hex. head	1	—	C	40/27
37087	E.F3.45.857	. Bush	1	L65	C	40/28
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	1	S96	C	40/29
28M/5808571	A27/GS	. Nut, 5/16" BSF slotted	1	—	C	40/30
28P/9527619	SP90/C7	. Pin, split	2	—	C	40/31
12411	E.B4.45.957	. Stop	1	L65	C	40/32
1441444	E.B4.45.1041	. ROD, control, tailplane, assembly (Mod. 4245) Spares for:—	1	—	B	40/17
	E.B2.45.3153	. . BAR, balance	1	S21	—	40/18
	E.B2.45.3155	. . FITTING, end Attachments:—	1	S92	—	40/19
	EEAS.192	. . Pin	2	S92	—	40/20
1441445	E.B2.45.3157	. . FORK-END Attachments:—	1	S92	C	40/21
12395	EEAS.214	. . Nut, special	1	S94	C	40/22
	E.B2.45.3151	. . FORK-END Attachments:—	1	S92	—	40/23
	EEAS.192	. . Pin	2	S92	—	40/24
	E.B4.45.1043	. . TUBE Attachments:—	1	30/178	—	40/25
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	1	S95	C	40/26
28D/1213436	A59/15G	. Bolt, 5/16" BSF hex. head	1	—	C	40/27
37078	E.F3.45.857	. Bush	1	L65	C	40/28
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	1	S96	C	40/29
28M/5808571	A27/GS	. Nut, 5/16" BSF slotted	1	—	C	40/30
28P/1007741	SP90/C7	. Pin, split	2	—	C	40/31
12411	E.B4.45.957	. Stop	1	L65	C	40/32
5316	E.B2.45.2377	. ROD, control, rudder, assembly Spares for:—	1	—	B	40/33
	EEAS.188	. . FITTING, end, ballrace Attachments:—	1	Alum. Alloy	—	40/34
	EEAS.192	. . PIN	2	S92	—	40/35

CONTROLS  
FLYING CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	EEAS.186/1	. . FORK-END Attachments:-	1	Alum. Al loy	-	40/36
	EEAS.192	. . Pin	2	S92	-	40/37
	E.B2.45.897	. . SLEEVE	1	L65	-	40/38
	E.B2.45.2373	. . TUBE Attachments:-	1	L62	-	40/39
26FZ/1095	EEAS.37/14A	. . Nipple	4	S96	C	40/40
26FZ/1571	EEAS.38/2A	. . Spoke (Make from 28R/6124)	2	S96	C/LM	40/41
	E.B2.45.2375	. . TUBE Attachments:-	1	L62	-	40/42
26FZ/1095	EEAS.37/14A	. . Nipple	4	S96	C	40/40
26FZ/1571	EEAS.38/2A	. . Spoke (Make from 28R/6124)	2	S96	C/LM	40/41
	EEAS.37/14A	. . Nipple	4	S96	C	40/40
	EEAS.38/2A	. . Spoke (Make from 28R/6124)	2	S96	C/LM	40/41
	EEAS.191	. Bolt, 5/16" BSF hex. head	1	S95	C	40/43
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	1	S95	C	40/43
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	1	S96	C	40/44
28P/9527619	SP90/C7	. Pin, split	1	-	C	40/45
2628	E.B2.45.2431	. ROD, control, rudder, assembly Spares for:-	1	-	B	40/46
	EEAS.188	. . FITTING, end, ballrace Attachments:-	1	Alum. Alloy	-	40/47
	EEAS.192	. . Pin	2	S92	-	40/48
	EEAS.215	. . FITTING, end Attachments:-	1	Alum. Alloy	-	40/49
	EEAS.192	. . Pin	2	S92	-	40/50
12380	EEAS.216	. . FORK-END Attachments:-	1	-	C	40/51
	EEAS.214	. . Nut, special	1	S94	C	40/52
12395	E.B2.45.2457	. . TUBE Attachments:-	1	L62	-	40/53
	EEAS.191	. Bolt, 5/16" BSF hex. head	1	S95	C	40/54
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	1	S95	C	40/54
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	1	S94	C	40/55
28P/9527619	SP90/C7	. Pin, split	1	-	C	40/56
6062	E.B2.45.2433	. ROD, control, rudder, assembly Spares for:-	1	-	B	40/57
	EEAS.188	. . FITTING, end, ballrace Attachments:-	1	Alum. Alloy	-	40/47
	EEAS.192	. . Pin	2	S92	-	40/48
	EEAS.215	. . FITTING, end Attachments:-	1	Alum. Alloy	-	40/49
	EEAS.192	. . Pin	2	S92	-	40/50
12380	EEAS.216	. . FORK-END Attachments:-	1	-	C	40/51
	EEAS.214	. . Nut, special	1	S94	C	40/52
12395	E.B2.45.2459	. . TUBE Attachments:-	1	L62	-	40/58
	EEAS.191	. Bolt, 5/16" BSF hex. head	1	S95	C	40/54
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	1	S95	C	40/54
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	1	S96	C	40/55
28P/9527619	SP90/C7	. Pin, split	1	-	C	40/56

CONTROLS  
FLYING CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip.		Plate No.
					M.R.	L.M.	
		1 2 3 4 5 6					
6063	E.B2.45.2435	. ROD, control, rudder, assembly Spares for:—	1	—	B		40/59
	EEAS.215	. . FITTING, end Attachments:—	1	Alum. Alloy	—		40/60
	EEAS.192	. . Pin	2	S92	—		40/61
	EEAS.186/2	. . FORK-END Attachments:—	1	Alum. Alloy	—		40/62
	EEAS.192	. . Pin	2	S92	—		40/63
12380	EEAS.216	. . FORK-END Attachments:—	1	—	C		40/64
12395	EEAS.214	. . Nut, special	1	S94	C		40/65
	E.B2.45.897	. . SLEEVE	1	L65	—		40/66
	E.B2.45.925	. . TUBE Attachments:—	1	L62	—		40/67
26FZ/1095	EEAS.37/14A	. . Nipple	4	S96	C		40/68
26FZ/1571	EEAS.38/2A	. . Spoke (Make from 28R/6124)	2	S96	C/LM		40/69
	E.B2.45.2461	. . TUBE Attachments:—	1	L62	—		40/70
26FZ/1095	EEAS.37/14A	. . Nipple	4	S96	C		40/68
	EEAS.38/2A	. . Spoke (Make from 28R/6124) Attachments:—	2	S96	LM		40/69
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	1	S95	C		40/71
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	2	S96	C		40/72
28P/9527619	SP90/C7	. Pin, split	2	—	C		40/73
2615	E.B2.45.2443	. ROD, control, rudder, assembly Spares for:—	1	—	B		41/1
	E.B2.45.2451	. . FITTING, end Attachments:—	1	S96	—		41/2
	E.B2.45.903	. . Pin	2	S92	—		41/3
12408	E.B2.45.2453	. . FORK-END Attachments:—	1	S96	C		41/4
12395	EEAS.214	. . Nut, special	1	S94	C		41/5
	E.B2.45.895	. . SLEEVE	1	L65	—		41/6
	E.B2.45.863	. . TUBE, assembly Attachments:—	1	—	—		41/7
26FZ/1095	EEAS.37/14A	. . Nipple	4	S96	C		41/8
26FZ/1571	EEAS.38/2A	. . Spoke (Make from 28R/6124)	2	S96	C/LM		41/9
	E.B2.45.2463	. . TUBE, assembly Attachments:—	1	—	—		41/10
26FZ/1095	EEAS.37/14A	. . Nipple	4	S96	C		41/11
26FZ/1571	EEAS.38/2A	. . Spoke (Make from 28R/6124) Attachments:—	2	S96	C/LM		41/12
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	1	S95	C		41/13
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	1	S96	C		41/14
28P/9527619	SP90/C7	. Pin, split	1	—	C		41/15

**CONTROLS**  
**FLYING CONTROLS IN REAR FUSELAGE**

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
2630	E.B2.45.2445	. ROD, control, tailplane, assembly (Pre mod. 4245) Spares for:-	1	-	B	41/16A
	E.B2.45.2451	. . FITTING, end Attachments:-	1	S96	-	41/2
	E.B2.45.903	. . Pin	2	S92	-	41/3
12408	E.B2.45.2453	. . FORK-END Attachments:-	1	S96	C	41/4
12395	EEAS.214	. . Nut, special	1	S94	C	41/5
	E.B2.45.895	. . SLEEVE	1	L65	-	41/6
	E.B2.45.1345	. . TUBE, assembly Attachments:-	1	-	-	41/18
26FZ/1095	EEAS.37/14A	. . Nipple	4	S95	C	41/8
26FZ/1571	EEAS.38/2A	. . Spoke (Make from 28R/6124)	2	S96	C/LM	41/9
	E.B2.45.2465	. . Tube, assembly Attachments:-	1	-	-	41/19
26FZ/1095	EEAS.37/14A	. . Nipple	4	S95	C	41/11
26FZ/1571	EEAS.38/2A	. . Spoke (Make from 28R/6124) Attachments:-	2	S96	C/LM	41/12
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	1	S95	C	41/13
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	1	S96	C	41/14
28P/9527619	SP90/C7	. Pin, split	1	-	C	41/15
1441435	E.B2.45.3209	. ROD, control, tailplane, assembly (Mod. 4245) Spares for:-	1	-	B	41/16
	E.B2.45.2451	. . FITTING, end Attachments:-	1	S96	-	41/2
	E.B2.45.903	. . Pin	2	S92	-	41/3
12408	E.B2.45.2453	. . FORK-END Attachments:-	1	S96	C	41/4
12395	EEAS.214	. . Nut, special	1	S94	C	41/5
1441434	E.B2.45.3181	. . SLEEVE	1	S92	C	41/17
	E.B2.45.1345	. . TUBE, assembly Attachments:-	1	-	-	41/18
26FZ/1095	EEAS.37/14A	. . Nipple	4	S96	C	41/8
26FZ/1571	EEAS.38/2A	. . Spoke (Make from 28R/6124)	2	S96	C/LM	41/9
	E.B2.45.2465	. . TUBE, assembly Attachments:-	1	-	-	41/19
26FZ/1095	EEAS.37/14A	. . Nipple	4	S96	C	41/11
26FZ/1571	EEAS.38/2A	. . Spoke (Make from 28R/6124) Attachments:-	2	S96	C/LM	41/12
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	1	S95	C	41/13
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	1	S96	C	41/14
28P/9527619	SP90/C7	. Pin, split	1	-	C	41/15

CONTROLS  
FLYING CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
6061	E.B2.45.2523	. ROD, control, tailplane, assembly Spares for:—	1	—	B	41/20
	E.B2.45.2451	. . FITTING, end Attachments:—	1	S96	—	41/21
	E.B2.45.903	. . Pin	2	S92	—	41/22
	E.B2.45.2527	. . FITTING, end, ballrace, assembly Spares for:—	1	—	—	41/23
2A/9500465	HOFFMANN N.3112	. . . BALLRACE	1	—	C	41/24
	E.B2.45.2529	. . . FITTING, end ballrace Attachments:—	1	S96	—	41/25
	E.B2.45.903	. . Pin	2	S92	—	41/26
	E.B2.45.2531	. . FORK-END Attachments:—	1	S96	—	41/27
12395	EEAS.214	. . Nut, special	1	S94	C	41/28
	E.B2.45.2525	. . TUBE, assembly Attachments:—	1	—	—	41/29
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	1	S95	C	41/30
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	1	S96	C	41/31
28P/9527619	SP90/C7	. Pin, split	1	—	C	41/32
	E.F3.45.637	. SIMULATOR, feel, mounting Spares for:—	1	—	—	41/33
	E.F3.11.4061	. . BRACKET	1	L72	—	41/34
	E.B2.45.985	. . COVER, fixed	1	L72	—	41/35
13751	E.B2.07.681	. . COVER, hinged (E.B2.45.987)	1	L72	C	41/36
	E.F3.45.639	. . DIAPHRAGM	1	L72	—	41/37
	E.B2.45.2929	. . DIAPHRAGM	1	L72	—	41/38
28FP/9542167	A5/30	. . FASTENER, dzus	2	—	C	41/39
12420	E.B2.45.1929	. . FAIRING, pipe	1	L59	C	41/40
10882	E.B3.70.171	. . FAIRLEAD, assembly Spares for:—	1	—	C	41/41
	E.B3.70.173	. . . FAIRLEAD, sub-assembly Spares for:—	1	—	—	41/42
	AS.2811/5/017	. . . . TUBE, distance	3	—	—	41/43
	E.B3.70.175	. . . FAIRLEAD, sub-assembly Spares for:—	1	—	—	41/44
	AS.2811/5/017	. . . . TUBE, distance Attachments:—	2	—	—	41/45
28D/1008149	A25/2B	. . Bolt, 4 BA hex. head	5	—	C	41/46
28M/1278189	AGS.2001/B/1	. . Nut, stiff, 4 BA	5	—	C	41/47
13752	E.B2.07.653	. . HINGE (E.B2.45.1447)	1	—	C	41/48
28M/9480017	AGS.2001/E/1	. . NUT, stiff, 1/4" BSF, attachment of fuel simulator type 205, Mk. 2	3	—	C	41/49
	E.B2.45.989	. . PLATE, doubling	1	L72	—	41/50
	E.B2.45.2395	. . PLATE, base	1	L72	—	41/51
	E.B2.45.2483	. . PLATE, landing	1	L72	—	41/52
28FP/1201748	S5/200	. . SPRING, dzus	2	—	C	41/53
	E.B2.45.983	. . STIFFENER	1	L72	—	41/54