

FUSELAGE
ASSEMBLY OF SPINE TO FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. J.M.	
		1 2 3 4 5 6				
	-	ASSEMBLY OF SPINE TO FUSELAGE (E.F6.11.1019)	-	-	-	7/4
		Spares for:-				
	E.B5.11.10145	. ARCH, at frame 33, assembly	1	-	-	7/14
		Spares for:-				
8363	E.B4.11.159	. . BRACKET, beam pick-up	1	EEDX243	C	7/21
8364	E.B4.11.161	. . BRACKET, strut pick-up, top	1	L65	C	7/23
	E.B4.11.275	. . BRACKET, strut support, forward	2	L73	-	7/5
	E.B4.11.277	. . BRACKET, strut support, aft	2	L73	-	7/7
	E.B5.53.10149	. . BRACKET, support, assembly	1	-	-	7/32
	E.B4.11.525	. . BRACKET, strut support, assembly	1	-	-	7/11
		Spares for:-				
	E.B4.11.515	. . . STUD	1	L65	-	7/2
	E.B4.11.526	. . BRACKET, strut support, assembly	1	-	-	7/3
		Spares for:-				
	E.B4.11.515	. . . STUD	1	L65	-	7/1
8365	E.B4.11.333	. . NUT, special, spindle, retaining	2	L65	C	7/9
	E.B4.11.105	. . PAD, adjustment	10	Fibreglass	-	7/26
	E.B4.53.11	. . PIPE, drain, port, assembly	1	-	-	7/15
	E.B4.53.12	. . PIPE, drain, starboard, assembly	1	-	-	7/12
	E.B4.53.89	. . PIPE, vent and drain, assembly	1	-	-	7/10
	E.B4.53.91	. . PIPE, vent, assembly	1	-	-	7/20
8366	E.B4.11.279	. . SPINDLE, strut arm hinge	2	L65	C	7/8
8367	E.B4.11.331	. . TUBE, distance, strut spindle	2	L62	C	7/6
	E.B4.11.693	. ARCH, at frame 42, assembly	1	-	-	8/21
		Spares for:-				
	E.B4.11.543	. . STRUT, assembly	1	-	-	8/5
8368	EEAS.296/57/63C	. BOLT, special, 2 BA 90° c'sk head, anchor fitting at frames 26 to 38	14	S97	C	8/13
8369	E.B4.11.123	. BRACKET, strut pick-up	1	L65	C	7/33
		Attachments:-				
	EEAS.296/28/60C	. Bolt, 2 BA 90° c'sk head	1	S97	-	7/34
28D/9133012	A25/3C	. Bolt, 2 BA hex. head	1	-	C	7/30
28Q/14814	AGS.2047/613	. Pin, sealing	1	-	C	7/29
28Q/15537	AGS.2043/613	. Rivet, snaphead, 3/16" dia.	1	-	C	7/31
8371	E.B4.11.719	. BRACKET, arch pick-up	2	L65	C	7/16
		Attachments:-				
	EEAS.296/28/60C	. Bolt, 2 BA 90° c'sk head	2	S97	-	7/13

Restricted

Page HC2

**FUSELAGE
ASSEMBLY OF SPINE TO FUSELAGE**

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Mtrl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
8372	E.B4.11.167	. FITTING, anchor, fastener hinge at frames 28 to 36, port Attachments:—	5	S97	C	8/15
28S/1214840	4100/6/ 3/8	. Screw, self tapping	5	—	C	8/14
8373	E.B4.11.168	. FITTING, anchor, fastener hinge, at frames 28 to 36, starboard Attachments:—	5	S97	C	8/10
28S/1214840	4100/6/ 3/8	. Screw, self tapping	5	—	C	8/9
8374	E.B4.11.169	. FITTING, anchor, fastener hinge, at frames 26 and 28, port Attachments:—	2	S97	C	8/7
28S/1214840	4100/6/ 3/8	. Screw, self tapping	2	—	C	8/8
8375	E.B4.11.170	. FITTING, anchor, fastener hinge, at frames 26 and 28, starboard Attachments:—	2	S97	C	8/3
28S/1214840	4100/6/ 3/8	. Screw, self tapping	2	—	C	8/4
8376	E.B4.11.173	. FITTING, anchor, fastener hinge, at frame 38 Attachments:—	1	S97	C	8/11
28S/1214840	4100/6/ 3/8	. Screw, self tapping	1	—	C	8/6
8377	E.B4.11.183	. FITTING, anchor, fastener hinge, at frame 40 Attachments:—	1	S97	C	8/22
	EEAS.296/28/60C	. Bolt, 2 BA 90° c'sk head	1	S97	C	8/20
36056	E.B5.11.10323	. GUIDE Attachments:—	1	—	C	8/17
28D/1008149	A25/2B	. Bolt, 4 BA hex. head	2	—	C	8/16
28M/1278189	AGS.2001/B/1	. Nut, stiff, 4 BA	2	—	C	8/19
28W/9419474	SP15/B	. Washer, 4 BA plain	2	—	C	8/18
8378	E.B4.11.135	. HINGE, fastener, group Spares for:—	16	—	C	8/29
1484493	KING A/C 10.98.005	. . FASTENER, custodion, assembly Spares for:—	16	—	C	8/28
37095	D.19029	. . . PIN, and spring, assembly	1	—	C	8/25
37094	D.5089	. . . WASHER, pin retaining	1	—	C	8/26
	E.B4.11.761	. LANYARD, drain	12	—	—	9/25
	E.B4.11.126	. PAD, sealing, 1/8" thick, at frame 33	2	Sorbo Rubber	—	7/19
	E.B4.11.177	. PAD, sealing, 1/8" thick, at frame 25	2	Sorbo Rubber	—	8/12
	E.B4.11.377	. PAD, sealing, 1/8" thick, at frame 40	2	Sorbo Rubber	—	8/32
	E.B4.11.701	. PAD, spine sealing, 3/16" thick, at frame 40	2	Sorbo Rubber	—	8/31

Restricted

RD

FUSELAGE
ASSEMBLY OF SPINE TO FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	E.F6.11.1029	. PIECE, distance, strut attachment at frame 25, starboard	1	L65	-	
8380	E.B4.11.129	. PIN, fastener, hinge	16	S97	C	8/27
8381	E.B4.11.517	. PIN, beam attachment	4	S92	C	8/1
8382	E.B4.11.521	. PIN, strut, attachment	8	S92	C	9/24
	E.F6.11.1027	. PLATE, restrictor, strut attachment at frame 25, starboard	1	L73	-	
33H/2201295	PR.1221/BT	. SEALANT	QR	-	C	8/33
8383	E.B4.11.569	. SHIM, anchor fitting, at frames 28 to 36	20	Lam Alum.	C	8/34
8384	E.B5.11.571	. SHIM, anchor fitting, at frames 28 and 38	8	Lam. Alum	C	8/2
8385	E.B4.11.573	. SHIM, anchor fitting, at frames 38 to 40	4	Lam. Alum	C	8/23
8386	E.B4.11.705	. SHIM, spine attachment to fuselage at frame 40	6	Lam Alum.	C	8/30
8387	E.B4.11.721	. SHIM, for arch pick-up bracket at frame 33	2	Lam Alum	C	7/18
8388	E.B4.11.39	. STRUT, arch support, group	1	-	C	7/25
		Spares for:-				
33574	E.B4.11.707	. . FORK-END	1	L56	C	7/27
28M/1011509	A29/JP	. . NUT, 3/8" BSF plain	1	-	C	7/24
		Attachments:-				
28N/1045680	AGS.899/2	. Collar, shackle pin	2	-	C	7/22
28P/1013114	SP4Y/B8	. Pin, shackle	2	-	C	7/28
28P/1021104	SP90/C3	. Pin, split	2	-	C	7/11
8390	E.B4.11.731	. STRUT, hatch support, at frame 25, group	2	-	C	9/14
		Consisting of:-				
28N/1045680	AGS.899/2	. . COLLAR, shackle pin	1	-	C	9/23
28P/839	SP4Y/B13	. . PIN, shackle	1	-	C	9/26
28P/1021104	SP90/C3	. . PIN, split	1	-	C	9/20
	E.B4.11.727	. . STRUT, upper, assembly	1	-	-	9/18
	E.B4.11.729	. . STRUT, lower, assembly	1	-	-	9/21
8392	E.B4.11.335	. STRUT, hatch support, port forward and starboard aft, at frame 33, group	2	-	C	9/12
		Consisting of:-				
28N/1045680	AGS.899/2	. . COLLAR, shackle pin	1	-	C	9/15
28P/839	SP4Y/B13	. . PIN, shackle	1	-	C	9/10
28P/1021104	SP90/C3	. . PIN, split	1	-	C	9/11
	E.B4.11.337	. . STRUT, lower, assembly	1	-	-	9/19
	E.B4.11.339	. . STRUT, upper, assembly	1	-	-	9/16
8393	E.B4.11.336	. STRUT, hatch support, port aft, at frame 33, group	1	-	C	9/13
		Consisting of:-				
28N/1045680	AGS.899/2	. . COLLAR, shackle	1	-	C	9/23
28P/839	SP4Y/B13	. . PIN, shackle	1	-	C	9/26
28P/1021104	SP90/C3	. . PIN, split	1	-	C	9/20
	E.B4.11.337	. . STRUT, lower assembly	1	-	-	9/22
	E.B4.11.339	. . STRUT, upper assembly	1	-	-	9/17

**FUSELAGE
ASSEMBLY OF SPINE TO FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
8394	E.B4.11.759	. STRUT, latch support, starboard forward at frame 33, group Consisting of:—	1	—	C	9/9
28N/1045680	AGS.899/2	. . COLLAR, shackle	1	—	C	9/15
28P/839	SP4Y/B13	. . PIN, shackle	1	—	C	9/10
28P/1021104	SP90/C3	. . PIN, split	1	—	C	9/11
	E.B4.11.339	. . STRUT, upper, assembly	1	—	—	9/3
	E.B4.11.757	. . STRUT, lower, assembly	1	—	—	9/6
8395	E.B4.11.503	. STRUT, hatch support, at frame 37, group Consisting of:—	1	—	C	9/5
28N/1045680	AGS.899/2	. . COLLAR, shackle pin	1	—	C	9/15
28P/839	SP4Y/B13	. . PIN, shackle	1	—	C	9/10
28P/1021104	SP90/C3	. . PIN, split	1	—	C	9/11
	E.B4.11.505	. . STRUT, upper, assembly	1	—	—	9/1
	E.B4.11.507	. . STRUT, lower, assembly	1	—	—	9/4
8396	E.B4.11.504	. STRUT, latch support, at frame 37, group Consisting of:—	1	—	C	9/8
28N/1045680	AGS.899/2	. . COLLAR, shackle	1	—	C	9/15
28P/839	SP4Y/B13	. . PIN, shackle	1	—	C	9/10
28P/1021104	SP90/C3	. . PIN, split	1	—	C	9/11
	E.B4.11.505	. . STRUT, upper, assembly	1	—	—	9/2
	E.B4.11.507	. . STRUT, lower, assembly	1	—	—	9/7
172	E.B5.11.5053	. UNIT, forward spine hatch, group Spares for:—	1	—	A	10/3
	E.B4.11.49	. . BEAM, forward central assembly Spares for:—	1	—	—	10/35
8397	E.B4.11.349	. . . CLIP, spring	2	Spring Steel	C	10/44
28D/1010658	A25/1B	. . BOLT, 4 BA hex. head	12	—	C	10/42
28D/1007285	AS.1242/1B	. . BOLT, 4 BA c'sk head	92	—	C	10/38
28D/1214874	AS.1246/12B	. . BOLT, 4 BA round head	2	—	C	10/45
217	E.B5.11.10301	. . HATCH, starboard, forward, assembly Spares for:—	1	—	B	10/4
8398	E.B4.11.133	. . . BRACKET, fastener, assembly Spares for:—	4	—	C	10/8
1484501	KING A/C 10.98.009 FASTENER, custodian	1	—	C	10/9
8403	E.B4.11.288	. . . BRACKET, forward strut pick-up, assembly	1	—	C	10/31
8404	E.B4.11.298	. . . BRACKET, aft strut pick-up, assembly	1	—	C	10/22

FUSELAGE
ASSEMBLY OF SPINE TO FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	E.B4.11.188	. . . FORMER, No. 1, starboard	1	L65	—	10/29
	E.B4.11.190	. . . FORMER, No. 2, starboard	1	L73	—	10/28
	E.B4.11.192	. . . FORMER, No. 3, starboard	1	L65	—	10/27
	E.B4.11.194	. . . FORMER, No. 4, starboard	1	L73	—	10/15
	E.B4.11.196	. . . FORMER, No. 5, starboard	1	L65	—	10/13
	E.B5.11.10317	. . . FORMER, No. 6, starboard	1	L73	—	10/25
	E.B5.11.10315	. . . FORMER, No. 7, starboard	1	L65	—	10/12
	E.B4.11.300	. . . GUSSET, forward edge member	1	L73	—	10/6
	E.B4.11.312	. . . GUSSET, aft edge member	1	L72	—	10/11
	E.B4.11.319	. . . HINGE, ".9375 long (Make from AS.1878)	6	—	LM	10/21
	E.B4.11.321	. . . HINGE, 9".49 long (Make from AS.1878)	1	—	LM	10/32
	E.B4.11.323	. . . HINGE, 10".65 long (Make from AS.1878)	1	—	LM	10/24
	E.B4.11.325	. . . HINGE, 10".72 long (Make from AS.1878)	1	—	LM	10/26
	E.B4.11.327	. . . HINGE, 6".70 long (Make from AS.1878)	1	—	LM	10/23
	E.B4.11.210	. . . MEMBER, edge, bottom	1	L72	—	10/17
	E.B4.11.212	. . . MEMBER, edge, bottom	1	L72	—	10/16
	E.B4.11.214	. . . MEMBER, edge, bottom	1	L72	—	10/14
	E.B4.11.216	. . . MEMBER, edge, bottom	1	L72	—	10/10
	E.B5.11.10293	. . . PANEL, landing	1	—	—	10/1
	E.B5.11.10291	. . . PANEL, louvred	1	—	—	10/5
	E.B5.11.10295	. . . RAIN-TRAP	1	—	—	10/2
	E.B4.11.217	. . . SEAL, forward (Make from EEAS.212 Ref. 8402)	1	—	LM	10/18
	E.B4.11.219	. . . SEAL, aft (Make from EEAS.212 Ref. 8402)	1	—	LM	10/20
	E.B4.11.221	. . . SEAL, top (Make from EEAS.212 Ref. 8402)	1	—	LM	10/34
	E.B4.11.578	. . . SEAL, securing strip, assembly	1	—	—	10/30
		Spares for:—				
	E.B4.11.223 SEAL, bottom	1	—	—	10/26
	E.B4.11.226 STRIP, seal securing	1	L72	—	10/37
33H/2201295	PR.1221/BT	. . . SEALANT	QR	—	C	10/19
	E.B5.11.10319	. . . SKIN	1	DTD626	—	10/7
173	E.B5.11.5041	. . HATCH, port, forward, assembly	1	—	A	11/22
		Spares for:—				
	E.B5.11.5109	. . . BEAM, door fastener support	1	L73	—	11/8
8398	E.B4.11.133	. . . BRACKET, fastener, assembly	4	—	C	11/24
		Spares for:—				
1484501	KING A/C 10.98.009 FASTENER, custodian	1	—	C	11/25
8400	E.B4.11.265	. . . BRACKET, forward strut pick-up, assembly	1	—	C	11/50
8401	E.B4.11.295	. . . BRACKET, aft strut pick-up assembly	1	—	C	11/36

Restricted

Page HC6

**FUSELAGE
ASSEMBLY OF SPINE TO FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	E.B5.11.5117	. . . CLEAT, angle	4	L72	—	11/9
	E.B5.11.5123	. . . CLEAT, angle	1	L72	—	11/7
	E.B5.11.5145	. . . CLEAT, angle	1	L72	—	11/14
24125	E.B5.11.5153	. . . DOOR, assembly	1	—	B	11/1
		Spares for:—				
1484489	KING A/C 10.98.046 FASTENER, upper, body, assembly	2	—	B	11/3
		Spares for:—				
1484484	KING A/C 10.98.064 PIN, and spring assembly	1	—	C	11/4
21752	KING A/C D.4957 WASHER, spring retaining	1	—	C	11/5
	E.B5.11.5101 HINGE (Make from AS.1879/55)	1	—	LM	11/6
1503631	KING A/C 10.98.015	. . . FASTENER, custodian	2	—	C	11/11
	E.B4.11.187	. . . FORMER, No. 1, port	1	L65	—	11/41
	E.B4.11.189	. . . FORMER, No. 2, port	1	L73	—	11/39
	E.B4.11.191	. . . FORMER, No. 3, port	1	L65	—	11/37
	E.B4.11.199	. . . FORMER, No. 7, port	1	L65	—	11/34
	E.B5.11.5137	. . . FORMER, No. 5 port, upper	1	—	—	11/15
	E.B5.11.5139	. . . FORMER, No. 5 port, lower	1	—	—	11/44
	E.B5.11.5141	. . . FORMER, No. 6 port	1	—	—	11/32
	E.B5.03.10007	. . . FORMER, No. 4 port, assembly (E.B5.11.10281)	1	—	—	11/48
		Spares for:—				
	E.B5.11.10277 CLEAT	1	L77	—	11/58
		Attachments:—				
28D/9133011	A25/2C Bolt, 2 BA hex. head	2	—	C	11/56
28M/1278190	AGS.2001/C1 Nut, stiff, 2 BA	2	—	C	11/49
	E.B4.11.10279 Washer, profile	1	L73	—	11/52
	E.B5.11.10280 Washer, profile	1	L73	—	11/60
	E.B5.11.5143 FORMER, No. 4 port	1	—	—	11/55
	E.B4.11.299	. . . GUSSET, forward edge member	1	L73	—	11/17
	E.B4.11.311	. . . GUSSET, aft edge member	1	L73	—	11/23
	E.B4.11.319	. . . HINGE, ".9375 long (Make from AS.1878)	6	—	LM	11/42
	E.B4.11.321	. . . HINGE, ".49 long (Make from AS.1878)	1	—	LM	11/54
	E.B4.11.323	. . . HINGE, 10".65 long (Make from AS.1878)	1	—	LM	11/45
	E.B4.11.325	. . . HINGE, 10".72 long (Make from AS.1878)	1	—	LM	11/47
	E.B4.11.327	. . . HINGE, 6".70 long (Make from AS.1878)	1	—	LM	11/51
	E.B4.11.209	. . . MEMBER, edge, bottom	1	L72	—	11/40
	E.B4.11.211	. . . MEMBER, edge, bottom	1	L72	—	11/35
	E.B4.11.213	. . . MEMBER, edge, bottom	1	L72	—	11/31
	E.B4.11.215	. . . MEMBER, edge, bottom	1	L72	—	11/30
	E.B5.11.5115	. . . MEMBER, edge	1	L73	—	11/12
	E.B5.11.5125	. . . MEMBER, edge	1	L73	—	11/16

Restricted

FUSELAGE
ASSEMBLY OF SPINE TO FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	E.B2.11.5131	. . . MEMBER, edge	1	L73	—	11/10
	E.B5.11.5155	. . . MEMBER, edge, assembly	1	—	—	11/20
	E.B5.11.5129	. . . PLATE, gusset	2	L72	—	11/21
	E.B5.11.5133	. . . PLATE, gusset	1	L72	—	11/18
	E.B4.11.217	. . . SEAL, forward (Make from EEAS.212 Ref. 8402)	1	—	LM	11/53
	E.B4.11.219	. . . SEAL, aft (Make from EEAS.212 Ref. 8402)	1	—	LM	11/28
	E.B4.11.221	. . . SEAL, top (Make from EEAS.212 Ref. 8402)	1	—	LM	11/59
	E.B4.11.577	. . . SEAL, securing strip, assembly	1	—	—	11/38
		Spares for:—				
	E.B4.11.223 SEAL, bottom	1	—	—	11/27
	E.B4.11.225 STRIP, seal securing	1	L72	—	11/33
33H/2201295	PR.1221/BT	. . . SEALANT	QR	—	C	11/29
	E.B5.11.5111	. . . SKIN, outer	1	—	—	11/26
	E.B5.11.5113	. . . SKIN, inner	1	L72	—	11/43
	E.B5.11.10241	. . . SKIN	1	L72	—	11/46
	E.B5.11.5157	. . . SUPPORT, door	1	L72	—	11/19
	E.B5.11.5159	. . . SUPPORT, door	1	L72	—	11/13
28M/1086618	AGS.2002/B/1	. . NUT, stiff, 4 BA	106	—	C	10/46
8405	E.B4.11.529	. . PACKING, taper	4	L72	C	10/39
26FZ/5073	EEAS.65	. . PLATE, serial	1	—	C	11/57
28W/9419474	SP15/B	. . WASHER, 4 BA plain	104	—	C	10/43
87	E.B4.11.55	. UNIT, aft, spine hatch, assembly	1	—	A	12/4
		Spares for:—				
	E.B4.11.51	. . BEAM, aft, centre, assembly	1	—	—	12/25
		Spares for:—				
8397	E.B4.11.349	. . . CLIP, spring	2	Spring Steel	C	12/34
28D/1010658	A25/1B	. . BOLT, 4 BA hex. head	12	—	C	12/36
28D/1007285	AS.1242/1B	. . BOLT, 4 BA c'sk head	96	—	C	12/35
28D/1214874	AS.1246/12B	. . BOLT, 4 BA c'sk head	2	—	C	12/41
90	E.B4.11.45	. . HATCH, port, assembly	1	—	A	12/3
		Spares for:—				
8398	E.B4.11.133	. . . BRACKET, fastener, assembly	4	—	C	12/5
		Spares for:—				
1484501	KING A/C 10.98.009 FASTENER, custodian	1	—	C	12/6
8406	E.B4.11.453	. . . BRACKET, forward strut, assembly	1	—	C	12/28
8407	E.B4.11.471	. . . BRACKET, aft strut pick-up, assembly	1	—	C	12/1
8408	E.B4.11.473	. . . BRACKET, aft strut pick-up, assembly	1	—	C	12/2

Restricted

Page HCB

**FUSELAGE
ASSEMBLY OF SPINE TO FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.		Plate No.
					M.R.	L.M.	
		1 2 3 4 5 6					
	E.B4.11.383	. . . FORMER, No. 1, port	1	L65	-		12/24
	E.B4.11.385	. . . FORMER, No. 2, port	1	L65	-		12/26
	E.B4.11.387	. . . FORMER, No. 3, port	1	L65	-		12/22
	E.B4.11.389	. . . FORMER, No. 4, port	1	L65	-		12/19
	E.B4.11.475	. . . GUSSET, edge member, forward	1	L73	-		12/17
	E.B4.11.483	. . . GUSSET, edge member, aft	1	L72	-		12/7
	E.B4.11.319	. . . HINGE, ".9375 long (Make from AS.1878)	6	-	LM		12/15
	E.B4.11.493	. . . HINGE, 8".45 long (Make from AS.1878)	1	-	LM		12/27
	E.B4.11.495	. . . HINGE, 10".44 long (Make from AS.1878)	1	-	LM		12/29
	E.B4.11.497	. . . HINGE, 11".14 long (Make from AS.1878)	1	-	LM		12/20
	E.B4.11.499	. . . HINGE, 10".86 long (Make from AS.1878)	1	-	LM		12/18
	E.B4.11.399	. . . MEMBER, edge, bottom	1	L72	-		12/16
	E.B4.11.401	. . . MEMBER, edge, bottom	1	L72	-		12/14
	E.B4.11.403	. . . MEMBER, edge, bottom	1	L72	-		12/11
	E.B4.11.405	. . . MEMBER, edge, bottom	1	L72	-		12/10
	E.B4.11.407	. . . MEMBER, edge, bottom	1	L72	-		12/8
	E.B4.11.409	. . . SEAL, forward (Make from EEAS.212 Ref. 8402)	1	-	LM		12/21
	E.B4.11.411	. . . SEAL, aft (Make from EEAS.212 Ref. 8402)	1	-	LM		12/12
	E.B4.11.413	. . . SEAL, top (Make from EEAS.212 Ref. 8402)	1	-	LM		12/31
	E.B4.11.575	. . . SEAL, securing strip, assembly	1	-	-		12/30
		Spares for:-					
	E.B4.11.415 SEAL, bottom	1	-	-		12/32
	E.B4.11.417 STRIP, seal securing	1	L72	-		12/33
33H/2201295	PR.1221/BT	. . . SEALANT	QR	-	C		12/13
	E.B4.11.381	. . . SKIN	1	DTD626	-		12/9
91	E.B4.11.46	. . HATCH, starboard, assembly	1	-	A		13/2
		Spares for:-					
8398	E.B4.11.133	. . . BRACKET, fastener, assembly	4	-	C		13/5
		Spares for:-					
1484501	KING A/C 10.98.009 FASTENER, custodian	1	-	C		13/6
8409	E.B4.11.454	. . . BRACKET, forward strut, assembly	1	-	C		13/30
8410	E.B4.11.472	. . . BRACKET, aft strut pick-up, assembly	1	-	C		13/1
8411	E.B4.11.474	. . . BRACKET, aft strut pick-up, assembly	1	-	C		13/3
	E.B4.11.384	. . . FORMER, No. 1, starboard	1	L65	-		13/19
	E.B4.11.386	. . . FORMER, No. 2, starboard	1	L65	-		13/21
	E.B4.11.388	. . . FORMER, No. 3, starboard	1	L65	-		13/23
	E.B4.11.390	. . . FORMER, No. 4, starboard	1	L65	-		13/25
	E.B4.11.476	. . . GUSSET, edge member	1	L73	-		13/7
	E.B4.11.484	. . . GUSSET, edge member, aft	1	L73	-		13/15
	E.B4.11.319	. . . HINGE, ".9375 long (Make from AS.1878)	6	-	LM		13/18

Restricted

RD

FUSELAGE
ASSEMBLY OF SPINE TO FUSELAGE

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	E.B4.11.493	. . . HINGE, 8".45 long (Make from AS.1878)	1	—	LM	13/20
	E.B4.11.495	. . . HINGE, 10".44 long (Make from AS.1878)	1	—	LM	13/22
	E.B4.11.497	. . . HINGE, 11".14 long (Make from AS.1878)	1	—	LM	13/24
	E.B4.11.499	. . . HINGE, 10".86 long (Make from AS.1878)	1	—	LM	13/26
	E.B4.11.400	. . . MEMBER, edge, bottom	1	L72	—	13/8
	E.B4.11.402	. . . MEMBER, edge, bottom	1	L72	—	13/9
	E.B4.11.404	. . . MEMBER, edge, bottom	1	L72	—	13/10
	E.B4.11.406	. . . MEMBER, edge, bottom	1	L72	—	13/13
	E.B4.11.408	. . . MEMBER, edge, bottom	1	L72	—	13/14
	E.B4.11.409	. . . SEAL, forward (Make from EEAS.212 Ref. 8402)	1	—	LM	13/16
	E.B4.11.411	. . . SEAL, aft (Make from EEAS.212 Ref. 8402)	1	—	LM	13/11
	E.B4.11.413	. . . SEAL, top (Make from EEAS.212 Ref. 8402)	1	—	LM	13/29
	E.B4.11.576	. . . SEAL, securing strip, assembly	1	—	—	13/17
		Spares for:—				
	E.B4.11.415 SEAL, bottom	1	—	—	13/27
	E.B4.11.418 STRAP, seal securing	1	L72	—	13/28
33H/126	PR.1221/BT	. . . SEALANT	QR	—	C	13/12
	E.B4.11.613	. . . SKIN	1	DTD626	—	13/4
28M/1086618	AGS.2002/B/1	. . NUT, stiff, 4 BA	110	—	C	12/39
8405	E.B4.11.529	. . PACKING, taper	4	L72	C	12/37
28W/9419474	SP15/B	. . WASHER, 4 BA plain	108	—	C	12/40

**FUSELAGE
ASSEMBLY OF SPINE TO FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		123456				