

CONTROLS

ENGINE CONTROLS IN FRONT FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		CONTROLS, ENGINE, IN FRONT FUSELAGE, ASSEMBLY (E.B5.47.5003) Spares for:-	-	-	-	1/1
6T/610	ELLIOT BROS. 1682C.78	. ACTUATOR, throttle servo	1	-	A	4/8
		Attachments:-				
28D/1215677	A59/21C	. Bolt, 2BA hex. head	3	-	C	4/9
	E.B5.47.7057	. ANGLE, bracket attachment to frame 12	1	EEJ.287/18	-	4/13
3477	E.B2.47.441	. BOLT, special, control tube connecting	15	BAC.1737	C	1/18
26FZ/1025	EEAS.1/1C	. BOLT, 2BA 120° c'sk head	2	-	C	
26FZ/1468	EEAS.1/2C	. BOLT, 2BA 120° c'sk head	1	-	C	
	E.B5.47.7181	. BOX, forward throttle lever, assembly	1	-	-	1/47
		Spares for:-				
12432	EEAS.95/31E	. . BOLT, ¼" BSF hex. head, lever hinge pivot	1	S97	C	1/44
	E.B5.47.7039	. . BRACKET, throttle lever, assembly	1	-	-	1/43
24574	E.B2.47.7065	. . LEVER, assembly	1	-	B	1/5
		Spares for:-				
24575	E.B5.47.5111	. . . HOUSING, assembly	1	-	C	1/46
		Spares for:-				
2A/9500410	HOFFMANN CS.1	 BALLRACE	2	-	C	1/29
	E.B5.47.5113	 HOUSING	1	L65	-	1/45
	E.F2.47.289	 TUBE, distance	1	T58	-	1/39
		Attachments:-				
28D/9436920	A25/1C	. . . Bolt, 2BA hex. head	3	-	C	1/30
28M/9403520	A27/CP	. . . Nut, 2BA plain	3	-	C	1/31
	E.B5.45.5163	. . . HOUSING, bearing	2	L65	-	1/11
28N/13510	HOFFMANN CJ.9	. . . JOINT, self aligning	2	-	C	1/10
	E.B5.47.7063	. . . LEVER	1	L72	-	1/20
24577	E.B5.47.7075	. . . PIN, crank	1	S95	C	1/36
		Attachments:-				
28M/1007403	A27/ET	. . . Nut, ¼" BSF thin	1	-	C	1/37
24578	E.B5.47.7069	. . LEVER, assembly	1	-	B	1/25
		Spares for:-				
24575	E.B5.47.5111	. . . HOUSING, assembly	1	-	C	1/42
		Spares for:-				
2A/9500410	HOFFMANN CS.1	 BALLRACE	2	-	C	1/40
	E.B5.47.5113	 HOUSING	1	L65	-	1/41
	E.F2.47.289	 TUBE, distance	1	T58	-	1/34
		Attachments:-				
28D/9436920	A25/1C	. . . Bolt, 2BA hex. head	3	-	C	1/35
28M/9403520	A27/CP	. . . Nut, 2BA plain	3	-	C	1/33

CONTROLS ENGINE CONTROLS IN FRONT FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
28N/13510	E.B5.45.5163	. . . HOUSING, bearing	2	L65	-	1/14
	HOFFMANN CJ.O	. . . JOINT, self aligning	2	-	C	1/15
12430	E.B5.47.7067	. . . LEVER	1	L73	-	1/16
	E.F3.47.57	. . . PIN, crank	2	S95	C	1/12
		Attachments:-				
28M/1007403	A27/ET	. . . Nut, 1/4" BSF thin	2	-	C	1/13
26FZ/3569	EEAS.63/E	. . NUT, 1/4" BSF slotted, for hinge bolt	1	-	C	1/19
28P/9486478	SP90/C5	. . PIN, split, slotted nut securing	1	-	C	1/27
34000	E.B5.47.7183	. . TUBE, distance, between levers	1	T58	C	1/32
	EEAS.28/15/HU	. . WASHER, packing, lever assembly	1	-	-	1/24
28W/9418921	SP13/E	. . WASHER, 1/4" BSF plain hinge bolt attachment	1	-	C	1/28
		Attachments:-				
28D/15571	A25/1 1/2 C	. Bolt, 2BA hex. head	7	-	C	1/26
28D/9133011	A25/2C	. Bolt, 2BA hex. head	1	-	C	1/23
	E.B5.81.7963	. BOX, throttle, port, group	1	-	-	4C/33
		Consisting of:-				
	HOBSON	. . BOX, engine control, pupils, assembly	1	-	-	4C/35
	T.460 Mk.4					
		Spares for:-				
24581	HOBSON	. . . KNOB, toggle switch	1	S94	C	4C/28
	373-118					
5CW/	HOBSON	. . . SOLENOID, (Rotax D.5322)	2	-	-	4C/36
	112959					
	HOBSON	. . . SPRING	2	DTD.215	-	4C/44
	78337					
	HOBSON	. . . SPRING, hold-in	2	DTD.900	-	4C/43
	CH.460-096					
5CW/	HOBSON	. . . SWITCH, toggle	1	-	-	4C/29
	X646A					
5CW/	HOBSON	. . . SWITCH, micro (BTH type LHE 11/A6)	2	-	-	4C/45
	CH.102665					
		Attachments:-				
28S/1011507	A35/Z24	. . . Screw, 8 BA c'sk	4	-	C	4C/46
28M/9403517	A47/Z	. . . Nut, 8BA plain	4	-	C	4C/47
28W/1007779	AGS.2035/AA	. . . Washer, 8BA shakeproof	4	-	C	4C/48
28W/1200072	SP26/Z	. . . Washer, 8BA	4	-	C	4C/49
		Attachments:-				
28D/	A25/2 1/2 C	. . Bolt, 2BA hex. head	3	-	-	4C/31
28D/9133012	A25/3C	. . Bolt, 2BA hex. head	2	-	C	4C/30

CONTROLS ENGINE CONTROLS IN FRONT FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
5X/10756	SUPERFLEXIT SCF.1887/10	. . END, assembly	1	-	C	4C/38
5X/5809603	PLESSEY 508/2/05604/002	. . PIN, plug, 16/20	7	-	C	4C/50
5X/7881	PLESSEY 16-1P	. . PLUG, free, UKAN	1	-	C	4C/51
	EEAS.146/20	. . SLEEVE, ¼" long	5	-	-	4C/40
	EEAS.146/20	. . SLEEVE, ¼" long	13	-	-	4C/41
	EEAS.146/00	. . SLEEVE, 1½" long	1	-	-	4C/42
	EEAS.146/2	. . SLEEVE, 1½" long	2	-	-	4C/39
5X/4462	HC.294E	. . TAG, cable	8	-	-	4C/37
	E.B5.81.7965	. BOX, throttle, starboard, group Consisting of:-	1	-	-	4C/1
	HOBSON T.461-Mk.3	. . BOX, engine control, tutors, assembly	1	-	-	4C/2
		Spares for:-				
24581	HOBSON 373-118	. . . KNOB, toggle switch	1	S94	C	4C/11
24593	HOBSON 461-052	. . . SPRING	2	-	C	4C/18
37460	HOBSON X646-A	. . . SWITCH, toggle	1	-	B	4C/10
5CW/	HOBSON CH.102665	. . . SWITCH, micro (BTH type LHE 11/A6)	1	-	-	4C/12
		Attachments:-				
28S/1011507	A33/Z24	. . . Screw, 8BA c'sk	2	-	C	4C/13
28M/9403517	A47/1Z	. . . Nut, 8BA plain	4	-	C	4C/14
24580	HOBSON A461-032	. . . Plate, assembly	1	-	C	4C/15
11286	HOBSON CH.91781	. . . Plate	1	-	C	4C/16
28W/1007779	AGS.2035/AA	. . . Washer, shakeproof	4	-	C	4C/17
		Attachments:-				
28D/9133012	A25/3C	. . Bolt, 2BA hex. head	2	-	C	4C/9
28D/9140644	A25/9C	. . Bolt, 2BA hex. head	2	-	C	4C/4
5X/10756	SUPERFLEXIT SCF.1887/10	. . END, assembly	1	-	C	4C/23
5X/5809603	PLESSEY 508/2/05604/002	. . PIN, plug, 16/20	7	-	C	4C/24
5X/	PLESSEY 16-1PW	. . PLUG, free, UKAN	1	-	-	4C/25
	EEAS.146/20	. . SLEEVE, ¼" long	5	-	-	4C/7
	EEAS.146/20	. . SLEEVE, ¼" long	3	-	-	4C/8

CONTROLS

ENGINE CONTROLS IN FRONT FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
5X/9461	EEAS.146/00	. . SLEEVE, 1.½" long	1	-	-	4C/19
	EEAS.146/2	. . SLEEVE, 1.½" long	2	-	-	4C/6
	HC.294E	. . TAG, cable	4	-	C	4C/5
	-	. CONTROLS, teleflex, pressure bulkhead to transport joint, assembly (E.B5.47.5151) Spares for:-	-	-	-	4C/26
28M/1278190 27K/534	E.B5.47.5251	. . BLOCK, conduit clamp assembly at frame 20 Attachments:-	1	-	-	4C/21
	AGS.2001/C/1	. . Nut, stiff, 2BA	1	-	C	4C/20
	TELEFLEX B.731	. . BLOCK, clamp, upper and lower conduits aft of frame 22 Attachments:-	2	-	C	3/2
28D/9419397	A25/12C	. . Bolt, 2BA hex. head	2	-	C	3/11
28D/9140647	A25/14C	. . Bolt, 2BA hex. head	2	-	C	3/6
28D/9436920	E.B5.47.7059	. . BRACKET, conduit clamp block mounting at frame 20, assembly Attachments:-	1	-	-	4C/22
	A25/1C	. . Bolt, 2BA hex. head	2	-	C	4C/27
	E.B5.47.5165	. . CABLE, teleflex, type No. 380, upper engine (Make from 27K/1236)	1	DS.380	LM	3/33
	E.B5.47.5167	. . CABLE, teleflex, type No. 380, lower engine (Make from 27K/1236)	1	DS.380	LM	3/35
	E.B5.47.7171	. . CONDUIT, upper and lower engine control, between frames 14 and 16	2	-	LM	3/30
	E.B5.47.5161	. . CONDUIT, upper, from connector aft of frame 19 to swivel aft of frame 22	1	-	LM	3/15
	E.B5.47.5163	. . CONDUIT, from connector forward of frame 19 to swivel aft of frame 22	1	-	LM	3/21
	E.B5.47.5209	. . CONDUIT, from connector at frame 16 to connector aft of frame 17	1	-	LM	3/14
	E.B5.47.5211	. . CONDUIT, from connector at frame 16 to connector forward of frame 18	1	-	LM	3/19
	E.B5.47.5213	. . CONDUIT, from connector aft of frame 17 to connector aft of frame 19	1	-	LM	3/18
	E.B5.47.5215	. . CONDUIT, from connector forward of frame 18 to connector forward of frame 19	1	-	LM	3/20

CONTROL ENGINE CONTROLS IN FRONT FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
27K/	TELEFLEX A.45267	. . CONNECTOR, frame 14	4	-	-	3/10
27K/	TELEFLEX B.45355	. . CONNECTOR, conduit	4	-	-	4C/32
27K/	TELEFLEX B.45380	. . CONNECTOR, bulkhead, at frame 16	2	-	-	2/4
4129	E.B2.47.83	. . EYE-END, connecting teleflex swivel to engine control rod at frame 24, assembly (Pre-Mod. 4691)	1		B	3/12
	E.F3.47.1277	. . EYE-END, assembly (Mod. 4691)	1	—	—	
	E.B2.47.81	. . . EYE-END (Pre-Mod. 4691)	1	L65	—	3/9
	E.F3.47.1275	. . . EYE-END (Mod. 4691)	1	—	—	
28N/13510	HOFFMANN CJO	. . . JOINT, self-aligning	1	—	C	3/13
		Attachments:-				
28M/1007403	A27/ET	. . Nut, 1/4" BSF thin, eye-end locking	1	-	C	3/7
8220	E.B4.47.147	. . FORK-END, connecting, throttle unit	2	L65	C	2/2
		Attachments:-				
28M/1007403	A27/ET	. . Nut, 1/4" BSF thin, fork-end locking	2	-	C	2/1
4131	E.B2.47.375	. . FORK-END, connecting teleflex swivel to engine control rod at frame 24	1	-	B	3/4
		Attachments:-				
28M/1007403	A27/ET	. . Nut, 1/4" BSF thin, fork-end locking	1	-	C	3/8
28N/9156370	SP.21	. . NIPPLE, lubricating	2	-	C	3/16
	E.B5.47.7177	. . PIPE, assembly, from inboard greaser swivel frame 14 to nipple connection console datum forward of frame 15	1	DTD.323	-	3/22
	E.B5.47.7179	. . PIPE, assembly, from outboard greaser swivel frame 14 to nipple connection console datum forward of frame 15	1	DTD.323	-	3/23
8216	E.B4.47.235	. . PLATE, packing, teleflex clamp block aft of frame 22	1	L72	C	3/1
	E.B5.47.7169	. . PLATE, swivel-end mounting at frame 14	1	L72	-	3/39
		Attachments:-				
28D/9133012	A25/3C	. . Bolt, 2BA hex. head	5	-	C	3/41
28M/1278190	AGS.2001/C/1	. . Nut, stiff, 2BA	5	-	C	3/37
28W/9419475	SP15/C	. . Washer, 2BA plain	5	-	C	3/38
27K/	TELEFLEX C.36254	. . SCREWED END, sliding	2	-	-	3/3
27K/	TELEFLEX C.36257	. . SCREWED END, sliding	2	-	-	2/3

CONTROL

ENGINE CONTROLS IN FRONT FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	TELEFLEX A.14980	. . STRING, asbestos, conduit sealing (Make from 32B/994)	QR	-	LM	3/34
27K/	TELEFLEX C.24105C	. . SWIVEL END, mounting at clamp block aft of frame 22	2	-	-	3/5
27K/	TELEFLEX D.134871	. . SWIVEL, greaser, assembly, frame 14	1	-	-	3/31
		Attachments:-				
28D/1214091	AS.1242/2C	. . Bolt, 2BA c'sk head	3	-	C	3/26
28M/1278190	AGS.2001/C/1	. . Nut, stiff, 2BA	3	-	C	3/25
	EEAS.20/9/DR	. . Tab, locking	1	L72	-	3/32
28W/9419475	SP15/C	. . Washer, 2BA plain	2	-	C	3/24
27K/	TELEFLEX D.134870	. . SWIVEL, greaser, assembly, frame 14	1	-	-	3/38
		Attachments:-				
28D/1214091	AS.1242/2C	. . Bolt, 2BA c'sk head	3	-	C	3/40
28M/1278190	AGS.2001/C/1	. . Nut, stiff, 2BA	3	-	C	3/28
	EEAS.20/9/DR	. . Tab, locking	1	L72	-	3/42
28W/9419475	SP15/C	. . Washer, 2BA plain	2	-	C	3/27
	E.B5.47.7173.	. . UNION, body, grease nipple to pipe connecting, frame 15	2	L65	-	3/17
	E.B5.47.7175	. . UNION, special, pipe to greaser swivel connecting, frame 14	2	L65	-	3/29
4134	E.B2.47.619	. FORK-END, special, connecting link to turnbarrel aft of frame 13	1	S88	C	4/15
		Attachments:-				
28M/13454	A27/ETL	. Nut, 1/4" BSF thin, L.H. thread	1	-	C	4/11
	E.B5.47.5061	. LEVERS, and torque shafts, assembly	1	-	-	2/24
		Attachments:-				
28D/9138768	A25/1/4C	. Bolt, 2BA hex. head	3	-	C	2/22
28D/9436920	A25/1C	. Bolt, 2BA hex. head	2	-	C	2/23
28D/15571	A25/1/4C	. Bolt, 2BA hex. head	7	-	C	2/20
28M/1278190	AGS.2001/C	. Nut, stiff, 2BA	4	-	C	2/19
28W/9419402	SP13/C	. Washer, 2BA plain	6	-	C	2/21
	E.B5.47.7047	. LEVER, pivot, aft of frame 13, assembly	1	-	-	4/21
		Spare for:-				
2A/9500410	HOFFMANN CS.1	. . BALLRACE	2	-	C	4/16
	E.B5.45.5163	. . HOUSING, bearing	2	-	-	4/17
28N/13510	HOFFMANN CJ.O	. . JOINT, self-aligning	2	-	C	4/18
	E.B4.47.119	. . TUBE, spacing	1	L62	-	4/19
24587	E.B5.47.7033	. LINK, lever to fork-end connecting, aft of frame 13	1	L65	C	4/12

CONTROLS ENGINE CONTROLS IN FRONT FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
3485	E.B2.47.443	. NUT, special slotted, control tube and rod special bolt attachment	15	BAC M37	C	1/4
36625	HOBSON CH.122360 E.B5.47.7027	. PIN, control, tube attachment . ROD, clutch unit to pivot levers connecting, assembly Spares for:-	4 1	- -	C -	4C/3 4/20
4130	E.B2.47.61	. . FORK-END	2	L65	C	4/22
28M/1007403	A27/ET	. . NUT, 1/4" BSF thin	2	-	C	4/23
	E.B5.47.7025	. . ROD	1	S95	-	4/24
26FZ/1025	EEAS.1/1C	. SCREW, 2BA 120° c'sk head	2	S96	C	4A/20
26FZ/1468	EEAS.1/2C	. SCREW, 2BA 120° c'sk head	1	S96	C	4A/21
	E.B5.47.5141	. TUBE, control, connecting clutch levers to throttle box levers, assembly Spares for:-	2	-	-	4/2
	E.B4.57.161	. . END, threaded	1	S96	-	4/3
	E.B5.47.5145	. . FORK-END	1	L65	-	4/4
	E.B5.47.5189	. . FORK-END	1	S96	-	4/7
28M/1007403	A27/ET	. . NUT, 1/4" BSF thin	1	-	C	4/6
28P/9524884	SP28/G6	. . PIN, taper	4	-	C	4/5
	E.B5.47.7077	. . TUBE	1	L62	-	4/1
	E.B5.47.7189	. TUBE, control, connecting torque shaft and throttle box outboard levers, assembly Spares for:-	1	-	-	4B/1
	E.B5.47.5145	. . FORK-END	1	L65	-	4B/5
34001	E.B5.47.7193	. . FORK-END	1	L65	C	4B/4
28P/9524884	SP28/G6	. . PIN, taper	2	-	C	4B/2
	E.B5.47.7079	. . TUBE	1	L62	-	4B/3
	E.B5.47.10027	. TUBE, control, connecting throttle box inboard lever crank pin to clutch unit, assembly Spares for:-	1	-	-	1/2
36HH/11674	ROLLS-ROYCE D.47142	. . BALL JOINT	1	-	C	1/38
	E.B4.47.161	. . END, threaded	1	S96	-	1/7
4130	E.B2.47.61	. . FORK-END	1	L65	C	1/9
28M/1007403	A27/ET	. . NUT, 1/4" BSF thin	1	-	C	1/8
28P/9524884	SP28/G6	. . PIN, taper	4	-	C	1/17
	E.B5.47.5191	. . SPADE END	1	S82	-	1/6
	E.B5.47.10023	. . TUBE	1	L62	-	1/22

CONTROLS

ENGINE CONTROLS IN FRONT FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
36HH/11674	E.B5.47.10029	. TUBE, control, connecting throttle box outboard lever crank pin to clutch unit, assembly Spares for:-	1	-	-	1/3
	ROLLS-ROYCE	. . BALL JOINT	1	-	C	1/38
	D.47142					
	E.B4.47.161	. . END, threaded	1	S96	-	1/7
	E.B2.47.61	. . FORK-END	1	L65	-	1/9
	A27/ET	. . NUT, 1/4" BSF thin	1	-	C	1/8
	SP28/G6	. . PIN, taper	4	-	C	1/17
	E.B5.47.5191	. . SPADE END	1	S82	-	1/6
	E.B5.47.10025	. . TUBE	1	L62	-	1/21
	E.B5.47.7203	. TUBE, control, connecting torque shaft lever engine tutors engine control box, assembly. Spares for:-	1	-	-	2/18
28M/1007403	E.B5.47.10041	. . END, threaded	1	S96	-	2/16
	E.B5.47.5145	. . FORK-END	1	L65	-	2/13
	E.B5.47.5235	. . FORK-END	1	S96	-	2/14
	A27/ET	. . NUT, 1/4" BSF thin	1	-	C	2/15
	SP28/G6	. . PIN, taper	4	-	C	2/12
	E.B5.47.5183	. . TUBE, control	1	L62	-	2/17
	E.B4.47.7205	. TUBE, control, connecting torque shaft inboard, lever to tutors engine control box, assembly Spares for:-	1	-	-	2/6
	E.B4.47.161	. . END, threaded	1	S96	-	2/7
	E.B5.47.5145	. . FORK-END	1	L65	-	2/9
	E.B5.47.5235	. . FORK-END	1	S96	-	2/8
28M/1007403	A27/ET	. . NUT, 1/4" BSF thin	1	-	C	2/5
	SP28/G8	. . PIN, taper	4	-	C	2/10
	E.B5.47.5187	. . TUBE	1	L62	-	2/11
	E.B5.47.7191	. TUBE, control, connecting torque shaft and throttle box inboard lever, assembly Spares for:-	1	-	-	4B/10
	ROLLS-ROYCE	. . BALL JOINT	1	-	C	4B/11
	D.47142					
	E.B5.47.5145	. . FORK-END	1	L65	-	4B/8
	SP28/G6	. . PIN, taper	4	-	C	4B/6
	E.B5.47.7195	. . ROD END	1	S82	-	4B/7
	E.B5.47.7081	. . TUBE	1	L62	-	4B/9
28M/1007403	E.B5.47.7035	. TURN BARREL, servo actuator to special fork-end connecting, frame 13, assembly Attachments:-	1	S96	-	4/14
	A27/ET	. Nut, 1/4" BSF thin	1	-	C	4/10

CONTROLS ENGINE CONTROLS IN FRONT FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
24600	E.B5.47.7155	. UNIT, throttle, servo clutch, frame 11-12, assembly Spares for:-	1	-	A	4A/1
	E.B5.47.7143	. . BRACKET, assembly Spares for:-	1	-	-	4A/19
	E.B5.47.7199	. . . ANGLE, bracket, assembly Spares for:-	1	-	-	4A/38
	E.B5.47.5139	 ANGLE, bracket	1	L73	-	4A/39
	E.B5.47.7147	. . . BEARING, oilite	1	L65	-	4A/40
	E.B5.47.7107	. . . BOLT, special	1	S21	-	4A/10
	E.B5.47.7113	. . . BOLT, special	1	S21	-	4A/9
	E.B4.47.61	. . . BRACKET	1	L73	-	4A/25
4112 28N/5805291	E.B5.47.7085	. . . PLATE, control, assembly Consisting of:-	1	-	-	4A/15
	E.B2.47.551	 BEARING, oilite	1	-	C	4A/16
	AS.4736/14	 INSERT, wire thread, 2BA	2	-	C	4A/12
	E.B5.47.7083	 PLATE, control	1	L65	-	4A/13
	E.B5.47.5119	. . . PLATE, side	1	L73	-	4A/41
	E.B5.47.7141	. . . PLATE, side	1	L73	-	4A/22
	E.B5.47.5135	. . . SPACER	1	L73	-	4A/27
	E.B5.47.5137	. . . SPACER	1	L73	-	4A/36
	E.B5.47.7105	. . . SPRING, 19 SWG	1	DTD.215	-	4A/11
	E.B5.47.7103	. . . TRIGGER, assembly	1	-	C	4A/4
	E.B5.47.7139	. . BUSH	1	S1	-	4A/32
	E.B5.47.7135	. . CAM, assembly Spares for:-	1	-	-	4A/42
	M.B. & BRASS CT.538½	. . . BEARING, oilite	1	-	-	4A/37
	M.B. & BRASS FCT.79½	. . . BEARING, oilite	1	-	-	4A/30
	E.B5.47.7099	. . . CAM	1	S96	-	4A/33
	E.B5.47.7043	. . . EYE END, assembly Spares for:-	2	-	-	4B/47
28N/13510	E.B5.47.7041	 EYE END, special	1	L65	-	4B/44
	E.B5.45.5163	 HOUSING, bearing	1	L65	-	4B/46
	HOFFMANN CJ.O	 JOINT, self aligning	1	-	C	4B/45
		Attachments:-				
28M/1007404	A27/JT	. . . Nut, 3/8" BSF thin	2	-	C	4B/43
	BS.46 Part 1	. . . KEY, 1/8" square	1	-	-	4A/26
	E.B5.47.5121	. . LEVER, assembly Spares for:-	1	-	-	4B/17
8235	E.B4.47.165	. . . BEARING, oilite	1	-	C	4B/28
	E.B5.47.7091	. . . BODY, adjuster, eye-end attaching	1	L65	-	4B/49

D10						
CONTROLS ENGINE CONTROLS IN FRONT FUSELAGE						
Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
28N/13510	E.B5.45.5163	. . . HOUSING, bearing	1	L65	-	4B/21
	HOFFMANN CJ.O	. . . JOINT, self aligning	1	-	C	4B/24
8236	E.B5.47.5123	. . . LEVER	1	L73	-	4B/41
	E.B4.47.163	. . . WHEEL, clutch Attachments:-	1	S110	C	4B/23
28M/1006504 4117	A27/BT	. . . Nut, 4BA thin	4	-	C	4B/26
	UNBRAKO SERIES C	. . . Screw, 4BA x 5/16"	4	-	C	4B/36
8232	E.B5.47.5125	. . LEVER, assembly Spares for:-	1	-	-	4B/12
	E.B5.47.7091	. . . BODY, adjuster, eye-end attaching	1	L65	-	4B/42
	E.B2.47.517	. . . BUSH, bearing, oilite	1	-	C	4B/31
	E.B5.47.5129	. . . FLANGE Attachments:-	1	L65	-	4B/22
	A25/3B	. . . Bolt, 4BA hex. head	4	-	C	4B/37
28M/9403519	A27/BP	. . . Nut, 4BA plain	4	-	C	4B/32
28N/13510	E.B5.45.5163	. . . HOUSING, bearing	1	L65	-	4B/15
	HOFFMANN CJ.O	. . . JOINT, self aligning	1	-	C	4B/16
37412	E.B5.47.5127	. . . LEVER	1	L73	-	4B/33
	E.F2.47.1517	. . . WHEEL, clutch Attachments:-	1	S110	C	4B/25
28M/9403519	A27/BP	. . . Nut, 4BA plain	4	-	C	4B/27
	UNBRAKO SERIES C	. . . Screw, 4BA x 1/2"	4	-	-	4B/19
28N/13510	E.B5.47.7045	. . LEVER, assembly Spares for:-	1	-	-	4B/48
	E.B5.45.5163	. . . HOUSING, bearing	1	L65	-	4B/39
	E.B4.47.195	. . . HOUSING, clutch	1	DTD. 197	-	4B/20
	HOFFMANN CJ.O	. . . JOINT, self aligning	1	-	C	4B/40
	E.B5.47.7021	. . . LEVER Attachments:-	1	L73	-	4B/38
28D/9419452	A25/3B	. . . Bolt, 4BA hex. head	3	-	C	4B/35
28M/9403519	A27/BP	. . . Nut, 4BA plain	3	-	C	4B/34
28N/9143896	E.B5.47.7097	. . LEVER, assembly Spares for:-	1	-	-	4A/18
	E.B5.47.7093	. . . LEVER, assembly Spares for:-	1	-	-	4A/2
	AS.4736/25	 INSERT, wire thread, 4BA	3	-	C	4A/17
28S/9435716	E.B5.47.7157	. . . PIN, stop	1	S1	-	4A/6
	A33/B12	. . . SCREW, 4BA c'sk head	3	-	C	4A/8

CONTROLS

ENGINE CONTROLS IN FRONT FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	E.B5.47.7089	. . . SPOOL	1	S1	-	4A/7
	E.B5.47.7153	. . NUT, special, shaft	1	S96	-	4A/28
	E.B5.47.7145	. . PLATE, keep	2	BS.369	-	4A/15
		Attachments:-				
28S/1011499	A33/B32	. . Screw, 4BA c'sk head	2	-	C	4A/14
	E.B5.47.7129	. . SPRING, main, 13 SWG	1	DTD.215	-	4A/3
8238	E.B4.47.75	. . TAPPET, assembly	1	-	B	4A/24
		Spares for:-				
2A/9501174	B.M.B.(SALES)	. . . BALLRACE	2	-	C	4A/29
	RCM.3/16"					
28M/9403520	A27/CP	. . . NUT, 2BA plain	2	-	C	4A/35
8239	E.B2.47.489	. . . PIN, guide	2	S96	C	4A/34
4120	GEO.SALTER	. . . RING, tru-arc retaining	2	-	C	4A/31
	5103/18					
	E.B4.47.99	. . . TAPPET	1	L65	-	4A/23
2A/9500491	HOFFMANN	. . THRUST RACE	2	-	C	4B/13
	EW 3/8"					
	PY GKO					
4121	E.B2.47.477	. . WASHER, belleville spring	2	DTD.187	C	4B/29
	E.B5.47.7151	. . WASHER, thrust	1	S96	-	4B/18
	E.B5.47.7149	. . WASHER, thrust	1	S96	-	4B/30
		Attachments:-				
28S/	4C.3/16"	. . Screw, P.K.	1	S970	-	4B/14

Ref. No.

Part No.

Description

No.
off

Matl. Spec.

Cl. of Equip.
M.R. L.M.

Plate
No.

1 2 3 4 5 6