

CONTROLS
FLYING CONTROLS IN STARBOARD WING

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	-	CONTROLS, FLYING, IN STARBOARD WING, ASSEMBLY (E.F6.45.34) Spares for:-	-	-	-	69/1
	E.F3.45.522	. AUTOSTABILISER, aileron, assembly Spares for:-	1	-	-	69/2
	E.F3.45.761	. . BRACKET, assembly Attachments:-	1	-	-	70/14
28D/9436920	A25/1C	. . Bolt, 2BA hex. head	6	-	C	70/8
28D/9133011	A25/3C	. . Bolt, 2BA hex. head	4	-	C	70/17
3387	E.B2.45.653	. . FORK END, L.H. thread Attachments:-	1	L65	C	69/36
3376	E.B2.45.657	. . Bolt, shoulder	1	S96	C	69/24
2563	E.B2.45.659	. . Nut, slotted, shoulder	1	S96	C	69/38
28P/9527619	SP90/C7	. . Pin, split	1	-	C	69/39
3388	E.B2.45.655	. . FORK-END, R.H. thread Attachments:-	1	L65	C	69/43
3376	E.B2.45.657	. . Bolt, shoulder	1	S96	C	69/37
2563	E.B2.45.659	. . Nut, slotted, shoulder	1	S96	C	69/49
28P/9527619	SP90/C7	. . Pin, split	1	-	C	69/50
10487	E.F2.45.35	. . LEVER, and cradle, assembly Spares for:-	1	-	B	69/28
	E.F2.45.89	. . . CRADLE, lever, half Attachments:-	1	L65	-	69/3
28D/1213590	A59/10E	. . . Bolt, 1/4" BSF hex. head	1	-	C	69/7
28M/1011467	A27/ES	. . . Nut, 1/4" BSF slotted	1	-	C	69/34
28P/9486478	SP90/C5	. . . Pin, split	1	-	C	69/35
28W/9418921	SP13/E	. . . Washer, 1/4" BSF plain	1	-	C	69/33
	E.F2.45.91	. . . CRADLE, lever, half	1	L65	-	69/32
10488	E.B2.45.2761	. . . FITTING, end, ballrace, assembly Spares for:-	1	-	B	69/19
2A/9500462	HOFFMANN CA.O	 BALLRACE	1	-	B	69/21
	EEAS.3/B	 HOUSING, ballrace Attachments:-	1	L65	-	69/22
28D/9140645	A25/10C	. . . Bolt, 2BA hex. head	2	-	C	69/8
28M/5808573	A27/CS	. . . Nut, 2BA slotted	2	-	C	69/23
28P/9486478	SP90/C5	. . . Pin, split	2	-	C	69/16
28W/9419402	SP13/C	. . . Washer, 2BA plain	2	-	C	69/18

CONTROLS FLYING CONTROLS IN STARBOARD WING

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	E.F2.48.85	 LEVER, assembly Spares for:-	1	-	-	69/6
2A/9500465	HOFFMANN N.3112	 BALLRACE	2	-	B	69/10
	E.F2.45.95	 BEARING, sub-assembly Spares for:-	1	-	-	69/13
2A/9500410	HOFFMANN CS.1	 BALLRACE	1	-	B	69/14
2A/9500411	HOFFMANN N.3106	 BALLRACE	1	-	B	69/12
	E.B2.45.669	 HOUSING, bearing Attachments:-	1	-	-	69/15
28D/9709461	AS.1242/3C	 Bolt, 2BA c'sk head	4	-	C	69/17
28M/9403520	A27/CP	 Nut, 2BA plain	4	-	C	69/9
	EEAS.3/CC	 HOUSING, ballrace	2	L65	-	69/11
	EEAS.4/22C	 WASHER, packing Attachments:-	4	L72	-	69/4
3376	E.B2.45.657	. . Bolt, shoulder	2	S96	C	69/20
2563	E.B2.45.659	. . Nut, slotted, shoulder	2	S96	C	69/31
28P/9527619	SP90/C7	. . Pin, split	2	-	C	69/30
3402	E.B2.45.643	. . LEVER ASSEMBLY Attachments:-	1	-	B	69/45
3377	E.B2.45.663	. . Bolt, shoulder	1	S96	C	69/29
28M/1011467	A27/ES	. . Nut, 1/4" BSF slotted	1	-	C	69/48
28P/9527619	SP90/C7	. . Pin, split	1	-	C	69/47
28W/9419405	SP15/E	. . Washer, 1/4" BSF plain	1	-	C	69/46
12424	E.F3.45.527	. . LINK, jack pick-up Attachments:-	1	L65	C	70/11
28N/1046381	SP121/E	. . Collar, shear pin	1	-	C	70/10
28P/18837	SP113/E6 1/2	. . Pin, shear	1	-	C	70/12
28P/9527619	SP90/C7	. . Pin, split	1	-	C	70/9
2586	E.B2.45.649	. . NUT, special, L.H. thread, turnbarrel locking	2	S96	C	69/40
2587	E.B2.45.651	. . NUT, special, R.H. thread, turnbarrel locking	2	S96	C	69/42
37098	E.F3.45.855	. . ROD, servo unit to lever, assembly Spares for:-	1	-	C	70/4
	E.F3.45.861	. . . SCREWED-END Attachments:-	1	S92	-	
3376	E.B2.45.657	. . Bolt, shoulder	1	S96	C	70/3
2563	E.B2.45.659	. . Nut, slotted, shoulder	1	S96	C	70/6
28P/9527619	SP90/C7	. . Pin, split	1	-	C	70/5

CONTROLS
FLYING CONTROLS IN STARBOARD WING

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
1439605	E.F3.45.877	. . STRUT, jury (for use when autostabiliser is not fitted)	1	-	C	70/1
3386	E.B2.45.647	. . TURNBARREL, lever assembly to servo unit adjustment	1	L65	C	69/41
3372	E.B2.45.943	. FORK-END, aileron jack connections Attachments:-	2	L65	C	70/16
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	2	S95, S114 or S117	C	70/15
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	2	S96	C	70/19
28P/9527619	SP90/C7	. Pin, split	2	-	C	70/20
3373	E.B2.45.2133	. FORK-END, aileron jack connections Attachments:-	2	L65	C	70/18
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	2	S95, 114 or 117	C	70/17
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	2	S96	C	70/22
28P/9527619	SP90/C7	. Pin, split	2	-	C	70/23
	E.B2.45.371	. LEVER, aileron jack valves operating mounting, assembly Spares for:-	1	-	-	75/28
3398	E.B2.45.731	. . LEVER, assembly Spares for:-	1	-	B	75/4
2A/9500410	HOFFMANN CS.1	. . . BALLRACE	2	-	B	75/12
2A/9500465	HOFFMANN N.3112	. . . BALLRACE	3	-	B	75/18
	E.B1.45.1039	. . . HOUSING, ballrace	1	-	-	75/5
	EEAS.3/CC	. . . HOUSING, ballrace	3	L65	-	75/19
	E.B1.45.1033	. . . LEVER Attachments:-	1	-	-	75/2
28D/9709461	AS.1242/3C	. . . Bolt, 2BA c'sk head	3	-	C	75/3
28M/9403520	A27/CP	. . . Nut, 2BA plain	3	-	C	75/9
	E.B1.45.1233	. . . Washer, special	3	-	-	75/8
	E.B1.45.1037	. . . LEVER Attachments:-	1	-	-	75/20
28D/9709461	AS.1242/3C	. . . Bolt, 2BA 90° c'sk head	3	-	C	75/22
28M/9403520	A27/CP	. . . Nut, 2BA plain	2	-	C	75/10
	E.B1.45.1233	. . . Washer, special	3	-	-	75/11

CONTROLS

FLYING CONTROLS IN STARBOARD WING

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
26FZ/1043	E.B2.45.2299	. . . SHIM, balance weight packing	QR	LA3	-	67/7
	E.B1.45.1041	. . . TUBE, distance, ballrace separating	1	-	-	67/16
	E.B2.45.743	. . . WASHER, packing	2	-	-	67/1
	EEAS.4/18C	. . . WASHER, packing	2	L72	C	67/17
	EEAS.4/26C	. . . WASHER, packing	2	L72	-	67/15
	E.B2.45.2275	. . . WEIGHT, balance starboard aileron control	1	-	-	67/6
28D/9709461	AS.1242/3C	Attachments:-				
		. . . Bolt, 2BA c'sk head	2	-	C	67/21
28D/1213745	A30/19E	Attachments:-				
		. . Bolt, 1/4" BSF hex. head	1	-	C	67/14
28W/9419405	SP15/E	. . Washer, 1/4" BSF plain	1	-	C	67/13
		. LEVER, outboard aileron jack valve operating	1	-	-	73/16
36244	E.F3.45.813	mounting, assembly				
		Spares for:-				
2A/9500410	HOFFMANN	. . LEVER, assembly	1	-	B	73/2
		Spares for:-				
2A/9500465	HOFFMANN	. . . BALLRACE	2	-	B	73/12
		CS.1				
2A/9500465	HOFFMANN	. . . BALLRACE	2	-	B	73/9
		N.3112				
28D/9133011	A25/3C	E.B1.45.1053	1	-	-	73/7
		Attachments:-				
28M/9403520	A27/CP	. . . Bolt, 2BA hex. head	3	-	C	73/3
		. . . Nut, 2BA plain	3	-	C	73/11
26FZ/1043	EEAS.3/CC	. . . HOUSING, ballrace	2	L65	-	73/10
		. . . LEVER	1	-	-	73/5
26FZ/1043	E.B1.45.1055	. . . TUBE, distance, ballrace separating	1	-	-	73/6
		. . . WASHER, packing	4	L72	C	73/4
28D/1213738	E.F3.45.833	. . . WASHER, packing	2	L72	-	73/1
		Attachments:-				
36245	E.F3.45.819	. . Bolt, 1/4" BSF hex. head	1	-	C	73/13
		. LEVER, inboard aileron jack valve operating	1	-	-	73/20
2A/9500410	HOFFMANN	mounting, assembly				
		Spares for:-				
2A/9500410	HOFFMANN	. . LEVER, assembly	1	-	B	73/21
		Spares for:-				
2A/9500410	HOFFMANN	. . . BALLRACE	2	-	B	73/33
		CS.1				

CONTROLS
FLYING CONTROLS IN STARBOARD WING

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
2A/9500465	HOFFMANN N.3112	. . . BALLRACE	2	-	B	73/29
	E.B1.45.1053	. . . HOUSING, ballrace Attachments:-	1	-	-	73/27
28D/9133012	A25/3C	. . . Bolt, 2BA, hex. head	3	-	C	73/23
28M/9519526	A27/CP	. . . Nut, 2BA plain	3	-	C	73/30
	EEAS.3/CC	. . . HOUSING, ballrace	2	L65	-	73/32
	E.F3.45.821	. . . LEVER	1	-	-	73/22
	E.B1.45.1055	. . . TUBE, distance, ballrace separating	1	-	-	73/31
26 FZ/1043	EEAS.4/18C	. . . WASHER, packing	4	L72	C	73/28
	EEAS.4/26C	. . . WASHER, packing Attachments:-	2	L72	-	73/26
28D/1213738	A30/12E	. . Bolt, 1/4" BSF hex. head	1	-	C	73/34
3403	E.B2.45.363	. ROD, control, from autostabiliser lever to aileron jack control valves lever, assembly Spares for:-	1	-	B	73/24
3385	EEAS.189	. . FORK-END Attachments:-	1	Alum. Alloy	C	73/27
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	2	S95, 114 or or 117	C	73/23
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	2	S96	C	73/25
28P/9527619	SP90/C7	. Pin, split	2	-	C	73/26
3384	E.B2.45.369	. ROD, aileron control, between autostabiliser lever and connection at rib 13, assembly Spares for:-	1	-	B	76/33
3385	EEAS.189	. . FORK-END	1	Alum. Alloy	C	76/36
12421	E.B2.45.1135	. . NUT, 1/2" BSF R.H. thread, turnbarrel locking	1	-	C	76/34
12422	E.B2.45.1137	. . NUT, 1/2" BSF L.H. thread, turnbarrel locking	1	-	C	76/37
2592	E.B2.45.827	. . TURNBARREL Attachments:-	1	L65	C	76/38
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	1	S95, 114 or 117	C	76/35
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	1	S96	C	76/40
28P/9527619	SP90/C7	. Pin, split	1	-	C	76/39

CONTROLS

FLYING CONTROLS IN STARBOARD WING

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
3389	E.B2.45.489	. ROD, aileron control, radiused, from inboard leading edge connection to connection in fuselage.	1	-	C	76/23
2363	EEAS.191	Attachments:- . Bolt, 5/16" BSF hex. head	1	S95, 114 or 117	C	76/13
28D/1215686	A59/7E	. Bolt, 1/4" BSF hex. head	1	-	C	76/24
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	1	S96	C	76/22
28M/1011467	A27/ES	. Nut, 1/4" BSF slotted	1	-	C	76/25
28P/9527619	SP90/C7	. Pin, split	2	-	C	76/21
3390	E.B2.45.491	. ROD, aileron control, radiused, assembly	1	-	C	76/19
2363	EEAS.191	Attachments:- . Bolt, 5/16" BSF hex. head	1	S95, 114 or 117	C	76/13
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	1	S96	C	76/22
28P/9527619	SP90/C7	. Pin, split	1	-	C	76/21
3391	E.B2.45.493	. ROD, aileron control, between ribs 10 and 11, assembly	1	-	C	76/15
2363	EEAS.191	Attachments:- . Bolt, 5/16" BSF hex. head	1	S95, 114 or 117	C	76/13
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	1	S96	C	76/22
28P/9527619	SP90/C7	. Pin, split	1	-	C	76/21
2620	E.B2.45.495	. ROD, aileron control, between ribs 4 and 8, assembly	2	-	C	76/17
2363	EEAS.191	Attachments:- . Bolt, 5/16" BSF hex. head	2	S95, 114 or 117	C	76/13
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	2	S96	C	76/22
28P/9527619	SP90/C7	. Pin, split	2	-	C	76/21
3392	E.B2.45.497	. ROD, aileron control, between radiused rod connection and connection at rib 4, assembly	1	-	C	76/18
2363	EEAS.191	Attachments:- . Bolt, 5/16" BSF hex. head	1	S95, 114 or 117	C	76/13
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	1	S96	C	76/22
28P/9527619	SP90/C7	. Pin, split	1	-	C	76/21
3393	E.B2.45.499	. ROD, aileron control, between ribs 9 and 10, assembly	1	-	C	76/16
2363	EEAS.191	Attachments:- . Bolt, 5/16" BSF hex. head	1	S95, 114 or 117	C	76/13
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	1	S96	C	76/22
28P/9527619	SP90/C7	. Pin, split	1	-	C	76/21

CONTROLS
FLYING CONTROLS IN STARBOARD WING

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
3394	E.B2.45.501	. ROD, aileron control, between ribs 11 and 13, assembly Attachments:-	1	-	C	76/14
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	1	S95, 114 or 117	C	76/13
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	1	S96	C	76/22
28P/9527619	SP90/C7	. Pin, split	1	-	C	76/21
36242	E.F3.45.837	. ROD, aileron control, between outboard jack control valve operating lever and control valves operating lever, assembly Attachments:-	1	-	C	73/17
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	2	S95, 114 or 117	C	73/8
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	2	S96	C	73/14
28P/9527619	SP90/C7	. Pin, split	2	-	C	73/15
36243	E.F3.45.825	. ROD, aileron control, between inboard jack control valve operating lever and control valves operating lever, assembly Attachments:-	1	-	C	73/19
2363	EEAS.191	. Bolt, 5/16" BSF hex. head	2	S95, 114 or 117	C	73/18
2417	EEAS.63/G	. Nut, 5/16" BSF slotted	2	S96	C	73/24
28P/9527619	SP90/C7	. Pin, split	2	-	C	73/25
3397	E.B1.45.1607	. TURN BARREL, operating lever to jack control valve adjustment	2	-	C	73/21

CONTROLS

FLYING CONTROLS IN STARBOARD WING

[illegible]