

CONTROLS TAIL PARACHUTE AND ARRESTER HOOK CABLES

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		TAIL PARACHUTE AND ARRESTER HOOK CABLES AND MECHANISM, ASSEMBLY (E.F3.48.87.5) Spares for:-				
37 101	E.F3.48.845	. ADAPTER, screwed, arrester hook release cable, frame 56-57	1	S114	C	46/1
37 102	E.F3.48.811	. BRACKET, release unit attachment Attachments:-	2	L65	C	46/2
28D/9133012	A25/3C	. Bolt, 2BA hex. head	4	-	C	46/3
28M/9403520	A27/CP	. Nut, 2BA plain	4	-	C	46/4
28W/9419475	SP15/C	. Washer, 2BA plain	4	-	C	46/5
37 103	E.F3.48.809	. BRACKET, lever mounting, frame 59 Attachments:-	1	L65	C	46/6
28D/9709461	AS.1242/3C	. Bolt, 2BA c'sk head	2	-	C	46/7
28M/1278190	AGS.2001/C/1	. Nut, stiff, 2BA	2	-	C	46/8
28W/9419475	SP15/C	. Washer, 2BA plain	2	-	C	46/9
	E.F3.48.781	. BRACKET, pulley aft of frame 55 assembly Attachments:-	1	-	-	46/10
28D/9133011	A25/2C	. Bolt, 2BA hex. head	3	-	C	46/11
28D/9419452	A25/3B	. Bolt, 4BA hex. head	1	-	C	46/12
28M/1278190	AGS.2001/C/1	. Nut, stiff, 2BA	3	-	C	46/13
28M/1086618	AGS.2002/B/1	. Nut, stiff, 4BA	1	-	C	46/14
28W/9419474	SP15/B	. Washer, 4BA plain	1	-	C	46/15
28W/9419475	SP15/C	. Washer, 2BA plain	3	-	C	46/16
10885	E.F2.48.107	. CABLE, parachute door operating	1	-	C	44/6
10886	E.F2.48.113	. CABLE, arrester hook release	1	-	C	44/7
10884	E.F2.48.181	. CABLE, parachute stream	1	-	C	44/9
37 104	E.F3.48.851	. CABLE, arrester hook release	1	-	C	46/17
37 105	E.F3.48.853	. CABLE, arrester hook release	1	-	C	46/18
37 106	E.F3.48.859	. CONDUIT, arrester hook release cable forward of frame 59	1	-	C	46/19
37 107	E.F3.48.861	. CONDUIT, arrester hook release cables aft of frame 59	1	-	C	46/20
37 108	E.F3.48.865	. COUPLING, conduit forward of frame 59	1	-	C	46/21
3698	E.B2.48.155	. FAIRLEAD, for cables	46	LFS 21	C	46/12
37 109	E.F3.48.805	. FAIRLEAD, half diaphragm between frames 55 and 56 Attachments:-	2	BS 2572 TYPE F3	C	46/22
28M/1086618	AGS.2002/B/1	. Nut, stiff, 4BA	4	-	C	46/23
28S/1008327	A32/B14	. Screw, 4BA round head	4	-	C	46/24
37 110	E.F3.48.857	. FAIRLEAD, arrester hook release cables	4	BS 2572 TYPE F3	C	46/25
28K/4070369	SP/7/Y/C	. FORK-END, lever to tumbarrel connecting	1	-	C	46/26

CONTROLS **TAIL PARACHUTE AND ARRESTER HOOK CABLES**

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
28K/4070367	SP/7Y/CL	. FORK-END, tumbarrel to release unit connecting	1	-	C	46/27
10174	E.F2.48.135	. FORK-END, arrester hook release adjustment between frames 57-58	1	S94	C	44/13
8448	E.B2.48.1219	. GUARD, pulley at frame 55	1	L65	C	44/14
37111	E.F3.48.813	. LEVER, arrester hook loading spring aft of frame 59 Attachments:-	1	-	C	46/32
28N/1046383	SP121/B	. Collar	1	-	C	46/33
28N/1046382	SP121/C	. Collar	1	-	C	46/34
28P/9710567	SP90/C4	. Pin, split	4	-	C	46/35
28P/16926	SP113/B3	. Pin, shear	1	-	C	46/36
28P/1220938	SP113/C4	. Pin, shear	2	-	C	46/37
28P/	SP113/X9	. Pin, shear	1	-	-	46/38
10177	EEAS.15/48/ 150GU	. LINK, cable to fork-end connection	1	S514	C	
		. MECHANISM, parachute door operating aft of frame 57, assembly (E.B2.48.1159) Spares for:-	-	-	-	45/1
4669	E.B2.48.811	. . BOLT, special, 3/8" BSF, pulley mounting and axis	4	S95	C	45/2
4670	E.B2.48.813	. . BOLT, special, 3/8" BSF, pulley mounting and axis	1	-	C	45/3
28D/1006853	A25/5J	. . BOLT, 3/8" BSF, pulley mounting and axis	1	S96	C	45/4
4671	E.B1.48.159	. . BRACKET, pulley mounting, between frames 60 and 61, port Attachments:-	1	-	C	45/5
28D/1212306	A25/22E	. . Bolt, 1/4" BSF hex. head	1	-	C	45/6
28M/1011467	A27/ES	. . Nut, 1/4" BSF slotted	1	-	C	45/7
28P/9527619	SP90/C7	. . Pin, split	1	-	C	45/8
4672	AS.2806/5/192	. . Tube, distance	1	-	C	45/9
4673	E.B2.48.667	. . Washer, special	1	-	C	45/10
28W/9419405	SP15/E	. . Washer, 1/4" BSF plain	1	-	C	45/11
4674	E.B1.48.160	. . BRACKET, pulley mounting, between frames 60 and 61 starboard. Attachments:-	1	-	C	45/12
28D/1212306	A25/22E	. . Bolt, 1/4" BSF hex. head	1	-	C	45/6
28M/1011467	A27/ES	. . Nut, 1/4" BSF slotted	1	-	C	45/7
28P/9527619	SP90/C7	. . Pin, split, 1/16" dia.	1	-	C	45/8
4672	AS.2806/5/192	. . Tube, distance	1	-	C	45/9
4673	E.B2.48.667	. . Washer, special	1	-	C	45/10
28W/9419405	SP15/E	. . Washer, 1/4" BSF plain	1	-	C	45/11
4675	E.B2.48.15	. . CABLE, door operating, port	1	-	C	45/13

CONTROLS
TAIL PARACHUTE AND ARRESTER HOOK CABLES

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
7950	E.B2.48.1051	. CABLE, door operating, starboard	1	-	C	45/14
4677	E.B2.48.9	. . FAIRLEAD, at frame 29 for cable run Attachments:-	1	LFS21	C	45/15
28D/1008149	A25/2B	. . Bolt, 4BA hex. head	4	-	C	45/16
28M/1278189	AGS.2001/B/1	. . Nut, 4BA stiff	4	-	C	45/17
28F/9419465	SP13/B	. . Washer, 4BA plain	4	-	C	45/18
28K/4070323	SP3Y/413	. . FORK-END, operating cable anchor	2	-	C	45/19
13129	E.B2.48.23	. . GUARD, pulley Attachments:-	1	LFS21	C	45/20
28D/1010029	A25/6B	. . Bolt, 4BA hex. head	2	-	C	45/21
28M/9403520	A27/BP	. . Nut, 4BA plain	2	-	C	45/22
13130	E.B2.48.1161	. . Washer, special	1	L72	C	45/23
28W/9419465	SP13/B	. . Washer, 4BA plain	2	-	C	45/24
13131	E.B2.48.25	. . GUARD, pulley Attachments:-	1	LFS21	C	45/25
28D/1010029	A25/6B	. . Bolt, 4BA hex. head	2	-	C	45/26
28M/9403519	A27/BP	. . Nut, 4BA plain	2	-	C	45/27
28W/9419465	SP13/B	. . Washer, 4BA plain	2	-	C	45/28
13132	E.B2.48.27	. . GUARD, pulley Attachments:-	1	LFS21	C	45/29
28D/1010029	A25/6B	. . Bolt, 4BA hex. head	2	-	C	45/30
28M/9403519	A27/BP	. . Nut, 4BA plain	2	-	C	45/31
28FP/9469299	AVIATN. A409	. . PIN, 'pip' quick release, hydraulic operating jack anchor	2	-	C	45/32
28P/814	SP4Y/A4	. . PIN, shackle, cable anchor on parachute door	2	-	C	45/33
28P/832	SP4Y/B6	. . PIN, shackle, cable anchor	2	-	C	45/34
28R/1052624	AS.103	. . PULLEY, cable	8	-	C	45/35
8471	E.B2.48.1211	. . SHROUD, trunnion mounting pulley	2	S515	C	45/36
8469	E.B2.48.1213	. . SHROUD, cable pulley at frame 60, starboard	1	S515	C	45/37
	E.B2.48.1215	. . SHROUD, cable pulley, at frame 60, port or	1	S515	-	45/38
8470	E.B2.48.1237	. . SHROUD, cable pulley, at frame 60, port	1	-	C	45/39
4681	E.B1.48.135	. . TRUNNION, jack fork-end	1	L65	C	45/50
28R/14789	SP35/C	. . TURNBUCKLE, cable adjustment	2	-	C	45/41
13133	E.B2.48.171	. . WASHER, packing, between nut and frame 60	1	DTD.622	C	46/42
37112	E.F3.48.877	. PACKING, fairlead frames 46 & 47	2	BS2572/F3	C	46/39
37113	E.F3.48.777	. PACKING, tapered, fairlead forward of frame 57	2	L65	C	46/40
4684	E.B2.48.711	. PULLEY, frame 55, parachute stream Attachments:-	1	L65	C	44/28
28M/1011467	A27/ES	. Nut, 1/4" BSF slotted	2	-	C	44/42
26FZ/1073	EEAS.28/15/JR	. Washer, packing	1	L72	C	46/44
4683	E.B2.48.1217	. Pin, pulley axis	1	S117	C	44/25
28P/19176	SP90/G6	. Pin, split	2	-	C	44/43

CONTROLS
TAIL PARACHUTE AND ARRESTER HOOK CABLES

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	AS.111	. PULLEY, bearing, frame 55 Attachments:-	1	-	B	46/41
28D/1212318	A60/5E	. Bolt, 1/4" BSF shear	1	-	C	46/42
28M/1011467	A27/ES	. Nut, 1/4" BSF, slotted	1	-	C	46/43
28P/9710567	SP90/C4	. Pin, split	1	-	C	46/44
28W/9419405	SP15/E	. Washer, 1/4" BSF plain	1	-	C	46/46
	EEAS.21A/6/ HR	. Washer, pad	1	L72	-	46/45
28R/1038190	AS.1151	. PULLEY, bearing, shrouded, frames 56, 57 and 60 Attachments:-	3	-	B	44/29
28D/1215687	A59/8E	. Bolt, 1/4" BSF hex. head	3	-	C	44/45
28M/1011467	A27/ES	. Nut, 1/4" BSF slotted	3	-	C	44/46
28P/19176	SP90/G6	. Pin, split	3	-	C	44/47
28W/9419487	SP16/E	. Washer, 1/4" BSF plain	3	-	C	44/48
28U/14789	SP35/C	. ROD, tension arrester hook cable adjustment, aft of frame 56	1	-	C	46/47
37114	E.F3.48.863	. SLEEVE, screwed, aft of frame 56	1	S114	C	46/48
4686	E.B1.48.717	. SPRING, leading, arrester hook release Attachments:-	1	DTD.239	C	44/49
28N/1046383	SP121/B	. Collar	3	-	C	44/50
37115	EEAS.15/49/ 085/ER	. Link	4	L72	C	44/51
28P/9429619	SP9/C5	. Pin, split	3	-	C	44/52
28P/16928	SP113/B3	. Pin, shear	3	-	C	44/53
	E.F3.48.793	. TIE-ROD, adjusting, arrester hook release unit	1	S95 or S96	-	46/49
28U/1359223	SP33/B	. TURN-BARREL, 2BA, cable joint forward of frame 59	1	-	C	44/39
37116	E.F3.48.751	. UNIT, release, arrester hook Attachments:-	1	-	B	46/50
28D/1212313	A25/15E	. Bolt, 1/4" BSF hex. head	1	-	C	46/51
28N/1046382	SP121/C	. Collar	1	-	C	46/52
28M/1011467	A27/ES	. Nut, 1/4" BSF slotted	1	-	C	46/53
28D/9710567	SP90/C4	. Pin, split	2	-	C	46/54
28P/1220938	SP113/C4	. Pin, shear	1	-	C	46/55
	AS.2808/6/130	. Tube, distance	1	-	-	46/56
28W/9419405	SP15/E	. Washer, 1/4" BSF plain	1	-	C	46/57

CONTROLS
TAIL PARACHUTE AND ARRESTER HOOK CABLES

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
76	VICKERS 2990	. UNIT, manual release, Mk.3A	1	-	A	44/40
		Spares for:-				
20688	VICKERS DO5K1561	. . ROD, operating group	1	-	C	
20678	VICKERS A2880-65	. . SPRING	1	-	C	
20679	VICKERS A2780-13	. . SPRING	1	-	C	
20680	VICKERS A2880-29	. . SPRING, return	1	-	C	
20682	VICKERS A2780-32	. . SPRING	1	-	C	
20683	VICKERS A2780-71	. . SPRING, tension rod	1	-	C	
20684	VICKERS A2780-72	. . SPRING, tension rod	1	-	C	
20685	VICKERS A2880-24	. . STRIP, sealing	1	-	C	
20686	VICKERS A2880-25	. . STRIP, sealing	1	-	C	
20687	VICKERS A2880-38	. . STRIP, sealing	1	-	C	
20681	VICKERS A2780-42	. . WASHER, felt	2	-	C	
33487	VICKERS A2880-9	. . LEVER, safety	1	-	C	
		Attachments:-				
28D/	A59/25L	. Bolt, 7/16" BSF hex. head	2	-	C	44/54
28D/1213677	A59/26L	. Bolt, 7/16" BSF hex. head	2	-	C	44/55
28M/9129449	A27/LS	. Nut, 7/16" BSF slotted	4	-	C	44/22
28P/9560929	SP90/E8	. Pin, split	4	-	C	44/56
28W/9419478	SP15/L	. Washer, 7/16" BSF plain	4	-	C	44/57
13134	EEAS.28/6AU	. WASHER, for fairlead mounting bolt	22	DTD124	C	44/41

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				