

MAIN PLANE  
ASSEMBLY OF TRAILING EDGE FLAP TO PORT WING

| Ref. No.   | Part No.        | Description   | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|------------|-----------------|---|---------|-------------|---------------|-----------|
|            |                 |   |         |             | M.R. L.M.     |           |
|            |                 | 1 2 3 4 5 6   |         |             |               |           |
|            | —               | ASSEMBLY OF TRAILING EDGE FLAP TO PORT WING<br>(E.F5.00.371) (Pre-Mod 9209)<br>(E.F6.00.235) (Mod 9209)<br>Spares for:—                   | —       | —           | —             |           |
| 37141      | E.B2.25.937     | . BOLT, special, flap jack pick-up  | 2       | S97         | C             |           |
| 36287      | E.F3.20.3885    | . BOLT, special shear, centre hinge bracket attachment  | 2       | S95 or S96  | C             | 4A/2      |
| 36284      | E.F3.20.3881    | . BOLT, special, flap hinge bracket   | 6       | S95 or S96  | C             | 4A/4      |
| 9638       | E.B2.20.9309    | . BOLT, special, flap hinge bracket   | 2       | S95 or S96  | C             | 4A/5      |
|            | E.F5.25.13      | . FLAP, plain, assembly (Mod 9209)  | 1       | —           | —             | 4A/6      |
|            |                 | Spares for:—  |         |             |               |           |
| 29981      | E.B2.25.523     | . . BEARING, spherical, flap hinge, outboard  | 1       | DTD197      | C             | 4A/7      |
| 30019      | E.B2.25.885     | . . BEARING, spherical, flap hinge, inboard   | 1       | DTD197      | C             | 4A/8      |
| 2980       | E.B2.25.621     | . . BOLT, special, flap hinge pin anchor  | 2       | —           | C             | 4A/9      |
| 26FZ/5842  | EEAS.134/2C     | . . BOLT, sealing, 2 BA   | 1       | S97         | C             |           |
| 26FZ/12338 | EEAS.134/3-1/2C | . . BOLT, sealing, 2 BA   | 3       | S97         | C             | 4A/10     |
| 12499      | EEAS.296/17/35C | . . BOLT, special, top and bottom skin closing  | 42      | S97         | C             | 4A/11     |
| 7725       | EEAS.296/30/35C | . . BOLT, special, top and bottom skin closing  | 4       | S97         | C             | 4A/12     |
| 12500      | EEAS.296/18/38C | . . BOLT, special, top and bottom skin closing  | 2       | S97         | C             | 4A/13     |
| 22975      | E.B2.25.475     | . . BRACKET, centre hinge   | 1       | S96         | C             | 4A/14     |
|            | E.B2.81.8587    | . . CABLE, assembly, 2P31, from 3-way terminal block, trailing edge rib 3 to trailing edge flap float switch, port, group (Pre-Mod. 4609) | 1       | —           | —             | 4A/15     |
|            |                 | Consisting of:—   |         |             |               |           |
| 5E/3893    | †               | . . . CABLE, unifersil 22   | QR      | —           | C             | 4A/16     |
| 5X/9491422 | Z.22430         | . . . GROMMET, No. 2 tension  | 1       | —           | C             | 4A/17     |
|            | EEAS.146/T/0    | . . . SLEEVE, 3/4" long   | 6       | —           | —             | 4A/18     |
|            | EEAS.146/T/C    | . . . SLEEVE, 1" long   | 1       | —           | —             | 4A/19     |
|            | EEAS.146/T/C    | . . . SLEEVE, 1-1/2" long   | 1       | —           | —             | 4A/20     |
| 5X/9462951 | HC.294          | . . . TERMINAL, ring tongue   | 3       | —           | C             | 4A/21     |
| 5X/1010324 | HC.296          | . . . TERMINAL, ring tongue   | 3       | —           | C             | 4A/22     |
| 6A/6995    | SMITHS          | . . CABLE, co-axial, tank unit connecting   | 2       | —           | C             | 4A/23     |
|            | MBH/12          |   |         |             |               |           |
| 6A/6982    | SMITHS          | . . CABLE, co-axial, tank unit connecting   | 2       | —           | C             | 4A/24     |
|            | MBD/12          |   |         |             |               |           |

MAIN PLANE  
ASSEMBLY OF TRAILING EDGE FLAP TO PORT WING

| Ref. No.    | Part No.        | Description   | No. off | Mater. Spec.              | Cl. of Equip. | Plate No. |
|-------------|-----------------|---|---------|---------------------------|---------------|-----------|
|             |                 |   |         |                           | M.R.<br>L.M.  |           |
|             |                 | 1 2 3 4 5 6   |         |                           |               |           |
|             | E.F3.03.29      | . . . FLAP, inboard main, sub-assembly<br>(E.F3.25.33)<br>Spares for:—        | 1       | —                         | —             | 4/1       |
|             | E.B2.25.241     | . . . ANGLE, rib attachment   | 1       | —                         | —             | 4/2       |
|             | E.B2.25.242     | . . . ANGLE, rib attachment   | 1       | —                         | —             | 4/3       |
|             | E.B2.25.243     | . . . ANGLE, rib attachment   | 1       | —                         | —             | 4/4       |
|             | E.B2.25.244     | . . . ANGLE, rib attachment   | 1       | —                         | —             | 4/5       |
|             | E.B2.25.881     | . . . ANGLE, corner sealing   | 1       | L73                       | —             | 4/6       |
|             | E.B2.25.535     | . . . BACK-PLATE, flap hinge joint  | 1       | L65                       | —             | 4/7       |
|             | E.B2.25.539     | . . . BACK-PLATE, flap hinge joint  | 1       | L65                       | —             | 4/8       |
| 11666       | E.B2.25.911     | . . . BOLT, special, 2 BA 90° c'sk head, sealing<br>plug pressure at nose rib | 1       | S95, S96<br>or<br>EN111/T | C             | 4/9       |
|             | E.B2.25.913     | . . . BOLT, special, 2 BA hex. head   | 2       | S95, S96<br>or<br>EN111/T | —             | 4/10      |
|             | E.B2.25.915     | . . . BOLT, special, 2 BA hex. head   | 1       | S95, S96<br>or<br>EN111/T | —             | 4/11      |
|             | E.B2.25.927     | . . . BOLT, special, 2 BA hex. head<br>(May be made from A25/1C)              | 2       | S116                      | LM            | 4/12      |
| 26FZ/3524   | EEAS.134/2-1/2C | . . . BOLT, sealing, 2 BA   | 155     | S97                       | C             | 4/13      |
| 26FZ/12338  | EEAS.134/3-1/2C | . . . BOLT, sealing, 2 BA   | 30      | S97                       | C             | 4/14      |
| 11675       | EEAS.296/10/28C | . . . BOLT, 2 BA c'sk head  | 28      | S97                       | C             | 4/15      |
| 9631        | EEAS.296/15/24C | . . . BOLT, 2 BA c'sk head  | 11      | S97                       | C             | 4/16      |
| 9630        | EEAS.296/18/36C | . . . BOLT, 2 BA c'sk head  | 4       | S97                       | C             | 4/17      |
| 7725        | EEAS.296/30/35C | . . . BOLT, 2 BA c'sk head  | 6       | S97                       | C             | 4/18      |
|             | E.B2.25.399     | . . . BRACKET, lower closing<br>Attachments:—                                 | 1       | L65                       | —             | 4/19      |
| 28D/9436920 | A25/1C          | . . . Bolt, 2 BA hex. head  | 1       | —                         | C             | 4/20      |
|             | E.B2.25.401     | . . . BRACKET, upper closing<br>Attachments:—                                 | 1       | L65                       | —             | 4/21      |
| 28D/9436920 | A25/1C          | . . . Bolt, 2 BA hex. head  | 1       | —                         | C             | 4/22      |
|             | E.B2.25.402     | . . . BRACKET, upper closing<br>Attachments:—                                 | 1       | L65                       | —             | 4/23      |
| 28D/9436920 | A25/1C          | . . . Bolt, 2 BA hex. head  | 1       | —                         | C             | 4/22      |
|             | E.B2.25.479     | . . . BRACKET, lower closing<br>Attachments:—                                 | 1       | L65                       | —             | 4/24      |
| 28D/9436920 | A25/1C          | . . . Bolt, 2 BA hex. head  | 1       | —                         | C             | 4/22      |

MAIN PLANE  
ASSEMBLY OF TRAILING EDGE FLAP TO PORT WING

| Ref. No.    | Part No.        | Description  | No. off | Matl. Spec.     | Cl. of Equip. | Plate No. |
|-------------|-----------------|--|---------|-----------------|---------------|-----------|
|             |                 |  |         |                 | M.R.<br>L.M.  |           |
|             |                 | 1 2 3 4 5 6  |         |                 |               |           |
| 12497       | E.B2.25.717     | . . . BRACKET, desyn transmitter link<br>Attachments:— | 1       | L64             | C             | 4/25      |
| 28D/9133012 | A25/3C          | . . . Bolt, 2 BA hex. head                             | 2       | —               | C             | 4/26      |
| 28M/1006473 | A27/CT          | . . . Nut, 2 BA thin                                   | 2       | —               | C             | 4/27      |
|             | E.B2.25.611     | . . . CLEAT, assembly<br>Spares for:—                  | 1       | —               | —             | 5/1       |
|             | E.B2.25.669     | . . . . CLEAT  | 1       | L73             | —             | 5/2       |
|             | E.B2.25.613     | . . . CLEAT, assembly<br>Spares for:—                  | 1       | —               | —             | 5/3       |
|             | E.B2.25.671     | . . . . CLEAT  | 1       | L73             | —             | 5/4       |
|             | E.B2.25.615     | . . . CLEAT, assembly<br>Spares for:—                  | 1       | —               | —             | 5/5       |
|             | E.B2.25.673     | . . . . CLEAT  | 1       | L73             | —             | 5/6       |
|             | E.F3.25.71      | . . . HOUSING, seal<br>Attachments:—                   | 1       | L65             | —             | 5/7       |
| 28D/15638   | A25/3-1/2C      | . . . Bolt, 2 BA hex. head                             | 7       | —               | C             | 5/8       |
| 26FZ/22959  | EEAS.152/C      | . . . Washer, sealing                                  | 7       | —               | C             | 5/9       |
| 28N/2005098 | PH.190/3        | . . . JO-BOLT  | 98      | —               | C             | 5/10      |
| 28N/2005099 | PH.190/4        | . . . JO-BOLT  | 1       | —               | C             | 5/11      |
| 28N/2005100 | PH.190/5        | . . . JO-BOLT  | 1       | —               | C             | 5/12      |
|             | E.B2.25.557     | . . . NUT, special sealing                             | 2       | —               | —             | 4/28      |
|             | E.B2.25.559     | . . . NUT, "D"   | 2       | S96             | —             | 4/29      |
|             | E.B2.25.533     | . . . PACKING, flap hinge joint                        | 1       | Neo-K-Tex       | —             | 4/30      |
|             | E.B2.25.537     | . . . PACKING, flap hinge joint                        | 1       | Neo-K-Tex       | —             | 4/31      |
|             | E.B2.25.695     | . . . PACKING  | 1       | L72             | —             | 4/32      |
|             | E.B2.25.409     | . . . PAD, pressure                                    | 2       | S96             | —             | 4/33      |
|             | E.B2.25.403     | . . . PIPE, fuel, inboard<br>Attachments:—             | 1       | L54             | —             | 4/34      |
| 28D/1214091 | AS.1242/2C      | . . . Bolt, 2 BA c'sk head                             | 3       | —               | C             | 4/35      |
|             | E.B2.25.889     | . . . PIPE, fuel, assembly                             | 1       | L54             | —             | 4/36      |
|             | E.B2.25.617     | . . . PLATE, tie                                       | 1       | L73             | —             | 4/37      |
|             | E.B2.25.451     | . . . PLUG, rubber, inboard centre nose rib sealing    | 2       | Hycatrol<br>HE4 | —             | 4/38      |
| 29993       | E.B2.25.551     | . . . PLUG, sealing                                    | 2       | Hycatrol<br>HE4 | C             | 4/39      |
|             | E.B2.25.553     | . . . PLUG, sealing                                    | 2       | Hycatrol<br>HE4 | —             | 4/40      |
|             | E.B2.25.381     | . . . RETAINER, seal<br>Attachments:—                  | 1       | L65             | —             | 5/13      |
| 11675       | EEAS.296/10/28C | . . . Bolt, 2 BA c'sk head                             | 1       | S97             | C             | 5/14      |
| 28D/9133012 | A25/3C          | . . . Bolt, 2 BA hex. head                             | 1       | —               | C             | 5/15      |

MAIN PLANE  
ASSEMBLY OF TRAILING EDGE FLAP TO PORT WING

| Ref. No.    | Part No.        | Description<br>1 2 3 4 5 6                                     | No. off | Matl. Spec.     | Cl. of Equip. | Plate No. |
|-------------|-----------------|--|---------|-----------------|---------------|-----------|
|             |                 |  |         |                 | M.R. L.M.     |           |
|             | E.B2.25.382     | . . . RETAINER, seal<br>Attachments:—                          | 1       | L65             | —             | 5/16      |
| 11675       | EEAS.296/10/28C | . . . Bolt, 2 BA c'sk head                                     | 1       | S97             | C             | 5/17      |
| 28D/9133012 | A25/3C          | . . . Bolt, 2 BA hex. head                                     | 1       | —               | C             | 5/18      |
|             | E.F3.25.69      | . . . RIB, inboard centre, aft, assembly                       | 1       | —               | —             | 5/19      |
|             |                 | Spares for:—   |         |                 |               |           |
| 28M/11957   | AGS.2007/C/1    | . . . . NUT, 2 BA anchor                                       | 7       | —               | C             | 5/20      |
|             | E.F3.25.73      | . . . . RIB  | 1       | L40             | —             | 5/21      |
| 7382        | EEAS.154/C      | . . . . WASHER, sealing  | 7       | L65             | C             | 5/22      |
|             | E.B2.25.179     | . . . RIB, inboard centre, nose forward, assembly              | 1       | —               | —             | 5/23      |
|             |                 | Spares for:—   |         |                 |               |           |
| 28N/17709   | AS.4947/26      | . . . . INSERT, wire thread, 2 BA x ".36 long                  | 3       | DTD239          | C             | 5/24      |
|             | E.B2.25.185     | . . . . RIB  | 1       | DTD721          | —             | 5/25      |
|             | E.B2.25.183     | . . . RIB, inboard nose  | 1       | DTD721          | —             | 5/26      |
|             | E.B2.25.265     | . . . RIB, inboard hinge, assembly                             | 1       | —               | —             | 5/27      |
|             |                 | Spares for:—   |         |                 |               |           |
| 28N/        | AS.4947/2       | . . . . INSERT, wire thread, 2 BA                              | 10      | DTD239          | —             | 5/28      |
| 28N/19834   | AS.4947/3       | . . . . INSERT, wire thread, 1/4" BSF                          | 1       | DTD239          | C             | 5/29      |
|             | E.B2.25.267     | . . . . RIB  | 1       | L40             | —             | 5/30      |
|             | or              |  |         |                 |               |           |
|             | E.B2.25.841     |  |         |                 |               |           |
|             | E.B2.25.603     | . . . RIB, auxiliary, top                                      | 1       | —               | —             | 5/31      |
|             | E.B2.25.605     | . . . RIB, auxiliary, bottom                                   | 1       | —               | —             | 5/32      |
|             | E.B2.25.861     | . . . RIB, inboard, slant                                      | 1       | L40             | —             | 5/33      |
| 10810       | PIONEER 3—133   | . . . RING, "O"  | 2       | —               | C             | 5/34      |
| 2547        | PIONEER 3—136   | . . . RING, "O"  | 4       | —               | C             | 5/35      |
|             | E.B2.25.449     | . . . SCREW, set, seal pressure, at inboard centre<br>nose rib | 2       | S96             | —             | 5/36      |
|             | UNBRAKO         | . . . SCREW, socket set, 1/4" BSF x 1/4" long                  | 2       | —               | —             | 5/37      |
|             | Series SP       |  |         |                 |               |           |
| 29937       | E.B2.25.195     | . . . SEAL, assembly, flap to fillet                           | 1       | —               | C             | 5/38      |
|             | E.B2.25.407     | . . . SEAL, rubber   | 2       | Hycatrol<br>HE4 | —             | 5/39      |
|             | E.F3.25.37      | . . . SKIN, inboard top, assembly                              | 1       | —               | —             | 5/40      |
|             |                 | Spares for:—   |         |                 |               |           |
|             | E.B2.25.333     | . . . . BRACKET, spar attachment, assembly                     | 1       | —               | —             | 5/43      |
|             |                 | Spares for:—   |         |                 |               |           |
|             | E.B2.25.263     | . . . . . BRACKET, spar attachment                             | 1       | L65             | —             | 5/44      |
|             | E.B2.25.201     | . . . . SKIN   | 1       | L73             | —             | 5/41      |

MAIN PLANE  
ASSEMBLY OF TRAILING EDGE FLAP TO PORT WING

| Ref. No.    | Part No.        | Description  | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-------------|-----------------|--|---------|-------------|---------------|-----------|
|             |                 |  |         |             | M.R. L.M.     |           |
|             | E.F3.25.39      | . . . SKIN, inboard bottom assembly<br>Spares for:—                  | 1       | -           | -             | 5/42      |
|             | E.B2.25.333     | . . . BRACKET, spar attachment, assembly<br>Spares for:—             | 1       | -           | -             |           |
|             | E.B2.25.263     | . . . BRACKET, spar attachment                                       | 1       | L65         | -             |           |
|             | E.F3.25.47      | . . . SKIN   | 1       | L73         | -             | 5/45      |
|             | E.B2.25.453     | . . . STRIP, trailing edge   | 1       | L40         | -             | 5/46      |
| 7205        | E.B1.62.729     | . . . VALVE, non-return  | 1       | Hycar       | C             | 5/47      |
|             | E.B2.25.619     | . . . WASHER, pad  | 130     | L72         | -             | 5/48      |
| 26FZ/22959  | EEAS.152/C      | . . . WASHER, sealing  | 200     | L65         | C             | 5/49      |
| 7382        | EEAS.154/C      | . . . WASHER, sealing  | 4       | L65         | C             | 5/50      |
|             | E.F3.03.31      | . . FLAP, ouboard main, sub-assembly<br>(E.F3.25.35)<br>Spares for:— | 1       | -           | -             |           |
|             | E.B2.25.563     | . . . ANGLE, corner sealing  | 1       | L73         | -             | 6/1       |
|             | E.B2.25.881     | . . . ANGLE, corner sealing  | 1       | L73         | -             | 6/2       |
|             | E.B2.25.535     | . . . BACK-PLATE, flap hinge joint                                   | 1       | L65         | -             | 6/3       |
| 26FZ/3524   | EEAS.134/2-1/2C | . . . BOLT, sealing 2 BA   | 90      | S97         | C             | 6/4       |
| 26FZ/5118   | EEAS.134/3C     | . . . BOLT, sealing 2 BA   | 2       | S97         | C             | 6/5       |
| 26FZ/12338  | EEAS.134/3-1/2C | . . . BOLT, sealing 2 BA   | 37      | S97         | C             | 6/6       |
| 26FZ/25703  | EEAS.134/4C     | . . . BOLT, sealing 2 BA   | 5       | S97         | C             | 6/7       |
| 3091        | EEAS.134/5C     | . . . BOLT, sealing 2 BA   | 32      | S97         | C             | 6/8       |
|             | EEAS.296/10/38C | . . . BOLT, 2 BA c'sk head   | 14      | S97         | -             | 6/9       |
| 9631        | EEAS.296/25/24C | . . . BOLT, 2 BA c'sk head   | 20      | S97         | C             | 6/10      |
| 9630        | EEAS.296/18/36C | . . . BOLT, 2 BA c'sk head   | 2       | S97         | C             | 6/11      |
| 7725        | EEAS.296/30/35C | . . . BOLT, 2 BA c'sk head   | 6       | S97         | C             | 6/12      |
|             | E.B2.25.400     | . . . BRACKET, lower closing<br>Attachments:—                        | 1       | L65         | -             | 6/13      |
| 28D/9436920 | A25/1C          | . . . Bolt, 2 BA hex. head   | 1       | -           | C             | 6/14      |
|             | E.B2.25.401     | . . . BRACKET, upper closing<br>Attachments:—                        | 1       | L65         | -             | 6/15      |
| 28D/9436920 | A25/1C          | . . . Bolt, 2 BA hex. head   | 1       | -           | C             | 6/16      |
|             | E.B2.25.402     | . . . BRACKET, upper closing<br>Attachments:—                        | 1       | L65         | -             | 6/17      |
| 28D/9436920 | A25/1C          | . . . Bolt, 2 BA hex. head   | 1       | -           | C             | 6/16      |
|             | E.B2.25.543     | . . . BRACKET, lower closing<br>Attachments:—                        | 1       | L65         | -             | 6/18      |
| 28D/9436920 | A25/1C          | . . . Bolt, 2 BA hex. head   | 1       | -           | C             | 6/19      |
|             | E.B2.25.471     | . . . CLEAT, assembly  | 1       | -           | -             | 7/1       |
|             | E.B2.25.473     | . . . CLEAT, assembly  | 1       | -           | -             | 7/2       |

MAIN PLANE  
ASSEMBLY OF TRAILING EDGE FLAP TO PORT WING

| Ref. No.    | Part No.          | Description   | No. off | Matl. Spec.     | Cl. of Equip. | Plate No. |
|-------------|-------------------|---|---------|-----------------|---------------|-----------|
|             |                   |   |         |                 | M.R. L.M.     |           |
|             | E.B2.25.612       | . . . CLEAT, assembly<br>Spares for:—                       | 1       | —               | —             | 7/3       |
|             | E.B2.25.670       | . . . . CLEAT   | 1       | L73             | —             | 7/4       |
|             | E.B2.25.614       | . . . CLEAT, assembly<br>Spares for:—                       | 1       | —               | —             | 7/5       |
|             | E.B2.25.672       | . . . . CLEAT   | 1       | L73             | —             | 7/6       |
|             | E.B2.25.685       | . . . CLEAT, assembly                                       | 1       | —               | —             | 7/7       |
|             | E.B2.25.591       | . . . HOUSING, seal   | 1       | L64             | —             | 7/8       |
| 28N/2005098 | PH.190/3          | . . . JO-BOLT   | 78      | —               | C             | 7/9       |
| 28N/2005099 | PH.190/4          | . . . JO-BOLT   | 1       | —               | C             | 7/10      |
| 28N/2005100 | PH.190/5          | . . . JO-BOLT   | 1       | —               | C             | 7/11      |
|             | E.B2.25.557       | . . . NUT, sealing outboard centre nose rib, aft            | 2       | S96             | —             | 6/20      |
|             | E.B2.25.559       | . . . NUT, "D", plug sealing, outboard nose rib             | 2       | S96             | —             | 6/21      |
|             | E.B2.25.533       | . . . PACKING, hinge joint                                  | 1       | Neo-K-Tex       | —             | 6/22      |
|             | E.B2.25.695       | . . . PACKING   | 1       | L72             | —             | 6/23      |
|             | E.B2.25.335       | . . . PIPE, fuel, assembly                                  | 1       | L54             | —             | 6/24      |
|             | E.B2.25.597       | . . . PIPE, fuel, assembly                                  | 1       | L54             | —             | 6/25      |
|             | E.B2.25.691       | . . . PLATE, tie  | 1       | L73             | —             | 6/26      |
|             | E.B2.25.451       | . . . PLUG, rubber  | 2       | Hycatrol<br>HE4 | —             | 6/27      |
| 29993       | E.B2.25.551       | . . . PLUG, sealing, outboard nose rib                      | 2       | Hycatrol<br>HE4 | C             | 6/28      |
|             | E.B2.25.555       | . . . PLUG, sealing, outboard centre nose rib               | 2       | Hycatrol<br>HE4 | —             | 6/29      |
|             | E.B2.25.383       | . . . RIB, outboard centre nose                             | 1       | DTD721          | —             | 7/12      |
|             | E.B2.25.459       | . . . RIB, outboard nose                                    | 1       | DTD721          | —             | 7/13      |
|             | E.B2.25.847       | . . . RIB, outboard end                                     | 1       | DTD5024         | —             | 7/14      |
|             | E.B2.25.855       | . . . RIB, outboard centre, aft                             | 1       | L40             | —             | 7/15      |
| 10810       | PIONEER 3—133     | . . . RING "O"  | 2       | —               | C             | 6/30      |
| 2547        | PIONEER 3—136     | . . . RING "O"  | 4       | —               | C             | 6/59      |
|             | E.B2.25.449       | . . . SCREW, set, seal pressure at outboard centre nose rib | 2       | S96             | —             | 7/16      |
|             | UNBRAKO Series SP | . . . SCREW, socket set, 1/4" BSF x 1/4" long               | 2       | —               | —             | 7/17      |
|             | E.F3.25.41        | . . . SKIN, outboard top, assembly<br>Spares for:—          | 1       | —               | —             | 7/18      |
|             | E.B2.25.481       | . . . . SKIN  | 1       | L73             | —             | 7/19      |
|             | E.F3.25.43        | . . . SKIN, outboard bottom assembly<br>Spares for:—        | 1       | —               | —             | 7/20      |
|             | E.F3.25.53        | . . . . SKIN  | 1       | L73             | —             | 7/21      |
|             | E.B2.25.455       | . . . STRIP, trailing edge                                  | 1       | L40             | —             | 7/22      |

MAIN PLANE  
ASSEMBLY OF TRAILING EDGE FLAP TO PORT WING

Page JB7

| Ref. No.            | Part No.        | Description  | No. off | Matl. Spec.   | Cl. of Equip. | Plate No. |
|---------------------|-----------------|--|---------|---------------|---------------|-----------|
|                     |                 |  |         |               | M.R.<br>L.M.  |           |
|                     |                 | 1 2 3 4 5 6  |         |               |               |           |
| 26FZ/22959<br>33031 | E.B2.25.619     | . . . WASHER, pad  | 104     | L72           | —             | 6/31      |
|                     | E.B2.25.565     | . . . WASHER, radius                                       | 1       | L73           | —             | 7/23      |
|                     | EEAS.152/C      | . . . WASHER, sealing                                      | 178     | L65           | C             | 6/32      |
|                     | E.F3.25.65      | . . LEAD, bonding, assembly                                | 4       | —             | C             | 7/24      |
|                     |                 | Spares for:—   |         |               |               |           |
| 5K/                 | B.I.C.C.        | . . . BRAID, flexible tinned copper, 16/4/.0048            | QR      | —             | —             | 7/25      |
|                     | E.F3.25.101     | . . . TAG, ring tongue (make from Erma<br>Pt. No. 12387/1) | 1       | —             | LM            | 7/26      |
| 5X/9462745          | HC.304          | . . . TAG, ring tongue                                     | 1       | —             | C             | 7/27      |
|                     | E.B2.25.465     | . . LINK, centre hinge bracket, assembly                   | 1       | —             | —             | 6/33      |
|                     |                 | Spares for:—   |         |               |               |           |
|                     | E.B2.25.389     | . . . BUSH   | 1       | DTD265        | —             | 6/34      |
|                     | E.B2.25.391     | . . . BUSH   | 1       | Clevite<br>10 | —             | 6/35      |
| 28N/9156370         | E.B2.25.397     | . . . LINK   | 1       | S96           | —             | 6/36      |
|                     | SP21            | . . . NIPPLE, lubricating                                  | 1       | —             | C             | 6/37      |
|                     | E.F3.25.61      | . . MOUNTING, co-axial socket                              | 2       | DTD721        | —             | 6/38      |
|                     |                 | Attachments:—  |         |               |               |           |
| 28D/9133011         | EEAS.296/12/40C | . . Bolt, special, 2 BA c'sk head                          | 6       | S97           | —             | 6/39      |
|                     | A25/2C          | . . Bolt, 2 BA hex. head                                   | 10      | —             | C             | 6/40      |
| 28F/9429636         | AGS.1186/3      | . . Seal, bonded, 2 BA                                     | 10      | —             | C             | 6/41      |
|                     | E.F3.25.113     | . . NUT, anchor, corner, 1/4" BSF                          | 1       | —             | —             |           |
| 1485525             | EEAS.747/C      | . . NUT, anchor, corner, 2 BA                              | 9       | —             | —             |           |
|                     | EEAS.747/E      | . . NUT, anchor, corner, 1/4" BSF                          | 27      | —             | C             |           |
|                     | E.B2.25.623     | . . PACKING, taper   | 2       | L72           | —             | 7/28      |
|                     | E.F3.25.77      | . . PANEL, fuel gauge, assembly                            | 2       | —             | —             | 7/29      |
|                     |                 | Spares for:—   |         |               |               |           |
|                     | E.F3.25.49      | . . . PLATE, mounting, assembly                            | 1       | —             | —             | 7/30      |
|                     |                 | Spares for:—   |         |               |               |           |
|                     | E.F3.25.75      | . . . BRACKET, support                                     | 1       | L73           | —             | 7/31      |
|                     | E.F3.25.76      | . . . BRACKET, support                                     | 1       | L73           | —             | 7/32      |
|                     | E.F3.25.55      | . . . PLATE, mounting                                      | 1       | L65           | —             | 7/33      |
| 6A/6959             | SMITHS GS.1     | . . . UNIT, tank   | 1       | —             | A             | 7/34      |
|                     |                 | Attachments:—  |         |               |               |           |
| 13041               | EEAS.296/15/38C | . . Bolt, 2 BA c'sk head                                   | 28      | S97           | C             | 7/35      |
| 29934               | E.B2.25.175     | . . PIN, hinge   | 2       | S96           | C             | 6/42      |
| 29960               | E.B2.25.393     | . . PIN, hinge, centre bracket                             | 1       | S96           | C             | 6/43      |
| 29961               | E.B2.25.395     | . . PIN, hinge, centre                                     | 1       | S96           | C             | 6/44      |
| 7201                | E.B2.25.595     | . . PIPE, fuel transfer                                    | 1       | S64           | C             | 6/45      |
|                     | E.B2.25.531     | . . PIVOT, hinge pick-up                                   | 2       | S92           | —             | 6/46      |
| 12498               | EEAS.100/3E     | . . SCREW, special, top and bottom skin closing            | 28      | —             | C             | 6/47      |

ABCD

Restricted

MAIN PLANE  
ASSEMBLY OF TRAILING EDGE FLAP TO PORT WING

| Ref. No.    | Part No.  | Description  | No. off | Matl. Spec.   | Cl. of Equip. | Plate No. |
|-------------|---|--|---------|---------------|---------------|-----------|
|             |   |  |         |               | M.R. L.M.     |           |
|             |   | 1 2 3 4 5 6  |         |               |               |           |
| 2478        | PIONEER<br>11P.12507525/B                                   | . . SEAL (Pre-Mod. 9209)   | 2       | —             | C             | 6/48      |
|             | PIONEER<br>11P.12507525/D                                   | . . SEAL (Mod. 9209)   | 2       | —             | —             |           |
| 6A/6970     | SMITHS MB.13  | . . SOCKET, co-axial   | 2       | —             | B             | 6/49      |
| 6A/6971     | SMITHS MB.15  | . . SOCKET, co-axial   | 2       | —             | B             | 6/50      |
|             | F.R. LTD.<br>3504100/256                                    | . . SWITCH, float (Pre-Mod. 4609)  | 1       | —             | B             | 6/52      |
|             | F.R. LTD.<br>3504100/289                                    | . . SWITCH, float (Mod. 4609)  | 1       | —             | —             |           |
| 29976       | E.B2.45.477   | . . WASHER, "D"  | 3       | L73           | C             | 6/53      |
| 26FZ/22959  | EEAS.152/C  | . . WASHER, sealing  | 4       | —             | C             | 6/32      |
| 5X/2785     | Z.22430   | . GROMMET, No. 2 (Mod. 4609)   | 3       | —             | C             |           |
| 3012*       | E.B.20.3677   | . LINK, trailing edge flap desynn transmitter connecting group<br>Spares for:—               | 1       | —             | C             | 4A/25     |
|             | E.B.20.3679   | . . CLEVIS   | 2       | L65           | —             | 4A/26     |
| 28M/9403520 | A29/CP  | . . NUT, 2 BA plain  | 2       | —             | C             | 4A/27     |
|             | EEAS.38/3B  | . . SPOKE, 2 BA  | 1       | —             | —             | 4A/28     |
| 12460       | E.B.3.20.1965   | . LINK, cranked rod, trailing edge flap desynn transmitter connecting, group<br>Spares for:— | 1       | —             | C             | 4A/29     |
|             | E.B.20.3679   | . . CLEVIS   | 2       | L65           | —             | 4A/26     |
| 28M/9403520 | A29/CP  | . . NUT, 2 BA plain  | 2       | —             | C             | 4A/27     |
|             | E.B.3.20.1963   | . . ROD, cranked link (Make from EEAS.38/3B)   | 1       | —             | LM            | 4A/30     |
| 3047        | E.B.2.20.3681   | . PIN, clevis, desynn transmitter link<br>Attachments:—                                      | 2       | S96           | C             | 4A/31     |
| 28M/1278189 | AGS.2001/B/1  | . Nut, stiff, 4 BA   | 2       | —             | C             | 4A/32     |
| 9968        | E.B.2.20.8713   | . PIN, flap jack pivot, outboard   | 1       | S97           | C             | 4A/33     |
| 10757       | E.B.2.20.9031   | . PIN, flap jack pivot, inboard<br>Attachments:—   | 1       | S97           | C             | 4A/34     |
| 28M/10332   | AGS.2002/J/1  | . Nut, stiff, 3/8" BSF   | 1       | —             | C             | 4A/35     |
| 29681       | E.B.2.20.7365   | . SHIM, laminated, at rib 16   | 2       | Lam.<br>Alum. | C             | 4A/36     |
| 29682       | E.B.2.20.7367   | . SHIM, laminated, centre hinge bracket  | 2       | Lam.<br>Alum. | C             | 4A/37     |
|             | HELLERMAN<br>HC.294   | . TAG, ring tongue (Mod. 4609)   | 1       | —             | —             |           |
| 6A/2134     | †   | . TRANSMITTER, desynn, type "D"<br>Attachments:—   | 1       | —             | A             | 4A/38     |
| 28D/9833011 | A25/2C  | . Bolt, 2 BA hex. head   | 4       | —             | C             | 4A/39     |
| 28M/9403520 | A27/CP  | . Nut, 2 BA plain  | 4       | —             | C             | 4A/40     |
| 3051        | E.B.2.20.3057   | . WASHER, locking tab  | 1       | DTD124        | C             | 4A/41     |
|             | EEAS.28/38/ER<br>or<br>EEAS.28/38/GR<br>or<br>EEAS.28/38/JR | . WASHER   | QR      | L72           | —             | 4A/42     |
|             |   | . WASHER   | QR      | L72           | —             | 4A/43     |
|             |   | . WASHER   | QR      | L72           | —             | 4A/44     |
| 28W/9419468 | SP13/N  | . WASHER, 1/2" BSF plain, for flap jack bolt   | 2       | —             | C             | 4A/45     |

This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

