

SERVICES
OXYGEN SYSTEM

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	—	OXYGEN SYSTEM ASSEMBLY (E.F6.71.1)	—	—	—	212/35
	—	Spares for:—				
	—	. PIPES, oxygen to pressure gauges and starboard shut-off valve, frames 10-15, installation (E.F6.71.3)	—	—	—	212/36
	—	Spares for:—				
36023	EEAS.552/6	. . BOBBIN, 2 BA	2	—	—	
	E.B5.71.10031	. . ELBOW, special, aft of frame 14	1	L65	C	212/39
	E.B5.71.5195	. . PIPE, assembly, from union connection aft of frame 10 to bulkhead union connection at diaphragm between frames 9 and 10, 3/16" o/d x 20 SWG	1	L56	—	212/36
	E.B5.71.5197	. . PIPE, assembly, from union connection aft of frame 11 to bulkhead union connection at diaphragm between frames 9 and 10, 3/16" o/d x 20 SWG	1	L56	—	212/16
36115	E.B5.71.10165	. . PIPE, assembly, from union connection aft of frame 11 to bulkhead connection frame 14, 3/16" o/d x 20 SWG	1	L56	C	212/13
	E.B5.71.5203	. . PIPE, assembly, from bulkhead connection frame 14 to nipple connection aft of frame 14, 3/16" o/d x 20 SWG	1	L56	—	212/31
36116	E.B5.71.10163	. . PIPE, assembly, from reducing union aft of frame 11 to connection aft of frame 15, 5/16" o/d x 20 SWG	1	L56	C	212/28
	E.F6.71.51	. . PIPE, assembly, from union aft of frame 12 to elbow coupling aft of frame 14	1	L56	—	212/23
	E.F6.71.53	. . PIPE, assembly, from oxygen shut-off valve aft of frame 11 to coupling aft of frame 12	1	L56	—	
	E.F6.71.61	. . PIPE, assembly, from union at frame 11 to bulkhead union at frame 14	1	L56	—	
	E.F6.71.71	. . PIPE, assembly, from oxygen shut-off valve aft of frame 11 to union aft of frame 15	1	L56	—	

SERVICES
OXYGEN SYSTEM

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	—	. . PIPE, flexible, from elbow coupling aft of frame 12 to quick disconnect socket at frame 14, assembly (E.B5.71.10173)	—	—	—	212/10
		Spares for:—				
	PALMER AERO FP.306/990	. . . PIPE, flexible (E.B5.71.10065) (Pre-Mod. 4643)	1	—	—	212/11
	PALMER AERO 813502874	. . . PIPE, flexible (E.B5.71.10065) (Mod. 4643)	1	—	—	212/11
6D/2609	NORMALAIR OP.5350	. . . SOCKET, quick release	1	—	A	212/20
11145	EEAS 20/8/CR	. . TAB, locking, union connections	1	L72	C	212/19
	EEAS 20/8/DR	. . TAB, locking, union connections	1	L72	—	212/22
9430	EEAS 238/2A	. . WASHER, "D", at clips	1	L72	C	212/27
18417	EEAS 239/1AH	. . WASHER, "D", at clips	6	L72	C	212/21
	—	. PIPES, and oxygen unit, frames 16 to 18, installation (E.B5.71.5059)	—	—	—	212/32
		Spares for:—				
	E.B5.71.5399	. . CLAMP, block, coiled pipes aft of frame 16	3	BS2572	—	212/8
		Attachments:—				
28D/1011019	A25/8C	. . Bolt, 2 BA hex. head	3	—	C	212/3
28W/9436805	SP11/C	. . Washer, 2 BA plain	3	—	C	212/1
	E.B5.71.5401	. . CLAMP, block, coiled pipes	1	BS2572 Type F3	—	212/38
		Attachments:—				
28D/9435710	A25/11C	. . Bolt, 2 BA hex. head	1	—	C	212/34
28W/9436805	SP11/C	. . Washer, 2 BA plain	1	—	C	212/37
6D/2709	BRIT. OXYGEN 802874	. . CURSOR	2	—	C	212/24
24760	E.B5.71.5145	. . HOSE, 3/4" i/d x ".85 o/d x 2" 50 long, attachment to oxygen unit forward of frame 18	1	P.T.F.E.	C	212/40
	E.B5.71.5135	. . PIPE, assembly, drain, from oxygen unit drain funnel connection to connection in skinning aft of frame 17, 1/4" o/d x 22 SWG	1	L56	—	212/29
	E.B5.71.5137	. . PIPE, elbowed, assembly, atmosphere vent, from coupling forward of frame 18 to vent connection in skinning	1	L56	—	212/25
	E.B5.71.5139	. . PIPE, assembly, atmosphere vent, from oxygen unit hose connection to coupling forward of frame 18, 3/4" o/d x 20 SWG	1	L56	—	212/18
24160	E.B5.71.5409	. . PIPE, coiled, assembly, from bulkhead connection at frame 16 to coupling at oxygen unit, 5/16" o/d x 20 SWG	1	L56	C	212/14

SERVICES
OXYGEN SYSTEM

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
24161	E.B5.71.5411	. . PIPE, coiled, assembly, from bulkhead connection frame 16 to coupling at oxygen unit, 5/16" o/d x 20 SWG	1	L56	LM	212/17
	E.B5.71.5403	. . STIFFENER, channel, coiled pipe clamp blocks aft of frame 16	7	L72	LM	212/2
6D/1095786	BRIT. OXYGEN 805900	. . UNIT, twin 3-1/2 litre oxygen (Pre-Mod. 4806)	1	—	—	212/15
6D/	BRIT. OXYGEN 814384	. . UNIT, twin 3-1/2 litre oxygen (Mod. 4806)	1	—	—	
28D/1011256	A25/5G	Attachments:— . . Bolt, 5/16" BSF hex. head	4	—	C	212/4
28W/9419403	SP13/G	. . Washer, 5/16" BSF plain	2	—	C	212/6
	—	. . PIPES, and oxygen equipment, frames 13 and 16 (cabin) installation (E.F6.71.73) Spares for:—	—	—	—	213/10
24162	E.B5.71.5287	. . BRACKET, pull-off link connecting, frame 13, port Attachments:—	1	S96	C	213/3
28D/9133012	A25/3C	. . Bolt, 2 BA hex. head	2	—	C	213/7
28M/1278190	AGS.2001/C/1	. . Nut, stiff, 2 BA	2	—	C	213/6
24163	E.B5.71.5289	. . BRACKET, pull-off link connecting, frame 13, starboard Attachments:—	1	S96	C	212/7
28D/9436920	A25/1C	. . Bolt, 2 BA hex. head	2	—	C	212/9
28M/1278190	AGS.2001/C/1	. . Nut, stiff, 2 BA	2	—	C	212/5
	E.B5.71.7031	. . CLAMP, block, pipes, from oxygen unit forward of frame 16, port Attachments:—	1	BS2572 Type F3	—	213/26
28D/9133013	A25/5C	. . Bolt, 2 BA hex. head	1	—	C	213/32
36023	E.B5.71.10031	. . ELBOW, special, flexible pipe, aft of frame 15	1	—	C	213/34
24164	E.B5.71.5297	. . LINK, pull-off, quick release socket, starboard seat assembly Attachments:—	1	—	C	213/11
28D/1011030	A25/2E	. . Bolt, 1/4" BSF hex. head	1	—	C	213/4
28M/7002430	AGS.2002/E/1	. . Nut, stiff, 1/4" BSF	1	—	C	213/1
28W/9419405	SP15/E	. . Washer, 1/4" BSF plain	1	—	C	213/2

Page MAB4

SERVICES
OXYGEN SYSTEM

Ref. No.	Part No.	Description	No. off	Mtrl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
36021	E.B5.71.7127	. . LINK, pull-off, quick release socket, port seat, assembly	1	—	C	213/13
		Attachments:—				
28D/1011030	A25/2E	. . Bolt, 1/4" BSF hex. head	1	—	C	213/5
28M/7002430	AGS.2002/E/1	. . Nut, stiff, 1/4" BSF	1	—	C	213/12
28W/9419405	SP15/E	. . Washer, 1/4" BSF plain	1	—	C	213/8
33582	E.B5.71.7079	. . NIPPLE, pipe coupling	1	S1	C	213/31
	E.B5.71.5263	. . PIPE, assembly, instrument panel pressure gauge line, from nipple connection forward of frame 15 to special tee union aft of frame 15, 3/16" o/d x 20 SWG	1	L56	—	213/14
24167	E.B5.71.7021	. . PIPE, assembly, from bulkhead union, frame 16, to 2-way check valve connection aft of frame 15, 5/16" o/d x 20 SWG	1	L56	C	213/15
24168	E.B5.71.7023	. . PIPE, assembly, from bulkhead union, frame 16, to 2-way check valve connection aft of frame 15, 5/16" o/d x 20 SWG	1	L56	C	213/16
34263	E.B5.71.7089	. . PIPE, assembly, transverse, from special tee union at centre line to union connection aft of frame 15, port, 5/16" o/d x 20 SWG	1	L56	C	213/24
34264	E.B5.71.7095	. . PIPE, assembly, from 2-way check valve aft of frame 15 to coupling forward of frame 15 port, 5/16" o/d x 20 SWG	1	L56	C	213/23
35979	E.B5.71.10133	. . PIPE, assembly, transverse, from coupling starboard to 2-way check valve connection at port seat aft of frame 15, 5/16" o/d x 20 SWG	1	L56	C	213/9
36020	E.B5.71.10159	. . PIPE, assembly, from tee connection aft of frame 15, port, to elbow connector forward of frame 15	1	L56	C	213/29
	—	. . PIPE, flexible, from special tee connection aft of frame 15 to quick release socket connection at pilots seat, port, assembly (E.B5.71.10175) Spares for:—	1	—	—	213/20
2602 36019	PALMER AERO FP.306/990	. . . PIPE, flexible (E.B5.71.10065) (Pre-Mod. 4643)	1	—	—	213/21
	PALMER AERO 813502874	. . . PIPE, flexible (E.B5.71.10065) (Mod. 4643)	1	—	—	213/21

SERVICES
OXYGEN SYSTEM

Page MAB5

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
6D/2609 2242849	NORMALAIR OP.5350	. . . SOCKET, quick release	1	—	C	213/22
36088	E.B5.71.10151	. . UNION, special tee, aft of frame 15	1	L65	—	213/35
6D/2265	†	. . VALVE, check, 2-way type NRV.24	1	—	A	213/17
		Attachments:—				
28D/9435710	A25/11C	. . Bolt, 2 BA hex. head	2	—	C	213/18
18417	EEAS.239/1AH	. . WASHER, "D", clip attachment	5	L72	C	213/28
	—	. PIPES, to oxygen shut-off valve, frames 10-15, port, installation (E.B5.71.7087)	—	—	—	
		Spares for:—				
23430	EEAS.552/4	. . BOBBIN, distance, frame 14	1	L65	C	213/33
36597	E.B5.71.10169	. . PIPE, assembly, from reducing union forward of frame 13 to oxygen shut-off valve forward of frame 12, 3/8" o/d x 20 SWG	1	L65	C	213/27
	E.B5.71.7111	. . PIPE, assembly, from connection at frame 15 to reducing union forward of frame 13, 5/16" o/d x 20 SWG	1	L56	—	213/30
36598	E.B5.71.10167	. . PIPE, assembly, from reducing union aft of frame 15 to shut-off valve connection forward of frame 12, 3/8" o/d x 20 SWG	1	L56	C	213/25

Restricted

Page MAB6

SERVICES

OXYGEN SYSTEM

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Ct. of Equip.	Plate No.
					M.R. L.M.	
		123456				

Restricted

BD