

SERVICES  
PITOT AND STATIC PIPES IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		<b>1 2 3 4 5 6</b>				
	—	PITOT AND STATIC PIPES IN REAR FUSELAGE, ASSEMBLY (E.B6.70.5)	—	—	—	221/15
	—	Spares for:—				
	—	. PIPES, pitot and static, frames 36 and 46, assembly (E.F3.70.23)	—	—	—	221/8
	—	Spares for:—				
28E/1059358	AGS.2081/4	. . CLIP, pipe support, between frames 34 and 43	11	—	C	221/1
28E/1059060	AGS.2081/12	. . CLIP, pipe support, forward of frame 36	1	—	C	221/5
7195	E.B3.70.141	. . FAIRLEAD, at frame 44 and 45	2	Rubber	C	221/19
	—	Attachments:—				
28D/9130082	AS.1246/3B	. . Bolt, 4 BA round head	8	—	C	221/18
28M/1086618	AGS.2002/B/1	. . Nut, stiff, 4 BA	8	—	C	221/12
7166	E.B2.70.543	. . PIPE, assembly, from coupling between frames 34 and 35 to coupling aft of frame 43, static line 1/4" o/d x 24 SWG	1	—	C	221/13
7167	E.B2.70.1099	. . PIPE, assembly, from coupling between frame 34 and 35 to coupling aft of frame 43, pitot line, 1/4" o/d x 24 SWG	1	—	C	221/6
7168	E.B2.70.1289	. . PIPE, assembly, from coupling aft of frame 43 to coupling between frames 45 and 46, pitot line 1/4" o/d x 24 SWG	1	—	C	221/10
7169	E.B2.70.1291	. . PIPE, assembly, from coupling aft to frame 43 to coupling between frames 45 and 46, static line 1/4" o/d x 24 SWG	1	—	C	221/14
10872	AS.2811/5/040	. . TUBE, distance	1	—	C	221/2
	—	. PIPES, pitot and static, frames 46 to 52, assembly (E.F3.70.25)	—	—	—	
	—	Spares for:—				
28E/1059358	AGS.2081/4	. . CLIP, pipe support, frames 49, 46, 50 and 51	6	—	C	222/1
	—	Attachments:—				
28D/9436920	A25/1C	. . Bolt, 2 BA hex. head	3	—	C	222/3
28D/9133012	A25/3C	. . Bolt, 2 BA hex. head	1	—	C	222/5
28M/1278190	AGS.2001/C/1	. . Nut, stiff, 2 BA	4	—	C	222/2
28W/9419404	SP16/C	. . Washer, 2 BA plain	1	—	C	222/6
	E.F3.70.939	. . FAIRLEAD, assembly, at frame 50	1	—	—	222/19
	—	Attachments:—				
28D/7002428	A25/6C	. . Bolt, 2 BA hex. head	1	—	C	222/20
28M/1278190	AGS.2001/C/1	. . Nut, stiff, 2 BA	1	—	C	222/23
28W/9419475	SP15/C	. . Washer, 2 BA plain	1	—	C	222/22

Page MAD2

**SERVICES**  
**PITOT AND STATIC PIPES IN REAR FUSELAGE**

Ref. No.	Part No.	Description	No. off	Mtrl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
12882	E.F3.70.29	. . FAIRLEAD, at frame 47 Attachments:-	1	Rubber	C	222/16
28D/9140203	AS.1246/3C	. . Bolt, 2 BA round head	4	-	C	222/21
28M/1278190	AGS.2001/C/1	. . Nut, stiff, 2 BA	4	-	C	222/16
7195	E.B3.70.141	. . FAIRLEAD, at frame 48 Attachments:-	1	Rubber	C	222/30
28D/1214865	AS.1246/2B	. . Bolt, 4 BA round head	4	-	C	222/29
28M/1278189	AGS.2001/B/1	. . Nut, stiff, 4 BA	4	-	C	222/27
	E.B2.70.1265	. . LABEL, at frame 49	1	L72	-	222/26
	E.B2.75.2627	. . LANYARD, at frame 49, group Consisting of:-	2	-	-	222/28
2381	↑	. . . CORD, nylon	QR	-	C	222/32
5410	E.B2.75.2629	. . . WASHER, tab	1	L72	C	222/25
26FZ/20778	EEAS.20/2/ER	. . . WASHER, tab	1	L72	C	222/31
7171	E.B2.70.501	. . PIPE, assembly, from special tee between frames 48 and 49 to bulkhead coupling at frame 49, pitot line, 1/4" o/d x 24 SWG	1		C	222/11
7172	E.B2.70.505	. . PIPE, assembly, from special tee between frames 48 and 49 to bulkhead coupling at frame 49, static line, 1/4" o/d x 24 SWG	1		C	222/18
7173	E.B2.70.531	. . PIPE, assembly, from special tee between frames 48 and 49 to coupling aft of frame 51, static line, 1/4" o/d x 24 SWG	1		C	222/12
7175	E.B2.70.1095	. . PIPE, assembly, from special tee between frames 48 and 49 to coupling aft of frames 51, pitot line, 1/4" o/d x 24 SWG	1		C	222/14
	E.F3.70.1043	. . PIPE, assembly, from coupling forward of frame 47 to special tee between frames 48 and 49, pitot line, 1/4" o/d x 24 SWG	1	DTD.5016	-	222/9
	E.F3.70.1045	. . PIPE, assembly, from coupling forward of frame 46 to coupling forward of frame 47, pitot line, 1/4" o/d x 24 SWG	1	DTD.5016	-	222/8
	E.F3.70.1047	. . PIPE, assembly, from coupling forward of frame 47 to special tee between frames 48 and 49, static line, 1/4" o/d x 24 SWG	1	DTD.5016	-	222/10

SERVICES  
PITOT AND STATIC PIPES IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	E.F3.70.1049	. . PIPE, assembly, from coupling forward of frame 46 to coupling forward of frame 47, static line, 1/4" o/d x 24 SWG	1	DTD.5016	-	222/7
28P/9486478	SP90/C5	. . PIN, split, 1/16" dia. x 3/4" long, cone caps frame 49	2	-	C	222/24
4044	E.B2.73.2115	. . TEE, special cone, 1/4" BSP, between frames 48 and 49	2	S94, S95 or S96	C	222/17
	AS.2811/5/025	. . TUBE, distance, frame 46	1	-	-	222/4
	-	. PIPES, pitot and static, frames 25B to 36, assembly (E.F3.70.1041) Spares for:-	-	-	-	221/9
28F/1069358	AGS.2081/4	. . CLIP, pipe support, at frames 29, 31, and 34 Attachments:-	6	-	C	221/17
28D/9436920	A25/1C	. . Bolt, 2 BA hex. head	2	-	C	221/20
28D/1010030	A25/7C	. . Bolt, 2 BA hex. head	2	-	C	221/24
28M/1278190	AGS.2001/C/1	. . Nut, stiff, 2 BA	4	-	C	221/16
28W/9419475	SP15/C	. . Washer, 2 BA plain	2	-	C	221/23
7159	E.B2.70.563	. . PIPE, assembly, from coupling aft of frame 31 to coupling at frame 35, static line, 1/4" o/d x 24 SWG	1	-	C	221/11
7161	E.B2.70.1101	. . PIPE, assembly, from coupling at frame 30 to coupling at frame 35, pitot line, 1/4" o/d x 24 SWG	1	-	C	221/4
24422	E.F3.70.1127	. . PIPE, assembly, from coupling forward of frame 29 to coupling at frame 30, pitot line, 1/4" o/d x 24 SWG	1	-	C	221/3
24421	E.F3.70.1129	. . PIPE, assembly, from coupling aft of frame 27 to coupling aft of frame 31, static line, 1/4" o/d x 24 SWG	1	-	C	221/7
	AS.2811/5/047	. . TUBE, distance, pipe clip at frame 29	1	-	LM	221/21
	AS.2811/5/065	. . TUBE, distance, pipe clip at frame 31	1	-	LM	221/22
	-	. PIPES, pitot and static, frames 52 to 57, assembly (E.B5.70.10039) Spares for:-	-	-	-	223/9
28F/9439533	AGS.1129/B	. . BODY, banjo, pipes to pressure switch at frame 56	2	-	C	223/48
28F/9423227	AGS.1135/B	. . BOLT, banjo at frame 56	2	-	C	223/53

Restricted

Page MAD4

**SERVICES**  
**PITOT AND STATIC PIPES IN REAR FUSELAGE**

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
33749	E.B4.70.515	. . . BOX, for mach-meter pressure switch, assembly Spares for:—	1	—	B	223/36
7178	E.B2.70.1221	. . . . BOLT, special, mounting tray securing	1	S94	C	223/22
	E.B4.70.517	. . . . BOX, sub-assembly Spares for:—	1	—	—	223/38
	E.B4.70.529	. . . . . BOX, assembly Spares for:—	1	—	—	223/50
7179	E.B2.70.1217	. . . . . FASTENER, wire, 18 SWG	1	DTD215	C	223/24
	E.B2.70.1215	. . . . HINGE (Make from AS.1878/45) Attachments:—	1	—	LM	223/46
28D/1218384	AS.1248/1B	. . . Bolt, 4 BA mushroom head	8	—	C	223/51
28M/1278189	AGS.2001/B/1	. . . Nut, stiff, 4 BA	8	—	C	223/53
28W/9419474	SP15/B	. . . Washer, 4 BA plain	8	—	C	223/47
7180	E.B2.70.1213	. . . LID, assembly	1	—	C	223/23
33750	E.B4.70.513	. . . PIPE, flexible, assembly	1	—	C	223/37
37035	E.B4.07.27	. . . PLATE, adaptor (E.B4.70.537)	1	L72	C	223/30
33751	E.B4.70.505	. . . TRAY, mounting	1	L59	C	223/29
28F/1013959	AGS.1236/B	. . CAP, cone, drain fittings frame 56	2	—	C	223/54
28E/1059358	AGS.2081/4	. . CLIP, pipe support, frames 52 to 57	20	—	C	223/5
28F/1013402	AGS.1111/B	. . CONE, body, flanged bulkhead union at frame 56 Attachments:—	2	—	C	223/43
28D/1010658	A25/1B	. . Bolt, 4 BA hex. head	6	—	C	223/49
28M/1278189	AGS.2001/B/1	. . Nut, stiff, 4 BA	6	—	C	223/45
7195	E.B3.70.141	. . FAIRLEAD, at frame 56 Attachments:—	3	Rubber	C	223/6
28D/9419452	A25/3B	. . Bolt, 4 BA hex. head	12	—	C	223/1
28M/1278189	AGS.2001/B/1	. . Nut, stiff, 4 BA	12	—	C	223/3
28W/9419465	SP13/B	. . Washer, 4 BA plain	1	—	C	223/2
	E.B2.70.1265	. . LABEL, at drains, frame 56	1	L72	—	223/34
	E.B2.75.2627	. . LANYARD, at drains, frames 56, group Consisting of:—	2	—	—	223/42
2381	†	. . . CORD, nylon	QR	—	C	223/44
5410	E.B2.75.2629	. . . WASHER, tab, 18 SWG	1	L72	C	223/31
26FZ/20778	EEAS.20/2/ER	. . . WASHER, tab	1	L72	C	223/40
28F/1014650	AGS.1170/B	. . NIPPLE, coupling	8	—	C	223/4
12883	E.F3.70.503	. . PIPE, assembly, from pressure switch box to coupling at frame 56, pitot line, 1/4" o/d x 24 SWG	1	—	C	223/12
12884	E.F3.70.505	. . PIPE, assembly, from pressure switch box to coupling at frame 56, static line, 1/4" o/d x 24 SWG	1	—	C	223/15
12887	E.F3.70.511	. . PIPE, assembly, from drain plug to tee, at frame 56, pitot line, 1/4" o/d x 24 SWG	1	—	C	223/35

Restricted

BD

SERVICES  
PITOT AND STATIC PIPES IN REAR FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Mtrl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
12888	E.F3.70.613	. . PIPE, assembly, from drain plug to tee at frame 56, static line, 1/4" o/d x 24 SWG	1		C	223/41
12885	E.F3.70.615	. . PIPE, assembly, from coupling aft of frame 56 to coupling forward of frame 56, port, pitot line, 1/4" o/d x 24 SWG	1		C	223/16
12886	E.F3.70.617	. . PIPE, assembly, from coupling aft of frame 56 to coupling forward of frame 56, port, static line, 1/4" o/d x 24 SWG	1		C	223/17
13384	E.F3.70.619	. . PIPE, assembly, from tee aft of frame 56 to feel simulator, pitot line, 1/4" o/d x 24 SWG	1		C	223/14
13387	E.F3.70.621	. . PIPE, assembly, from tee aft of frame 56 to feel simulator, static line, 1/4" o/d x 24 SWG	1		C	223/13
12890	E.F3.70.623	. . PIPE, assembly, from tee at drain forward of frame 56 to tee aft of frame 56, static line, 1/4" o/d x 24 SWG	1		C	223/28
12889	E.F3.70.625	. . PIPE, assembly, from tee at drain pipe forward frame 56 to tee aft of frame 56, pitot line, 1/4" o/d x 24 SWG	1		C	223/25
13882	E.F3.70.627	. . PIPE, assembly, from coupling aft of frame 54 to tee aft of frame 56, pitot line, 1/4" o/d x 24 SWG	1		C	223/10
13885	E.F3.70.629	. . PIPE, assembly, from coupling aft of frame 54 to tee aft of frame 56 static line, 1/4" o/d x 24 SWG	1		C	223/11
13886	E.F3.70.631	. . PIPE, assembly, from coupling forward of frame 52 to coupling aft of frame 54, static line, 1/4" o/d x 24 SWG	1		C	223/8
13383	E.F3.70.633	. . PIPE, assembly, from coupling forward of frame 52 to coupling aft of frame 54 pitot line, 1/4" o/d x 24 SWG	1		C	223/7
	E.F3.70.703	. . PIPE, assembly, transverse, between coupling and drain tee on frame 56, pitot line, 1/4" o/d x 24 SWG	1	DTD.5016	-	223/26

**SERVICES**  
**PITOT AND STATIC PIPES IN REAR FUSELAGE**

Ref. No.	Part No.	Description	No. off	Mtl. Spec.	Cl. of	Plate No.
					Equip. M.R. L.M.	
		1 2 3 4 5 6				
	E.F3.70.705	. . PIPE, assembly, transverse, between coupling and drain tee on frame 56, static line, 1/4" o/d x 24 SWG	1	DTD.6016	—	223/19
28F/8011819	AGS.904/B	. . SLEEVE, outer, pipes at drain, frame 56	2	—	C	223/32
4044	E.B2.73.2115	. . TEE, cone union, 1/4" BSP, frame 56	4	—	C	223/27
	AS.2811/5/025	. . TUBE, distance, pipe clip, frames 52 and 56	2	—	—	223/18
28FZ/20779	AS.2811/5/035	. . TUBE, distance, pipe clip, frame 54	1	—	C	223/20
28F/8014021	AGS.1138/B	. . WASHER, jointing, banjo coupling, frame 56	4	—	C	223/39
28F/9128928	AGS.1115/2	. . WASHER, plate, bulkhead union, frame 56	2	—	C	223/33

This file was downloaded  
from the RTFM Library.  
Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

