

SERVICES
CANOPY DE-MISTING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	—	CANOPY DE-MISTING SYSTEM, ASSEMBLY (E.B5.76.5001)	—	—	—	54/24
8968	E.B5.76.57	. BLOCK, spacing, between drying agent containers	1	—	C	55/12
8969	E.B4.76.25	. BODY, flanged, union, static vent connection, sloping bulkhead	1	L65	C	54/2
		Attachments:—				
28D/1008149	A25/2B	. Bolt, 4 BA hex. head	6	—	C	54/4
28M/1278189	AGS.2001/B/1	. Nut, stiff, 4 BA	6	—	C	54/1
26FZ/9760	EEAS.20/2DU	. Tab, locking	1	S515	C	54/3
28W/9419474	SP15/B	. Washer, 4 BA plain	5	—	C	54/9
8970	E.B4.76.27	. BODY, flanged union, canopy supply and return pipe connection, sloping bulkhead	2	L65	C	54/7
		Attachments:—				
28D/9133011	A25/2C	. Bolt, 2 BA hex. head	6	—	C	54/8
28M/1278190	AGS.2001/C/1	. Nut, stiff, 2 BA	6	—	C	54/5
4762	EEAS.20/3/DU	. Tab, locking	2	S515	C	54/6
4768	E.B2.76.235	. CARTRIDGE, drying agent, group	2	—	B	55/22
		Consisting of:—				
4769	E.B2.76.245	. . CAP-END, and filter	1	—	C	55/15
4770	E.B2.76.237	. . CARTRIDGE, tube, assembly	1	—	C	55/23
		Spares for:—				
4771	E.B2.76.243	. . . GAUZE, wire strip, 36 SWG, 3"9 long	1	Stainless Steel	C	55/24
4772	E.B2.76.241	. . . WINDOW, observation, 1/16" thick	1	—	C	55/25
4773	E.B2.76.345	. . SEPARATOR, wire gauze, 36 SWG, 40 mesh	1	Stainless Steel	C	55/16
8971	E.B2.76.393	. CONTAINER, drying agent, group	2	—	C	55/18
		Spares for:—				
4765	E.B2.76.217	. . RING, sealing, rubber	1	—	C	55/8
4766	E.B2.76.219	. . VALVE	1	L65	C	55/6
4767	E.B2.76.221	. . WASHER, sealing	2	—	C	55/7
10820	E.B2.76.257	. DISC, blanking	1	L72	C	
4756	E.B2.76.227	. LID, drying agent container, group	2	—	C	55/19
		Spares for:—				
3530	ANGUS R.4175/S80	. . RING, "O", sealing	1	—	C	55/20
4751	E.B2.76.259	. NUT, special union, canopy supply pipe to drying agent container connection	2	L65	—	55/14

Restricted

Page ME2

**SERVICES
CANOPY DE-MISTING**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
8973	E.B4.76.11	. PIPE, assembly, blower unit return, from coupling at sloping bulkhead to blower unit connection	1	L54	C	54/10
8978	E.B4.76.49	. PIPE, assembly, static vent, on forward face of sloping bulkhead, from union connection to pipe coupling	1	L65	C	54/11
19256	E.B4.76.67	. PIPE, assembly, static vent, from coupling at frame 16 to coupling aft of frame	1	L54	C	54/16
19255	E.B4.76.69	. PIPE, assembly, static vent, from coupling on forward face of sloping bulkhead to coupling at frame 16	1	L54	C	54/19
23248	E.B5.76.5079	. PIPE, assembly, from blower unit outlet connection to drying agent container connection	1	L54	C	54/15
23249	E.B5.76.5081	. PIPE, assembly, canopy supply, from drying agent container connection to union coupling at sloping bulkhead	1	L54	C	54/12
23250	E.B5.76.5083	. PIPE, assembly, interconnection between drying agent containers	1	L54	C	55/13
23251	E.B5.76.5085	. PIPE, static vent, from drying agent container lower connection to union connection, sloping bulkhead	1	L54	C	54/13
23252	E.B5.76.5091	. PIPE, assembly, from coupling at frame 9 to coupling aft of frame 12	1	L54	C	54/22
23253	E.B5.76.5099	. PIPE, assembly, from skin connection forward of frame 7 to coupling at frame 9	1	L54	C	54/21
23254	E.B5.76.7001	. PIPE, assembly, from coupling aft of frame 12 to coupling aft of frame 15	1	L54	C	54/20
8983	E.B4.76.37	. PLATE, nut, drying agent containers support Attachments:—	2	—	C	55/9
28D/1008149	A25/2B	. Bolt, 4 BA hex. head	6	—	C	55/10
4758	E.B2.76.263	. SPRING, drying agent container valve	1	DTD215 or 239	C	55/11
4759	E.B2.76.267	. SPRING, drying agent cartridge	2	DTD215 or 239	C	55/21
23255	E.B5.76.5069	. STRAP, drying agent container mounting Attachments:—	1	L72	C	55/1
28D/9436770	A26/5C	. Bolt, 2 BA hex. head	1	—	C	55/5
28M/9433473	AGS.2002/C/1	. Nut, stiff, 2 BA	1	—	C	55/3
8985	EEAS.21/9HX	. Washer, "D"	2	L73	C	55/4

Restricted

BD

SERVICES
CANOPY DE-MISTING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
10672	AS.2811/5/040	. TUBE, distance	1	—	C	54/18
23257	AS.2811/5/060	. TUBE, distance	1	—	C	54/23
5UD/4388265	AE.6001	. UNIT, blower, Mk. 2	1	—	—	54/14
11172	EEAS.239/1A	. WASHER, "D"	1	L72	C	54/17
30A/3055	†	. WIRE, locking, 22 SWG	QR	DTD189	C	55/17

Restricted

Page ME4

SERVICES
CANOPY DE-MISTING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

