

SERVICES
FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	—	FUEL SYSTEM IN REAR FUSELAGE, ASSEMBLY (E.F5.57.7)	—	—	—	
	—	Spares for:—				
	—	. SYSTEM, fuel, frames 48 to 54, assembly (E.F3.57.531)	—	—	—	58/1
	—	Spares for:—				
23435	EEAS.552/2	. . BOBBIN, spacing, frames 51 to 52	1	—	C	58/2
	E.F3.07.73	. . BRACKET, pipe clip, frame 53 (E.F3.57.1315)	1	L72	—	58/3
	E.F3.07.71	. . BRACKET, pipe clip, frame 50 (E.F3.57.1317)	1	DTD634	—	58/4
	E.F3.07.72	. . BRACKET, pipe clip, frame 51 (E.F3.57.1318)	1	DTD634	—	58/5
26FZ/6734	EEAS.136	. . BRACKET, pipe clip, frames 50 and 51	1	L72	C	58/6
	E.F3.57.1313	. . CLEAT, pipe clip mounting, frame 50	1	L72	—	58/7
	E.F3.57.1301	. . CLEAT, pipe clip mounting, frame 51	1	L72	—	58/8
23600	E.F3.57.1143	. . PACKING, RLA, laminated shim	5	—	C	58/9
21356	E.F3.57.533	. . PIPE, assembly, fuel, from coupling aft of frame 48 to coupling aft of frame 49	1		C	58/10
23598	E.F3.57.1165	. . PIPE, assembly, fuel, from coupling aft of frame 49 to coupling aft of frame 52	1		C	58/11
21358	E.F3.57.537	. . PIPE, assembly, fuel, from coupling aft of frame 52 to coupling aft of frame 53	1		C	58/12
24896	E.F3.57.1257	. . PIPE, assembly, from No. 2 reheat pump forward of frame 48 to coupling aft of frame 54	1		C	58/13
23595	E.F3.57.1159	. . PIPE, assembly, No. 1 reheat pump, from coupling for- ward of frame 49 to coupling aft of frame 50	1		C	58/14
23596	E.F3.57.1161	. . PIPE, assembly, No. 1 reheat pump, from coupling aft of frame 50 coupling aft of frame 52	1		C	58/15
23597	E.F3.57.1163	. . PIPE, assembly, No. 1 reheat pump, from coupling aft of frame 52 to coupling aft of frame 54	1		C	58/16

Restricted

Page MH2

SERVICES
FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	—	. PIPES, fuel supply to hot streak solenoid valve, No. 2 engine, assembly (E.F3.57.1259) Spares for:—	—	—	—	58/17
24898	E.F3.57.1275	. . . ADAPTOR, bulkhead, 3/8" BSP Attachments:—	1	S521	C	58/18
24899	E.F3.57.1277	. Nut, special, 3/8" BSP thin	1	S521	C	58/19
24897	E.F3.57.1279	. . . ADAPTOR, bulkhead, 3/8" BSP Attachments:—	1	S521	C	58/20
28D/1010658	A25/1B	. . . Bolt, 4 BA hex. head	3	—	C	58/21
28M/1278189	AGS.2001/B1	. . . Nut, stiff, 4 BA	3	—	C	58/22
26FZ/981	EEAS.20/2DR	. . . Tab, locking	2	L72	C	58/23
23429	EEAS.552/3	. . . BOBBIN, fairlead spacing	2	L65	C	58/24
23424	EEAS.554/4	. . . FAIRLEAD, assembly	6	DTD506	C	58/25
23423	EEAS.556/4	. . . FAIRLEAD, assembly	6	DTD506	C	58/26
24900	E.F3.57.1261	. . . PIPE, flexible, assembly, from bulkhead adaptor to No. 2 engine hot streak valve pipe connection forward of frame 49	1	—	C	58/27
	E.F3.57.1267	. . . PIPE, assembly, from tapping high pressure fuel pipe forward of frame 50 to connection aft of frame 50	1	DTD.5016	—	58/28
	E.F3.57.1269	. . . PIPE, assembly, from connection aft of frame 50, starboard, to bulkhead adaptor at firefloor forward of frame 49	1	DTD.5016	—	58/29
	E.F3.57.1271	. . . PIPE, assembly, from bulkhead adaptor at firefloor to bulkhead adaptor forward of frame 49	1	DTD.5016	—	58/39
	E.F3.57.1291	. . . PLATE, reinforcing, bulkhead adaptor at firefloor	1	S510	—	58/31
23673	E.F3.57.1331	. . SADDLE, aft of frame 49	1	Hycar	C	58/32
23599	E.F3.57.1211	. . SADDLE, aft of frame 51	2	Hycar	C	58/33
9842	EEAS.240/2A	. . WASHER, "D", clip attachment	11	L72	C	58/34
	—	. SYSTEM, fuel, frames 54 to 56, assembly (E.F3.57.1335) Spares for:—	—	—	—	59/1
	E.F3.57.1333	. . BRACKET, at frames 54 and 55, 18 SWG	2	L72	—	59/2
7679	E.B2.57.1239	. . ADAPTOR, reheat fuel pipe to flexible hose connection, frame 56	1	BAC.M37	C	59/3
7850	E.B2.57.1939	. . ADAPTOR, reheat fuel pipe to flexible hose connection	1	BAC.M37	C	59/4
11959	E.F2.57.511	. . NIPPLE, adaptor, pipe coupling for pipes at reduction union, frame 56	2	S1	C	59/5
11941	E.F2.57.577	. . NIPPLE, special, at tee connection aft of frame 55	1	S1	C	59/6

Restricted

ARCD

SERVICES
FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
28F/9486111	AGS.1142/H	. . NIPPLE, adaptor, between frames 55 and 56	2	—	C	59/7
28F/1036552	AGS.2120/H	. . NIPPLE, between frames 54 and 55	3	—	C	59/8
23600	E.F3.57.1143	. . PACKING, for clip to bracket at frame 54 and 55	2	Alum. Shim	C	59/9
11960	E.F2.57.426	. . PIPE, assembly, L.P. return, from tee connection aft of frame 55 to bulkhead connection at at frame 56, 1/2" o/d x 26 SWG	1	—	C	59/10
11961	E.F2.57.427	. . PIPE, assembly, L.P. return, from tee connection aft of frame 55 to bulkhead coupling at frame 56, 1/2" o/d x 26 SWG	1	BAC.M57	C	59/11
11962	E.F2.57.557	. . PIPE, assembly, reheat pump No. 1 from nipple coupling aft of frame 55 to special adaptor for flexible pipe, 1" o/d x 22 SWG	1		C	59/12
12690	E.F2.57.651	. . PIPE, assembly, L.P. return, from nipple coupling aft of frame 53 to tee connection aft of frame 53 to tee connection aft of frame 55, 3/4" o/d x 24 SWG	1	—	C	59/13
11964	E.B2.57.1397	. . PIPE, assembly, reheat pump No. 2, from coupling aft of frame 54 to bulkhead connection at frame 56, 1" o/d x 22 SWG	1		C	59/14
11965	E.B2.57.1757	. . PIPE, assembly, reheat pump No. 1, from coupling aft of frame 54 to coupling aft of frame 55, 1" o/d x 22 SWG	1		C	59/15
11967	E.F2.57.429	. . TEE, special, connection, aft of frame 55.	1	BAC.M37	C	59/16—
11966	E.F2.57.431	. . UNION, reduction, special bulkhead, at frame 56 Attachments:—	2	BAC.M37	C	59/17
28D/9436920	A25/1C	. . Bolt, 2 BA hex. head	6	—	C	59/18
28M/9433473	AGS.2002/C/1	. . Nut, stiff, 2 BA	6	—	C	59/19
26FZ/980	EEAS.20/1 DR	. . Tab, locking	4	L72	C	59/20
28W/9419475	SP15/C	. . Washer, 2 BA plain	4	—	C	59/21
10303	EEAS.240/1A	. . WASHER, "D", pipe clipping	3	L72	C	59/22
9842	EEAS.240/2A	. . WASHER, "D", pipe clipping	7	L72	C	59/23
30A/3055	†	. . WIRE, locking, 22 SWG	QR	DTD189	C	59/24
	—	. . SYSTEM, fuel, at frame 42 to 44, assembly (E.F3.57.1221) Spares for:—	—	—	—	60/1
18605	EEAS.286/3C	. . BOLT, 2 BA hex. head, clip attachment at frame 42	1	HTS Chromid	C	61/1

Restricted

Page MH4

SERVICES
FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Mater. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
11920	KING A/C C.6045/22B E.F3.57.1187	. . CLAMP, pipe, Mk. 45	1	S521	C	60/2
		. . CONNECTOR, bulkhead, at fire/floor, aft of frame 43	1	S521	—	60/3
		Attachments:—				
28D/1010658	A25/1B	. . Bolt, 4 BA hex. head	2	—	C	60/4
28M/1086618	AGS.2002/B1	. . Nut, stiff, 4 BA	2	—	C	60/5
28W/9419465	SP13/B	. . Washer, 4 BA plain	2	—	C	60/6
23426	EEAS.554/2	. . FAIRLEAD, assembly, at frame 42	1	DTD506	C	61/2
23424	EEAS.554/4	. . FAIRLEAD, assembly, at frame 44	1	DTD506	C	61/3
23425	EEAS.556/2	. . FAIRLEAD, assembly, aft of frame 42	1	DTD506	C	61/4
23423	EEAS.556/4	. . FAIRLEAD, assembly, at frame 44	1	DTD506	C	61/5
	E.F3.57.1129	. . FAIRLEAD, assembly, at frame 43	1	—	—	61/6
		Attachments:—				
28D/9133012	A25/3C	. . Bolt, 2 BA hex. head	6	—	C	61/7
28M/9433473	AGS.2002/C1	. . Nut, stiff, 2 BA	6	—	C	61/8
28W/9419402	SP13/C	. . Washer, 2 BA plain	6	—	C	61/9
	E.F3.57.1233	. . FAIRLEAD, assembly at frame 42	1	—	—	61/10
		Attachments:—				
28D/9419452	A25/3B	. . Bolt, 4 BA hex. head	4	—	C	61/11
28M/1086618	AGS.2002/B1	. . Nut, stiff, 4 BA	4	—	C	61/12
28W/9419465	SP13/B	. . Washer, 4 BA plain	4	—	C	61/13
24336	E.F3.57.1139	. . FAIRLEAD, assembly, at frame 44	1	B.T.R. Moulded	—	60/7
		Attachments:—				
28D/9133013	A25/5C	. . Bolt, 2 BA hex. head	4	—	C	60/8
28W/9419402	SP13/C	. . Washer, 2 BA plain	4	—	C	60/9
	E.F3.57.883	. . FAIRLEAD, assembly, at frame 43	1	—	—	61/14
		Attachments:—				
28D/9133012	A25/3C	. . Bolt, 2 BA hex. head	4	—	C	61/15
28M/9433473	AGS.2002/C1	. . Nut, stiff, 2 BA	4	—	C	61/16
28W/9419402	SP13/C	. . Washer, 2 BA plain	4	—	C	61/17
12700	E.F3.57.399	. . FAIRLEAD, assembly, aft of frame 43, starboard	1	—	C	60/10
		Attachments:—				
28D/9133013	A25/5C	. . Bolt, 2 BA hex. head	4	—	C	60/11
28W/9419402	SP13/C	. . Washer, 2 BA plain	4	—	C	60/12
28F/4051760	AGS.1170/C	. . NIPPLE, pipe coupling, at frame 44	2	—	C	60/14
24335	E.F3.57.965	. . NIPPLE, special, at frame 44	1	S1	C	60/13
28F/1036552	AGS.2120/H	. . NIPPLE, pipe coupling, between frames 42 and 44	2	—	C	60/15
18380	EEAS.288/C	. . NUT, 2 BA clip attachment, at frame 44	1	MS Chromid	C	61718

Restricted

ABCD

SERVICES
FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	E.F3.57.1145	. . PACKING, pipe connector to frame 42	1	Lam. Alum	—	60/16
	E.F3.57.1065	. . PANEL, access, wing attachment bolt, frame 43, port, group Consisting of:—	1	—	—	61/19
	E.F3.57.1197	. . . FAIRLEAD, assembly Attachments:—	1	—	—	61/20
28D/9133012	A25/3C	. . . Bolt, 2 BA hex. head	6	—	C	61/21
28M/9419475	SP15/C	. . . Washer, 2 BA plain	6	—	C	61/22
24339	E.F3.11.4623	. . . PANEL, access, group Consisting of:—	1	—	—	61/23
	E.F3.11.4625	 PANEL, half, assembly Spares for:—	1	—	—	61/24
28FP/9520206	A3-20	 FASTENER, dzus	5	—	C	61/25
28FP/9138002	GA3-175	 GROMMET, dzus	5	—	C	61/26
	E.F3.11.4627	 PANEL, half assembly Spares for:—	1	—	—	61/27
28FP/9520206	A3-20	 FASTENER, dzus	5	—	C	61/28
28FP/9138002	GA3-175	 GROMMET, dzus	5	—	C	61/29
	E.F3.57.875	. . . PLATE, blanking Attachments:—	1	L73	—	61/30
28D/9436920	A25/1C	. . . Bolt, 2 BA hex. head	4	—	C	61/31
28W/9419475	SP15/C	. . . Washer, 2 BA plain	4	—	C	61/32
12701	E.F2.57.459	. . PIPE, assembly, L.P. return, from connection at frame 44 to air motor control unit at frame 45	1	—	C	60/17
19276	E.F3.57.507	. . PIPE, assembly, reheat pump No. 1, from coupling aft of frame 42 to coupling forward of frame 44	1	DTD.5016	C	60/18
19328	E.F3.57.509	. . PIPE, assembly, reheat bleed line, continuation, from connection at frame 44 to connection between frames 45 and 46	1	DTD.5016	C	60/19
12702	E.F3.57.659	. . PIPE, assembly, L.P. return line, from connection at frame 44 to 4-way piece forward of frame 46	1		C	60/20

Restricted

Page MH5A

SERVICES
FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	E.F3.57.993	. . PIPE, assembly, fuel transfer, from coupling forward of frame 42 to coupling aft of frame 44, port	1	DTD.5016	—	60/21
	E.F3.57.995	. . PIPE, assembly, fuel transfer, from coupling forward of frame 42 to special nipple coupling aft of frame 43, starboard	1	DTD.5016	—	60/22
	E.F3.57.997	. . PIPE, assembly, fuel transfer, from special nipple coupling aft of frame 43 to coupling aft of frame 44, starboard	1	DTD.5016	—	60/23
	E.F3.57.1019	. . PIPE, assembly, H.P. fuel, from connection at frame 42 to connection aft of frame 43, port	1	BAC.M57	—	60/24
24346	E.F3.57.1183	. . PIPE, assembly, H.P. fuel drain, from double walled fuel pipe to bulkhead connection at firefloor aft of frames 43	1	DTD.5016	C	60/25
	E.F3.57.1359	. . PIPE, assembly, H.P. fuel drain, from connection at firefloor aft of frame 43 to fuselage connection forward of frame 43	1	DTD.5016	—	60/26
	E.F3.57.875	. . PLATE, blanking, frame 43, starboard Attachments.—	1	L73	—	61/33
28D/9138768	A25/ 1/2C	. . Bolt, 2 BA hex. head	4	—	C	61/34
28M/9433473	AGS.2002/C1	. . Nut, stiff, 2 BA	4	—	C	61/35
28W/9419475	SP13/C	. . Washer, 2 BA plain	4	—	C	61/36
4837	PIONEER	. . SEAL, "O" ring	1	—	C	60/27
	PC.2250—MP.802 or ANGUS R.4225—P.5					
26FZ/980	EEAS.20/1DR	. . TAB, locking	1	L72	C	60/29
26FZ/981	EEAS.20/2DR	. . TAB, locking	3	L72	C	60/30
10303	EEAS.240/1A	. . WASHER, "D"	2	L72	C	60/31
9842	EEAS.240/2A	. . WASHER, "D"	1	L72	C	61/37

Restricted

ABCD

Restricted

A.L.12

Page MH5B

SERVICES

FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		123456				

ABCD

Restricted

SERVICES
FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	—	. SYSTEM, fuel, frames 45 to 46, assembly (E.F3.57.1225) (E.F3.57.1641 Mod. 4566) Spares for:—	—	—	—	
24416	E.F3.57.1337	. . BLOCK, saddle, pipe clip at frame 46	1	BS2572 Type F3	C	62/1
2446	E.F3.57.1337	. . BLOCK, saddle, pipe clip at frame 45 (Mod. 4566)	3	BS2572 Type F3	C	
	E.F3.57.1857	. . BLOCK, saddle (Mod. 4665)	1	—	—	
	E.F2.57.877	. . BRACKET, pipe support, aft of frame 45, starboard Attachments:—	1	L73	—	63/1
28D/1011029	A25/1E	. . Bolt, 1/4" BSF hex. head	2	—	C	63/2
28M/9480017	AGS.2001/E/1	. . Nut, stiff, 1/4" BSF	2	—	C	63/3
	BRIT. REFRASIL MS.287	. . Pad, monel	1	—	C	63/4
28W/9419405	SP15/E	. . Washer, 1/4" BSF plain	2	—	C	63/5
11920	KING A/C	. . CLAMP, pipe, Mk. 45, forward of frame 46	1	—	C	62/2
	C.6045—22B					
	EEAS.98/5	. . CLEAT, lug, frame 46, port	1	L72	—	63/6
10295	E.B2.55.327	. . CLIP, bonding, pipe to drop tank connection frame 45 Attachments:—	1	L72	C	63/10
28D/1010658	A25/1B	. . Bolt, 4 BA hex. head	1	—	C	63/11
28M/1278189	AGS.2001/B/1	. . Nut, stiff, 4 BA	1	—	C	63/12
26FZ/3412	EEAS.20/3/DR	. . Tab, locking	1	L72	C	63/13
28W/9419465	SP13/B	. . Washer, 4 BA plain	1	—	C	63/14
2449	E.B2.57.335	. . CLIP, pipe, special, at frames 45 and 46 Attachments:—	2	L72	C	63/15
28D/1200119	A25/4C	. . Bolt, 2 BA hex. head	2	—	C	63/16
28D/9140645	A25/10C	. . Bolt, 2 BA hex. head	2	—	C	64/17
28M/9433473	AGS.2002/C/1	. . Nut, stiff, 2 BA	4	—	C	63/18
9842	EEAS.240/2A	. . Washer, "D"	4	L72	C	63/19
28W/9419402	SP13/C	. . Washer, 2 BA plain	4	—	C	63/20
	E.F3.57.1859	. . CLIP, saddle (Mod. 4665) Attachments:—	1	—	—	
28D/9140644	A25/9C	. . Bolt, 2 BA	2	—	C	
28M/9433473	AGS.2002/C/1	. . Nut, stiff, 2 BA	2	—	C	
9842	EEAS.240/2A	. . Washer, "D"	2	L72	C	
	SP122/D	. . Washer	2	—	—	

SERVICES
FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Mati. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
27FR/2523	F.R. LTD. FRS.73/L	. . COLLAR, split	1	—	C	63/21
27ZA/101	EXACTOR C.18953	. . CONNECTION, drop tank	1	—	B	62/3
28M/1278190	AGS.2001/C/1	Attachments:— . . Nut, stiff, 2 BA	6	—	C	62/4
26FZ/1029	EEAS.1/4C	. . Screw, 2 BA 120° c'sk head	6	S96	C	62/5
27FR/30169	F.R. LTD. FRS.380/K/1	. . CONNECTOR, fuel pipe (Mod. 4553)	1	—	B	62/6
27FR/	F.R. LTD. FRS.1230/K	. . CONNECTOR, pipe (Mod. 4553)	2	—	—	—
27FR/	F.R. LTD. FRS.110/K	. . CONNECTOR, fuel pipe (Mod. 4633)	1	—	B	62/7
27FR/	F.R. LTD. FRS.110/L	. . CONNECTOR, fuel pipe (Mod. 4633)	1	—	B	62/8
27FR/2331	F.R. LTD. FRS.110/M/1	. . CONNECTOR, fuel pipe	1	—	B	62/9
12537	E.B2.57.1879	. . CONNECTOR, reheat bleed pipe	1	—	B	62/10
11929	E.F2.57.237	. . FAIRLEAD	1	B.T.R. Moulded	C	63/22
28D/9436920	A25/1C	Attachments:— . . Bolt, 2 BA hex. head	4	—	C	63/23
28M/9433473	AGS.2002/C/1	. . Nut, stiff, 2 BA	4	—	C	63/24
26FZ/3412	EEAS.20/3/DR	. . Tab, locking	1	L72	C	63/25
28W/9419402	SP13/C	. . Washer, 2 BA plain	4	—	C	63/26
17973	E.B2.57.2361	. . FAIRLEAD	1	—	C	62/11
28D/1010658	A25/1B	Attachments:— . . Bolt, 4 BA hex. head	4	—	C	62/12
28M/1278189	AGS.2001/B/1	. . Nut, stiff, 4 BA	4	—	C	62/13
28W/9419474	SP15/B	. . Washer, 4 BA plain	4	—	C	62/14
	E.F3.57.867	. . FAIRLEAD, assembly, frame 45, port	1	—	—	63/27
28D/9436920	A25/1C	Attachments:— . . Bolt, 2 BA hex. head	4	—	C	63/23
28M/9433473	AGS.2002/C1	. . Nut, stiff, 2 BA	4	—	C	63/24
28W/9419402	SP13/C	. . Washer, 2 BA plain	4	—	C	63/26
23424	EEAS.554/4	. . FAIRLEAD	1	DTD506	C	62/15
23421	EEAS.554/6	. . FAIRLEAD	2	DTD506	C	63/28
23423	EEAS.556/4	. . FAIRLEAD	1	DTD506	C	62/16
23422	EEAS.556/6	. . FAIRLEAD	2	DTD506	C	63/29
19713	E.B2.73.5961	. . FAIRLEAD, assembly (Mod. 4632)	1	—	C	—
5K/1037443	AS.3360/C/6C	. . LEAD, bonding	6	—	C	62/17
19319	E.F2.57.835	. . NIPPLE, pipe coupling, forward of frame 46	1	S1	C	62/18

SERVICES
FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Mtl. Spec.	Ci. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
11941	E.F2.57.577	. . NIPPLE, pipe coupling, forward of frame 46	1	S1	C	62/19
28F/4051760	AGS.1170/C	. . NIPPLE, coupling	1	—	C	62/20
24415	E.F3.57.1339	. . PACKING, pipe clip, at frame 46	1	Lam. Alum.	C	62/21
	E.F3.57.1339	. . PACKING (Mod. 4566)	3	Lam. Alum.	—	
	E.F3.57.1631	. . PACKING (Mod. 4566)	3	Lam. Alum.	—	
	E.F3.57.1633	. . PACKING (Mod. 4566)	2	Lam. Alum.	—	
	E.F3.57.1635	. . PACKING (Mod. 4566)	1	Lam. Alum.	—	
	E.B2.57.2999	. . PACKING (Mod. 4566)	2	Lam. Alum.	—	
	E.F3.57.1855	. . PACKING (Mod. 4665)	1	—	—	
	E.F3.57.1861	. . PACKING (Mod. 4665)	1	—	—	
	E.F3.57.637	. . PIECE, packing, aft of frame 45 (Pre-Mod. 4566)	1	BS2572 Type F3	—	63/30
12704	E.F3.57.151	. . PIPE, fuel transfer, port, between connections forward of frame 46	1	BAC.M57	C	62/22
19302	E.F2.57.873	. . PIPE, assembly, reheat bleed, from 4-way union frame 45 to tee union, frame 45	1	DTD.5016	C	62/23
19318	E.F2.57.757	. . PIPE, assembly, reheat bleed line continuation, No. 2 pump, from connection forward frame 46 to 4-way union frame 45	1	—	C	62/24
19317	E.F2.57.753	. . PIPE, assembly, reheat bleed, from connection aft of frame 45 to 4-way union, frame 45	1	DTD.5016	C	62/25
12715	E.F3.57.423	. . PIPE, assembly, from bulkhead reduction union forward of frame 46 to connection aft of frame 48	1	—	C	62/26
148555	E.F3.57.1571	. . PIPE, assembly, from connection at frame 45 aft starboard to wing connection (Mod. 9074)	1	—	C	62/27
4808	E.B2.57.1113	. . PIPE, fuel transfer, from connection aft of frame 45 to port wing refuelling valve connection	1	—	C	62/28
19315	E.F2.57.817	. . PIPE, reheat bleed, from reducing union frame 45 to tee union on frame 45	1	—	C	62/29
19303	E.F2.57.871	. . PIPE, reheat bleed, from tee union on frame 45 to connection aft of frame 44	1	DTD.5016	C	62/31
24356	E.F3.57.849	. . PIPE, assembly, L P, between connections aft of frame 45, port and starboard	1	BAC.M57	C	62/30
4809	E.B2.57.1115	. . PIPE, fuel transfer, from connection aft of frame 45 to starboard wing refuelling valve connection	1	—	C	62/32
19735	E.F3.57.503	. . PIPE, fuel transfer, from branch pipe connection to connection aft of frame 45, starboard side	1	—	C	62/33

SERVICES
FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
19736	E.F3.57.477	. . PIPE, fuel transfer branch, between pipe connections aft of frame 45, port side, assembly Spares for:—	1	—	B	63/31
7787	E.B2.57.1675	. . . PISTON	1	S110	C	63/32
7788	E.B2.57.1681	. . . PLUG	1	S110	C	63/33
7789	E.B2.57.1677	. . . SLEEVE, valve	1	S110	C	63/34
7790	E.B2.57.1673	. . . SPRING	1	DTD215	C	63/35
7791	E.B2.57.1923	. . . TUBE, drain	1	L65	C	63/36
7792	E.B2.57.2157	. . . WASHER, sealing	1	L72	C	63/37
	E.F2.57.121	. . PLATE, washer, for reducing union forward of frame 46	1	S510	—	63/38
27FR/	F.R. LTD.	. . RING, "O" (Mod. 4554)	6	—	—	
	FRS.1225/66					
11943	E.F2.57.263	. . RING, reinforcing seal Attachments:—	2	L72	C	63/39
28D/1010658	A25/1B	. . Bolt, 4 BA hex. head	4	—	C	63/40
28D/1008149	A25/2B	. . Bolt, 4 BA hex. head	4	—	C	63/41
28M/1278189	AGS.2001/B/1	. . Nut, stiff, 4 BA	8	—	C	63/42
28W/9419465	SP13/B	. . Washer, 4 BA plain	12	—	C	63/43
11944	E.F2.57.265	. . SEAL, diaphragm, at frame 45, port and starboard	2	Y346	C	63/44
4837	PIONEER	. . SEAL, "O" ring	1	MP902	C	62/34
	PC.2250—MP802 or ANGUS R.4225—P5					
27FR/2423 4384517	F.R. LTD. FRS.185/K	. . SHIELD, heat	4	—	C	62/35
27FR/2336	F.R. LTD. FRS.185/L	. . SHIELD, heat	2	—	C	62/36
27FR/2424 4384519	F.R. LTD. FRS.185/M	. . SHIELD, heat	1	—	C	62/37
	E.F5.57.51	. . SHIM (Mod. 4632)	1	—	—	
27FR/30701	F.R. LTD. FRS.353/L	. . SLEEVE, outer	1	—	C	63/46
27FR/1488101	F.R. LTD. FRS.54—L—9	. . SLEEVE (Mod. 4633)	1	—	C	
27FR/1488102	F.R. LTD. FRS.54—K—9	. . SLEEVE (Mod. 4633)	1	—	C	
27FR/1488099	F.R. LTD. FRS.151—L—9	. . SLEEVE (Mod. 4633)	1	—	C	
5F/9401209	†	. . TAPE, insulating cambric	QR	BS5419	C	63/47
5F/9401210						
5F/9401212						
	AS.2811/6/09	. . TUBE, distance	2	—	—	62/38
19316	E.F2.57.815	. . UNION, bulkhead, pipe reducing Attachments:—	1	S80	C	63/48
28D/9436920	A25/1C	. . Bolt, 2 BA hex. head	3	—	C	63/49
28M/9433473	AGS.2002/C/1	. . Nut, stiff, 2 BA	3	—	C	63/50
26FZ/3412	EEAS.20/3DR	. . Tab, locking	1	L72	C	63/51
28W/9419402	SP13/C	. . Washer, 2 BA plain	3	—	C	63/52
27QA/70375	BRITISH MESSIER H.2017	. . VALVE, non-return	1	—	A	62/39
11906	EEAS.239/4A	. . WASHER, "D", clip attachment	13	L72	C	62/40

SERVICES
FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Mati. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	—	. SYSTEM, fuel, frames 46 to 48, assembly (E.F5.57.9) Spares for:—	—	—	—	
11946	E.F2.57.389	. . ADAPTOR, fuel filter to reheat pump No. 2	1	S521	C	65/1
	E.F3.57.391	. . BLOCK, support, forward of frame 47	1	—	—	
19309	E.F2.57.739	. . BODY, banjo, reheat bleed, No. 2 pump	1	S93, S94	C	65/2
4783	E.B1.57.1119	. . BOLT-RING, aircraft refuelling unit mounting between frames 47 and 48	1	S510	C	64/1
		Attachments:—				
28M/7002430	AGS.2002/E/1	. . Nut, stiff, 1/4" BSF	8	—	C	64/2
	E.F3.57.1739	. . BRACKET, angle (Mod. 4590)	1	—	—	
		Attachments:—				
28D/9436920	A25/1C	. . Bolt, 2 BA hex. head	2	—	C	
28M/1278190	AGS.2001/C/1	. . Nut, stiff, 2 BA	2	—	C	
	SP122/D	. . Washer	2	—	—	
	E.F3.57.1853	. . BRACKET (Mod. 4665)	1	—	—	
27F/2228	AVERY HARDOLL	. . CAP, dust, for aircraft refuelling unit	1	—	C	64/3
	FC.109					
11917	KING A/C	. . CLAMP, pipe, Mk. 45	1	—	C	65/3
	C.6045/18B					
11920	KING A/C	. . CLAMP, pipe, Mk. 45	1	—	C	64/4
	C.6045/22B					
12714	EEAS.98/4	. . CLEAT, lug, at frame 46	1	L72	C	65/4
1484683	E.B1.07.19	. . CLIP, pipe, at frames 46 and 47 (E.B1.55.91) (Pre-Mod. 4665)	2	L72	C	64/6
		Attachments:—				
28D/9133012	A25/3C	. . Bolt, 2 BA hex. head	4	—	C	64/6
28M/9433473	AGS.2002/C/1	. . Nut, stiff, 2 BA	4	—	C	64/7
10303	EEAS.240/1A	. . Washer, radius	4	L72	C	64/8
28W/9419402	SP13/C	. . Washer, 2 BA plain	4	—	C	64/9
	E.F3.57.1851	. . CLIP (Mod. 4665)	1	—	—	
		Attachments:—				
28D/9133012	A25/3C	. . Bolt, 2 BA hex. head	1	—	C	
28M/9433473	AGS.2002/C/1	. . Nut, stiff, 2 BA	1	—	C	
9842	EEAS.240/2A	. . Washer, radius	1	L72	C	
	SP122/D	. . Washer	1	—	—	
21297	E.F3.57.1073	. . CONNECTOR, reheat bleed pump	1	S1	C	65/5
27FR/	F.R. LTD.	. . CONNECTOR, pipe (Mod. 4633)	1	—	—	64/10
	FRS.110/M					

SERVICES
FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
27FR/30171	F.R. LTD. FRS.380/M/1	. . CONNECTOR (Pre-Mod. 4554)	1	—	C	
27FR/	F.R. LTD. FRS.380/M E.F3.57.1693	. . CONNECTOR (Mod. 4554) . . COUPLING, pipe (Mod. 4590) Attachments:—	1 1	— S130	— —	
28D/9133012	A25/3C	. . Bolt, 2 BA hex. head	2	—	C	
28D/1200119	A25/4C	. . Bolt, 2 BA hex. head	1	—	C	
28M/1278190	AGS.2001/C/1	. . Nut, stiff, 2 BA	3	—	C	
4851	EEAS.20/1/ER SP122/D E.F3.57.1697	. . Tab, locking . . Washer . . ELBOW, special 5/8" B.S.P. (Mod. 4590) Attachments:—	2 2 1	L72 — S130	C — —	
28D/9133011	A25/2C	. . Bolt, 2 BA hex. head	3	—	C	
28M/1278190	AGS.2001/C/1	. . Nut, stiff, 2 BA	3	—	C	
4851	EEAS.20/1/ER SP122/D	. . Tab, locking . . Washer	1 3	L72 —	C —	

[illegible]

SERVICES
FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	MARSTON	. . EXCHANGER, heat, at frame 46	1	—	—	64/11
	D.3051/1A					
	or					
	D.2718/2A					
19308	E.F.2.57.889	. . FAIRLEAD, assembly, frame 47 and 48	2	—	C	64/13
		Attachments:—				
28D/1011021	A25/16C	. . Bolt, 2 BA hex. head	2	—	C	64/14
28M/9433473	AGS.2002/C/1	. . Nut, stiff, 2 BA	2	—	C	64/15
28W/9419402	SP13/C	. . Washer, 2 BA plain	2	—	C	64/16
23426	EEAS.554/2	. . Fairlead, pipe support, aft of frame 46	2	DTD506	C	65/6
23425	EEAS.556/2	. . FAIRLEAD, pipe support, aft of frame 46	2	DTD506	C	65/7
6102227	E.F.3.57.1707	. . FAIRLEAD, assembly (Mod. 4590)	1	—	C	
		Spares for: —				
	E.F.3.57.1709	. . . FAIRLEAD, half	1	—	—	
	E.F.3.57.1711	. . . FAIRLEAD, half	1	—	—	
		Attachments:—				
28D/9140647	A25/14C	. . Bolt, 2 BA hex. head	2	—	C	
28M/1278190	AGS.2001/C/1	. . Nut, stiff, 2 BA	2	—	C	
	SP122/D	. . Washer	2	—	C	
11930	E.F.2.57.369	. . FILTER, fuel, No. 2 reheat pump, group	1	—	A	65/8
		Spares for:—				
11938	TECALEMIT 104057	. . . BOLT, end plate attachment	8	—	C	65/9
11935	TECALEMIT FG.2468	. . . ELEMENT, assembly	1	—	A	65/10
13436	TECALEMIT 46488	. . . PLATE, end, assembly	1	—	C	65/11
11932	TECALEMIT 46335	. . . PLATE, pressure	1	—	C	65/12
11931	TECALEMIT 160613	. . . SPRING	1	—	C	65/13
11934	TECALEMIT 164186	. . . TWI-CLIP	1	—	C	65/14
11933	TECALEMIT 164187	. . . WASHER, twi-clip	1	—	C	65/15
21429	SANGAMO FD.2194/9	. . . WASHER, joint	1	—	C	65/16
5K/1037443	AS.3360/6C	. . LEAD, bonding	2	—	C	64/17
28F/9439897	AGS.1142/E	. . NIPPLE, adaptor	2	—	C	65/17
28F/9486111	AGS.1142/H	. . NIPPLE, adaptor	1	—	C	64/18
28F/1036552	AGS.2120/H	. . NIPPLE, coupling	1	—	C	64/19
23600	E.F.3.57.1143	. . PACKING, at frame 47	2	Lam. Alum	C	64/20
	E.F.3.57.1829	. . PACKING (Mod. 4657)	1	—	—	
11948	E.F.2.57.367	. . PIPE, flexible, assembly, from heat exchanger to engine connection aft of frame 46	1	—	C	64/22
19278	E.F.3.57.499	. . PIPE, assembly, for refuelling valve line connection forward of frame 47 to branch pipe connection	1	—	C	64/23
19320	E.F.2.57.759	. . PIPE, assembly, reheat bleed, from No. 2 pump to continuation aft of frame 46	1	DTD.5016	C	65/23
6102144	E.F.3.57.1731	. . PIPE, flexible, assembly (Mod. 4590)	1	—	C	
6102301	E.F.3.57.1827	. . PIPE, assembly (Mod. 4657)	1	—	C	

SERVICES
FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Mati. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
24357	E.F3.57.1029	. . PIPE, assembly, H.P. fuel, from tee junction forward of frame 45 to reducing union aft of frame 46	1	DTD.5016	C	65/24
24358	E.F3.57.1043	. . PIPE, assembly, H.P. fuel, from reducing union aft of frame 46 to connection at frame 47	1	DTD.5016	C	65/25
4810	E.B2.57.1199	. . PIPE, refuelling unit to connection forward of frame 47	1	—	C	64/24
11949	E.B2.57.1391	. . PIPE, assembly, No. 1 reheat pump line continuation, from connection aft of frame 46 to connection aft of frame 48	1	DTD.5016	C	64/25
27FR/ 11950	F.R. LTD. FRS.1225/77 E.F2.57.243	. . RING, "O" (Mod. 4554) . . RING, reinforcing, for seal at firefloor between frames 46 and 47, port	2 1	— L72	— C	 64/26
28D/1010658	A25/1B	. . Bolt, 4 BA hex. head	5	—	C	64/27
28M/1086618	AGS.2002/B/1	. . Nut, stiff, 4 BA	5	—	C	64/28
28W/9419465	SP13/B	. . Washer, 4 BA plain	5	—	C	64/29
26FZ/1468	EEAS.1/2C	. . SCREW, 2 BA 120° c'sk head, at aircraft refuelling unit aft of frame 47	4	S96	C	64/30
33742	E.F3.57.1387	. . SEAL, at firefloor between frames 46 and 47, port	1	Y346	C	64/31
	GEO. ANGUS R.4175—P5 or	. . SEAL, "O" ring, No. 2 reheat pump	1	—	—	65/26
11919	PIONEER PC.1750—MP802	. . SEAL, "O" ring, No. 2 reheat pump	1	MP802	C	65/27
	GEO. ANGUS R.4225—P5 or	. . SEAL, "O" ring, fuel pipe to heat exchanger	1	—	—	64/32
4837	PIONEER PC.2250—MP802	. . SEAL, "O" ring, fuel pipe to heat exchanger	1	MP902	C	64/33
7678	PIONEER P.O.S.1300— MP802 or	. . SEAL, "O" ring, No. 2 reheat pump	1	MP802	C	65/28
	GEO. ANGUS R.153/P5	. . SEAL, "O" ring, No. 2 reheat pump	1	—	—	65/29
11951	PIONEER PC.2500—P802 or	. . SEAL, "O" ring, at refuelling unit	1	MP802	C	64/34
	GEO. ANGUS R.4250—P5	. . SEAL, "O" ring, at refuelling unit	1	—	—	64/35

SERVICES
FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
11953	E.F2.57.579	. . SHIELD, flame, forward of frame 48	1	S521	C	64/36
		Attachments:—				
28D/9436920	A25/1C	. . Bolt, 2 BA hex. head	4	—	C	64/37
	EEAS.28/8ER	. . Washer	1	L72	—	64/38
4845	EEAS.31/1P	. . Washer, radius	3	—	C	64/39
27FR/2424	F.R. LTD.	. . SHIELD, heat	2	—	C	64/42
4384519	FRS.185/M					
27FR/1488100	F.R. LTD.	. . SLEEVE (Mod. 4633)	1	—	C	
	FRS.54—M—9					
	↑	. . TAPE, empire	QR	—	—	64/43
	AS.2811/5/025	. . TUBE, distance	1	—	—	65/40
28F/2370	AVERY	. . UNIT, 1".5 aircraft refuelling	1	—	B	64/44
	HARDOLL					
	FC.113					
11954	E.B2.57.2117	. . WASHER, sealing, at refuelling unit	1	Neoprene	C	64/45
12728	EEAS.239/4AH	. . WASHER, radius, clip attachment	3	L72	C	64/46
10303	EEAS.240/1A	. . WASHER, radius, clip attachment	1	L72	C	64/47
	—	. . SYSTEM, fuel frames 25B to 31, assembly (E.F3.57.1215)	—	—	—	66/1
		Spares for:—				
19309	E.F2.57.739	. . BODY, banjo, reheat bleed at No. 1 pump	1	S94, S95 or S96	C	66/2
13735	E.B2.07.615	. . BRACKET, for fuel filter mounting at frame 27 (E.B2.57.325)	1	L72	C	66/3
		Attachments:—				
28D/7002428	A25/6C	. . Bolt, 2 BA hex. head	3	—	C	66/4
28M/9433473	AGS.2002/C/1	. . Nut, stiff, 2 BA	3	—	C	66/5
28W/9419475	SP15/C	. . Washer, 2 BA plain	3	—	C	66/6
11917	KING A/C	. . CLAMP, pipe, fuel pipe to filter	1	—	C	66/7
	C.6045/18/B					
11918	E.F2.57.589	. . CLEAT, pipe support, at frame 31	2	BS2572 Type F3	C	66/8
		Attachments:—				
28D/9133012	A25/3C	. . Bolt, 2 BA hex. head	4	—	C	66/9
28M/9433473	AGS.2002/C/1	. . Nut, stiff, 2 BA	4	—	C	66/10
28W/9419475	SP15/C	. . Washer, 2 BA plain	4	—	C	66/11
27FR/2329	F.R. LTD.	. . CONNECTOR, pipe, 1-1/2", aft of frame 27	1	—	B	66/12
	FRS.110/K.	(Mod. 4667)				
27FR/2331	F.R. LTD.	. . CONNECTOR, pipe, 2", aft of frame 29 (Mod. 4667)	1	—	B	66/13
	FRS.110/M.					
21297	E.F3.57.1073	. . CONNECTOR, reheat bleed pipe (Mod. 2180)	1	S1	C	66/14
11930	E.F2.57.369	. . FILTER, fuel, reheat pump No. 1, group	1	—	A	66/15
		Spares for:—				
11938	TECALEMIT 104057	. . . BOLT, end plate attachment	8	—	C	66/16
11935	TECALEMIT FG.2468	. . . ELEMENT, assembly	1	—	A	66/17

SERVICES
FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Mtd. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
13436	TECALEMIT 46488	. . . PLATE, end, assembly	1	—	C	66/18
11932	TECALEMIT 46335	. . . PLATE, pressure	1	—	C	66/19
11931	TECALEMIT 160613	. . . SPRING	1	—	C	66/20
11934	TECALEMIT 164186	. . . TWI-CLIP	1	—	C	66/21
11933	TECALEMIT 164187	. . . WASHER, twi-clip	1	—	C	66/22
21429	SANGAMO FD.2194/9	. . . WASHER, joint	1	—	C	66/23
28F/9486111	AGS.1142/H	. . NIPPLE, adaptor	1	—	C	66/24
4794	E.B2.57.527	. . PACKING, at filter bracket	1	LFS21	C	66/25
4796	E.B2.57.131	. . PIPE, assembly, fuel, from connector aft of frame 29 to connection aft of frame 31	1	—	C	66/26
24359	E.F3.57.1151	. . PIPE, assembly, fuel branch, from heat shield at filter aft of frame 27 to connector aft of frame 29	1		C	66/27
19310	E.F2.57.743	. . PIPE, assembly, reheat bleed, from No. 1 pump to connection forward of frame 29	1	DTD.5016	C	66/28
	E.F3.57.1123	. . PIPE, assembly, reheat bleed line continuation, from connection forward of frame 29 to connection at frame 34	1	DTD.5016	C	66/29
12732	E.F2.57.391	. . PIPE, feed, between No. 1 reheat pump and filter	1		C	66/30
12730	E.B2.57.1377	. . PIPE, assembly, from No. 1 reheat pump to connection aft of frame 31	1	DTD473	C	66/31
11919	PIONEER PC.1750—MP802	. . SEAL, "O" ring, fuel pipe to filter	1	—	C	66/32
	or					
1485671	GEO. ANGUS R.4175—P5	. . SEAL, "O" ring, fuel pipe to filter	1	—	—	66/33
7678	PIONEER P.O.S.1300— MP802	. . SEAL, "O" ring, fuel pipe to pump connection	1	—	C	66/34
	or					
	GEO. ANGUS R.153/P5	. . SEAL, "O" ring, fuel pipe to pump connection	1	—	—	66/35
27FR/2423 4384517	F.R. LTD. FRS.185/K	. . SHIELD, heat, 1-1/2", aft of frame 27	1	—	C	66/36

SERVICES
FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
27FR/2424 4384519	F.R. LTD. FRS.185/M F.R. LTD. FRS.54/K/9 F.R. LTD. FRS.54/M/9 AS.2811/5/052	. . SHIELD, heat 2", aft of frame 27	1	—	C	66/37
11906	EEAS.239/4A	. . SLEEVE (Mod. 4667)	1	Fluorel	—	
10303	EEAS.240/1A	. . SLEEVE (Mod. 4667)	1	Fluorel	—	66/38
		. . TUBE, distance	2	—	—	66/39
		. . WASHER, "D", clip attachment	3	—	C	66/40
		. . WASHER, "D", clip attachment	7	—	C	
		. . SYSTEM, fuel, frames 31 to 39, assembly (E.F5.57.11)	—	—	—	
13734	E.B2.07.621	Spares for:— . . BRACKET, 2" dia. fuel pipe clip mounting at frame 34 (E.B2.57.275)	1	L72	C	67/2
		Attachments:—				
28D/9140638	A25/4B	. . Bolt, 4 BA hex. head	2	—	C	67/3
28M/1086618	AGS.2002/B/1	. . Nut, stiff, 4 BA	2	—	C	67/4
28W/9419465	SP13/B	. . Washer, 4 BA plain	2	—	C	67/5
11920	KING A/C	. . CLAMP, pipe, Mk. 45	1	—	C	67/6
	C.6045/22B					
1484683	E.B1.07.19	. . CLIP, pipe, at frame 34 (E.B1.55.91)	1	L72	C	67/7
		Attachments:—				
28D/9133012	A25/3C	. . Bolt, 2 BA hex. head	2	—	C	67/8
28M/8433473	AGS.2002/C/1	. . Nut, stiff, 2 BA	2	—	C	67/9
10303	EEAS.240/1A	. . Washer, "D"	2	—	C	67/10
28W/9419402	SP13/C	. . Washer, 2 BA plain	2	—	C	67/11
27FR/30171	F.R. LTD. FRS.380/M/1	. . CONNECTOR, pipe (Pre-Mod. 4554)	2	—	B	67/12
27FR/	F.R. LTD. FRS.380/M MARSTON D.3051/1A or D.2718/2A	. . CONNECTOR (Mod. 4554)	2	—	—	
		. . EXCHANGER, heat	1	—	—	67/14
1504245	E.B2.57.2629	. . FAIRLEAD, at No. 1 fire zone (Mod. 4436)	1	—	C	
23426	EEAS.554/2	. . FAIRLEAD, forward of frame 36 and aft of frame 39	2	DTD506	C	67/18
23421	EEAS.554/6	. . FAIRLEAD, forward of frame 36	1	DTD506	C	67/15
23425	EEAS.556/2	. . FAIRLEAD, forward of frame 36 and aft of frame 39	2	DTD506	C	67/17
23422	EEAS.556/6	. . FAIRLEAD, forward of frame 36	1	DTD506	C	67/16
28F/1036552	AGS.2120/H	. . NIPPLE, coupling	3	—	C	67/20
12739	E.F3.57.471	. . PACKING, at frame 34	2	BS2572/ F3	C	67/21
4798	E.B2.57.135	. . PIPE, feed, through frame 34	1	DTD.6016	C	67/22
12750	E.F2.57.275	. . PIPE, assembly, reheat pump No. 1 line continuation, from connection at frame 34 to bulkhead connection at engine beam	1	—	C	67/23
12743	E.F2.57.365	. . PIPE, feed, from heat exchanger to coupling aft of frame 34	1		C	67/24

SERVICES
FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
12748	E.F2.57.559	. . PIPE, assembly, fuel reheat No. 1 line, from coupling aft of frame 31 to frame 34	1	DTD.5016	C	67/25
	E.F3.57.595	. . PIPE, assembly, reheat b-ead line continuation, from frame 34 to connection aft of frame 39	1	DTD.5016	—	67/26
	E.F3.57.1565	. . PIPE, flexible, assembly, No. 1 engine, from connection at frame 34 to clamp connection at support bracket, fuel booster pump outlet line (Mod. 4510)	1	Plessiflex	C	67/27
	E.F3.57.1373	. . PIPE, assembly, H.P. fuel, from reducing union aft of frame 36 to bulkhead connection at frame 39	1	DTD.5016	—	67/28
	E.F3.57.1379	. . PIPE, assembly, H.P. fuel, from bulkhead connection at frame 34 to reducing union aft of frame 36	1	DTD.5016	—	67/29
27FR/ 1487881 7504371	F.R. LTD. FRS.1225/77 GEO. ANGUS R4225—P5	. . RING, "O" (Mod. 4554)	4	—	C	
	or	. . SEAL, "O" ring, at flame shield forward of frame 39	1	—	—	67/30
4837	PIONEER PC2250—MP802	. . SEAL, "O" ring, at flame shield forward of frame 39	1	MP802	C	67/31
7983	E.B2.57.2017	. . SHIELD, heat, pipe connection	2	—	C	67/34
1504246	E.B2.57.2647	. . STIFFENER, (Mod. 4436)	2	—	C	
4851	EEAS.20/1ER	. . TAB, locking, pipe attachment	3	L72	C	67/35
28FZ/20778	EEAS.20/2ER	. . TAB, locking, pipe attachment	1	L72	C	67/36
12728	EEAS.239/4AH	. . WASHER, "D", clip attachment	4	L72	C	67/37
10303	EEAS.240/1A	. . WASHER, "D", clip attachment	1	L72	C	67/38
9842	EEAS.240/2A	. . WASHER, "D", clip attachment	1	L72	C	67/39
	—	. . SYSTEM, fuel, frames 39 to 42, assembly (E.F5.57.13)	—	—	—	
		Spares for:—				
24366	E.F3.57.1341	. . BLOCK, packing, relief valve clamp at frame 39	1	BS2672 Type F5	C	68/2
24367	E.F3.57.1343	. . CLAMP, relief valve mounting at frame 39	1	L73	C	68/3
		Attachments:—				
28D/1011019	A25/8C	. . Bolt, 2 BA hex. head	2	—	C	68/4
28M/9433473	AGS.2002/C1	. . Nut, stiff, 2 BA	2	—	C	68/5
11920	KING A/C C6045/22B	. . CLAMP, pipe, MK 45	1	—	C	68/7
27FR/	F.R. LTD FRS.380/H/7	. . CONNECTOR, pipe, non-return valve at frame 39 (Pre-Mod. 4554)	4	—	—	68/6
27FR/	F.R. LTD. FRS.380/H	. . CONNECTOR (Mod. 4554)	4	—	—	

SERVICES
FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Mater. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
24368	E.F3.57.1181	. . FAIRLEAD, assembly, at frame 40 port and starboard Attachments:—	2	—	C	68/8
28D/9133014	A25/13C	. . Bolt, 2 BA hex. head	4	—	C	68/9
28W/9419475	SP15/C	. . Washer, 2 BA plain	4	—	C	68/10
33577	E.F2.73.2633	. . FAIRLEAD, aft of frame 39, starboard Attachments:—	1	—	C	68/11
28D/9140844	A25/9C	. . Bolt, 2 BA hex. head	1	—	C	68/12
28M/9433473	AGS.2002/C1	. . Nut, stiff, 2 BA	1	—	C	68/13
23426	EEAS.544/2	. . FAIRLEAD, assembly	1	DTD506	C	68/14
23421	EEAS.554/6	. . FAIRLEAD, assembly	2	DTD506	C	68/15
23425	EEAS.556/2	. . FAIRLEAD, assembly	1	DTD506	C	68/16
23422	EEAS.556/6	. . FAIRLEAD, assembly	4	DTD506	C	68/17
12703	EEAS.98/3	. . LUG, fairlead, aft of frame 39, starboard	1	L72	C	68/18
23600	E.F3.57.1143	. . PACKING, pipe clip, at frame 40	4	Lam. Alum	C	68/19
	E.F3.57.597	. . PIPE, assembly, reheat bleed line continuation, from aft of frame 39 to connection at frame 44	1	DTD.5016	—	68/20
	E.F3.57.989	. . PIPE, assembly, fuel transfer, from coupling forward of frame 41 starboard to bulkhead union forward of frame 39 port	1	DTD.5016	—	68/21
	E.F3.57.991	. . PIPE, assembly, fuel transfer, from coupling forward of frame 41 port to bulkhead union forward of frame 39 starboard	1	DTD.5016	—	68/22
	E.F3.57.1001	. . PIPE, branch, assembly, fuel transfer, from connection at spar 5 port to non return valve connections forward of frame 39	1	BAC.M57	—	68/23
	E.F3.57.1119	. . PIPE, assembly, L.P. fuel, from heat exchanger coupling at frame 39 to coupling aft of frame 43	1		—	68/24
	E.F3.57.1153	. . PIPE, branch, assembly, fuel transfer, from connection at spar 5 starboard to non return valve connection forward of frame 39	1	BAC.M57	—	68/25
	E.F3.57.1171	. . PIPE, assembly, H.P. fuel, from coupling at frame 40 to bulkhead connection at frame 42 port	1	DTD.5016	—	68/26
24894	E.F3.57.1255	. . PIPE, assembly, reheat pump No. 1 line continuation, from bulkhead connection at engine beam to connection aft of frame 42	1		—	68/27

Restricted

Page MH18

SERVICES
FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
✓	E.F3.57.1369	. . PIPE, assembly, H.P. fuel, from tee junction starboard to connection aft of frame 39 port	1	DTD.5016	—	68/28
✓	E.F3.57.1371	. . PIPE, assembly, drain, transverse, from relief valve starboard to tapping in L.P. fuel pipe aft of frame 39 port	1	DTD.5016	—	68/29
33576	E.F3.57.1377	. . PIPE, assembly, H.P. fuel, from connection at frame 39 to special tee union aft of frame 39 starboard	1	DTD.5016	C	68/30
	—	. . PIPES, fuel supply, No. 1 engine to hot streak solenoid valve, assembly (E.F5.57.15) Spares for:—	—	—	—	
23424	EEAS.554/4	. . . FAIRLEAD, assembly	2	DTD506	C	68/36
23423	EEAS.556/4	. . . FAIRLEAD, assembly	2	DTD506	C	68/37
	E.F3.57.1381	. . . PIPE, assembly, from connection at frame 34 to connection forward of frame 39	1	DTD.5016	—	68/40
	E.F3.57.1383	. . . PIPE, assembly, from coupling forward of frame 39 to coupling aft of frame 39	1	DTD.5016	—	68/42
✓	E.F3.57.1385	. . . PIPE, assembly, from connection to tapping in reheat pipe aft of frame 39	1	DTD.5016	—	68/41
24895	E.F3.57.1247	. . . PIPE, flexible, assembly from connection at frame 34 to No. 1 engine hot streak valve connection	1	—	C	68/38
26FZ/981	EEAS.20/2/DR	. . . TAB, locking	1	L72	C	
27FR/	F.R. LTD.	. . RING, "O" (Mod. 4554)	8	—	C	
1487869	FRS.1225/61					
24353	E.B2.73.95	. . TEE, junction, aft of frame 39, starboard	1	S94, S95 or S96	C	68/45
27Q/1490715	DOWTY ROROL 1.01346.003	. . VALVE, relief, aft of frame 39, starboard (Mod. 4638)	1	—	A	68/46
27FR/32054	F.R. LTD 9807350	. . VALVE, non return, fuel transfer lines, frame 39	2	—	A	68/47
9842	EEAS.240/2A	. . WASHER, "D"	12	L72	C	68/48
33394	E.F3.57.1367	. . WASHER, special, "D"	2	L72	C	68/49
	—	. SYSTEM, fuel, frames 44 to 45, assembly (E.F3.57.1223) Spares for:—	—	—	—	69/1
23429	EEAS.552/3	. . BOBBIN, distance, clipping at frame 45	1	L65	C	69/2

Restricted

AB

SERVICES							Page MH19
FUEL SYSTEM IN REAR FUSELAGE							
Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip.	Plate No.	
					M.R. L.M.		
		1 2 3 4 5 6					
11929	E.F2.57.237	. . FAIRLEAD, for fuel pipes on frame 45 port	1	B.T.R. Moulded	C	69/3	
		Attachments:—					
28D/1200119	A25/4C	. . Bolt, 2 BA hex. head	4	—	C	69/4	
28M/9433473	AGS.2002/C/1	. . Nut, stiff, 2 BA	4	—	C	69/5	
28W/9419402	SP13/C	. . Washer, 2 BA plain	4	—	C	69/6	
	E.F3.57.867	. . FAIRELAD, fuel pipe, on frame 45, starboard	1	—	C	69/7	
		Attachments:—					
28D/1200119	A25/4C	. . Bolt, 2 BA hex. head	4	—	C	69/8	
28M/1278190	AGS.2001/C1	. . Nut, stiff, 2 BA	4	—	C	69/9	
28W/9419402	SP13/C	. . Washer, 2 BA plain	4	—	C	69/10	
23424	EEAS.554/4	. . FAIRLEAD, assembly	2	DTD506	C	69/11	
23421	EEAS.554/6	. . FAIRLEAD, assembly	2	DTD506	C	69/12	
23423	EEAS.556/4	. . FAIRLEAD, assembly	2	DTD506	C	69/13	
23422	EEAS.556/6	. . FAIRELAD, assembly	2	DTD506	C	69/14	
19713	E.B2.73.5961	. . FAIRLEAD, assembly (Mod. 4632)	2	—	C		
24335	E.F3.75.965	. . NIPPLE, special, aft of frame 44	1	S1	C	69/15	
	E.F5.57.53	. . PACKING (Mod. 4632)	1	—	—		
	E.F5.57.55	. . PACKING (Mod. 4632)	1	—	—		
	E.F3.57.783	. . PIPE, assembly, reheat bleed line continuation, from connection forward of frame 44 to 4-way union between frames 45 and 46	1	DTD.5016	—	69/16	
	E.F3.57.999	. . PIPE, assembly, fuel transfer, from connection at frame 44 to connection in wing aft of frame 45 port	1	DTD.5016	—	69/17	
	E.F3.57.1027	. . PIPE, assembly, H.P. fuel, from tee junction aft of frame 44 to connection in wing at frame 43 starboard	1	DTD.5016	—	69/18	
24351	E.F3.57.1031	. . PIPE, assembly, drain, from relief valve at tee junction aft of frame 44 to non-return valve aft of frame 45 starboard	1	DTD.5016	C	69/19	
	E.F3.57.1121	. . PIPE, assembly, L.P. fuel, from connection aft of frame 42 to connection forward of frame 45 port	1	DTD.5016	—	69/20	
12770	E.B2.57.1387	. . PIPE, assembly, reheat pump No. 1 line, from connection at frame 44 to connection aft of frame 46	1	DTD.5016	C	69/23	
	E.F5.57.51	. . SHIM (Mod. 4632)	2	—	—		
24353	E.B2.73.95	. . TEE, junction, aft of frame 44	1	S94, S95 or S96	C	69/21	
27Q/1490715	DOWTY ROTOL 1.01346.003	. . VALVE, relief, aft of frame 44 (Mod. 4638)	1	—	A	69/22	

SERVICES
FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	E.F2.57.191	. . WASHER, plate, for pipe connection at frame 44 Attachments:—	1	S510	—	69/24
28D/9436920	A25/1C	. . Bolt, 2 BA hex. head	3	—	C	69/25
28M/9433473	AGS.2002/C/1	. . Nut, stiff, 2 BA	3	—	C	69/26
4851	EEAS.20/1ER	. . Tab, locking	1	L72	C	69/27
28W/9419402	SP13/C	. . Washer, 2 BA plain	3	—	C	69/28
10303	EEAS.240/1A	. . Washer, "D"	2	L72	C	
9842	EEAS.240/2A	. . WASHER, "D"	1	L72	C	
—	—	. . WRAPPING of bonded seals, No. 2 engine bay (E.F3.73.8787) (Mod. 4801) Spares for:—	—	—	—	
6102085	EEAS.814	. . . TAPE, fluorocarbon rubber, 1" wide	QR	—	C	