

TAIL UNIT
ASSEMBLY OF FIN TO FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	—	ASSEMBLY OF FIN TO FUSELAGE (E.F3.00.397) Spares for:—	—	—	—	
12858	E.F3.11.1767	. BOLT, shear, 9/16" BSF hex. head, 1".7 long	2	S98	C	
12852	E.F3.11.2229	. BOLT, shear, 7/16" BSF hex. head, 1".8 long	4	S98	C	
12856	E.F3.11.2231	. BOLT, shear, 5/16" BSF hex. head, ".95 long	2	S98	C	
12862	E.F3.11.2233	. BOLT, shear, 1/2" BSF hex. head, 1".95 long	2	S98	C	
12848	E.F3.11.2235	. BOLT, shear, 1/4" BSF hex. head, 1".35 long	4	S98	C	
21784	E.F3.11.3969	. BOLT, 2 BA hex. head, 1".35 long	2	S98	C	
1440083	E.F3.11.6321	. BOLT, special, 5/16" BSF hex. head	2	S98	C	
1440084	E.F3.11.6323	. BOLT, special, 7/16" BSF hex. head	2	S98	C	
1440085	E.F3.11.6357	. BOLT, special, 5/16" BSF hex. head	2	S98	C	
1440086	E.F3.11.6365	. BOLT, special, 5/16" BSF hex. head	6	S98	C	
1440087	E.F3.11.6377	. BOLT, special, 1/2" BSF hex. head	2	S98	C	
1440088	E.F3.11.6393	. BOLT, special, 1/2" BSF hex. head	2	S98	C	
1440089	E.F3.11.6439	. BOLT, special, 1/2" BSF hex. head	1	S95 or S96	C	
1440090	E.F3.11.6441	. BOLT, special, 5/16" BSF hex. head	3	S95, S96 or S114	C	
1440091	E.F3.11.6445	. BOLT, special, 5/16" BSF hex. head	1	S95, S96 or S114	C	
1440092	E.F3.11.6447	. BOLT, special, 1/4" BSF hex. head	7	S95, S96 or S114	C	
1440093	E.F3.11.6449	. BOLT, special, 5/16" BSF hex. head	2	S95, S96 or S114	C	
1440094	E.F3.11.6945	. BOLT, special, 5/16" BSF hex. head	1	S95 or S96	C	
4943	E.B2.11.14529	. BOLT, 3/8" BSF hex. head, 1".2 long	1	S95	C	
21957	EEAS.95/5E	. BOLT, 1/4" BSF hex. head	2	S97	C	
12867	EEAS.223/1C	. BOLT, 2 BA hex. head	28	S95 or S94	C	
12865	EEAS.223/1-1/2C	. BOLT, 2 BA hex. head	8	S95 or S94	C	
12859	EEAS.251/22/48E	. BOLT, 1/4" BSF 120° c'sk head	60	S97	C	
12866	EEAS.296/17/46C	. BOLT, 2 BA 90° c'sk head	18	S97	C	
12860	EEAS.296/21/50C	. BOLT, 2 BA 90° c'sk head	68	S97	C	
12861	EEAS.296/21/55C	. BOLT, 2 BA 90° c'sk head	12	S97	C	
28D/9133011	A25/2C	. BOLT, 2 BA hex. head	19	—	C	
28D/	A25/3-1/2E	. BOLT, 1/4" BSF hex. head	2	—	—	
23808	E.B2.32.1881	. DUCT, cooling, assembly	1	01/018	C	
2648	E.B1.11.5305	. NUT, special, 9/16" BSF thin slotted	2	S95	C	

Restricted

Page N2

TAIL UNIT
ASSEMBLY OF FIN TO FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
28M/13935	A58/ES	. NUT, 1/4" BSF slotted	13	—	C	
28M/14537	A58/GS	. NUT, 5/16" BSF slotted	19	—	C	
28M/15199	A58/LS	. NUT, 7/16" BSF slotted	10	—	C	
28M/14555	A58/NS	. NUT, 1/2" BSF slotted	11	—	C	
28M/9433473	AGS.2002/C/1	. NUT, stiff, 2 BA	2	—	C	
28M/7002430	AGS.2002/E/1	. NUT, stiff, 1/4" BSF	4	—	C	
28M/5808573	A27/CS	. NUT, 2 BA slotted	2	—	C	
1440095	E.F3.11.6949	. PACKING, 21/64" dia.	1	L64 or L65	C	
2649	E.B2.11.12859	. PACKING, corner, at frame 56, 12 SWG	2	L72	C	
2651	E.B2.11.12863	. PACKING, corner, at frame 57, 12 SWG	2	L72	C	
2652	E.B2.11.12865	. PACKING, corner, at frame 57, 12 SWG	1	L72	C	
2653	E.B2.11.12866	. PACKING, corner, at frame 57, 12 SWG	1	L72	C	
2654	E.B2.11.12867	. PACKING, corner, at frame 59, 12 SWG	2	L72	C	
2655	E.B2.11.12869	. PACKING, corner, at frame 59, 12 SWG	1	L72	C	
2656	E.B2.11.12870	. PACKING, corner, at frame 59, 12 SWG	1	L72	C	
1440074	E.F3.07.173	. PACKING, corner, at frame 56, 12 SWG (E.F3.32.1083)	1	L72	C	
1440075	E.F3.07.174	. PACKING, corner, at frame 56, 12 SWG (E.F3.32.1084)	1	L72	C	
12868	E.F3.11.2807	. PANEL, closing, at fin root forward of frame 55	1	L73	C	
28P/9486478	SP90/C5	. PIN, split	2	—	C	
28P/9527619	SP90/C7	. PIN, split	—	—	C	
28P/9560929	SP90/E8	. PIN, split	23	—	C	
12845	E.F3.32.259	. SHIM, spar 1, upper	2	Lam. Alum	C	
12847	E.F3.32.261	. SHIM, spar 1	4	Lam. Alum	C	
1440079	E.F3.32.841	. SHIM, spar 3, forward	2	Lam. Alum	C	
1440077	E.F3.32.849	. SHIM, spar 5, forward	2	Lam. Alum	C	
1440076	E.F3.32.851	. SHIM, spar 5, aft	1	Lam. Alum	C	
1440080	E.F3.32.957	. SHIM, spar 1, lower	2	Lam. Alum	C	
1440097	E.F3.32.1061	. SHIM, frame 53 — diaphragm 2	2	Lam. Alum	C	
1440098	E.F3.32.1063	. SHIM, diaphragm 2 to frame 54	2	Lam. Alum	C	
1440099	E.F3.32.1065	. SHIM, frame 54 to 55	2	Lam. Alum	C	
1440100	E.F3.32.1067	. SHIM, frame 55 to 56	2	Lam. Alum	C	
1440101	E.F3.32.1069	. SHIM, frame 56 to 57	2	Lam. Alum	C	
1440102	E.F3.32.1071	. SHIM, frame 57 to 59	2	Lam. Alum	C	
1440103	E.F3.32.1073	. SHIM, frame 59 to 60	2	Lam. Alum	C	
1440104	E.F3.32.1075	. SHIM, frame 60 — aft end	2	Lam. Alum	C	
4891	E.B2.32.1549	. SHIM, packing, frame 54	1	Alum. Alloy	C	
12838	E.B2.32.1573	. SHIM, spar 4, aft	2	Lam. Alum	C	
12840	E.B2.32.1577	. SHIM, spar 4, forward	2	Lam. Alum	C	

Restricted

ABCD

TAIL UNIT
ASSEMBLY OF FIN TO FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
12842	E.B2.32.1581	. SHIM, spar 2, aft	2	Lam. Alum	C	
12843	E.B2.32.1583	. SHIM, spar 2, forward	2	Lam. Alum	C	
12844	E.B2.32.1585	. SHIM, spar 2, upper	1	Lam. Alum	C	
33655	E.F3.11.4965	. SHIM, fairing, diaphragm No. 1	1	Lam. Alum	C	
1440078	E.F3.11.6367	. SHIM, spar 4, aft	1	Lam. Alum	C	
1440105	E.F3.11.6379	. STUD, special	2	S98	C	
1440106	E.F3.11.6411	. STUD, special	2	S98	C	
1440111	EEAS.21A/5GR	. WASHER, "D"	2	L72	C	
1440107	E.F3.11.6931	. WASHER, special, 35/64" i/d, 12 SWG	1	S92 or S515	C	
1440108	E.F3.11.6933	. WASHER, special, 23/64" i/d, 12 SWG	6	S92 or S515	C	
1440109	E.F3.11.6935	. WASHER, special, 19/64" i/d, 12 SWG	7	S92 or S515	C	
1440110	E.F3.11.6937	. WASHER, special, 37/64" i/d, 18 SWG	12	S92 or S515	C	
28W/9419455	SP10/G	. WASHER, 5/16" BSF plain	10	—	C	
28W/9419402	SP13/C	. WASHER, 2 BA plain	2	—	C	
28W/9418921	SP13/E	. WASHER, 1/4" BSF plain	10	—	C	
28W/9419403	SP13/G	. WASHER, 5/16" BSF plain	24	—	C	
28W/9419467	SP13/L	. WASHER, 7/16" BSF plain	12	—	C	
28W/9419468	SP13/N	. WASHER, 1/2" BSF plain	14	—	C	
28W/9419475	SP15/C	. WASHER, 2 BA plain	11	—	C	
28W/9419477	SP15/J	. WASHER, 3/8" BSF plain	1	—	C	
28W/9419479	SP15/N	. WASHER, 1/2" BSF plain	1	—	C	
28W/9419404	SP16/C	. WASHER, 2 BA thick	5	—	C	
28W/9419489	SP16/J	. WASHER, 3/8" BSF thick	1	—	C	
30A/3055	†	. WIRE, locking, 22 SWG	QR	DTD189	C	

