

UNDERCARRIAGE  
NOSE UNDERCARRIAGE DOORS

| Ref. No.    | Part No.           | Description                                     | No.<br>off | Matl. Spec.     | Cl. of Equip. | Plate No. |
|-------------|--------------------|-------------------------------------------------|------------|-----------------|---------------|-----------|
|             |                    |                                                 |            |                 | M.R.<br>L.M.  |           |
|             |                    | 1 2 3 4 5 6                                     |            |                 |               |           |
|             | —                  | DOORS, NOSE UNDERCARRIAGE                       | —          | —               | —             |           |
| 46          | E.B2.41.5          | DOOR, nose wheel, rear, assembly                | 1          | —               | A             | 5/5       |
|             |                    | Spares for:—                                    |            |                 |               |           |
|             | E.B2.41.57         | . BRACKET, strut pick-up, assembly              | 2          | —               | —             | 5/6       |
| 3241        | E.B2.41.63         | . . BUSH                                        | 1          | BS369           | C             | 5/10      |
| 3242        | E.B2.41.11         | . HINGE, L.H., door, c/w bush and grease nipple | 1          | —               | C             | 5/3       |
|             |                    | Attachments:—                                   |            |                 |               |           |
| 28D/7002428 | A25/6C             | . Bolt, 2 BA hex. head                          | 3          | —               | C             | 5/1       |
| 28W/9419402 | SP13/C             | . Washer, 2 BA plain                            | 3          | —               | C             | 5/2       |
| 3243        | E.B2.41.12         | . HINGE, R.H., door, c/w bush and grease nipple | 1          | —               | C             | 5/4       |
|             |                    | Attachments:—                                   |            |                 |               |           |
| 28D/7002428 | A25/6C             | . Bolt, 2 BA hex. head                          | 3          | —               | C             | 5/1       |
| 28W/9419402 | SP13/C             | . Washer, 2 BA plain                            | 3          | —               | C             | 5/2       |
| 33H/2245082 | PR205              | . SEALANT                                       | QR         | DTD900/<br>4548 | C             | 5/7       |
| 3245        | E.B2.41.59         | . STOP, door                                    | 2          | L65             | C             | 5/11      |
|             |                    | Attachments:—                                   |            |                 |               |           |
| 28D/9133012 | A25/3C             | . Bolt, 2 BA hex. head                          | 4          | —               | C             | 5/9       |
| 28W/9419402 | SP13/C             | . Washer, 2 BA plain                            | 4          | —               | C             | 5/8       |
| 47          | E.B2.41.83         | DOOR, nose wheel, front, port, assembly         | 1          | —               | A             | 6/17      |
|             |                    | Spares for:—                                    |            |                 |               |           |
| 3247        | E.B2.41.99         | . BOLT, special, 2 BA, adjustable door stop     | 1          | L65             | C             | 6/1       |
| 3248        | E.B2.41.101        | . BRACKET, door stop                            | 1          | L65             | C             | 6/49      |
|             |                    | Attachments:—                                   |            |                 |               |           |
| 28D/9133011 | A25/2C             | . Bolt, 2 BA hex. head                          | 2          | —               | C             | 6/2       |
| 28D/9133012 | A25/3C             | . Bolt, 2 BA hex. head                          | 1          | —               | C             | 6/3       |
| 28W/9419402 | SP13/C             | . Washer, 2 BA plain                            | 3          | —               | C             | 6/4       |
|             | E.B2.41.111        | . DIAPHRAGM                                     | 1          | L73             | —             | 6/31      |
|             | E.B2.41.113        | . DIAPHRAGM                                     | 1          | L73             | —             | 6/15      |
|             | E.B2.41.115        | . DIAPHRAGM                                     | 1          | L73             | —             | 6/13      |
|             | E.B2.41.117        | . DIAPHRAGM                                     | 1          | L73             | —             | 6/33      |
|             | E.B2.41.119        | . DIAPHRAGM                                     | 1          | L73             | —             | 6/21      |
|             | E.B2.41.121        | . DIAPHRAGM                                     | 1          | L73             | —             | 6/5       |
|             | E.B2.41.123        | . DIAPHRAGM                                     | 1          | L73             | —             | 6/28      |
|             | E.B2.41.125        | . DIAPHRAGM                                     | 1          | L73             | —             | 6/19      |
| 3249        | E.B2.41.93         | . HINGE, door, aft, group                       | 1          | —               | B             | 6/45      |
|             |                    | Spares for:—                                    |            |                 |               |           |
| 2A/9500466  | HOFFMANN<br>N.3113 | . . BEARING, 5/16" bore                         | 1          | —               | B             | 6/23      |
| 30201       | E.B2.41.97         | . . BUSH                                        | 1          | BS369           | C             | 6/40      |
|             | EEAS.3/CC          | . . HOUSING, bearing                            | 1          | L65             | —             | 6/27      |
| 28N/9156370 | SP21               | . . NIPPLE, grease                              | 1          | —               | C             | 6/30      |
| 28S/9453453 | A56/A3             | . . SCREW, grub, 6 BA                           | 1          | —               | C             | 6/26      |
|             |                    | Attachments:—                                   |            |                 |               |           |
| 28D/9133013 | A25/5C             | . Bolt, 2 BA hex. head                          | 4          | —               | C             | 6/35      |
| 28W/9419402 | SP13/C             | . Washer, 2 BA plain                            | 4          | —               | C             | 6/41      |

UNDERCARRIAGE  
NOSE UNDERCARRIAGE DOORS

| Ref. No.    | Part No.           | Description<br>1 2 3 4 5 6                                   | No.<br>off | Matl. Spec.     | Cl. of<br>Equip. | Plate<br>No. |
|-------------|--------------------|--------------------------------------------------------------|------------|-----------------|------------------|--------------|
|             |                    |                                                              |            |                 | M.R.<br>L.M.     |              |
| 3250        | E.B2.41.95         | . HINGE, door, forward, group<br>Spares for:—                | 1          | —               | B                | 6/42         |
| 30201       | E.B2.41.97         | . . BUSH                                                     | 1          | BS369           | C                | 6/39         |
| 28N/9156370 | SP21               | . . NIPPLE, grease                                           | 1          | —               | C                | 6/43         |
| 28S/9453453 | A56/A3             | . . SCREW, grub, 6 BA<br>Attachments:—                       | 1          | —               | C                | 6/38         |
| 28D/1200119 | A25/4C             | . Bolt, 2 BA hex. head                                       | 4          | —               | C                | 6/44         |
| 28W/9419402 | SP13/C             | . Washer, 2 BA plain                                         | 4          | —               | C                | 6/46         |
|             | E.B2.41.109        | . MEMBER, edge                                               | 1          | L73             | —                | 6/36         |
| 28M/1006473 | A27/CT             | . NUT, 2 BA thin, door adjustable stop bolt lock             | 1          | —               | C                | 6/7          |
| 3251        | E.B2.41.499        | . PACKING, door hinge                                        | 2          | L72             | C                | 6/47         |
| 3252        | E.B2.41.501        | . PLATE, shim, hinge to door attachment                      | 2          | Lam. Shim       | C                | 6/48         |
|             | E.B2.41.519        | . SEAL (Make from EEAS.212 Ref. 8402)                        | 1          | Butyl<br>Rubber | LM               | 6/10         |
|             | E.B2.41.103        | . SKIN, inner                                                | 1          | L73             | —                | 6/8          |
|             | E.B2.41.105        | . SKIN, outer                                                | 1          | L73             | —                | 6/24         |
| 48          | E.B2.41.84         | DOOR, nose wheel, front, starboard, assembly<br>Spares for:— | 1          | —               | A                | 6/18         |
| 3247        | E.B2.41.99         | . BOLT, special, 2 BA, adjustable door stop                  | 1          | S95             | C                | 6/1          |
| 3254        | E.B2.41.102        | . BRACKET, door stop<br>Attachments:—                        | 1          | L65             | C                | 6/12         |
| 28D/9133011 | A25/2C             | . Bolt, 2 BA hex. head                                       | 2          | —               | C                | 6/2          |
| 28D/9133012 | A25/3C             | . Bolt, 2 BA hex. head                                       | 1          | —               | C                | 6/3          |
| 28W/9419402 | SP13/C             | . Washer, 2 BA plain                                         | 3          | —               | C                | 6/4          |
|             | E.B2.41.112        | . DIAPHRAGM                                                  | 1          | L73             | —                | 6/32         |
|             | E.B2.41.114        | . DIAPHRAGM                                                  | 1          | L73             | —                | 6/16         |
|             | E.B2.41.116        | . DIAPHRAGM                                                  | 1          | L73             | —                | 6/14         |
|             | E.B2.41.118        | . DIAPHRAGM                                                  | 1          | L73             | —                | 6/34         |
|             | E.B2.41.120        | . DIAPHRAGM                                                  | 1          | L73             | —                | 6/22         |
|             | E.B2.41.122        | . DIAPHRAGM                                                  | 1          | L73             | —                | 6/6          |
|             | E.B2.41.124        | . DIAPHRAGM                                                  | 1          | L73             | —                | 6/29         |
|             | E.B2.41.126        | . DIAPHRAGM                                                  | 1          | L73             | —                | 6/20         |
| 3249        | E.B2.41.93         | . HINGE, door aft, group<br>Spares for:—                     | 1          | —               | B                | 6/45         |
| 2A/9500466  | HOFFMANN<br>N.3113 | . . BEARING, 5/16" bore                                      | 1          | —               | B                | 6/23         |
| 30201       | E.B2.41.97         | . . BUSH                                                     | 1          | BS369           | C                | 6/40         |
|             | EEAS.3/CC          | . . HOUSING, bearing                                         | 1          | L75             | —                | 6/27         |
| 28N/9156370 | SP21               | . . NIPPLE, grease                                           | 1          | —               | C                | 6/30         |
| 28S/9455453 | A56/A3             | . . SCREW, grub, 6 BA<br>Attachments:—                       | 1          | —               | C                | 6/26         |
| 28D/9133013 | A25/5C             | . Bolt, 2 BA hex. head                                       | 4          | —               | C                | 6/35         |
| 28W/9419402 | SP13/C             | . Washer, 2 BA plain                                         | 4          | —               | C                | 6/41         |

UNDERCARRIAGE  
NOSE UNDERCARRIAGE DOORS

| Ref. No.    | Part No.    | Description                                      | No.<br>off | Matl. Spec.     | Cl. of<br>Equip. | Plate<br>No. |
|-------------|-------------|--------------------------------------------------|------------|-----------------|------------------|--------------|
|             |             |                                                  |            |                 | M.R.<br>L.M.     |              |
|             |             | 1 2 3 4 5 6                                      |            |                 |                  |              |
| 3250        | EB2.41.95   | . HINGE, door, forward, group<br>Spares for:—    | 1          | —               | B                |              |
| 30201       | EB2.41.97   | . . BUSH                                         | 1          | BS369           | C                |              |
| 28N/9156370 | SP21        | . . NIPPLE, grease                               | 1          | —               | C                |              |
| 28S/9453453 | A56/A3      | . . SCREW, grub, 6 BA<br>Attachments:—           | 1          | —               | C                |              |
| 28D/1200119 | A25/4C      | . Bolt, 2 BA hex. head                           | 4          | —               | C                |              |
| 28W/9419402 | SP13/C      | . Washer, 2 BA plain                             | 4          | —               | C                |              |
|             | EB2.41.110  | . MEMBER, edge                                   | 1          | L73             | —                |              |
| 28M/1006473 | A27/CT      | . NUT, 2 BA thin, door adjustable stop Bolt lock | 1          | —               | C                |              |
| 3251        | EB2.41.499  | . PACKING, door hinge                            | 2          | L72             | C                |              |
| 3252        | EB2.41.501  | . PLATE, shim, hinge to door attachment packing  | 2          | Lam. Shim       | C                |              |
|             | E.B2.41.519 | . SEAL, (make from EEAS.212 Ref. 8402)           | 1          | Butyl<br>Rubber | LM               |              |
|             | EB2.41.104  | . SKIN, inner                                    | 1          | L73             | —                |              |
|             | EB2.41.106  | . SKIN, outer                                    | 1          | L73             | —                |              |

## Ref. No.

Part No.

### Description

No.  
off

Matl. Spec.

|    |               |
|----|---------------|
| c. | Cl. of Equip. |
|    | M.R.<br>L.M.  |

Plate  
No.

1 2 3 4 5 6