

RADAR
DOPPLER NAVIGATOR

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	E.H8.82.25	NAVIGATOR, DOPPLER, INSTALLATION	—	—	—	
		Spares for:-				
	MARCONI AB5601-6	AERIAL UNIT	1	—	A	QB4/1
28D/1011246	A25/11E	Attaching parts for AA5601-6:-	4	—	C	QB4/2
28W/9418921	SP13/E	Bolt, 1/4" BSF	4	—	C	QB4/3
		Washer, plain	4	—	C	QB4/3
	E.H8.82.333	BOX ASSEMBLY, JUNCTION, No.1	1	—	—	QB3/1
		Spares for:-				
	WARD-BROOKE WB/UN/1146/D/ 10/W	BLOCK, terminal, 20 way	2	—	—	QB3/2
		Attaching parts for WB/UN/1146/D/10/W				
28S/1200040	A31/B20	Screw, 4BA	4	—	C	QB3/3
28M/9403519	A27/8P	Nut, 4BA	4	—	C	QB3/4
28W/9416642	SP47/B	Washer, locking	4	—	C	QB3/5
28W/9419465	SP13/S	Washer, plain	4	—	C	QB3/6
	E.H8.82.339	COVER	1	—	—	QB3/7
		Attaching parts for E.H8.82.339:-				
	EEAS250/1	Bolt, special	6	—	C	QB3/8
	E.82.81.1525	Washer	6	—	C	QB3/9
28W/9419465	SP13/S	Washer, 4BA	6	—	C	QB3/10
28M/10275	AGS200*/C4	Nut, stiff, brass, 2BA	1	—	C	QB3/11
	A54/C	Nut, 2BA	2	—	C	QB3/12
28S/9419411	A31/C32	Screw, 2BA	1	—	C	QB3/13
28W/9457834	SP124/D	Washer	2	—	C	QB3/14
28W/1009752	SP25/C	Washer, 2BA	2	—	C	QB3/15
	E.H8.82.311	BOX ASSEMBLY, JUNCTION, No.2	1	—	—	QB3/16
		Spares for:-				
	WARD-BROOKE WB/UN/1146/D/ 10/W	BLOCK, terminal, 20 way	2	—	—	QB3/17
		Attaching parts for WB/UN/1146/D/10/W:-				
28S/1200040	A31/B20	Screw, 4BA	4	—	C	QB3/18
28M/9403519	A27/8P	Nut, 4BA	4	—	C	QB3/19
28W/9416542	SP47/B	Washer, locking	4	—	C	QB3/20
28W/9419465	SP13/S	Washer, plain	4	—	C	QB3/21
	E.H8.82.315	COVER	—	—	—	QB3/22
		Attaching parts for E.H8.82.315:-				
28S/1200033	A31/B24	Screw, 4BA	6	—	C	QB3/23
28W/9419465	SP13/S	Washer	6	—	C	QB3/24
	EEAS.551-20	Label	2	—	C	QB3/25
28M/10275	AGS200*/C4	Nut, stiff, brass, 2BA	1	—	C	QB3/26
	A54/C	Nut, 2BA	2	—	C	QB3/27
28S/9419411	A31/C32	Screw, 2BA	1	—	C	QB3/28
28W/9457834	SP124/D	Washer	2	—	C	QB3/29
28W/1009752	SP25/C	Washer	2	—	C	QB3/30

RADAR
DOPPLER NAVIGATOR

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
	E.H8.82.289	CABLE ASSEMBLY, D.N.1. FROM JUNCTION BOX No.1 TO PILOT'S PANEL Consisting of:-	1	—	—	QB4/4
—	—	CABLE, minyvin 22	QR	—	C	
—	—	CABLE, minyvinmetasheath 22	QR	—	C	
EEAS.559/4	—	CLIP, bonding	1	—	C	
323794	—	CONNECTOR, parallel	1	—	C	
508/2/05604/002	—	CONTACT, pin	19	—	C	
508/2/05476/002	—	NUT, outlet	1	—	C	
THORN-BENDIX PT.06(SE)-12-8S-	—	—	—	—	—	
SR	—	PLUG, free, 8-way	1	—	C	
THORN-BENDIX PT.06(SE)-20-41S-	—	—	—	—	—	
SR	—	PLUG, free, 41-way	1	—	C	
PLESSEY UK-AV-9000-22-	—	—	—	—	—	
14P	—	PLUG, free, 19-way	1	—	C	
PLESSEY 512/2/12407	—	PLUG, filler	34	—	C	
EEAS.311/7	—	RING, bonding	1	—	C	
EEAS.146/2	—	SLIP, VE	QR	—	C	
EEAS.146/12	—	SLEEVE	QR	—	C	
EEAS.146/22	—	SLEEVE	QR	—	C	
PLESSEY CPL.01.01.2.11.2.	—	—	—	—	—	
4.0	—	SOCKET, free, 12-way	1	—	C	
HELLERMAN HV.204	—	STRAPPING	QR	—	C	
HELLERMAN OP3255	—	STUD	QR	—	C	
E.H8.82.291	—	CABLE ASSEMBLY, DN.2 FROM JUNCTION BOX No.1 TO NAVIGATOR'S PANEL Consisting of:-	1	—	—	QB4/5
—	—	CABLE, minyvin 22	QR	—	C	
—	—	CABLE, minyvinmetasheath 22	QR	—	C	
PLESSEY 508/1/05258/002	—	CLAMP, bell	1	—	C	
PLESSEY 508/2/05604/002	—	CONTACT, pin	15	—	C	
PLESSEY 508/2/03547/002	—	CONTACT, pin	2	—	C	
PLESSEY 512/2/12407	—	PLUG, filler	34	—	C	
THORN-BENDIX PT.06(SE)-12-8S-	—	—	—	—	—	
SR	—	PLUG, free, 8-way	1	—	C	
PLESSEY UK-AV-9000-20-	—	—	—	—	—	
20P	—	PLUG, free, 17-way	1	—	C	

RADAR
DOPPLER NAVIGATOR

Ref. No.	Part No.	Description	No. off	Mtrl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1 2 3 4 5 6				
	THORN-BENDIX PT.06/SE/20-41S- SR	PLUG, free 4-way	1	—	C	QB4/6
	SEAS 146/2	SLEEVE	QR	—	C	
	SEAS 146/6	SLEEVE	QR	—	C	
	SEAS 146/22	SLEEVE	QR	—	C	
	SR5.82.293	CABLE ASSEMBLY, DN.3 FROM JUNCTION BOX No. 1 TO PRESSURE BULKHEAD AND NAVIGATOR'S PANEL Consisting of:	1	—	—	
		CABLE, minyvin 22	QR	—	C	
		CABLE, minyvin 16	QR	—	C	
		CABLE, minyvin sheath 22	QR	—	C	
	SEAS 559/5	Cable, bonding	1	—	C	
	AMT 170 023/04	CONNECTOR, parallel	1	—	C	
	PLESSEY 001/2/05-604/002	CONTACT, pin	9	—	C	
	PLESSEY 001/2/05-604/002	CONTACT, pin	28	—	C	
	PLESSEY 501/1/04-525/002	CONTACT, socket	6	—	C	
	PLESSEY 501/1/04-525/002	CONTACT, socket	31	—	C	
	PLESSEY 501/1/04-525/002	NUT, coupling	1	—	C	
	PLESSEY 501/1/04-525/002	PLUG, filler	33	—	C	
	PLESSEY 501/1/04-525/002	PLUG, filler	1	—	C	
	PLESSEY 501/1/04-525/002	PLUG, filler	QR	—	C	
	UK-AN-8000-28- 01S	PLUG, free 27-way	1	—	C	
	THORN-BENDIX PT.06/SE/20-39S- SR	PLUG, free 39-way	1	—	C	
	SEAS 211/10	RING, bonding	QR	—	C	
	PLESSEY 081/0-0535/011	RING, anti-chafe	1	—	C	
5X/7796	HOLLANDMAN HC.026	RING, tongue tag	2	—	C	
	SEAS 146/2	SLEEVE	QR	—	C	
	SEAS 146/6	SLEEVE	QR	—	C	
	SEAS 146/10	SLEEVE	QR	—	C	
	SEAS 146/22	SLEEVE	QR	—	C	
	SEAS 146/10	SLEEVE	QR	—	C	
	PLESSEY UK-AN-8000-28- 01S	SOCKET, fixed 37-way	1	—	C	

RADAR
DOPPLER NAVIGATOR

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	HELLERMAN HV.3254	STRAPPING	QR	—	C	QB4/7
	HELLERMAN OP.3255	STUD	QR	—	C	
	E.HB.82.295	CABLE ASSEMBLY, DN.4 FROM JUNCTION BOX No.1 TO PRESSURE BULKHEAD AND DISPLAY UNIT Consisting of:-	—	—	—	
	—	CABLE, uniminyvin 22	QR	—	—	
	—	CABLE, uniminyvin sheath 22	QR	—	—	
	EEAS.550/6	CLIP, bonding	1	—	C	
	CANNON D1.175	CONNECTOR, series D C	2	—	C	
	PLESSEY 508/2/03547/002	CONTACT, pin, 16	1	—	C	
	PLESSEY 508/2/05604/002	CONTACT, pin, 16/20	9	—	C	
	PLESSEY 508/1/04585/002	CONTACT, socket, 16	2	—	C	
	PLESSEY 508/1/05602/002	CONTACT, socket, 16/20	36	—	C	QB4/8
	MARCONI A31.2790-01	PLATE	1	—	—	
	PLESSEY UK-AN-8000-18-1P	PLUG, free, 10-way	1	—	C	
	PLESSEY 508/2/05851/005	RING, anti-chafe	1	—	C	
	PLESSEY 508/2/05851/011	RING, anti-chafe	1	—	C	
	CANNON DC.30963	SHELL, junction	2	—	C	
	EEAS.46/00	SLEEVE	QR	—	C	
	EEAS.46/6	SLEEVE	QR	—	C	
	EEAS.46/12	SLEEVE	QR	—	C	
	EEAS.46/20	SLEEVE	QR	—	C	
	PLESSEY UK-AN-8000-28-21SW	SOCKET, fixed, 32-way	1	—	C	
	HELLERMAN OP.3255	STUD	QR	—	C	
	HELLERMAN HV.3254	STRAPPING	QR	—	C	
	HELLERMAN HC.296	TAG, R.T.	2	—	C	
	E.HB.82.227	CABLE ASSEMBLY, DN.5 FROM JUNCTION BOX No.2 TO PRESSURE BULKHEAD Consisting of:-	1	—	—	
	—	CABLE, minyvin 22	QR	—	C	
	—	CABLE, minyvin sheath 22	QR	—	C	

RADAR
DOPPLER NAVIGATOR

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	EEAS.559/4	CLIP, bonding	1	—	C	
	EEAS.559/4X	CLIP, bonding	1	—	C	
	CANNON DPXBMA-45- 308-0266	CONNECTOR, series D.P.	1	—	C	
	AMP LTD. 220794	CONNECTOR, parallel	1	—	C	
	PLESSEY 508/2/03547/002	CONTACT, pin 16	8	—	C	
	PLESSEY 508/2/06604/002	CONTACT, pin 16/20	66	—	C	
	PLESSEY 508/2/06473/002	NUT, coupling	1	—	C	
	UK-AN-9000-16 PLESSEY	PLUG, free	QR	—	C	
	UK-AN-9000-21 21P	PLUG, free 37-way	1	—	C	
	PLESSEY UK-AN-9000-28- 21PX	PLUG, free	1	—	C	
	EEAS.311/10 PLESSEY	RING, bonding	1	—	C	
	508/2/05851/010 CANNON	RING, anti-chafe	1	—	C	
	DPXB, No. 20745-8	SHELL, junction	1	—	C	
	EEAS.145/00	SLEEVE	QR	—	C	
	EEAS.145/2	SLEEVE	QR	—	C	
	EEAS.146/20	SLEEVE	QR	—	C	
	EEAS.146/22	SLEEVE	QR	—	C	
	HELLERMAN HV.2254	STRAPPING	QR	—	C	
	HELLERMAN QR.2255	STUD	QR	—	C	
	E.H.82.299	CABLE ASSEMBLY, DN.6 FROM JUNCTION BOX No.2 TO PRESSURE BULKHEAD Consisting of -	1	—	—	QB4/9
	—	CABLE, uniminyvin 22	QR	—	C	
	—	CABLE, uniminyvin with sheath 22	QR	—	C	
	EEAS.559/6 CANNON	CLIP, bonding	2	—	C	
	DPX2-573-57S- 308-0202	CONNECTOR, series DPX	1	—	C	
	PLESSEY 508/2/03547/002	CONTACT, pin 16	8	—	C	
	PLESSEY 508/2/06604/002	CONTACT, pin 16/20	53	—	C	
	PLESSEY 508/2/04367	PLUG, filler	8	—	C	
	PLESSEY UK-AN-9000-24- 28P	PLUG, free, 24-way	1	—	C	

RADAR
DOPPLER NAVIGATOR

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	PLESSEY UK-AN-9000-28- 21PW	PLUG, free 37-way	1	—	C	
	CANNON DPX7, No. 20745-8	SHELL, junction	2	—	C	
	FEAS. 146/20	SLEEVE	QR	—	C	
	FEAS. 146/2	SLEEVE	QR	—	C	
	FEAS. 146/10	SLEEVE	QR	—	C	
	FEAS. 146/20	SLEEVE	QR	—	C	
	HELLERMAN HV. 3254	STRAPPING	QR	—	C	
	HELLERMAN OV. 2056	STUD	QR	—	C	
	HELLERMAN HO. 296	TAG, P.T. 68A	1	—	C	
	ELHS. 22. 301	CABLE ASSEMBLY, ONT. FROM JUNCTION BOX No. 2 TO TRACKER UNIT Consist of	1	—	—	QB4/10
	—	CABLE, minyvin 22	QR	—	C	
	—	Cable, minyvinmetalsheath 22	QR	—	C	
	FEAS. 589/6	Cable bonding	1	—	C	
	CANNON DPC2-89902-					
	22. 1070	CONNECTOR	1	—	C	
	KWP LTD. 320304	CONNECTOR, parallel	1	—	C	
	PLESSEY 508/2.00547/002	CONTACT, pin 18	12	—	C	
	PLESSEY 508/2.005804/002	CONTACT, pin 16/20	44	—	C	
	PLESSEY 508/2.005472/002	NUT, outlet	1	—	C	
	FEAS. 589/18	PLUG, filler	QR	—	C	
	PLESSEY UK-AN-9000-28- 14P	PLUG, free, 19-way	1	—	C	
	PLESSEY UK-AN-9000-28- 11P	PLUG, free, 37-way	1	—	C	
	FEAS. 311/10	RING, bonding	1	—	C	
	PLESSEY 508/2.00561/007	RING, anti-chafe	1	—	C	
	CANNON DPD, No. 23-11612	SHELL, junction	2	—	C	
	FEAS. 146/2	SLEEVE	QR	—	C	
	FEAS. 146/2	SLEEVE	QR	—	C	
	FEAS. 146/20	SLEEVE	QR	—	C	
	FEAS. 146/22	SLEEVE	QR	—	C	
	HELLERMAN HV. 3254	STRAPPING	QR	—	C	

RADAR
DOPPLER NAVIGATOR

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	HELLERMAN OP.3255	STUD	QR	—	C	QB4/11
	E.H8.82.303	CABLE ASSEMBLY, DN.8 FROM JUNCTION BOX No.2 TO TRANSMITTER/RECEIVER UNIT Consisting of:-	1	—	—	
	—	CABLE, uniminyvin 22	QR	—	C	QB4/12
	—	CABLE, uniminyvinmetasheath 22	QR	—	C	
	—	CABLE, uniradio 106	QR	—	C	QB4/12
	EEAS.559/4	CLIP, bonding	1	—	C	
	AMPHENOL 31GB-226-2	CONNECTOR, UK-BNC2	1	—	C	QB4/12
	CANNON OPA.24W2.338	CONNECTOR, series OPA	2	—	C	
	AMP LTD. 323794	CONNECTOR, parallel	1	—	C	QB4/12
	PLESSEY 508/2/03547/002	CONTACT, pin 16	3	—	C	
	PLESSEY 508/2/06604/002	CONTACT, pin 16/20	14	—	C	QB4/12
	PLESSEY 508/2/09466/002	NUT, outlet	1	—	C	
	PLESSEY 508/2/04387	PLUG, filler	3	—	C	QB4/12
	PLESSEY UK-AN-9000-20- 29P	PLUG, free 17-way	1	—	C	
	CANNON 249-5008-000	RECEPTACLE, CO-AX snap-in	1	—	C	QB4/12
	EEAS.311/6	RING, bonding	1	—	C	
	CANNON OPA.No.20748	SHELL, junction	2	—	C	QB4/12
	EEAS.146/2	SLEEVE	QR	—	C	
	EEAS.146/6	SLEEVE	QR	—	C	QB4/12
	EEAS.146/12	SLEEVE	QR	—	C	
	EEAS.146/20	SLEEVE	QR	—	C	QB4/12
	HELLERMAN HV.3254	STRAPPING	QR	—	C	
	HELLERMAN OP.3255	STUD	QR	—	C	QB4/12
	E.H8.82.305	CABLE ASSEMBLY, DN.9 FROM JUNCTION BOX No.2 TO WING PLUG BREAK Consisting of:-	1	—	—	
	—	CABLE, uniminyvin 22	QR	—	C	QB4/12
	—	CABLE, uniminyvinmetasheath 22	QR	—	C	
	EEAS.559/6	CLIP, bonding	2	—	C	QB4/12
	AMP LTD. 323794	CONNECTOR, parallel	1	—	C	

RADAR
DOPPLER NAVIGATOR

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	PLESSEY					
	500/2/00547/002	CONTACT, pin 18	12	—	C	
	PLESSEY					
	500/2/05604/002	CONTACT, pin 18/20	25	—	C	
	PLESSEY					
	500/1/04585/002	CONTACT, socket 18	11	—	C	
	PLESSEY					
	500/1/05602/002	CONTACT, socket 16/20	26	—	C	
	PLESSEY					
	500/2/09473/002	NUT, outlet	1	—	C	
	PLESSEY					
	500/2/04387	PLUG, filler	23	—	C	
	PLESSEY					
	UK-AN-0000-28					
	21PW	PLUG, free, 37-way	1	—	—	
	PLESSEY					
	500/2/06051/011	RING, anti-chafe	1	—	C	
	EEAS 140/2	SLEEVE	QR	—	C	
	EEAS 140/20	SLEEVE	QR	—	C	
	PLESSEY					
	UK-AN-0000-28					
	21S	SOCKET, fixed, 37-way	1	—	—	
	HELLERMAN					
	HV.325A	STRAPPING	QR	—	C	
	HELLERMAN					
	OP.325G	STUD	QR	—	C	
	E.HB.80.307	CABLE ASSEMBLY, DN 10, FROM JUNCTION BOX No. 1 TO G48 COMPASS MASTER INDICATOR Consisting of:-	1	—	—	QB4/13
		CABLE, minyvin 22	QR	—	C	
	PLESSEY					
	500/2/00547/002	CONTACT, plug 18	2	—	C	
	PLESSEY					
	500/2/05604/002	CONTACT, plug 18/20	4	—	C	
	PLESSEY					
	500/2/04387	PLUG, filler	QR	—	C	
	PLESSEY					
	UK-AN-0000-145					
	OP	PLUG, free, 6-way	1	—	—	
	GPL.01.04.11.1.					
	4.3	PLUG, (T4) Mk.7	1	—	—	
	PLESSEY					
	500/2/06051/002	RING, anti-chafe	1	—	C	
	EEAS 140/2	SLEEVE	QR	—	C	
	EEAS 140/20	SLEEVE	QR	—	C	
		WIRE, equipment, type B 19/0078	QR	—	C	

RADAR
DOPPLER NAVIGATOR

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	E.H8.82.309	CABLE ASSEMBLY, DN 11, FROM WING PLUG BREAK TO DOPPLER AERIAL Consisting of:-	1	-	-	QB4/14
	-	CABLE, uniminyvin 22	QR	-	C	
	-	CABLE, uniminyvinmetsheath	QR	-	C	
	EEAS.559/8	CLIP, bonding	1	-	C	
	PLESSEY					
	509/2/03547/002	CONTACT, pin 16	11	-	C	
	PLESSEY					
	509/2/05604/002	CONTACT, pin 16/20	26	-	C	
	PLESSEY					
	512/2/12407	PLUG, filler	16	-	C	
	PLESSEY					
	509/2/04067	PLUG, filler	11	-	C	
	PLESSEY					
	UK AN-9000-28- 219	PLUG, free, 37-way	1	-	-	
	THORN-BENDIX					
	PT.06051-20-418- SR	PLUG, free, 41-way	1	-	-	
	PLESSEY					
	509/2/05851/010	RING, anti-chafe	1	-	C	QB4/25
	EEAS.140/2	SLEEVE	QR	-	C	
	EEAS.146/20	SLEEVE	QR	-	C	
	HELLERMAN					
	PV.3254	STRAPPING	QR	-	C	
	HELLERMAN					
	OP.3216	STUD	QR	-	C	
	E.H8.82.331	CABLE ASSEMBLY, DN.12 FROM JUNCTION BOX No. 1 TO T4 BOMBSIGHT COMPUTER Consisting of:-	1	-	-	
	-	CABLE minyvin	QR	-	C	
	-	CABLE, minyvinmetsheath	QR	-	C	
	HELLERMAN					
	508/2/03547/002	CONTACT, pin 16	1	-	C	
	HELLERMAN					
	509/2/05604/002	CONTACT, pin 16/20	9	-	C	
	GREY					
	EEAS.539/16	PLUG, filler	QR	-	C	
	PLESSEY					
	UK AN-9000-19- 12W	PLUG, 10-way	1	-	-	
	PLESSEY					
	509/2/05851/006	RING, anti-chafe	1	-	C	
	EEAS.146/8	SLEEVE	QR	-	C	
	EEAS.146/20	SLEEVE	QR	-	C	
	OP.01.04.2.15. 243	SOCKET, 12-way, Mk.7	1	-	-	
	HELLERMAN					
	PV.3254	STRAPPING	QR	-	C	
	HELLERMAN					
	OP.3256	STUD	QR	-	C	

RADAR
RADAR NAVIGATOR

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
28D/9133011	MARCONI AA.5660-2	COMPUTER Attaching parts for AA.5660-2:- Bolt, 2BA	1	—	A	QB4/15
	A25/2C		QR	—	C	QB4/16
	MARCONI AA.5635-2	CONTROL UNIT	1	—	A	QB4/17
	MARCONI AA5607-1	DISPLAY UNIT	1	—	A	QB4/18
	E.H8.82.156	DOPPLER ASSEMBLY IN PORT WING Consisting of:-	1	—	A	
	E.A2.20.107	CUSHION	9	—	C	QB1/1
	E.U7.00.159	CUSHION	9	—	C	QB1/2
	E.A2.20.105	CLIP, waveguide Attaching parts for E.A2.20.105:-	9	—	C	QB1/3
	A25/1C	Bolt, 2BA	2	—	C	QB1/4
	AGS.2001/C1	Nut, 2BA	2	—	C	QB1/5
28D/9436920	SP.13/C	Washer	2	—	C	QB1/6
20M/1278190	E.H8.20.121	EXCLUDER, dust	1	—	—	QB1/7
28W/9419402	E.H8.82.263	FLEXAGUIDE, WG.16 Attaching parts for E.H8.82.263:-	1	—	—	QB1/8
	MARCONI PF.47721/320	Bolt, 8-32 UNC	4	—	C	QB1/9
	BACSP.106-08	Nut, lock, 8 UNC	4	—	C	QB1/10
	ROBERTS ELECTRONICS					
	MS.80394-13	RING, sealing	5	—	C	QB1/11
	E.H8.82.367	SHIM, packing	9	—	C	QB1/12
	E.H8.82.253	WAVEGUIDE Attaching parts for E.H8.82.253:-	1	—	—	QB1/13
	MARCONI PF.47721/320	Bolt, 8-32 UNC	4	—	C	QB1/14
	BACSP.106-08	Nut, lock, 8 UNC	4	—	C	QB1/15
	E.H8.82.255	WAVEGUIDE Attaching parts for E.H8.82.255:-	1	—	—	QB1/16
	MARCONI PF.47721/320	Bolt, 8-32 UNC	4	—	C	QB1/17
	BACSP.106-08	Nut, 8 UNC	4	—	C	QB1/18
	E.H8.82.257	WAVEGUIDE Attaching parts for E.H8.82.257:-	1	—	—	QB1/19
	MARCONI PF.47721/320	Bolt, 8-32 UNC	4	—	C	QB1/20
	BACSP.106-08	Nut, 8 UNC	4	—	C	QB1/21
	E.H8.82.259	WAVEGUIDE Attaching parts for E.H8.82.259:-	1	—	—	QB1/22
	MARCONI PF.47721/320	Bolt, 8-32 UNC	4	—	C	QB1/23
	BACSP.106-08	Nut, 8 UNC	4	—	C	QB1/24
	MARCONI AA.5638-1	INTERFACE UNIT	1	—	A	QB4/26

RADAR
DOPPLER NAVIGATOR

Ref. No.	Part No.	Description 1 2 3 4 5 6	No. off	Mett. Spec.	Cl. of Equip.	Plate No.
					M.H. L.M.	
	E.H8.82.347	MOUNTINGS, DOPPLER JUNCTION BOX No.1 Spare for:-	1	-	-	QB3/31
	E.H8.82.349	CHANNEL Attaching parts for E.H8.82.349:-	1	-	-	QB3/32
28D/9133011	A25/2C	Bolt, 2BA	4	-	C	QB3/33
28M/1278190	AGS.2001/C1	Nut, 2BA	4	-	C	QB3/34
28W/9419475	SP.15/C	Washer	4	-	C	QB3/35
	E.H8.82.351	CHANNEL Attaching parts for E.H8.82.351:-	1	-	-	QB3/36
28D/9133011	A25/2C	Bolt, 2BA	4	-	C	QB3/37
28M/1278190	AGS.2001/C1	Nut, 2BA	4	-	C	QB3/38
28W/9419475	SP.15/C	Washer	4	-	C	QB3/39
	E.H8.82.115	MOUNTING OF DOPPLER COMPONENTS IN CENTRE FUSELAGE	1	-	-	
	E.H8.82.113	CLIP, waveguide Attaching parts for E.H8.82.113:-	4	-	C	QB2/1
28D/1010142	A25/0B	Bolt, 4BA	4	-	C	QB2/2
28M/1278189	AGS.2002/B*	Nut, 4BA	4	-	C	QB2/3
28W/9419474	SP.15/B	Washer	4	-	C	QB2/4
	E.H8.82.327	CUSHION	2	-	C	QB2/5
	E.H8.82.327	FAIRLEAD, half Attaching parts for E.H8.82.327:-	2	-	-	QB2/6
	A25/34C	Bolt, 2BA	2	-	C	QB2/7
28W/9457834	SP.124/D	Washer	2	-	C	QB2/8
	E.H8.82.329	FAIRLEAD, half Attaching parts for E.H8.82.329:-	2	-	-	QB2/9
	A25/34C	Bolt, 2BA	2	-	C	QB2/10
28W/9457834	SP.124/D	Washer	2	-	C	QB2/11
	E.H8.82.365	FAIRLEAD, half Attaching parts for E.H8.82.365:-	2	-	-	QB2/12
28D/9419477	A25/3B	Bolt, 4BA	2	-	C	QB2/13
28M/1278192	AGS.2002/B*	Nut, 4BA	2	-	C	QB2/14
28W/9419476	SP.15/B	Washer	2	-	C	QB2/15
	E.AB.81.4005	FAIRLEAD, half (Mod.4592 only) Attaching parts for E.AB.81.4005:-	2	-	-	
28D/9419452	A25/3B	Bolt, 4BA	2	-	C	
28M/1278189	AGS.2002/B*	Nut, 4BA	2	-	C	
28W/9419474	SP.15/B	Washer	2	-	C	
	E.H8.82.247	FLEXAGUIDE, WG16 Attaching parts for E.H8.82.247:-	-	-	-	QB2/16
	MARCONI RF.47721/320	Bolt, 8-32 UNC	4	-	C	QB2/17
	BACOR.105-02	Nut, self-locking	4	-	C	QB2/18
	ROBERTS ELECTRONICS MS.90054-13	RING, sealing	4	-	C	QB2/19
	MARCONI AA.5612-1	TRAY, mounting Attaching parts for AA5612-1:-	1	-	-	QB2/20
	A31/C2	Screw, 2BA	8	-	C	QB2/21
28W/9419402	SP.13/C	Washer	8	-	C	QB2/22

**RADAR
DOPPLER NAVIGATOR**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Plate No.
					M.R. L.M.	
		1 2 3 4 5 6				
	MARCONI XT907	TRAY, mounting	1	—	—	QB2/23
		Attaching parts for XT907:-				
28D/9436920	A25/1C	Bolt, 2BA	16	—	C	QB2/24
28W/5419402	SP13/C	Washer, 2BA	16	—	C	QB2/25
	E.H8.82.249	WAVEGUIDE, assembly	1	—	—	QB2/26
		Attaching parts for E.H8.82.249:-				
	MARCONI PF 47721/320	Bolt, 8-32 UNC	4	—	C	QB2/27
	3ACSP106-08	Nut, self-locking	4	—	C	QB2/28
	E.H8.82.251	WAVEGUIDE, WG16	1	—	—	QB2/29
		Attaching parts for E.H8.82.251:-				
	MARCONI PF 47721/320	Bolt, 8-32 UNC	4	—	C	QB2/30
	3ACSP106-08	Nut, self-locking	4	—	C	QB2/31
	MARCONI AA5603-1	TRACKER UNIT	1	—	A	QB4/19
	MARCONI AA5602-1	TRANSMITTER/RECEIVER	1	—	A	QB4/20
	MARCONI AA5640-1	TRAY, mounting	1	—	—	QB4/21
		Attaching parts for AA5640-1:-				
28D/9133011	A25/2C	Bolt, 2BA	12	—	C	QB4/22
905001	XT908	TRAY, mounting	1	—	—	QB4/23
		Attaching parts for XT908:-				
28D/9133011	A25/2C	Bolt, 2BA	12	—	C	QB4/24







FIG. 1 DOPPLER NAVIGATOR

CODE ABC & D

SECT QB




FIG. 2 DOPPLER NAVIGATOR

CODE A,B,C,D

SECT QB




FIG 3 DOPPLER NAVIGATOR

CODE A,C

SECT QB




FIG. 4 DOPPLER NAVIGATOR

COPIE A

SECT 08