

ENGINE CONTROLS—CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	D.202468	ENGINE CONTROLS IN CENTRE FUSELAGE, ASSEMBLY	—	—		
5885	F.206030	Body, union	2	—	C.	DB.1
27K/1068	Teleflex-C.39262	Box, unit, S/L No. 380 for L.P. cock	1	—	A.	
27K/1064	Teleflex-C.36432	Cable and break rod, assembly Leistungshebel, Trennstelle bis hinten	1	—	C.	DB.1
27K/1064	Teleflex-C.36427	Cable and break rod, assembly Niederdruckhahn, Trennstelle bis hinten	1	—	C.	DB.1
1160	F.191281	Clamp, conduit	2	LFS.21	C.	DB.1
	STD 2045/17/26	Clip, sleeved	3	—		
	STD 2045/21/24	Clip, sleeved	1	—		
	STD 2045/25/24	Clip, sleeved	1	—		
	STD 1959/3	Clip, support for conduit at frame 35	1	—	C	5
27K/1041	Teleflex-A.35336	Collar	12	—	C.	
5883	F.206028	Collar, half	4	—	C.	DB.1
27K/548	Teleflex-D.S.307/2	Conduit, 3.50" long (Hawker Drawing A.188993)	2	—	C.	
27K/548	Teleflex-D.S.307/2	Conduit, (for lengths see Hawker Drawings A.206085 & 6, A.202530 to 32, A.206052, A.207054, D.202468)	QR	—	C.	
27K/796	Teleflex-B.35340/B	Connector, conduit No. 2	3	—	C.	
	D.210107	LINKAGE, THROTTLE CONTROL, ASSEMBLY	—	—		
27K/534	Teleflex-B.731	Block, clamp	1	—	C.	
27K/1344	Teleflex-C.43316	Fitting, ball end, kompl. mit langer Hülse	1	Steel	C.	DB.1
	Teleflex-C.41085/B	Fitting, end	1	Steel	C.	DB.1
6227	B.209968	Lever, lower, group	1	L.72	B.	DB.1
2A/9500410	Ball + Roller-BRA.1/4"	Ball-race	1	—	B.	
6228	B.209973	Lever, upper, group	1	—	B.	DB.1
2A/9500410	Ball + Roller-BRA.1/4"	Ball-race	2	—	B.	
x	STD 1231/3	Lug, locking	1	—	C.	4
	STD 1716/G	Nut, locking, R.H. $\frac{3}{8}$ " B.S.F. (Mod. 726)	1	S.113	C.	
	STD 1547/24/12	Packing	2	—	C.	4
x	B.228798	Rod, connecting lever to lever, group (Mod. 726)	1	—	B.	DB.1
	F.259419	End, ball, L.H.	1	—	C.	DB.1
	F.259418	End, ball, R.H.	1	—	C.	DB.1
x	STD 1716/G	Nut, locking R.H. $\frac{3}{8}$ " B.S.F.	1	S.113	C.	
	STD 1716/GL	Nut, locking L.H. $\frac{3}{8}$ " B.S.F.	1	S.113	C.	
9680	F.228797	Rod, connecting	1	—	C.	DB.1
x	9677	Washer, locking	1	S.1	C.	DB.1
x	B.228799	Rod, connecting, lever to engine, group (Mod. 726)	1	—	B.	DB.1
	6M-BA.45683	Distanzscheibe	1	—		DB.1
	6M-BA.66370	Gewindebolzen	1	—		DB.1
	6M-K.8833	Stahlscheibe	2	—		DB.1
	6M-BA.65252	Kronenmutter	2	—		DB.1
	GP.5727	Anschlussstück	1	—		DB.1
	BA.45726	Kugel	1	—		DB.1

ENGINE CONTROLS—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9679	F.259419					End, ball, L.H.	1	—	C.	
	STD 1716/GL					Nut, locking L.H. $\frac{3}{16}$ " B.S.F.	1	S.113	C.	
9682	F.228796					Rod, connecting	1	—	C.	DB.1
9677	F.228232					Washer, locking	1	S.1	C.	DB.1
9677	F.228232					Washer, locking (Mod. 726)	1	S.1	C.	DB.1
	STD 915/C/14					Washer	4	—	C.	4
	F.226910					Packing, aft face of rear web frame 32 (Mod. 102) ...	1	—		
6231	F.209657					Plate, mounting for fireproof shield	1	S.3	C.	DB.1
6233	F.203078					Plate, sealing on frames 26, 29, 30, 31 and 32 ...	10	LFS.21	C.	DB.1
6232	B.209658					Shield, fireproof for S/L box unit	1	S.3	C.	DB.1
	A.188993					Abschlussrohr	1			DB.1
27K/1042	Teleflex—					Sleeve, outer	11	—	C.	
	A.35335									
27K/1298	Teleflex—					Sleeve, outer	1	—	C.	
	A.39247									
5884	F.206029					Sleeve, outer	2	—	C.	DB.1
	STD 1507/2/076					Tube, distance, $\frac{1}{4}$ " o/d $\times$ 22 SWG $\times$ 0.76" long ...	2	T.26		
						(Make from 30A/965)				

ENGINE CONTROLS—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
	A25.1B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	A25.8B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	A25.2.C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A25.3.C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A25.4.C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A25.5.C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A25.6.C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A25.11.C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A25.12.C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.30/10E	Bolt, 1/2" B.S.F.	...	...	...	...	—	—	—	
	AGS.2001.B1	Nut, 4 B.A.	...	...	...	...	—	—	—	
	AGS.2001.C1	Nut, 2 B.A.	...	...	...	...	—	—	—	
	A.27.C.S.	Nut, 2 B.A.	...	...	...	...	—	—	—	
	A.58.E.S.	Nut, 1/2" B.S.F.	...	...	...	...	—	—	—	
	SP.90/C7	Pin	...	...	...	...	—	—	—	
	SP.15.B	Washer, 4 B.A....	...	...	...	...	—	—	—	
	SP.15.C	Washer, 2 B.A....	...	...	...	...	—	—	—	
	SP.15.E	Washer, 1/2" dia.	...	...	...	...	—	—	—	
	SP.16.C	Washer, 2 B.A....	...	...	...	...	—	—	—	

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

