

FLYING CONTROLS—FRONT FUSELAGE

| Ref. No.   | Part No.               | Description                                                         | No. Off | Material Specification | M.R. Class of Score | Place No. |
|------------|------------------------|---------------------------------------------------------------------|---------|------------------------|---------------------|-----------|
|            |                        | 1 2 3 4 5                                                           |         |                        |                     |           |
|            | E.177241               | <b>FLYING CONTROLS, FRONT FUSELAGE, ASSEMBLY</b>                    | —       | —                      | —                   |           |
|            | B.234558               | Cable, rudder arm adjusting, group (AS.830/94)                      | 1       | —                      | —                   | DD.1      |
|            |                        | Consisting of :—                                                    |         |                        |                     |           |
|            | A.177657               | Body, union ... ..                                                  | 1       | —                      | —                   |           |
|            | B.177650/2             | Cable, Bowdenex, 19/2 ... ..                                        | 1       | —                      | —                   |           |
|            | B.177650/1             | Conduit, Bowdenex, T.2H ... ..                                      | 1       | —                      | —                   |           |
|            | AS 2903                | Nipple ... ..                                                       | 1       | —                      | —                   |           |
|            | A 27/ET                | Nut ... ..                                                          | 1       | —                      | C.                  |           |
|            | A 177653               | Pin ... ..                                                          | 1       | —                      | —                   |           |
|            | STD 1522/2             | Sleeve ... ..                                                       | 2       | —                      | —                   |           |
|            | F.177655               | Spring ... ..                                                       | 1       | Spr. Stl.              | —                   |           |
|            | STD 1522/1             | Stop, adjusting ... ..                                              | 1       | —                      | —                   |           |
|            | F.188308               | Pedalverstellungshebel .. ..                                        | 1       | —                      | —                   | DD.1      |
|            | F.188311               | Anschlussbride .. ..                                                | 1       | —                      | —                   | DD.1      |
|            | STD 1507/2/056         | Distanzhülse .. ..                                                  | 1       | —                      | —                   | DD.1      |
|            | SP 4Y/A5               | Splintbolzen .. ..                                                  | 1       | —                      | —                   | DD.1      |
|            | G.221514               | <b>FLYING CONTROLS UNDER PILOT'S FLOOR, ASSEMBLY</b>                | —       | —                      | —                   |           |
| 6757       | F.213777               | Block, at attachment of torque tube to control column (Mod. 433)    | 1       | S.96.B                 | C.                  | DD.2      |
| 5803       | F.205015               | Bolt, attachment of torque tube to control column, group (Mod. 297) | 1       | —                      | C.                  | DD.2      |
|            | STD 1553/E/120         | Bolt, for control column crank .. ..                                | 2       | S.99                   | C.                  | DD.2      |
|            | STD 1553/E/120-1S      | 6kt.-Schraube, 1.Uebermass (6,55 mm) ..                             | n.B.    | —                      | —                   |           |
|            | STD 1553/E/130         | Bolt, for control column crank .. ..                                | 3       | S.99                   | —                   | DD.2      |
|            | STD 1553/E/130-1S      | 6kt.-Schraube, 1.Uebermass (6,55 mm) ..                             | n.B.    | —                      | —                   |           |
|            | STD 1553/E/150         | Bolt, for control column crank .. ..                                | 4       | S.99                   | C.                  | DD.2      |
|            | STD 1553/E/150-1S      | 6kt.-Schraube, 1.Uebermass (6,55 mm) ..                             | n.B.    | —                      | —                   |           |
| 1926       | F.196256               | Bolt, special, attachment of elevator lever ...                     | 1       | S.99.B                 | C.                  | DD.1      |
| 2137       | A-53067-S              | Bush, at attachment of torque tube to control                       | 2       | S.2                    | C.                  | DD.2      |
|            | A-53067-1-S            | Bush 1. Uebermass (19,07 mm)                                        | n.B.    | —                      | —                   |           |
|            | A-53067-2-S            | Bush 2. Uebermass (19,09 mm)                                        | n.B.    | —                      | —                   |           |
|            | A.233026 )             | Control column, group .. ..                                         | 1       | —                      | —                   | DD.1      |
|            | D.206791 )             | Adjuster .. ..                                                      | 2       | S.95.B                 | C.                  | DD.2      |
| 207        | F.180779               | Bearing, at universal fork .. ..                                    | 2       | —                      | B.                  | DD.2      |
| 2A/9501177 | Ball + Roller-BRE.1/2" | Bearing, at control column head .. ..                               | 2       | —                      | B.                  | DD.2      |
| 2A/9501178 | Ball + Roller-BRE.5/8" | Bolt .. ..                                                          | 4       | S.99                   | —                   |           |
|            | STD 1553/E/130         | 6kt.-Schraube, 1.Uebermass (6,55 mm) ..                             | n.B.    | —                      | —                   |           |
| 208        | STD 1553/E/130-1S      | Bolt, attachment of control column tube to socket                   | 1       | S.95.B                 | C.                  | DD.2      |
| 209        | F.177527               | Bolt, attachment of control column tube to socket                   | 1       | S.95.B                 | C.                  | DD.2      |
| 220        | F.166596               | Bolt, chain guard attachment .. ..                                  | 2       | S.95.B                 | C.                  | DD.2      |
| 8089       | F.204430               | Block, profile .. ..                                                | 1       | L.65.C                 | C.                  | DD.2      |
| 1494       | F.191314               | Block, stop .. ..                                                   | 1       | DTB.364                | C.                  | DD.2      |
|            | B.254597-S1            | Cable, F.26, group .. ..                                            | 1       | —                      | B.                  |           |
|            | A.255023-S1            | Kabel, F.186 .. ..                                                  | 1       | —                      | —                   |           |
|            | Dunlop-ACM.16093       | Steckdose (Steursäule) .. ..                                        | 1       | —                      | —                   |           |
|            | Dunlop-ACO.3994        | Kontakthülse .. ..                                                  | 6       | —                      | —                   |           |
|            | Dunlop-ACO.4012        | Kontakthülse .. ..                                                  | 2       | —                      | —                   |           |
|            | STD 2046/21/22         | Kabelbride .. ..                                                    | 2       | —                      | —                   |           |
| 6099       | A.209036               | Guard .. ..                                                         | 1       | —                      | C.                  |           |
| 6100       | A.209037               | Guard .. ..                                                         | 1       | —                      | C.                  |           |

## FLYING CONTROLS—FRONT FUSELAGE

| Ref. No.   | Part No.          | Description                                                   |   |   |   |   | No. Off | Material Specification | M.R. Class of Score | Place No. |
|------------|-------------------|---------------------------------------------------------------|---|---|---|---|---------|------------------------|---------------------|-----------|
|            |                   | 1                                                             | 2 | 3 | 4 | 5 |         |                        |                     |           |
| 7833       | A.213425          | Chain, top aileron control, complete with eye ends (Mod. 188) |   |   |   |   | 1       | —                      | C.                  | DD.2      |
| 211        | A.182743          | Chain, bottom aileron control, complete with eye ends         |   |   |   |   | 1       | —                      | C.                  | DD.2      |
|            | A.178531          | Crank, control column ... ..                                  |   |   |   |   | 2       | Stamping               |                     |           |
| 8662       | F.221603          | Clip, on chain guard for brake cable ... ..                   |   |   |   |   | 1       | —                      | C.                  | DD.2      |
| 9091       | B.221990          | Feel unit, group (Mod. 601) ... ..                            |   |   |   |   | 1       | —                      | B.                  | DD.2      |
| 8095       | F.204424          | Nut, adjusting ... ..                                         |   |   |   |   | 1       | S.1                    | C.                  | DD.2      |
| 8091       | A.212862          | Spindle ... ..                                                |   |   |   |   | 1       | S.95.B                 | C.                  | DD.2      |
| 8092       | F.204420          | Spring ... ..                                                 |   |   |   |   | 1       | DTD.215                | C.                  | DD.2      |
| 8093       | F.208510          | Washer, stop ... ..                                           |   |   |   |   | 1       | S.95.B                 | C.                  | DD.2      |
| 8094       | F.204426          | Washer, locking ... ..                                        |   |   |   |   | 1       |                        | C.                  | DD.2      |
|            | STD 1356/9        | Washer, shim ... ..                                           |   |   |   |   | 1       | L.A.                   | C.                  | 4         |
|            | STD 1208/90/40/48 | Washer, shim ... ..                                           |   |   |   |   | QR      | Shim Steel             | C.                  | 4         |
| 212        | F.180736          | Ferrule, at attachment of control column tube to socket       |   |   |   |   | 2       | S.95.B                 | C.                  | DD.2      |
| 9876       | A.231571          | Guard, for feel control knob (Mod. 766) ...<br>Kabelführung   |   |   |   |   | 1       | —                      | C.                  | DD.2      |
| 2138       | A-61599           | Guard, chip at universal guard ... ..                         |   |   |   |   | 2       | —                      | C.                  | DD.2      |
| 7831       | D.206792/3        | Guard, chain, front portion, group (Mod. 188)                 |   |   |   |   | 1       | —                      | B.                  | DD.2      |
|            |                   | Consisting of:—                                               |   |   |   |   |         |                        |                     |           |
|            | D.206792/1        | Cover, front ... ..                                           |   |   |   |   | 1       | DTD.610                |                     | DD.2      |
|            | C.206794          | Cover, forward ... ..                                         |   |   |   |   | 1       | L.59                   |                     | DD.2      |
|            | AGS 2008/B 1      | Nut, anchor ... ..                                            |   |   |   |   | 2       | —                      | C.                  |           |
|            | F.191313          | Plate, stop ... ..                                            |   |   |   |   | 1       | DTD.610                |                     |           |
|            | AS 164/405        | Rivet ... ..                                                  |   |   |   |   | 2       | —                      | C.                  |           |
|            | AS 164/304        | Rivet ... ..                                                  |   |   |   |   | 2       | —                      | C.                  |           |
|            | AS 163/404        | Rivet ... ..                                                  |   |   |   |   | 10      | —                      | C.                  |           |
| 7832       | D.206792/4        | Guard, chain, rear portion, group (Mod. 188)                  |   |   |   |   | 1       | —                      | B.                  | DD.2      |
|            |                   | Consisting of:—                                               |   |   |   |   |         |                        |                     |           |
|            | F.191312          | Block, distance ... ..                                        |   |   |   |   | 1       | LFS.21                 |                     |           |
|            | F.177444          | Block, distance ... ..                                        |   |   |   |   | 1       | LFS.21                 |                     |           |
|            | F.191311          | Block, saddle ... ..                                          |   |   |   |   | 1       | LFS.21                 |                     |           |
|            | F.177443          | Block, saddle ... ..                                          |   |   |   |   | 2       | LFS.21                 |                     |           |
|            | F.177441          | Block, saddle ... ..                                          |   |   |   |   | 1       | LFS.21                 |                     |           |
|            | F.177445          | Block, saddle ... ..                                          |   |   |   |   | 1       | LFS.21                 |                     |           |
| 9126       | F.204692          | Block, saddle (Mod. 188) ... ..                               |   |   |   |   | 1       | Fibre                  | C.                  | DD.2      |
|            | AS 1242/7C        | Bolt, 2 B.A. ... ..                                           |   |   |   |   | 2       | —                      | C.                  |           |
|            | A.177395          | Bracket ... ..                                                |   |   |   |   | 1       | S.3                    |                     |           |
|            | D.206792/2        | Cover, rear ... ..                                            |   |   |   |   | 1       | DTD.610                |                     |           |
|            | C.206793          | Cover, rear ... ..                                            |   |   |   |   | 1       | L.59                   |                     | DD.2      |
|            | AGS 2008/C1       | Nut, anchor ... ..                                            |   |   |   |   | 1       | —                      | C.                  |           |
|            | F.177518          | Packing ... ..                                                |   |   |   |   | 1       | DTD.610                |                     |           |
|            | AS 163/304        | Rivet ... ..                                                  |   |   |   |   | 2       | —                      | C.                  |           |
|            | AS 163/404        | Rivet ... ..                                                  |   |   |   |   | 10      | —                      | C.                  |           |
|            | AS 164/407        | Rivet ... ..                                                  |   |   |   |   | 2       | —                      | C.                  |           |
|            | AS 164/409        | Rivet ... ..                                                  |   |   |   |   | 2       | —                      | C.                  |           |
|            | AS 164/406        | Rivet ... ..                                                  |   |   |   |   | 4       | —                      | C.                  |           |
|            | AS 164/414        | Rivet ... ..                                                  |   |   |   |   | 2       | —                      | C.                  |           |
|            | AS 164/415        | Rivet ... ..                                                  |   |   |   |   | 2       | —                      | C.                  |           |
|            | AS 164/304        | Rivet ... ..                                                  |   |   |   |   | 2       | —                      | C.                  |           |
| F+ Pkt.255 | Dunlop-AC.61316   | Steuernüppelgriff vollst.                                     |   |   |   |   | 1       |                        |                     | DD.2      |
|            | Dunlop-2BAx1"     | Jnbusschraube ... ..                                          |   |   |   |   | 2       |                        |                     |           |
|            | Dunlop-2BAx1/2"   | Jnbusschraube ... ..                                          |   |   |   |   | 2       |                        |                     |           |
|            | Dunlop-AHO.17298  | Federscheibe ... ..                                           |   |   |   |   | 4       |                        |                     |           |
|            | Dunlop-ACM.17353  | Bremskabel ... ..                                             |   |   |   |   | 1       |                        |                     | DD.1      |

# FLYING CONTROLS—FRONT FUSELAGE

| Ref. No.     | Part No.                  | Description                                                                |     |     |     |     | No. Off | Material Specification | M.R. Class of Store | Plate No.  |
|--------------|---------------------------|----------------------------------------------------------------------------|-----|-----|-----|-----|---------|------------------------|---------------------|------------|
|              |                           | 1                                                                          | 2   | 3   | 4   | 5   |         |                        |                     |            |
| 6974         | F.180734                  | Lug, locking                                                               | ... | ... | ... | ... | 1       | DTD.610                | C.                  |            |
| 7834         | F.212863                  | Nut, special (Mod. 188)                                                    | ... | ... | ... | ... | 1       | S.95.B                 | C.                  | DD.2       |
|              | F.168225                  | Pin, sprocket attachment to socket                                         | ... | ... | ... | ... | 2       | S.97.B                 |                     |            |
|              | B.178321                  | Plug-end                                                                   | ... | ... | ... | ... | 1       | Stamping               |                     |            |
| 9508         | B.178579                  | Plug-end                                                                   | ... | ... | ... | ... | 1       | S.95.B                 |                     |            |
| 9812         | F.231559                  | Rod, chain connecting (AS.760/84)                                          | ... | ... | ... | ... | 1       | S.95.B                 | C.                  | DD.2       |
| 217          | F.177524                  | Shim, attachment of universal fork to control tube                         | ... | ... | ... | ... | 1       | —                      | C.                  | DD.2       |
| 9507         | B.178440                  | Socket, joint                                                              | ... | ... | ... | ... | 1       | S.95.B                 | C.                  | DD.1, DD.2 |
|              | Dunlop-A00.7399           | Spez.-Schraube                                                             | ... | ... | ... | ... | 1       |                        |                     |            |
| 8602         | F.178409                  | Sprocket, at joint socket                                                  | ... | ... | ... | ... | 1       | S.95.B                 |                     |            |
| 1891         | F.195967                  | Sprocket and fork                                                          | ... | ... | ... | ... | 1       | —                      | C.                  | DD.2       |
|              | A.193485                  | Gabel                                                                      | ... | ... | ... | ... | 1       | —                      |                     | DD.2       |
|              | F.220468                  | Kell                                                                       | ... | ... | ... | ... | 1       | —                      |                     | DD.2       |
|              | A.208523                  | Tube, control (Mod. 188)                                                   | ... | ... | ... | ... | 1       | T.50                   |                     |            |
|              | A.73025                   | Tube, distance, at universal fork                                          | ... | ... | ... | ... | 1       | —                      |                     | DD.2       |
|              | STD 1510/13/139           | Tube, distance, $\frac{1}{8}$ " o/d $\times$ 20 s.w.g. $\times$ 1-39" long | ... | ... | ... | ... | 1       | T.4                    |                     |            |
|              | STD 1208/90/25/64         | Washer, at sprocket and fork                                               | ... | ... | ... | ... | 1       | Shim Steel             | C.                  | 4          |
|              | STD 1208/75/33/50         | Washer, at attachment of control column tube to socket                     | ... | ... | ... | ... | 1       | Shim Steel             | C.                  | DD.2       |
|              | STD 1208/75/33/100        | Washer, at control column joint socket                                     | ... | ... | ... | ... | 1       | Shim Steel             | C.                  | DD.2       |
|              | STD 532/1                 | Ferrule                                                                    | ... | ... | ... | ... | 6       | S.80                   | C.                  | DD.2       |
|              | STD 532/1-18              | Büchse, Uebermass (8,1 mm)                                                 | ... | ... | ... | ... | n.B.    |                        |                     |            |
|              | A.185082                  | Housing, aileron torque tube, group                                        | ... | ... | ... | ... | 1       | —                      |                     |            |
| 223          | George/Angus-G.300225     | Seal, "Gaco"                                                               | ... | ... | ... | ... | 1       | —                      | C.                  | DD.2       |
|              | A.180432                  | Housing, control column crank, group                                       | ... | ... | ... | ... | 1       | —                      |                     |            |
| 224          | George/Angus-G.189125     | Seal, "Gaco"                                                               | ... | ... | ... | ... | 1       | —                      | C.                  | DD.2       |
| 226          | B.165970                  | Lever, rudder, aft of frame 8                                              | ... | ... | ... | ... | 1       | —                      | B.                  | DD.2       |
| 235          | B.168400                  | Lever, rudder control                                                      | ... | ... | ... | ... | 1       | —                      | B.                  | DD.2       |
| 236+         | B.178822                  | Lever, elevator                                                            | ... | ... | ... | ... | 1       | —                      | B.                  | DD.2       |
| 237          | B.178823                  | Lever, elevator                                                            | ... | ... | ... | ... | 1       | —                      | B.                  | DD.2       |
| 238          | B.178824                  | Lever, elevator                                                            | ... | ... | ... | ... | 1       | —                      | B.                  | DD.2       |
| 2139         | A-53255                   | Nut, attachment of torque tube to control column                           | ... | ... | ... | ... | 1       | S.2                    | C.                  | DD.2       |
| 1699         | F.192050                  | Piece, distance, for brake relay rod attachment                            | ... | ... | ... | ... | 1       | S.1                    | C.                  | DD.1       |
| 239          | F.179016                  | Piece, distance, at attachment of elevator lever                           | ... | ... | ... | ... | 2       | T.4                    | C.                  | DD.1       |
| 5804         | A-53057-S                 | Pin, attachment of torque tube to control column                           | ... | ... | ... | ... | 1       | S.94.B                 | C.                  | DD.2       |
|              | A-53057-1-S               | Pin, 1. Uebermass (19,07 mm)                                               | ... | ... | ... | ... | n.B.    |                        |                     |            |
|              | A-53057-2-S               | Pin, 2. Uebermass (19,09 mm)                                               | ... | ... | ... | ... | n.B.    |                        |                     |            |
| 241          | B.166465                  | Arm, rudder bar, group                                                     | ... | ... | ... | ... | 2       | —                      | C.                  | DD.1       |
| 242          | F.179017                  | Bolt, eye adjusting link attachment                                        | ... | ... | ... | ... | 2       | S.95.B                 | C.                  | DD.1       |
| 2A/9500419   | Ball + Roller-BRT.1.1/16" | Bearing, rudder control spindle...                                         | ... | ... | ... | ... | 2       | —                      | B.                  |            |
|              | AS.2209                   | Bolt, securing pedal at rudder bar arm                                     | ... | ... | ... | ... | 2       | —                      |                     |            |
|              | STD 325/154               | Bolt, attachment of rudder bar links to pedal                              | ... | ... | ... | ... | 2       | S.99B                  | C.                  | DD.1       |
| Ae.A. Hu-500 | 6F-F+W-519516             | Bolt                                                                       | ... | ... | ... | ... | 1       |                        | C.                  |            |
|              | STD 1551/2/65             | Bolt, adjusting, link attachment to rudder bar arm                         | ... | ... | ... | ... | 2       | S.99B                  | C.                  | DD.1       |
| 4270         | F.199878                  | Bracket                                                                    | ... | ... | ... | ... | 1       | —                      | C.                  | DD.1       |
| 245          | F.148388                  | Bush, rudder control spindle, top                                          | ... | ... | ... | ... | 1       | B.8                    | C.                  | DD.1       |
| 246          | F.148389                  | Bush, rudder control spindle, bottom                                       | ... | ... | ... | ... | 2       | B.8                    | C.                  | DD.1       |
| 247          | F.148387                  | Cap, rudder control spindle                                                | ... | ... | ... | ... | 2       | DTD.176A               | C.                  | DD.1       |
| 270          | A.165668                  | Lever                                                                      | ... | ... | ... | ... | 1       | —                      | C.                  | DD.1       |
| 249          | A.165664                  | Link, rudder bar, port                                                     | ... | ... | ... | ... | 1       | —                      | C.                  | DD.1       |
| 250          | A.165665                  | Link, rudder bar, starboard                                                | ... | ... | ... | ... | 1       | —                      | C.                  | DD.1       |
| 251          | F.178554                  | Link, rudder bar adjusting                                                 | ... | ... | ... | ... | 2       | S.95B                  | C.                  | DD.1       |
| 4554         | F.202251                  | Packing                                                                    | ... | ... | ... | ... | 1       | Brass                  | C.                  |            |

## FLYING CONTROLS—FRONT FUSELAGE

| Ref. No.   | Part No.              | Description |   |   |   |                                         | No. Off | Material Specification | M.R. Class of Score | Plate No. |
|------------|-----------------------|-------------|---|---|---|-----------------------------------------|---------|------------------------|---------------------|-----------|
|            |                       | 1           | 2 | 3 | 4 | 5                                       |         |                        |                     |           |
| 252        | C.177765              |             |   |   |   |                                         | 1       | Casting                | C.                  | DD.1      |
| 253        | B.177767              |             |   |   |   |                                         | 1       | Casting                | C.                  | DD.1      |
|            | A 25/5E               |             |   |   |   |                                         | 6       |                        |                     | DD.1      |
|            | A 25/6E               |             |   |   |   |                                         | 3       |                        |                     | DD.1      |
|            | A 25/15E              |             |   |   |   |                                         | 3       |                        |                     | DD.1      |
|            | SP 15/E               |             |   |   |   |                                         | 9       |                        |                     | DD.1      |
|            | STD 1548/40/12        |             |   |   |   |                                         | 3       |                        |                     | DD.1      |
|            | AGS 2001/E1           |             |   |   |   |                                         | 12      |                        |                     | DD.1      |
|            | F.214828              |             |   |   |   |                                         | 4       | Bronze                 |                     | DD.1      |
|            | AS 2210               |             |   |   |   |                                         | 2       | rostfr.St.             |                     | DD.1      |
|            | C.203345              |             |   |   |   |                                         | 2       | —                      | —                   |           |
| 254        | F.179068              |             |   |   |   |                                         | 1       | LFS.21                 | C.                  | DD.1      |
| 4767       | B.203346              |             |   |   |   |                                         | 1       | —                      | C.                  | DD.1      |
| 4102       | A.198965-S 1          |             |   |   |   |                                         | 1       | —                      | C.                  | DD.1      |
| 257        | A.169699              |             |   |   |   |                                         | 1       | —                      | C.                  | DD.1      |
| 258        | George/Angus-G.175106 |             |   |   |   |                                         | 1       | —                      | C.                  | DD.1      |
| 5797       | F.204988              |             |   |   |   |                                         | 1       | S.84                   | C.                  | DD.1      |
| 5798       | A.204989              |             |   |   |   |                                         | 1       | S.84                   | C.                  | DD.1      |
|            |                       |             |   |   |   | (Alternative to A.210153)               |         |                        |                     |           |
| 6749       | A.210153              |             |   |   |   |                                         | 1       | —                      | C.                  |           |
| 259        | F.165192              |             |   |   |   |                                         | 1       | DTD.364                | C.                  | DD.1      |
| 1927       | F.196367              |             |   |   |   |                                         | 1       | DTD.364                | C.                  | DD.1      |
| 260        | A.177118              |             |   |   |   |                                         | 1       | Stamping               | C.                  | DD.1      |
| 261        | F.169546              |             |   |   |   |                                         | 1       | Sp. Stl.               | C.                  | DD.1      |
| 4273       | A.199882              |             |   |   |   |                                         | 1       | Stamping               | C.                  | DD.1      |
|            | AS 2210               |             |   |   |   |                                         | 2       | —                      |                     |           |
|            | STD 914/C/22          |             |   |   |   |                                         | 3       | S.1                    | C.                  | 4         |
| 264        | F.178750              |             |   |   |   |                                         | 1       | S.95B                  | C.                  | DD.2      |
| 265        | F.165973              |             |   |   |   |                                         | 1       | T.60                   | C.                  | DD.1      |
| 266        | A.178749              |             |   |   |   |                                         | 1       | T.60                   | C.                  | DD.2      |
|            | STD 1208/150/68/50    |             |   |   |   |                                         | 1       | Shim Steel             | C.                  | DD.2      |
|            |                       |             |   |   |   | member (port)                           |         |                        |                     |           |
|            | STD 1208/130/68/50    |             |   |   |   |                                         | 2       | Shim Steel             |                     |           |
|            |                       |             |   |   |   | member                                  |         |                        |                     |           |
| 8493       | B.215089              |             |   |   |   |                                         | 1       | —                      | B.                  | DD.2      |
|            | STD 532/4             |             |   |   |   |                                         | 8       |                        |                     | DD.2      |
|            | A 25/22E              |             |   |   |   |                                         | 4       |                        |                     | DD.2      |
|            | A 58/ES               |             |   |   |   |                                         | 4       |                        |                     | DD.2      |
|            | A.215091              |             |   |   |   |                                         | 1       | S.95B                  |                     | DD.2      |
|            | A 30/12E              |             |   |   |   |                                         | 4       | —                      |                     | DD.2      |
|            | A 27/ES               |             |   |   |   |                                         | 4       | —                      |                     | DD.2      |
| 2A/9500154 | Ball + Roller-BAL.025 |             |   |   |   |                                         | 1       | —                      | B.                  | DD.2      |
|            | STD 165/S             |             |   |   |   |                                         | 4       | —                      |                     |           |
|            | F.165984              |             |   |   |   |                                         | 1       | DTD.610                |                     | DD.2      |
|            | F.218110              |             |   |   |   |                                         | 1       | DTD.610                |                     | DD.2      |
| 269        | B.165987              |             |   |   |   |                                         | 1       | L.53                   | C.                  | DD.2      |
|            | A.215088              |             |   |   |   |                                         | 1       | S.95B                  |                     |           |
| 277        | B.165989              |             |   |   |   |                                         | 1       | —                      | B.                  | DD.2      |
| 278        | B.165990              |             |   |   |   |                                         | 1       | —                      | B.                  | DD.2      |
| 279        | B.165991              |             |   |   |   |                                         | 1       | —                      | B.                  | DD.2      |
| 1497       | F.185083              |             |   |   |   |                                         | 1       | DTD.560                | C.                  | DD.2      |
|            | STD 915/J/14          |             |   |   |   |                                         | 1       | DTD.610                | C.                  | 4         |
|            |                       |             |   |   |   | Washer, for aileron torque tube housing |         |                        |                     |           |
|            |                       |             |   |   |   | Washer, at attachment of rudder lever   |         |                        |                     |           |

FLYING CONTROLS—FRONT FUSELAGE

| Ref. No. | Part No.           | Description                                                                            |   |   |   |   | No. Off | Material Specification | M.R. Class of Store | Plate No.  |
|----------|--------------------|----------------------------------------------------------------------------------------|---|---|---|---|---------|------------------------|---------------------|------------|
|          |                    | 1                                                                                      | 2 | 3 | 4 | 5 |         |                        |                     |            |
|          | B.190129           | <b>GAITER FOR CONTROL COLUMN, ASSEMBLY</b>                                             |   |   |   |   | —       | —                      |                     |            |
| 4444     | F.201985           | Clip, control column gaiter attachment ... ..                                          |   |   |   |   | 1       | L.72                   | C.                  | DD.2       |
|          | STD 1285/8/CC      | Connector, earthing ... ..                                                             |   |   |   |   | 1       | —                      | C.                  | 4          |
| 1495     | B.190128           | Gaiter, control column base ... ..                                                     |   |   |   |   | 1       | —                      | C.                  | DD.1, DD.2 |
| 4106     | F.199283           | Guard, for control column gaiter ... ..                                                |   |   |   |   | 1       | L.72                   | C.                  | DD.2       |
| 5799     | A.205006           | Support, for gaiter ... ..                                                             |   |   |   |   | 1       | L.72                   | C.                  | DD.2       |
|          | B.178827           | Levers, aft of seat frame, group ... ..                                                |   |   |   |   | 1       | —                      |                     | DD.2       |
| 227      | B.168401           | Lever, aileron control ... ..                                                          |   |   |   |   | 1       | —                      | B.                  | DD.2       |
| 228      | B.168402           | Lever, elevator and rudder ... ..                                                      |   |   |   |   | 2       | —                      | B.                  | DD.2       |
| 229      | F.166114           | Shaft ... ..                                                                           |   |   |   |   | 1       | T.50                   | C.                  | DD.2       |
| 230      | F.178826           | Spool ... ..                                                                           |   |   |   |   | 2       | DTD.364                | C.                  | DD.2       |
| 231      | F.178430/3         | Tube, distance 1½" o/d × 14 s.w.g. × 4.30" long                                        |   |   |   |   | 1       | T.4                    | C.                  | DD.2       |
| 232      | F.178430/4         | Tube, distance 1½" o/d × 14 s.w.g. × .225" long                                        |   |   |   |   | 1       | T.4                    | C.                  | DD.2       |
| 233      | F.178430/5         | Tube, distance 1½" o/d × 14 s.w.g. × .155" long                                        |   |   |   |   | 1       | T.4                    | C.                  | DD.2       |
|          | STD 1208/141/68/40 | Washer ... ..                                                                          |   |   |   |   | 6       | Shim Steel             | C.                  | DD.2       |
| 287      | A.168404           | Link, idling ... ..                                                                    |   |   |   |   | 3       | —                      | B.                  | DD.2       |
| 6201     | A.209620           | Tube, aileron, elevator and rudder control between frames 14 and 17A, group (Mod. 368) |   |   |   |   | 3       | —                      | B.                  | DD.2       |
| 6202     | A.209621           | Fork-end ... ..                                                                        |   |   |   |   | 1       | S.96B                  | C.                  |            |
| 8488     | A.206734           | Gestänge für Querruder                                                                 |   |   |   |   | 1       | —                      | B.                  | DD.2       |
| 276      | A.243233           | Gestänge für Seitenruder (Mod. 941)                                                    |   |   |   |   | 1       | —                      | B.                  | DD.2       |
|          | B.243234           | Gestänge für Höhensteuer (mit Gewicht) (Mod. 941)                                      |   |   |   |   | 1       | —                      |                     | DD.2       |
|          |                    | : : : : :                                                                              |   |   |   |   |         |                        |                     |            |
|          |                    | : : : : :                                                                              |   |   |   |   |         |                        |                     |            |
|          |                    | : : : : :                                                                              |   |   |   |   |         |                        |                     |            |

RESTRICTED


Hunter F. Mk. 58

2nd Edition


## FLYING CONTROLS—FRONT FUSELAGE

| Ref. No. | Part No.    | Description                    |     |     |     |     | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|-------------|--------------------------------|-----|-----|-----|-----|---------|------------------------|---------------------|-----------|
|          |             | 1                              | 2   | 3   | 4   | 5   |         |                        |                     |           |
|          |             | SUMMARY OF STOCK ITEMS         |     |     |     |     |         |                        |                     |           |
|          | A 25/2C     | Bolt, 2 B.A.                   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 25/3C     | Bolt, 2 B.A.                   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 25/13C    | Bolt, 2 B.A.                   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 25/4C     | Bolt, 2 B.A.                   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 25/5E     | Bolt, $\frac{1}{4}$ " B.S.F.   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 25/6E     | Bolt, $\frac{1}{4}$ " B.S.F.   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 25/15E    | Bolt, $\frac{1}{4}$ " B.S.F.   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 30/8E     | Bolt, $\frac{1}{4}$ " B.S.F.   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 30/9E     | Bolt, $\frac{1}{4}$ " B.S.F.   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 30/10E    | Bolt, $\frac{1}{4}$ " B.S.F.   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 30/11E    | Bolt, $\frac{1}{4}$ " B.S.F.   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 30/12E    | Bolt, $\frac{1}{4}$ " B.S.F.   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 30/14E    | Bolt, $\frac{1}{4}$ " B.S.F.   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 30/15E    | Bolt, $\frac{1}{4}$ " B.S.F.   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 30/17E    | Bolt, $\frac{1}{4}$ " B.S.F.   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 30/27E    | Bolt, $\frac{1}{4}$ " B.S.F.   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 30/24J    | Bolt, $\frac{3}{8}$ " B.S.F.   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 30/17G    | Bolt, $\frac{1}{8}$ " B.S.F.   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | AS 1242/4C  | Bolt, 2 B.A.                   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | AS 1242/8C  | Bolt, 2 B.A.                   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | AS 1248/1C  | Bolt, 2 B.A.                   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | AS 1248/2C  | Bolt, 2 B.A.                   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | AS 1248/6C  | Bolt, 2 B.A.                   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | AS 2504/5E  | Bolt, $\frac{1}{4}$ " B.S.F.   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | AGS 2031/22 | Circlip                        | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 16 Y/CS   | Nut, 2 B.A.                    | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 16 Y/CP   | Nut, 2 B.A.                    | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 16 Y/ES   | Nut, $\frac{1}{4}$ " B.S.F.    | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 16 Y/JS   | Nut, $\frac{3}{8}$ " B.S.F.    | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 27/CP     | Nut, 2 B.A.                    | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 27/CS     | Nut, 2 B.A.                    | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 27/EP     | Nut, $\frac{1}{4}$ " B.S.F.    | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 27/ES     | Nut, $\frac{1}{4}$ " B.S.F.    | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 27/ET     | Nut, $\frac{1}{4}$ " B.S.F.    | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 27/GT     | Nut, $\frac{5}{16}$ " B.S.F.   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 27/GTL    | Nut, $\frac{5}{16}$ " B.S.F.   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 27/JS     | Nut, $\frac{3}{8}$ " B.S.F.    | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | A 58/ES     | Nut, $\frac{1}{4}$ " B.S.F.    | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | AGS 572/A   | Nut, $\frac{1}{4}$ " B.S.F.    | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | AGS 1148C   | Nut, 2 B.A.                    | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | AGS 2001/C1 | Nut, 2 B.A.                    | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | AGS 2002/C1 | Nut, 2 B.A.                    | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | AGS 2001/E1 | Nut, $\frac{1}{4}$ " B.S.F.    | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | AGS 2002/E1 | Nut, $\frac{1}{4}$ " B.S.F.    | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | AGS 572/E   | Nut, $\frac{1}{4}$ " B.S.F.    | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | SP 21       | Nipple, Lubricating            | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | SP 15C      | Washer, 2 B.A.                 | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | SP 16C      | Washer, 2 B.A.                 | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | SP 15E      | Washer, $\frac{1}{4}$ " B.S.F. | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | SP 16E      | Washer, $\frac{1}{4}$ " B.S.F. | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | SP 15/I     | Washer, $\frac{3}{8}$ " dia.   | ... | ... | ... | ... | ...     | —                      | —                   | —         |
|          | SP 15G      | Washer, $\frac{1}{8}$ " dia.   | ... | ... | ... | ... | ...     | —                      | —                   | —         |

RESTRICTED



# FLYING CONTROLS



## FLYING CONTROLS

This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

