

CONTROLS—UNDERCARRIAGE FAIRING

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.205280-1	UNDERCARRIAGE, FAIRING CONTROLS, ASSEMBLY					—	—		
4218	A.198798	Adaptor, for greaser pipe	...	...	...	...	2	DTD.364	C.	DH.1
27K/534	Teleflex-B.731	Block, swivel	...	...	...	...	4	—	C.	
8311	F.215490	Block, clamp (Mod. 197)	...	...	...	...	2	LFS.21	C.	DH.1
	STD 325/88	Bolt, attachment of jack to universal shaft	...	...	...	...	2	S.95 or S.96	C.	DH.1
	STD 325/82	Bolt, attachment of jack to undercarriage wheel door	...	...	...	...	2	S.95 or S.96	C.	4
4219	F.191499	Bolt, banjo, for greaser pipe	...	...	...	...	2	S.1	C.	DH.1
356	B.187846	Bracket, bearing, port, group	...	...	...	...	1	Stamping	B.	DH.1
357	F.187900	Bush	...	...	...	...	2	BSS.250	C.	DH.1
358	B.187847	Bracket, bearing, starboard group	...	...	...	...	1	Stamping	B.	DH.1
357	F.187900	Bush	...	...	...	...	2	BSS.250	C.	DH.1
8105	B.218073	Bracket, bearing, port group (Mod. 421)	...	...	...	...	1	DTD.610	B.	DH.1
360	A.188156	Spool, group	...	...	...	...	1	DTD.364	C.	DH.1
	F.188157	Bush	...	...	...	...	2	B.8		
8106	B.218074	Bracket, bearing, starboard group (Mod. 421)	...	...	...	...	1	—	B.	DH.1
360	A.188156	Spool, group	...	...	...	...	1	DTD.364	C.	DH.1
	F.188157	Bush	...	...	...	...	2	B.8		
	STD 2045/15/26	Clip, sleeved	...	...	...	...	4	—		
6753	B.209434	Control, "Teleflex," for outboard lock, port group	...	...	...	...	1	—	B.	DH.1
6754	B.209435	Control, "Teleflex," for outboard lock starboard group	...	...	...	...	1	—	B.	DH.1
		(Handed by bending of conduit)								
		Consisting of:—								
27K/548	Teleflex - D S.307/2	Conduit, port	...	...	...	...	3' 10"	—	C.	
27K/548	Teleflex - D S.307/2	Conduit, starboard	...	...	...	...	3' 8"	—	C.	
27K/1041	Teleflex-A.35336	Collar	...	...	...	...	2	—	C.	
27K/717	Teleflex - B.10898/C	Connector, greaser	...	...	...	...	2	—	C.	
27K/796	Teleflex - B.35340/B	Connector, conduit	...	...	...	...	2	—	C.	
362	F.187712	Fork-end	...	...	...	...	2	S.95.B	C.	DH.1
27K/571	Teleflex-A.821	Nipple	...	...	...	...	6	—	C.	
	A 27/CT	Nut, lock	...	...	...	...	2	—	C.	
	Teleflex - C.40076/L/70-1/4"	Rod and cable, assembly, port	...	...	...	...	1	—	C.	
	Teleflex - C.40076/R/71-1/4"	Rod and cable, assembly, starboard	...	...	...	...	1	—	C.	
27K/1042	Teleflex-A.35335	Sleeve, outer	...	...	...	...	2	—	C.	
	Teleflex - C.41558/C	Swivel, assembly	...	...	...	...	2	—	C.	
365	A.187854	Lever, at top anchorage of jack, port group	...	...	...	...	1	Stamping	B.	DH.1
	STD 608/4	Bush	...	...	...	...	1	B.8	C.	DH.1
367	A.187855	Lever, at top anchorage of jack starboard group	...	...	...	...	1	Stamping	B.	DH.1
	STD 608/4	Bush	...	...	...	...	1	B.8	C.	DH.1
7984	A.210491	Lever, for aft lock control rod, group (Mod. 421)	...	...	...	...	2	Stamping	B.	DH.1
	STD 608/5	Bush	...	...	...	...	1	B.8	C.	4
370	A.188131	Lever, for forward lock control rod, group	...	...	...	...	2	Stamping	B.	DH.1
	STD 608/5	Bush	...	...	...	...	1	B.8	C.	4

RESTRICTED

Hunter F. Mk. 58
2nd Edition

CONTROLS-UNDERCARRIAGE FAIRING

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
7981	STD 1231/3	Lug, locking	6	S.3	C.	4
	STD 1221/Z/D/50	Pin	8	S.2	C.	DH.1
	F.213793	Pin, taper (Mod. 421)	2	S.96.B	C.	DH.1
7982	F.213793-1S	Kon. Bolzen (1. Uebermass)	n.B.			
	F.213793-2S	Kon. Bolzen (2. Uebermass)	n.B.			
	F.213794	Pin, taper (Mod.421)	6	S.96.B	C.	DH.1
7983	F.213794-1S	Kon. Bolzen (1. Uebermass)	n.B.			
	F.213794-2S	Kon. Bolzen (2. Uebermass)	n.B.			
	F.212427	Pin, taper (Mod.421)	8	S.96.B	C.	DH.1
5211	F.212427-1S	Kon. Bolzen (1. Uebermass)	n.B.			
	F.212427-2S	Kon. Bolzen (2. Uebermass)	n.B.			
	F.204752/1	Pipe, greaser, port	1	—	C.	DH.1
5212	F.204752/2	Pipe, greaser, starboard	1	—	C.	DH.1
374	A.186944	Rod, control, forward lock	2	—	C.	DH.1
375	A.186945	Rod, control, for aft lock	2	—	C.	DH.1
Ae.A.Hu-479	SP 7/YE	Augenendstück	1			DH.1
	SP 7/YEL	Augenendstück, Linksgewinde	1			DH.1
	A 27/ET	6kt.-Mutter	1			DH.1
	A 27/ETL	6kt.-Mutter, Linksgewinde	1			DH.1
	6F-BAMF-C-12126	Spez.-Splintbolzen	2			DH.1
	7977	Shaft, universal, forward, port, group (Mod. 421) ...	1	—	C.	DH.1
	7978	Shaft, universal, forward, starboard, group (Mod. 421)	1	—	C.	DH.1
	7979	Shaft, universal, rear, port, group (Mod. 421) ...	1	—	C.	DH.1
	7980	Shaft, universal, rear, starboard, group (Mod. 421) ...	1	—	C.	DH.1
	380	Shaft, for control rod	2	T.50	C.	DH.1
5784	A.208219	Stop, at top anchorage, for jack	2	DTD.364	C.	DH.1
5210	F.204753	Washer, profile, for banjo bolt	2	L.65	C.	DH.1
		Spielbehebung in den Kreuzgelenken				
		Querbolzen, 1. Uebermass, 6,45 mm	1			DH.1
		Querbolzen, 2. Uebermass, 6,55 mm	1			
		Büchse, 1. Uebermass, 6,45 mm	2			DH.1
		Büchse, 2. Uebermass, 6,55 mm	2			
		6kt.-Schraube	1			DH.1
		Sich.-Mutter	1			DH.1
		WING-FUSELAGE CONNECTIONS, FAIRING LOCK CONTROL, ASSEMBLY				
6755	B.209370	Control, for fairing lock, port, group	1	—	B.	DH.1
6756	B.209371	Control, for fairing lock, starboard, group	1	—	B.	DH.1
		(Handed by bending of conduit)				
		Consisting of:—				
27K/548	Teleflex-D S.307/2	Conduit, port, inner	1' 10"	—	C.	
27K/548	Teleflex-D S.307/2	Conduit, starboard, inner	2' 1"	—	C.	
27K/1041	Teleflex-A.35336	Collar	4	—	C.	
27K/1042	Teleflex-C.41552	End, self-aligning, assembly	2	—	C.	DH.1
	Teleflex-A.35335	Sleeve, outer	4	—	C.	
5170	F.203769	Spring	2	Steel	C.	DH.1
5484	F.202932	Stop, special	2	S.80.B	MR/C	DH.1
	Teleflex-C.41551/B	Swivel, assembly	2	—	C.	DH.1
	STD 914/J/18	Washer	2	S.1 or S.3	C.	4

CONTROLS—UNDERCARRIAGE FAIRING

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.201671					CONTROL TO BRACKETS ON FUSELAGE, PORT, ASSEMBLY	-	—		
	C.201672					CONTROL TO BRACKETS ON FUSELAGE, STARBOARD, ASSEMBLY	-	—		
5173	F.202789					Block, clamp	4	L.65.C	C.	DH.1
5174	F.202790					Block, clamp	4	L.65.C	C.	DH.1
5175	F.204234					Bolt, special	2	H.T.S.	C.	DH.1
	STD 915/C/22					Washer, special	4	DTD.610	C	4

RESTRICTED

Hunter F. Mk. 58

2nd Edition

CONTROLS—UNDERCARRIAGE FAIRING

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
	A25.1.B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
	A25.7.B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
	A25.1.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	A25.2.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	A25.3.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	A25.4.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	A25.12.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	A25.15.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	AS.1248/11C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	SP.21	Nipple, lubricating	...	...	...	...	...	—	—	—
	A24.CS	Nut, 2 B.A.	...	...	...	...	...	—	—	—
	A27.CT	Nut, 2 B.A.	...	...	...	...	...	—	—	—
	A27.ET	Nut, 1/2" B.S.F.	...	...	...	...	...	—	—	—
	A58.ES	Nut, 1/2" B.S.F.	...	...	...	...	...	—	—	—
	AGS.2002.B1	Nut, 4 B.A.	...	...	...	...	...	—	—	—
	AGS.2002.C1	Nut, 2 B.A.	...	...	...	...	...	—	—	—
	SP.31.L10	Pin, split taper	...	...	...	...	...	—	—	—
	AGS.1186/4	Seal	...	...	...	...	...	—	—	—
	SP.15.B	Washer	...	...	...	...	...	—	—	—
	SP.15.C	Washer	...	...	...	...	...	—	—	—
	SP.15.E	Washer	...	...	...	...	...	—	—	—
	SP.16.B	Washer	...	...	...	...	...	—	—	—

RESTRICTED



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

