

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	1 2 3 4 5					No. Off	Material Specification	M.R. Class of Store	Place No.
	G.231462-S11	ELECTRICAL EQUIPMENT IN FRONT FUSELAGE, ASSEMBLY						—	—		
	F/KA-12.12-1	Accumulator, lead acid 12v. (Mod. 502)	...	...	...	...	...	2	—		
	C.244357	Additional Details Assembly (Mod. 2411)	...	...	...	...	...	—	—		
5X/3277	Plessey-CZ.50206	Block, terminal, 3-way	...	...	...	...	...	1	—	B.	
	F.235190	Bracket, channel	...	...	...	...	...	1	L.72		
	A.234882	Cable, F.165 assy. (See Cable Chart)	...	...	...	...	...	1	—		
	STD 2045/15/26	Clip, sleeved, securing cable	...	...	...	...	...	1	S.510 or S.511		
	STD 842/38	Clip, securing cable and tube $\frac{1}{16}$ " wide x 22 S.W.G. x 3-8" long	...	...	...	...	...	1	DTD.610		
5X/3273	Plessey-CZ.26802	Cover	...	...	...	...	...	1	—	C.	
	P3-03/256/151	Holder, for lamp (Swiss Supply)	...	...	...	...	...	1	—		
	6F-BAMP-E-961	Lamp, hand (Swiss Supply)	...	...	...	...	...	1	—		
	F.235553	Label	...	...	...	...	...	1	—		
6023	F.206895	Spacer	...	...	...	...	...	2	BSS.249 or BSS.251	MR/C	
5F/2281	Hellermann-NY.3341	Strapping, $\frac{1}{2}$ " wide	...	...	...	...	...	QR	—		
5F/2302	Hellermann-NY.2342	Stud	...	...	...	...	...	QR	—	C.	
	STD 1509/12/030	Tube, distance, $\frac{1}{4}$ " /d x 20 S.W.G. x .3" long	...	...	...	...	...	1	T.4	MR/C	4
	Teddington-FLM/A/5	Amplifier, magnetic (Mod. 439)	...	...	...	...	...	1	—	A.	
6A/4457	Smiths-FAB/18	Amplifier	...	...	...	...	...	2	—	A.	
5CZ/5291	Smiths-EC1/6	Amplifier, magnetic (Mod. 272)	...	...	...	...	...	1	—		
	F.197407	Block, distance, for terminal block	...	...	...	...	...	2	Alkathene 11/00, black		
	A.214829	BLOCK, TERMINAL, No. 5, ON FRAME 5, ASSEMBLY (Mod. 372)						—	—		
5X/2863	Plessey-CZ.24285	Block, terminal, 10-way	...	...	...	...	...	1	—	B.	
	A.218494	Bracket, mounting (Mod. 572)	...	...	...	...	...	1	—		
8545	F.220484	Cover, (Mod. 572)	...	...	...	...	...	1	—	C.	
	STD 2046/30/22	Clip, sleeved	...	...	...	...	...	1	—		
8543	F.218495	Mounting (Mod. 572)	...	...	...	...	...	4	Rubber	C.	
8544	F.217580	Pillar (Mod. 572)	...	...	...	...	...	2	S.95.B	C.	
	STD 1953/NR. 1 bis 10	Sleeve, marker	...	...	...	...	...	1 set	—		
	STD 2008/C/362	Strip, locking (Mod. 572)	...	...	...	...	...	1	S.84	C.	
	STD 2008/B/423	Strip, locking (Mod. 572)	...	...	...	...	...	1	S.84	D.	
	STD 1509/23/084	Tube, distance, $\frac{1}{16}$ " o/d x 17 S.W.G x 0.84" long	...	...	...	...	...	2	T.4		
	STD 915/T/18-S	Washer	...	...	...	...	...	2	DTD.610	MR/C	4
	B.214699	BLOCK, TERMINAL, No. 3, 7 AND 85, AT PORT COCKPIT SHELF, ASSEMBLY (Mod. 378)						—	—		
5X/2863	Plessey-CZ.24285	Block, terminal, 10-way	...	...	...	...	...	1	—	B.	
5X/3277	Plessey-CZ.50206	Block, terminal, 3-way	...	...	...	...	...	2	—	B.	
5X/3275	Plessey-CZ.26808	Cover	...	...	...	...	...	1	—	B.	
5X/3273	Plessey-CZ.26802	Cover	...	...	...	...	...	2	—	C.	
5X/6163	Plessey- Z.50210	Link, commoning	...	...	...	...	...	1	—	C.	
5X/3278	Plessey- Z.28426	Pillar	...	...	...	...	...	6	—	C.	
	STD 1953/NR. 1 bis 10	Sleeve, marker	...	...	...	...	...	1 set	—		
	STD 1953/NR. 1 bis 3	Sleeve, marker	...	...	...	...	...	1 set	—		

RESTRICTED

Page EB.2
Issued with Amendment List No. 2

Hunter F. Mk. 58
2nd Edition

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	B.206739	BLOCK, TERMINAL, No. 4 AND 6, AT PORT COCKPIT SHELF, ASSEMBLY					—	—		
5X/2863	Plessey-CZ.24285	Block, terminal, 10-way	...	...	...	...	1	—	B.	
5X/3277	Plessey-CZ.50206	Block, terminal, 3-way	...	...	...	...	1	—	B.	
5X/3275	Plessey-CZ.26808	Cover	...	...	...	...	1	—	B.	
5X/3273	Plessey-CZ.26802	Cover	...	...	...	...	1	—	B.	
5X/3278	Plessey-Z.28426	Pillar	...	...	...	...	4	—	C.	
	STD 1953/NR. 1 bis 10	Sleeve, marker	...	...	...	...	1 set	—		
	STD 1953/NR. 1 bis 3	Sleeve, marker	...	...	...	...	1 set	—		
	A.206460	BLOCK, TERMINAL, No. 2, AT FRAME 4, ASSEMBLY					—	—		
5X/2863	Plessey-CZ.24285	Block, terminal, 10-way	...	...	...	...	1	—		
	A.218494	Bracket, mounting (Mod. 572)	...	...	...	...	1	—		
8545	F.220484	Cover (Mod. 572)	...	...	...	...	1	—		
	STD 2046/25/24	Clip, sleeved	...	...	...	...	1	—		
	A.206460/1	Label	...	...	...	...	1	—		
5X/6163	Plessey-Z.50210	Link, commoning	...	...	...	...	2	—	C.	
8543	F.218495	Mounting (Mod. 572)	...	...	...	...	4	Rubber		
8544	F.217580	Pillar (Mod. 572)	...	...	...	...	2	S.95.B		
	STD 1953/NR. 1 bis 10	Sleeve, marker	...	...	...	...	1 set	—		
	STD 2008/C/362	Strip, locking (Mod. 572)	...	...	...	...	1	S.84		
	STD 2008/B/423	Strip, locking (Mod. 572)	...	...	...	...	1	S.84		
	STD 1509/23/084	Tube, distance, $\frac{5}{16}$ " o/d x 17 S.W.G. x 0.84" long	...	...	...	...	2	T.4		
	STD 915/T/18-S	Washer	...	...	...	...	2	DTD.610		
	A.206556	BLOCK, TERMINAL, No. 64, AT FRAME 12, ASSEMBLY					—	—		
5X/3268	Plessey-CZ.50207	Block, terminal, 5-way	...	...	...	...	1	—	B.	
5X/3274	Plessey-CZ.26805-S	Cover	...	...	...	...	1	—	B.	
	A.206556/1	Label	...	...	...	...	—	—		
5X/3278	Plessey-Z.28426	Pillar	...	...	...	...	2	—	C.	
	STD 1953/NR. 1 bis 5	Sleeve, marker	...	...	...	...	1 set	—		
	B.222375	BLOCK, TERMINAL, No. 99, ASSEMBLY (Mod. 629)					—	—		
5X/2863	Plessey-CZ.24285	Block, terminal, 10-way	...	...	...	...	1	—	B.	
5X/3275	Plessey-CZ.26808	Cover	...	...	...	...	1	—	C.	
5X/3278	Plessey-CZ.28426	Pillar	...	...	...	...	2	—	C.	
	6F-F+W-710195-A1;R2	Befestigungsrahmen vollst.	(nicht Maverick Flz)				1			
	6F-F+W-710195-A1;R1	Befestigungsrahmen vollst.	(Maverick Flz)				1			
	6F-F+W-806375E-A1	Befestigungsrahmen					1			
	6F-F+W-521984E	Klebeschildersatz					1			
	AS 1248-1/2B	Schraube					4			
	MS 22073-1,5	Schaltautomat 1,5 A					2			
	MS 22073-5	Schaltautomat 5 A					2			
	MS 22073-10	Schaltautomat 10 A					2			
	MS 25244-15	Schaltautomat 15 A					2			
	ECE-21.710	Schaltautomat 50 A					1			
	6F-F+W-711400-01A	Winkel					2			
	6F-F+W-711404-01A	Gummi-Dämpfer					4			
	FWN3540S4	Sich.-Scheibe Fst Zn					8			
	DIN 1587	Buttmutter M4 St Kl.6 verz.					6			
	FWN-L 22.431BC040E	6kt.-Mutter					2			
	FWN6210P145-120	Masseband					1			
	A25/1/2C	6kt.-Schraube					1			
	AGS 2001/C1	Sich.-Mutter 2 B.A.					1			

RESTRICTED

Ae - 1/93

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	A.224250	BLOCK, TERMINAL, No. 101, ASSEMBLY ... (Mod. 378)	—	—		
5X/3277	Plessey-CZ.50206	Block, terminal	1	—		
5X/3273	Plessey-CZ.26802	Cover	1	—		
5X/3278	Plessey-Z.28246	Pillar	2	—		
	STD 1639/30X	Bolt, securing power pack	4	—	C.	
	B.220068	Box, A.C. control, assembly (Mod. 375)	—	—		
	6F- F+W-805009E	Befestigungsplatte	1	—		
	AS 1242/1C	Sk.-Schraube	2	—		
	SP 13/C	U-Scheibe	2	—		
	AGS 2001/C1	Sich.-Mutter	2	—		
Ae.A.Hu-515						
5X/6630	Plessey-CZ.72441	Block, terminal, 5-way	1	—	B.	
	B.220069	Box	1	—		
	F.220072	Bracket	1	L.72		
7139	F.208121	Bridge	1	—		
10C/0115567	—	Capacitor, -5 mfd. 250 V.	3	—		
	STD 840/35	Clip, securing capacitors	1	—		
	Tucker-S.79	Eyelet	9	—		
9337	A.220070	Lid	1	L.59		
	A.220071	Platform	1	—		
10H/0560060	Plessey-CZ.48993	Plug, panel mounting	1	—		
10H/Z560565	Plessey-CZ.48993/5	Plug, panel mounting	1	—		
	5CZ/5726	Rectifier	1	—		
10F/0530453	Ferranti-ZS.10A	Relay, type SM5A-N25	1	—		
	Helsyn-100JPx3/4"	Sleeve,	12	—		
	Helsyn- KP x 1/2"	Sleeve,	1	—		
10H/0560240	Plessey-CZ.49219	Socket, panel mounting	1	—		
5CW/5907	Smiths-EAP.2340	Switch, torque	1	—		
5K/3469	R. Courtney-Nr.01	Tag	10	—		
	B.261335 oder					
	B.242601	Box, diode, for tail chute, group (Mod. 2411)	1	—		
5X/3268	Plessey-CZ.50207	Block, terminal, 5-way	1	—	B.	
	F.242604	Carrier, for diode	1	—		
	1N 1186	Diode, silicon	2	—		
	F.242603	Lid	1	—		
	STD 1606/44/B/20	Screw, securing lid, rd. hd., 4 B.A.	2	Brass	C.	
	R. Courtney	Tag, QR. 6 amp.	2	—		
	Nr.2120					
5K/3469	R. Courtney	Tag	2	—		
	Nr.01					
	A.236233	Box, for standby batteries, group (c/w cable PC.13) (Mod. 2410)	1	—	B.	
	C.216112	Box, group	1	—		
8483	F.216126	Clip, spring	2	SP.ST	C.	
	F.216127	Packing, for spring clip	1	—		
5CZ/996	—	Box, junction, 3-way, type A	1	—	A.	
6730	D.207455	Box, a/c junction, and radar supply, group (Pre Mod. 556)	1	—	A.	
9633	D.222694-S2	Box, a/c junction, for flight instruments and radar supply, group (Mod. 375)	1	—	A.	
	Plessey-CZ.5138	Schutzdeckel	1	—		
5X/6607	Plessey-CZ.73898	Block, fuse, with ident tags, less cover	4	—	B.	
5X/3268	Plessey-CZ.50207	Block, terminal, 5-way	4	—	B.	
6731	F.210524	Bolt, for front lid	6	S.21	C.	
	MS25244-15	Breaker, circuit, 15A (Ae.A. Hu-F-706)	2	—	A.	
1632	A.190855	Bus-bar	2	BSS.266	C.	

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.190732					Cable, assemblies	1	—		
						Consisting of:—				
6A/2715	Smiths-213MV					Auto-transformer, 115/26V, 400 C/s	1	—	A.	
	—					Cable, trimetvinsmall	10"	—	C.	
	—					Cable, unipren, 12 amp.	QR	—	C.	
10C/0115260						Capacitor, 25 mf. 250 WKG	1	—	C.	
10C/0115333						Capacitor, 0.5 mf. 250V. WKG.	3	—	C.	
						(Not required with Type 'C' Torque Switch)				
10H/0970058	Plessey-Z.60667					Gasket, outlet, code 45	1	—	C.	
10H/0970108	Plessey-Z.62235					Gasket, union	1	—	C.	
5X/2785	Plessey-Z.22430					Grommet, helsyn, type 2	1	—	C.	
5X/1874	Plessey-Z.1840					Grommet	1	—	C.	
5X/9400385	ERMA-12105					Lug, terminal	1	—	C.	
10H/0970069	Plessey-CZ.49181					Outlet, 90°, code 45	1	—	C.	
10H/0560070	Plessey-CZ.48994					Plug, panel, unit code 43	1	—	C.	
10H/0560060	Plessey-CZ.48993					Plug, panel mounting, unit code 42	1	—	C.	
10H/0970102	Plessey-Z.49040					Ring, compression	1	—	C.	
10H/0970096	Plessey-Z.49037					Ring, thrust	1	—	C.	
5K/2576	Helsyn-AP x 3/4"					Sleeve,	93	—	C.	
5K/2577	Helsyn-BP x 3/4"					Sleeve,	10	—	C.	
5K/2578	Helsyn-CP x 1.1/8"					Sleeve,	1	—	C.	
	Helsyn-JP x 3/4"					Sleeve,	2	—	C.	
5K/3456	Helsyn-KP x 1"					Sleeve,	1	—	C.	
10H/0560250	Plessey-CZ.49221					Socket, panel, unit code 43	1	—	C.	
10H/0560240	Plessey-CZ.49219					Socket, panel, unit code 42	1	—	C.	
10H/Z560820	Plessey-CZ.56743					Socket, panel mounting coupler, code 45	1	—	C.	
10H/0560261	Plessey-CZ.49223/1					Socket, panel unit, code 45	1	—	C.	
5CW/3944						Switch, magnetic relay, type S.3	1	—	A.	
	Tucker-S.79					Tag, eyelet	13	—	C.	
5K/301	R. Courtney Nr.00					Tag, eyelet	2	—	C.	
5X/9400063	Plessey-Z.19925					Tag, 7 amp. Q/R	32	—	C.	
5X/9400062	Plessey-Z.19979					Thimble, 4 amp.	10	—	C.	
5X/9400064	Plessey-Z.19980					Thimble, 7 amp. Q/R	32	—	C.	

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CZ/879		Fuse, 2.5 amp. ...	...	...	...	...	5	—	C.	
10H/23865		Fuse, 2.5 amp., type HRC ...	...	...	...	...	7	—	C.	
5CZ/880		Fuse, 5 amp. ...	...	...	...	...	1	—	C.	
5CZ/881		Fuse, 10 amp. ...	...	...	...	...	2	—	C.	
	B.201758	Lead, D.C. inverter, group (See Cable Chart) ...	...	...	...	...	1	—		
	A.201759	Lead, inverter, No. 1, group (See Cable Chart)	...	...	...	...	1	—		
	A.201760	Lead, inverter, No. 2, group (See Cable Chart)...	...	...	...	...	1	—		
1633	E.190333	Lid, front ...	...	...	...	...	1	DTD.213	C.	
9634	B.225929	Lid, top ...	...	...	...	...	1	DTD.213	C.	
5X/6171	Plessey-Z.50211	Link, commoning, 3 way ...	...	...	...	...	1	—	C.	
5X/6173	Plessey-Z.50213	Link, commoning, 5 way ...	...	...	...	...	1	—	C.	
5CZ/5726	Ferranti-ZS.10A	Rectifier, silicon ...	...	...	...	...	2	—		
	F.197020/2	Saddle ...	...	...	...	...	1	DTD.610		
	B.190455	Screen, suppressor ...	...	...	...	...	1	DTD.610		
	Std.1606/44/B12	Screw, roundhead ...	...	...	...	...	17	Brass	C.	5
	Std.1606/44/B16	Screw, roundhead ...	...	...	...	...	1	Brass	C.	5
	Std.1606/44/B6	Screw, roundhead ...	...	...	...	...	2	Brass	C.	5
	Std.1606/44/A6	Screw, roundhead ...	...	...	...	...	4	Brass	C.	5
1640	C.190344	Shell, outer ...	...	...	...	...	1	DTD.213	C.	
	Hellermann-P.3	Sleeve, P.V.C. 9" long ...	...	...	...	...	1	1728 Type B	C.	
	Helsyn-KP x 1/2"	Sleeve, ...	...	...	...	...	2	—		
	—	Suppressor, type F. No. 2, sub-assembly group (5CY2682 S.A.1) Consisting of :—	...	...	...	...	2	—		
5CY/2738	—	Block, terminal ...	...	...	...	...	2	—	C.	
5CY/2740	—	Choke, assembly ...	...	...	...	...	3	—	B.	
5CY/2839	—	Capacitor, type A.1004 ...	...	...	...	...	3	—	B.	
5CY/2739	—	Plate, earthing ...	...	...	...	...	1	—	C.	
5CW/5907	Smith's - EAP.2340	Switch, torque ...	...	...	...	...	2	—	A.	
	Std.1509/12/072	Tube, distance, 1/8" o/d x 20 S.W.G. x 0.72" long (Make from 30B/619)	...	...	...	...	8	T.4	MR/C	4
1641	D.189839	Unit, mounting, for A.C. junction box ...	...	...	...	...	1	DTD.213	B.	
	A.218401	Unit, suppression, torque switch, group (Mod. 556)	...	...	...	...	1	—		
	Plessey-Z.115590	Capacitor, 0.25 mf 500 V.A.C. ...	...	...	...	...	2	—		
	F.218439	Clip ...	...	...	...	...	1	L.72		
	Plessey-Z.215162	Resistor, 220 ohms 500 V.A.C. ...	...	...	...	...	2	—		
	Std.1606/44/B10	Screw, 4 B.A. ...	...	...	...	...	1	Brass	C.	5
10H/0970049	Plessey-Z.54105	Washer, panel mounting ...	...	...	...	...	QR	—	C.	

RESTRICTED

Page EB.6
Issued with Amendment List No. 2

Hunter F. Mk. 58
2nd Edition

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.226839	WIRING, A.C. JUNCTION BOX, DETAIL					—	—		
		"A," ASSEMBLY								
5E/3040	—	Cable, unipren 12 amp. ...					QR	—	C.	
5E/3042	—	Cable, unipren, 24 amp. ...					QR	—	C.	
	A.190048	Channel, relay mounting ...					1	DTD.610		
	A.190049	Channel, relay mounting ...					1	DTD.610		
	SP40/48	Grommet ...					1	—	C.	
5K/3455	Helsyn, JP x 3/4"	Sleeve, ...					2	—	C.	
5K/3456	Helsyn, KP x 1"	Sleeve, ...					1	—	C.	
10H/0560261	Plessey	Socket, panel unit code 45 ...					1	—	B.	
	CZ.49223/1									
5CW/3942	—	Switch, magnetic relay, type S1 ...					2	—	A.	
5CW/3944	—	Switch, magnetic relay, type S3 ...					3	—	A.	
5X/9400061	Plessey Z.19924	Tag, 4 amp. Q/R ...					10	—	C.	
5X/9400063	Plessey Z.19925	Tag, 7 amp. Q/R ...					2	—	C.	
5X/9400065	Plessey Z.19926	Tag, 19 amp. Q/R ...					2	—	C.	
5X/9400062	Plessey Z.19979	Thimble, 4 amp. ...					10	—	C.	
5X/9400064	Plessey Z.19980	Thimble, 7 amp. Q/R ...					2	—	C.	
5X/9400066	Plessey Z.19981	Thimble, 19 amp. Q/R ...					2	—	C.	
	—	Wire, 14/-0076 Type red ...					13"	D.E.F.12	C.	
	—	Wire, 14/-0076 Type blue... ..					16"	D.E.F.12	C.	
	—	Wire, 14/-0076 Type 2 yellow ...					QR	D.E.F.12	C.	
	B.207457	WIRING A.C. JUNCTION BOX, DETAIL					—	—		
		"D," ASSEMBLY								
	—	Cable, 2.5 amp. ...					QR	—	C.	
	—	Cable, Unipren, 24 amp. ...					QR	—	C.	
	SP.40/A6	Grommet ...					1	—	C.	
10H/0560080	Plessey CZ.48995	Plug, panel, unit code 45 ...					1	—	C.	
10H/0560130	Plessey CZ.51327	Plug, panel, unit code 44 ...					1	—	C.	
10H/0560050	Plessey CZ.48992	Plug, panel, unit code 41 ...					1	—	C.	
5K/2576	—	Sleeve, helsyn A.P. ...					17	—	C.	
5K/2577	—	Sleeve, helsyn B.P. ...					8	—	C.	
10H/0560230	Plessey CZ.49217	Socket, panel unit code 41 ...					1	—	C.	
5X/9400063	Plessey Z.19925	Tag, 7 amp. Q/R ...					5	—	C.	
5X/9400065	Plessey Z.19926	Tag, 19 amp. Q/R ...					4	—	C.	
5X/9400064	Plessey Z.19980	Thimble, 7 amp. Q/R ...					5	—	C.	
5X/9400066	Plessey Z.19981	Thimble, 19 amp. Q/R ...					4	—	C.	
Ae.A.Hu-F-769	C.235518-S2	Box, junction, No. 2, armament, group					1	—	A.	
	F.202933	Angle, support, for relay ...					1	L.72		
	F.202934	Angle, support, for relay ...					1	L.72		
5X/6630	Plessey CZ.72441	Block, terminal, 5 way miniature ...					6	—	B.	
	C.232892	Box, group ...					1	L.59		
	F.202906	Angle, support, for T.B. ...					2	L.72		
	F.202912	Angle, attachment ...					2	L.72		
	Std.1569/B	Nut, side anchor ...					4	—		
	F.202911	Bracket, fuse holder ...					1	L.72		
	—	Cable, unipren, 6 amp. ...					QR	—	C.	
	—	Cable, unipren, 12 amp. ...					QR	—	C.	
5CZ/879	—	Fuse, type "S," 2.5 amp. ...					2	—	C.	
5CZ/3741	—	Holder, fuse ...					2	—	C.	
6014	B.202884	Lid ...					1	L.59 and Rubber Strip	MR/C	
6015	F.195858	Link, commoning ...					4	BSS.265	MR/C	
5X/9400385	Erma 12105	Lug, cable ...					2	—	C	

RESTRICTED

Ae - 1/87

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No	Part No.	Description					No. OW	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
10H/0560150	Plessey-CZ.49112	Plug, panel unit	...	...	...	...	1	—	C.	
10H/0560151	Plessey- CZ.49112/1	Plug, panel unit	...	...	...	...	1	—	C.	
10H/0560152	Plessey- CZ.49112/2	Plug, panel unit	...	...	...	...	1	—	C.	
10H/0560080	Plessey-CZ.48995	Plug, panel unit	...	...	...	...	1	—	C.	
10H/0560581	Plessey- CZ.48995/1	Plug, panel unit	...	...	...	...	1	—	C.	
5CW/3942		Relay, type "S" No. 1	...	...	...	...	3	—	A.	
5K/3455	Helsyn-JP x 3/4"	Sleeve,	...	...	...	...	QR	—	C.	
	Std 1948/11	Sleeve, marker (Mod. 231)	...	...	...	...	QR	—		
10H/0560260	Plessey-CZ.49223	Socket, panel unit (Mod. 231)	...	...	...	...	1	—		
5K/3469	R. Courtney-Nr.01	Tag	...	...	...	...	QR	—	C.	
	Std 1509/12/108	Tube, distance, 1/2" o/d x 17 S.W.G. x 1-08" long	...	...	...	...	2	T.4		
5868	C.206527-S1	Box, junction. No. 2, port, group (Ae.A.Hu-F-640)	...	...	...	...	1	—	A.	
5X/3181	Plessey- CZ.23212/1	Block, terminal, 20 way	...	...	...	...	1	—	B.	
	Plessey-CZ.73118	Box, assembly	...	...	...	...	1	—	B.	
	Plessey-CZ.73106	Lid, assembly	...	...	...	...	1	—		
5X/6163	Plessey-Z.50210	Link, commoning	...	...	...	...	3	—	C.	
	Plessey-CZ.72949	Plug, form F.24	...	...	...	...	1	—	B.	
	STD 1953/NR.1 bis 20	Sleeve, marker	...	...	...	...	1 set	—		
	Plessey-Z.73211	Transfer, outlet	...	...	...	...	2	—		
	Plessey-Z.73213	Washer, packing	...	...	...	...	2	—		
	B.213688	BOX, JUNCTION, ARM, 7 AND 8, ASSEMBLY (Mod. 231)	...	...	...	...	—	—		
5D/506	—	Box, junction 5-way type "A"	...	...	...	...	2	—		
5K/2374	—	Disc, blanking	...	...	...	...	5	—		
5K/87	—	Nut, gland	...	...	...	...	5	—		
	C.231461-S1	BOX, JUNCTION, ARM 9, ASSEMBLY	...	...	...	...	—	—		
Ae.A.Hu-FT-819	6F-F+W-823564E-A2	Waffenverteilerkasten ARM J.B.9 (Flz. J-4001-J-4055, J-4101-J-4152 Ae.A.Hu-F-698)	...	...	...	...	1	—		
5X/6630	Plessey-CZ.72441	Block, terminal, 5-way	...	...	...	...	1	—		
	C.231061	Box, group	...	...	...	...	1	—		
	Std.15698	Nut, side anchor	...	...	...	...	4	—		
	C.231305	Cable, form	...	...	...	...	1	—		
xx →	B.231062	Lid, group	...	...	...	...	1	—		
	—	Strip, rubber 1/4" thick (for manufacture of B.231062/2 and 3)	...	...	...	...	22"	DTD.5509/E		
	F.231255	Plate, sealing	...	...	...	...	1	L.72		
Ae.A.Hu-FT-819	6F-F+W-804870E-A2	RELAY, ASSEMBLY	...	...	...	...	—	—		
5CW/3944		Relay, type 'S' No. 3	...	...	...	...	4	—		
6A/4317	Smiths- BW.13	Box, connector, port	...	...	...	...	1	—	B.	
6A/4318	Smiths- BW.14	Box, connector, starboard	...	...	...	...	1	—	B.	
	B.232824	Box, relay control, for air brake, group	...	...	...	...	1	—	MR/C	
	C.232823	Box	...	...	...	...	1	L.59		
4178	Rotax-N.65291	Bung	...	...	...	...	1	—	C.	
	xx 6F-F+W-519623E-A2	Bez.-Schild	...	...	...	...	1	—		
	6F-F+W-803272E1	Waffenverteilerkasten ARM J.B.10 (Flz. J-4001-J-4055, J-4101-J-4152) (Ae.A.Hu-F-698)	...	...	...	...	1	—		

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off.	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
5CW/5253	—	Cable, unipren 6	...	...	...	...	QR	—	C.	
8460	Hellermann-H.V.3710	Cap, sea grey	...	...	...	...	1	—	C.	
	A.220906	Lid (Mod. 523)	...	...	...	...	1	—	B.	
	B.219892	Plug, form, group (Mod. 523)	...	...	...	...	1	—		
		Consisting of:—								
10H/0560150	—	Cable, unipren 6	...	...	...	...	QR	—	C.	
	Plessey-CZ.49112	Plug, panel unit, Mk. 4	...	...	...	...	1	—	B.	
	Std 1948-11	Sleeve, marker	...	...	...	...	3	—		
	Std 1948-21	Sleeve, marker	...	...	...	...	5	—		
	Std 1950-11	Sleeve, marker	...	...	...	...	1	—		
5K/3455	Helsyn: JP x 3/4"	Sleeve	...	...	...	...	8	—	C.	
5K/3469	R. Courtney-Nr.01	Tag	...	...	...	...	3	—		
5CW/6452	Smiche RD1	Relay, type 9B No. 1	...	...	...	...	2	—	A.	
	A.216688	RELAY, R1 AND TERMINAL BLOCK, ASSEMBLY					—	—		
5X/6630	Plessey-CZ.72441	Block, terminal, 5-way	...	...	...	...	1	—	C.	
	A.216690	Platform, mounting	...	...	...	...	1	L.72		
	A.216689	RELAY, R1 AND WIRING ASSEMBLY					—	—		
5CW/3942	—	Relay, type S.1	...	...	...	...	1	—		
5K/3469	R. Courtney-Nr.01	Tag	...	...	...	...	4	—		
	Std 1606/44/B6	Screw, 4 B.A.	...	...	...	...	4	Brass	C.	5
5CW/7552	XD.788	Switch, double pole	...	...	...	...	1	—	B.	
5CW/4333	Rotax-N.100397/7	Transfer, "TEST"	...	...	...	...	1	—	C.	
	B.225404	Box, junction, power controls, group (Mod. 684)	...	...	...	...	1	—		
5X/2863	Plessey-CZ.24285	Block, terminal (Mod. 452)	...	...	...	...	1	—	C.	
5X/3277	Plessey-CZ.50206	Block, terminal (Mod. 684)	...	...	...	...	1	—		
	B.226144	Box	...	...	...	...	1	L.72		
5CZ/879	—	Fuse, 2.5 amp.	...	...	...	...	1	—	C.	
5CZ/3741	—	Fuseholder, type A	...	...	...	...	1	—	C.	
5X/2790	Plessey-Z.22634	Grommet	...	...	...	...	1	—	C.	
	Std 1509/23/030	Tube, distance, $\frac{1}{8}$ " o/d 17 S.W.G. x 0.30" long	...	...	...	...	2	T.4	C.	4
		(Make from 30B/556)								
5X/6630	C.235528-S1	Box, distribution, group (Mod. 2411)	...	...	...	...	1	—		
	Plessey-CZ.72441	Block, terminal, 5-way	...	...	...	...	3	—	C.	
	—	Cable, Unipren 6	...	...	...	...	12ft.	—	C.	
10H/0590110	AF-1700-470000	Kondensator (Ae-A. HU F-873)	...	...	...	...	3	—	C.	
	Belling-Lee-L.693/2	Fuse, 2 amp.	...	...	...	...	2	—	C.	
10H/0590108	Belling-Lee-L.693/5	Fuse, 500 M/A (Mod. 2411)	...	...	...	...	2	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Plate No.
9533	A.215621	Lid, group	1	—	—	
	A.215621/2	Strip, sealing, $\frac{1}{2}$ " x $\frac{1}{16}$ "	18 $\frac{1}{2}$ "	Rubber	—	
6015	F.195858	Link, commoning	4	BSS.265	C.	
	Chekaleke-No. 11	Plug (Mod. 2411)	1	—	—	
	Chekaleke-No. 6	Plug (Mod. 2411)	1	—	—	
	STD 1606/44/B10	Screw, roundhead, 4 B.A. (Mod. 2411)	2	Brass	C.	5
10H/0560260	Plessey-CZ.49223	Socket, panel unit, code 45	1	—	C.	
10H/0560250	Plessey-CZ.49221	Socket, panel unit, code 43	1	—	C.	
10H/Z560251	Plessey-CZ.49221/1	Socket, panel unit, code 43	1	—	C.	
10H/0560240	Plessey-CZ.49219	Socket, panel unit, code 42	1	—	C.	
5K/3469	R. Courtney-Nr.01	Tag, 2.5 amp.	24	—	—	1
10H/0590100	Belling-Lee-L.1348	Unit, fuse	5	—	—	
	STD 915/A/20	Washer, packing	QR	—	—	
	B.229465	Box, G90 camera, group (Mod. 561)	1	—	—	
5L/9951273	Rotax-N.56091	Filament, 28V, 3.5 watt	1	—	C.	
5CX/4191	Rotax-H.2705	Lamp, warning	1	—	C.	
10H/0560080	Plessey-CZ.48995	Plug, code 45	1	—	C.	
10F/Z530453		Relay, SMSA No. 25	1	—	—	
	STD 1606/44/B10	Screw, roundhead, 4 B.A.	4	Brass	C.	5
10H/0560260	Plessey-CZ.49223	Socket, code 45	1	—	—	
9616	F.224534	Support, wire	1	—	C.	
5CW/7551	XD.786	Switch, DP	1	—	—	1
5CW/4485	Rotax-N.100397/37	Transfer, "NORMAL"	1	—	—	
5CW/4333	Rotax-N.100397/7	Transfer, "TEST"	1	—	—	
7891	A.214419	Bracket, mounting, for time delay switch (Mod. 501)	1	L.72	C.	
5H/48	AS 2722	Brackets, insulating bus-bar	2	—	C.	
5828	A.203115	Bracket, plug mounting	1	—	C.	
	A.227828	Bracket, mounting, for levelling controller	2	—	—	
	B.231458	BRACKET, SWITCH MOUNTING, ASSEMBLY	—	—	—	
F+W Pkt.432	6F-AMF-D-12139	Bracket, mounting	1	—	—	
	A.233586	Bracket, switch (Mod. 2411)	1	S.510	—	
	F.231038	Guard, switch (First 12 a/c only) (Pre Mod. 2411)	1	—	—	
	A.235715	Guard, switch (Mod. 2411)	1	—	—	
	6F-IP+W-705868	Schutzgehäuse	1	—	—	
	F.232457	Plate, blanking (First 12 a/c only) (Pre Mod. 2411)	1	L.72	—	
	STD 1606/44/B6	Screw, roundhead, 4 B.A. (Mod. 2411)	2	Brass	C.	
	STD 1606/44/B8	Screw, roundhead, 4 B.A.	2	Brass	C.	5
	STD 1606/44/B10	Screw, roundhead, 4 B.A. (Mod. 2411)	2	Brass	C.	5
	STD 1606/44/B14	Screw, roundhead, 4 B.A.	2	Brass	C.	5
Ae.A.Hu-FT-685	5CZ/430	Klemmblock	1	—	—	
	6F- F+W-520263E	Bezeichnungsschild	1	—	—	

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
5CW/7542	STD 1606/45/B12	Screw, countersunk, 4 B.A. ...	2	Brass	C.	5
5CW/6332	XD.776	Switch, bomb selector ...	1	—	B.	
9556	Rotax D.10007	Switch, D.P. for tail parachute ...	1	—		
	F.217161	Washer, at R.P. selector switch ...	4	L.65C		
	A.221292	Bracket, emergency fuse, at frame 12 (Mod. 488) ...	1	L.72		
5H/55	AS 2724	Bus-bar, 3 way ...	1	—	C.	
	—	Cables, electrical (See cable chart) ...	—	—	—	
	F.203862	Cable, earthing (See cable chart) ...	2	—		
	G.228981-S2	Cable, F6, group (See cable chart) ...	1	—		
	A.206068	Bracket (Local manufacture) ...	1	—		
14A/4979	—	Camera, G90 (c/w case) ...	1	—	A.	
10H/0970055	Plessey-CZ.51538	Cap, protective, at A.C. distributor box (Mod. 417) ...	2	—		
	STD 841/32	Clip, securing cables at generator control panel, $\frac{3}{16}$ " wide × 22 S.W.G. × 3-2" long (Make from 30B/1433)	1	DTD.610	MR/C	4
	STD 2046/19/24	Clip, sleeved (AS. 830/32) ...	1	—		
	E.232269-70-S4	CLIPPING OF ELECTRICAL CABLES, ASSEMBLY	—	—		
6732	Heilermann-HV.3185	Bung, forward face, frame 14 ...	1	—	C.	
10H/0970055	Plessey-CZ.51538	Cap, protective ...	4	—	C.	
10H/0970057	Plessey-CZ.51540	Cap, protective ...	2	—	C.	
	STD 2045/16/26	Clip, sleeved (AS.830/70) ...	1	—		
	STD 2045/17/26	Clip, sleeved ...	2	—		
	STD 2045/22/24	Clip, sleeved (Mod. 2411) ...	2	—		
	STD 2045/25/24	Clip, sleeved ...	3	—		
	STD 2045/30/22	Clip, sleeved (AS.830/70) ...	1	—		
	STD 2045/29/22	Clip, sleeved (Mod. 2411) ...	1	—		
	STD 2046/28/22	Clip, sleeved (Mod. 2411) ...	1	—		
	STD 2045/34/22	Clip, sleeved ...	2	—		
	STD 2046/15/26	Clip, sleeved ...	1	—		
	STD 2046/17/26	Clip, sleeved ...	4	—		
	STD 2046/23/24	Clip, sleeved ...	1	—		
	STD 2046/27/22	Clip, sleeved ...	1	—		
	STD 2046/35/22	Clip, sleeved (Mod. 2411) ...	1	—		
5897	F.209035	Clip, securing cable, assembly F.26 to pilot's floor (Local Manufacture)	1	DTD.610	MR/C	
10H/19493	Plessey CZ.62277	Connector, bulkhead ...	1	—		
10H/19457	Plessey CZ.62271	Connector, bulkhead ...	1	—		
10H/20734	Plessey CZ.61883	Connector, bulkhead ...	1	—		
10H/19451	Plessey CZ.62770	Connector, bulkhead ...	1	—		
10H/19481	Plessey CZ.62275	Connector, bulkhead (Mod. 2411) ...	1	—	C.	
	Smiths-CS21	Koaxialkabel ...	2	—		
5X/2114	Plessey-Z.22675/D	Ferrule, outer ...	3	—	C.	
5X/2121	Plessey-Z.22676/D	Ferrule, inner ...	3	—		

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10H/0970059	Plessey-Z.60668					Gasket, outlet ...	1	—	C.	
10H/0970108	Plessey-Z.62235					Gasket, union ...	1	—	C.	
5X/6700	Plessey-Z.71632					Gland ...	3	—	C.	
10H/19104	Plessey-CZ.49184					Outlet, straight ...	1	—	C.	
6733	A.207436					Nut, at bung, forward face of frame 14 ...	1	L.65.C	C.	
10H/0970088	Plessey-Z.62229					Ring, sealing ...	1	—	C.	
10H/0970096	Plessey-Z.49037					Ring, thrust ...	1	—	C.	
5X/3148	Plessey-Z.49428					Sleeve, adaptor ...	70	—	C.	
5X/6783B	Plessey-CZ.111666					Socket, assembly, D24/2/0 ...	3	—	B.	
10H/0560170	Plessey-CZ.50142					Socket, code 47 ...	1	—	C.	
5F/2301	Hellermann-NY.18007A					Strapping, $\frac{1}{4}$ " wide ...	QR	—	C.	
5F/2279	Hellermann-HV.3254					Strapping, $\frac{5}{16}$ " wide ...	QR	—	C.	
5F/2307	Hellermann-NY.3255					Stud ...	QR	—	C.	
5F/2302	Hellermann-NY.3342					Stud ...	QR	—	C.	
	STD 1509/23/075					Tube, distance, $\frac{1}{16}$ " o/d $\times$ 17 S.W.G. $\times$.75 long (Mod. 2411)	1	T.4		
	—					Tubing, $\frac{1}{16}$ " i/d (Mod. 496) ...	30"	P.V.C.		
	—					Tubing, $\frac{3}{8}$ " i/d ...	9"	P.V.C.		
	STD 1335/A18					Washer, for earth lead ...	2	L.4	C.	4
7060	F.207437					Washer, at bung, forward face of frame 14 ...	1	DTD.171 or S.80	C.	
	C.227823					CABLE, LOOM, F.57, ASSEMBLY (Mod. 707) ...	—	—		
	F.216571					Bracket, lamp ...	1	—		
6016	F.203865					Bracket, lamp ...	1	L.72	MR/C	
5CX/2454	—					Lamp, type, "B" No. 2 U/V ...	2	—	A.	
5CX/4058	—					Lamp, type, "C" No. 2 ...	10	—	B.	
5892	F.203673					Screen, lamp ...	1	—		
5CX/3430	—					Screen, lamp ...	8	—	C.	
5CW/6551	—					Switch, S.P. ...	1	—	B.	
5K/3263	Tucker-S.79					Tag, eyelet ...	20	—	C.	
5CW/4327	Rotax-N.100397/1					Transfer, "ON" ...	1	—	C.	
5K/86	—					Collet, split ...	2	—	C.	
5CY/4520	—					Cover, for circuit breakers ...	3	—	C.	

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.237112	COCKPIT LIGHTING EQUIPMENT, ASSEMBLY (Mod. 2411)								
	A.216545	Bracket, mounting, lamp and switch (Mod. 378)					1	—		
	A.235568	Bracket, for switch (Mod. 2411)					1	—		
	STD 2045/19/21	Clip, sleeved					2	S.510 or S.511	—	
	STD 2045/21/24	Clip, sleeved					2	S.510 or S.511	—	
	STD 2046/22/24	Clip, sleeved					1	S.510 or S.511	—	
	STD 2046/26/22	Clip, sleeved					1	S.510 or S.511	—	
	STD 2046/31/24	Clip, sleeved					1	S.510 or S.511	—	
	STD 2046/34/22	Clip, sleeved					1	S.510 or S.511	—	
	STD 2045/15/26	Clip, sleeved					4	S.510 or S.511	—	
	STD 2046/18/26	Clip, sleeved					1	S.510 or S.511	—	
	STD 2045/20/24	Clip, sleeved					2	S.510 or S.511	—	
	STD 2046/15/26	Clip, sleeved					3	S.510 or S.511	—	
	STD 2046/26/24	Clip, sleeved					1	S.510 or S.511	—	
5L/9951263	—	Filament, 24 volt, 2.8 watt, red					11	—	B.	
5L/9952261	—	Filament, 12 volt, 7.5 watt					2	—	B.	
	A.232780	Plate, mounting, for dimmer switches					1	L.72	MR/C	
	F.203501	Plate, mounting, port					1	L.72		
	F.203502	Plate, mounting, starboard					1	L.72		
	STD 1606/44/A8	Screw, roundhead (Mod. 378)					4	Brass		
	STD 1606/44/A10	Screw, roundhead					14	Brass	C.	5
	STD 1606/44/A12	Screw, roundhead					2	Brass	C.	5
	STD 1606/44/A16	Screw, roundhead					7	Brass	C.	5
	STD 1606/44/B8	Screw, roundhead					2	Brass	C.	5
	STD 1606/44/B10	Screw, roundhead, 4 B.A. (Mod. 2411)					4	Brass	C.	5
	STD 1606/45/A8	Screw, countersunk					4	Brass	C.	5
5F/2279	Hellermann-HV.3254	Strapping, ½" wide					QR	—	C.	
5F/2280	Hellermann-HV.3255	Stud					QR	—	C.	
5CW/7542	XD.776	Switch, S.P.C.O. centre "off" (AS.790/50)					1	—		
5CW/2451	—	Switch, dimmer, type "R," 22 ohms.					1	—	B.	
5CW/2530	—	Switch, dimmer, type "R," 75 ohms.					3	—	B.	
	N- 515.023	Notkompass					1	—		
	Smiths-CS21	Koaxialkabel					2	—		
5K/2374	—	Disc, blanking					1	—	C.	
	A.197111	EARTHING, CONNECTION, No. 1, ASSEMBLY								
STD 1298/7		Stud					1	S.1		
STD 1335/C/20		Washer					3	L.4	C.	4

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
Ae.A.Hu-333/326	A.197112-3	EARTHING CONNECTIONS, ASSEMBLY ...					—	—		
	STD 1298/1	Stud	...	...	...	...	2	S.1		
	STD 1335/C/18	Washer	...	...	...	...	6	L.4	C.	
	27V/4812	Teddington-FHJ/A/7	Element, cabin	...	...	...	1	—	A.	
	C.241046-S3	Equipment, on port forward shelf, group (nicht Maverick Flz)					1			
	6F-F+W-851429E-AI	Equipment, on port forward shelf, group (Maverick Flz)					1			
	6F-F+W-706384-1	Box, switch, group	...	...	...	...	1	—		
	A.232560	Cover...	...	...	...	...	1	DTD.610		
	F.190211	Lever	...	...	...	...	1	S.3 & T.26		
	1642	F.190212	Spring	...	...	...	1	Spr. St.	C.	
SCW/5252	STD 1507/2/164	Tube, distance, 1/4" o/d x 22 S.W.G. x 1-64" long (Make from 30A/965)					1	T.26	MR/C	4
	STD 1507/2/062	Tube, distance, 1/4" o/d x 22 S.W.G. x 0-62" long (Make from 30A/965)					1	T.26	MR/C	4
	C.212529-S3	Cable, form (F.19), port (See cable chart) (nicht Maverick Flz)					1			
	6F-F+W-710594E	Cable, form (F.19), port (See cable chart) (Maverick Flz)					1			
	Hellermann-HV.3711	Cap, Helvin, sea grey	...	...	...	...	3	—	C.	
	STD 840/14	Clip, securing, 7/16" wide x 22 S.W.G. x 1-4" long (Make up from 30B/1433)					1	DTD.610	MR/C	4
	STD 840/20	Clip, securing, 7/16" wide x 22 S.W.G. x 2" long (Make from 30B/1433)					1	DTD.610	C.	4
	STD 840/22	Clip, securing, 7/16" wide x 22 S.W.G. x 2-2" long (Make up from 30B/1433)					1	DTD.610	MR/C	4
	9422	F.219454	Guard, locking jet pipe temperature switch (Mod. 372)				1	L.72	C.	
	y → 5264	Smiths-849/FL	Indicator, position trim	...	...	...	1	—	A.	
Ae.A.Hu-506 x	AW-88052	Lock, trim switch, group	...	...	...	...	1	—	B.	
	5700	AW-49162	Plunger	...	...	...	1	S.1	MR/C	
	5701	AW-49163	Spring	...	...	...	1	Steel	MR/C	
	STD 1606/44/B6	Screw, securing D.P. "on-off" switch (Mod. 629)					6	Brass		
	STD 1606/44/B10	Screw, securing clips	...	...	...	...	2	Brass	C.	5
	STD 1606/44/B16	Screw, securing position indicator	...	...	...	...	2	Brass	C.	5
	STD 1606/44/B8	Screw, securing switches S.P.	...	...	...	...	8	Brass	C.	5
	STD 1606/44/C20	Screw, securing trim switch	...	...	...	...	4	Brass	C.	5
	x → B.232899-S1	Shelf, group	...	...	...	...	1	—		
	F.216695	Guard, for tailplane starboard, actuator (Mod. 399) (Local Manufacture)					1	L.72		
y	Western-LS.1611	Switch, trim Mk.8/2					1	—	A.	

RESTRICTED

Hunter F. Mk. 58
2nd Edition

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CW/6375 or 5CW/4638 5CW/7539	XD.777	Switch, micro type 1A Mk. 4					1	—	B.	
5CW/7540	XD.778	Switch, S.P., change-over, centre "off," spring return both ways (Mod. 1072)					1	—	B.	
Ae.A.Hu-333/326	Honeywell-2TL 1-3 D	Folgeschalter					1	—		
5CW/7748		Sperrschalter					1	—	B.	
	B.232755/13	Transfer, "HAUT"					1	—	C.	
	B.232755/14	Transfer, "BAS"					1	—	C.	
	B.232755/4	Transfer, "DECL"					2	—	C.	
	B.232755/3	Transfer, "ENCL"					2	—	C.	
	6F-F+W-824193E	Bedienungstableau, Kabine links mitte					1			
	6F-F+W-824321E	UHF/VHF-Einbau					1			
	6F-F+W-706181E	Handschutz					1			
5CW/6434	A 32/B12	Tk.-Schraube					2			
	XD.782	Schalter					1			
	6F-F+W-521732EPOS3	Bez.-Schild					1			
	6F-F+W-710109E	Steckersupport					4			
	A 32/A12	Rk.-Schraube					4			
	AGS 2001/A1	Sich.-Mutter					1			
	6F-F+W-521721E	Kabel F.50					1			
	6F-F+W-521733E	Halter					1			
	A 25/7B	6kt.-Schraube 4 B.A.					3			
	AGS 2001/B1	6kt.-Mutter 4 B.A.					3			
	D.241049-S7	Equipment, on port, rear shelf, group					1	—	A.	
5X/6480	Plessey-	Bar, commoning					2	—	C.	
	Z.60218									
5X/6898	Plessey-	Bar, commoning L.H.					1	—		
	Z.63022									
5X/6899	Plessey-	Bar, commoning, R.H.					1	—		
	Z.63023									
Ae.A. 6130 6076	F.207954-S1	Bar, ganging					1	Fibre	C.	
5X/6607	Plessey-	Block, fuse, QR with identification tags less cover					6	—	B.	
	CZ.73898									
5X/3181	Plessey-	Block, terminal, 20 way					2	—	B.	
	CZ.23212/1									
5X/2863	Plessey-	Block, terminal, 10 way					2	—	B.	
	CZ.24285									
	MS 25244-25	Breaker, circuit, 25 amp. (Ae.A. Hu-F-706)					1	—	A.	
	MS 25244-15	Breaker, circuit, 15 amp. (Ae.A. Hu-F-706)					1	—	A.	
	6F-F+W-805905EPOS2	Montageplatte					1			
	A 32/B16	Hr.-Schraube } (Ae.A. Hu-F-706)					4			
	AGS 2001/B1	Sich.-Mutter					4			
	C.227163-S2	Cable, form A, for rear cockpit shelf, group (See Cable Chart)					1	—		
7814	F.206917	Plate					3	L72	MR/C	
7815	F.206918	Plate					1	L72	MR/C	
	C.218027	Cable, form B, for rear cockpit shelf, port					1	—		
	—	Cable, unipren, 6 amp.					QR	—	C.	
	—	Cable, unipren, 24 amp.					QR	—	C.	
	B.189231	Channels, mounting					1	—		
	ET-Z-AMP-31899	Kabelschuh (Ae.A. Hu-F-706)					6	—	C.	
5CW/4222	Rotax-ZA.2401/1	Guard, switch					1	—		
5X/6163	Plessey-	Link, commoning, 2 way					4	—	C.	
	Z.50210									
5X/6171	Plessey-	Link, commoning, 3 way					1	—	C.	
	Z.50211									
5X/6314	Plessey-	Link, commoning, 6 way					1	—	C.	
	Z.50214									

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
5X/6317	Plessey-Z.50218					Link, commoning, 10 way	2	—	C.	
Ae.A.Hu-F-676	6F-F+W-709076E					Kabel RM 6	1	—		
	A 32/A10					Schraube	4	—		
	SP 15A					U-Scheibe	4	—		
	AGS 2001/A1					Sich.-Mutter	4	—		
Ae.A.Hu-333/326	B.238692-S2					Kabel F.169	1	—	—	
	6F-F+W-516073E-1					Verbindungskabel	1	—	—	
Ae.A.Hu-F-640	6F-F+W-520269E					Relais-Support	1	—	—	
	204-205					Relais STPI	1	—	—	
	A 32/A12					Schraube	2	—	—	
5CZ/3137						Lug, cable	1	—	C.	
	C.189088					Plate, end shelf	1	DTD.610		
	A.207504					Relay, "H," group	1	—		
	—					Cable, unipren, 6 amp.	9	—	C.	
5K/3455	Helsyn-100JPx3/4"					Sleeve,	7	—	C.	
5CW/3944						Switch, magnetic relay, type "S" No. 3	1	—	A.	
	STD 1950/11					Sleeve, marker	1	—		
	STD 1948/11					Sleeve, marker	1	—		
5X/9400061	Plessey-Z.19924					Tag, 4 amp.	6	—	C.	
6X/9400062	Plessey-Z.19979					Thimble, 4 amp.	6	—	C.	
	A.205946					Relay, "K" group	1	—		
	—					Cable, unipren, 6 amp.	11	—	C.	
5K/3455	Helsyn-100JPx3/4"					Sleeve,	8	—	C.	
	STD 1948/11					Sleeve, marker	1	—		
5CW/3944						Switch, magnetic relay, type "S," No. 3	1	—	A.	
5X/9400061	Plessey-Z.19924					Tag, 4 amp.	5	—	C.	
5X/9400062	Plessey-Z.19979					Thimble, 4 amp.	5	—	C.	
	STD 1606/44/A6					Screw, roundhead, 6 B.A.	4	—	C.	5
	STD 1606/44/B6					Screw, roundhead, 4 B.A.	14	—	C.	5
	STD 1606/44/B10					Screw, roundhead, 4 B.A.	2	Brass		
	STD 1606/44/B12					Screw, roundhead, 4 B.A.	4	Brass	C.	5
	STD 1606/44/B16					Screw, roundhead, 4 B.A.	2	Brass	C.	5
	STD 1606/44/B20					Screw, roundhead, 4 B.A.	3	Brass	C.	5
5CZ/5297	Teddington-FHK/A/26					Selector, temperature (Mod. 422)	1	—	A.	
	C.232647					Shelf, group	1	DTD.610	B.	
1644	F.189202					Fastener, hinged	3	DTD.610	C.	
1645	F.189203					Fastener, hinged	1	DTD.610	C.	
	A3-20					Fastener	2	—	C.	
	A4-25					Fastener	4	—	C.	
	S3-150					Spring	2	—	C.	
5CW/5042	Kelvin + Hughes-KSD.0201					Switch, altitude... ..	1	—	A.	
5CW/7551	XD.786					Switch, D.P., "on-off" spring return to centre position	1	—	B.	
5CW/7540	XD.778					Switch, S.P., change-over, no "off" position ...	5	—	B.	
5CW/4679	Dowty-C.1223Y.Mk. 12					Switch, lever, cabin temperature control ...	1	—	A.	
5CW/6453						Switch, magnetic relay, type 9B, No. 2A ...	1	—	A.	
5X/9400061	Plessey-Z.19924					Tag, 4 amp. Q/R	19	—	C.	
5X/9400065	Plessey-Z.19926					Tag, 19 amp. Q/R	9	—	C.	
5X/6439	Plessey-Z.56547					Tag, 19 amp. closed	4	—	C.	

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
5X/9400062	Plessey-Z.19979						19	—	C.	
5X/9400066	Plessey-Z.19981						13	—	C.	
	B.232755/5						1	—	C.	
	B.232755/6						1	—	C.	
	B.232755/11						1	—	C.	
	B.232755/12						1	—	C.	
	B.232755/4						3	—	C.	
	B.232755/3						3	—	C.	
Ae.A.Hu-F-834	D.242331-88						1	—		
5X/6480	Plessey-Z.60218						3	—	C.	
5X/6607	Plessey-CZ.73898						4	—	B.	
5X/2863	Plessey-CZ.24285						2	—	B.	
5X/3181	Plessey-CZ.23212/1						1	—	B.	
	F.188304						1	DTD.610		
	MS 22073-10						1	—	A.	
	6F-F+W-805905EPOS3						1	—		
	A 32/B14						2			
	AGS 2001/B1						2			
	D.244023						1	—		
7813	F.206916						2	L.72	MR/C	
7814	F.206917						1	L.72	MR/C	
7815	F.206918						1	L.72	MR/C	
Ae.A.Hu-FT-682	F.206919-S1						1	L.72		
—	A.203015						1	—		
—	B.205375						1	—		
—	B.208112						1	—		
	—						18'	—	C.	
	—						4½'	—	C.	
	—						10½'	—	C.	
	EI-Z-AMP-130596						3	—	C.	
5K/2724	—						1	—	C.	
10H/23865	—						2	—		
5CZ/880	—						1	—	C.	
5CZ/881	—						3	—	C.	
5CZ/4057	—						1	—	C.	
	Hellermann-3033						1	—	C.	
5X/6317	Plessey-Z.50218						1	—	C.	
Ae.A.Hu-FT-682	DS00-12P-395						1	—		
	Tbv. 65422/119d						1	—		
	V23154-Z1005						1	—		
	V23154-Z1021						1	—		
	6F-F+W-803295E1						1	—		
	Tbv. 65422/119c						1	—		

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	5X/6171	Plessey-Z.50211	Link, commoning, 3 way	...	...	...	1	—	C.	
	5X/6163	Plessey-Z.50210	Link, commoning, 2 way	...	...	...	1	—	C.	
	4490	D.199451	Nut, special, at transfer "on" and "off" switch	...	...	...	1	L.65.C	C.	
		D.243982	Panel, leg. group	...	...	...	1	DTD.610		
x		6F-F+W-517227E	Bar, ganging	...	...	...	1	M.S.		
		A.196162	Bracket, for terminal block	...	...	...	1	DTD.610	C.	
	4615	B.243980	Door, group (Mod. 2411)	...	...	...	1	DTD.610		
		A4-25	Fastener	...	...	...	3	—	C.	
		A.188310	Lever, rudder bar, release, group	...	...	...	1	—		
	1649	F.188308	Lever	...	...	...	1	T.26 or T.45	C.	
	1650	F.188311	Shackle	...	...	...	1	S.3	C.	
		C.242228	Panel, front (Top portion) group (Mod. 2411)	...	...	...	1	L.72	MR/C	
	7820	B.243976	Panel, front (Bottom portion) (Mod. 2411)	...	...	...	1	L.72		
	5705	A.243981	Panel, access (Mod. 2411)	...	...	...	1	L.72		
x		6F-F+W-517229E	Plate, identification (Mod. 2411)	...	...	...	1	DTD.610		
		STD 1687/2	Saddle	...	...	...	4	DTD.610	C.	
x		F.151094-S1	Spring, for ganging bar	...	...	...	1	—	MR/C	
		F.199450	Plate, locking, at transfer "on" and "off" switch (Make from 30B/1726)	...	...	...	1	L.72		
		Smiths 23 A.C.R.	Ratiometer, indicator, for oil pressure	...	...	...	1	—	A.	
		B.205125-S3	Relays, 'S' and 'U' group	...	...	...	1	—		
	6020	F.202763	Bracket, relay mounting	...	...	...	1	L.72	MR/C	
	6021	F.202764	Bracket, relay mounting	...	...	...	1	L.72	MR/C	
		—	Cable, unipren, 6 amp.	...	...	...	22 ft.	—	C.	
		—	Cable, unipren, 12 amp.	...	...	...	27"	—	C.	
	5CW/3944		Relay, type 'S', No. 3, 10 amp.	...	...	...	1	—	A.	
y	5K/3455	Helsyn-NP x 1/2"	Sleeve, type 'S', No. 3, 10 amp.	...	...	...	21	—	C.	
		STD 1948/11	Sleeve, identification	...	...	...	QR	—		
		STD 1950/11	Sleeve, identification	...	...	...	QR	—		
	5X/9400061	Plessey-Z.19924	Tag, quick release	...	...	...	14	—	C.	
	5X/9400063	Plessey-Z.19925	Tag, quick release	...	...	...	2	—	C.	
	5X/9400062	Plessey-Z.19979	Thimble, crimping	...	...	...	14	—	C.	
	5X/9400064	Plessey-Z.19980	Thimble, crimping	...	...	...	2	—	C.	
		STD 1606/44/A6	Screw, roundhead 6 B.A.	...	...	...	2	Brass	C.	5
		STD 1606/44/A16	Screw, roundhead 6 B.A.	...	...	...	4	Brass	C.	5
		STD 1606/44/B6	Screw, roundhead 4 B.A.	...	...	...	8	Brass	C.	5
		STD 1606/44/B8	Screw, roundhead 4 B.A.	...	...	...	11	Brass	C.	5
		STD 1606/44/B10	Screw, roundhead 4 B.A.	...	...	...	4	Brass	C.	5
		STD 1606/44/B20	Screw, roundhead 4 B.A.	...	...	...	2	Brass	C.	5
		STD 1606/44/B24	Screw, roundhead 4 B.A.	...	...	...	4	Brass	C.	5
		STD 1606/44/B28	Screw, roundhead 4 B.A.	...	...	...	6	Brass	C.	5
		STD 1606/44/B12	Screw, countersunk 4 B.A.	...	...	...	4	Brass	C.	5
		Honeywell-2TL 1-3	Kippschalter	...	...	...	1			
		Honeywell-1TL 1-3	Kippschalter	...	...	...	6			
		6F-F+W-517226E	Abdeckblech	...	...	...	1			
		6F-F+W-706503E	Schalterplatte	...	...	...	1			
x Ae.A.Hu 389		6F-F+W-517228E-R1	Seitenblech	...	...	...	1			
		6F-F+W-517228E-R2	Seitenblech	...	...	...	1			
		A33/A8	Sk.-Schraube 6 BA	...	...	...	4			
		STD 1606/44/B12	Rk.-Schraube 4 BA	...	...	...	6			
		A32/B12	Rk.-Schraube 4 BA	...	...	...	2			
		AGS 2001/B1	Sich.-Mutter 4 BA	...	...	...	8			
y		Rotax-D.4485	Relay	...	...	...	1			

RESTRICTED

Hunter F. Mk. 58
2nd Edition

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
4491	F.199449					Stud, at transfer "on" and "off" switch	1	S.95.B	C.	
5CW/6453						Switch, Magnetic, type 9B No. 2	1	—	A.	
5CW/540						Switch, DP. Type B	1	—	A.	
5X/6439	Plessey-Z.56547					Tag, closed end	2	—	C.	
	R. Courtney-Nr.2220					Tag, quick release	4	—	C.	
	R. Courtney-Nr.2221					Tag, quick release	3	—	C.	
	R. Courtney-Nr.2222					Tag, quick release	8	—	C.	
5X/6215	Plessey-Z.56545					Tag, closed end	1	—	C.	
5X/9400064	Plessey-Z.19980					Thimble	3	—	C.	
5X/9400066	Plessey-Z.19981					Thimble	10	—	C.	
	B.232755/3					Transfer, "ENCL"	5	—	C.	
	B.232755/4					Transfer, "DECL"	5	—	C.	
	B.232755/15					Transfer, "DEMARREUR"	1	—	C.	
	E.242330-85					Equipment, on starboard cockpit shelf, group (Hu.Mk.58)	1	—	A.	
5X/6480	Plessey-Z.60218					Bar, commoning	4	—	C.	
5X/6898	Plessey-Z.63022					Bar, commoning	1	—	—	
	—					Box, R.P. distribution (Swiss supply)	1	—	—	
5X/6607	Plessey-CZ.73898					Block, fuse Q/R with identification tags, less cover	4	—	B.	
5CZ/432	—					Block, terminal 3-way No. 1...	1	—	—	
5CZ/868	—					Block, terminal, type "B," 5-way, No. 1	1	—	—	
5X/2863	Plessey-CZ.24285					Block, terminal, 10 way	2	—	B.	
5X/3181	Plessey-CZ.23212/1					Block, terminal, 20 way	2	—	B.	
	B.210684					Bracket, shelf end	1	DTD.610	—	
	MS 25244-25					Breaker, circuit 25 amp.	2	—	A.	
	ECE-21.710					Breaker, circuit 50 amp.	1	—	A.	
	6F-F+W-805905EP051					Montageplatte	1	—	—	
	A 32/B14					Hr.-Schraube	4	—	—	
	AGS 2001/B1					Sich.-Mutter	4	—	—	
—	C.206146					Cable, assembly F.33 (See cable chart)	1	—	—	
	D.243887-S2					Cable, form 'A' group (Mod. 2411) (See cable chart)	1	—	—	
7815	F.206918					Plate	2	L.72	MR/C	
	B.205662					Cable, form 'B,' (See cable chart)	1	—	—	
	B.207230-S1					Cable, form 'C,' group (See cable chart)	1	—	—	
7813	F.206916					Plate	1	L.72	MR/C	
	B.241956					Cable, form F.157 (See cable chart)	1	—	—	
	B.234678					Cable, form F.158 (See cable chart)	1	—	—	
	A.234680					Cable, form F.159 (See cable chart)	1	—	—	
	—					Cable, unipren, 6 amp.	QR	—	C.	
	—					Cable, unipren, 24 amp.	QR	—	C.	
5CY/4520						Cap, protective	3	—	C.	
*	E.306386-S3					Bedienungstableau, Kabine r. (Hu.Mk.58A)	1	—	—	

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.190259					Channel, mounting, fuse and terminal block ...	1	—		
	STD 2045/25/24					Clip, sleeved ...	1	—		
	STD 2045/34/22					Clip, sleeved ...	1	—		
	STD 850/27					Clip, securing, $\frac{1}{16}$ " wide x 22 SW.G. x 2-7" long (Make from 30B/1433)	2	DTD.610	MR/C	4
1646	F.167745					Cover, safety, butt test switch ...	1	—	C	
	B.242258					Cover, at shelf (Mod. 2411) ...	1	L.72		
5X/6165	Plessey-CZ.25111					Cover, transparent ...	2	—		
5L/9951273	Rotax-N.56091					Filament, 28V., 3-5W Type A	2	—	B.	
	245-010					Gauge, fuel contents ... (Ae.A.Hu-F-675)	2	—	A.	
5CZ/5074	Dowty- C.5165Y, Mk. 2					Indicator, magnetic ...	2	—	A.	
5CZ/5210	Dowty- C.5165Y, Mk. 7					Indicator, magnetic ...	2	—	A.	
5CZ/5123	Plessey- CZ.74109/2					Indicator, magnetic, eyeball type ...	2	—	A.	
	ECE-439-0-4					Lamp, warning (AS.840/96) ...	2	—	B.	
5X/6173	Plessey-Z.50213					Link, commoning, 5 way ...	2	DTD.213	C.	
5X/6317	Plessey-Z.50218					Link, commoning, 10 way ...	1	—	C.	
5X/6171	Plessey-Z.50211					Link, commoning, 3 way ...	2	—	C.	
4490	F.199451					Nut, special ...	2	L.65	—	
	BI-Z-AMP-31899					Lug, cable (Ae.A. Hu-F-706)	8	—	C.	
	6F-F+W-823933E-A1					Panel, top, for starboard cockpit shelf (fuel flow diagram) (Mod. 2411)	1	L.72		
x →										
5X/3278	Plessey-Z.28426					Pillar ...	4	—		
7966	F.214772					Plate, guard ...	2	L.72	C.	
5CY/596	—					Plug, type "F" ...	1	—	B.	
	STD 1606/44/A6					Screw, roundhead, 6 B.A.	6	Brass	C.	5
	STD 1606/44/B6					Screw, roundhead, 4 B.A.	8	Brass	C.	5
	STD 1606/44/B8					Screw, roundhead, 4 B.A.	4	Brass	C.	5
	STD 1606/44/B16					Screw, roundhead, 4 B.A.	2	Brass	C.	5
	STD 1606/45/A18					Screw, countersunk 2 B.A.	4	Brass		
	E.243824-S4					Shelf, group (Mod. 2411) ...	1	DTD.610		
	A.222192					Bracket ...	2	—		
	B.190391					Door, access, hinged, group	1	DTD.610		
	A3-25					Fastener ...	2	—	C.	
1644	F.189202					Fastener, hinged ...	6	DTD.710	C.	
1645	F.189203					Fastener, hinged ...	1	DTD.610	C.	
	A4-25					Fastener ...	9	—	C.	
	A4-30					Fastener ...	1	—		
	B.242259					Mounting, for R.P. distribution box ...	1	L.72		
	S3-150					Spring ...	2	—	C.	
29G/2180						Stud (' Lift-the-Dot ') ...	1	—	C.	
	TSG 420-103					Stat.Unformer zu Nothorizont (Ae.A.Hu-F-692)	1	—	—	
x Ae.A.F-676	6F-F+W-709142					Support	1			
	6F-F+W-520382					Bügel	1			
	6F-F+W-823934E-A1					Beschriftungsplatte (Ae.A. Hu-F-816)	1			
	AS 1248/1C					Mushroom-Schraube	4			

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	STD 1948/11					Sleeve, marker ...	QR	—		
	STD 1949/11					Sleeve, marker ...	QR	—		
	STD 1953/NR. 1 bis 16					Sleeve, marker ...	2 sets	—		
	STD 1953/NR. 17 bis 60					Sleeve, marker ...	1 set	—		
	—					Sleeve, helsyn, J.P. (white) ...	QR	—	C.	
5CY/597	—					Socket, type "F" ...	1	—	B.	
7965	F.214771					Stud, for guard plate ...	2	S.95.B	C.	
5CW/7552	XD.788					Switch, D.P., change-over, centre and one side on spring return to centre	1	—	B.	
5CW/7550	XD.787					Switch, D.P., change-over, centre "off," spring return both positions	1	—	B.	
5CW/7541	XD.779					Switch, S.P., "on-off," upright "off" ...	4	—	B.	
5CW/7542	XD.776					Switch, S.P., change-over, centre "off" ...	2	—	B.	
5CZ/5752	Plessey-Z.97676					Spacer ...	4	—	C.	
5X/9400061	Plessey-Z.19924					Tag, 4 amp. Q/R ...	25	—	C.	
5X/6439	Plessey-Z.56547					Tag, closed, end, 19 amp. ...	4	—	C.	
5X/9400065	Plessey-Z.19926					Tag, 19 amp. Q/R ...	12	—	C.	
5K/301	R. Courtney-Nr.00					Terminal ...	1	—	C.	
5X/9400062	Plessey-Z.19979					Thimble, 4 amp. ...	25	—	C.	
5X/9400066	Plessey-Z.19981					Thimble, 19 amp. ...	1	—	C.	
	B.232755/3					Transfer, "ENCL" ...	3	—	C.	
	B.232755/4					Transfer, "DECL" ...	4	—	C.	
	B.232755/17					Transfer, "GAUCHE" ...	1	—	C.	
	B.232755/5					Transfer, "NORMAL" ...	1	—	C.	
	B.232755/18					Transfer, "DROITE" ...	1	—	C.	
	B.232755/12					Transfer, "AUTO" ...	2	—	C.	
	B.232755/16					Transfer, "AILE" ...	2	—	C.	
	B.232755/6					Transfer, "TEST" ...	4	—	C.	
	—					Wire, equipment type 2 yellow 6145/10078	QR	DEF.12	C.	
10H/11718	Belling-Lee - L.1055/5A					Fuse, 5 amp. ...	2	—	C.	
10H/0590100	Belling-Lee - L.1348					Fuseholder ...	2	—		
5CZ/881	—					Fuse, 10 amp. supply and T.B. panel (Mod. 400)	2	—	C.	
5CW/4222	Rotax-ZA.2401/1					Guard, locking ...	1	—	B.	
	Plessey					Indicator, magnetic ...	1	—	A.	
	7CZ.97636									
5UB/4938-5UC-4939	—					Umformer mit Regler, Typ 100 A ...	2	—	B.	
5CX/446	—					Lamp, cockpit, Mk. 1A (Service light)	2	—	B.	
5CX/5154	Rotax-H.2805					Lamp, warning type B (Mod. 378)	2	—	B.	
5CX/1553	Rotax 4104 (Red)					Lamp, warning, type "B" (Mod. 2411)	1	—	B.	
5L/9951273	—					Lamp, filament, 28V., 3-5W. (Mod. 378)	2	—	B.	
5L/9953271	—					Lamp, filament, 28V., 7W.	2	—	B.	

RESTRICTED

RESTRICTED

Hunter F. Mk. 58
2nd Edition

Page EB.21
Issued with Amendment List No. 2

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Plate No.
		1 2 3 4 5				
5L/9959121	—	Lamp, filament	1	—	C.	
6B/2755	Smiths-CE2-A26	Lead and socket	1	—		
6022	A.201761	Lead, inverter connection (See cable chart) ...	2	—	B.	
8543	F.218495	Mounting, for G.90 camera box (Mod. 561) ...	8	Rubber		
	C.214585	MOUNTING, MAGNETIC AMPLIFIER, ASSEMBLY (Mod. 372)	—	—		
7058	B.209359	Channel, mounting	2	—		
7059	F.209362	Screw, special	4	S.95.B		
6712	F.203133	Washer	2	Rubber		
5K/87	—	Nut, securing	1	—	C.	
	Teddington-CON-5783/3	Nut, securing amplifier	4	—		
	C.233836	Pack, power, for bomb fuzing assy. (Mod. 2411) ...	—	—	—	
	B.233837	Plate, mounting, group	1	—		
	F.233838	Stud	2	S.95.B		
	—	Power, pack (Swiss supply)	1	—		
	D.237124-S3	Panel, generator control, group	1	—	A.	
5X/6607	Plessey-CZ.73898	Block, fuse, with identification tags, less cover ...	2	—	B.	
5X/2863	Plessey-CZ.24285	Block, terminal, 10 way	1	—	B.	
	F.196207	Bolt, special, for securing links	2	BSS.250.B		
	MS 25244-15	Breaker, circuit, 15 amp.)	2	—	A.	
	6F-F+W-805905EPOS6	Montageplatte) (Ae.A. Fu-F-706)	2	—	A.	
	A 32/B14	Hr.-Schraube)	4			
	AGS 2001/B1	Sich.-Mutter)	4			
5CY/5336	—	Breaker, circuit, type D	2			
	MS 22075-5	Breaker, circuit, 5 amp.	1			
	6F-F+W-522605E	Bez.-Schild	1			
	A.198117	Bracket, mounting	1	DTD.670		
4178	Rotax-N.65291	Bung, sealing	3		C.	
	D.243101-S4	Cable, form and assembly F.49 (See cable chart) 1	1			
	B.205481	Cable, assembly F.52 (See cable chart)	1			
	6F-F+W-711495-01A	Kabel zu CB1	1			
	ET-Z-AMP-31899	Kabelschuh (Ae.A. Fu-F-706)	4			
	STD 840/16	Clip, securing cable, $\frac{7}{16}$ " wide x 22 S.W.G. x 1-6" long (Make up from 30B/1433) ...	2	DTD.610	MR/C	4
	STD 840/19	Clip, securing cable, $\frac{7}{16}$ " wide x 22 S.W.G. x 1-9" long (Make up from 30B/1433) ...	3	DTD.610	MR/C	4
	STD 840/21	Clip, securing cable, $\frac{7}{16}$ " wide x 22 S.W.G. x 2-1" long (Make up from 30B/1433) ...	1	DTD.610	MR/C	4
	STD 840/33	Clip, securing cable, $\frac{7}{16}$ " wide x 22 S.W.G. x 3-3" long (Make up from 30B/1433) ...	1	DTD.610	MR/C	4
	STD 841/14	Clip, securing cable, $\frac{7}{16}$ " wide x 22 S.W.G. x 1-4" long (Make up from 30B/1433) ...	1	DTD.610	MR/C	4
	STD 843/10	Clip, securing cable, $\frac{7}{16}$ " wide x 22 S.W.G. x 1-0" long (Make up from 30A/549) ...	1	S.3	MR/C	4
5CY/4211	—	Cut-out, differential, type A, Mk. 2	2	—	A.	
5X/1878	Plessey-Z.1841	Grommet	2	—	C.	
	Hellermann-3111	Grommet (Mod. 2424)	8	—		
5CZ/5073	Dowty-C.5165Y, Mk. 1	Indicator, magnetic	2	—	A.	
5X/6317	Plessey-Z.50218	Link, commoning, 10 way	1	—	C.	
	A.190681	Link, connecting	1	BSS.1433		
4181	A.190682	Link, connecting	1	BSS.1433	C.	
4182	A.190683	Link, connecting	1	BSS.1433	C.	
4183	A.190684	Link, connecting	1	BSS.1433	C.	
4184	F.190685	Link, connecting	1	BSS.1433	C.	
4185	B.190680	Link, connecting	1	BSS.1433	C.	

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Of	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	STD 1953/NR. 1 bis 8	Marker, sleeves	...	...	...	...	2 sets	—		
	STD 1953/NR. 1 bis 10	Marker, sleeves	...	...	...	...	1 set	—		
	STD 1953/NR. 9 bis 10	Marker, sleeves	...	...	...	...	1 set	—		
	D.226805	Panel, detail, group (Pre Mod. 2424)	...	...	...	...	1	DTD.610		
	D.243100-S2	Panel, detail, group (Mod. 2424)	...	...	...	...	1	DTD.610		
	Dzus-AJW-5-35	Fastener	...	...	...	...	4	—	C.	
	A.187946	Label, amps and volts	...	...	...	...	1	L.16 or L.59		
	A.187947	Label, "Generator No. 1"	...	...	...	...	1	L.16 or L.59		
	A.187948	Label, "Generator No. 2"	...	...	...	...	1	L.16 or L.59		
	A.187949	Label, "Reset"	...	...	...	...	1	L.16 or L.59		
1651	F.186573	Lug, hinge	...	...	...	...	2	DTD.364	C.	
	F.209814	Packing	...	...	...	...	2	—	C.	5
	STD 1687/2	Saddle	...	...	...	...	1	—	C.	5
5UC/5937	—	Regulator, voltage, type 94	...	...	...	...	2	—	A.	
5CW/3944	—	Relay, type S, No. 3	...	...	...	...	4	—	A.	
5UC/5209	—	Resistance, trimmer remote, type 3, 5 ohms.	...	...	...	...	2	—	A.	
5Q/4341	—	Shunt, ammeter, 200 amps. 50 M/V	...	...	...	...	2	—	B.	
	Heisyn-5-K/2579	Sleeve	...	...	...	...	24	—		
5CY/3002	—	Socket, 3 pole, 2 amps.	...	...	...	...	4	—	B.	
5CW/6452	—	Switch, magnetic relay, type 9B, No. 1	...	...	...	...	2	—	A.	
5CW/6185	—	Switch, magnetic relay, type R	...	...	...	...	1	—	A.	
5CW/7748	XD.789	Switch, D.P.C.O. no "off" position	...	...	...	...	2	—	B.	
5CW/7545	XD.782	Switch, S.P.C.O. no "off" position	...	...	...	...	1	—	B.	
5CW/4485	Rotax-N.100397/37	Transfer, "NORMAL"	...	...	...	...	2	—	C.	
	STD 1509/23/026	Tube, distance (AS.840/45)	...	...	...	...	4	T.4		
	STD 1509/12/174	Tube, distance at relay bolt	...	...	...	...	1	—		
	STD 915/E/20	Washer, at differential cut-out	...	...	...	...	4	DTD.610	C.	4
	STD 1546/36/16	Washer, profile...	...	...	...	...	1	—		
	F.225845	Washer, special (Mod. 2424)	...	...	...	...	16	S.1.B		
	C.234457-S2	PANEL, GUN FIRING, ASSEMBLY	...	...	...	...	—	—		
	F.215659	Block, distance (Mod. 456)	...	...	...	...	4	DTD.364		
5X/3271	Plessey-CZ.52815	Block, fuse	...	...	...	...	1	—	B.	
5X/2863	Plessey-CZ.24285	Block, terminal, 10 way	...	...	...	...	1	—	B.	
5X/3277	Plessey-CZ.50206	Block, terminal 3 way...	...	...	...	...	1	—	B.	
	MS 22073-5	Breaker, circuit, 5 amp.	...	...	...	...	1	—	A.	
	6E-F+W-805905EPOS3	Montageplatte	...	...	...	...	1	—		
	A 32/B14	Hr.-Schraube	...	...	...	...	2	—		
	AGS 2001/B1	Sich.-Mutter	...	...	...	...	2	—		
—	B.205487	Cable, assembly, F.46 (See cable chart)	...	...	...	...	1	—	—	
8590	B.206530	Cable, assembly, F.47	...	...	...	...	1	—	B.	
	—	Cable, unipren, 6 amp.	...	...	...	...	72"	—	C.	
	—	Cable, unipren, 12 amp.	...	...	...	...	48"	—	C.	
	ET-2-AMP-31899	Kabelschuh (Ae.A. Hu-F-706)	...	...	...	...	2	—	C.	
5X/3273	Plessey-CZ.26802	Cover, 3-way	...	...	...	...	1	—	B.	
5X/3275	Plessey-CZ.26808	Cover, 10-way	...	...	...	...	1	—	B.	
*	Rotax-D.4485	Wechselstrom-Relais	...	...	...	...	2	—		

RESTRICTED

RESTRICTED

Hunter F. Mk. 58
2nd Edition

Page EB.23
Issued with Amendment List No. 2

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10H/0590110	Belling-Lee-L.693/2					Fuse, 2 amp. (Mod. 2393)	4	—	C.	
5CZ/880						Fuse, "S," 5 amp. (Pre Mod. 822, Mod. 822) ...	2	—	C.	
5CZ/5866	—					Fuse, dummy (Mod. 822) (T-7333)	1	—	C.	
10H/0590100	Belling-Lee-L.356					Holder, fuse	4	—	C.	
5UB/5398	B.232351/1					Inverter, type 300 (5UB/5398, modified) ...	1	—	A.	
	F.198995/1					Label (Pre Mod. 822)	1	—		
	F.233891/1					Label (Mod. 822)	1	—		
	F.217427/1					Label	1	—		
	F.217427/2					Label	1	—		
5X/6904	Plessey-Z.75020					Link, fuse, 2 way R.H. (AS.860/15)	1	—	—	
5X/6171	Plessey-Z.50211					Link, commoning, 3 way	1	—	C.	
5X/9400385	Erma-12105					Lug, cable	1	—	C.	
	C.234552					Panel, detail (Mod. 2393)	1	DTD.610		
	A.206894					Relay, C.1 terminal block and bracket, group ...	1	—		
5X/3268	Plessey-CZ.50207					Block, terminal, 5 way	1	—	B.	
	A.198838					Bracket, mounting	1	DTD.610		
5X/3274	Plessey-CZ.26805-S					Cover, 5 way	1	—	B.	
5X/3278	Plessey-Z.28426					Pillar, fixing	2	—	C.	
	A.206896					Relay, C.1, group	1	—		
	—					Cable, unipren, 6 amp.	42"	—	C.	
5K/3455	Helsyn-100JPx3/4"					Sleeve,	7	—	C.	
	STD 1948/11					Sleeve, marker	QR	—		
5CW/3944						Switch, magnetic relay, type S.3	1	—	A.	
5X/9400061	Plessey-Z.19924					Tag, 4 amp.	7	—	C.	
5X/9400062	Plessey-Z.19979					Thimble, 4 mp.	7	—	C.	
	STD 1953/NR. 14 bis 18					Sleeve, marker	1 set	—		
	A.206910					Relay, F.1., group	1	—		
	—					Cable, unipren, 6 amp.	80"	—	C.	
5K/3455	Helsyn-100JPx3/4"					Sleeve,	11	—	C.	
5CW/3944						Switch, magnetic relay, type S.3	1	—	Z.	
5X/9400061	Plessey-Z.19924					Tag, 4 amp.	9	—	C.	
5X/9400062	Plessey-Z.19979					Thimble, 4 amp.	19	—	C.	
	STD 1948/11					Sleeve, marker	5	—		
	STD 1949/11					Sleeve, marker	6	—		
	STD 1953/NR. 1 bis 13					Sleeve, marker	1 set	—		
5K/3455	—					Sleeve, helsyn plus J.P. x 3/4"	8	—	C.	
6023	F.206895					Spacer	4	BSS.249 or BSS.251	MR/C	
5CW/6452	Smiths-RD.1-					Switch, magnetic relay, type 9B, No. 1	1	—	A.	
5X/6215	Plessey-Z.56545					Tag, 4 B.A.	1	—	C.	
5X/9400061	Plessey-Z.19924					Tag, 4 amp.	6	—	C.	

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
5X/9400062	Plessey-Z.19979	Thimble, 4 amp.	...	...	...	...	6	—	C.	
5X/9400064	Plessey-Z.19980	Thimble, 4 B.A.	...	...	...	...	1	—	C.	
	STD 1509/12/080	Tube, distance	...	...	...	...	4	T.4		
Ae.A. Hu-F-769	D.252143-S4	PANEL, SUPPLY, ASSEMBLY					—	—		
	F.197407	Block, distance	...	...	...	...	16	Alkathene Black	—	
5X/6607	Plessey-CZ.73898	Block, fuse	...	...	...	...	8	—	B.	
5X/3181	Plessey-CZ.23212/1	Block, terminal, 20-way	...	...	...	...	7	—	B.	
5X/2863	Plessey-CZ.24285	Block, terminal, 10-way	...	...	...	...	1	—	B.	
5X/3268	Plessey-CZ.50207	Block, terminal, 5-way	...	...	...	...	1	—	B.	
	D.244268-S7	Cable, form, group (See cable chart)	...	...	...	...	1	—		
7814	F.206917	Plate	...	...	...	...	1	L.72	MR/C	
7815	F.206918	Plate	...	...	...	...	4	L.72	MR/C	
	STD 840/20	Clip, securing resistor at relays (Mod. 372)	...	...	...	...	1	DTD.610	—	4.
5X/6163	Plessey-Z.50210	Link, commoning, 2-way	...	...	...	...	11	—	C.	
5X/6898	Plessey-Z.63022	Link, commoning, L.H.	...	...	...	...	3	—	—	
5X/6317	Plessey-Z.50218	Link, commoning, 10-way	...	...	...	...	2	—	C.	
5X/3259	Plessey-Z.50219	Link, commoning, transverse	...	...	...	...	2	—	C.	
5X/6899	Plessey-Z.63023	Link, commoning, R.H.	...	...	...	...	3	—	—	
5X/6897	Plessey-Z.63021	Link, commoning	...	...	...	...	1	—	—	
	D.206875-S1	Panel, fuse, and terminal block, group	...	...	...	...	1	DTD.610		
	F.186211	Bracket, end, for landing	...	...	...	...	1	DTD.610		
	F.186212	Bracket, end, for landing	...	...	...	...	1	DTD.610		
	F.186213	Bracket, centre, for landing	...	...	...	...	2	DTD.610		
	F.186207	Bracket, centre, for shelf	...	...	...	...	2	DTD.610		
	F.186208-S1	Bracket, end, for shelf	...	...	...	...	1	DTD.610		
	C.186214	Plate, plug, and landing group	...	...	...	...	1	DTD.610		
	F.207517	Plate, blanking (Local Manufacture)	...	...	...	...	1	DTD.610		
	S5-200	Spring	...	...	...	...	4	—	C.	
	STD 915/A/18-S	Washer	...	...	...	...	8	—	MR/C	4
	B.186752	Shelf	...	...	...	...	1	DTD.610		
	6F- F+W-710592E	Winkel	...	...	...	...	1			
	1N 1186	Diode	...	...	...	...	1			
	MH-746	Montagesatz	...	...	...	...	1			
	A 25/1B	Schraube	...	...	...	...	1			
	SP 13/B	U-Scheibe	...	...	...	...	1			
6026	A.204928	Plate, mounting, for fuse block	...	...	...	...	1	L.72	MR/C	
6028	F.204930	Plate, mounting, for fuse block	...	...	...	...	2	L.72	MR/C	
5CW/3942		Relay, type 'S' No. 1	...	...	...	...	1	—		
5CW/3944		Relay, type 'S' No. 3	...	...	...	...	3	—		
5CW/6452		Relay, type 9B No. 1A	...	...	...	...	4	—		
5CW/6543		Relay, double pole 9B No. 2A	...	...	...	...	2	—		
	Plessey-Z.243046	Resistor, 30 ohms. 6 w.	...	...	...	...	1	—		
6A/3580	Sangamo-Weston-FD.871	Spool, adjusting...	...	...	...	...	1	—		
	STD 1509/12/072	Tube, distance, 1/8" o/d x 20 S.W.G. x 0-2" long	...	...	...	...	1	T.4		
	6F- F+W-709015E	Sicherungsträger	...	...	...	...	1	—		
	AF-355	Sicherungshalter	...	...	...	...	2	—		
	AF-303-F-1A	Sicherung 1 A	...	...	...	...	2	—		
	6F- F+W-520211E	Bez.-Schild	...	...	...	...	1	—		
	A 32/B12	Hr.-Schraube	...	...	...	...	2	—		
	SP 15/B	U-Scheibe	...	...	...	...	2	—		
5C/4102		Relais Typ "Q"	...	...	...	...	1	—		
	6F- F+W-822726E	Geräteeinheit vollst.	...	...	...	...	1	—		
	A 25/2C	6 kt.-Schraube	...	...	...	...	2	—		
	SP 16/C	U-Scheibe	...	...	...	...	2	—		
	A 25/3C	6 kt.-Schraube	...	...	...	...	2	—		
	SP 13/C	U-Scheibe	...	...	...	...	2	—		

RESTRICTED

Hunter F. Mk. 58
2nd Edition

Page EB.25
Issued with Amendment List No. 2

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
5UC/4939		Panel, control, type 12					2		A.	
	F.235569	Piece, distance for attaching indicator (Mod. 2411) ...					1	L.65.C		
	B.219837	PLATE, SWITCH AT FRAME 9, ASSEMBLY					—	—		
5CW/5252	—	Cap, sea-grey					1	—	C.	
	Hivac/CC 10L	Indicator, neon					1	—		
	Rotax-2701 or	Lamp, warning					1	—		
	Smiths-CFP.127/24									
	A.219796	Plate, switch					1	L.72		
	8375/B4	Switch, spring biased					1	—		
	Teddington-FLM.224	Plate, adaptor, for amplifier					1	—		
	Rotax-F.1306	Relay, hood motor (AS.830/99)					1	—	A.	
	Std 1606/44/A8	Screw, roundhead, 6 B.A.					2	Brass	C.	5
	Std 1606/44/A10	Screw, securing switch roundhead, 6 B.A. (Mod. 2411)					1	Brass	C.	5
	Std 1606/44/A48	Screw, securing dimmer switch, roundhead, 6 B.A. (Mod. 2411)					1	Brass	C.	
	Std 1606/44/B6	Screw, roundhead, 4 B.A.					2	—	C.	5
	Std 1606/44/B8	Screw, roundhead, 4 B.A.					4	—	C.	5
	Std 1606/44/B14	Screw, roundhead, 4 B.A.					2	Brass	C.	5
	Std 1606/44/B20	Screw, roundhead, 4 B.A.					2	Brass	C.	5
5F/2301	Hellermann-NY.18007/A	Strapping, 1/2" wide					QR	—	C.	
5F/2302	Hellermann-NY.3342	Stud					QR	—	C.	
5H/49	—	Studs, terminal					3	—	C.	
5CY/1002	—	Suppressor, type P, No. 1					1	—	A.	
5CW/7545	XD.782	Switch, S.P. "on" "on," spring return to centre ...					1	—	B.	1
5CW/7540	XD.778	Switch, S.P. change-over, no "off" position ...					2	—	B.	
27N/93	—	Switch, inertia, Mk. 1, type S3					1	—	A.	
5CW/4638	—	Switch, micro, type 1A Mk.4					1	—	B.	
or										
5CW/6375	—									
5CW/4639	—	Switch, micro, type 4A					1	—	B.	
or										
5CW/6376	—									
5891	F.190440	Switch, hood control, assembly					1	—	MR/A	
	A.183030	Bracket, mounting					1	DTD.610		
	A.184397	Label					1	DTD.213		
5CW/7550	XD.787	Switch, change-over, centre "off," spring return, both positions					1	—	B.	1
5CW/4331	Rotax-N.100397/5	Transfer, "OPEN"					1	—	C.	
5CW/4337	Rotax-N.100397/11	Transfer, "CLOSED"					1	—	C.	
5CW/6257	Teddington-FHM/A/68	Switch, time delay (Mod. 625)					1	—	A.	
	Teddington-FHM/A/57	Switch, time (Mod. 372)					1	—		
	Dowty-C.1831.Y.Mk. 102	Switch, limit "Downmic" (Mod. 372)					1	—		
	B.232755/1	Transfer, "OUVERT"					1	—	C.	
	B.232755/2	Transfer, "FERME"					1	—	C.	
	Electronic-Comp.-22508/690C	Trimmer, single datum					1	—		
	Std 1507/23/085	Tube, distance 1/16" o/d x 17 S.W.G. x 0.85" long					2	T.26		
	Std 1509/23/030	Tube, distance, at JB2 mounting, 1/16" o/d x 17 S.W.G. x 0.30" long (Make from 30B/556)					2	T.4	MR/C	4
	Std 1509/23/082	Tube, distance, 1/16" o/d x 17 S.W.G. x 0.82" long (Mod. 561)					4	T.4		

RESTRICTED

Page EB.26

Issued with Amendment List No. 2

Hunter F. Mk. 58

2nd Edition

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CZ/5448	—	Unit, flasher, type A, 24 volt (Mod. 2411)	...	...	...	...	1	—	A.	
27N/164	Graviner— E.483 Mk. 2	Unit, power pack	...	...	...	...	1	—		
9393	B.219682	Unit, voltage trip, group	...	...	...	...	1	—		
8012	F.208578	Adaptor, (AS.830/32)	...	...	...	...	1	Brass	C.	
10H/0970059	Plessey—Z.60668	Gasket, outlet	...	...	...	...	2	—	C.	
10H/0970111	Plessey—Z.62237	Gasket, union	...	...	...	...	2	—	C.	
10H/0970065	Plessey—CZ.49182	Outlet, straight	...	...	...	...	1	—		
10H/0970072	Plessey—CZ.49183	Outlet, angle	...	...	...	...	1	—		
10H/0560350	Plessey—CZ.53157	Plug, code 47	...	...	...	...	1	—		
10H/0970105	Plessey—Z.49147	Ring, compression	...	...	...	...	2	—		
10H/0970099	Plessey—Z.54092	Ring, thrust	...	...	...	...	2	—		
10H/0970115	Plessey—Z.62241	Sleeve	...	...	...	...	2	—		
10H/0560170	Plessey—CZ.50142	Socket, code 47	...	...	...	...	1	—		
	Graviner— E.252 Mk. 1 or E.723	Unit, voltage trip	...	...	...	...	1	—		
27N/163	Std 915/T18	Washer (Mod. 561)	...	...	...	...	4	—		
	Teddington— Con. 5740/3	Washer, for securing amplifier	...	...	...	...	4	—		
	Teddington— Con. 6068/14	Washer, for securing amplifier	...	...	...	...	4	—		
	B.233146	SWITCH, ENGINE ANTI-ICING, ASSEMBLY	...	...	...	...	1	—		
5CW/4222	—	Guard, locking	...	...	...	...	1	—	B.	
5CZ/5085	Plessey— 7CZ.97636/2	Indicator, magnetic	...	...	...	...	1	—	A.	
	Std 1606/44/A8	Screw, roundhead, 6 B.A.	...	...	...	...	2	Brass	C.	5
	Std 1606/44/B18	Screw, roundhead, 4 B.A.	...	...	...	...	2	Brass	C.	5
5K/107067	Hellermann—P.9	Sleeve, P3 grey	...	...	...	...	1	P.V.C.	C.	
5CW/7540	XD.778	Switch	...	...	...	...	1	—	B.	
	B.232755/1	Transfer, "OUVERT"	...	...	...	...	1	—		
	B.232755/2	Transfer, "FERME"	...	...	...	...	1	—		

RESTRICTED

Ae - 1/93

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
	A.25.1A	Bolt, 6 B.A.	...	...	...	...	—	—	—	
	A.25.1B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	A.25.1B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	A.25.5B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	A.25.7B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	A.25.8B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	A.25.9B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	A.25.10B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	A.25.14B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	A.25.18B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	A.25.1C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.2C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.3C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.4C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.5C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.6C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.9C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.10C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.12C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.15C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.17C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.18C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.22C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.4E	Bolt, 1/4" B.S.F.	...	...	...	...	—	—	—	
	A.25.11E	Bolt, 1/4" B.S.F.	...	...	...	...	—	—	—	
	AS.1242.1B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	AS.1242.9B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	AS.1243.11B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	AS.1246.5C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	AS.1246.2E	Bolt, 1/4" B.S.F.	...	...	...	...	—	—	—	
	AS.1246.3E	Bolt, 1/4" B.S.F.	...	...	...	...	—	—	—	
	AS.1248.1B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	AS.1248.1B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	AS.1248.2B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	AS.1248.8B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	AS.1248.11B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	AS.1248.1C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	AS.1248.1C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	AS.1248.2C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	AS.1248.3C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	AS.1248.4C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	AS.1248.11C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	AGS.1696/1	Grommet	...	...	...	...	—	—	—	
	SP.40.A.6	Grommet	...	...	...	...	—	—	—	
	AS.1854/80	Hinge	...	...	...	...	—	—	—	
	AS.1855/110	Hinge	...	...	...	...	—	—	—	
	A.S360.B.3.B	Lead, bonding	...	...	...	...	—	—	—	
	A.25 1/2 C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.8C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	AS.1248.5B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	AS.1248.10B	Bolt, 4 B.A.	...	...	...	...	—	—	—	

RESTRICTED

Hunter F. Mk. 58
2nd Edition

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	AGS.2001.A1	Nut, 6 B.A.	...	...	...	...	—	—	—	
	AGS.2001.B1	Nut, 4 B.A.	...	...	...	...	—	—	—	
	AGS.2001.B3	Nut, 4 B.A.	...	...	...	...	—	—	—	
	AGS.2001.B4	Nut, 4 B.A.	...	...	...	...	—	—	—	
	AGS.2001.C1	Nut, 2 B.A.	...	...	...	...	—	—	—	
	AGS.2001.E4	Nut, 1" B.S.F.	...	...	...	...	—	—	—	
	AGS.2002.A1	Nut, 6 B.A.	...	...	...	...	—	—	—	
	AGS.2002.B1	Nut, 4 B.A.	...	...	...	...	—	—	—	
	AGS.2002.B4	Nut, 4 B.A.	...	...	...	...	—	—	—	
	AGS.2002.C1	Nut, 2 B.A.	...	...	...	...	—	—	—	
	AGS.2002.E1	Nut, 1" B.S.F.	...	...	...	...	—	—	—	
	AGS.2007.B1	Nut, 4 B.A.	...	...	...	...	—	—	—	
	AGS.2007.C1	Nut, 2 B.A.	...	...	...	...	—	—	—	
	AGS.2008.A1	Nut, 6 B.A.	...	...	...	...	—	—	—	
	AGS.2008.B1	Nut, 4 B.A.	...	...	...	...	—	—	—	
	AGS.2008.C1	Nut, 2 B.A.	...	...	...	...	—	—	—	
	AGS.2009.B1	Nut, 4 B.A.	...	...	...	...	—	—	—	
	AGS.2008.B3	Nut, 4 B.A.	...	...	...	...	—	—	—	
	AGS.2018.A1	Nut, 6 B.A.	...	...	...	...	—	—	—	
	AGS.2019.B1	Nut, 4 B.A.	...	...	...	...	—	—	—	
	A.27.A.T.	Nut, 6 B.A.	...	...	...	...	—	—	—	
	A.27.B.P.	Nut, 4 B.A.	...	...	...	...	—	—	—	
	A.27.B.T.	Nut, 4 B.A.	...	...	...	...	—	—	—	
	A.27.C.P.	Nut, 2 B.A.	...	...	...	...	—	—	—	
	A.27.C.T.	Nut, 2 B.A.	...	...	...	...	—	—	—	
	A.54/B	Nut, 4 B.A.	...	...	...	...	—	—	—	
	A.54/C	Nut, 2 B.A.	...	...	...	...	—	—	—	
	A.27.A.P.	Nut, 6 B.A.	...	...	...	...	—	—	—	
	SP.4.Y.A.5	Pin	...	...	...	...	—	—	—	
	SP.4.Y.A.16	Pin	...	...	...	...	—	—	—	
	SP.4.Y.B.14	Pin	...	...	...	...	—	—	—	
	SP.4.Y.D.10	Pin	...	...	...	...	—	—	—	
	SP.9.C.4	Split pin	...	...	...	...	—	—	—	
	SP.90/C5	Split pin	...	...	...	...	—	—	—	
	SP.90/C13	Split pin	...	...	...	...	—	—	—	
	A.31.A.10	Screw, 6 B.A.	...	...	...	...	—	—	—	
	A.31.A.14	Screw, 6 B.A.	...	...	...	...	—	—	—	
	A.31.B.6	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.31.B.8	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.31.B.12	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.31.B.14	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.31.B.16	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.31.B.18	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.31.B.20	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.31.B.22	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.31.B.24	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.31.B.28	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.31.B32	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.31.B.40	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.31.B.44	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.31.C.12	Screw, 2 B.A.	...	...	...	...	—	—	—	

RESTRICTED

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A.31.C.14	Screw, 2 B.A.	...	...	...	...	—	—	—	
	A.32.A.6	Screw, 6 B.A.	...	...	...	...	—	—	—	
	A.32.A.8	Screw, 6 B.A.	...	...	...	...	—	—	—	
	A.32.A.10	Screw, 6 B.A.	...	...	...	...	—	—	—	
	A.32.A.12	Screw, 6 B.A.	...	...	...	...	—	—	—	
	A.32.A.14	Screw, 6 B.A.	...	...	...	...	—	—	—	
	A.32.B.6	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.32.B.8	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.32.B.10	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.32.B.12	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.32.B.14	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.32.B.16	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.32.B.20	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.32.B.24	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.32.B.28	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.32.B.32	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.33.B.26	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.32.B.40	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.32.C.12	Screw, 2 B.A.	...	...	...	...	—	—	—	
	A.32.C.16	Screw, 2 B.A.	...	...	...	...	—	—	—	
	A.32.C.20	Screw, 2 B.A.	...	...	...	...	—	—	—	
	A.32.C.24	Screw, 2 B.A.	...	...	...	...	—	—	—	
	A.33.A.12	Screw, 6 B.A.	...	...	...	...	—	—	—	
	A.33.B.6	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.33.B.8	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.33.B.10	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.33.B.12	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.33.B.16	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.33.B.14	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.33.B.20	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.33.B.24	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.33.B.28	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.33.B.40	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.33.C.10	Screw, 2 B.A.	...	...	...	...	—	—	—	
	A.33.C.12	Screw, 2 B.A.	...	...	...	...	—	—	—	
	A.33.C.16	Screw, 2 B.A.	...	...	...	...	—	—	—	
	A.43.A.10	Screw, 6 B.A.	...	...	...	...	—	—	—	
	A.43.B.8	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.43.B.10	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.43.B.14	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.43.B.16	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.43.B.20	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.43.B.24	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.43.B.28	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.43.C.12	Screw, 2 B.A.	...	...	...	...	—	—	—	
	A.44.B.6	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.45.B.14	Screw, 4 B.A.	...	...	...	...	—	—	—	
	AGS.1186-3	Seal, bonded	...	...	...	...	—	—	—	
	SP.13.B	Washer	...	...	...	...	—	—	—	
	SP.13.C	Washer	...	...	...	...	—	—	—	
	SP.15.C	Washer	...	...	...	...	—	—	—	
	A.32.A.44	Screw								
	A.32.B.22	Screw								

RESTRICTED

RESTRICTED

Page EB.30

Hunter F. Mk. 58
2nd Edition

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description										No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5									
	SP.15.B	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	SP.15.E	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	SP.15.A	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	SP.16.B	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	SP.16.C	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	SP.16.E	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2034A	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2034B	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2035B	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2035C	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2035L	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.191/B	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.191/C	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	SP.19.B	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	SP.19.C	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	SP.47.B	Washer, spring	...	...	...	...	...	...	...	...	...	—	—	—	
	SP.58.D	Washer	...	...	...	...	...	...	...	...	...	—	—	—	

RESTRICTED

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

