

MAIN PLANES—LANDING FLAP


Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Place No.
		1 2 3 4 5				
60	E.180473-S1	FLAP, LANDING, PORT, GROUP	1	—	A.	KC.1
61	E.180474-S1	FLAP, LANDING, STARBOARD, GROUP... ..	1	—	A.	KC.1
4056	C.181447	Angle, for leading edge, between ribs 1 and 6, port	1	DTD.364	MR/C	KC.1
4057	C.181448	Angle, for leading edge, between ribs 1 and 6, starboard	1	DTD.364	MR/C	KC.1
4058	C.181449	Angle, for leading edge between ribs 6 and 9, port	1	DTD.364	MR/C	KC.1
4059	C.181450	Angle, for leading edge, between ribs 6 and 9, starboard	1	DTD.364	MR/C	KC.1
4060	C.181451	Angle, for leading edge, between ribs 9 and 14, port	1	DTD.364	MR/C	KC.1
4061	C.181452	Angle, for leading edge, between ribs 9 and 14, starboard	1	DTD.364	MR/C	KC.1
4062	C.181453	Angle, for leading edge, between ribs 14 and 15, port	1	DTD.364	MR/C	KC.1
4063	C.181454	Angle, for leading edge, between ribs 14 and 15, starboard	1	DTD.364	MR/C	KC.1
4064	A.184425	Bolt, special, for spools at rib 9	12	S.99.B	MR/C	KC.1
	AGS 572/CP	6kt.-Nutter	12			KC.1
4065	A.184426	Bolt, special, for spool at ribs 8 and 10	12	S.99.B	MR/C	KC.1
	AGS 572/CP	6kt.-Nutter	12			KC.1
4066	A.193411	Bracket, sealing cut-away at lever	1	DTD.610	MR/C	
	D.181473	FILLET, INBOARD END, PORT, ASSEMBLY	—	—		
	D.181474	FILLET, INBOARD END, STARBOARD, ASSEMBLY	—	—		
	C.181869	Former, port, at rib No. 1	1	DTD.610		
	C.181870	Former, starboard at rib No. 1	1	DTD.610		
	A.181871	Former, port	1	DTD.610		
	A.181872	Former, starboard	1	DTD.610		
	A.181873	Former, port	1	DTD.610		
	A.181874	Former, starboard	1	DTD.610		
	F.181875	Former, at leading edge, port	1	DTD.610		
	F.181876	Former, at leading edge, starboard	1	DTD.610		
	D.181473/1	Skin, port	1	DTD.610		
	D.181474/1	Skin, starboard	1	DTD.610		
	C.178804	Lever, operating, group	2	Stamping		KC.1
9697	F.178805	Bush	4	S.1		KC.1
4067	F.181439	Lug, for leading edge angle	2	DTD.610	MR/C	KC.1
4068	F.181440	Lug, for leading edge angle	2	DTD.610	MR/C	KC.1
4069	F.181441	Lug, for leading edge angle	4	DTD.610	MR/C	KC.1
4070	F.181442	Lug, for leading edge angle	4	DTD.610	MR/C	KC.1
4071	F.181443	Lug, for leading edge angle	1	DTD.610	MR/C	KC.1
4072	F.181444	Lug, for leading edge angle	1	DTD.610	MR/C	KC.1
4073	F.181445	Lug, for leading edge angle	18	DTD.610	MR/C	KC.1
4074	F.181446	Lug, for leading edge angle	4	DTD.610	MR/C	KC.1
4075	C.181346	Plate, reinforcing, port	1	DTD.610	C.	KC.1
4076	C.181347	Plate, reinforcing, starboard	1	DTD.610	MR/C	KC.1
4077	C.181350	Rib, No. 1, port	1	DTD.610	MR/C	KC.1
4078	C.181351	Rib, No. 1, starboard	1	DTD.610	MR/C	KC.1
4079	C.180570	Rib, Nos. 2 to 14	26	DTD.610	MR/C	KC.1
4080	C.180571	Rib, No. 15, port	1	DTD.610	MR/C	KC.1
4081	C.180572	Rib, No. 15, starboard	1	DTD.610	C.	KC.1
4082	E.180473/1	Skin, port	1	DTD.610	MR/C	KC.1
4083	E.180474/1	Skin, starboard	1	DTD.610	MR/C	KC.1
	C.181344	Spar, port	1	T.60		KC.1
	C.181345	Spar, starboard	1	T.60		KC.1
9725	C.180717	Spool, for inner bearing, port group	1	—		KC.1
9726	C.180718	Spool, for inner bearing starboard, group	1	—		KC.1
9699	F.181472	Bush	4	S.1		KC.1
	STD 1551/1/245	Bolt, for spool between rib, No. 6 and No. 7	1	S.99 B	G.	KC.1
	STD 1718/1	6kt.-Nutter	1			KC.1
	STD 1551/3/255	Bolt, for spool between rib, No. 6 and No. 7	2	S.99 B	G.	KC.1
	STD 1718/3	6kt.-Nutter	2			KC.1

MAIN PLANES—LANDING FLAP

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
9722	B.180716	Spool, bearing, group	...	...	...	...	2	—		KC.1
9698	F.181471	Bush	...	...	...	...	2	S.1		KC.1
9723	B.181353	Spool, at rib No. 8 and 10	...	...	...	...	4	Stamping		
9724	B.182836	Spool, at ribs Nos. 2 to 5, 7, 11 to 13, and 15	...	...	...	...	18	Stamping		
4581	F.201407	Tappet	...	...	...	...	2	S.95.B	C.	KC.1
4084	C.181348	Trailing-edge stiffener, port	...	...	...	...	1	DTD.610	C.	KC.1
4085	C.181349	Trailing-edge stiffener, starboard	...	...	...	...	1	DTD.610	MR/C	KC.1
	B.185953	Hebel					2			KC.1
	STD 1357/45	Büchse					4			KC.1
	B.186371	Hebel					2			KC.1
	F.181471	Büchse					2			KC.1

MAIN PLANES—LANDING FLAP

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
	AGS.934/G/M	Ferrule, screwed	...	(Spez.-Mutter 2 BA)	...	-	-	-	KC.1	
	AGS.935/C	Rod, screwed, 2.75" long	(Gewindestange 2 BA)	...	-	-	-	KC.1		
	AGS.934/J/M	Ferrule, screwed	...	(Spez.-Mutter 1/4")	...	-	-	-	KC.1	
	AGS.935D	Rod, screwed, 2.85" long	(Gewindestange 1/4")	...	-	-	-	KC.1		
	SP.15.J	Washer	...	...	...	-	-	-		
	SP.16.J	Washer	...	...	...	-	-	-		



* Bolzen und Büchsen siehe Plate No. DG.2

LANDING FLAP

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

