


POWER INSTALLATION—GEARBOX AND ACCESSORIES


Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	E.204660	ACCESSORY DRIVE FOR GEARBOX AND EQUIPMENT, ASSEMBLY	-	-		
37L/322	Rotol-GA.7/2	Arm, drive, type GA.7/2 (AS.770/65) ...	1	-	A.	LB.1
6391	F.194529	Bolt, special, for generator attachment ...	4	S.99.8	C.	LB.1
6392	F.194530	Bolt, special, for generator attachment ...	2	S.99.8	C.	LB.1
6393	F.200766	Bolt, "U," for safety bracket at frame 34 ...	1	S.1	C.	LB.1
6394	B.203089	Box, sealing, for drive shaft ...	1	-	B.	LB.1
	F.203083	Asbest-Dichtung	1	-		
6395	F.188685	Channel, stop, for safety bracket "U" bolt at frame 34	1	DTD.610	C.	LB.1
	STD 2046/17/26	Clip, sleeved ...	1	-		
37L/196	Rotol-TG.5/5	Gearbox, type TG.5/5, group ...	1	-	A.	LB.1
	Rotol-G.18574	Spannkette	2	-		
37L/2940	Rotol-G.16095	Washer, for dipstick ...	1	-		
Ae.A.Hu-FT-659	NB 1130	Dichtung 8,2 x 11x1; E-Cu (für Magnetzapfen)	2	E-Cu		
	Rotol-RSP.202/7	Washer (Zwischengetriebe)	1	-		
Ae.A.Hu-FT-659	AGS 1138/B	Dichtung (Getriebekasten)	1	-		
	Rotol-770207/125-0	Magnetzapfen vollst.	2	-		
SUA/6088 1L		Generator type 517, links ...	1	-	A.	
SUA/6088 2R		Generator type 517, rechts	1	-		
	C.212052	GENERATOR COOLING, AIR OUTLET, ASSEMBLY (Mod. 425)	-	-		
8342	C.212054	Cover, bottom ...	1	S.3	B.	LB.1
8343	B.212053	Cover, top ...	1	S.3	B.	LB.1
8346	F.212146	Eye-bolt, securing covers ...	2	S.1	C.	LB.1
8344	B.212055	Strap, inboard generator ...	1	S.3	B.	LB.1
8345	B.212056	Strap, outboard generator ...	1	S.3	B.	LB.1
	AS 1246/E1	Hr.-Schraube	2	-		LB.1
	SP 16/E	U-Scheibe	2	-		LB.1
Ae.A. 635	6F-BAMF-D-12201	Halteblech	2	-		LB.1
	AGS 2002/E1	Sich.-Mutter	2	-		LB.1
	STD 915/C/14	Washer, for eyebolt pin ...	1	DTD.610	C.	4
-	STD 1306/D/20	Hose, 1 1/4" i/d x 2" long (Make from 32C/377) (Local Manufacture)	2	DTD.625A	-	
	A.226908	Packing, piece, for drive arm (Mod. 702) ...	1	L.72	MR/C	LB.1
	A 25/29E	6kt.-Schraube	4	-		LB.1
	SP 16/E	U-Scheibe	4	-		LB.1
	A 27/ES	6kt.-Mutter	4	-		LB.1
7171†	F.205196	Pipe, breather, for generator ...	1	DTD.253	MR/C	LB.1
7172†	F.205159	Pipe, breather, for drive arm (Pns Mod. 751).	1	DTD.253	MR/C	
9944	F.230731	Pipe, vent (Mod. 751)	1	-	C.	LB.1
7173†	F.206188	Pipe, drain, for drive arm ...	1	DTD.253	MR/C	LB.1
7174†	F.213362	Pipe, drain, for oil filler ...	1	DTD.253	MR/C	LB.1
6398	A.204659	Plate, sealing, for oil filler ...	2	LFS.21	C.	LB.1
37J/8006	Dowty-A.8003Y.RH.3000	Pump, "Vardel,"	1	-	A.	
37L/325	Rotol-GD.9/100	Shaft, drive, type GD.9/100 (Mod. 733) ...	1	-	A.	LB.1
37L/369	Rotol-GD.9/37	Shaft, drive, type GD.9/37 ...	1	-	A.	LB.1
	Rotol-RA.43645	Spez.-Schraube	12	-		LB.1
	Rotol-RA.44610	Spez.-Schraube	12	-		LB.1
Ae.A. 673	Rotol-RA.59774	Spez.-Schraube	4	-		LB.1
	SP 41/E	Sich.-Scheibe	28	-		
	A 27/EP	6 kt.-Mutter	28	-		
6396	B.205290	Spout, inlet cooling, for outboard generator ...	1	L.54 & L.59	C.	LB.1
6397	B.205291	Spout, inlet cooling, for inboard generator ...	1	L.54 & L.59	C.	LB.1
	6F-BAMF-C-1215B/A	Scheuerschutzblech	1	-		LB.1
Ae.A.Hu-FT-804	NB 1073	Fr.-Niet 2,6 x 5 742.4	10	-		
	Rotax-N.115165	Spannring	2	-		
	Rotax-N.70492	Sich.-Ring	1	-		
	A 31/B40	Zyl.-Schraube	1	-		
	AGS 2037/B	Federscheibe	1	-		
	STD 1509/23/028	Tube, distance, for oil filler sealing plate ...	6	T.4	MR/C	
	STD 1509/23/052	Tube, distance, for safety bracket "U" bolt ...	2	T.4	MR/C	
	STD 1509/23/060	Tube, distance, for clipping of pipe drain ...	1	T.4		
		† For details see Piping Chart				

POWER INSTALLATION—GEARBOX AND ACCESSORIES

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
	A25/1 C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	A25/2 C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	A25/6 C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	A25/7C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	A25/3 E	Bolt	...	...	...	...	...	—	—	—
	A25/29 E	Bolt, 1/4" B.S.F.	...	...	...	...	...	—	—	—
	AGS 605/2	Clip, hose	...	...	...	...	...	—	—	—
	AGS 606/T	Clip, nose	...	...	...	...	...	—	—	—
	AGS 1142/B	Nipple	...	...	...	...	...	—	—	—
	A27/ES	Nut, 1/2" B.S.F.	...	...	...	...	...	—	—	—
	A27/JS	Nut, 0" B.S.F.	...	...	...	...	...	—	—	—
	AGS 2001/C1	Nut, 2 B.A.	...	...	...	...	...	—	—	—
	AGS 2002/C 1	Nut, 2 B.A.	...	...	...	...	...	—	—	—
	SP 90/C7	Pin, split	...	...	...	...	...	—	—	—
	SP4/YB19	Pin	...	...	...	...	...	—	—	—
	SP4/YB17	Pin	...	...	...	...	...	—	—	—
	SP 15/C	Washer, 2 B.A.	...	...	...	...	...	—	—	—
	SP 15/I	Washer	...	...	...	...	...	—	—	—
	SP 16/E	Washer, 1/2" dia.	...	...	...	...	...	—	—	—
	SP 16/I	Washer	...	...	...	...	...	—	—	—
	SP 15/E	Washer, 1/4" dia.	...	...	...	...	...	—	—	—



ACCESSORIES COOLING



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.