

SERVICES—FUEL SYSTEM IN WINGS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	E.206680-1	FUEL SYSTEM IN WINGS, ASSEMBLY ...				
	—	Cables, electrical (See Cable chart) ...	—	—	—	
1136	A.186450	Clamp, pipe connection, group ...	4	—	C.	NC.1
2723	F.184931	Bolt, eye ...	1	S.94.B	C.	
6526	F.213079	Nut, special ...	1	S.95	C.	
2724	F.185592	Washer ...	1	DTD.364	C.	
4992	F.200275	Clamp, pipe connection, group ...	2	—	C.	NC.1
2723	F.184931	Bolt, eye ...	1	S.94	C.	
6526	F.213079	Nut, special ...	1	S.95	C.	
2724	F.185592	Washer ...	1	DTD.364	C.	
421	A.185593	Clamp, pipe connection, group ...	4	—	C.	
2723	F.184931	Bolt, eye ...	1	S.94.B	C.	
2724	F.185592	Washer ...	1	DTD.364	C.	
5059	A.186451	Clamp, pipe connection, group ...	4	—	C.	
2723	F.184931	Bolt, eye ...	1	S.94.B	C.	
2724	F.185592	Washer ...	1	DTD.364	C.	
	STD 851/68	Clip, support for vent pipe at rib "G" ...	2	DTD.610	C.	4
	STD 851/30	Clip, support for vent pipe at rib No. 2 ... (Make from 30B/1433)	2	DTD.610	—	
	STD 850/35	Clip, support for earthing connector ...	2	DTD.610	C.	4
27F/2352	Flight-Ref. FRS.132/F	Connector ...	2	—	B.	
	Flight-Ref. FRS.135/F	Gummidichtung	1			
	Flight-Ref. FRS.133/F	Kupplungskorb	1			
	Flight-Ref. FRS.134/F	Kupplungs-Ueberwurfmutter	1			
	6F-BAMF-104/F	Sich.-Ring aussen	1			
	STD 1285/8/CC	Connector, earth at rib "A" ...	2	—	C.	4
4993	F.205032	Packing, for vent pipe clip at rib "G" ...	2	LFS.21	C.	
	STD 1939/1	Packing, for vent pipe clip at rib No. 2 ...	2	LFS.21	C.	
6987	A.207209/4	Pipe, air, inboard tank to connection ...	2	DTD.253	C.	NC.1
4996	B.198928/2	Pipe, connection to connection, port ...	1	DTD.253	C.	NC.1
4997	B.198928/3	Pipe, air connection to connection, starboard ...	1	DTD.253	C.	NC.1
5000	B.198928/6	Pipe, fuel, transfer, connection to tank, port...	1	DTD.253	C.	NC.1
5001	B.198928/7	Pipe, fuel, transfer, connection to tank, starboard ...	1	DTD.253	C.	NC.1
7902	A.206783	Pipe, fuel, inboard to outboard pylon, port ...	1	BSS.265	C.	NC.1
7903	A.206784	Pipe, fuel, inboard to outboard pylon, starboard ...	1	BSS.265	C.	NC.1
7898	C.206676	Pipe, fuel, by-pass valve to connection, port ...	1	DTD.253	C.	NC.1
7899	C.206677	Pipe, fuel, by-pass valve to connection, starboard ...	1	DTD.253	C.	NC.1
7900	C.206678	Pipe, air, Flight Refuelling coupling to connection, port ...	1	DTD.253	C.	NC.1
7901	C.206679	Pipe, air, Flight Refuelling coupling to connection, starboard ...	1	DTD.253	C.	NC.1
	7892	Pipe, fuel, between pylons ...	2	DTD.253	C.	NC.1
	7893	Pipe, air, between pylons...	2	DTD.253	C.	NC.1
	7894	Pipe, fuel, outboard by-pass valve to connection, port ...	1	DTD.253	C.	NC.1
	7895	Pipe, fuel, outboard by-pass valve to connection, starboard ...	1	DTD.253	C.	NC.1
	7896	Pipe, air, outboard by-pass valve to connection, port ...	1	DTD.253	C.	NC.1
	7897	Pipe, air, outboard by-pass valve to connection, starboard ...	1	DTD.253	C.	NC.1
27QA/876	Dowty— GD.1309/16	Ring, sealing, at suction relief valve ...	2	—	C.	
27QA/381	Dowty— GD.1309/25	Ring, sealing, at transfer pipe couplings ...	4	—	C.	
27QA/361	Dowty— GD.1308/2	Ring, sealing, at fuel pipe connections ...	10	—	C.	NC.1
27QA/380	Dowty— GD.1309/23	Ring, sealing, at fuel pipe connection outboard by-pass valve ...	2	—	C.	
27QA/379	Dowty— GD.1309/21	Ring, sealing, at air pipe connections ...	4	—	C.	

SERVICES—FUEL SYSTEM IN WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	STD 1703/7b	Screw, special, for suction relief valve					4	S.95.B	C.	5
7906	A.206273	Sleeving, 3/4" i/d x 2-0" long (AS.830/48)					2	P.V.C.	—	
7907	A.206274	Support, for fuel and air pipes between pylons					4	LFS.21	C.	NC.1
7908	A.206275	Support, for fuel and air pipes between by-pass valves					4	LFS.21	C.	NC.1
		Support, for fuel and air pipes between by-pass valves					4	LFS.21	C.	NC.1
	E.206941-2	TANK INSTALLATION, ASSEMBLY					—	—	—	
5023	F.202080	Adaptor, union for air pipe					2	L.65	C.	NC.1
6777	F.210001	Bolt, special, at transfer duct connection					12	S.95.B	—	
7066	F.211844	Bolt, special, for tank interconnection					36	S.95.B	C.	NC.1
6A/4315	Smiths-JM.14	Box, terminal					2	—	B.	
6A/4316	Smiths-JU.6	Box, terminal					8	—	B.	
	STD 843/38	Clip, support, for air pipe in No. 1 tank					2	S.3 & T.26	C.	4
5025	C.198341	Duct, transfer, in No. 1 tank, port					1	L.54 & L.59	C.	NC.1
5026	C.198342	Duct, transfer, in No. 1 tank, starboard					1	L.54 & L.59	C.	NC.1
5027	C.198530	Duct, transfer, inner, in No. 2 tank, port					1	L.54 & L.59	C.	NC.1
5028	C.198531	Duct, transfer, inner, in No. 2 tank, starboard					1	L.54 & L.59	C.	NC.1
5029	C.198343	Duct, transfer, outer, in No. 2 tank, port					1	L.54 & L.59	C.	NC.1
5030	C.198344	Duct, transfer, outer, in No. 2 tank, starboard					1	L.54 & L.59	C.	NC.1
6991	C.209795	Duct, transfer, inner, in No. 3 tank, port					1	L.54 & L.59	C.	NC.1
6992	C.209796	Duct, transfer, inner, in No. 3 tank, starboard					1	L.54 & L.59	C.	NC.1
5033	C.198345	Duct, transfer, outer, in No. 3 tank, port					1	L.54 & L.59	C.	NC.1
5034	C.198346	Duct, transfer, outer, in No. 3 tank, starboard					1	L.54 & L.59	C.	NC.1
5035	C.198526	Duct, transfer, in No. 4 tank, port					1	L.54 & L.59	C.	NC.1
5036	C.198527	Duct, transfer, in No. 4 tank, starboard					1	L.54 & L.59	C.	NC.1
6095	B.208097	Duct, outlet, port, in No. 1 tank, group					1	—	B.	NC.1
6096	B.208098	Duct, outlet, starboard, in No. 1 tank, group					1	—	B.	NC.1
	A.199074	Plate, mounting					2	DTD.610	—	
27QA/362	Dowty- GD.1308/4	Ring, sealing "O" type					2	—	C.	
5CW/5255	Flight-Ref. 3504100/2	Float, switch in No. 4 tank					2	—	A.	NC.1
9655	A.226375	Gasket, sealing					8	—	—	
	STD 1231/3B	Lug, locking					2	S.3	C.	4
	A.232202	Plate, sealing					2	L.72	—	
6988	B.207013	Plate, mounting, at leading edge spar for No. 1 tank					2	DTD.610	C.	NC.1
6990	B.207014	Plate, mounting, at leading edge spar for Nos. 2 and 3 tanks					4	DTD.610	C.	NC.1
6989	B.207015	Plate, mounting, at leading edge spar for No. 4 tank					2	DTD.610	C.	NC.1
5042	B.202091	Pipe, air, flexible, in No. 1 tank					2	—	C.	NC.1
5043	B.202075	Pipe, air, in No. 1 tank, port					1	DTD.253	C.	NC.1
5044	B.202076	Pipe, air, in No. 1 tank starboard					1	DTD.253	C.	NC.1
5045	C.198514	Pipe, fuel transfer, in No. 4 tank, port					1	L.54 & L.59	C.	NC.1
5046	C.198515	Pipe, fuel transfer in No. 4 tank, starboard					1	L.54 & L.59	C.	NC.1
5047	A.199113	Ring, clamping transfer ducts to ribs					12	DTD.364	C.	NC.1
27QA/361	Dowty- GD.1308/2	Ring, sealing "O" type, at transfer ducts connections					12	—	C.	NC.1
6208	F.210208	Ring, sealing at bulkhead connection on front spar					2	—	C.	
27QA/139	Dowty- GD.1307/3	Seal, bonded					64	—	C.	NC.1
27QA/140	Dowty- GD.1307/4	Seal, bonded, at transfer duct connections					24	—	C.	NC.1
27QA/149	Dowty- GD.1307/G	Seal, bonded at bulkhead connection on leading edge spar					2	—	C.	NC.1

SERVICES—FUEL SYSTEM IN WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
						Tanks (See Section "Q")	—	—	—	
9654	F.226373					Washer, sealing at No. 4 tank transfer pipe flange	2	—	C.	NC.1
9653	F.226372					Washer, sealing, at float switch in No. 1 tank ...	2	—	C.	NC.1
9652	F.226371					Washer, sealing at No. 1 tank air pipe flange ...	2	—	C.	NC.1
9659	A.226379					Washer, sealing at outlet duct in No. 1 tank ...	2	—	C.	
9648	F.226367					Washer, sealing	10	DTD.177 & L.72		
5053	F.199096					Seal, "U" at float switch in No. 4 tank ...	2	Rubber	C.	NC.1
	Std 1509/23/030					Tube, distance, at fuel pipe support $\frac{5}{16}$ " o/d. $\times$ 17 S.W.G. $\times$ 0-30" long (Make from 30B/556)	4	T.4	MR/C	4
8190	A.218022					Valve, suction relief, port group (Mod. 567) ...	1	—	B.	NC.1
8191	A.218023					Valve, suction relief, starboard group (Mod. 567) ...	1	—	B.	NC.1

RESTRICTED

Hunter F. Mk. 58
2nd Edition

SERVICES—FUEL SYSTEM IN WINGS

Ref. No.	Part No.	Description										No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5	6	7	8	9	10				
		SUMMARY OF STOCK ITEMS													
	A25/1B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A25/1C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A25/2C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A25/3C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A25/4C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A25/6C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A25/8C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A25/17C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A25/24E	Bolt, 1/2" B.S.F.	...	...	...	...	...	...	...	...	...	—	—	—	
	AS 3360/B/3 C	Connector, earthing	...	...	...	...	...	...	...	...	...	—	—	—	
	AS 3360/B/6 C	Connector, earthing	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.1142/H	Nipple	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.1170/H	Nipple	...	...	...	...	...	...	...	...	...	—	—	—	
	A27/CS	Nut, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS 2002/B1	Nut	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS 2002/C1	Nut, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS 2021/C1	Nut, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS 2021/E1	Nut, 1/2" B.S.F.	...	...	...	...	...	...	...	...	...	—	—	—	
	SP 9/C4	Pin	...	...	...	...	...	...	...	...	...	—	—	—	
	SP 90/C7	Pin	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS 566/B	Plug	...	...	...	...	...	...	...	...	...	—	—	—	
	A33/C14	Screw	...	...	...	...	...	...	...	...	...	—	—	—	
	A37/C20	Screw	...	...	...	...	...	...	...	...	...	—	—	—	
	A33/B20	Screw	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS 1186/B	Seal, 3/4"	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.1186/G	Seal	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS 1186/3	Seal, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	SP 15/B	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	SP 15/C	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	SP 16/C	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS 1138/E	Washer	...	...	...	...	...	...	...	...	...	—	—	—	

RESTRICTED

Ae - 1/93

Treibstoff-Anlage
Flügelntank


F+W Aendg. od. Ae. A.	Part No.	Description	No. Off	Material Specificat.	M. R. Class of Store	Plate No.
Pos.						
1	A.207209/4	Leitung	2	DTD.253	C	NC.1+2
2	STD 851/30	Bride (make from 30 B/1433)	2	DTD.610	-	NC.2
3	STD 1939/1	Distanzstück	2	LFS.21	C	NC.2
4	AGS 2002/C1	Sich.-Mutter 2 BA	2	-		NC.2
5	SP 15/C	U-Scheibe	2	-		NC.2
6	A 25/2C	Bolzen 2 BA	2	-		NC.2
7	B.198928/2	Leitung links	1	DTD.253	C	NC.1+2
8	B.198928/3	Leitung rechts	1	DTD.253	C	NC.1+2
9	B.198928/6	Leitung links	1	DTD.253	C	NC.1+2
10	B.198928/7	Leitung rechts	1	DTD.253	C	NC.1+2
11	F.205032	Distanzstück	2	LFS.21	C	NC.2
12	STD 851/68	Bride	2	DTD.610	C	NC.2
13	A 25/1C	Bolzen 2 BA	2	-		NC.2
14	AGS 2002/C1	Sich.-Mutter 2 BA	2	-		NC.2
15	SP 15/C	U-Scheibe	2	-		NC.2
16	C.206676	Leitung links	1	DTD.253	C	NC.1+2
17	C.206677	Leitung rechts	1	DTD.253	C	NC.1+2
18	C.206678	Leitung links	1	DTD.253	C	NC.1+2
19	C.206679	Leitung rechts	1	DTD.253	C	NC.1+2
20	A.206783	Leitung links	1	BSS.265	C	NC.1+2
21	A.206784	Leitung rechts	1	BSS.265	C	NC.1+2
22	B.206682	Leitung	2	DTD.253	C	NC.1+2
23	B.202683	Leitung	2	DTD.253	C	NC.1+2
24	C.206684	Leitung links	1	DTD.253	C	NC.1+2
25	C.206685	Leitung rechts	1	DTD.253	C	NC.1+2
26	C.206686	Leitung links	1	DTD.253	C	NC.1+2
27	C.206687	Leitung rechts	1	DTD.253	C	NC.1+2
28	AGS 2002/B1	Sich.-Mutter	2	-		NC.2
29	SP 15/B	U-Scheibe	2	-		NC.2
30	A 25/1B	Bolzen 4 BA	2	-		NC.2
31	AS 3360/B6C	Massekabel	2	-		NC.2
32	AS 3360/B3C	Massekabel	2	-		NC.2
33	STD 850/35	Bride	2	DTD.610	C	NC.2
34	A 25/1B	Bolzen 4 BA	2	-		NC.2
35	SP 15/B	U-Scheibe	2	-		NC.2
36	AGS 2002/B1	Sich.-Mutter	2	-		NC.2
37	STD 1285/8CC	Massekabel	2	-	C	NC.2

F+W Aendg. od Ref. No. Pos.	Part No.	Description					No. Of	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
A	AGS 1142/H	Nippel					2	-		NC.2
H	AGS 1170/H	Nippel					2	-		NC.2
C	A.186450	Bride					4	-	C	NC.1+2
D	A.185593	Bride					4	-	C	NC.2
E	A.186451	Bride					4	-	C	NC.2
F										
G	A.218022	Tragfl. Unterdr. Sicherheitsventil, links (Mod. 567)					1	-	B	NC.1+2
G	A.218023	Tragfl. Unterdr. Sicherheitsventil, rechts (Mod. 567)					1	-	B	NC.1+2
H	F.200275	Bride					2	-	C	NC.1+2
J	STD 1703/7/C	Schraube					4	-		NC.2
K	AGS 2002/C1	Sich.-Mutter 2 BA					24	-		NC.2
K	SP 15/C	U-Scheibe					24	-		NC.2
L	AGS 1186/B	Dichtung					2	-		NC.2
L	AGS 566/B	Verschlussmutter					2	-		NC.2
M										
N	A.206273	Leitungs-Halterung					4	LFS.21	C	NC.1+2
P	A.206274	Leitungs-Halterung					4	LFS.21	C	NC.1+2
Q	A.206275	Leitungs-Halterung					4	LFS.21	C	NC.1+2
R	A 25/6C	Bolzen 2 BA					4	-		NC.2
S	A 25/8C	Bolzen 2 BA					4	-		NC.2
T	STD 1509/ 23/030	Durchführung					2	T.4	MR/C	NC.2
U	SP 15/C	U-Scheibe					12	-		NC.2
AI	Flight-Ref. FRS.132/F	Leitungskupplung					2	-	B	NC.2
	Flight-Ref. FRS.135/F	Gummidichtung					1	-		
	Flight-Ref. FRS.133/F	Kupplungskorb					1	-		
	Flight-Ref. FRS.134/F	Kupplungs-Ueberwurfmutter					1	-		
	6F-BAMF-104/F	Sich.-Ring aussen					1	-		
BI	Dowty- GD.1309/25	"O"-Ring					4	-	C	NC.2
CI	Dowty- GD.1309/16	"O"-Ring					2	-	C	NC.2
DI										
EI	Dowty- GD.1308/2	"O"-Ring					10	-	C	NC.1+2
FI	Dowty- GD.1309/23	"O"-Ring					2	-	C	NC.2
GI	Dowty- GD.1309/21	"O"-Ring					4	-	C	NC.2


RESTRICTED

PLATE Nº NC.1

(ISSUE 7)



FUEL SYSTEM



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

