

SERVICES—HYDRAULICS FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	E.222095-S2	HYDRAULIC INSTALLATION IN FRONT	—	—	—	
	B.203257	FUSELAGE, ASSEMBLY (Mod. 457)	—	—	—	
		ACCUMULATOR, FOR BRAKE AT FRAME 6,	—	—	—	
		ASSEMBLY	—	—	—	
F+W AE,Pkt.425	6F-F+W-804100	Accumulator, hydraulic (Mod. 294)	2	—	A.	
4588	A.203239	Bracket, support, outer, for accumulator	2	S.3	C.	NF.1
2842	A.187881	Bracket, supporting accumulator	2	S.3	MR/C	NF.1
	STD 1166/16	Clip, half	2	S.3 & T.26	C.	4
869	F.140778	Adaptor	1	—	C.	NF.1
1467	F.190363	Block, clamp, at frame 6	1	LFS.21	C.	NF.1
2052	F.194338	Block, pipe clamp, between frames 5 and 6, at brake relay control valve	1	LFS.21	C.	
2053	F.194339	Block, pipe clamp, between frames 5 and 6, at brake relay control valve	1	LFS.21	C.	
2056	F.193810	Block, pipe clamp, at frames 5 and 11, also between frames 4 and 7	5	LFS.21	C.	
2057	F.193811	Block, pipe clamp, at frames 5 and 11, also between frames 4 and 7	7	LFS.21	C.	
2058	F.193813	Block, pipe clamp, at frame 15	1	LFS.21	C.	
2059	F.193814	Block, pipe clamp, at frame 15	1	LFS.21	C.	
2060	F.193815	Block, pipe clamp, at frame 15	2	LFS.21	C.	
2061	F.193816	Block, pipe clamp, at frame 15	1	LFS.21	C.	
2062	F.193817	Block, pipe clamp, at frame 15	1	LFS.21	C.	
2063	F.193820	Block, pipe clamp, at frame 13	1	LFS.21	C.	
2064	F.193821	Block, pipe clamp, at frame 13	1	LFS.21	C.	
2065	F.193822	Block, pipe clamp, at frame 13	1	LFS.21	C.	
2066	F.193823	Block, pipe clamp, at frame 12	1	LFS.21	C.	
2067	F.193824	Block, pipe clamp, at frame 12	1	LFS.21	C.	
2068	F.193825	Block, pipe clamp, at frame 12	1	LFS.21	C.	
2069	F.193852	Block, pipe clamp, at frames 10 and 12	4	LFS.21	C.	
2070	F.193856	Block, pipe clamp, at frame 10	1	LFS.21	C.	
2071	F.193857	Block, pipe clamp, at frame 10	2	LFS.21	C.	
2072	F.193854	Block, pipe clamp, at frames 5, 9 and 13, also between frames 11 and 12	7	LFS.21	C.	
4225	F.199972	Block, pipe clamp, at frame 10	1	LFS.21	C.	
	6F-F+W-522814	Bridenpaar an Spant 10	1			
2096	F.193855	Block, pipe clamp, between frames 11 and 12	1	LFS.21	C.	
2097	F.194348	Block, pipe clamp, at frame 9	1	LFS.21	C.	
4884	F.200006	Block, pipe clamp, at frame 8	1	LFS.21	C.	
2098	F.194349	Block, pipe clamp, at frame 9	1	LFS.21	C.	
4885	F.200007	Block, pipe clamp, at frame 8	1	LFS.21	C.	
2099	F.194350	Block, pipe clamp, at frame 9	1	LFS.21	C.	
4886	F.200008	Block, pipe clamp, at frame 8	1	LFS.21	C.	
2132	F.196065	Block, pipe clamp, between frames 5 and 6	2	LFS.21	C.	
4887	F.200009	Block, pipe clamp, at frame 8	1	LFS.21	C.	
6092	F.209674	Block, pipe clamp, at frame 14	1	LFS.21	C.	
6093	F.209675	Block, pipe clamp, at frame 14	1	LFS.21	C.	
8490	F.216054	Block, clamp, at frame 14 (Mod. 457)	1	LFS.21	C.	
8491	A.216089	Block, clamp, at frames 17A and B (Mod. 457)	4	LFS.21	C.	
8487	F.217704	Block, clamp, for flexible hose, frames 11 and 12 ... (Mod. 457)	2	LFS.21	C.	

SERVICES—HYDRAULICS FRONT FUSELAGE

Ref. No.	Part No	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
447	F.186436	Bolt, air bottle strap clamping	2	S.95.B	C.	NF.1
863	F.190229	Bolt, air bottle strap connecting	2	S.95.B	C.	NF.1
27VA/3988	Dunlop- ACM16782/6A	Bottle, air, spherical	2	—	A.	
	C.201308	CABLE RUN, FOR BRAKE CONTROL VALVE, ASSEMBLY	—	—		
4441	Dunlop-ACM.17353	Cable, brake control	1	—	B.	DD.1
4439	F.201310	Cleat, for brake cable adjuster	2	DTD.610	MR/C	NF.1
4440	F.201307	Clip, for brake cable	2	S.3	MR/C	NF.1
4442	A.201281	Guard	1	S.3	MR/C	NF.1
6A/1230	—	Choke, E.L.	1	—	B.	
	STD 840/33	Clip, securing thermal valve, $\frac{3}{8}$ " wide x 22 S.W.G. x 3-3" long (Make from 30B/1433)	1	DTD.610	MR/C	4
	STD 841/34	Clip, $\frac{3}{8}$ " wide x 22 S.W.G. x 3-4" long	1	DTD.610	MR/C	4
	STD 842/11	Clip, securing pipes, $\frac{3}{8}$ " wide x 22 S.W.G. x 1-1" long (Make from 30A/1284)	2	S.3	MR/C	4
	STD 2045/22/24	Clip, sleeved	2	—		
6A/2693/	N-504.014	Gauge, pressure, Mk. 14LL (AS.860/8)	1	—	A.	
6A/2691/	N-504.013	Gauge, pressure, Mk. 14KK 0-3000 lb. E.L.(AS.860/8)	2	—	A.	
6A/4749/DL		Gauge, triple pressure, Mk. 2 (Murray)	1	—	A.	
Ae.A.Hu-FT-535	Auto.Prod.- AVA.322 AX/ 22.5-S1 Dowty- 1.00420.001 F.232492	Hose, flexible, $\frac{1}{2}$ " (Mod. 457)	1	—	C.	
		Jack, aileron gearing, 2-position (Mod. 457) AS.860/23	1	—	A.	
		Label, for pressure gauge	1	L.72		
6A/2771	—	Label	3	—	C.	
	A.192688	MOUNTING, FOR BRAKE PRESSURE RELAYS ON FRAME No. 11, ASSEMBLY	—	—		
	STD 841/34	Clip, securing, $\frac{3}{8}$ " wide x 22 S.W.G. x 3-4" long (Make from 30B/1433)	2	DTD.610	MR/C	4
2845	A.192688/1	Packing, 2-65" long x .45" wide x $\frac{1}{8}$ " thick ...	2	DTD.590	MR/C	NF.1
F+W Pkt.297	6F-F+W-515004	Bremsdruckblende	2	—		
Ae.A. 1188						
2845	A.192688/1	Packing, for pressure relay	1	DTD.590	MR/C	NF.1
3499	C.246894/1	Pipe, pressure, tee-piece to union	1	Stahl		
3500	C.246894/2	Pipe, pressure, union to tee-piece	1	Stahl		
3501	C.246894/3	Pipe, pressure, tee-piece to union	1	Stahl		
3502	C.246894/4	Pipe, pressure, union to non-return valve	1	Stahl		
3506	C.246894/8	Pipe, pressure, tee-piece to pressure switch ...	1	Stahl		
3507	C.246894/9	Pipe, pressure, tee-piece to pressure relay ...	1	Stahl		
3508	C.246894/10	Pipe, pressure relay to choke	1	Stahl		
3509	C.246894/11	Pipe, pressure, choke to bulkhead connection ...	1	Stahl		
	6F-F+W-824313	<u>Einbau von Luftauffüllventil</u> (Ae.A.Hu-F-745)				
	Demic-DC.22.Mk2	Luftauffüllventil	1			
	AGS 1212	Adapter-Block	1			
	AGS 1138/B	Dichtung	1			
	6F-F+W-521613	Unterlage	1			
	A 25/12C	6kt.-Schraube	2			
	AGS 2002/c1	Sich.-Mutter	2			
	SP 15/C	U-Scheibe	4			
	6F-F+W-521346	Klebeschild	1			
	6F-F+W-521526	Klebeschild	1			
	DHS-180-MK.2	Lasche	1			

SERVICES-HYDRAULICS FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
3512	C.246894/14	Pipe, return, union to union	1	Stahl	C.	
3513	C.246894/15	Pipe, return, union to tee-piece... ..	1			
3514	C.246894/16	Pipe, return, tee-piece to non-return valve	1			
3515	C.246894/17	Pipe, return, non-return valve to relay valve... ..	1			
3516	C.246894/18	Pipe, return, tee-piece to thermal relief valve	1			
3518	C.246894/20	Pipe, undercarriage up, union to union	1			
3519	C.246894/21	Pipe, undercarriage up, union to tee-piece	1			
3520	C.246894/22	Pipe, undercarriage up, tee-piece to restrictor	1			
1944	C.246894/23	Pipe, undercarriage up, restrictor to nose wheel jack	1			
3521	C.246894/24	Pipe, undercarriage up, tee-piece to union	1			
3522	C.246894/25	Pipe, undercarriage up, union to sequence valve	1			
3523	C.246894/26	Pipe, undercarriage up, sequence valve to union	1			
3524	C.246894/27	Pipe, undercarriage up, union to union	1			
1945	C.246894/28	Pipe, undercarriage up, union to nose wheel door jack	1			
3525	C.246894/29	Pipe, undercarriage down, union to union	1			
3526	C.246894/30	Pipe, undercarriage down, union to tee-piece	1			
3528	C.246894/33	Pipe, undercarriage down, tee-piece to union	1			
3529	C.246894/34	Pipe, undercarriage down, union to restrictor	1			
1947	C.246894/35	Pipe, undercarriage down, restrictor to nose wheel door jack	1			
3530	C.246894/36	Pipe, port brake, union to union	1			
3531	C.246894/37	Pipe, port brake, union to tee-piece	1			
3532	C.246894/38	Pipe, port brake, tee-piece to union	1			
3533	C.246894/39	Pipe, port brake, union to relay valve... ..	1			
3534	C.246894/40	Pipe, port brake, tee-piece to pressure relay... ..	1			
3535	C.246894/41	Pipe, port brake, pressure relay to bulkhead connection	1			
3537	C.246894/43	Pipe, starboard brake, union to union	1			
3538	C.246894/44	Pipe, starboard brake, union to tee-piece	1			
3539	C.246894/45	Pipe, starboard brake, tee-piece to union	1			
3540	C.246894/46	Pipe, starboard brake, union to relay valve	1			
3541	C.246894/47	Pipe, starboard brake, tee-piece to pressure relay	1			
3542	C.246894/48	Pipe, starboard brake, pressure relay to bulkhead connection	1			
3544	C.246894/50	Pipe, brake air, accumulator to union	1			
3545	C.246894/51	Pipe, brake air, union to bulkhead connection	1			
	6F-F+W-806170-R1	Pipe, flap and undercarriage air, charging connection to union (Ae.A.Hu-F-745)	1			
3549	C.246894/55	Pipe, flap and undercarriage air, bulkhead connection to 4-way piece	1			
3550	C.246894/56	Pipe, undercarriage air, 4-way piece to non-return valve	1			
3551	C.246894/57	Pipe, undercarriage air, non-return valve to air bottle	1			
3552	C.246894/58	Pipe, undercarriage air, air bottle to tee-piece	1			
3553	C.246894/59	Pipe, undercarriage air, tee-piece to air valve release	1			
3554	C.246894/61	Pipe, undercarriage air, bulkhead connection to tee-piece	1			
3556	C.246894/62	Pipe, undercarriage air, tee-piece to union	1			
3557	C.246894/63	Pipe, undercarriage air, tee-piece to gauge	1			
3558	C.246894/64	Pipe, flap air, 4-way piece to non-return valve	1			
3559	C.246894/65	Pipe, flap air, non-return valve to air-bottle	1			
3560	C.246894/66	Pipe, flap air, bottle to tee-piece	1			
3561	C.246894/67	Pipe, flap air, tee-piece to union	1			
3565	C.246894/71	Pipe, flap air, bulkhead connection to union	1			
3566	C.246894/72	Pipe, flap air, union to union	1	Stahl		

RESTRICTED

SERVICES—HYDRAULICS FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
3567	C.246894/73	Pipe,	flap air,	tee-piece to gauge	...	...	1	Stahl		
3568	C.246894/74	Pipe,	undercarriage down,	union to shuttle valve	...	...	1			
3569	C.246894/75	Pipe,	undercarriage down,	shuttle valve to union	...	...	1			
3570	C.246894/76	Pipe,	undercarriage air,	tee-piece to shuttle valve	...	...	1			
3571	C.246894/77	Pipe,	pressure, tee-piece to union	...	...	...	1			
4229	C.246894/81	Pipe,	brake air,	bulkhead connection to gauge	...	...	1			
4858	C.246894/85	Pipe,	flap air,	union to air release valve	...	...	1			
4859	C.246894/86	Pipe,	flap air,	release valve to union	...	...	1			
4589	C.246894/94	Pipe,	air,	accumulator to accumulator	...	...	1		C.	
4590	C.246894/95	Pipe,	pressure,	4-way piece to tee-piece	...	...	1		C.	
5899	C.246894/111	Pipe,	undercarriage air,	air release valve to bulkhead connection	...	...	1			
5900	C.246894/112	Pipe,	flap air,	union to bulkhead connection	...	...	1			
	6F-F+W-806170-R2	Pipe,	flap and undercarriage air,	connection to union (Ae.A.Hu-F-745)	...	...	1		MR/C	
7848	C.246894/115	Pipe,	pressure,	tee-piece to accumulator (Mod. 294)	...	...	1		C.	
7849	C.246894/116	Pipe,	pressure,	tee-piece to accumulator (Mod. 294)	...	...	1		C.	
8199	C.246894/117	Pipe,	pressure,	non-return valve to 4-way piece (Mod. 294)	...	...	1		MR/C	
8200	C.246894/118	Pipe,	pressure,	4-way piece to relay valve (Mod. 294)	...	...	1		MR/C	
8201	C.246894/119	Pipe,	return,	thermal relief valve to 4-way piece (Mod. 294)	...	...	1		MR/C	
	6F-F+W-806170-R3	Pipe,	flap and undercarriage air,	charging connection to union (Ae.A.Hu-F-745)	...	...	1		MR/C	
	C.246894/123	Pipe,	service,	shuttle valve to union (Mod. 457)	...	...	1	Stahl		
	C.246894/124	Pipe,	pressure,	shuttle valve to union (Mod. 458)	...	...	1			
	C.246894/125	Pipe,	pressure,	union to union (Mod. 457)	...	...	1			
	C.246894/132	Pipe,	return,	tee-piece to shuttle valve (Mod. 457)	...	...	1			
	C.246894/133	Pipe,	return,	union to tee-piece (Mod. 457)	...	...	1			
	6F-F+W-806170-R4	Pipe,	flaps and undercarriage air,	bulkhead connection to connection (Ae.A.Hu-F-745)	...	...	1			
	C.246894/135	Pipe,	nose wheel jack to union (Mod. 457)	...	...	...	1			
	C.246894/136	Pipe,	union to tee-piece (Mod. 457)	...	...	...	1			
Ae.A.Hu-534/535	C.246894/143-S2	Pipe,	service,	union to flexible hose (Mod. 457)	...	...	1			
8571	C.246894/144	Pipe,	pressure,	union to union (Mod. 457)	...	...	1		C.	
6081	C.246894/148	Pipe,	air,	accumulator to charging valve (Mod. 289)	...	...	1		C.	
1474	F.182924	Plate,	clamp in (halves)	...	...	...	2		C.	NF.1
6751	F.210130	Plate,	extension	...	...	...	1		C.	NF.1
27VA/5202	Dunlop-ACM.18570	Relay,	pressure	...	...	...	1		A.	
27Q/931	Dowty-D.4141Y	Restrictor	...	...	...	...	1		A.	
	6F-F+W-806262E-R2	Hydr. Leitung,	starboard brake,	bulkhead connection to gauge	...	...	1			
	6F-F+W-806262E-R3	Hydr. Leitung,	port brake,	bulkhead connection to gauge	...	...	1			
	6F-F+W-806262E-R1	Hydr. Leitung,	pressure,	bulkhead connection to tee-piece	...	...	1			
	6F-F+W-806262E-R4	Hydr. Leitung,	pressure,	tee-piece to gauge	...	...	1			
	6F-F+W-806262E-R5	Hydr. Leitung,	pressure,	tee-piece to gauge	...	...	1			
	6F-F+W-806262E-R6	Hydr. Leitung,	pressure,	union to end	...	...	1			
F+W Pkt.297	AGS 1118/A	T-Stück	...	...	...	...	1			
Ae.A. 1188	6F-F+W-515817	Entlüftungsstutzen	...	...	...	...	1			
	DHS-180-Mk.3	Sich.-Oese	...	...	...	...	2			
	A 25/1B	6 kt.-Schraube	...	...	...	...	1			
	AS 1242/1B	Sk.-Schraube	...	...	...	...	1			
	SP 13/B	U-Scheibe	...	...	...	...	2			
	AGS 2001/B1	Sich.-Mutter	...	...	...	...	2			

SERVICES--HYDRAULICS FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	B.190361	Rod, spacer, group	...	...	...	...	1	—		
1473	F.190364	Block, clamp	...	...	...	...	1	LFS.21	C.	NF.1
1467	F.190363	Block, clamp	...	...	...	...	2	LFS.21	C.	NF.1
5F/2273	—	Liner, 1½" i/d × ¾" long	...	...	...	...	2	P.V.C.	C.	
1475	F.182925	Ring, clamp (in halves)	...	...	...	...	2	LFS.21	C.	NF.1
	B.190361/1	Rod, 34.5" long × ⅜" dia.	...	...	...	...	1	DTD.423		NF.1
	STD 1509/23/050	Tube, distance, ⅜" o/d × 17 S.W.G. × 0.5" long	...	...	...	...	2	T.4		
	STD 1510/13/054	Tube, distance, ⅜" o/d × 20 S.W.G. × 0.54" long	...	...	...	...	1	T.4	MR/C	4
		(Make from 30B/558)								
	STD 1606/44/B24	Screw	...	...	...	...	4	Brass	C.	5
1476	F.189990	Strap, air bottle, forward	...	...	...	...	2	DTD.166	C.	NF.1
866	F.189989	Strap, air bottle, forward lower	...	...	...	...	2	DTD.166	C.	NF.1
868	F.190003	Strap, air bottle, forward upper	...	...	...	...	2	DTD.166	C.	NF.1
867	F.189991	Strap, air bottle, rear	...	...	...	...	2	DTD.166	C.	NF.1
5CW/6274	Thermal-Contr.	Switch, pressure (Pre Mod.827)	...	...	...	...	1	—	A.	
x	T P.5207/1									
	STD 1509/12/010	Tube, distance, at triple pressure gauge, ⅜" o/d × 20 S.W.G. × 0.10" long	...	...	...	...	2	T.4		
		(Make from 30B/619)								
	STD 1509/23/024	Tube, distance, ⅜" o/d × 17 S.W.G. × 0.24" long	...	...	...	...	1	T.4		4
	STD 1509/23/040	Tube, distance, ⅜" o/d × 17 S.W.G. × 0.40" long	...	...	...	...	2	T.4	MR/C	4
	A.187879	VALVE, RESTRICTOR AND MOUNTING FOR NOSE WHEEL DOOR, ASSEMBLY	...	...	...	...	—	—		
	STD 1178/8	Clip	...	...	...	...	1	S.3	C.	
27Q/928	Dowty— D.4140.Y	Restrictor valve, one-way	...	...	...	...	1	—	A.	
	STD 1509/23/100	Tube, distance, ⅜" o/d × 17 S.W.G. × 1" long	...	...	...	...	1	T.4	MR/C	4
		(Make from 30B/556)								
	B.187875	VALVE, AIR RELEASE, FLAP EMERGENCY CONTROL, ASSEMBLY	...	...	...	...	—	—		
8134	A.214740	Bracket, mounting for Micro Switch (Mod. 428)...	...	...	...	...	1	—		NF.1
1469	F.187876	Cable, emergency air valve operating	...	...	...	...	1	W.2	C.	NF.1
	Aviation-Dev. 5282D	Handle, release...	...	...	...	...	1	—	C.	
8133	F.214750	Pin, special (Mod. 428)	...	...	...	...	1	S.95		NF.1
1888	Mills-GP.2	Pin, grooved, G.P.2 ⅜" dia. × ⅞" long	...	...	...	...	1	MS	C.	
2846	F.178478	Shackle	...	...	...	...	1	S.3	MR/C	NF.1
5CW/6375	Pye 401	Switch-micro (Mod. 428)	...	...	...	...	1	—	A.	
	STD 1507/2/084	Tube, distance (Mod. 428)	...	...	...	...	1	—		
27Q/1121	Dowty— C.4076Y, Mk. E	Valve	...	...	...	...	1	—	A.	
	C.185642	VALVE, BRAKE RELAY CONTROL, ASSEMBLY	...	...	...	...	—	—		
* → 1477	F.192386	Fork-end	...	...	...	...	1	—	C.	NF.1
27G/2321	Dunlop— A C O.8011	Lever, steering	...	...	...	...	1	—	C.	
1479	A.185645	Rod, connecting...	...	...	...	...	1	S.1	C.	NF.1
27G/2585	Dunlop-AC.12734	Valve, brake relay	...	...	...	...	1	—	A.	
*	SP3Y/414R	Fork-end	...	...	...	...	1	—		
x	Thermal-Contr. TP.5555	Switch, pressure (Mod.827)	...	...	...	...	1	—	A.	

SERVICES—HYDRAULICS FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	B.193674	VALVE, UNDERCARRIAGE EMERGENCY AIR RELEASE, ASSEMBLY					—	—		
	F.214687	Angle, mounting (Mod. 428) ...	...	...	...	...	1	L72		
	F.214688	Angle, mounting (Mod. 428) ...	...	...	...	...	1	L72		
1887	F.187877	Cable, air release control ...	...	...	...	...	1	—	C.	NF.1
	B.215370	Cable, F.71 (See Cable Chart) ...	...	...	...	...	1	—		
	Aviation-Dev. 5283B	Handle, release... ..	...	...	...	...	1	—	C.	
x → 8132	F.214686	Lever, limit switch (Mod. 428) ...	...	...	...	...	1	S.3		NF.1
1888	Mills-GP.2	Pin, grooved, G.P.2 $\frac{1}{2}$ " dia. x $\frac{7}{16}$ " long ...	...	...	...	...	1	MS	C.	
	F.191921	Plate, mounting ...	...	...	...	...	1	DTD.610		
2846	F.178478	Shackle ...	...	...	...	...	1	S.3	MR/C	NF.1
	Dowty-C.1831Y. Mk. 102	Switch, limit (Mod. 428) ...	...	...	...	...	1	—	B.	
	STD 1507/2/096	Tube, distance (Mod. 428) ...	...	...	...	...	1	—		
27Q/943	Dowty-C.4076Y. Mk. C	Valve, air release ...	...	...	...	...	1	—	A.	
27Q/927	Dowty-C.4603Y. Mk. A	Valve, thermal relief ...	...	...	...	...	1	—	A.	
27Q/1134	Dowty-C.4122Y. Mk. E	Valve, shuttle ...	...	...	...	...	1	—	A.	
27Q/1708	Dowty-D.8680Y. Mk. A	Valve, shuttle (Mod. 457)... ..	...	...	...	...	1	—	A.	
27Q/926	Dowty-D.5220.Y	Valve, non-return ...	...	...	...	...	2	—	A.	
27Q/1539	Dowty-D.5213.Y	Valve, non-return (Mod. 447) ...	...	...	...	...	2	—	A.	
	STD 915/B/18	Washer, 4 B.A. ...	...	...	...	...	6	DTD.610	C.	4
	Auto.Prod.-AVA.322 AX/22,5-S1	Kanonenraum Übersetzungszyylinder								
Ae.A.Hu-535	AGS 952/B	Flex-Teflonleitung mit Scheuerschutz					1			
F+W Pkt.336	A 25/8B	Stützring					1			
Ae.A. 1233	AGS 2007/B1	6 kt.-Schraube					2			
	NB 1077	Anhietmutter					2			
		Sk.-Niet 2,6 x 7					4	741.4		
x Ae.A.Hu-506	Fa-10-16	Sicherungsfaden					n.B.	rot		

SERVICES—HYDRAULICS FRONT FUSELAGE

Ref. No.	Part No.	Description								No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5							
		SUMMARY OF STOCK ITEMS											
	AGS.1104.A	Adaptor	...	...	...	...	...	...	...	...	—	—	—
	AGS.1212	Block, mounting	...	...	...	...	...	...	...	...	—	—	—
	A25.1.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	—	—	—
	A25.2.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	—	—	—
	A25.5.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	—	—	—
	A25.6.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	—	—	—
	A25.7.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	—	—	—
	A25.8.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	—	—	—
	A25.11.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	—	—	—
	A25.12.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	—	—	—
	A25.14.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	—	—	—
	A25.16.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	—	—	—
	A25.17.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	—	—	—
	A25.1.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	—	—	—
	A25.5.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	—	—	—
	A25.6.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	—	—	—
	A25.8.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	—	—	—
	A25.9.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	—	—	—
	A25.10.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	—	—	—
	A25.11.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	—	—	—
	A25.12.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	—	—	—
	A25.16.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	—	—	—
	A25.25.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	—	—	—
	A25.19.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	—	—	—
	AS.1242/4B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	—	—	—
	AS.1248/10C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	—	—	—
	AS.1248/3C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	—	—	—
	A25.7.E	Bolt, 1/2" B.S.F.	...	...	...	...	...	...	...	...	—	—	—
	AS.5419/3	Clip	...	...	...	...	...	...	...	...	—	—	—
	AS.5419/4	Clip	...	...	...	...	...	...	...	...	—	—	—
	SP.3Y/414	Fork-end...	...	...	...	...	...	...	...	...	—	—	—
	SP.21	Nipple, lubricating	...	...	...	...	...	...	...	...	—	—	—
	AGS.1142.B	Nipple	...	...	...	...	...	...	...	...	—	—	—
	AGS.1170.A	Nipple	...	...	...	...	...	...	...	...	—	—	—
	AGS.1170.B	Nipple	...	...	...	...	...	...	...	...	—	—	—
	A27.C.P.	Nut, 2 B.A.	...	...	...	...	...	...	...	...	—	—	—
	A27.E.T.	Nut	...	...	...	...	...	...	...	...	—	—	—
	AGS.2001.B1	Nut, 4 B.A.	...	...	...	...	...	...	...	...	—	—	—
	AGS.2001.C1	Nut, 2 B.A.	...	...	...	...	...	...	...	...	—	—	—
	AGS.2002.B1	Nut, 4 B.A.	...	...	...	...	...	...	...	...	—	—	—
	AGS.2002.C2	Nut, 2 B.A.	...	...	...	...	...	...	...	...	—	—	—
	AGS.113.G	Nut, wing	...	...	...	...	...	...	...	...	—	—	—
	AGS.1123/A	Piece, 4-way	...	...	...	...	...	...	...	...	—	—	—
	AGS.1123/B	Piece, 4-way	...	...	...	...	...	...	...	...	—	—	—
	SP.4Y.A15	Pin	...	...	...	...	...	...	...	...	—	—	—
	AS.1151	Pulley	...	...	...	...	...	...	...	...	—	—	—


RESTRICTED

Hunter F. Mk. 58
2nd Edition

SERVICES—HYDRAULICS FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off.	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A32.B.24	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A32.C.20	Screw, 2 B.A.	...	...	...	...	—	—	—	
	A33.B.20	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A33.C10	Screw, 2 B.A.	...	...	...	...	—	—	—	
	AGS.1118.A	Tee-piece	...	...	...	...	—	—	—	
	AGS.1118.B	Tee-piece	...	...	...	...	—	—	—	
	AGS.1120/1	Tee-piece	...	...	...	...	—	—	—	
	AGS.1120/6	Tee-piece	...	...	...	...	—	—	—	
	AGS.1109.K	Union, reducing	...	...	...	...	—	—	—	
	AGS.1200	Valve, charging	...	...	...	...	—	—	—	
	AS.470.C	Washer	...	...	...	...	—	—	—	
	AS.470.E	Washer	...	...	...	...	—	—	—	
	AGS.162.C	Washer, spring	...	...	...	...	—	—	—	
	SP.15.B	Washer, 4 B.A.	...	...	...	...	—	—	—	
	SP.15.C	Washer, 2 B.A.	...	...	...	...	—	—	—	
	SP.16.B	Washer	...	...	...	...	—	—	—	
	SP.16.C	Washer, 2 B.A.	...	...	...	...	—	—	—	
	AGS.1138.A	Washer	...	...	...	...	—	—	—	
	AGS.1186.B	Washer	...	...	...	...	—	—	—	

RESTRICTED





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.