

SERVICES—HYDRAULICS REAR FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
		1 2 3 4 5				
—	D.209242-S1	HYDRAULIC INSTALLATION IN REAR FUSELAGE, ASSEMBLY	—	—		
	6F-F+W-804199	Accumulator, unit (AS.920/98) ...	1	—	A.	
Ae.A.Hu-FT-549	2052 F.194338	Block, clamp ...	7	LFS.21	C.	NG.1
	2053 F.194339	Block, clamp ...	8	LFS.21	C.	NG.1
	2081 F.195583	Block, clamp ...	6	LFS.21	C.	NG.1
	1180 F.183906	Block, clamp, for return pipe ...	1	LFS.21	C.	NG.1
	1181 F.183907	Block, clamp, for pressure pipe ...	1	LFS.21	C.	NG.1
	2093 F.196103	Block, clamp ...	1	LFS.21		
	4950 F.204723	Block, clamp ...	8	LFS.21	C.	NG.1
	4951 F.204934	Block, clamp ...	2	LFS.21	C.	NG.1
x	8511 F.220531	Block, saddle at Pressure Regulator valve ...	1	LFB.72		NG.1
	7231 B.200875	Bracket, mounting, for pressure gauge ...	1	L.72	MR/C	
xx	A.215212-S1	Bracket, mounting for micronic filter (Ae.A. Hu-FT-800)	1	—		
	Auto. Prod.-	Cap, blanking ...	2	—	C.	
	AVA.64-7/C					
	1182 A.189669	Clamp, top ...	1	S.3	C.	NG.1
	1183 F.189672	Clamp, block, group ...	1	S.3	C.	NG.1
	F.189672/1	Channel ...	1	S.3		
	F.189672/2	Clamp, plate ...	1	S.3		
	4952 F.204102	Clamp, plate ...	4	LFS.21	C.	NG.1
	F.221095	Clip, securing cable duct in dorsal fin (Mod. 629) ...	2	—		
	F.211876	Clip ...	1	S.3		
	Std 2045/29/22	Clip, sleeved ...	1	—		
	Std 2045/38/22	Clip, sleeved ...	1	—		
	Std.851/35	Clip, 1/8" wide x 22 S.W.G. x 3-5" long ...	2	DTD.610	C.	4
		(make from 30B/1433)				
	Std 853/81	Clip, securing at Pressure Regulator Valve ...	1	S.3		
9421	F.215214	Clip, half securing micronic filter (Mod. 487) ...	1	—	C.	NG.1
9092	F.221834	Clip, saddle, securing pipes above frame 51 ...	1	S.510		NG.1
27BA/8796	Auto. Prod.-	Coupling, half, high pressure, union ...	1	—	C.	
	AVA.57/A					
27BA/8759	Auto. Prod.-	Coupling, half, high pressure, union ...	1	—	C.	
	AVA.57/B					
27BA/11415	Auto. Prod.-	Coupling, flanged ...	2	—	C.	
	AVA.1150/C					
	F.222439	Duct, cable, in dorsal fin (Mod. 629) ...	1	L.62	MR	
	Fairey-BH.2175	Filter, micronic, group (Mod. 487) (Pra. Mod.888) ...	1	—	A.	
6A/2693/	N-504.017	Gauge, pressure, Mk. 14LL. (AS.860/8) ...	1	—	A.	
7232	B.209709	Guard, for flexible pipes ...	1	—		NG.1
Ae.A.Hu-FT-535	4953 A.204708-S2	Hose, flexible, for airbrake jack ...	1	—	C.	NG.1
	4954 A.204709-S2	Hose, flexible, for airbrake jack ...	1	—	C.	
	Auto.Prod-	Hose, flexible, 16-0" ...	1	—	C.	
	AVA.322AX/16-S1					
	Auto.Prod.-	Hose, flexible, 18-5" ...	1	—	C.	
	AVA.322AX/18.5-S1					
	6F-F+W-804352-1	Hose, flexible, 26-5" ...	1	—	C.	
x	9095 F.180484	Body, banjo (Mod.834)	1	DTD.423	C.	
	9094 F.179942-S	Bolt, banjo (Mod.834)	1	S.96 B	C.	
Ae.Hu-FT-608	xx (AGS 2008/C1	Anniemutter	4	—		
	xx (NB 1076	Sk-Niet 2,6 x 8	8	742.4		

SERVICES—HYDRAULICS REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
Ae.A.Hu-FT-535	Auto.Prod.- AVA.322 BX/16-S1 6F-2+W-804353-1	Hose, flexible, 16-0"	...	...	...	...	1	—	C.	4
		Hose, flexible, 23-0"	...	...	...	...	1	—	C.	
6A/2771	—	Label, "AIR "	...	...	...	...	1	—	C.	
27M/9798	Std 1231/3	Lug, locking ...	...	...	...	...	7	S.3	C.	
	Auto. Prod.- AVA.62/A	Nut, union ...	...	...	...	...	1	—	C.	
27M/8766	Auto. Prod.- AVA.62/B	Nut, union ...	...	...	...	...	1	—	C.	
	†B.187926/1	Pipe, pressure, flexible hose to non-return valve	...	...	...	...	1	DTD.323	—	
	†B.187926/4	Pipe, pressure, tee-piece to valve	...	...	...	...	1	DTD.323	—	
	†B.187926/6	Pipe, pressure, valve to tee-piece	...	...	...	...	1	DTD.323	—	
	†B.187926/7	Pipe, pressure, tee-piece to flexible hose	...	...	...	...	1	DTD.323	—	
	†B.187926/8	Pipe, return, flexible hose to non-return valve	...	...	...	...	1	DTD.323	—	
	†B.187926/10	Pipe, return, tee-piece to valve	...	...	...	...	1	DTD.323	—	
	†B.187926/11	Pipe, return, valve to flexible hose	...	...	...	...	1	DTD.323	—	
	†B.187926/12	Pipe, return, tee-piece to thermal relief valve	...	...	...	...	1	DTD.323	—	
	†B.187926/13	Pipe, return, thermal relief valve to tee-piece	...	...	...	...	1	DTD.323	—	
4603	†B.187926/16	Pipe, tee-piece to charging connection	...	...	...	...	1	DTD.323	C.	
4604	†B.187926/17	Pipe, tee-piece to pressure gauge	...	...	...	...	1	DTD.323	C.	
4605	†B.187926/18	Pipe, charging, accumulator to tee-piece	...	...	...	...	1	DTD.323	C.	
4606	†B.187926/19	Pipe, pressure, tee-piece to accumulator	...	...	...	...	1	DTD.323	C.	
5935	†B.187926/23	Pipe, pressure, regulator valve to non-return valve	...	...	...	...	1	DTD.323	C.	
5936	†B.187926/24	Pipe, pressure, non-return valve to tee piece	...	...	...	...	1	DTD.323	C.	
5937	†B.187926/25	Pipe, pressure, tee-piece to lower selector valve	...	...	...	...	1	DTD.323	C.	
5938	†B.187926/26	Pipe, pressure, tee-piece to upper selector valve	...	...	...	...	1	DTD.323	C.	
5941	†B.187926/29	Pipe, return, 4-way to upper selector valve	...	...	...	...	1	DTD.323	C.	
5942	†B.187926/30	Pipe, return, 4-way to lower selector valve	...	...	...	...	1	DTD.323	C.	
5943	†B.187926/31	Pipe, return, 4-way to tee-piece	...	...	...	...	1	DTD.323	C.	
5944	†B.187926/32	Pipe, return, tee-piece to relief valve	...	...	...	...	1	DTD.323	—	
5945	†B.187926/33	Pipe, return, upper selector valve to non-return valve	...	...	...	...	1	DTD.323	—	
5946	†B.187926/34	Pipe, return, thermal relief valve to tee-piece	...	...	...	...	1	DTD.323	C.	
5947	†B.187926/35	Pipe, airbrake "UP," upper selector valve to 4-way	...	...	...	...	1	DTD.323	C.	
5948	†B.187926/36	Pipe, airbrake "UP," 4-way to flexible hose	...	...	...	...	1	DTD.323	C.	
5949	†B.187926/37	Pipe, airbrake "UP," 4-way to non-return valve	...	...	...	...	1	DTD.323	—	
5950	†B.187926/38	Pipe, airbrake "UP," 4-way to thermal relief valve	...	...	...	...	1	DTD.323	—	
5951	†B.187926/39	Pipe, airbrake "down," lower selector valve to pressure relief valve (Mod. 554)	...	...	...	...	1	DTD.323	C.	
5952	†B.187926/40	Pipe, airbrake "DOWN," relief valve to tee-piece	...	...	...	...	1	DTD.323	C.	
5953	†B.187926/41	Pipe, airbrake "DOWN," tee-piece to flexible hose	...	...	...	...	1	DTD.323	C.	
5954	†B.187926/42	Pipe, airbrake "DOWN," tee-piece to pressure switch	...	...	...	...	1	DTD.323	—	
6514	†B.187926/45	Pipe, pressure, union to union (Mod. 343)	...	...	...	...	1	T.55 or DTD.743	C.	
6515	†B.187926/46	Pipe, pressure, union to regulator valve (Mod. 343)...	...	...	...	...	1	T.55 or DTD.743	C.	
6516	†B.187926/47	Pipe, return, union to 4-way (Mod. 343)	...	...	...	...	1	T.55 or DTD.743	C.	
6517	†B.187926/48	Pipe, pressure, S.S. coupling to union (Mod. 343)	...	...	...	...	1	T.55 or DTD.743	C.	
6518	†B.187926/49	Pipe, return, S.S. coupling to union (Mod. 343)	...	...	...	...	1	T.55 or DTD.743	C.	
7860	†B.187926/51	Pipe, pressure, tee-piece to tee-piece	...	...	...	...	1	DTD.323	C.	
7861	†B.187926/52	Pipe, return, non-return valve to tee-piece	...	...	...	...	1	DTD.323	C.	

† For details see Piping Chart.

SERVICES—HYDRAULICS REAR FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
x →	†B.187926/53	Pipe, pressure, non return valve to filter (inlet) (Mod. 487)	1	DTD.323		
	†B.187926/54	Pipe, pressure, filter (outlet) to tee-piece (Mod. 487)	1	DTD.323		
	F.217369	Plate, sealing at frame 50 (Mod. 545) ...	1	LFS.21	MR	
	F.217370	Plate, sealing at frame 51 (Mod. 545) ...	1	LFS.21	MR	
	SP 900/22	Ring, "O" ...	2	—	C.	
	7822 Dowty-GD.1576	Shroud, 3/8" B.S.P., union connection (Alt. to A.206611)	1	—	C.	
	5704 A.206611	Shroud, bulkhead connection (Alt. to GD.1576) ...	2	—		
	7821 Dowty-GD.1579	Shroud, 3/8" B.S.P. bulkhead connection (Alt. to A.206610)	4	—	C.	
	5703 A.206610	Shroud, bulkhead connection (Alt. to GD.1579) ...	8	—		
	— D.209242/1	Sleeve, 1" int. dia. x 4" long (Make from 5F/2272) ...	2	P.V.C.	—	
	— D.209242/2	Sleeve, 3/4" int. dia. x 14-5" long ...	1	P.V.C.	—	
	5F/2279 Hellermann-HV.3254	Strapping, 3/8" wide ...	QR	—		
	5F/2280 Hellermann-HV.3255	Stud ...	QR	—		
	5CW/6015 Thermal-Contr. TP.5300/2	Switch, pressure (Mod. 477) (Alternative to TP.1300)	1	—	A.	
	1184 F.180950	Tee-piece ...	1	—	C.	
	— Std 1507/2/026	Tube, distance (Local manufacture) ...	1	T.26	—	
	— Std 1507/2/082	Tube, distance (Local manufacture) ...	1	T.26	—	
	— Std 1507/2/080	Tube, distance (Local manufacture) ...	1	T.26	—	
	1466 F.140778	Union, reducing ...	1	L.1	C.	NF.1
	1185 F.183200	Union ...	2	—	C.	
	8334 A.210242	Union, flanged at frame 46 ...	2	—	A.	NG.1
	27Q/926 Dowty-D.5220.Y	Valve, thermal relief ...	3	—	A.	
	27Q/15170 Dowty-D.5230.Y	Valve, non-return ...	1	—	A.	
	27Q/1288 Dowty-1.00051.035	Valve, pressure release ...	1	—	A.	
	Dowty-04862.Y. B08	Valve, pressure maintaining (AS.830/56) ...	1	—	A.	
	27Q/1932 Dowty-08808.Y. A04	Valve, selector ...	1	—	A.	
	28Q/1933 Dowty-08816.Y. A03	Valve, selector ...	1	—	A.	
	27Q/1936 Dowty-08818.Y. A02	Valve, selector ...	1	—	A.	
	27Q/927 Dowty-C.4603.Y.Mk.A	Valve, thermal relief ...	2	—	A.	
	— Std 915/B/10	Washer ...	1	DTD.610	MR/C	
	— Std.1547/28/18	Washer ...	1	DTD.610	—	
† For details see Piping Chart						
Ae.A.Hu-FT-607	AGS 2018/B1 NB 1076	Anniemutter SK.-Niet 2,6 x 8	6 12	— 742.4		

RESTRICTED

Hunter F. Mk. 58
2nd Edition

SERVICES—HYDRAULICS REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
	AGS 1212-5	Block, adaptor	...	...	...	...	...	—	—	—
	A25/1/2B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
	A25/1B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
	A25/3B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
	A25/5B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
	A25/6B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
	A25/7B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
	A25/8B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
	A25/1C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	A25/2C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	A25/3C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	A25/4C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	A25/6C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	A25/9C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	A25/11C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	A25/17C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	A25/18C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	A25/13C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	A25/14C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	A25/16C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	A25/17C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	AS 1248/2B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
	AGS 1135A	Bolt, banjo	...	...	...	...	...	—	—	—
	AGS 1335B	Bolt, banjo	...	...	...	...	...	—	—	—
	AS 4519/6	Clip	...	...	...	...	...	—	—	—
	AGS 1104A	Cone, adaptor	...	...	...	...	...	—	—	—
	AGS 1111C	Cone, union	...	...	...	...	...	—	—	—
	AGS 1118A	Cone, tee	...	...	...	...	...	—	—	—
	AGS 1118B	Cone, tee	...	...	...	...	...	—	—	—
	AGS 1120/1	Cone, tee	...	...	...	...	...	—	—	—
	AGS 1120/5	Cone, tee	...	...	...	...	...	—	—	—
	AGS 1120/11	Cone, tee	...	...	...	...	...	—	—	—
	AGS 1120/13	Cone, tee	...	...	...	...	...	—	—	—
	AGS 1123C	Cone, 4-way piece	...	...	...	...	...	—	—	—
	AGS 1142C	Nipple, adaptor	...	...	...	...	...	—	—	—
	AGS 1170C	Nipple, ...	...	...	...	...	...	—	—	—
	A27 CT	Nut, 2 B.A.	...	...	...	...	...	—	—	—
	AGS 2001/B1	Nut, 4 B.A.	...	...	...	...	...	—	—	—
	AGS 2002/B1	Nut, 4 B.A.	...	...	...	...	...	—	—	—
	AGS 2001/C	Nut, 2 B.A.	...	...	...	...	...	—	—	—
	AGS 2002/C1	Nut, 2 B.A.	...	...	...	...	...	—	—	—
	A32/B12	Screw, 4 B.A.	...	...	...	...	...	—	—	—
	A32/B14	Screw, 4 B.A.	...	...	...	...	...	—	—	—
	A32/B24	Screw, 4 B.A.	...	...	...	...	...	—	—	—
	A31/B14	Screw, 4 B.A.	...	...	...	...	...	—	—	—
	A31/C12	Screw, 4 B.A.	...	...	...	...	...	—	—	—
	A31/C14	Screw, 2 B.A.	...	...	...	...	...	—	—	—

RESTRICTED

RESTRICTED


SERVICES—HYDRAULICS REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R., Class of Store	Plate No.
		1	2	3	4	5				
	AGS 1106/B	Union	...	...	...	...	—	—	—	
	AGS 1106/D	Union	...	...	...	...	—	—	—	
	AGS 1125/B	Union, piece 4-way	...	...	...	...	—	—	—	
	AGS 1132/A	Union, banjo	...	...	...	...	—	—	—	
	AGS 1132/B	Union, banjo	...	...	...	...	—	—	—	
	AGS 1200	Valve, charging	...	...	...	...	—	—	—	
	SP 13/C	Washer	...	...	...	...	—	—	—	
	SP 15/B	Washer, 4 B.A.	...	...	...	...	—	—	—	
	SP 15/C	Washer, 2 B.A.	...	...	...	...	—	—	—	
	SP 16/C	Washer, 2 B.A.	...	...	...	...	—	—	—	
	SP 16/B	Washer	...	...	...	...	—	—	—	
	SP 23/C	Washer	...	...	...	...	—	—	—	
	SP 47/B	Washer, 4 B.A.	...	...	...	...	—	—	—	
	AGS 1115/4	Washer, plate	...	...	...	...	—	—	—	
	AGS 1186/A	Washer, sealing	...	...	...	...	—	—	—	
	AGS 1186/B	Washer, sealing	...	...	...	...	—	—	—	

RESTRICTED

SERVICES—HYDRAULICS REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
		<u>Rumpfhinterteil Höhensteuer - Servodyne</u>								
	6F-F+W-516717	Support					1			
	SP 13/B	U-Scheibe					2			
	AGS 2001/B1	Sich.-Mutter					2			
Ae.A-Hu-FT-535	Auto-Prod.-AVA.322 AX/18.5-S1	Flex-Teflonleitung ohne Scheuerschutz					1			
	6F-F+W-803444	Winkelstutzen					1			
	6F-F+W-516719	Klemmbride					1			
	SP 15/C	U-Scheibe					2			
	A 25/11C	6 kt.-Schraube (mit Sich.-Loch)					2			
	* 6F-F+W-518369	Halteplatte					1			
	6F-F+W-516716	Support					1			
	AS 1242/1B	Sk.-Schraube					4			
	SP 15/B	U-Scheibe					4			
	AGS 2001/B1	Sich.-Mutter					4			
	* A 25/ 2 B	6 kt.-Schraube					6			
F+W Pkt.336	SP 13/B	U-Scheibe					4			
Ae.A. 1233	AGS 2001/B1	Sich.-Mutter					4			
	6F-F+W-804352-1	Flex-Teflonleitung					1			
Ae.A. Hu429										
	6F-F+W-804353-1	Flex-Teflonleitung					1			
	* 6F-F+W-516718-1	Klemmbride					1			
	SP 15/C	U-Scheibe					2			
	A 25/11C	6 kt.-Schraube (mit Sich.-Loch)					2			
	NB 1077	Sk.-Niet 3 x 8					2	742.4		
	A 25/8C	6 kt.-Schraube					1			
	SP 13/C	U-Scheibe					1			
	AGS 2001/C1	Sich.-Mutter					1			
		<u>Rumpfhinterteil Luftbremse - Arb.Zylinder</u>								
	6F-F+W-516266	Klemmbride					1			
Ae.A.Hu-FT-535	A.204708-S2	Flex-Teflonleitung					1			NG.1
	A.204709-S2	Flex-Teflonleitung					1			
	A 25/15C	6 kt.-Schraube					2			



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

