

SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Place No.
		1 2 3 4 5				
	C.203285	CABIN PRESSURISING AIR CONDITIONING, FRONT FUSELAGE, ASSEMBLY	—	—		
	E.182797	CABIN PRESSURISING EQUIPMENT, FORWARD OF FRAME 7, ASSEMBLY	—	—		
1370	F.187763	Cap, special, for cabin pressure static pipe union and gauge	2	DTD.364	C.	NM.2
	E.182797/1	Chain, for securing pipe connection caps, 4" long	3	Brass		
	Std.1682/12	Clip, securing ram air pipe and non-return valve guard	2	S.3 & T.26	C.	5
	Std.1166/8	Clip, supporting ram air pipe	1	S.3 & T.26	C.	4
2793	A.185675	Clip, supporting ram air pipe	1	S.3	MR/C	NM.1
27KD/510	Normalair—509930	Controller, pressure, type A	1	—	A.	
27KD/10	Normalair—504600	Connection, for ground pressurising, group	1	—	C.	
27KD/371	Normalair—506431	Washer, sealing	1	—	C.	
7850	C.215217	Duct, for ground pressurising, between frames 3 and 6, group	1	—	B.	NM.2
2790	F.179155	Nut-plate (supplied in halves)	2	S.3	MR/C	NM.2
1375	A.182801	Guard, for ground pressurising duct	1	BSS.265 and Brass Gauze	C.	NM.2
	A.183593	Guard, for cabin pressure static pipe	1	DTD.610		
	F.187482	Label, for cabin pressure static pipe	1	L.59		
	Std.1231/3	Lug, locking, for studs on frame 6 and ground pressure duct mounting, at frame 3	7	S.3	C.	4
	B.187402	Plate, locking, for hood seal and cabin pressure gauge connections	1	DTD.610		
2791	F.187586	Plate, clamp, for ram air pipe at frame 3	1	DTD.610	MR/C	NM.2
1378	F.187764	Pipe, between locking plate and pressure controller	1	DTD.253	C.	NM.1
2788	B.186838	Pipe, ram air, between frame 3 and non-return valve	1	L.54	MR/C	NM.1
2784	C.185829/16	Pipe, combined valve unit to connection at frame 6	1	DTD.253	MR/C	NM.1
2786	C.185829/18	Pipe, guard to connection, at frame 6	1	DTD.253	MR/C	
7076	B.209954/1	Pipe, connection, at frame 6 to tee-piece (Mod. 321)	1	DTD.253	MR/C	NM.1
7077	B.209954/2	Pipe, tee piece to pressure controller discharge connection (Mod. 321)	1	DTD.253	MR/C	
2792	F.187585	Ring, packing	1	Felt	MR/C	NM.2
	E.182797/2	Ring, "S" type	1	Brass		
27QA/139	Dowty—GD.1307/3	Seal, bonded	8	—	C.	
27QA/144	Dowty—GD.1307/A	Seal, bonded	1	—	C.	
27QA/145	Dowty—GD.1307/B	Seal, bonded	3	—	C.	
	Std.1744/12	Sleeve, sealing	2	Silicone Rubber	C.	5
1371	F.182800	Stud, at frame 6, securing guard and locking plate	8	S.95.B	C.	NM.2
1377	F.187120	Stud, for 2/15 combined valve unit	2	S.95.B	C.	NM.2
1369	A.187762	Union, flanged, at cabin pressure static pipe	1	DTD.364	C.	NM.2
† For details see Piping Chart						

SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6332	B.205529					Valve, air extractor, group (Mod. 209)	1	—	A.	NM.2
27KD/514	Normalair—510250					Valve Unit, 2/15 combined type, complete with shroud No. 550662	1	—	A.	
1372	F.179156					Washer, tapered, at ground pressurising duct mounting	6	—	C.	NM.2
1373	F.179157					Washer, tapered, at ground pressurising duct mounting	2	LFS.21	C.	NM.2
1374	F.174892					Washer, sealing, at ground pressurising duct mounting	1	DTD.378A	C.	NM.2
1376	F.174891					Washer, sealing, at ground pressurising guard ...	1	DTD.378A	C.	NM.2
	A.184831					CABIN PRESSURISING EQUIPMENT, BETWEEN FRAMES 7 AND 13, ASSEMBLY	—	—		
	F.202881					Angle bracket, for hood seal connections ...	1	L.72		
5145	F.205189					Block, clamp (Mod. 209)	2	LFS.21	C.	4
7114	F.206498					Block, clamp (Mod. 209)	2	LFS.21	MR/C	
	Std.840/13					Clip, securing pipes, $\frac{1}{8}$ " wide $\times$ 22 S.W.G. $\times$ 1-3" long (Make from 30B/1433)	3	DTD.610	MR/C	4
	Std.840/33					Clip, securing pipes, $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 3-3" long (Make from 30B/1433)	1	DTD.610	MR/C	
2732	A.193578					Clip, securing feed pipe, at forward hood de-misting duct	2	DTD.610	MR/C	NM.2
	Std.841/13					Clip, $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 1-3" long	1	DTD.610	C.	4
	Std.850/22					Clip, $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 2-2" long (Make from 30B/1433)	2	DTD.610	MR/C	4
	Std.850/42					Clip, $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 4-2" long	1	DTD.610		
	Std.850/50					Clip, earthing, $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 5" long	8	DTD.610	C.	4
	Std.850/30					Clip, $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 3" long	2	DTD.610	C.	4
	Std.851/38					Clip, $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 3-8" long (Make from 30B/1433)	1	DTD.610		
2733	A.193577					Clip, securing feed pipe at rear hood de-misting duct	2	DTD.610	MR/C	NM.2
	Std.1682/8					Clip, securing supply pipe to hood de-misting feed pipe	6	S.3 & T.26	C.	5
	Std.1682/10					Clip	4	S.3 & T.26	C.	5
	Std.1682/12					Clip, securing feed pipes	5	S.3 & T.26	C.	5
6995	A.208005					Guide, windscreen spray	1	L.72		NM.1
	Std.1511/C					Nut, dome	3	—		
8195	B.215005					Packing	2	L.65.C		
6087	C.251103					Piece, 4-way, N.R.V. to cabin feed pipes (Mod. 210) group (Mod. H. 1045, Prot. Pkt. 396)	1	—	C.	NM.2
27V/4813	Teddington—FHG/A/49					Ductstat	1	—		
	F.211739					Plate, locking	1	—		
8993	F.211740					Washer, sealing	2	—		NM.2
F+W Pkt. 299 Ae.A. 1099	A.250536					Schutzkorb	1			NM.2

SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
6996	B.215271					Pipe, feed for windscreen de-misting duct, port (Mod. 291)	1	BSS.265	C.	NM.1
6997	B.215272					Pipe, feed for windscreen de-misting duct, starboard (Mod. 291)	1	BSS.265	C.	NM.1
6107	A.206503					Pipe, supply, for windscreen side panel spray, port (Mod. 209)	1	—	C.	NM.1
7005	A.207975					Pipe, interconnecting windscreen spray	2	—	C.	NM.1
7006	C.207909					Pipe, spray, windscreen and port quarter light ...	1	—	C.	NM.1
7007	B.207910					Pipe, spray, starboard quarter light	1	—	C.	NM.1
6108	A.206504					Pipe, supply, for windscreen side panel spray, starboard (Mod. 209)	1	—	C.	
6105	A.206499					Pipe, supply, 4-way piece to hood de-misting feed pipe, port (Mod. 209)	1	—	C.	NM.1
6106	A.206500					Pipe, supply, 4-way piece to hood de-misting feed pipe, starboard (Mod. 209)	1	—	C.	NM.1
9049	C.218597					Pipe, feed, windscreen, port (Mod. 281)	1	—		NM.1
9050	C.218598					Pipe, feed, windscreen, starboard (Mod. 281) ...	1	—		NM.1
7000	C.207905-S1					Pipe, hoodspray, port (Mod. 291)	1	—	C.	NM.1
7001	C.207906					Pipe, hoodspray, starboard (Mod. 291)	1	—	C.	NM.1
7002	C.207904					Pipe, 4-way piece to hood spray (Mod. 291) ...	1	—	C.	NM.1
	C.221349					Plate, guard, de-misting duct feed pipe, port (Mod. 604)	1	DTD.213		
	C.221350					Plate, guard, for de-misting duct feed pipe, starboard (Mod. 604)	1	DTD.213		
270A/142	B.197280					Plate, mounting, between frames 7 and 8	1	L.72		
	Dowty					Seal, bonding, for supply pipe to windscreen side panel spray	2	—	C.	
270A/147	GD.1307/14									
	Dowty					Seal, bonding	2	—	C.	
	GD.1307/C									
7003	C.209736					Shield, for hood de-misting duct, port (Mod. 291)	1	L.72	C.	NM.1
7004	C.209737					Shield, for hood de-misting duct, starboard (Mod. 291)	1	L.72	C.	NM.1
	Std 1744/8					Sleeve, sealing	2	Silicone Rubber	C.	5
	Std 1744/10					Sleeve, sealing	2	Silicone Rubber	C.	5
	Std.1744/12					Sleeve, sealing	5	Silicone Rubber	C.	5
6871	F.199884					Stowage, for G.G.S. spare bulbs	1	DTD.610	MR/C	NM.1
	Std.1509/12/050					Tube, distance	1	T.4		
	Std.1509/23/086					Tube, distance	2	T.4	MR/C	4
	Std 1509/23/060					Tube, distance	1	T.4		
	D.191110					CABIN PRESSURISING EQUIPMENT, BETWEEN FRAMES 13 AND 19, ASSEMBLY	—	—	—	
6748	F.209784					Block, securing actuator for temperature control valve	1	Casting	C.	NM.1
	A.189270					Bracket, mounting, for electric magnetic valve ...	1	DTD.610		
	F.187849					Bracket, support, for pipe	1	—		
8187	A.217964					Chamber, mixing, forward of frame 16 (Mod. 559)	1	—	B.	NM.1
1359	B.187401					Clamp, half, for pipe coupling at water extractor	4	Stamping	C.	NM.1
	6F-AMF-D.12142					Konsole	1			
	Std.2045/19/24					Bridge	1			
	6F-AMF-D.12143					Leitung	1			
	AGS 1129/C					Ringanschluss	1			
	AGS 1186/C					Dichtung	2			
	AGS 1135/C					Hohlschraube	1			
	6F-AMF-D.12141					Fixierung	1			
	NB 1077					Niet Ø 3x8 742.4	4			
	6F-AMF-D.12135					Störplatte	1			

SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
2767	F.173562	Clip, securing actuator for temperature control valve					1	DTD.610	MR/C	NM.1
2768	F.189595	Clip, special, securing hood seal pipes at pressure diaphragm, frame 14					2	DTD.610	MR/C	NM.2
1364	F.187147	Clip, supporting mixing chamber					1	S.3	C.	NM.2
	Std 1166/8	Clip, supporting mixing chamber					1	S.3 & T.26	C.	4
	Std 1682/12	Clip, securing, for air supply pipes					8	S.3 & T.26	C.	5
	Std 1682/10	Clip, securing, for air supply pipes					2	S.3 & T.26	C.	5
	Std 2045/17/26	Clip, sleeved					1	—	—	
	Std 2045/22/24	Clip, sleeved					2	—	—	
	Std 842/12	Clip, securing hood seal and air extraction valve pipes, $\frac{3}{8}$ " wide x 22 S.W.G. x 1-2" long (Make from 30A/1284)					2	S.3	MR/C	4
1358	A.186831	Coupling, special cone type at non-return valve ...					1	DTD.364	C.	NM.2
1360	A.185338	Coupling, at pressure diaphragm for reducing valve					1	DTD.364	C.	NM.2
	Std 1306/1/20	Coupling, flexible, for hood seal pipe connection (Make from 32C/447)					1	DTD.625A	C.	4
6336	A.206506	Extractor, water (Mod. 209)					1	—	A.	NM.1
	Std.1231/1	Lug, locking, for wire locking of pipe					1	S.3	C.	4
	Std.1231/3	Lug, locking, for wire locking of pipe					2	S.3	C.	4
1355	F.183339	Pin, special, connecting rod at temperature control valve					1	S.11 or S.95.B	C.	NM.1
2769†	C.185829/1	Pipe, from connection at frame 18 to non-return valve at pressure diaphragm					1	DTD.253	MR/C	
2770†	C.185829/2	Pipe, from banjo at reducing valve, to connection at pressure diaphragm					1	DTD.253	MR/C	
	C.185829/33	Pipe, from connection at diaphragm to electro-magnetic valve inlet (Mod.2411)					1	DTD.253	MR/C	
2772†	C.185829/4	Pipe, from electro-magnetic valve atmosphere connection, at air extractor duct					1	DTD.253	MR/C	
	C.185829/34	Pipe, from electro-magnetic valve to outlet connection at pressure diaphragm (Mod.2411)					1	DTD.253	MR/C	
2775†	C.185829/7	Pipe, from connection at pressure diaphragm, to hood seat connection					1	DTD.253	MR/C	
2776†	C.185829/8	Pipe, from banjo at reducing valve to electro-magnetic valve inlet					1	DTD.253	MR/C	
2777†	C.185829/9	Pipe, from electro-magnetic valve atmosphere connection at pressure diaphragm					1	DTD.253	MR/C	
2778†	C.185829/10	Pipe, from connection at diaphragm, to air extractor duct					1	DTD.253	MR/C	
2782†	C.185829/14	Pipe, from connection to connection					1	DTD.253	MR/C	
2783†	C.185829/15	Pipe, from connection to banjo at reducing valve					1	DTD.253	MR/C	
4860†	C.185829/20	Pipe, from connection to connection					1	DTD.253	MR/C	
4861†	C.185829/21	Pipe, from seal test connection at frame 6, to connection					1	DTD.253	MR/C	
7115†	C.185829/22	Pipe, forward extraction valve to connection ... (Mod. 209)					1	DTD.253	MR/C	NM.1
7118†	C.185829/25	Pipe, E.M. valve outlet connection to tee piece ... (Mod. 209)					1	DTD.253	MR/C	
†	C.185829/27	Pipe, union to union (AS.830/92)					1	DTD.253	MR	
†	C.185829/28	Pipe, union to union (AS.830/92)					1	DTD.253	MR	
†	C.185829/29	Pipe, union to tee piece (AS.830/92)					1	DTD.253	MR	
		† For details see Piping Chart								

SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
† 6747	C.185829/32 B.207856					Pipe, aft extractor valve to tee piece (Mod. 417)	1	DTD.253		NM.1
						Pipe, hot air, between frames 16 and 18, complete with lagging (Mod. 189)	1	L.54	C.	NM.1
1428	B.191112					Pipe, cold air, between frames 16 and 18, complete with lagging	1	L.54	C.	NM.1
5CZ/4901	Teddington- FLJ/A/2					Resistor, follow-up type	1	—	B.	
1357	F.185498					Rod, connecting, group	1	—	C.	NM.1
	F.152671					Eye-end	2	S.1		
270A/143	Dowty- G.D.1307/23					Seal, bonded	1	—	C.	
270A/145	Dowty- G.D.1307/B					Seal, bonded	1	—	C.	
270A/148	Dowty- G.D.1307/D					Seal, bonded	1	—	C.	
270A/152	Dowty- G.D.1307/K					Seal, bonded	1	—	C.	
	Std.1744/10					Sleeve, sealing, for pipe connection	1	Silicone Rubber	C.	5
	Std.1744/12					Sleeve, sealing, for pipe connection	4	Silicone Rubber	C.	5
	Std.1509/23/032					Tube, distance, for electro-magnetic valve mounting bracket, $\frac{5}{16}$ " o/d x 16 S.W.G. x 0.32" long (Make from 30B/556)	3	T.4	MR/C	4
	B.184967					Valve, temperature control, and actuator, group	1	—		NM.1
† For details see Piping Chart										

SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
666	B.185327					Valve, non-return, at frame 14, group ...	1	—	B.	NM.2
9534	B.220006					Valve, air extractor, group (Mod. 417) ...	1	—	B.	NM.2
27VB/3455	Hymatic-D.9205					Valve, non-return, type NR.9 Mk. 6 ...	1	—	A.	
27VB/3454	Hymatic-D.9206					Valve, reducing, type PS.29/4 ...	1	—	A.	
27V/4125	Teddington-ES.A.430					Valve, electro-magnetic, for air extraction ...	1	—	A.	
27V/3453	Teddington-ES.A.390					Valve, electro-magnetic, for air extraction ...	1	—	A.	
	Std.1695/7					Washer, sealing, 2½" i/d, at water extractor ...	2	DTD.378	C.	5
	Std.1547/22/14					Washer, packing, for block securing actuator ...	2	DTD.610	MR/C	4
	Std.915.E26					Washer, packing ...	QR	—		
	D.224088					VALVE, REAR DISCHARGE FRAME 14, ASSEMBLY (Mod. 378)	—	—	—	
6741	F.209956					Block, clamp ...	2	—	C.	NM.1
	F.209985					Bracket, mounting ...	1	L.72		
1370	F.187763					Cap, special ...	1	DTD.364	C.	
	Std.840/13					Clip, securing ...	5	DTD.610	MR/C	4
	Std. 841/13					Clip, securing (Mod. 604) ...	1	DTD.610	—	4
	Std.851/57					Clip, securing (Mod. 604) ...	1	DTD.610	—	4
	Std.1231/3					Lug, locking ...	1	S.3	C.	4
7078†	B.209954/3					Pipe, tee piece to joint ...	1	DTD.253	MR/C	NM.1
7081†	B.209954/6					Pipe, bulkhead connection to electro-pneumatic valve	1	DTD.253	MR/C	NM.1
7082†	B.209954/7					Pipe, electro-pneumatic valve to discharge valve	1	DTD.253	MR/C	NM.1
7083†	B.209954/8					Pipe, bulkhead connection to electro-pneumatic valve	1	DTD.253	MR/C	NM.1
8198†	B.209954/9					Pipe, joint to bulkhead connection (Mod. 378) ...	1	DTD.253		NM.1
†	B.209954/10					Pipe, joint to joint (Mod. 378) ...	1	DTD.253		
†	B.209954/11					Pipe, joint to joint, frame 7 to frame 12 (Mod. 378)	1	DTD.253		NM.1
6742	F.212694					Plate, nut ...	2	—	C.	NM.1
9521	F.214163					Stud ...	2	S.95.B		
	Std.1509/12/038					Tube, distance, ¼" o/d × 20 S.W.G. × 0.38" long	1	T.4		
	Std.1509/23/070					Tube, distance (Mod. 604) ...	1	T.4		
27KD/509	Normalair-509920					Valve, discharge (less shroud 504050) ...	1	—	A.	
27V/3453	Teddington-ES/A/390					Valve ...	1	—	A.	

† For details see Piping Chart

SERVICES—PRESSURISATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5					
		SUMMARY OF STOCK ITEMS									
	AGS.1104/B	Adaptor, cone type	...	...	...	...	...	—	—	—	
	AGS.1104/C	Adaptor, cone type	...	...	...	...	...	—	—	—	
	A25.1.B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—	
	A25.2.B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—	
	A25.3.B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—	
	A25.4.B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—	
	A25.5.B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—	
	A25.1.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—	
	A25.2.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—	
	A25.3.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—	
	A25.4.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—	
	A25.5.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—	
	A25.6.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—	
	A25.7.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—	
	A25.8.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—	
	A25.12.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—	
	A25.13.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—	
	A25.20.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—	
	A25.4.E	Bolt, 1" B.S.F.	...	...	...	...	...	—	—	—	
	A25.10.E	Bolt, 1" B.S.F.	...	...	...	...	...	—	—	—	
	AS.1242.5C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—	
	AS.1242.6.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—	
	AS.1242.10.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—	
	AS.1242.30.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—	
	AS.1242.33.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—	
	AS.1248.1.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—	
	AS.1242.2.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—	
	AS.1248.4.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—	
	AGS.1135/B	Bolt, banjo	...	...	...	...	...	—	—	—	
	AGS.1136/B	Bolt, banjo	...	...	...	...	...	—	—	—	
	AGS.1129/B	Body, banjo	...	...	...	...	...	—	—	—	
	AGS.1130/B	Body, banjo	...	...	...	...	...	—	—	—	
	AGS.1111/B	Body, union	...	...	...	...	...	—	—	—	
	AGS.1145/B	Body, union	...	...	...	...	...	—	—	—	
	AGS.605/00	Clip	...	...	...	...	...	—	—	—	
	AGS.1661.H	Clip	...	...	...	...	...	—	—	—	
	AGS.1661.E	Clip	...	...	...	...	...	—	—	—	
	AGS.1661.G	Clip	...	...	...	...	...	—	—	—	
	AGS.1142/B	Nipple	...	...	...	...	...	—	—	—	
	AGS.1142/H	Nipple	...	...	...	...	...	—	—	—	
	AGS.1170/B	Nipple	...	...	...	...	...	—	—	—	
	AS.3360.B3.B	Lead, bonding	...	...	...	...	...	—	—	—	
	AS.3360.B3.C	Lead, bonding	...	...	...	...	...	—	—	—	
	AS.3360.B4.B	Lead, bonding	...	...	...	...	...	—	—	—	
	AS.3360.B5.B	Lead, bonding	...	...	...	...	...	—	—	—	
	AS.3360.B5.C	Lead, bonding	...	...	...	...	...	—	—	—	
	AS.3360.B6.C	Lead, bonding	...	...	...	...	...	—	—	—	
	A27.C.P.	Nut, 2 B.A.	...	...	...	...	...	—	—	—	
	A27.C.T.	Nut, 2 B.A.	...	...	...	...	...	—	—	—	
	A27.C.S.	Nut, 2 B.A.	...	...	...	...	...	—	—	—	
	A27.E.S.	Nut, 1" B.S.F.	...	...	...	...	...	—	—	—	
	A27.G.T.	Nut, 1" B.S.F.	...	...	...	...	...	—	—	—	

RESTRICTED

Hunter F. Mk. 58
2nd Edition


SERVICES—PRESSURISATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	AGS.1148/A	Nut, thin	...	...	...	...	—	—	—	
	AGS.1148/B	Nut, thin	...	...	...	...	—	—	—	
	AGS.1148/D	Nut, thin	...	...	...	...	—	—	—	
	AGS.1148/K	Nut, thin	...	...	...	...	—	—	—	
	AGS.2001.B1	Nut, 4 B.A.	...	...	...	...	—	—	—	
	AGS.2001.C1	Nut, 2 B.A.	...	...	...	...	—	—	—	
	AGS.2002.B1	Nut, 4 B.A.	...	...	...	...	—	—	—	
	AGS.2002.C1	Nut, 2 B.A.	...	...	...	...	—	—	—	
	AGS.2002.E1	Nut, 1" B.S.F.	...	...	...	...	—	—	—	
	AGS.2008.C1	Nut, 2 B.A.	...	...	...	...	—	—	—	
	SP.9.C4	Pin, split type	...	...	...	...	—	—	—	
	SP.90/C4	Pin, split type	...	...	...	...	—	—	—	
	SP.90/C5	Pin, split type	...	...	...	...	—	—	—	
	SP.90/C7	Pin, split type	...	...	...	...	—	—	—	
	AGS.859/12	Pin, tapered	...	...	...	...	—	—	—	
	AGS.859/22	Pin, tapered	...	...	...	...	—	—	—	
	AGS.1140/A	Plug	...	...	...	...	—	—	—	
	AGS.1140/B	Plug	...	...	...	...	—	—	—	
	AGS.1143/C	Plug, cone type	...	...	...	...	—	—	—	
	A31.B.10	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A32.B.14	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A32.C.20	Screw, 2 B.A.	...	...	...	...	—	—	—	
	A32.C.44	Screw, 2 B.A.	...	...	...	...	—	—	—	
	AGS.904/A	Sleeve, outer	...	...	...	...	—	—	—	
	AGS.904/B	Sleeve, outer	...	...	...	...	—	—	—	
	AGS.904/K	Sleeve, outer	...	...	...	...	—	—	—	
	AGS.1102.B	Union	...	...	...	...	—	—	—	
	AGS.1104.B	Union	...	...	...	...	—	—	—	
	AGS.1104.C	Union	...	...	...	...	—	—	—	
	AGS.1145.B	Union	...	...	...	...	—	—	—	
	AGS.1146.A	Union	...	...	...	...	—	—	—	
	AGS.1146.B	Union	...	...	...	...	—	—	—	
	AGS.1118.B	Union, tee piece 1"	...	...	...	...	—	—	—	
	AGS.1118.C	Union, tee piece	...	...	...	...	—	—	—	
	SP.10.C	Washer, 2 B.A....	...	...	...	...	—	—	—	
	SP.15.B	Washer, 4 B.A....	...	...	...	...	—	—	—	
	SP.15.C	Washer, 2 B.A....	...	...	...	...	—	—	—	
	SP.15.E	Washer, 1" dia.	...	...	...	...	—	—	—	
	SP.16.B	Washer, 4 B.A....	...	...	...	...	—	—	—	
	SP.16.C	Washer, 2 B.A....	...	...	...	...	—	—	—	
	SP.16.E	Washer, 1" dia.	...	...	...	...	—	—	—	
	SP.41.E	Washer, tab, 1" dia.	...	...	...	...	—	—	—	
	SP.47.C	Washer, spring, 2 B.A.	...	...	...	...	—	—	—	
	AGS.568/B	Washer, jointing	...	...	...	...	—	—	—	
	AGS.568/D	Washer, jointing	...	...	...	...	—	—	—	
	AGS.568/H	Washer, jointing	...	...	...	...	—	—	—	
	AGS.1138/B	Washer, jointing	...	...	...	...	—	—	—	
	AGS.1138/K	Washer, jointing	...	...	...	...	—	—	—	


RESTRICTED


Abdeckungen für Rain-Repellent-Anlage

Fig. No.	Part No.	Description	No. Off	Material Specificat.	Plate No.
1	C.232630	Instrumentenbrett r.	1		NM.3
2	6F-F+W-521537	Deckel	1		NM.3
3	STD 1606/44/Bl6	Hr.-Schraube	4		NM.3
4	6F-F+W-804912	Abdeckblech (bei Bedarf)	1		NM.3
5	6F-F+W-521586	Abdeckplatte	1		NM.3
6	AS 1242/2C	Sk.-Schraube	2		NM.3
7	AGS 2023/C1	Dicht-Annietmutter	2		NM.3
8	AS 2229/306	Sk.-Niet	4		NM.3
9	B.183141	Kabinenboden	1		NM.3
10	6F-F+W-521587	Abdeckscheibe	2		NM.3
11	6F-F+W-521558	U-Scheibe	2		NM.3
12	A 25/1C	6kt.-Schraube	2		NM.3
13	AGS 2001/C1	Sich.-Mutter	2		NM.3
		(Ae.A.Hu-F-730)			



PRESSURISATION





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

