

SERVICES—FUEL SYSTEM REAR FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Plate No.
		1 2 3 4 5				
	D.202256	FUEL SYSTEM, REAR FUSELAGE, ASSEMBLY	—	—		
2727	F.195128	Block, clamp, for pressure pipe	4	LFS.21	MR/C	NP.1
27N/173	Graviner-E.502	Block, terminal (Mod. 582)	2	—		
421	A.185593	Clamp, for twin gate and suction relief valves, group	3	—	C.	NP.1
2723	F.184931	Bolt, eye	1	S.94.B	C.	NP.1
6526	F.213079	Nut, special	1	S.95	C.	
2724	F.185592	Washer	1	DTD.364	C.	NP.1
	Std.851/38	Clip, support, $\frac{3}{8}$ " wide x 22 S.W.G. (Make from 30B/1433)	4	DTD.610		4
	Std.853/51	Clip, vent pipe seat (Mod. 545)	3	S.3	C.	4
	F.210152	Clip, support, for pressure pipe... ..	2	—	—	NP.1
1835	F.190242	Collar, at vent pipe connection (Mod. 545)	1	DTD.364	C.	
	STD 1285/7/00	Connection, bonding (Alternative to AS.3360.C7C) ...	1	—		
422	A.186347	Extension, for twin gate valve	2	DTD.364	C.	NP.1
2095	F.194603	Fairlead, for pressure pipes	4	LFS.21	C.	NP.1
3895	A.189935	Fairlead, for pressure pipes	4	LFS.21	C.	NP.1
2725	F.195096	Fairlead, for pressure pipes	2	LFS.21	MR/C	NP.1
2028†	B.195140/1	Pipe, fuel, valve to connection, port	1	DTD.253	C.	NP.1
2029†	B.195140/2	Pipe, fuel, valve to connection, starboard	1	DTD.253	C.	NP.1
437	B.184767/4	Pipe, fuel, pressure reducing valve to diaphragm, port	1	DTD.253	C.	NP.1
438	B.184767/5	Pipe, fuel, pressure reducing valve to diaphragm, starboard	1	DTD.253	C.	NP.1
1879	B.184767/6	Pipe, fuel diaphragm to filter	2	DTD.253	C.	NP.1
6261	B.202258/1	Pipe, fuel, coupling to coupling, port	1	DTD.253	B.	NP.1
6262	B.202258/2	Pipe, fuel, coupling to coupling, starboard	1	DTD.253	B.	NP.1
6263	B.202258/3	Pipe, fuel, relief valve to coupling, port	1	DTD.253	B.	NP.1
6264	B.202258/4	Pipe, fuel, relief valve to coupling, starboard... ..	1	DTD.253	B.	NP.1
6266†	B.202258/6	Pipe, pressure, coupling to coupling	2	DTD.253	B.	NP.1
6267	C.213400	Pipe, vent branch	1	DTD.253	B.	NP.1
8515	A.216508	Pipe, vent (Mod. 545)	1	DTD.253		NP.1
9587	B.228306	Pipe, vent, extension (Mod. 716)	1	—		NP.1
9083	A.217436	Pipe, vent, between frames 46 and 51 (Mod. 545) ...	1	DTD.253		NP.1
27N/174	Graviner-E.504	Plate, pivot (Mod. 582)	2	—		
270A/361	Dowty-GD.1308/2	Ring, sealing, "O" type, at twin gate valve	2	—	C.	
27N/175	Graviner-E.518	Screw, at pivot plate (Mod. 582)	6	—		
8519	F.217013	Seat, pipe, vent at frames 47, 50 and 52 (Mod. 545)	3	LFS.21		NP.1
	Std 1744/10	Sleeve, at vent pipe connection, frames 50 and 51 (Mod. 545)	1	Rubber	C.	5
27N/234	Graviner-E. 771	Suppressor (Mod.833)	2	—		
	D.201057	TANK INSTALLATION, ASSEMBLY	—	—		
6A/4315	Smiths-JM.14	Box, terminal	2	—	A.	
	A.219025	Connector (Mod. 415)	2	L.65	C.	NP.1
425	A.186493	Connector	2	DTD.364	C.	NP.1
8478	D.218734	Pipe, outlet, port (Mod. 415)	1	—	C.	NP.1
8479	D.218735	Pipe, outlet, starboard (Mod. 415)	1	—	C.	NP.1
8471	F.217756	Seal, "U," at float switch (Mod. 415)	2	Rubber	C.	
8476	B.218973	Support, outlet pipe, port (Mod. 415)	1	—	C.	
8477	B.218974	Support, outlet pipe, starboard (Mod. 415)	1	—	C.	

2nd Edition

Ae - 1/93

RESTRICTED

SERVICES—FUEL SYSTEM REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
	A25.2B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
	A25.1C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	A25.2C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	A25.3C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	AS.1248.2C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
	AS.3360.C4B	Lead, bonding	...	...	...	...	...	—	—	—
	AS.3360.C4C	Lead, bonding	...	...	...	...	...	—	—	—
	AS.3360.C7.C	Lead, bonding	...	...	...	...	...	—	—	—
	AGS.1142F	Nipple	...	...	...	...	...	—	—	—
	AGS.1142K	Nipple	...	...	...	...	...	—	—	—
	AGS.1170A	Nipple	...	...	...	...	...	—	—	—
	AGS.1170E	Nipple	...	...	...	...	...	—	—	—
	AGS.1170F	Nipple	...	...	...	...	...	—	—	—
	AGS.1170K	Nipple	...	...	...	...	...	—	—	—
	A27.CP	Nut, 2 B.A.	...	...	...	...	...	—	—	—
	A27.ET	Nut, 3/4" B.S.F.	...	...	...	...	...	—	—	—
	AGS.2001.B1	Nut, 4 B.A.	...	...	...	...	...	—	—	—
	AGS.2001.C1	Nut, 2 B.A.	...	...	...	...	...	—	—	—
	AGS.2001.C2	Nut, 2 B.A.	...	...	...	...	...	—	—	—
	AGS.2002.C1	Nut, 2 B.A.	...	...	...	...	...	—	—	—
	AGS.2002.E1	Nut, 3/4" B.S.F.	...	...	...	...	...	—	—	—
	SP.90/C7	Pin, split	...	...	...	...	...	—	—	—
	AGS.1143A	Plug, cone	...	...	...	...	...	—	—	—
	AS.2923.1C	Screw, 2 B.A.	...	...	...	...	...	—	—	—
	AGS.904K	Sleeve	...	...	...	...	...	—	—	—
	SP.10C	Washer	...	...	...	...	...	—	—	—
	SP.10E	Washer	...	...	...	...	...	—	—	—
	SP.15.B	Washer, 4 B.A.	...	...	...	...	...	—	—	—
	SP.15.C	Washer, 2 B.A.	...	...	...	...	...	—	—	—
	SP.16.C	Washer	...	...	...	...	...	—	—	—
	SP.47.C	Washer	...	...	...	...	...	—	—	—
	AGS.2034.C	Washer	...	...	...	...	...	—	—	—
	AGS.2034.E	Washer	...	...	...	...	...	—	—	—

RESTRICTED

Page NP.4

SERVICES—FUEL SYSTEM REAR FUSELAGE


[illegible]

RESTRICTED


Treibstoff-Anlage
Hinterer Rumpftank

F+W Aendg. od. Ae. A.	Part No.	Description	No. Off	Material Specificat.	M. R. Class of Store	Plate No.
Pos.						
1	F.195128	Klemmblock	4	LFS.21	MR/C	NP.1+2
2	STD 851/38	Bride	4	DTD.610		NP.2
3	A 25/1C	Bolzen 2 BA	4	-		NP.2
4	AGS 2002/C1	Sich.-Mutter	4	-		NP.2
5	SP 15/C	U-Scheibe	4	-		NP.2
6	AGS 1143/A	Konus	2	-		NP.2
7	B.202258/1	Leitung links	1	DTD.253	B	NP.1+2
8	B.202258/2	Leitung rechts	1	DTD.253	B	NP.1+2
9	B.202258/6	Leitung	2	DTD.253	B	NP.1+2
10	A 25/3C	Bolzen 2 BA	4	-		NP.2
11	F.210152	Bride	2	-		NP.2
12	AGS 1170/F	Nippel	2	-		NP.2
13	AGS 1170/A	Nippel	2	-		NP.2
14	B.195140/1	Leitung links	1	DTD.253	C	NP.1+2
15	B.195140/2	Leitung rechts	1	DTD.253	C	NP.1+2
16	B.184767/6	Leitung	2	DTD.253	C	NP.1+2
17	Dowty- GD.1308-2	Dichtungsring	2	-	C	NP.1+2
18	A.185593	Bride	3	-	C	NP.1+2
19	B.215824	Unter- + Ueberdruck-Sicherheitsventil links und rechts	2	-	B	NP.1+2
20	AGS 1142/F	Nippel	2	-		NP.2
21	F.194603	Durchführung	4	LFS.21	C	NP.1+2
22	A 25/3C	Bolzen 2 BA	4	-		NP.2
23	SP 15/C	U-Scheibe 2 BA	4	-		NP.2
24	A.189935	Durchführung	4	LFS.21	C	NP.1+2
25	A 25/2B	Bolzen 4 BA	8	-		NP.2
26	SP 15/B	U-Scheibe 4 BA	8	-		NP.2
27	B.184767/4	Leitung links	1	DTD.253	C	NP.1+2
28	B.184767/5	Leitung rechts	1	DTD.253	C	NP.1+2
29	F.195096	Durchführung	2	LFS.21	MR/C	NP.1+2
30	A 25/3C	Bolzen 2 BA	2	-		NP.2
31	SP 15/C	U-Scheibe 2 BA	2	-		NP.2
32	AGS 1170/F	Nippel	2	-		NP.2
33	C.213400	Leitung	1	DTD.253	B	NP.1+2
34	AGS 1142/K	Nippel	2	-		NP.2
35	B.202258/3	Leitung links	1	DTD.253	B	NP.1+2
36	B.202258/4	Leitung rechts	1	DTD.253	B	NP.1+2
37	AGS 1142/F	Nippel	2	-		NP.2
38	A.217436	Leitung	1	DTD.253		NP.1+2
39	AGS 1170/K	Nippel	1	-		NP.2
40	A.216508	Leitung	1	DTD.253		NP.1+2
41	A.186347	Verbindungs-Stutzen	2	DTD.364	C	NP.1+2
42	STD 821/35	Dichtung	2	L.4	C	NP.2
43	Saunders- 812BR03	Doppel-Absperrhahn	2	-		NP.2
44	F.226374	Dichtung	2	-		NP.2

F+W Aendg. od. Ae.A. Pos.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
45	A.185593	Bride					2	-	C	NP.1+2
46	Dowty-									
	GD.1308/2	Dichtungsring					2	-		NP.2
46a	F.218936	Dichtung					1	-		NP.2
47	D.218734	Leitung links					1	-	C	NP.1+2
48	D.218735	Leitung rechts					1	-	C	NP.1+2
49	Graviner-									
	E.771	Unterdrücker				(Mod. 833)	2	-		NP.2
50	Graviner-									
	AS.920/76	Detonator Graviner	115	Mk.	2		2	-	C	NP.2
51	Graviner-									
	E.502	Terminal Block				(Mod. 582)	2	-		NP.2
52	Graviner-									
	E.504	Pivot Plate Co. LTD.					2	-		NP.2
53	Graviner-									
	E.518	Schraube				(Mod. 582)	6	-		NP.2
54	AGS 2001/C2	Sich.-Mutter	2	BA			6	-		NP.2
55	AS 2923/IC	Schraube					6	-		NP.2
56	AGS 2001/C2	Sich.-Mutter	2	BA			6	-		NP.2
57	B.228306	Rohr-Verbindung				(Mod. 716)	1	-		NP.1+2
58	F.233552	Dichtung (AS 790/65)					2	DTD.1177		NP.1+2
59	AS 1248/2C	Bolzen	2	BA			8	-		NP.2
60	AGS 2001/C1	Sich.-Mutter	2	BA			8	-		NP.2
61	STD 853/51	Bride				(Mod. 545)	3	S 3	C	NP.2
62	F.217013	Distanzstück				(Mod. 545)	3	LFS.21		NP.1+2
64	AGS 2001/C1	Sich.-Mutter	2	BA			6	-		NP.2
65	STD 1547/									
	16/12	U-Scheibe oder					6	-		NP.2
	STD 1547/									
	22/14	U-Scheibe					6	-		NP.2
66	A 25/2C	Bolzen	2	BA			6	-		NP.2
67	A 25/1C	Bolzen	2	BA			1	-		NP.2
68	AGS 2002/C1	Sich.-Mutter	2	BA			1	-		NP.2
69	SP 16/C	U-Scheibe					1	-		NP.2
70	STD 1285/7/CC	Massekabel oder					1	-		NP.2
	STD 3360/C7C	Massekabel					1	-		NP.2
71	AGS 904/K	Ueberwurfmutter					1	-		NP.2
72	F.190242	Distanzring					1	DTD.364	C	NP.2
73	F.203207	Haltering für Dichtung					1	DTD.253	C	NP.2
74	STD 1744/10	Dichtung					1	Gummi	C	NP.2
75	A.217820	Leitung				(Mod. 545)	1	DTD.253		NP.2
75a	F.193122	Nippel am Leckblech					1	-		NP.1
76	Flight-Ref.									
	3504100/38	Leermeldesalter					2	-		NP.2
77	F.217756	Dichtung					2	-		NP.2
78	F.218937	Dichtung					2	-		NP.2
79	Smiths-									
	1696/FG	Vol Imeldesalter					2	-		NP.2
Ae.A. 1009	80 Smiths-									
	FG 5373	Dichtung					2	-		NP.2
	81 F.234601	Dichtung					2	G.Metal l		NP.2
	82 A.234601/Cu	Gummidichtung					n.B.	Gummi		NP.2
	83 F.226367	Dichtung (Geberanschluss)					2	-		NP.2



FUEL SYSTEM



TREIBSTOFF - ANLAGE

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm
Please see site for usage terms,
and more aircraft documents.

