


TAIL UNIT - COMPLEMENTARY PARTS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D.186469	TAIL UNIT, Assembly	2	-		
		ELEVATOR ATTACHEMENT				
598	F.186639	Bolt, special, interconnection	1	S.99.B	C	PE.1
	STD 1553/E/55	Bolt, for lever, flying tail linkage (Mod.390)	2	S.99.B	MR/C	PE.1
	STD 1553/E/135	Bolt, for lever, flying tail linkage (Mod.390)	1	S.99.B		PE.1
7933	B.211413	Lever, flying tail linkage (Mod.390)	1	-	B	PE.1
	A 27/ES	Nut	15	-	C	
	A 27/GS	Nut	4	-	C	
	SP 90/C7	Split, pin	26	-	C	
	F.212045	Spacer, for lever, flying tail linkage (Mod.390)	2	L.65.C	C	PE.1
	SP 10/E	Washer	4	-	C	
	SP 15/E	Washer	12	-	C	
	SP 15/G	Washer	4	-	C	
	SP 16/E	Washer	3	-	C	
	A 30/103	6kt.-Bolzen	1	-		PE.1
	SP 13/J	U-Scheibe	1	-		PE.1
	A 58/JS	Kr.-Mutter	1	-		PE.1
		FIN ATTACHEMENT				
601	F.186235	Bolt, special, front oder	2	S.97	C	PE.1
	F.186235-1S	1. Uebermassbolzen, Ø 13 mm	n.B.			
	F.186235-2S	2. Uebermassbolzen, Ø 13,7 mm	n.B.			
602	F.186236	Bolt, special, rear oder	2	S.97	C	PE.1
	F.186236-1S	1. Uebermassbolzen, Ø 13 mm	n.B.			
	A 27/LS	Nut	4	-	C	
	SP 17/L	Washer	4	-	C	
	SP 9/E10	Split, pin	4	-	C	
		RUDDER ATTACHEMENT				
4868	SP 4Y/B2	Pin	1	-	C	
4499	F.203094	Shackle	1	S.3 & T.26	C	PE.1
	F.202221	Spring	1	HTS Wire	C	PE.1
	SP 90/C7	Split, pin	4	-	C	
	SP 9/C4	Split, pin	1	-	C	
	SP 15/C	Washer	1	-	C	
		TAIL PLANE ATTACHEMENT				
605+	C.186046/1	Fairing, top portion, port (with trimming allowance)	1	DTD.610	C	PE.1
606+	C.186047/1	Fairing, top portion, starport (with trimming allowance)	1	DTD.610	C	PE.1
3957+	C.186046/2	Fairing, top portion, port (with trimming allowance) (Pre AS.900/20)	1	DTD.610	C	PE.1
3958+	C.186047/2	Fairing, top portion, starboard (with trimming allowance) (Pre AS.900/20)	1	DTD.610	C	PE.1
10162	C.186046/3	Fairing, top portion, port (with trimming allowance) (AS.900/20)	1	DTD.610	C	PE.1
10163	C.186047/3	Fairing, top portion, starboard (with trimming allowance) (AS.920/20)	1	DTD.610	C	PE.1

TAIL UNIT - COMPLEMENTARY PARTS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
7954	AS 1242/1C	Bolts					88	-	C	
	AS 1248/2C	Bolts					2	-	C	
	D.216772	Fairing, bullet, aft of fin (with trimming allowance) (Mod.390)					1	DTD.610	B	PE.1
-	--	LIGHT, TAIL, NAVIGATION, ASSEMBLY								
1746	A.192785	Cable, assembly (see Cable Chart)					-	-		
	A.192709/2	Fairing, tail light					1	DTD.339B	C	PE.1
5A/3107	--	Gummidichtung zu Hecklicht					1	-		PE.1
1747	B.188346	Holder, lamp, Batten type					1	-	A	
		Panel, access to flying controls and tail plane lever					1	DTD.610	C	PE.1
1748+	A.192760	Panel, access, for tail plane and elevator removal, port (with trimming allowance)					1	DTD.610	C	PE.1
1749+	A.192761	Panel, access, for tail plane and elevator removable starboard (with trimming allowance)					1	DTD.610	C	PE.1
	STD 1703/6/C	Screw					36	S.95.B	C	PE.1



TAIL UNIT

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

