

UNDERCARRIAGE—MAIN FAIRING

| Ref. No.        | Part No.          | Description                                                                         | No. Off                                                           | Material Specification | M.R. Class of Score | Place No. |
|-----------------|-------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------|------------------------|---------------------|-----------|
|                 |                   | 1 2 3 4 5                                                                           |                                                                   |                        |                     |           |
|                 | D.187500-1        | <b>FAIRING, MAIN UNDERCARRIAGE, ASSEMBLY</b>                                        | —                                                                 | —                      |                     |           |
| 4219            | F.191499          | Bolt, banjo, for greaser pipe ... ..                                                | 2                                                                 | —                      | C.                  | RB.1      |
| 7016            | E.214862-S1       | Door, wheel, port group (with trimming allowance) (Mod. 432)                        | 1                                                                 | —                      | A.                  | RB.2      |
| Ae.A. Hu-FT-655 | 7017              | E.214863-S1                                                                         | Door, wheel, starboard group (with trimming allowance) (Mod. 432) | 1                      | A.                  | RB.2      |
| 484             | F.187537          | Bolt, attachment of jack anchorage shackle ...                                      | 2                                                                 | S.95.B                 | C.                  | RB.2      |
| 4669            | F.201476          | Bolt, front and aft lock pin fittings ... ..                                        | 16                                                                | S.99.B                 | C.                  | RB.2      |
| 8394            | A.211328          | Fitting, pin, aft lock, port (Mod. 314)                                             | 1                                                                 | DTD.473                | C.                  | RB.2      |
| 8395            | A.211329          | Fitting, pin, aft lock, starboard (Mod. 314)                                        | 1                                                                 | DTD.473                | C.                  | RB.2      |
| 8392            | A.211326          | Fitting, pin, front lock, port (Mod. 314)                                           | 1                                                                 | DTD.473                | C.                  | RB.2      |
| 8393            | A.211327          | Fitting, pin, front lock, starboard ... (Mod. 314)                                  | 1                                                                 | DTD.473                | C.                  | RB.2      |
| 491             | C.178792          | Hinge, door, port ... ..                                                            | 1                                                                 | —                      | C.                  | RB.2      |
| 492             | C.178793          | Hinge, door, starboard ... ..                                                       | 1                                                                 | —                      | C.                  | RB.2      |
| 7018            | A.212601          | Lever, group (Mod. 432) ... ..                                                      | 2                                                                 | —                      | B.                  | RB.2      |
| 5772            | F.202798          | Bush ... ..                                                                         | 1                                                                 | BSS.250                | MR/C                | RB.2      |
|                 | STD 1221/Y/D/85   | Pin ... ..                                                                          | 1                                                                 | S.2                    | —                   | 4         |
| 5773            | F.201688          | Roller ... ..                                                                       | 1                                                                 | DTD.504                | MR/C                | RB.2      |
| 8213            | F.212691          | Roller ... ..                                                                       | 1                                                                 | L.65.C                 | MR/C                | RB.2      |
| 7885            | F.214842          | Plate, locking (Mod. 479) ... ..                                                    | 2                                                                 | L.72                   | C.                  | RB.2      |
| 493             | A.187533          | Shackle, jack anchorage, port ... ..                                                | 1                                                                 | —                      | C.                  | RB.2      |
| 494             | A.187534          | Shackle, jack anchorage, starboard ... ..                                           | 1                                                                 | —                      | C.                  | RB.2      |
|                 | STD 325/82        | 6kt.-Bolzen                                                                         | 1                                                                 | S.95 or S.96           |                     | RB.2      |
|                 | SP 15/E           | U-Scheibe                                                                           | 1                                                                 |                        |                     | RB.2      |
|                 | A 58/BS           | Kr.-Mutter                                                                          | 1                                                                 |                        |                     | RB.2      |
|                 | SP 21             | Schmiernippel                                                                       | 1                                                                 |                        |                     | RB.2      |
| 495             | F.187535          | Shim, at aft lock pin fitting (Max. 4)                                              | QR                                                                | DTD.610                | C.                  | RB.2      |
| 496             | F.187536          | Shim, at front lock pin fitting (Max. 4)                                            | QR                                                                | DTD.610                | C.                  | RB.2      |
| 7824            | F.206293          | Shim, taper at aft lock pin fitting (Max. 1)                                        | QR                                                                | L.72                   | C.                  |           |
| 7882            | F.206294          | Shim, taper front lock pin fitting (Max. 1)                                         | QR                                                                | L.72                   | C.                  |           |
| 8396            | F.211330          | Shim, at front lock pin fitting (Mod. 314)                                          | QR                                                                | Shim Steel             | C.                  |           |
| 8397            | F.211331          | Shim, at front lock pin fitting (Mod. 314)                                          | QR                                                                | Shim Steel             | C.                  |           |
| 8398            | F.211332          | Shim, at front lock pin fitting (Mod. 314)                                          | QR                                                                | Shim Steel             | C.                  |           |
| 8399            | F.211333          | Shim, at aft lock pin fitting (Mod. 314)                                            | QR                                                                | Shim Steel             | C.                  |           |
| 8400            | F.211334          | Shim, at aft lock pin fitting (Mod. 314)                                            | QR                                                                | Shim Steel             | C.                  |           |
| 8401            | F.211335          | Shim, at aft lock pin fitting (Mod. 314)                                            | QR                                                                | Shim Steel             | C.                  |           |
| 5775            | F.201687          | Tube, distance, at lever attachment ... ..                                          | 2                                                                 | S.95.B                 | MR/C                |           |
|                 | STD 914/J/20      | Washer, for pin through channel ... ..                                              | 2                                                                 | S.1                    | C.                  |           |
| 343             | E.187463          | Fairing, leg, port, group ... ..                                                    | 1                                                                 | —                      | A.                  | RB.1      |
| 344             | E.187464          | Fairing, leg, starboard, group ... ..                                               | 1                                                                 | —                      | A.                  | RB.1      |
|                 | F.170010S         | Büchse                                                                              | 2                                                                 |                        |                     | RB.1      |
| 497             | A.187467          | Panel, access to locking pin attachment bolts ...                                   | 2                                                                 | DTD.610                | C.                  | RB.1      |
| 498             | A.170012          | Pin, attachment of fairing links ... ..                                             | 2                                                                 | S.1                    | C.                  | RB.1      |
| 6101            | A.208253          | Pin, locking, port (Mod. 312) ... ..                                                | 1                                                                 | —                      | C.                  | RB.1      |
| 6102            | A.208254          | Pin, locking, starboard (Mod. 312) ... ..                                           | 1                                                                 | —                      | C.                  | RB.1      |
|                 | STD 1208/75/32/70 | Shim, at attachment of fairing ... ..                                               | 8                                                                 | St. Steel              | C.                  | 4         |
| 1534            | F.187496          | Washer, serrated, for lock pin ... ..                                               | 2                                                                 | S.3                    | C.                  | RB.1      |
| 8169            | D.215617          | Fairing, wheel, port, group (with trimming allowance) (Mod. 197) (Pre Mod.795)      | 1                                                                 | —                      | A.                  | RB.2      |
| 8170            | D.215618          | Fairing, wheel, starboard, group (with trimming allowance) (Mod. 197) (Pre Mod.795) | 1                                                                 | —                      | A.                  | RB.2      |

## UNDERCARRIAGE—MAIN FAIRING


| Ref. No. | Part No.           | Description                                                        | No. Off | Material Specification | M.R. Class of Score | Plate No. |
|----------|--------------------|--------------------------------------------------------------------|---------|------------------------|---------------------|-----------|
|          |                    | 1 2 3 4 5                                                          |         |                        |                     |           |
|          | D.187155           | <b>DETAILS OF FAIRING, ASSEMBLY</b> ...                            | —       | —                      |                     |           |
| 503      | F.151366           | Bolt, fairing attachment to undercarriage leg bracket              | 8       | S.1                    | C.                  | RB.2      |
| 505      | F.187218           | Nut, clamp, fairing attachment to undercarriage leg, bracket       | 8       | S.92.B                 | C.                  | RB.2      |
| 4671     | B.203598           | Panel, access, to brakes ...                                       | 2       | L.72                   | C.                  | RB.2      |
|          | AS 1242/10         | Sk.-Schraube                                                       | 2       |                        |                     | RB.2      |
| 509      | F.151365           | Plate, clamp, fairing attachment to undercarriage leg bracket      | 8       | S.1                    | C.                  | RB.2      |
| 510      | A.173027           | Plate, fixing, fairing attachment to undercarriage leg bracket     | 8       | S.92.B                 | C.                  | RB.2      |
| 511      | F.151368           | Sleeve, adjusting, fairing attachment to undercarriage leg bracket | 8       | S.2                    | C.                  | RB.2      |
| 512      | F.151367           | Washer, fairing attachment to undercarriage leg bracket            | 8       | L.16                   | C.                  | RB.2      |
| 6168     | Heilermann-HV.2553 | Grommet ...                                                        | 2       | —                      | C.                  |           |
| 506      | A.187178           | Panel, access to bleeder screw ...                                 | 2       | DTD.610                | C.                  | RB.2      |
| 507      | A.187180           | Panel, access to jacking plug, port ...                            | 1       | DTD.610                | C.                  | RB.2      |
| 508      | A.187181           | Panel, access to jacking plug, starboard ...                       | 1       | DTD.610                | C.                  | RB.2      |
| 341      | D.186870           | Flap, fairing, port, group (with trimming allowance)               | 1       | —                      | A.                  | RB.1      |
| 342      | D.186871           | Flap, fairing, starboard, group (with trimming allowance)          | 1       | —                      | A.                  | RB.1      |
| 513      | F.187237           | Bolt, attachment of link to bracket ...                            | 2       | S.95.B                 | C.                  | RB.1      |
| 514      | A.186873           | Bracket, link ...                                                  | 2       | DTD.162                | C.                  | RB.1      |
| 515      | A.187118           | Hinge, front port, rear, starboard ...                             | 2       | —                      | C.                  | RB.1      |
| 516      | A.187119           | Hinge, front starboard, rear port ...                              | 2       | —                      | C.                  | RB.1      |
| 8138     | B.182128           | Hinge, flap and leg fairing, port, group ...                       | 1       | —                      | C.                  |           |
| 8139     | B.182129           | Hinge, flap and leg fairing, starboard, group ...                  | 1       | —                      | C.                  |           |
| 3985     | A.197874           | Bracket, hinge, front, leg fairing, port ...                       | 1       | Stmpg.                 | C.                  | RB.1      |
| 3986     | A.197875           | Bracket, hinge, front, leg fairing, starboard ...                  | 1       | Stmpg.                 | C.                  | RB.1      |
| 3987     | A.197876           | Bracket, hinge, rear, leg fairing, port ...                        | 1       | Stmpg.                 | C.                  | RB.1      |
| 3988     | A.197877           | Bracket, hinge, rear, leg fairing, starboard ...                   | 1       | Stmpg.                 | C.                  | RB.1      |
| 9135     | B.182107           | Hinge, flap, port ...                                              | 1       | —                      | MR/C                | RB.1      |
| 6957     | B.182108           | Hinge, flap, starboard ...                                         | 1       | —                      | C.                  | RB.1      |
| 549      | F.182111           | Link, flap, hinge, forward, port ...                               | 2       | S.2                    | C.                  | RB.1      |
| 550      | F.182112           | Link, flap, hinge, forward, starboard ...                          | 2       | S.2                    | C.                  | RB.1      |
| 6171     | F.202596           | Link, hinge, port and starboard ...                                | 4       | Casting or S.96.B      | C.                  | RB.1      |
| 551      | F.189654           | Pin, flap, hinge, front, $\frac{3}{8}$ " dia. x 3-80" long ...     | 2       | St. Stl.               | C.                  | RB.1      |
| 552      | F.189655           | Pin, flap, hinge, rear, $\frac{3}{8}$ " dia. x 3-35" long ...      | 2       | St. Stl.               | C.                  | RB.1      |
| 6172     | F.207897           | Shim, for hinge bracket ...                                        | 4       | Lam. Alum.             | C.                  |           |
| 517      | A.187321           | Link, undercarriage fairing flap, group ...                        | 2       | —                      | C.                  | RB.1      |
| 518      | F.151348           | Bolt, lubricating ...                                              | 1       | S.94.B                 | C.                  | RB.1      |
| 519      | F.187323           | Shackle ...                                                        | 1       | S.1                    | C.                  | RB.1      |
|          | A.187325           | Bearing, rod end (rechtsgewinde)                                   | 1       |                        |                     | RB.1      |
|          | AGS 636/2          | Lager                                                              | 1       | Bz                     |                     |           |
|          | F.151344           | Endstück                                                           | 1       |                        |                     | RB.1      |
|          | A 14/JB            | 6kt.-Mutter (rechtsgewinde)                                        | 1       |                        |                     | RB.1      |
|          | A 14/JBL           | 6kt.-Mutter (Linksgewinde)                                         | 1       |                        |                     | RB.1      |
| 520      | B.187328           | Link, leg fairing, group ...                                       | 4       | —                      | C.                  | RB.1      |
|          | A.187325           | Bearing, rod end (Rechtsgewinde)                                   | 1       | —                      |                     | RB.1      |
|          | A.187326           | Bearing, rod end (Linksgewinde)                                    | 1       | —                      |                     | RB.1      |
|          | A.187327           | Rod, connecting ...                                                | 1       | —                      |                     | RB.1      |
|          | AGS 636/2          | Lager                                                              | 2       | Bz                     |                     | RB.1      |
|          | A 14/JB            | 6kt.-Mutter (rechtsgewinde)                                        | 1       |                        |                     | RB.1      |
|          | A 14/JBL           | 6kt.-Mutter (Linksgewinde)                                         | 1       |                        |                     | RB.1      |

## UNDERCARRIAGE - MAIN FAIRING


| Ref. No.               | Part No.       | Description                                                                                |   |   |   |   | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|------------------------|----------------|--------------------------------------------------------------------------------------------|---|---|---|---|---------|------------------------|---------------------|-----------|
|                        |                | 1                                                                                          | 2 | 3 | 4 | 5 |         |                        |                     |           |
| 521                    | F.187324       | Pin, hinge, fairing flap                                                                   |   |   |   |   | 2       | S.3                    | C                   | RB.1      |
| 522                    | F.171532       | Pin, hinge, leg fairing                                                                    |   |   |   |   | 4       | S.95.B                 | C                   | RB.1      |
| 8299                   | A.206280       | Pipe, greaser, port (Mod. 197)                                                             |   |   |   |   | 1       | -                      | C                   | RB.1      |
| 8300                   | A.206281       | Pipe, greaser, starboard (Mod. 197)                                                        |   |   |   |   | 1       | -                      | C                   | RB.1      |
|                        | SP 21          | Schmiernippel                                                                              |   |   |   |   | 1       | -                      |                     | RB.1      |
| 3983                   | F.197954       | Plate, fairing flap hinge pin retaining                                                    |   |   |   |   | 2       | DTD.610                | C                   | RB.1      |
| 3984                   | F.197955       | Plate, fairing flap hinge pin retaining                                                    |   |   |   |   | 2       | DTD.610                | C                   | RB.1      |
|                        | AGS 1186/4     | Seal, for greaser pipe banjo                                                               |   |   |   |   | 4       | -                      | C                   |           |
|                        | STD 915/U/18   | Washer, for greaser pipe                                                                   |   |   |   |   | 2       | DTD.610                | C                   | 4         |
|                        | STD 1546/24/12 | Washer, profile, at securing of port and starboard mechanical recuperator guards (Mod.795) |   |   |   |   | 4       | DTD.610                | -                   |           |
| SUMMARY OF STOCK ITEMS |                |                                                                                            |   |   |   |   |         |                        |                     |           |
|                        | AGS 636/2      | Ball                                                                                       |   |   |   |   | -       | -                      | -                   |           |
|                        | A 25/1B        | Bolt, 4 B.A.                                                                               |   |   |   |   | -       | -                      | -                   |           |
|                        | A 25/2B        | Bolt, 4 B.A.                                                                               |   |   |   |   | -       | -                      | -                   |           |
|                        | A 25/7C        | Bolt, 2 B.A.                                                                               |   |   |   |   | -       | -                      | -                   |           |
|                        | A 25/8C        | Bolt, 2 B.A.                                                                               |   |   |   |   | -       | -                      | -                   |           |
|                        | AS 1242/2C     | Bolt, 2 B.A.                                                                               |   |   |   |   | -       | -                      | -                   |           |
|                        | AS 1242/3C     | Bolt, 2 B.A.                                                                               |   |   |   |   | -       | -                      | -                   |           |
|                        | AS 1242/6C     | Bolt, 2 B.A.                                                                               |   |   |   |   | -       | -                      | -                   |           |
|                        | AS 1242/7C     | Bolt, 2 B.A.                                                                               |   |   |   |   | -       | -                      | -                   |           |
|                        | AS 1242/8C     | Bolt, 2 B.A.                                                                               |   |   |   |   | -       | -                      | -                   |           |
|                        | AS 1242/16G    | Bolt, 5/16" B.S.F.                                                                         |   |   |   |   | -       | -                      | -                   |           |
|                        | AGS 572/C      | Nut - -                                                                                    |   |   |   |   | -       | -                      | -                   |           |
|                        | A 14/JB        | Nut, 3/8" B.S.F.                                                                           |   |   |   |   | -       | -                      | -                   |           |
|                        | A 14/JBL       | Nut, 3/8" B.S.F.                                                                           |   |   |   |   | -       | -                      | -                   |           |
|                        | A 16/YCT       | Nut, 2 B.A.                                                                                |   |   |   |   | -       | -                      | -                   |           |
|                        | A 16/YGS       | Nut, 5/16" B.S.F.                                                                          |   |   |   |   | -       | -                      | -                   |           |
|                        | A 27/CT        | Nut, 2 B.A.                                                                                |   |   |   |   | -       | -                      | -                   |           |
|                        | A 27/ES        | Nut, 1/4" B.S.F.                                                                           |   |   |   |   | -       | -                      | -                   |           |
|                        | A 27/GS        | Nut, 5/16" B.S.F.                                                                          |   |   |   |   | -       | -                      | -                   |           |
|                        | AGS 2001/CI    | Nut, 2 B.A.                                                                                |   |   |   |   | -       | -                      | -                   |           |
|                        | AGS 2002/B1    | Nut, 4 B.A.                                                                                |   |   |   |   | -       | -                      | -                   |           |
|                        | SP 21          | Nipple, lubricating                                                                        |   |   |   |   | -       | -                      | -                   |           |
|                        | SP 31/H12      | Stiftsplint                                                                                |   |   |   |   | -       | -                      | -                   |           |
|                        | SP 4Y/B11      | Pin                                                                                        |   |   |   |   | -       | -                      | -                   |           |
|                        | SP 4Y/B12      | Pin                                                                                        |   |   |   |   | -       | -                      | -                   |           |
|                        | SP 4Y/G20      | Pin                                                                                        |   |   |   |   | -       | -                      | -                   |           |
|                        | SP 15/B        | Washer, 4 B.A.                                                                             |   |   |   |   | -       | -                      | -                   |           |
|                        | SP 15/C        | Washer, 2 B.A.                                                                             |   |   |   |   | -       | -                      | -                   |           |
|                        | SP 15/E        | Washer, 1/4" dia.                                                                          |   |   |   |   | -       | -                      | -                   |           |
|                        | SP 15/G        | Washer, 5/16" dia.                                                                         |   |   |   |   | -       | -                      | -                   |           |
|                        | SP 16/C        | Washer                                                                                     |   |   |   |   | -       | -                      | -                   |           |
|                        | SP 41/G        | Washer, tab                                                                                |   |   |   |   | -       | -                      | -                   |           |

## UNDERCARRIAGE - MAIN FAIRING


| Ref. No. | Part No. | Description | No. Off | Material Specificat. | M. R. Class of Store | Plate No. |
|----------|----------|-------------|---------|----------------------|----------------------|-----------|
|          |          |             |         |                      |                      |           |



MAIN UNDERCARRIAGE



## MAIN UNDERCARRIAGE



This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.