

ARMAMENT-GUN INSTALLATION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	E.207768	<b>GUN INSTALLATION, ASSEMBLY</b> ... ..	-	-		
7R/3	-	<b>Barrel</b> , gun, Mk. 1 (for low velocity ammunition) ...	1	-	A.	
		(Alternative to 7R/308)				
7R/308	-	<b>Barrel</b> , gun, Mk. 2 (for high velocity ammunition) ...	1	-	A.	
		(Alternative to 7R/3)				
	F.227967	<b>Bolt</b> , special, for blast deflectors ... ..	30	-		
	F.232313	<b>Bolt</b> , at gun front fairings ... ..	8	S.80.B		
	E.208826	<b>Box</b> , ammunition, group ... ..	1	-	A.	CA.1
	F.210668	<b>Angle</b> , slotted, port, for link chute attachment ...	1	-	C.	
9475	F.210669	<b>Angle</b> , slotted, starboard, for link chute attachment	1	-	C.	CA.1
9477	F.210695	<b>Bolt</b> , special, for link chute attachment ... ..	2	S.94.B	C.	CA.1
	C.208844	<b>Chute</b> , internal feed, port ... ..	1	DTD.171	C.	CA.1
9478	C.208845	<b>Chute</b> , internal feed, starboard ... ..	1	DTD.171	C.	CA.1
9479	C.210712	<b>Chute</b> , link, top portion ... ..	2	-	C.	CA.1
9480	F.210696	<b>Ferrule</b> , for link chute attachment ... ..	4	B.8	C.	CA.1
	F.228997	<b>Lid</b> , ammunition box, port, group ... ..	1	-		CA.1
	F.228998	<b>Lid</b> , ammunition box, starboard, group ... ..	1	-		CA.1
	B.208968	<b>Bolt</b> , pinch, group ... ..	1	-		
808	F.176633	<b>Knob</b> , bolt ... ..	2	S.94.B	C.	CA.2
809	F.176635	<b>Spring</b> ... ..	1	Sp. St.	C.	CA.2
	A.208966	<b>Fitting</b> , hinge ... ..	2	L.65.C	MR	
792	F.183848	<b>Fitting</b> , hook ... ..	2	S.94.B	C.	
	D.208835/9	<b>Strip</b> , sealing, $\frac{1}{16}$ " thick ... ..	2	Felt RS.7	MR	
	D.208835/10	<b>Strip</b> , sealing, $\frac{1}{16}$ " thick ... ..	1	Felt RS.7	MR	
	D.208835/12	<b>Strip</b> , sealing, $\frac{1}{16}$ " thick ... ..	1	Felt RS.7	MR	
	D.208835/13	<b>Strip</b> , sealing, $\frac{1}{16}$ " thick ... ..	2	Felt RS.7	MR	
	Std.1509/23/018	<b>Tube</b> , distance, $\frac{5}{16}$ " o/d $\times$ 17 S.W.G. $\times$ 0.18" long	4	T.4		
3996	Std.1547/20/16	<b>Washer</b> , packing ... ..	16	DTD.364	MR/C	4
28FP/798	Aviation Development 5134/510	<b>Pin</b> , pip ... ..	2	-	C.	
	F.222734	<b>Pin</b> , sling ... ..	2	-	C.	
1548	A.188823	<b>Roller</b> , internal feed ... ..	2	-	C.	CA.1
9486	B.208846	<b>Sling</b> , group ... ..	2	-	C.	CA.1
	B.208846/4	<b>Spindle</b> ... ..	2	T.26		
	Std.1507/24/100	<b>Tube</b> , distance, $\frac{3}{8}$ " o/d $\times$ 17 S.W.G. $\times$ 1.0" long (Make from 30B/557)	4	T.4		
	F.215382	<b>Spigot</b> ... ..	2	L.65.C		
9487	F.208877	<b>Spindle</b> , for roller ... ..	2	T.26	C.	CA.1
	Std.1509/5/838	<b>Tube</b> , distance, at bottom bearings, $\frac{7}{16}$ " o/d $\times$ 22 S.W.G. $\times$ 8.38" long (Make from 30B/636)	2	T.4		
	C.208836	<b>Wall</b> , front, group ... ..	1	-		
	B.209025	<b>Angle</b> , support, front, group ... ..	1	-		
	F.209031	<b>Bearing</b> , for pin ... ..	2	BSS.369	MR	
	F.209032	<b>Pin</b> , group ... ..	2	-	MR	
	F.209042	<b>Handle</b> ... ..	1	S.1.B		
	F.209041	<b>Nut</b> ... ..	1	S.1.B		
	F.209040	<b>Pin</b> ... ..	1	S.80		
	F.210257	<b>Bearing</b> , for pin ... ..	2	-	MR	
	F.210566	<b>Bearing</b> , at bottom of wall ... ..	2	BSS.369	MR	

## ARMAMENT-GUN INSTALLATION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.	
							1
795 3789	A.209024	Roller, group ... ..	2	—	MR	CA.1	
	F.175253	Roller ... ..	2	LFB.82	C.		
	Std.1509/24/076	Tube, distance, $\frac{3}{8}$ " o/d $\times$ 17 S.W.G. $\times$ 0.76" long (Make from 30B/557)	2	T.4	MR/C		
3953	Std.915/E/22	Washer, for roller attachment ... ..	2	DTD.610	MR/C	4	
795 3789	A.213653	Roller, group ... ..	1	—	—	—	
	F.175253	Roller ... ..	1	LFB.82	C.		
	Std.1509/24/076	Tube, distance, $\frac{3}{8}$ " o/d $\times$ 17 S.W.G. $\times$ 0.76" long	1	T.4	MR/C		
3953	Std.915/E/22	Washer, for roller attachment ... ..	1	DTD.610	MR/C	—	
10045	C.208837	Wall, rear, group ... ..	1	—	—	—	
	B.209388	Angle, support, rear, group ... ..	1	—	—		
	F.215650	Bush, guide ... ..	1	BSS.369	MR		
	F.215651	Bush, guide ... ..	1	BSS.369	MR		
	F.215658	Nut, special, for bush ... ..	2	S.95.B	MR		
—	F.210257	Bearing, for pin ... ..	2	—	—	—	
	F.220575	Bearing, at bottom of wall ... ..	2	BSS.369	MR		
3953	C.229264	Wall, side, port, group ... ..	1	—	—	—	
	C.229265	Wall, side, starboard, group ... ..	1	—	—		
	A.213343	Bracket, port, group ... ..	1	—	—		
	A.213344	Bracket, starboard, group ... ..	1	—	—		
	F.213342	Roller ... ..	2	LFB.82 or 89	—		
	Std.1509/24/036	Tube, distance, $\frac{3}{8}$ " o/d $\times$ 17 S.W.G. $\times$ 0.36" long	2	T.4	MR/C		
	Std.915/E/22	Washer, for roller attachment ... ..	2	DTD.610	MR/C		
	A.210845/2	Channel, for sealing strip ... ..	2	—	—		
	A.210845	Seal, port, group ... ..	1	—	—		
	A.210846	Seal, starboard, group ... ..	1	—	—		
6656	Std.2088/2	Strip, sealing (For manufacture of A.210845/3)	2	Rubber	C.		
—	Std.1509/2/030	Tube, distance, $\frac{1}{4}$ " o/d $\times$ 22 S.W.G. $\times$ 0.3" long (Make from 30B/555)	6	T.4	—		
—	A.232316	Bush, eccentric, inner, at blast deflectors ... ..	2	S.61.B or S.62.B	—	—	
	A.232317	Bush, eccentric, outer, at blast deflectors ... ..	2	S.61.B or S.62.B	—		
8796 6630	B.212510	Chute, empty case, forward portion, port, group ...	1	—	B.	CA.1	
	B.212511	Chute, empty case, forward portion, starboard, group	1	—	B.	CA.1	
	F.206709	Catch, spring, group ... ..	6	—	C.	CA.1	
9809	F.232314	Clip, half, at eccentric bush ... ..	2	—	—	—	
	E.230324	Deflector, blast, port ... ..	1	—	—		
	E.230325	Deflector, blast, starboard ... ..	1	—	—		
	B.230576	Fairing, gun, front portion, port ... ..	1	—	A.		C.A.2
	B.230577	Fairing, gun, front portion, starboard ... ..	1	—	A.		CA.2
	E.230595	Fairing, gun, centre portion, port ... ..	1	—	A.		CA.2
	E.230596	Fairing, gun, centre portion, starboard ... ..	1	—	A.		CA.2
	K.A.C. C.7810	Fastener, custodian stud, lower body ... ..	2	—	—		CA.1

ARMAMENT-GUN INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.			
		1	2	3	4	5							
8800	C.209004	Former "B," port, group ... ..					1	—	C. C.	CA.2			
	C.209005	Former "B," starboard, group ... ..					1	—					
	A.209063	Fitting, spigot, inboard, port, group ... ..					1	—					
	A.209064	Fitting, spigot, inboard, starboard, group ... ..					1	—					
	F.209065	Spigot ... ..					2	S.95.B					
8801	A.209059	Fitting, spigot, outboard, port, group ... ..					1	—	C. C.	CA.2			
	A.209060	Fitting, spigot, outboard, starboard ... ..					1	—					
	F.209065	Spigot ... ..					2	S.95.B					
4827	Std.1509/23/080	Tube, distance, $\frac{5}{16}$ " o/d $\times$ 17 S.W.G. $\times$ 0-8" long (Make from 30B/556)					6	T.4	MR/C	4			
8802	C.209033	Former "D," port, group ... ..					1	—	C. C.				
	C.209034	Former "D," starboard, group ... ..					1	—					
	A.209061	Fitting, spigot, inboard, port, group ... ..					1	—					
	A.209062	Fitting, spigot, inboard, starboard, group ... ..					1	—					
	F.209065	Spigot ... ..					2	S.95.B					
8801	A.209059	Fitting, spigot, outboard, port, group ... ..					1	—	C. MR/C	CA.2			
	A.209060	Fitting, spigot, outboard, starboard, group ... ..					1	—					
	F.209065	Spigot ... ..					2	S.95.B					
4827	Std.1509/23/080	Tube, distance, $\frac{5}{16}$ " o/d $\times$ 17 S.W.G. $\times$ 0-8" long (Make from 30B/556)					14	T.4	MR/C	4			
8803	‡F.209440	Housing, fastener ... ..					2	L.65.C and L.72	C.	CA.1			
6656	F.214732	Plate, joint, at stud fastener ... ..					1	L.72	C.				
	F.214733	Plate, joint, at stud fastener ... ..					1	L.72					
	E.230595/27	Strip, sealing attachment, inboard, port ... ..					1	L.72					
	E.230596/27	Strip, sealing attachment, inboard, starboard ... ..					1	L.72					
	E.230595/28	Strip, sealing attachment, outboard, port ... ..					1	L.72					
	E.230596/28	Strip, sealing attachment, outboard, starboard ... ..					1	L.72					
	Std.2088/2	Strip, sealing, inboard, starboard ... .. (For the manufacture of E.230596/29)					2 ft.	Rubber					
	Std.2088/2	Strip, sealing, outboard, starboard ... .. (For the manufacture of E.230596/30)					4 ft.	Rubber					
	8804	E.210791	Feed neck, port, group (Supplied less panel) ... ..					1			—	A.	CA.2
		E.210792	Feed neck, starboard, group (Supplied less panel) ... ..					1			—		
8805	E.210791/14	Panel, access, port, group ... ..					1	—	B.	CA.2			
	E.210792/8	Panel, access, starboard, group ... ..					1	—					
807	E.210791/6	Angle ... ..					1	DTD.171	C.	CA.2			
	E.210791/12	Angle ... ..					4	DTD.171					
	E.210792/6	Angle ... ..					1	DTD.171					
808	F.185768	Bolt ... ..					4	S.94.B	C.	CA.2			
	F.176633	Knob ... ..					4	S.94.B					
809	E.210791/7	Panel, port ... ..					1	DTD.171	C.	CA.2			
	E.210792/7	Panel, starboard ... ..					1	DTD.171					
	F.176635	Spring ... ..					2	Sp. St.					
28FP/881	F.185766	Tongue ... ..					4	—	C.				
	F.185767	Tube ... ..					2	—					
28FP/881	Aviation Dev. 5134/421	Pin, pip ... ..					2	—	C.				

## ARMAMENT-GUN INSTALLATION

Ref. No.	Part No.	Description	1 2 3 4 5					No. Off	Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5				
7R/407	—	Gun, "Aden," 30 m/m, Mk. 4 (R.H.), port, less barrel						1	—	A.	
7R/406	—	Gun, "Aden," 30 m/m, Mk. 4 (L.H.), starboard, less barrel						1	—	A.	
8798	D.212602	Lid, collector tank, group						2	—	B.	CA.1
	B.212605	Bolt, pinch, group						2	—		
808	F.176633	Knob						4	S.95.B	C.	
	F.212634	Spring						2	Sp. St.		
	F.212604	Fitting, hinge						4	L.65.C		
	F.212603	Fitting, hook						4	L.65.C		
	D.212602/7	Strip, sealing, $\frac{3}{32}$ " thick						4	Rubber		
	D.212602/8	Strip, sealing, $\frac{3}{32}$ " thick						4	Rubber		
	B.210870	Link-chute, port, group						1	—		CA.2
8806	B.210871	Link-chute, starboard, group						1	—	B.	CA.2
8807	B.210869	Door, link-chute, group						1	—	C.	CA.2
	A.210863	Bolt, pinch, group						1	—		
808	F.176633	Knob						2	S.95.B	C.	CA.2
	F.210866	Spring						1	Sp. St.		
	C.210722	Link-chute, port, bottom portion						1	—		CA.2
8808	B.210723	Link-chute, starboard bottom portion						1	—	B.	CA.2
8809	C.210803	Link-chute, centre portion, group						2	—	B.	CA.2
	A.216499	Bolt, pinch, group						2	—		
808	F.176633	Knob						4	S.95.B	C.	CA.2
	F.210866	Spring						2	Sp. St.		
	B.210870/1	Pin, hinge						2	S.1.B		
	F.220587	Washer, special...						4	L.65.C or L.72		
	D.229964	<b>MOUNTINGS, GUN, PORT, ASSEMBLY</b>						—	—		
	D.229965	<b>MOUNTINGS, GUN, STARBOARD, ASSEMBLY</b>						—	—		
	D.229257	Attachments to Aden Gun, port, group						1 set	—		CA.4
	D.229258	Attachments to Aden Gun, starboard, group						1 set	—		CA.4
	A.214834	Adaptor						2	—		CA.4
7R/641	Dunlop ACO.26079	Adaptor, cocking (Alternative F.230941)						2	—	C.	CA.4
7R/	F.230941	Adaptor, cocking (Alternative to ACO.26079)						2	—	C.	
768	F.187866	Bar, locking, link-chute attachment						4	S.94.B	C.	CA.4
770	F.175964	Bolt, special, attaching gun mounting brackets						10	S.94.B	C.	CA.4
769	F.177014	Bolt, special, feed neck						6	S.94.B	C.	CA.4
	A.228887	Bracket, feed neck attachment, port						1	—		
9936	A.226007	Bracket, feed neck attachment, starboard						1	S.510	C.	CA.4
	C.208405	Bracket, gun mounting, port						1	—		CA.4
	C.208404	Bracket, gun mounting, starboard						1	Stamping	C.	
	B.225323	Contact, cradle, group (7R/8 modified)						2	—		
780	F.187874	Head, slotted, link chute						2	S.94.B	C.	CA.4
781	F.187868	Lever, link-chute attachment						2	—	C.	CA.4
782	F.187873	Pad, locking, link-chute attachment						2	S.80	C.	
7R/436	Dunlop ACO.7739	Plate, attachment, at cocking adaptor						2	—	B	
	F.229182	Plate, locking, feed neck attachment, port						1	S.510	C.	
	F.226005	Plate, locking, feed neck attachment, starboard						1	S.510	C.	CA.4

ARMAMENT-GUN INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
783	A.187870						1	S.80	C.	
784	A.187871						1	S.80	C.	CA.4
7R/437	Dunlop ACO.7738						2	Rubber	C.	CA.4
785	F.183105						2	Brass	C.	CA.4
5780	F.206705						2	DTD.215	C.	CA.4
5F/2281	Hellerman HV.3341						AR	—	C.	
5F/2282	Hellerman HV.3342						AR	—	C.	
	C.225322						2	—		
787	F.184270						4	S.3	C.	CA.4
	F.230766						2	—		CA.3
6975	A.213709						2	S.97.B	C.	CA.3
816	B.183106						2	Stamping	C.	CA.3
6781	B.214161						1	—	B.	CA.3
6782	B.214162						1	—	B.	CA.3
8814	F.208083						4	S.95.B	C.	CA.3
8815	B.208567						2	S.97.B	C.	CA.3
8816	B.208507						2	Stamping	C.	CA.3
7R/556	—						2	—	C.	
8817	B.208932						2	—	C.	CA.3
	F.212243						2	S.95.B		
	F.211790						2	L.65.C		
	F.211788						2	S.96.B		
	F.211791						2	S.1		
	F.211549						2	Sp. St.		
	F.211789						2	—		
3791	Std.1509/2/026						2	T.4	MR/C	4
8818	F.212929						2	DTD.166	C.	CA.3
817	B.172423						2	Stamping	C.	CA.3
851	A.190699						2	S.95.B	C.	CA.3
8819	A.208930						2	S.99.B	C.	CA.3
8820	F.208931						2	S.1.B	C.	CA.3
826	F.180624						2	S.97.B	C.	CA.3
8821	F.208099						4	S.97.B	C.	CA.3
	A.208082						2	L.65.C		CA.3
	Std.1507/23/020						4	T.26		
8822	F.208898						4	S.95.B	C.	CA.3
	F.208085						4	L.16		CA.3
8823	F.208419						2	S.1.B	C.	CA.3
8824	F.208084						4	S.95.B	C.	CA.3
	E.209610						1	—	A.	CA.1
	F.214505						2	—		
9858	K.A.C. C.5331						2	—	C.	
	E.209610/11						2	Neoprene Sponge		
	E.209610/12						2	Neoprene Sponge		
	E.209610/13						4	Neoprene Sponge		

ARMAMENT-GUN INSTALLATION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.	
							1
808	G.207964	Panel, armament and radio access, port, group ...	1	—		CA.1	
	A.233424	Panel, armament and radio bay access, starboard, group	1	—	A.	CA.1	
	F.220945	Bolt, pinch, supporting, panel, group ...	1	—			
	F.221144	Bolt ...	1	S.95.B or S.96.B			
	F.176633	Knob ...	1	S.94.B	C.	CA.2	
	F.211516	Spring ...	1	Sp. St.			
	A.233425	Landing, for starboard door ...	1	L.72			
	C.222229	<b>DOOR, ACCESS TO EXTERNAL SUPPLY SOCKET, SUB-ASSEMBLY</b>	—	—			
	8797	B.222228	Door, access, group ...	1	—	C.	CA.1
		Fairey FS.430/D	Fastener ...	2	—		
A.222226		Landing ...	1	L.72			
A.222227		Landing ...	1	L.72			
9640	K.A.C. D.4798	Fitting, attachment, for toggle fastener ...	2	—		CA.1	
	A.228959	Hook ...	4	Stamping		CA.1	
9474	K.A.C. C.7057	Housing, toggle fastener ...	2	—	C.	CA.1	
4034 26FH/3474 1327	K.A.C. C.7032	Lever and male link, for toggle fastener ...	2	—	C.	CA.1	
	G.207964/17	Ring, sealing, 1/8" thick ...	2	Felt			
	F.226994	Tube, distance ...	2	—			
	Std.1509/23/088	Tube, distance, at hook ...	8	T.4	MR/C	4	
	Std.1547/20/12	Washer, at hook ...	8	DTD.610	MR/C	4	
	Std.1547/24/12	Washer, at hook ...	4	DTD.610	C.	4	
	Std.1548/26/12	Washer, at distance tube ...	2	—	C.		
	C.211500	Panel, access to feed neck, port, group ...	1	—		CA.1	
	8622	C.211501	Panel, access to feed neck, starboard, group ...	1	—	A.	CA.1
		F.211517	Bolt, pinch, group ...	2	—		
808	F.210865	Bolt ...	1	S.96.B or S.95.B			
	F.176633	Knob ...	1	S.94.B	C.	CA.2	
A.211508	F.211516	Spring ...	1	Sp. St.			
	A.211508	Bracket ...	4	L.72			
D.229967	Panel, gun bay, access, group (less actuator) ...	1	—	A.	CA.2		
C.213844	<b>ACTUATOR AND VENTILATING GEAR, ASSEMBLY</b>	—	—				
5W/329 4768 1486‡ 1487‡ 8826 1492‡ 8827 2147	Plessey CZ.72257	Actuator, Jaguar ...	1	—	A.		
	Std.841/14	Clip, securing hinge pin ...	1	DTD.610	MR/C	4	
	F.191862	Lever, actuator shaft ...	1	Stamping	C.	CA.2	
	F.191861	Lever, door ...	1	Stamping	C.	CA.2	
	F.216294	Link, door lever (Local manufacture) ...	2	L.72		CA.2	
	F.218778	Pin, hinge ...	1	S.96.B	C.	CA.2	
	F.191863	Shaft, actuator ...	1	T.45	C.	CA.2	
	C.213659	Scoop ...	1	—	C.	CA.2	
	Std.915/C20	Washer, at attachment of bracket ...	1	DTD.610	C.	4	

ARMAMENT-GUN INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
1482	A.213330	<b>Bracket</b> , bearing, group ... ..					1	—	C.	CA.2
	F.191727	<b>Bush</b> ... ..					2	B.8		CA.2
	A.213331	<b>Bracket</b> , hinge ... ..					1	S.3		CA.2
	C.230986	<b>Door</b> , access, assembly ... ..					—	—		
	B.230930	<b>Door</b> , access ... ..					1	—		
	D.229966	<b>DUCT, GUN VENTILATION TO ACCESS PANEL, ASSEMBLY</b>					1	—		
	D.229823	<b>Duct</b> ... ..					1	L.59 & L.72		CA.2
	C.229766	<b>Support</b> , duct ... ..					1	L.72		CA.2
	F.213336	<b>Landing</b> , for duct, port ... ..					1	L.72		
	F.213337	<b>Landing</b> , for duct, starboard ... ..					1	L.72		
1490	B.213329	<b>Mounting</b> , actuator, group ... ..					1	—	B.	CA.2
	A.191726	<b>Bearing</b> , group ... ..					2	—		CA.2
1482	F.191727	<b>Bush</b> ... ..					1	B.8	C.	CA.2
	Std.1509/23/050	<b>Tube</b> , distance, for hinge bracket, $\frac{5}{16}$ " o/d x 17 S.W.G. x 0-5" long (Make from 30B/1784)					2	T.4		
	Std.1509/23/054	<b>Tube</b> , distance, for bearing bracket, $\frac{5}{16}$ " o/d x 17 S.W.G. x 0-54" long (Make from 30B/1784)					2	T.4		
①		→								
	234848	<b>Tank</b> , empty case collector, port, group ... ..					1	—	B. C. C.	
	234849	<b>Tank</b> , empty case collector, starboard, group ... ..					1	—		
9987	F.212647	<b>Bracket</b> , support, inboard, port and starboard, group					4	—		
9988	F.212648	<b>Bracket</b> , support, outboard, group ... ..					4	—		
	F.212945	<b>Ferrule</b> ... ..					1	S.96.B or S.95.B		
	Std.377/3B	<b>Washer</b> ... ..					1	S.94		
8799	C.212686	<b>Chute</b> , empty case, rear portion, port ... ..					1	S.3	B.	CA.1
	C.212687	<b>Chute</b> , empty case, rear portion, starboard ... ..					1	S.3		CA.1
	A.213864	<b>Duct</b> , ventilating ... ..					2	—		
	F.212649	<b>Piece</b> , distance, at inboard support bracket, port and starboard					4	L.56.C		
	F.212892	<b>Spigot</b> , fitting ... ..					4	—		
	Std.914/B/20	<b>Washer</b> ... ..					2	—		
8456	F.222336	<b>Washer</b> , tab, at gun front fairing ... ..					8	S.511	C.	
	F.219942	<b>Washer</b> , tab, for bolts at blast deflector ... ..					30	S.84		
①	F.234320	<b>Piece</b> , bridge (AS.830/98) ... ..					2	S.96B		
②	Std.1509/24/042	<b>Tube</b> , distance (AS.830/98)... ..					2	T.4		

ARMAMENT-GUN INSTALLATION


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
<b>SUMMARY OF STOCK ITEMS</b>										
28D/12511	A25.2.B	Bolt,	4	B.A.	...	...	...	...	...	-
28D/12512	A25.1.C	Bolt,	2	B.A.	...	...	...	...	...	-
28D/12513	A25.2.C	Bolt,	2	B.A.	...	...	...	...	...	-
28D/12532	A25.4.C	Bolt,	2	B.A.	...	...	...	...	...	-
28D/12533	A25.5.C	Bolt,	2	B.A.	...	...	...	...	...	-
28D/12514	A25.7.C	Bolt,	2	B.A.	...	...	...	...	...	-
28D/12516	A25.11.C	Bolt,	2	B.A.	...	...	...	...	...	-
28D/12537	A25.14.C	Bolt,	2	B.A.	...	...	...	...	...	-
28D/12517	A25.17.C	Bolt,	2	B.A.	...	...	...	...	...	-
28D/12518	A25.2.E	Bolt,	1/4"	B.S.F.	...	...	...	...	...	-
28D/12633	A.25.7.E	Bolt,	1/4"	B.S.F.	...	...	...	...	...	-
28D/12569	A25.10.E	Bolt,	1/4"	B.S.F.	...	...	...	...	...	-
28D/12812	A25.12.E	Bolt,	1/4"	B.S.F.	...	...	...	...	...	-
28D/12547	A25.15.E	Bolt,	1/4"	B.S.F.	...	...	...	...	...	-
28D/12773	A25.1.G	Bolt,	5/16"	B.S.F.	...	...	...	...	...	-
28D/8300	AS.1242.1B	Bolt,	4	B.A.	...	...	...	...	...	-
28D/8302	AS.1242.3B	Bolt,	4	B.A.	...	...	...	...	...	-
28D/8306	AS.1242/1C	Bolt,	2	B.A.	...	...	...	...	...	-
28D/8309	AS.1242/4C	Bolt,	2	B.A.	...	...	...	...	...	-
28D/8312	AS.1242/8C	Bolt,	2	B.A.	...	...	...	...	...	-
28D/8323	AS.1242/2E	Bolt,	1/4"	B.S.F.	...	...	...	...	...	-
28D/12125	AS.1242/22E	Bolt,	1/4"	B.S.F.	...	...	...	...	...	-
28D/8341	AS.1248/1C	Bolt,	2	B.A.	...	...	...	...	...	-
28D/8342	AS.1248/2C	Bolt,	2	B.A.	...	...	...	...	...	-
28D/8345	AS.1248/7C	Bolt,	2	B.A.	...	...	...	...	...	-
28D/12266	AS.1248/13C	Bolt,	2	B.A.	...	...	...	...	...	-
28D/9357	AS.1248/14C	Bolt,	2	B.A.	...	...	...	...	...	-
28D/12762	AS.2920/7E	Bolt,	1/4"	B.S.F.	...	...	...	...	...	-
28N/10786	AS.1878/45	Hinge	...	...	...	...	...	...	...	-
28M/13086	A27.BP	Nut,	4	B.A.	...	...	...	...	...	-
28M/12929	A27.CP	Nut,	2	B.A.	...	...	...	...	...	-
28L/13124	A27.CT	Nut,	2	B.A.	...	...	...	...	...	-
28L/12931	A27.ET	Nut,	1/4"	B.S.F.	...	...	...	...	...	-
28M/13123	A27.JS	Nut,	3/8"	B.S.F.	...	...	...	...	...	-
28M/13935	A58.ES	Nut,	1/4"	B.S.F.	...	...	...	...	...	-
28M/14833	A58.JS	Nut,	3/8"	B.S.F.	...	...	...	...	...	-
28M/10287	AGS.2001/B1	Nut,	4	B.A.	...	...	...	...	...	-
28M/10288	AGS.2001/C1	Nut,	2	B.A.	...	...	...	...	...	-
28M/10328	AGS.2002/C1	Nut,	2	B.A.	...	...	...	...	...	-
28M/10216	AGS.2008/C1	Nut,	2	B.A.	...	...	...	...	...	-
28M/10229	AGS.2009/C1	Nut,	2	B.A.	...	...	...	...	...	-
28M/14931	AGS.2009/G1	Nut,	5/16"	B.S.F.	...	...	...	...	...	-
28P/829	SP.4Y.B3	Pin	...	...	...	...	...	...	...	-
28P/831	SP.4Y.B5	Pin	...	...	...	...	...	...	...	-
28P/839	SP.4Y/B13	Pin	...	...	...	...	...	...	...	-
28P/864	SP.4Y.D6	Pin	...	...	...	...	...	...	...	-
28P/872	SP.4Y/D14	Pin	...	...	...	...	...	...	...	-
28P/12587	SP.9.C4	Pin	...	...	...	...	...	...	...	-
28P/12431	SP.9.C6	Pin	...	...	...	...	...	...	...	-


ARMAMENT-GUN INSTALLATION


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28P/9429528	SP.9.C8	Pin, split	...	...	...	...	...	—	—	—
28P/12262	SP.9/E6	Pin, split	...	...	...	...	...	—	—	—
28P/12351	SP.9.E8	Pin, split	...	...	...	...	...	—	—	—
28P/13330	SP.9.E16	Pin, split	...	...	...	...	...	—	—	—
28P/12464	SP.9.G10	Pin, split	...	...	...	...	...	—	—	—
28P/1253	AGS.213/22	Pin, taper	...	...	...	...	...	—	—	—
28P/5210	AGS.1551/1	Pin, safety	...	...	...	...	...	—	—	—
	AS.4570/66	Ring, retaining	...	...	...	...	...	—	—	—
28VV/9419466	SP.13J	Washer, $\frac{3}{8}$ " B.S.F.	...	...	...	...	...	—	—	—
28VV/9419473	SP.15B	Washer, 4 B.A....	...	...	...	...	...	—	—	—
28VV/9419475	SP.15C	Washer, 2 B.A....	...	...	...	...	...	—	—	—
28VV/9419405	SP.15E	Washer, $\frac{1}{4}$ " B.S.F.	...	...	...	...	...	—	—	—
28VV/9419477	SP.15J	Washer, $\frac{3}{8}$ " dia.	...	...	...	...	...	—	—	—
28VV/9419404	SP.16C	Washer, 2 B.A....	...	...	...	...	...	—	—	—
28VV/9419492	SP.16P	Washer, $\frac{9}{16}$ " dia.	...	...	...	...	...	—	—	—
28VV/9419456	SP.10G	Washer, $\frac{5}{16}$ " dia.	...	...	...	...	...	—	—	—
28VV/9419403	SP.13G	Washer, $\frac{5}{16}$ " dia.	...	...	...	...	...	—	—	—

ARMAMENT-GUN INSTALLATION


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				










ARMAMENT INSTALLATION













This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.