

FLYING CONTROLS—CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	B.199204	<b>FLYING CONTROLS, CENTRE FUSELAGE, ASSEMBLY</b>	-	-		
1928	F.196235	<b>Bolt</b> , attachment of aileron control tube to lever, frame 33	1	S.94.B	C.	
282	A.169493	<b>Bracket</b> , for rudder and elevator idling links, at frame 33 and 38	4	DTD.610	C.	DC.1
283	F.183798	<b>Bracket</b> , for rudder and elevator idling link, at frames 27 and 38	2	DTD.610	C.	DC.1
7142	A.201016	<b>Bracket</b> , for cross shaft at frame 33	2	Stmpg.	MR/C	DC.1
7143	B.202890	<b>Housing</b> , bearing aileron torque shaft aft of rear spar, group	1	Stmpg.	MR/B	DC.1
2A/9500420	BRT.1 $\frac{5}{16}$	<b>Bearing</b> ... ..	2	-	B.	
285	F.177841/2	<b>Tube</b> , distance, 1 $\frac{1}{2}$ " o/d x 14 S.W.G. x 2'910" long	1	T.4 or DTD.464	C.	DC.1
286	A.168403	<b>Link</b> , idling, rudder and elevator, between frames 33 and 34, group	2	-	B.	DC.1
287	A.168404	<b>Link</b> , idling, rudder and elevator, between frames 38 and 39, 27 and 28, group	3	-	B.	DC.1
288	A.170441	<b>Link</b> , idling, and bracket, between frames 23 and 24, 27 and 28, group	4	-	B.	DC.1
	A.169495	<b>Bracket</b> ... ..	1	DTD.610		DC.1
287	A.168404	<b>Link</b> , group ... ..	1	-	B.	DC.1
	A.227805	<b>Link</b> , idling, and bracket, between frames 27 and 28, group	1	-		DC.1
	A.227756	<b>Bracket</b> ... ..	1	M.S.		DC.1
	A.168405	<b>Link</b> ... ..	1	-		DC.1
7144	B.201292	<b>Lever</b> , aileron control, aft of rear spar, group	1	-	MR/B	DC.1
237	B.178823	<b>Lever</b> , aileron torque shaft, top aft of rear spar, group	1	-	B.	DC.1
7145	B.205161	<b>Lever</b> , aileron torque shaft, bottom aft of rear spar, group	1	-	MR/B	DC.1
292	F.165986	<b>Packing</b> , for rudder and elevator levers	4	DTD.610	C.	DC.1
7146	A.199242	<b>Shaft</b> , aileron torque, aft of rear spar	1	S.95.B	MR/B	DC.1
7147	A.201014	<b>Shaft</b> , cross, mounting of aileron, frames 32 and 33	2	T.50	MR/B	DC.1
299	A.180427	<b>Tube</b> , control, between frames 18 and 24, group	3	-	B.	DC.1
6339	A.199290	<b>Tube</b> , control, between frames 24 and 28, group	3	-	B.	DC.1
6340	A.199291	<b>Tube</b> , elevator and rudder control, between frames 27, 28, 33 and 34, group	2	-	B.	DC.1
4113	A.199284	<b>Tube</b> , elevator and rudder control, between frames, 33 34, 38 and 39, group	2	-	B.	DC.1
6341	A.199292	<b>Tube</b> , aileron control, between frames 28 and 33, group	1	-	B.	DC.1
6342	A.199258	<b>Tube</b> , aileron control, aft of rear spar, group	2	-	B.	DC.1
168	A.169527	<b>Eye-end</b> ... ..	1	-	B.	DC.1
6343	A.199240	<b>Tube</b> , aileron control, aft of rear spar, group	1	-	B.	DC.1
6344	A.199239	<b>Tube</b> , aileron control, aft of rear spar, group	1	-	B.	DC.1
306	A.171699	<b>Tube</b> , adjustable, elevator and rudder control, between frames 38 and 41, group	2	-	B.	DC.1
2368	F.171710	<b>Fork-end</b> ... ..	1	-	MR/C	DC.1

FLYING CONTROLS—CENTRE FUSELAGE


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
3790	Std.1509/24/050					<b>Tube</b> , distance, $\frac{3}{8}$ " o/d $\times$ 17 S.W.G. $\times$ .5" long ... (Make from 30B/557)	1	T.4	MR/C	DC.1
7148	F.201018					<b>Tube</b> , retaining cross shaft at frame 32 and 33 ...	2	L.62	MR/C	
309	Std.1208/167/84/30					<b>Washer</b> , shim, torque shaft ... ..	2	Shim Steel	C.	DC.1
7149	Std.1208/140/68/30					<b>Washer</b> , shim ailreon lever cross shaft ... ..	4	Shim Steel	MR/C	
	F.165985					<b>Washer</b> , at bracket attachment between frames 27 and 28	4	—		


FLYING CONTROLS—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
<b>SUMMARY OF STOCK ITEMS</b>										
28D/12513	A.25-2C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/12531	A.25-3C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/12532	A.25-4C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/12566	A.25-6C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/12535	A.25-12C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/12536	A.25-13C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/12538	A.25-15C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/12568	A.25-22C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/13105	A.25-26C	Bolt,	2	B.A.	...	...	...	...	...	—
28D/	A.30/9E	Bolt,	1/4"	B.S.F.	...	...	...	...	...	—
28D/	A.30/11E	Bolt,	1/4"	B.S.F.	...	...	...	...	...	—
28D/	A.30/12E	Bolt,	1/4"	B.S.F.	...	...	...	...	...	—
28D/	A.30/13E	Bolt,	1/4"	B.S.F.	...	...	...	...	...	—
28D/	A.30/27E	Bolt,	1/4"	B.S.F.	...	...	...	...	...	—
28D/15020	A.30.15E	Bolt,	1/4"	B.S.F.	...	...	...	...	...	—
28D/13263	A.30.10G	Bolt,	5/16"	B.S.F.	...	...	...	...	...	—
28M/5316	A.27.CP	Nut,	2	B.A.	...	...	...	...	...	—
28L/12931	A.27.ET	Nut,	1/4"	B.S.F.	...	...	...	...	...	—
28M/7683	AGS.572A	Nut,	1/4"	B.S.F.	...	...	...	...	...	—
28M/8101	AGS.572C	Nut,	5/16"	B.S.F.	...	...	...	...	...	—
28M/13439	AGS.572.CP	Nut,	2	B.A.	...	...	...	...	...	—
28M/13403	AGS.572.SP	Nut,	1/4"	B.S.F.	...	...	...	...	...	—
28M/15496	A.58.LT	Nut,	locking		...	...	...	...	...	—
28M/14537	A.58.GS	Nut,	5/16"	B.S.F.	...	...	...	...	...	—
28P/12462	SP.9.C8	Pin,	split		...	...	...	...	...	—
28L/12248	AGS.518/C	Tab,	locking		...	...	...	...	...	—
28W/9419475	SP.15.C	Washer,	2	B.A.	...	...	...	...	...	—
28W/9419404	SP.16.C	Washer,	2	B.A.	...	...	...	...	...	—
28W/9419405	SP.15.E	Washer,	1/4"	dia	...	...	...	...	...	—
28W/9499470	SP.15.G	Washer,	5/16"	dia.	...	...	...	...	...	—
28W/9419487	SP.16.E	Washer,	1/4"	dia.	...	...	...	...	...	—

FLYING CONTROLS—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				





This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

