

FLYING CONTROLS—OUTER WING

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		FLYING CONTROLS, OUTER WING, ASSEMBLY	-	-		
8358	D.181483-4	Bolt , flap, inboard hinge	2	S.95.B	C.	DG.2
8356	A.215630	Bolt , flap, inner and outer hinges	4	S.95.B	C.	DG.2
8357	A.215628	Bolt , flap, hinge at flap jack	2	S.95.B	C.	DG.2
137	A.215629	Bolt , flap hinge at flap jack	2	S.95	C.	DG.2
4087	F.170109	Bolt , flap jack operating lever attachment	2	S.95.B	C.	5
	Std.1639/13EX	Bolt , at idling line fulcrum	2	S.95.B	C.	
	C.199991	DETAILS IN PORT WING, ASSEMBLY	-	-		
	F.185694	Angle , connector rod anchor, flap inboard bearing bracket	1	DTD.364		
8436	A.199188	Cable , operating desynn transmitter, group ...	1	-	B.	DG.2
		Consisting of :—				
29H/4109	Latch & Batchelor 1/00	Cable , flexible, special $\frac{1}{32}$ " dia.	25"	-	C.	
29H/1878	Bowden B.52	Casing , outer	21"	-	C.	
29H/1893	Bowden PN.980	Ferrule , plain	2	-	C.	
29H/1176	Bowden PN.935	Nipple	1	-	C.	
	F.189497	Nipple , special	1	B.11		
29H/—	Bowden PN.1160	Nut	1	-	C.	
29H/1900	Bowden PN.1159	Stop , adjusting	1	-	C.	
1310	A.185383	Lever , flap interconnecting, inboard hinge ...	1	-	B.	DG.2
148	F.176488	Lever , flap interconnecting, inboard hinge ...	1	DTD.364	C.	DG.2
4482	F.199213	Link , at desynn transmitter	1	L.72	C.	DG.2
153	F.181946	Peg , attachment of flap levers, inboard hinge ...	1	S.95.B	C.	DG.2
154	Std.1221/Y/B40	Pin , attachment of control rod to position indicator lever	2	S.2	C.	4
1315	F.185697	Rod , connecting levers, flap inboard bearing bracket	1	-	C.	DG.2
4480	F.199191	Shackle , at desynn transmitter	1	S.3	C.	DG.2
4469	F.157015	Spring , at desynn transmitter	1	Steel	C.	DG.2
	C.185037-8	FLAP, SYNCHRONISING, JACK MOUNTING, ASSEMBLY	-	-		
4218	A.198798	Adaptor	4	DTD.364	C.	DG.2
1305	C.185039-40	Blocks , bearing, port	1 pr.	-	C.	DG.2
1307	C.185041-2	Blocks , bearing, starboard	1 pr.	-	C.	DG.2
74	Std.1553/C40	Bolt , special	16	S.99.B	C.	5
1304	F.185860	Bolt , securing jack to lever	2	S.99.B	C.	DG.2
4219	F.191499	Bolt , banjo	4	S.95.B	C.	DG.2
7680	Std.1231/3.B	Lug , locking	4	S.2	MR/C	4
4214	A.198842/1	Pipe , greaser, port, inner	1	-	C.	DG.2
4215	A.198842/2	Pipe , greaser, starboard, inner	1	-	C.	
4216	A.198842/3	Pipe , greaser, port, outer	1	-	C.	DG.2
4217	A.198842/4	Pipe , greaser, starboard, outer	1	-	C.	
28Q/12001	Dowty SP.815/3	Seal	4	-	C.	
	F.202783	Shim , flap synchronising jack mounting	QR	L.72		
	F.202784	Shim , flap synchronising jack mounting	QR	L.72		
	F.202785	Shim , flap synchronising jack mounting	QR	L.72		
	F.202786	Shim , flap synchronising jack mounting	QR	L.72		
4150	Std.915/C.22	Washer	4	DTD.610	C.	4

FLYING CONTROLS—OUTER WING

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
138	B.182043	Lever, aileron, inboard, group ...								
2A/9500415	B.R.A. $\frac{1}{2}$	Bearing ...						—	B.	DG.1
	Std.1357/40	Ferrule ...						—	B.	
5783	A.120920	Sleeve ...						S.2	C.	DG.1
	Std.184/5B	Washer ...						S.2	C.	DG.1
146	B.181399	Lever, aileron control, rib "L" ...						—	B.	DG.1
151	A.181278	Link, idling, aileron control ...						—	B.	DG.1
	C.201270-1	LINKAGE, AILERON BOOSTER, ASSEMBLY						—		
127	A.181938	Bearing, aileron booster unit ...						—	B.	DG.1
130	F.182035*	Bolt, attachment of bearing blocks at aileron booster unit						S.95B	C.	
5278	Std.1639/4EX	Bolt, attachment of bearing blocks at aileron booster unit						S.95.B	C.	5
5257	F.201358	Bolt, attachment of booster unit to lever...						S.95.B	C.	DG.2
5262	C.201270/A	Housing, bearing, port, group						—	B.	DG.1
		Consisting of :—								
	Std.1553/E.145	Bolt ...						S.99		
	B.201276	Housing, group ...						—		
	F.168683	Stud ...						H.T.S.		
4189	F.198959	Stud ...						H.T.S.	C.	DG.1
28M/12930	A27.ES	Nut ...						—	C.	
28P/12462	SP.9.C8	Pin, split ...						—	C.	
	A.201278	Plug, end ...						H.T.S.		
28W/14183	AS.1903/E12	Saddle ...						—	C.	
5263	C.201271/A	Housing, bearing, starboard, group						—	B.	DG.1
		Consisting of :—								
	Std.1553/E.145	Bolt ...						S.99		
	B.210277	Housing, group ...						—		
	F.168683	Stud, ...						H.T.S.		
4189	F.198959	Stud ...						H.T.S.	C.	DG.1
28M/12930	A.27.ES	Nut ...						—	C.	
28P/12462	SP.9.C8	Pin, split ...						—	C.	
	A.201278	Plug, end ...						H.T.S.		
28W/14183	AS.1903/E12	Saddle ...						—	C.	
7957	B.215041	Lever, aileron booster unit, port, group						—	B.	DG.1
7958	B.215042	Lever, aileron booster unit, starboard, group						—	B.	DG.1
2A/9501242	BRL. $\frac{3}{8}$	Bearing ...						—	B.	
1560	A.191949	Block, bearing ...						Stamping	C.	DG.1
1561	F.191951	Bolt, bearing retaining ...						S.96.B	C.	DG.1
132	F.182095	Bolt, shackle attachment ...						S.95.B	C.	DG.1
1562	A.191950	Cap, bearing retaining ...						DTD.364	C.	DG.1
	C.201274	Lever, port, group						—		
	C.201275	Lever, starboard, group						—		
5261	F.202435	Bush ...						BSS.369	C.	DG.1
	Std.1357/37	Ferrule ...						S.2		
	Std.1357/38	Ferrule ...						S.2		
174	F.182015	Pin, lever attachment ...						S.97.B	C.	DG.1

FLYING CONTROLS—OUTER WING

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5					
1052 156 2A/9500365	B.182065										
	B.182066										
	F.168914							S.95.B			
	Std.1357/41							S.2			
	Std.1357/42							S.2		4	
	A.182072							—	B.	DG.1	
	ACL. 8							—	B.		
		F.168716							S.95.B		
		F.168717							S.95.B		
	7959	F.214989						QR	S.1	C.	DG.1
	7960	F.214990						QR	S.1	C.	DG.1
	7961	F.214991						QR	S.1	C.	DG.1
	7962	F.214992						QR	S.1	C.	DG.1
	1501	F.190470						2	DTD.610	C.	DG.1
	1559	F.192086						2	S.3	C.	DG.1
	8053	Std.1208/180/88/20						QR	Shim Steel	C.	4
	8054	Std.1208/180/88/30						QR	Shim Steel	C.	4
	8055	Std.1208/180/88/45						QR	Shim Steel	C.	4
	4109	F.199249						2	S.3	C.	
	4110	F.199250						14	S.3	C.	
	157	F.181791						2	Stamping	B.	DG.1
	7122	F.210462						QR	DTD.166	C.	
	7123	F.210463						QR	DTD.166	C.	
	7124	F.210464						QR	DTD.166	C.	
7125	F.210465						QR	DTD.166	C.		
7126	F.210466						QR	DTD.166	C.		
7127	F.210467						QR	DTD.166	C.		
7128	F.210468						QR	DTD.166	C.		
7129	F.210469						QR	DTD.166	C.		
9609	A.229676						2	—	B.	DG.1	
8362	F.215654						2	DTD.166	C.	DG.2	
8360	F.215167						2	S.95.B	C.	DG.2	
8359	F.215166						4	S.95.B	C.	DG.2	
8361	F.215165						2	S.95.B	C.	DG.2	
164	A.180993						1	—	B.	DG.1	
165	A.180994						1	—	B.	DG.1	
166	A.180995						2	—	B.	DG.1	
1502	A.191584						2	—	B.	DG.1	
168	A.169527						1	—	B.	DG.1	
169	A.171048						1	—	B.	DG.1	
170	A.171049						1	—	B.	DG.1	

FLYING CONTROLS—OUTER WING

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/12512	A25-1C	Bolt,	2	B.A.	—
28D/12513	A25-2C	Bolt,	2	B.A.	—
28D/12531	A25-3C	Bolt,	2	B.A.	—
28D/12566	A25-6C	Bolt,	2	B.A.	—
28D/12634	A25-18E	Bolt,	$\frac{1}{4}$ "	B.S.F.	—
28D/14365	A30-11G	Bolt,	$\frac{5}{16}$ "	B.S.F.	—
28D/13477	A30.13.J	Bolt,	$\frac{3}{8}$ "	B.S.F.	—
28D/8309	AS.1242/4C	Bolt,	2	B.A.	—
28D/	A30/9G	Bolt,	$\frac{5}{16}$ "	B.S.F.	—
28D/	A30/20J	Bolt,	$\frac{3}{8}$ "	B.S.F.	—
28D/	A30/5C	Bolt,	$\frac{1}{2}$ "	B.S.F.	—
28N/9796	SP.21	Lubricator	—
28M/12929	A27.C.P	Nut,	2	B.A.	—
28M/13121	A27.C.S.	Nut,	2	B.A.	—
28L/13124	A27.C.T.	Nut,	2	B.A.	—
28M/12930	A27.E.S.	Nut,	$\frac{1}{4}$ "	B.S.F.	—
28M/13122	A27.G.S.	Nut,	$\frac{5}{16}$ "	B.S.F.	—
28M/13123	A.27.J.S.	Nut,	$\frac{9}{16}$ "	B.S.F.	—
28M/13028	A27.J.T.	Nut,	$\frac{3}{8}$ "	B.S.F.	—
28M/13120	A27.L.S.	Nut,	$\frac{7}{16}$ "	B.S.F.	—
28M/14537	A58.G.S.	Nut,	$\frac{5}{16}$ "	B.S.F.	—
28M/15496	A58.L.T.	Nut,	$\frac{7}{16}$ "	B.S.F.	—
28M/14555	A58.N.S.	Nut,	$\frac{1}{2}$ "	B.S.F.	—
28M/8101	AGS.572.C	Nut,	$\frac{5}{16}$ "	B.S.F.	—
28M/7727	AGS.572.E	Nut,	$\frac{3}{8}$ "	B.S.F.	—
28M/7748	AGS.572.J	Nut,	$\frac{9}{16}$ "	B.S.F.	—
28M/10288	AGS.2001/C1	Nut,	2	B.A.	—
28M/10328	AGS.2002/C1	Nut,	2	B.A.	—
28P/828	SP.4.Y.B2	Pin	—
28W/9419475	SP15.C	Washer,	2	B.A....	—
28W/9419476	SP15.G	Washer,	$\frac{5}{16}$ "	B.S.F.	—
28W/9419477	SP15.J	Washer,	$\frac{3}{8}$ "	B.S.F.	—
28W/9419478	SP15.L	Washer,	$\frac{7}{16}$ "	B.S.F.	—
28W/9419404	SP16.C	Washer,	2	B.A....	—
28W/9419488	SP16.G	Washer,	$\frac{5}{16}$ "	B.S.F.	—
28W/9419489	SP16.J	Washer,	$\frac{3}{8}$ "	B.S.F.	—
28W/9419492	SP16.P	Washer,	$\frac{9}{16}$ "	B.S.F.	—

MOD 737

A 229676

A 182072

A 181938

F 182095

F 201358

F 214989
& 90

F 214991
& 2

F 198959

A 168741

PRE MOD
737

B 215041
& 2

F 190470

F 202435

F 182015

F 192086

A 191950

A 191949

F 191951

A 191584

F 181791

A 180995

A 169527

A 180993
& 4


A 171048
& 9


A 120920


A 181278


B 182043

B 181399









This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

