

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
	G.231134	ELECTRICAL EQUIPMENT, CENTRE FUSELAGE, ASSEMBLY					—	—		
	D.231612	ADDITIONAL DETAILS, SPINE CLIPPING AND EQUIPMENT ON FRAME 19, ASSEMBLY					—	—		
9546	C.225131	Box , junction, ARM No. 1, group					1	—	B.	
	F.214406	Block , mounting					4	L.65.C		
	F.214407	Block , mounting					2	L.65.C		
5X/3181	Plessey CZ.23212/1	Block , terminal, 20-way					1	—	B.	
5X/2863	Plessey CZ.24285	Block , terminal, 10-way					3	—	B.	
	C.214402	Box					1	—		
	F.214404	Bracket , relay mounting					1	—		
	A.214844	Cable , arm, earthing					1	—		
	A.159698	Ferrule					2	BSS.265		
5X/6168	Plessey Z.23197	Gasket					2	—	C.	
5CZ/5073	Dowty C.5165Y Mk. 1	Indicator , magnetic					1	—	B.	
	6029 B.202522	Lid					1	L.59	MR/C	
5X/6163	Plessey Z.50210	Link , commoning					2	—	C.	
5X/6173	Plessey Z.50213	Link , commoning					1	—	C.	
	F.214405	Plate , switch, mounting					1	L.65.C		
10H/0560150	Plessey CZ.49112	Plug , panel unit					1	—	C.	
10H/0560200	Plessey	Plug , panel unit					1	—	C.	
10H/0560203	Plessey	Plug , panel unit					1	—	C.	
10F/Z.530032	Plessey	Relay					1	—	B.	
5CW/540	—	Switch , push, D.P. flange type " B "					1	—	B.	
	Std.2045/57/20	Clip , sleeved, securing cables					1	S.510 or S.511		
	Std.2045/23/24	Clip , sleeved, securing cables					1	S.510 or S.511		
	Std.2045/25/24	Clip , sleeved, securing cables					2	S.510 or S.511		
	Std.2046/55/20	Clip , sleeved, securing cables					1	S.510 or S.511		
	Std.2046/72/20	Clip , sleeved, securing cables					1	S.510 or S.511		
	Std.2045/67/20	Clip , sleeved, securing cables					1	S.510 or S.511		
	Std.2046/27/22	Clip , sleeved, securing cables					1	S.510 or S.511		
	Std.2076/50/20	Clip , sleeved, securing cables					1	S.510 or S.511		
	Std.2076/55/20	Clip , sleeved, securing cables					1	S.510 or S.511		
	Std.2076/57/20	Clip , sleeved, securing cables					2	S.510 or S.511		
	Std.2076/65/20	Clip , sleeved, securing cables					2	S.510 or S.511		
	Std.2076/30/22	Clip , sleeved, securing cables					1	S.510 or S.511		
	Std.2076/44/22	Clip , securing cables					1	S.510 or S.511		
	Std.2076/23/24	Clip , securing cables					1	S.510 or S.511		

ELECTRICAL EQUIPMENT-CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5F/2281	Hellermann HV.3341					Strapping	QR	—	C.	
5F/2282	Hellermann NY.3342					Stud	QR	—	C.	
27N/93	—					Switch, inertia	1	—	A.	
26BX/5344	Std.915/E/8					Washer, 1/4" B.S.F.	4	DTD.610	C.	4
	Std.1335/E/8					Washer, 1/4" B.S.F.	4	L.4, L.34 or L.17	C.	
5CZ/430	—					Block, terminal	1	—	B.	
	A.205661					BLOCK, TERMINAL, No. 11, BETWEEN FRAMES 35 AND 36, ASSEMBLY	—	—		
5X/2863	Plessey CZ.24285					Block, terminal, 10-way	1	—	B.	
5X/3275	Plessey CZ.26808					Cover	1	—	B.	
5X/6163	Plessey Z.50210					Link, commoning, 2-way	1	—	C.	
	A.217841/1					Label	1	—		
5X/3278	Plessey Z.28426					Pillar	2	—	C.	
	Std.1953/1-10					Sleeve, marker	1 set	—		
	A.210718					BLOCK, TERMINAL, No. 14, ON FRAME 29, ASSEMBLY	—	—		
5X/3268	Plessey CZ.50207					Block, terminal, 5-way	1	—	B.	
5X/3274	Plessey CZ.26805					Cover	1	—	B.	
	A.210718/1					Label	1	—		
5X/3278	Plessey Z.28426					Pillar	3	—	C.	
	Std.1953/1-5					Sleeve, marker	1 set	—		
	A.210852					BLOCK, TERMINAL, No. 16, ON FRAME 26, ASSEMBLY	—	—		
5H/13	AS.2654					Block, terminal	1	—	B.	
5H/14	AS.2655					Cover	1	—	C.	
	A.210852/1					Label	1	—		
	A.205780					BLOCK, TERMINAL, No. 17, ON FRAME 33, PORT SIDE, ASSEMBLY	—	—		
5X/3268	Plessey CZ.50207					Block, terminal, 5-way	1	—	B.	
5X/3274	Plessey CZ.26805					Cover	1	—	B.	
5X/6163	Plessey Z.50210					Link, commoning	1	—	C.	
	A.205780/1					Label	1	—		
5X/3278	Plessey Z.28426					Pillar	2	—	C.	
	Std.1953/1-5					Sleeve, marker	1 set	—		
	A.216517					BLOCK, TERMINAL, No. 4, ASSEMBLY	—	—		
5D/506	—					Box, junction, 5-way	1	—	B.	
5K/2374	—					Disc, blanking	3	—	C.	
5K/87	—					Nut, gland	3	—	C.	
	A.215761					Box, terminal, T.B.83, group	1	—		
5X/2863	Plessey CZ.24285					Block, terminal	1	—	C.	
	A.215762					Box	1	—		
8480	A.215763					Lid	1	L.16	C.	
5X/6163	Plessey Z.50210					Link, 2-way	1	—	C.	

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5X/3181	D.231585	Box, junction, No. 1, group	1	—		
	Plessey CZ.23212/1	Block, terminal, 20-way	4	—	B.	
5E/3038	D.213198	Box, junction	1	—		
	B.207100	Cable, E.9/A (See cable chart)	1	—		
5E/3040	—	Cable, unipren 6	QR	—	C.	
5E/3042	—	Cable, unipren 12	QR	—	C.	
	—	Cable, unipren 24	QR	—	C.	
6714	Plessey P.86948	Fastener, "Dzus A.4-30" (Use 28FP/147)	2	—	—	
	Plessey P.86949	Grommet, "Dzus GA.4.250"	2	—	—	
5X/6163	C.213287	Lid	1	L.59	C.	
	Plessey Z.50210	Link, 2-way	10	—	C.	
5X/6172	Plessey Z.50212	Link, 4-way	1	—	C.	
5X/6314	Plessey Z.50214	Link, 6-way	1	—	C.	
5X/6317	Plessey Z.50218	Link, 10-way	1	—	C.	
5X/3259	Plessey Z.50219	Link, transverse	2	—	C.	
7812	F.206915	Plate, tapped	1	L.72	MR/C	
7813	F.206916	Plate, tapped	1	L.72	MR/C	
7814	F.206917	Plate, tapped	1	L.72	MR/C	
7815	F.206918	Plate, tapped	11	L.72	MR/C	
5X/6328	Plessey CZ.50375	Plug, code 8	1	—	B.	
5X/6185	Plessey CZ.50361	Plug, code 21	11	—	B.	
5X/6181	Plessey CZ.50356	Plug, code 4	1	—	B.	
5X/6091	Plessey CZ.28108	Plug, code 14	1	—	B.	
10H/560150	Plessey CZ.49112	Plug, panel unit code 48	1	—	B.	
5X/3148	Plessey Z.49428	Sleeve, 4 to 7 amp.	261	—	C.	
5X/3146	Plessey Z.49397	Sleeve, 7 to 19 amp.	4	—	C.	
5K/3455	—	Sleeve, Helsyn, plus JP x 3/4"	9	—	C.	
5X/	Std.1953/1-80	Sleeve, marker	1 set	—		
	Std.1948/11	Sleeve, marker	QR	—		
	Std.1949/11	Sleeve, marker	QR	—		
5X/	Erma 12431	Tag, 4 amp.	122	—		
5X/	Erma 12432	Tag, 12 amp.	7	—		
5X/	Erma 12434	Tag, 24 amp.	10	—		
5D/1761	—	Box, distribution, R.P. firing	1	—	A.	
9548	C.226302	Box, junction, No. 3, group	1	—	A.	
5X/3181	Plessey CZ.23212/1	Block, terminal, 20-way	1	—	B.	
6716	A.207258	Box	1	L.59		
	C.206407	Cable assembly, ES1, group	1	—		
5X/6163	C.206408	Cable assembly, ES2, group	1	—		
	B.206410	Cable assembly, ES4, group	1	—		
5X/6171	B.206411	Cable assembly, ES5, group	1	—		
	C.206412	Cable assembly, ES6, group	1	—		
3736	B.207207	Plug, form, C12, group	1	—		
	A.207256	Lid	1	L.59		
3736	Plessey Z.50210	Link, commoning, 2-way	1	—	C.	
	Plessey Z.50211	Link, commoning, 3-way	1	—	C.	
3736	Std.1953/1-20	Sleeve, marker	1 set	—		
	F.217768	Bracket, for detector switch	1	—		
	—	Cables, electric (See cable chart)	—	—		
3736	Std.841/17	Clip, securing cable at solenoid	1	DTD.610	C.	

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D.210822-4	CLIPPING, DETAILS, FOR CABLES, ASSEMBLY ...	-	-		
7967	F.214387	Bracket , cable support, for cable, frame 30 ...	3	LFS.21	C.	
6033	A.201236	Bracket , wing service, port, outboard ...	1	S.84	MR/C	
6031	B.201234	Bracket , wing service, port, inboard ...	1	S.84	MR/C	
6032	B.201235	Bracket , wing service, starboard ...	1	S.84	MR/C	
4776	B.198696	Bracket , mounting, for cables C16, C18 and C20 ...	1	DTD.610	MR/C	
7817	B.204926	Bracket , mounting, for cable, frame 26, starboard side	1	L.72	C.	
7818	A.203726	Bracket , mounting, for H.T. ignition connection ...	1	L.72	C.	
8378	B.207416	Cables , starter ignition ...	2	-	B.	
4780	F.197582	Clip , securing cables CA30, at frame 19 ...	2	DTD.610	MR/C	
4781	F.196789	Clip , securing cables, at frame 19 ...	3	DTD.610	MR/C	
	F.210880	Clip , securing cables, on frame 19 ... (Local manufacture)	1	L.72		
6035	F.205571	Clip , securing cables ...	6	L.72	MR/C	
	F.196759	Clip , securing cables, at frame 19 ...	1	DTD.610		
	Std.2045/17/26	Clip , sleeved ...	3	S.510 or S.511		
	Std.2045/18/26	Clip , sleeved ...	1	S.510 or S.511		
	Std.2045/20/24	Clip , sleeved ...	1	S.510 or S.511		
	Std.2045/22/24	Clip , sleeved ...	1	S.510 or S.511		
3971	Std.840/19	Clip , securing cables, at port side of frame 19, $\frac{7}{16}$ " wide x 22 S.W.G. x 1-9" long	1	DTD.610	C.	4
4797	Std.840/27	Clip , securing cable, mounting bracket on frame 26, starboard side, $\frac{7}{16}$ " wide x 22 S.W.G. x 2-7" long	1	DTD.610	C.	4
3742	Std.840/37	Clip , securing cable, $\frac{7}{16}$ " x 22 S.W.G. x 3-7" long	1	DTD.610	C.	4
	Std.2045/40/22	Clip , sleeved ...	1	S.510 or S.511		
4773	Std.840/42	Clip , securing, at frames 29, 34 and 35, $\frac{7}{16}$ " wide x 22 S.W.G. x 4-2" long (Make from 30B/1433)	1	DTD.610	MR/C	4
	Std.840/58	Clip , securing cable, on frame 19, $\frac{7}{16}$ " wide x 22 S.W.G. x 5-8" long	1	DTD.610		
	Std.2045/79/20	Clip , sleeved ...	2	S.510 or S.511		
	Std.2046/17/26	Clip , sleeved ...	1	S.510 or S.511		
4159	Std.841/20	Clip , securing cables, at frames 28, 29, 37 and 38, $\frac{7}{16}$ " wide x 22 S.W.G. x 2" long	3	DTD.610	C.	4
4821	Std.841/22	Clip , securing cables, $\frac{7}{16}$ " wide x 22 S.W.G. x 2-2" long	1	DTD.610	C.	4
	Std.841/27	Clip , securing cables, starter and gear box access doors, $\frac{7}{16}$ " wide x 22 S.W.G. x 2-7" long	3	DTD.610		
4760	Std.841/32	Clip , $\frac{7}{16}$ " wide x 22 S.W.G. x 3-2" long (alternative to Std.841/27 on starter and gear box access doors)	3	DTD.610	C.	4
	Std.2045/48/20	Clip , sleeved ...	2	S.510 or S.511		
	Std.2045/38/22	Clip , sleeved ...	1	S.510 or S.511		
	Std.2045/17/26	Clip , sleeved ...	1	S.510 or S.511		
	Std.2046/25/24	Clip , sleeved ...	2	S.510 or S.511		

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5					
6010	Std.2046/29/22	Clip, sleeved	1	S.510 or S.511	MR/C	4	
	Std.2046/35/22	Clip, sleeved	3	S.510 or S.511			
	Std.2046/31/22	Clip, sleeved	1	S.510 or S.511			
	Std.2046/36/22	Clip, sleeved	1	S.510 or S.511			
	Std.841/41	Clip, securing cables, on frame 30, starboard side and stub wing, $\frac{7}{8}$ " wide x 22 S.W.G. x 4-1" long	3	DTD.610			
	Std.2046/62/20	Clip, sleeved	2	S.510 or S.511			
	Std.841/62	Clip, support for cables, on frame 26, $\frac{7}{8}$ " wide x 22 S.W.G. x 6-2" long	1	DTD.610			
	Std.850/58	Clip, securing cable, frame 26, $\frac{7}{8}$ " wide x 22 S.W.G. x 5-8" long	2	DTD.610			C.
	Std.2046/42/22	Clip, sleeved	2	S.510 or S.511			
Std.2046/46/20	Clip, sleeved	1	S.510 or S.511				
D.210428-9	CLIPPING, FOR CABLES BETWEEN FRONT AND CENTRE FUSELAGE, ASSEMBLY					-	-				
4823	Std.841/42	Clip, securing cables, at frame 17B, $\frac{7}{8}$ " wide x 22 S.W.G. x 4-2" long (Make from 30B/1433)	1	DTD.610	C.	4	
3737	Std.840/22	Clip, securing cable C5, at frame 17B, $\frac{7}{8}$ " wide x 22 S.W.G. x 2-2" long (Make from 30B/1433)	1	DTD.610	MR/C	4	
3735	Std.840/16	Clip, securing cable, on generator control panel, $\frac{7}{8}$ " wide x 22 S.W.G. x 1-6" long	1	DTD.610	MR/C	4	
5F/2281	Hellermann HV.3341	Strapping	QR	-	C.		
5F/2282	Hellermann HV.3342	Stud	QR	-	C.		
	Std.1285/7CC	Connector, earthing, at frame 37	1	-			
	Plessey Z.29888 or KLG.4383	Connector, ignition bulkhead	2	-			
	A.217659	Cover	2	L.72			
	A.210936	EARTHING POINT No. 9, ON MAIN SPAR, ASSEMBLY					-	-			
	Std.1298/1	Stud	1	S.1	C.	4	
4613	Std.1335/C18	Washer	3	L.4	C.	4	
6725	F.210117	Fairlead, for cable on frame 38	2	LFS.21	C.		
6726	F.210118	Fairlead, for cable on starboard side of rear spar	2	LFS.21	C.		
6721	F.210116	Fairlead, for cable on frames 28 and 38	4	LFS.21	C.		
6722	F.210115	Fairlead, for cable on frames 28 and 38	4	LFS.21	C.		
6723	F.210114	Fairlead, for cable on frame 38	2	LFS.21	C.		
6724	F.210119	Fairlead, for cable on frame 30	2	LFS.21	C.		
9060	B.219799	Guard, cable, on frame 19	1	DTD.171	C.		
7819	A.203164	Guard, cable, on frame 36	1	DTD.171	MR/C		

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A.224199	INDICATOR, CONTENTS, FUEL FILTER DE-ICING TASK, ASSEMBLY					-	-		
9028	B.216875 F.216625	Bracket, mounting					1	-		
		Indicator					1	S.21.B & S.3	C.	
9027	A.222152	Solenoid					1	-	C.	
9030	F.216627	Spool, lever					1	-	C.	
9029	F.216626	Spring					1	Sp. Stl.	C.	
5CX/	Flight Refuelling B.4507000/17	Indicator, refuelling, 6 amp.					1	-	A.	
	F.216255	Plate, mounting, on port and starboard stub wing					2	L.72		
5F/2281	Hellermann HV.3341	Strapping, $\frac{1}{2}$ " wide					QR	-	C.	
5F/2282	Hellermann HV.3342	Stud					QR	-	C.	
9061	F.219800	Stud, for cable guard at frame 19					2	S.1	C.	
5971	F.204387	Support, cable, at frame 30					1	-	C.	
5CW/5501	Venner PTA/HA/ W19055	Switch, time					1	-	A.	
4042	Std.1509/23/030	Tube, distance, $\frac{5}{8}$ " o/d x 16 S.W.G. x .3" long, at frame 35 (Make from 30B/556)					3	T.4	MR/C	4
	Std.1509/23/038	Tube, distance, on frame 30, $\frac{5}{8}$ " o/d x 17 S.W.G. x 0.38" long (Make from 30B/556)					2	T.4	-	
3029	Std.1509/23/050	Tube, distance, $\frac{5}{8}$ " o/d x 17 S.W.G. x .5" long, at frame 31 (Make from 30B/556)					1	T.4	MR/C	4
4827	Std.1509/23/080	Tube, distance, $\frac{5}{8}$ " o/d x 17 S.W.G. x .8" long, between frames 36 and 37 (Make from 30B/556)					4	T.4	MR/C	4
4619	Std.1335/E/18 Std.2045/17/26	Washer, for cable attachment					4	-		
		Clip, sleeved					1	S.510 or S.511		
	Std.2046/20/24	Clip, sleeved					1	S.510 or S.511		
	Std.2046/17/26	Clip, sleeved					2	S.510 or S.511		
	Std.2046/26/24	Clip, sleeved					1	S.510 or S.511		
29H/2100	Bowden 448	Clip, pliable					96	-	C.	
6A/4389	Smiths Waymouth CRC/146	Connector					1	-	B.	
6A/4382	Smiths Waymouth CJ/136	Connector					1	-	B.	
6A/4386	Smiths Waymouth CR/154	Connector					1	-	B.	
6A/4391	Smiths Waymouth CJC/166	Connector					1	-	B.	
6A/4384	Smiths Waymouth CR.30	Connector					1	-	B.	
6A/4385	Smiths Waymouth CR.65	Connector					1	-	B.	
6A/4387	Smiths Waymouth CR.192	Connector					1	-	B.	
6A/4388	Smiths Waymouth CR.228	Connector					1	-	B.	

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
		EARTHING POINT, No. 20, ASSEMBLY								
6727	A.210738	Stud		1			S.95.B	C.		
3777	F.209455	Washer		2			L.4	C.	4	
4619	Std.1335/G/18	Washer		2			L.4	C.	4	
		EARTHING POINTS, No. 10 AND 16, ASSEMBLY								
3777	A.210774-5	Washer		2			L.4	C.	4	
37A/1790	Std.1335/G/18	Igniter, high energy, type C.10.TS/3		2			—	B.		
6728	—	Lead, ignition, group		2			—	B.		
	C.206657	Consisting of:—								
5E/3203	—	Cable, Uniplughitemp, No. 6		QR			—	C.		
	United Metallic	Conduit, braided		QR			—	—		
	U.F.M.T.110	Contact-button		2			—	C.		
5CZ/5302	Lodge C.G.16	Clip		1			—	C.		
29H/2100	Bowden 448	Elbow, assembly		1			—	—		
	Lodge E.A2-90°	Ferrule		2			—	C.		
37B/4118	Rolls Royce	Ferrule, spring type		2			—	—		
	CN.13706	Nut		2			—	—		
	Lodge SF.35	Sleeve, insulating		1			—	—		
	Lodge N.29									
	Lodge SS.40									
5F/2281	Hellerman	Strapping		QR			—	C.		
	HV.3341									
5F/2279	Hellerman	Strapping		QR			—	C.		
	HV.3254									
5F/2280	Hellerman	Stud		QR			—	C.		
	NV.3255									
5F/2282	Hellerman	Stud (Alternative to OP.3342)		QR			—	C.		
	HV.3342									
	Hellerman	Stud (Alternative to HV.3342)		QR			—	C.		
	OP.3342									
27N/91	—	Switch, flame detector, Mk. 4		8			—	A.		
	Std.1509/23/124	Tube, distance, at flame switch mounting, $\frac{5}{16}$" o/d × 17 S.W.G. 1-24" long		2			T.4	—		
	Std.1509/23/128	Tube, distance, at flame switch mounting, $\frac{5}{16}$" o/d × 17 S.W.G. × 1-28" long		2			T.4	—		
9716	Std.1509/24/022	Tube, distance, $\frac{3}{8}$" × 17 S.W.G. × 1-22" long		4			T.4	C.	4	

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/12528	A.25.1B	Bolt,	4	B.A.	—
28D/12622	A.25.3B	Bolt,	4	B.A.	—
28D/12623	A.25.5B	Bolt,	4	B.A.	—
28D/14194	A.25.½C	Bolt,	2	B.A.	—
28D/12512	A.25.1C	Bolt,	2	B.A.	—
28D/12513	A.25.2C	Bolt,	2	B.A.	—
28D/12512	A.25.1C	Bolt,	2	B.A.	—
28D/12513	A.25.2C	Bolt,	2	B.A.	—
28D/12531	A.25.3C	Bolt,	2	B.A.	—
28D/12532	A.25.4C	Bolt,	2	B.A.	—
28D/12533	A.25.5C	Bolt,	2	B.A.	—
28D/12566	A.25.6C	Bolt,	2	B.A.	—
28D/12514	A.25.7C	Bolt,	2	B.A.	—
28D/12629	A.25.8C	Bolt,	2	B.A.	—
28D/12534	A.25.9C	Bolt,	2	B.A.	—
28D/12518	A.25.10C	Bolt,	2	B.A.	—
28D/12516	A.25.11C	Bolt,	2	B.A.	—
28D/12535	A.25.12C	Bolt,	2	B.A.	—
28D/12536	A.25.13C	Bolt,	2	B.A.	—
28D/12541	A.25.24C	Bolt,	2	B.A.	—
28D/12985	A.25/25C	Bolt,	2	B.A.	—
28D/12519	A.25.3E	Bolt,	¼"	B.S.F.	—
28D/12520	A.25.4E	Bolt,	¼"	B.S.F.	—
28D/12543	A.25.6E	Bolt,	¼"	B.S.F.	—
28D/12812	A.25.12E	Bolt,	¼"	B.S.F.	—
28D/12546	A.25.14E	Bolt,	¼"	B.S.F.	—
28D/8300	AS.1242.1B	Bolt,	4	B.A.	—
28D/8307	AS.1242.2C	Bolt,	2	B.A.	—
28D/11555	AS.1246.3E	Bolt,	¼"	B.S.F.	—
28D/10764	AS.1248-½B	Bolt,	2	B.A.	—
28D/10471	AS.1248.11C	Bolt,	2	B.A.	—
28E/8184	AGS.605 Mk. 2	Clip	—
28L/12931	A.27.E.T.	Nut,	¼"	B.S.F.	—
28M/10288	AGS.2001.C1	Nut,	2	B.A.	—
28M/10290	AGS.2001.E1	Nut,	¼"	B.S.F.	—
28M/10326	AGS.2002.A1	Nut,	6	B.A.	—
28M/10327	AGS.2002.B1	Nut,	4	B.A.	—
28M/10328	AGS.2002.C1	Nut,	2	B.A.	—
28M/10331	AGS.2002.G1	Nut,	⅜"	B.S.F.	—
28M/10330	AGS.2002.E1	Nut,	¼"	B.S.F.	—
28M/10215	AGS.2008.B1	Nut,	4	B.A.	—
28P/12587	SP.9.C4	Pin, split	—
28S/2762	A.31.A12	Screw,	6	B.A.	—
28S/14424	A.31.A18	Screw,	6	B.A.	—
28S/2761	A.31.B12	Screw,	4	B.A.	—
28S/13883	A.31.B14	Screw,	4	B.A.	—
28S/2767	A.31.B16	Screw,	4	B.A.	—
28S/2773	A.31.B20	Screw,	4	B.A.	—

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28S/2779	A.31.B24	Screw, 4	B.A.	—	—	—
28S/2785	A.31.B28	Screw, 4	B.A.	—	—	—
28S/2772	A.31.C20	Screw, 2	B.A.	—	—	—
28S/2784	A.31.C28	Screw, 2	B.A.	—	—	—
28S/2864	A.32.A16	Screw, 6	B.A.	—	—	—
28S/3426	A.32.B8	Screw, 4	B.A.	—	—	—
28S/13887	A.32.B10	Screw, 4	B.A.	—	—	—
28S/2857	A.32.B12	Screw, 4	B.A.	—	—	—
28S/14005	A.32.B14	Screw, 4	B.A.	—	—	—
28S/2863	A.32.B16	Screw, 4	B.A.	—	—	—
28S/2869	A.32.B20	Screw, 4	B.A.	—	—	—
28S/2881	A.32.B28	Screw, 4	B.A.	—	—	—
28S/2868	A.32.C20	Screw, 2	B.A.	—	—	—
28S/2874	A.32.C24	Screw, 2	B.A.	—	—	—
28S/13742	A.32.C14	Screw, 2	B.A.	—	—	—
28S/2868	A.32.C20	Screw, 2	B.A.	—	—	—
28S/2809	A.33.B12	Screw, 4	B.A.	—	—	—
28S/2815	A.33.B16	Screw, 4	B.A.	—	—	—
28S/2827	A.33.B.25	Screw, 4	B.A.	—	—	—
28W/9419464	S.13.A	Washer, 6	B.A.	—	—	—
28W/9419454	S.10.B	Washer, 2	B.A.	—	—	—
28W/9419465	SP.13.B	Washer, 4	B.A.	—	—	—
28W/9418921	SP.13.E	Washer, $\frac{1}{4}$ "	dia.	—	—	—
28W/9419473	SP.15.A	Washer, 6	B.A.	—	—	—
28W/9419474	SP.15.B	Washer, 4	B.A.	—	—	—
28W/9419475	SP.15.C	Washer, 2	B.A.	—	—	—
28W/9419405	SP.15.E	Washer, $\frac{1}{4}$ "	dia.	—	—	—
28W/9419486	SP.16.B	Washer, 4	B.A.	—	—	—
28W/9419404	SP.16.C	Washer, 2	B.A.	—	—	—
28W/9419467	SP.16.E	Washer, $\frac{1}{4}$ "	dia.	—	—	—
28W/9419489	SP.16.J	Washer, $\frac{3}{8}$ "	dia.	—	—	—

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

