

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
	G.229425	ELECTRICAL EQUIPMENT IN FRONT FUSELAGE, ASSEMBLY						—	—	
	E.230312	ADDITIONAL DETAILS, ASSEMBLY						—	—	
	5X/3181 Plessey CZ.23212/1	Block , terminal, 20-way						2	—	B.
	5CZ/868 Plessey CZ.50206	Block , terminal, 5-way						1	—	B.
	9670 B.227889	Box , test, for G90 camera, group						1	—	B.
	B.227799	Box , ground test						1	—	
	5L/9951273 —	Filament 28V., 3.5 watt						1	—	B.
	10H/ Belling Lee	Fuse , 7.5 amp.						1	—	C.
	L1055/7.5A									
	10H/0590100 Belling Lee L356	Holder , fuse						1	—	B.
	5CX/4191 Rotax H.2705	Lamp , warning						1	—	B.
	3837 Std.1606/44/B10	Screw , securing switch						4	Brass	C.
	10H/Z.560820 Plessey CZ.56743	Socket , code 45						1	—	B.
	5CW/6440 CWC Ltd.	Switch , D.P. " ON-OFF " spring return to No. 3 off						1	—	B.
	XD. 786									
	A.231201	Bracket , mounting, for S.P. switch						1	—	
	—	Cables (See Cable Chart)						—	—	
	5CW/5252 Hellerman	Cap , helvin, sea grey						1	—	C.
	HV.3711									
	Std.2045/26/22	Clip , securing cables						2	—	
	Std.2045/29/22	Clip , securing cables						3	—	
	Std.2046/44/20	Clip , securing cables						1	—	
	9663 Std.2045/19/24	Clip , securing cables						1	—	C.
	10H/19457 Plessey CZ.62271	Connector , bulkhead, code 45						1	—	B.
	5X/6165 Plessey CZ.25111	Cover , T.B., 20-way						2	—	B.
①	5L9952254 —	Filament , lamp						1	—	B.
	5CW/4222 —	Guard , locking, for S.P. switch						1	—	B.
	5CZ/1961 Rotax	Horn , electric, Type C.24 volts						1	—	
	5CX/446 —	Lamp , cockpit, Mk. 1A						1	—	B.
	5X/6171 Plessey Z.50211	Link , commoning, 3-way						1	—	C.
	5X/3278 Plessey Z.28426	Pillar						6	—	C.
	F.231090	Plate , mounting						1	L.72	
	A.229614	Rectifier , mounting assembly, on T.B.95						1	—	
	F.229605	Mounting						1	BSS.265	
	5CZ/5862 B.T.H.	Rectifier , Type GJ/6/M						1	—	B.
	26AQ/2783 Std.1606/44/B6	Screw , roundhead, 2 B.A.						1	Brass	C.
	5F/2279 Hellerman	Strap , helvin, $\frac{1}{16}$ " wide						QR	—	C.
	HV.3254									
	5F/2281 HV.3341	Strap , nylon, $\frac{1}{2}$ " wide						QR	—	C.
	5F/2282 Hellerman	Stud						QR	—	C.
	NY.3342									
	5F/2280 Hellerman	Stud						QR	—	C.
	HV.3255									
	5CW/ Dowty	Switch , limit, " DOWMIC "						1	—	B.
	C.1831.Y.Mk.102C									
	5CW/6429 CWC. Ltd. XD.778	Switch , single pole, change over, no centre position						1	—	B.
	Std.1509/12/050	Tube , distance						1	T.4	—
	5CZ/5299 Teddington	Amplifier , cabin temperature						1	—	A.
	Controls									
	FLM/A/5									
①	5X/3273 Plessey	Cover , for terminal block (AS.830/30)						1	—	B.
	CZ.26802									

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CZ/430	Rotax N.5.B.N.					Block , terminal, 2-way, type B No. 1	1	—	B.	
5X/2863	Plessey CZ.24285					Block , terminal, 10-way	2	—	B.	
5X/3181	Plessey CZ.23212/1					Block , terminal, 20-way	4	—	B.	
9328	D.222452					Box , A.C., junction, group	1	—	A.	
5X/2863	Plessey CZ.24285					Block , terminal, 10-way	2	—	B.	
8668	F.216107					Bolt , wing	6	—	C.	
8670	F.220761					Bush , for earthing terminal	1	LFB.82	C.	
	—					Cables (See Cable Chart)	—	—		
	A.224535					Capacitors , 4, 5 and 6, group	1	—		
10C/Z.115567	Dubilier					Capacitor , 0.5 MFD., 250V.	3	—	C.	
5X/6215	Plessey Z.56545					Lug	1	—	C.	
10CV/	Ferranti					Rectifier , silicon, type ZS.10A	1	—	B.	
or	or									
10CV/448	—					Rectifier , silicon	1	—	B.	
5K/3623	Tucker S.79					Tag , eyelet	4	—	C.	
5X/9400061	Plessey Z.19924					Tag , 6 amp., Q.R.	2	—	C.	
5X/9400064	Plessey Z.19880					Thimble	1	—	C.	
5X/9400062	Plessey Z.19979					Thimble , 6 amp.	2	—	C.	
	A.224536					Capacitors , 7, 8 and 9, group	1	—		
10C/Z.115567	Dubilier					Capacitor , 0.5 MFD., 250V.	3	—	C.	
5X/6215	Plessey Z.56545					Lug	1	—	C.	
10CV/	Ferranti					Rectifier , silicon, type ZS.10A	1	—	B.	
or	or									
10CV/448	—					Rectifier , silicon	1	—	B.	
5K/3623	Tucker S.79					Tag , eyelet	4	—	C.	
5X/9400061	Plessey Z.19924					Tag , 6 amp., Q.R.	2	—	C.	
5X/9400064	Plessey Z.19980					Thimble	1	—	C.	
5X/9400062	Plessey Z.19979					Thimble , 6 amp.	2	—	C.	
	A.224537					Capacitors , 10, 11 and 12, group	1	—		
10C/Z.115567	Dubilier					Capacitor , 0.5 MFD., 250V.	3	—	C.	
5X/6215	Plessey Z.56545					Lug	1	—	C.	
10CV/	Ferranti					Rectifier , silicon, type	1	—	B.	
or	or									
10CV/448	—					Rectifier , silicon	1	—	B.	
5K/3623	Tucker S.79					Tag , eyelet	4	—	C.	
5X/9400061	Plessey Z.19924					Tag , 6 amp., Q.R.	2	—	C.	
5X/9400064	Plessey Z.19980					Thimble , 2.5 amp.	1	—	C.	
5X/9400062	Z.19979					Thimble , 6 amp.	2	—	C.	
	Std.841/71					Clip , for retention, of capacitors, $\frac{7}{16}$ " wide \times 22 S.W.G. \times 7.1" long (Make from 30B/1433) (Local manufacture)	3	DTD.610		
	B.215794					Cover , end	1	—		
	B.215787					Diaphragm	1	L.72		
5CZ/879	H.T. Newton Ltd.					Fuse , 2.5 amp.	12	—	C.	
5CZ/5214	English Electric AS.25					Fuse , 2.5 amp., H.R.C.	8	—	C.	
5CZ/5215	English Electric AS.5					Fuse , 5.0 amp., H.R.C.	2	—	C.	
5X/2790	Plessey Z.22634					Grommet , dummy	1	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A.230969						1	L.72		
	F.229680						1	—		
	F.222438						1	—		
	F.222438/2						1	Rubber		
8669	B.215796						1	L.72	C.	
	B.215793						1	—		
	B.215964						1	—		
5X/6607	Plessey CZ.73898						10	—	C.	
8671	A.215864						8	BSS.266	C.	
5X/1877	Plessey Z.1719						6	—	C.	
	B.215791						1	L.72		
	C.215831						1	—		
6A/2715	Smiths 213 M.V.						1	—	A.	
5E/3042	—						QR	—	C.	
10C/Z.115260	Dubilier						1	—	C.	
9496	Std.2045/20/22						1	S.510 or S.511	C.	6
5X/1874	Plessey Z.1840						1	—	C.	
5X/6215	Plessey Z.56545						6	—	C.	
	B.215792						1	L.72		
10H/0560130	Plessey CZ.51327						1	—	C.	
5CW/3942	Pullin						4	—	A.	
or	or									
5CW/5500	Hendry						5	—	A.	
5CW/3944	Pullin or Hendry						8	—	C.	
5K/3455	—						1	—	C.	
10H/0560310	Plessey CZ.51330						1	—	C.	
5X/9400061	Plessey Z.19924						31	—	C.	
5X/9400062	Plessey Z.19979						31	—	C.	
5X/9400064	Plessey Z.19980						6	—	C.	
5E/9100175	—						QR	DEF.12	C.	
5E/9100176	—						QR	DEF.12	C.	
5E/9100179	—						QR	DEF.12	C.	
5E/9100185	—						QR	DEF.12	C.	
	B.224538						1	—		
	F.222438						1	—		
	F.222438/2						1	Rubber		
5X/6215	Plessey Z.56545						1	—	C.	
10F/Z.530453	Standard Telephone						1	—	A.	
9616	F.224534						1	LFS.12	C.	
5X/9400061	Plessey Z.19924						2	—	C.	
5X/9400062	Plessey Z.19979						2	—	C.	
5X/9400064	Plessey Z.19980						1	—	C.	
5E/9100185	—						QR	—	C.	
5E/9100180	—						QR	—	C.	
	B.224539						1	—		
	F.222438						1	—		
	F.222438/2						1	Rubber		

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5X/6215	Plessey Z.56545									
10F/Z.530453	Standard Telephone									
9616	F.224534									
5X/9400061	Plessey Z.19924									
5X/9400064	Plessey Z.19980									
5X/9400062	Plessey Z.19979									
5E/9100185	—									
5E/9100180	—									
	B.224540									
5X/6215	Plessey Z.56545									
10F/Z.530453	Standard Telephone									
	F.224534									
5X/9400061	Plessey Z.19924									
5X/9400064	Plessey Z.19980									
5X/9400062	Plessey Z.19979									
5E/9100185	—									
5E/9100180	—									
3838	Std.1606/44/B8									
	C.215795									
5CW/5907	Smiths EAP.2340									
5CW/6433	CWC. Ltd.									
	XD.781									
3806	Std.1509/23/032									
3796	Std.1509/12/072									
	Std.1509/23/140									
8673	F.220762									
	D.229358									
5X/6480	Plessey Z.60218									
5X/6607	Plessey CZ.73898									
8674	A.211093									
5E/3040	—									
5E/3042	—									
5X/1965	Plessey Z.22166									
	A.210916									
	A.210917									
5CZ/879	H. T. Newton Ltd.									
5CZ/880	H. T. Newton Ltd.									
5CZ/881	H. T. Newton Ltd.									

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
5CZ/4057	H. T. Newton Ltd.	Fuse, 20 amp. ...	2	—	C.	
5CZ/5214	English Electric AS.25	Fuse, 2.5 amp., type H.R.C. ...	2	—	C.	
8675	C.210914	Lid, for fuse box, group ...	1	—	B.	
28FP/148	Dzus A4.35	Fastener ...	4	—	C.	
	C.210914/2	Strip, sealing, 1/2" wide x 1/16" thick ...	43"	DTD.5509/D		
5X/9400388	Plessey Z.77862	Lug ...	4	—	C.	
	F.221704	Plate, conversion ...	2	L.72		
7813	F.206916	Plate, tapped ...	2	L.72	C.	
7815	F.206918	Plate, tapped ...	2	L.72	C.	
5X/6185	Plessey CZ.50361	Plug assembly, code 21 ...	2	—	B.	
5X/6330	Plessey CZ.56073	Plug assembly, Code 11 ...	1	—	B.	
5X/6329	Plessey CZ.50358	Plug assembly, Code 9 ...	1	—	B.	
5245	Std.1606/44/A10	Screw, roundhead, 6 B.A. ...	8	Brass	C.	5
3838	Std.1606/44/B8	Screw, roundhead, 4 B.A. ...	30	Brass	C.	5
1178	Std.1606/44/B12	Screw, roundhead, 4 B.A. ...	4	Brass	C.	5
1637	Std.1606/44/B14	Screw, roundhead, 4 B.A. ...	8	Brass	C.	5
	Erma 12432	Tag, 12 amp. ...	55	—	C.	
	Erma 12434	Tag, 24 amp. ...	6	—	C.	
5F/	—	Tube, 1 1/2 mm, -2 1/2 mm black ...	QR	P.V.C.	C.	
	A.221485	Box, junction, for artificial horizon group ...	1	—		
	A.214147	Box, junction ...	1	L.72		
	A.214146	Plate, cover ...	1	L.72		
10H/0560080	Plessey CZ.48995	Plug, panel, unit, code 45 ...	1	—	C.	
10H/0560260	Plessey CZ.49223	Socket, panel unit, code 45 ...	2	—	C.	
5E/9100173	—	Wire, equipment, 7/0076, grey ...	QR	DEF.12	C.	
	G.229439	BOX, JUNCTION, FOR MAIN TRUNKING, ASSEMBLY	—	—		
8677	F.217908	Block, packing ...	40	LFS.21	C.	
5X/3181	Plessey CZ.23212/1	Block, terminal, 20-way ...	10	—	B.	
5X/2863	Plessey CZ.24285	Block, terminal, 10-way ...	4	—	B.	
5E/3038	—	Cable, unipren, 6 amp. ...	QR	—	C.	
5E/3040	—	Cable, unipren, 12 amp. ...	QR	—	C.	
5E/3042	—	Cable, unipren, 24 amp. ...	QR	—	C.	
5E/3113	—	Cable, duprensheath, 6 amp. ...	QR	—	C.	
5E/3116	—	Cable, septoprensheath, 6 amp. ...	QR	—	C.	
5E/3114	—	Cable, triprensheath, 6 amp. ...	QR	—	C.	
5X/	Plessey Z.24919	Cover, for terminal block ...	14	—	B.	
7989	A.209702	Ferrule ...	2	L.65.C or L.62	C.	
7990	A.209704	Ferrule ...	2	L.65.C or L.62	C.	
7991	A.209699	Ferrule ...	1	—	C.	
5X/6921	Plessey CZ.28009	Ferrule ...	20	—	C.	
5X/1524	Plessey Z.18500/B	Ferrule ...	1	—	C.	
5X/6922	Plessey CZ.50823	Ferrule ...	2	—	C.	
5X/1526	Plessey Z.18500/D	Ferrule ...	2	—	C.	
9336	B.222448	Gaiter, for cables ...	1	—	C.	
10H/0970058	Plessey Z.60667	Gasket, outlet, code 45 ...	4	Rubber	C.	
10H/0970059	Plessey Z.60668	Gasket, outlet ...	2	Rubber	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
10H/0970060	Plessey Z.60669									
10H/0970107	Plessey Z.62234									
10H/0970108	Plessey Z.62235									
5X/2790	Plessey Z.22634									
5X/2788	Plessey Z.23672									
8680	C.215080									
28FP/148	Dzus A4.35									
8681	C.215081									
28FP/148	Dzus A4.35									
5X/6163	Plessey Z.50210									
5X/6317	Plessey Z.50218									
5X/6171	Plessey Z.50211									
5CZ/3137	Purcell Bros. No. 25									
5X/9400385	Erma 12105									
5X/9400389	Erma 12109									
8682	F.220647									
10H/0970061	Plessey CZ.49178									
10H/0970065	Plessey CZ.49182									
10H/0970067	Plessey CZ.49186									
10H/0970069	Plessey CZ.49181									
10H/0970068	Plessey CZ.49179									
8679	C.220646									
5X/6440	Plessey CZ.23144/Z									
5X/6488	Plessey CZ.23144/B									
5X/6489	Plessey CZ.23144/C									
5X/3143	Plessey CZ.23144/D									
10H/0970087	Plessey Z.62228									
10H/0970088	Plessey Z.62229									
10H/0970090	Plessey Z.62233									
10H/0970091	Plessey Z.62231									
10H/0970095	Plessey Z.49051									
10H/0970098	Plessey Z.49084									
10H/	Plessey Z.85838									
5X/3148	Plessey Z.49428									
5X/3147	Plessey Z.28081									
5K/3455	—									
5K/3456	—									
5K/3457	—									
5K/3458	—									
5K/3459	—									
5X/6779B	Plessey CZ.111654									
5X/6781	Plessey CZ.71751									
5X/6782	Plessey CZ.71753									
5X/6783	Plessey CZ.71754									
10H/0560090	Plessey CZ.49014									
10H/0560120	Plessey CZ.49017									
10H/0560180	Plessey CZ.49126									
10H/0560181	Plessey CZ.49126/1									
10H/0560220	Plessey CZ.49070									
1	5X/6172	Plessey Z.50212								

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.	
			1	2	3	4	5				
	Erma 12431	Tag, Q/R, 6 amp.						AR	—	C.	
	Erma 12432	Tag, Q/R, 12 amp.						AR	—	C.	
	Erma 12434	Tag, Q/R, 24 amp.						AR	—	C.	
	E.229458	TRUNKING, SUB-ASSEMBLY						—	—	—	
	F.217904	Guard, cable						2	S.84/T.4		
	F.217905	Guard, cable						2	S.84/T.4		
	F.217906	Guard, cable						2	S.84/T.4		
	F.217907	Guard, cable						4	S.84/T.4		
	B.215077	Plate, end, for trunking, port, group						1	—		
28FP/331	Dzus S.4.225	Spring						1	—	C.	
	B.229457	Plate, end, for trunking, starboard, group						1	—		
28FP/331	Dzus S.4.225	Spring						1	—	C.	
	C.215079	Plate, side, for trunking, centre, group						1	—		
28FP/331	Dzus S.4.225	Spring						1	—	C.	
	F.228599	Plate, stud						8	—		
	F.212157	Plate, stud						12	—		
	F.212867	Plate, stud						8	—		
27FP/331	Dzus S.4.225	Spring						8	—	C.	
32C/	—	Strip, sealing, 1" × ¼"						QR	Rubber	C.	
5F/	—	Tube, 1 m/m i/d						QR	P.V.C.	C.	
5F/2143	—	Tube, ¼" i/d.						QR	P.V.C.	C.	
5F/2034	—	Tube, ⅜" i/d.						QR	P.V.C.	C.	
5F/2035	—	Tube, ½" i/d.						QR	P.V.C.	C.	
5F/2036	—	Tube, ⅝" i/d.						QR	P.V.C.	C.	
5F/2037	—	Tube, ¾" i/d.						QR	P.V.C.	C.	
5F/2038	—	Tube, 1" i/d.						QR	P.V.C.	C.	
7100	Std.915/B10	Washer						28	DTD.610	C.	4
	E.230153	Box, junction, No. 2, group						1	—	A.	
5X/6607	Plessey CZ.73898	Block, fuse, with identification tags, less cover						7	—	C.	
5X/2863	Plessey CZ.24285	Block, terminal, 10-way						10	—	B.	
5X/3181	Plessey CZ.23212/1	Block, terminal, 20 way						2	—	B.	
	D.215173	Box, group						1	—		
	A.221811	Clamp, cable						1	—		
8685	D.215173/4	Panel, access						1	L.72	C.	
	F.221810	Plate, stud						2	—		
28/FP337	Dzus S.5.200	Spring						2	—	C.	
26BX/5617	Std.914/B22	Washer, 4 B.A.						4	DTD.610	MR/C	4
3762	Std.915/A18	Washer, 6 B.A.						4	DTD.610	MR/C	4
	5E/3038	Cable, unipren, 6 amp.						QR	—	C.	
	5E/3040	Cable, unipren, 12 amp.						QR	—	C.	
	5E/3042	Cable, unipren, 24 amp.						QR	—	C.	
3971	Std.840/19	Clip, securing resistor, 7/16" wide × 22 S.W.G. × 1.9" long (Make from 30B/1433)						1	DTD.610	C.	4
5X/6921	Plessey CZ.28009	Ferrule						1	—	C.	
8687	A.220751	Ferrule, group						2	—	C.	
7990	A.209704	Ferrule						1	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description						No. Off	Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5				
5CZ/879	H. T. Newton Ltd.	Fuse, 2.5 amp., type "S"						13	—	C.	
5CZ/5214	English Electric AS.25	Fuse, 2.5 amp., H.R.C.						1	—	C.	
5CZ/880	H. T. Newton Ltd.	Fuse, 5 amp., type "S"						9	—	C.	
5CZ/5216	English Electric AS.10	Fuse, 10 amp., H..R.C.						1	—	C.	
5CZ/881	H. T. Newton Ltd.	Fuse, 10 amp., type "S"						2	—	C.	
5X/2786	Plessey Z.22431	Grommet, helsyn						1	—	C.	
5K/3703	Hellerman HV.2855	Grommet						1	—	C.	
	C.234597	Lid, group (AS.830/30)						1	—		
8689	F.215416	Bolt, wing						2	—	C.	
	A.215438	Bracket, mounting						2	L.72		
	234592	Cover (AS.830/30)						1	L.72		
28FP/239	Dzus AW.530	Fastener						2	—	C.	
5X/6163	Plessey Z.50210	Link, commoning						5	—	C.	
5X/6171	Plessey Z.50211	Link, commoning						2	—	C.	
5X/6480	Plessey Z.60218	Link, commoning						7	—	C.	
5X/6317	Plessey Z.50218	Link, commoning						1	—	C.	
5X/6671	Plessey Z.77859	Lug						1	—	C.	
5X/6675	Plessey Z.77863	Lug						2	—	C.	
10H/0970060	Plessey Z.60669	Outlet, gasket, code 50						1	—	C.	
10H/0970074	Plessey CZ.49187	Outlet, angle, code 50						1	—	C.	
	7813 F.206916	Plate, tapped						2	L.72	MR/C	
	7814 F.206917	Plate, tapped						1	L.72	MR/C	
	7815 F.206918	Plate, tapped						12	L.72	MR/C	
10H/0560050	Plessey CZ.48992	Plug, panel unit, code 41						1	—	C.	
10H/0560150	Plessey CZ.49112	Plug, panel unit, code 48						1	—	C.	
10H/0560151	Plessey CZ.49112/1	Plug, panel unit, code 48						1	—	C.	
	5X/6182 Plessey CZ.50357	Plug, code 7						1	—	B.	
	5X/6330 Plessey CZ.56073	Plug, code 11						1	—	B.	
	5X/6184 Plessey CZ.50360	Plug, code 13						1	—	B.	
	5X/6185 Plessey CZ.50361	Plug, code 21						12	—	B.	
10H/O.560020	Plessey CZ.49061	Plug, panel unit, code 50						1	—	C.	
10W/Z.113360	—	Resistor, 30 ohm.						1	—	C.	
10H/0970090	Plessey Z.62233	Ring, sealing, code 50						1	—	C.	
	5X/3148 Plessey Z.49428	Sleeve, 6 amps. to 12 amps.						QR	—	C.	
	5K/3455 —	Sleeve, helsyn plus, JP × 3/4"						113	—	C.	
10H/0560330	Plessey CZ.49459	Socket, panel unit, code 48						1	—	C.	
10H/0560260	Plessey CZ.49223	Socket, panel unit, code 45						1	—	C.	
10H/0560380	Plessey CZ.49229	Socket, panel unit, code 50						1	—	C.	
10H/Z.560381	Plessey CZ.49229/1	Socket, panel unit, code 50						1	—	C.	
	5X/6783 Plessey CZ.71754	Socket						1	—	B.	
5X/9400061	Plessey Z.19924	Tag, Q/R, 4 amp.						QR	—	C.	
5X/9400063	Plessey Z.19925	Tag, Q/R, 7 amp.						QR	—	C.	
5X/9400065	Plessey Z.19926	Tag, Q/R, 19 amp.						QR	—	C.	
5X/9400062	Plessey Z.19979	Thimble, Q/R, 4 amp.						QR	—	C.	
5X/9400064	Plessey Z.19980	Thimble, Q/R, 7 amp.						QR	—	C.	
5X/9400066	Plessey Z.19981	Thimble, Q/R, 19 amp.						QR	—	C.	
	5F/ —	Tube, 1 1/2-2 1/2 m/m. i/d. (Comml. Grade)						QR	P.V.C.	C.	
	5F/2037 —	Tube, 3/4" i/d.						54"	P.V.C.	C.	
10H/0560220	Plessey CZ.49070	Unit, cable						1	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5					
5X/6789	A.218494	Bracket, mounting					3	S.3	C.		
	F.220710	Bracket, for switch, at Frame 10					1	L.72			
	Hellerman HV.3185	Bung, forward of frame 14					1	—			
	—	Cables, electrical (See Cable Chart)					—	—			
	B. 233296	Cable, F.29, group (See Cable Chart)					1	—			
	B. 233295	Duct					1	L.67			
5L/9951273	—	Cable, F.102, group (See Cable Chart)... ..					1	—	B. B. MR/C		
	Rotax N.2705	Filament, lamp (AS.790/55)					1	—			
	F.202760	Indicator, warning					1	—			
10F/1786	B.228265	Plate, adaptor					1	—	B.		
	—	Cable, F.103, group (See Cable Chart)... ..					1	—			
5CY/5000	A.228393	Switch					1	—	C.		
	Paton & Co.	Cable, F.141, group (See Cable Chart)... ..					1	—			
8012	C.227820	Plug, type "R"					1	—	C.		
	F.208578	Cable, F.50, assembly					1	—			
	Std.2044/7/052	Adaptor					2	BSS.249			
14A/4929	—	Ferrule					2	—	A.		
	A.227880	Camera, G.90					1	—			
9496	Std.2045/46/20	Channel, mounting					1	L.72	6		
	Std.2045/18/26	Clip, sleeved, securing cables					1	S.510, S.511			
	Std.2045/20/24	Clip, sleeved, securing cables					1	S.510, S.511			
	Std.2045/20/22	Clip, sleeved, securing cables					1	S.510, S.511			
	Std.2045/22/24	Clip, sleeved, securing cables					1	S.510, S.511			
	Std.2045/29/22	Clip, sleeved, securing cables					1	S.510, S.511			
	Std.2045/38/22	Clip, sleeved, securing cables					1	S.510, S.511			
	Std.2046/18/26	Clip, sleeved, securing cables					1	S.510, S.511			
	Std.2046/23/24	Clip, sleeved, securing cables					1	S.510, S.511			
	Std.2046/25/22	Clip, sleeved, securing cables					3	S.510, S.511			
	Std.2046/32/22	Clip, sleeved, securing cables					2	S.510, S.511			
	Std.2046/28/22	Clip, sleeved, securing cables					1	S.510, S.511			
	Std.2046/29/22	Clip, sleeved, securing cables					2	S.510, S.511			
	Std.2046/34/22	Clip, sleeved, securing cables					1	S.510, S.511			
	Std.2046/35/22	Clip, sleeved, securing cables					3	S.510, S.511			
	Std.2046/41/22	Clip, sleeved, securing cables					1	S.510, S.511			
	Std.2046/42/22	Clip, sleeved, securing cables					1	S.510, S.511			
	Std.2046/20/24	Clip, sleeved, securing cables					2	S.510, S.511			
	Std.2046/59/20	Clip, sleeved, securing cables					1	S.510, S.511			
	Std.2046/63/20	Clip, sleeved, securing cables					1	S.510, S.511			
	Std.2046/67/20	Clip, sleeved, securing cables					1	S.510, S.511			
	Std.2076/35/22	Clip, sleeved, securing cables					1	S.510, S.511			
	Std.2076/27/24	Clip, sleeved, securing cables					2	S.510, S.511			
	5897	F.209035	Clip, securing cables					2		—	MR/C
		F.222497	Clip, special					4		L.72	
	5F/5E/3038	A.228425	Connector, inverter, for invertors No. 1 and 2, group					2		—	C. C. C.
		—	Consisting of:—								
		—	Braid, flexible, T.C. size 1"					16"		—	
—		Cable, unipren, 6 amp.					51"	—			
5E/3042	—	Cable, unipren, 24 amp.					34"	—			
①	F.234133	Clip, securing catch guard to frame 8 (AS.840/16)					1	S.520			

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description						No. Off	Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5				
5X/1524	Plessey Z.18500/B	Ferrule						2	—	C.	
5K/3455	—	Sleeve, helsyn plus, JP × $\frac{3}{8}$ "						10	—	C.	
5X/3146	Plessey Z.49397	Sleeve, (12 amps.—24 amps.)						6	—	C.	
5X/3148	Plessey Z.49428	Sleeve, (6 amps.—12 amps.)						6	—	C.	
5X/6382	Plessey CZ.64770	Socket, code 10						2	—	B.	
5F/2036	—	Tube, $\frac{5}{8}$ " i/d.						16"	P.V.C.	C.	
	A.220700	Connector, for inverter No. 3 group (See Cable Chart)						1	—		
6022	A.201761	Connector, for inverter No. 4 group (See Cable Chart)						1	—	B.	
6A/	Smiths Weymouth CS.21	Connector						2	—	B.	
	E.229862	Console, centre, group						1	—		
	A.212377	Angle, relay, mounting						2	L.72		
5X/3277	Plessey CZ.50206	Block, terminal, Q.R., 3-way						1	—	B.	
5CZ/430	Rotax N.5.B.N. F.227348	Block, terminal, 2-way No. 1						1	—	B.	
		Block, taper						1	L.65.C		
5CY/2564	B.T.H. or Thorn	Breaker, circuit, type "A," 45 amp.						1	—	A.	
4178	Rotax 65291	Bung						QR	—	C.	
10C/O.145519	Plessey CE/4063/40	Capacitor, 500 M.F.D., 50 volts, D.C.						1	—	C.	
5CW/5252	Hellermann HV.3711	Cap, helvin (sea grey)						5	—	C.	
5CW/5253	—	Cap, helvin (sea grey)						1	—	C.	
8691	F.221234	Clip, for audio delay unit						1	—	C.	
3743	Std.840/25	Clip, securing tubing, $\frac{7}{16}$ " wide × 22 S.W.G. × 2.5" long (Make from 30B/1433)						2	DTD.620	MR/C	4
3746	Std.841/26	Clip, securing tubing						1	DTD.610	C.	4
4733	Std.841/36	Clip, securing oxygen pipes						2	DTD.620	C.	4
5D/1924	M. B. Metals EL.42887/1C	Connector, 4 pole, 2.5 amp., 18" long						1	—	B.	
	B.215721	CONSOLE, CENTRE, SUB-ASSEMBLY						—	—		
	A.221275	Fitting, pivot						1	L.65.C		
5CY/4520	B.T.H., Smart or Brown	Cover, safety						1	—	C.	
5L/9959118	—	Filament, 28V., 0.04 amp.						2	—	B.	
10H/180	Belling Lee L.1055/3	Fuse, 3 amp.						2	—	C.	
5CW/4222	—	Guard, switch locking						3	—	B.	
10C/Z.590100	Belling Lee L.356	Holder, fuse						2	—	B.	
5CZ/5639	Plessey CZ.97135/55	Indicator, magnetic						2	—	B.	
5CZ/5085	Plessey CZ.97636/2	Indicator, magnetic						1	—	B.	
5CX/5313	Thorn 80/10/0855/ Clear	Light, pillar, $\frac{1}{2}$ " stem						2	—	B.	
8692	C.213144	Panel, access port						1	L.72 or L.59	C.	
8693	C.213145	Panel, access, starboard						1	L.72 or L.59	C.	
8694	A.214022/6	Pipe, joint to joint (Oxygen Installation)						1	L.67	C.	NK.1
8695	A.214022/7	Pipe, joint to joint (Oxygen Installation)						1	DTD.253	C.	NK.1
	F.223718	Plate, locking, for switch						1	L.72		
	A.212378	Plate, relay mounting						1	L.72		
	A.212379	Plate, relay mounting						1	L.72		
	A.212380	Plate, relay mounting						1	L.72		

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
9663	Std.2045/19/24	Clip, sleeved	1	S.510 or S.511	C.	6
	Std.2045/14/26	Clip, sleeved	2	S.510 or S.511		
	Std.2045/17/26	Clip, sleeved	1	S.510 or S.511		
	Std. 2046/21/24	Clip, sleeved	1	S.510 or S.511		
5L/9951271	—	Filament, 28V., 3-5 watt	10	—	B.	
5CX/5133	—	Lamp, cockpit, Type "D" red	10	—	A.	
	F.232601	Plate, adaptor, for aileron neutral position indicator (Mod. 782)	1	L.72		
5247	Std.1606/44/A16	Screw, roundhead, 6 B.A.	6	Brass	C.	5
3859	Std.1606/45/B10	Screw, countersunk, 4 B.A.	12	Brass	C.	
5F/2281	Hellermann HV.3341	Strapping, 1/2" wide	QR	—	C.	
5F/2282	Hellermann NY.3342	Stud	QR	—	C.	
5CW/2452	—	Switch, dimmer, Type "R" 135 ohm.	1	—	A.	
5CW/2530	—	Switch, dimmer, Type "R" 75 ohm.	1	—	A.	
	E.229320	EQUIPMENT IN RADIO BAY, ASSEMBLY ...					—	—		
5J/3307	—	Accumulator, lead acid, 12 volt	2	—	B.	
5J/3336	Varley	Accumulator, Type "J"	2	—	B.	
6A/4457	Smiths Waymouth FAB/18	Amplifier	2	—	A.	
5CZ/5541	Smiths EC.1/6	Amplifier, magnetic	1	—	A.	
	A.213623	Angle, mounting, top, for circuit breaker	1	L.72		
	A.213624	Angle, mounting, bottom, for circuit breaker	1	L.72		
5H/13	AS.2654	Block, connector, 200 amp. single way	2	—	C.	
9744	F.209908	Bolt, special	4	S.95.B	C.	
6A/4317	Smiths Waymouth BW/13	Box, connector	1	—	B.	
6A/4318	Smiths Waymouth BW/14	Box, connector	1	—	B.	
5D/506	—	Box, junction	2	—	B.	
8482	A.216114	Box, for stand-by batteries (complete with cable PC.13)	1	—	B.	
	C.216112	Box, group	1	—		
8483	F.216126	Clip, spring	2	Spr. Stl.	C.	
	F.216127	Packing	1	—		
	B.220068	Box, A.C. control, top temperature, group	1	—		
7139	F.208121	Bar, bridge	1	L.72	MR/C	
5X/6630	Plessey CZ.72441	Block, terminal, 5-way	1	—	B.	
	B.220069	Box	1	—		
	F.220072	Bracket, mounting, for terminal block	1	L.72		
5E/3038	—	Cable, unipren, 6 amp.	QR	—	C.	
10C/Z.115567	—	Capacitor, 5 MFD.250V	3	—	C.	
9337	A.220070	Lid	1	L.59	C.	
	A.220071	Platform, mounting, for torque switch and relay	1	L.72		
10H/0560060	Plessey CZ.48993	Plug, panel mounting	1	—	C.	
10H/Z.560565	Plessey CZ.48993/5	Plug, panel mounting	1	—	C.	
	Ferranti ZS.10.A	Rectifier, silicon	1	—		
10CV/448	—	Rectifier, silicon (alternative to Ferranti ZS10A)	1	—	A.	
10F/Z.530453	—	Relay, Type SM5A-N25	1	—	A.	
5K/3455	—	Sleeve, helsyn J.P. x 3/8"	12	—	C.	
5K/	—	Sleeve, helsyn K.P. x 1/2"	1	—	C.	
10H/Z.560240	Plessey CZ.49219	Socket, panel mounting	1	—	C.	
5CW/5907	Smiths EAP.2340	Switch, torque	1	—	A.	
5K/3469	Ross Courtney 01	Tag	10	—	C.	
5K/	Tucker S.79	Tag, eyelet	9	—	C.	
	—	Tube, 1 1/2 m/m i/d.	QR	P.V.C.	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.225203	BREAKER CIRCUIT, MAIN FEED, ASSEMBLY					-	-		
	A.225186	Angle, mounting, bottom					1	L.72		
	A.225187	Angle, mounting, top					1	L.72		
	B.225184	Bracket, mounting					1	L.72		
	B.225185	Bracket, mounting					1	L.72		
5CY/2564	B.T.H. or Thorn	Breaker, circuit, 45 amp....					6	-	A.	
5CY/4520	B.T.H., Smart or Brown	Cover... ..					6	-	C.	
1639	Std.1606/44/A6	Screw, round head, 6 B.A.					12	Brass	C.	
	Std.1509/23/075	Tube, distance					4	T.4	C.	
5CY/2560	B.T.H. or Thorn	Breaker, circuit, 10 amps.					2	-	B.	
5CY/2564	B.T.H. or Thorn	Breaker, circuit, 45 amps.					1	-	A.	
5CY/2568	-	Breaker, circuit, 125 amp. Type B.4					1	-	B.	
5H/55	AS.2724	Bus-bar					1	-	C.	
	-	Cables, electrical (See Cable Chart)					-	-		
①	Std.2076/48/20	Clip, sleeved					1	-		
	Std.2045/25/24	Clip, sleeved					1	S.510 or S.511		
	Std.2045/21/24	Clip, sleeved					1	S.510 or S.511		
	Std.2046/21/24	Clip, sleeved					1	S.510 or S.511		
	Std.2046/15/26	Clip, sleeved					3	S.510 or S.511		
	Std.2046/29/22	Clip, sleeved					1	S.510 or S.511		
	Std.2045/23/24	Clip, sleeved					2	S.510 or S.511		
	Std.2045/46/20	Clip, sleeved					1	S.510 or S.511		
②	Std.2045/55/20	Clip, sleeved					2	S.510 or S.511		
3747	Std.841/28	Clip, securing cable					1	DTD.610	MR/C	4
6A/4392	Smiths Waymouth CS.21	Connector					2	-	B	
5H/14	AS.2655	Cover, for connector block					2	-	C.	
4143	F.170058	Cover, sealing					1	DTD.213	C.	
5CY/4520	B.T.H., Smart or Brown	Cover					3	-	C.	
5L/9.952254	-	Filament, lamp, 24-5W., Type "J"					1	-	B.	
5H/48	AS.2722	Insulator... ..					2	-	C.	
5CX/446	-	Lamp, cockpit, Mk. 1A					1	-	B.	
5H/23	AS.2670	Link, commoning, 150 amp.					1	-	C.	
	F.213042	Packing, at frame 17B					1	L.72		
	D.212163	PANEL, GENERATOR, CONTROL, ASSEMBLY					-	-		
5X/6903	Plessey Z.54032	Bar, commoning					1	-	C.	
5X/6607	Plessey CZ.73898	Block, fuse, with identification tags, less cover					2	-	B.	
5X/2863	Plessey CZ.24285	Block, terminal, 10-way					1	-	B.	
	F.196207	Bolt, special, for securing links					2	BSS.250B		
	B.222427	Bracket, mounting, for switch					1	L.72		
	A.198117	Bracket, mounting					1	DTD.610		
①	Std.2076/30/22	Clip, sleeved (AS.830/30)					1	S.510 or S.511		
②	Std.2045/31/22	Clip, sleeved					1	S.510 or S.511		

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CY/2561	B.T.H. or Thorn						2	—	A.	
5CY/5334	—						2	—	A.	
4178	Rotax N.65291						4	—	C.	
	—						—	—	—	
	D.222679						1	—	—	
5CY/4520	B.T.H., Smart or Brown						2	—	C.	
3735	Std.840/16						1	DTD.610	MR/C	4
3971	Std.840/19						3	DTD.610	MR/C	4
4768	Std.841/14						1	DTD.610	MR/C	4
3741	Std.840/20						1	DTD.610	C.	4
3743	Std.840/25						1	DTD.610	C.	4
4764	Std.840/21						1	DTD.610	MR/C	4
3740	Std.840/33						1	DTD.610	MR/C	4
4769	Std.843/10						1	S.3	MR/C	4
5CY/4211	—						2	—	A.	
5X/1878	Plessey Z.1841						2	—	C.	
5CZ/5073	Dowty C.5165.Y Mk. 1						2	—	A.	
① 5X/6317	Plessey Z.50218						1	—	C.	
4181	A.190682						1	BSS.1433	C.	
4182	A.190683						1	BSS.1433	C.	
4183	A.190684						1	BSS.1433	C.	
4184	F.190685						1	BSS.1433	C.	
4185	B.190680						1	BSS.1433	C.	
	D.217635						1	—	—	
28FP/228	Dzus AJW.5/35						4	—	C.	
	F.212049						2	L.65.C	—	
	F.216829						1	L.72	—	
5UC/5937	—						2	—	A.	
5CW/3944	Pullin or Hendry						4	—	A.	
5UC/5209	—						2	—	A.	
5Q/4341	—						2	—	B.	
5CY/3002	—						4	—	B.	
5CW/6435	C.W.C. Ltd. XD.789						2	—	B.	
5CW/6452	Smiths RD.1						4	—	A.	
5CW/6185	Pullin or B.T.H.						1	—	A.	
5CW/6434	C.W.C. Ltd. XD.782						2	—	A.	
	Std.1509/12/174						1	T.4	—	
	Std.1509/23/026						1	T.4	—	
5781	Std.915/E.20						4	DTD.610	C.	4
	Std.1546/36/16						1	—	—	
①	A.190681						1	BSS.1433	—	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
	C.229322	PANEL, GUN FIRING, ASSEMBLY ...								
	5X/6480 Plessey Z.60218	Bar, commoning ...		1					C.	
	5X/3271 Plessey CZ.52815	Block, fuse ...		1					B.	
	5X/2863 Plessey CZ.24285	Block, terminal, 10-way ...		2					B.	
	5E/3038 —	Cable, unipren, 6 amp. ...		QR					C.	
	5E/3040 —	Cable, unipren, 12 amp. ...		QR					C.	
	5X/3275 Plessey CZ.26808	Cover, 10-way ...		2					B.	
	Std.2045/22/22	Clip, securing cables ...		1			S.510 or S.511			
①	5CZ/880 H.T. Newton	Fuse, 5 amp. ...		2					C.	
	5X/6173 Plessey Z.50213	Link, commoning ...		1					C.	
	C.232173	Panel, detail ...		1						
	5X/3278 Plessey Z.28426	Pillar, fixing ...		4					C.	
	B.232187	Relays, C.1 and F.1, group ...		1						
	5X/3268 Plessey CZ.50207	Block, terminal, 5-way ...		1					B.	
	A.224694	Bracket, relay mounting ...		1			L.72			
	Std.2045/14/22	Clip, sleeved ...		1			S.510 or S.511			
	5E/3038 —	Cable, unipren, 6 amp. ...		10					C.	
	9496 Std.2045/20/22	Clip, sleeved ...		1			S.510 or S.511		C.	6
	5X/3274 Plessey CZ.26805	Cover, 5-way ...		1					B.	
	5X/6171 Plessey Z.50211	Link, commoning ...		1					C.	
	5X/3278 Plessey Z.28426	Pillar, fixing ...		2					C.	
	5CW/3944 Pullin or Hendry	Relay, Type "S," No. 3 ...		2					A.	
	1178 Std.1606/44/B12	Screw, securing clip ...		1			Brass		C.	5
	5K/3455 —	Sleeve, helsyn 100, J.P. × 3/4" ...		10					C.	
	Erma 12431	Tag, 4 amp. ...		10					C.	
	5F/ —	Tube, 1 m/m i/d. ...		QR			P.V.C.		C.	
	5F/ —	Tubing, 2 1/2—5 m/m i/d. vidaflex (yellow) ...		QR			RCS.313			
	Hendry D.3822	Relay, slugged ...		1						
	3838 Std.1606/44/B8	Screw, roundhead, 4 B.A. ...		2			Brass		C.	5
	3837 Std.1606/44/B10	Screw, roundhead, 4 B.A. ...		2			Brass		C.	5
	1178 Std.1606/44/B12	Screw, roundhead, 4 B.A. ...		4			Brass		C.	5
	4179 Std.1606/44/B20	Screw, roundhead, 4 B.A. ...		6			Brass		C.	5
	5CW/6452 Smiths RD.1	Switch, magnetic relay, Type 9B., No. 1A ...		3					A.	
	5F/ —	Tube, 1 m/m i/d. ...		QR			P.V.C.		C.	
	E.229321	PANEL, SUPPLY, ASSEMBLY ...								
	5X/6607 Plessey CZ.73898	Block, fuse ...		8					B.	
	5X/3268 Plessey CZ.50207	Block, terminal, 5-way ...		1					B.	
	5X/2863 Plessey CZ.24285	Block, terminal, 10-way ...		1					B.	
	5X/3181 Plessey CZ.23212/1	Block, terminal, 20-way ...		7					B.	
	—	Cables, electrical (See Cable Chart) ...		—						
	B.231789	Cable, F.72, group (See Cable Chart) ...		1						
	6733 A.207436	Nut ...		1			L.65		C.	
	7060 A.207437	Washer ...		1					C.	
	A.223553	Clamp, retaining cables ...		1			L.72			
	4099 Std.840/18	Clip, securing cable at resistor mounting ...		1			DTD.610		C.	4
	Std.2046/49/22	Clip, sleeved ...		2			S.510 or S.511			
	Std.2045/59/22	Clip, sleeved ...		3			S.510 or S.511			
①	Std.2045/27/22	Clip, sleeved (AS.830/30) ...		1			S.510 or S.511			

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
5CY/4314	—	Plug, external supply	1	—	B.	
5UB/6488	—	Power unit, Type 596	1	—	A.	
5CZ/5241	Electronic Components 22508-685-°C	Resistor, plug-in (Pre Mod. 2384)	1	—	B.	
①	Std.1606/45/B18	Screw, countersunk, 4 B.A.	3	Brass	B.	
5CY/3002	—	Socket, 3 pole, 2 amp.	1	—	C.	
5F/2301	Hellerman NY.18007/A	Strapping	QR	—	C.	
5F/2302	Hellerman NY.3342	Stud	QR	—	C.	
5H/49	—	Stud, terminal	3	—	C.	
27N/93	—	Switch, inertia. Mk. 1, Type S.3	3	—	A.	
5F/	—	Tube, 1 m/m. i/d.	QR	P.V.C.	C.	
	Std.1509/23/060	Tube, distance, $\frac{5}{16}$ " o/d. x 17 S.W.G. x 0.6" long (Make from 30B/556)	2	T.4		
	Std.1509/24/052	Tube, distance, $\frac{3}{8}$ " o/d. x 17 S.W.G. x 0.52" long (Make from 30B/557)	1	T.4		
5UB/6488	—	Unit, power	1	—	A.	
3953	Std.915/E/22	Washer	4	DTD.610	C.	
	C.229480	EQUIPMENT, ON PORT FORWARD SHELF, ASSEMBLY	—	—		
	B.226140	Box, switch, group	1	—		
	A.190209	Cover	1	DTD.610		
	F.190211	Lever	1	S.3 & T.26		
1642	F.190212	Spring	1	Sp. Stl.	C.	
3782	Std.1509/2/164	Tube, distance, $\frac{1}{4}$ " o/d. x 22 S.W.G. x 1.64" long (Make from 30A/965)	1	T.26	MR/C	4
3783	Std.1507/2/062	Tube, distance, $\frac{1}{4}$ " o/d. x 22 S.W.G. x 0.62" long (Make from 30A/965)	1	T.26	MR/C	4
4178	Rotax N.65291	Bung, sealing	1	—	C.	
	C.229997	Cable, form F.28 (See Cable Chart)	1	—		
5CW/5252	Hellerman HV.3711	Cap, helvin, sea grey	2	—	C.	
	Std.2045/25/24	Clip, securing cable	1	S.510 or S.511		
5X/2790	Plessey Z.22634 or Hellerman No. 6 F.208670	Grommet	1	—	C.	
6A/	Smiths 501/FL	Guard, locking for switch	1	L.72	MR/C	
7815	F.206918	Indicator, position trim	1	—	A.	
3838	Std.1606/44/B8	Plate, tapped	1	L.72	C.	
3837	Std.1606/44/B10	Screw, roundhead, 4 B.A.	6	Brass	C.	5
1637	Std.1606/44/B14	Screw, roundhead, 4 B.A.	2	Brass	C.	5
3839	Std.1606/44/B16	Screw, roundhead, 4 B.A.	1	Brass	C.	5
3856	Std.1606/44/C20	Screw, roundhead, 2 B.A.	2	Brass	C.	5
5CW/4638	Burgess Mk. 4 B.R.	Switch, micro, Type 1A	4	Brass	C.	5
5CW/6428	C.W.C. Ltd. XD.777	Switch, S.P. change-over, centre "off", spring return both ways	1	—	B.	
5CW/6430	C.W.C. Ltd. XD.779	Switch, S.P. "on-off," spring return to "OFF"	1	—	B.	
5CW/4682	Western Manufg. LS.1611	Switch, trim Mk. B/2	1	—	A.	
5CW/4340	Rotax N.100397/14	Transfer, "UP"	1	—	C.	
5CW/4341	Rotax N.100397/15	Transfer, "DOWN"	1	—	C.	
①	5CZ/	Resistor, plug-in (Mod.2384)	1	—		
	Electronic Components 22508-690-°C					

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
	C.213457	EQUIPMENT, ON STARBOARD FORWARD SHELF, ASSEMBLY								
	F.213003	Angle, support for switch	1				L.72			
	F.213004	Angle, support, for switch	1				L.72			
5CY/2564	A.213138	Bracket, mounting, for trim switch lever	1				—			
	B.T.H. or Thorn	Breaker, circuit, Type "A" No. 6	1				—	A.		
	C.222406	Cable, F.99 (See Cable Chart)	1				—			
	B.217570	Cable, F.93 (See Cable Chart)	1				—			
	F.213142	Cam, at mounting bracket	1				—			
8698	A.213360	Cover, for circuit breaker, group	1				—	C.		
	F.213303	Bracket	1				L.72			
	A.213302	Cover... ..	1				—			
	F.213304	Spring	1				Ph. Bronze Wire			
	B.223749	Housing, for armament safety switch	1				—			
6A/	Smiths 501/FL	Indicator, position	1				—	A.		
	A.213139	Lever, actuating trim switch	1				—			
3815	Std.1547/20/14	Packing	6				DTD.610	MR/C	4	
5700	Armstrong Whitworth A.W.49162	Plunger	1				S.1	MR/C		
	F.213140	Rod, actuating, adjustable, group	1				—			
8699	F.213195	Screw, adjusting	1				S.1	C.		
3839	Std.1606/44/B.16	Screw, roundhead, 4 B.A.	2				Brass	C.	5	
3856	Std.1606/44/C20	Screw, roundhead, 4 B.A.	2				Brass	C.	5	
3857	Std.1606/44/C24	Screw, roundhead, 4 B.A.	2				Brass	C.	5	
	Std.1606/44/B12	Screw, roundhead, 4 B.A.	4				Brass			
	C.212405	Shelf, starboard, forward portion, group	1				—			
29G/2180	Carr 882	Stud (Lift the Dot)	1				—	C.		
	5701	Armstrong Whitworth AW.49163	Spring	1			Steel	MR/C		
5CW/4904	Dowty C.1831.Y Mk.102C	Switch, armament safety	1				—	B.		
5CW/4682	Western Manufg. L.S.1611	Switch, trim, Mk. B/2	1				—	A.		
	C.213457/1	Washer, at lever attachment	1				S.3			
	C.227917	Guard, cable, centre console	1				L.72			
	B.227595	Guard, cable, forward	1				L.72			
	B.227596	Guard, cable, centre	1				L.72			
	B.227597	Guard, cable, aft	1				L.72			
	A.231028	Guard, cable	2				S.510			
	F.222049	Guard, locking for switch	1				—			
5CZ/5073	Dowty C.5165.Y Mk. 1	Indicator, magnetic	1				—	A.		

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.222598	INVERTORS, INSTALLATION, ASSEMBLY ...					—	—		
5UB/4938	—	Invertor, Type 100A ...					4	—	A.	
	B.222533	Mounting, Invertor, group ...					4	—		
	F.222535	Bush, special ...					4	S.1	C.	
	F.222536	Bush, special ...					1	S.1	C.	
663	F.183670	Collar ...					2	S.1		
	F.222544	Handle, catch ...					2	S.95B or S.96B		
	B.222405	Mounting ...					1	L.53		
	F.222534	Pin, catch ...					2	S.95B		
	F.222538	Pin ...					1	S.96B		
	F.222537	Spring ...					2	20G Spr. Stl.	C.	
5UC/4939	—	Panel, control, Type 12 ...					4	—	A.	
5X/6163	Plessey Z.50210	Link, commoning, 2-way ...					10	—	C.	
8543	F.218495	Mounting ...					12	Rubber	C.	
6733	A.207436	Nut ...					1	L.65	C.	
	C.218570	Panel, A.C. supplies circuit breaker, group ...					1	—		
5CY/2561	B.T.H. or Thorn	Breaker, circuit, Type "A," No. 3, 15 amps. ...					4	—	A.	
—	B.218569	Cable, F.34, group (See Cable Chart) ...					1	—		
	A.209700	Ferrule, code 54 ...					1	—		
5CW/5253	Hellerman HV.3710	Cap, helvin (sea grey) ...					1	—	C.	
5CY/4520	B.T.H., Smart or Brown	Cover, safety ...					4	—	B.	
1639	Std.1606/44/A6	Screw, roundhead, 6 B.A. ...					8	Brass	C.	5
1638	Std.1606/44/B6	Screw, roundhead, 4 B.A. ...					4	Brass	C.	5
1943	Std.1606/45/B16	Screw, countersunk, 4 B.A. ...					3	Brass	C.	5
5CW/3002	—	Socket, 3 pole, 2 amp. ...					1	—	B.	
5CW/6439	C.W.C. Ltd. XD.787	Switch, D.P. "centre off" spring return both ways ...					1	—	B.	
5CW/4333	Rotax N.100397/7	Transfer, "TEST" ...					2	—	C.	
5CW/4481	Rotax N.100397/33	Transfer, "PORT" ...					1	—	C.	
5CW/4482	Rotax N.100397/34	Transfer, "STARBOARD" ...					1	—	C.	
	C.218033	Panel, cabin pressurisation control, group ...					1	MR		
6076	F.207954	Bar, ganging ...					1	Fibre	C.	
4178	Rotax N.65291	Bung, sealing ...					1	—	C.	
5CW/5252	Hellermann HV.3711	Cap, helvin (sea grey) ...					1	—	C.	
	A.212462	Panel, control ...					1	L.72		
1638	Std.1606/44/B6	Screw, securing switches ...					8	Brass	C.	5
1178	Std.1606/44/B12	Screw, securing, temperature selector ...					4	Brass	C.	5
3839	Std.1606/44/B16	Screw, securing, lever switch ...					2	Brass	C.	5
5CZ/5297	Teddington Controls FHK/A/26	Selector, temperature ...					1	—	A.	
5CW/4679	Dowty C.1223Y Mk. 12	Switch, lever, cabin temperature control ...					1	—	A.	
5CW/6429	C.W.C. Ltd. XD.778	Switch, S.P. change-over, no ...					4	—	B.	
5CW/4327	Rotax N.100397/1	Transfer, "ON" ...					3	—	C.	
5CW/4328	Rotax N.100397/2	Transfer, "OFF" ...					3	—	C.	
5CW/4334	Rotax N.100397/8	Transfer, "MANUAL" ...					1	—	C.	
5CW/4335	Rotax N.100397/9	Transfer, "AUTO" ...					1	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A.220711						1	L.72	—	
	D.229419						1	—	—	
5X/2863	Plessey CZ.24285						1	—	B.	
	—						—	—	—	
5CW/5252	—						4	—	C.	
5CW/5253	—						1	—	C.	
8700	A.212014						1	—	C.	
28FP/146	Dzus A4.25						6	—	C.	
5K/2724	—						1	—	C.	
5CX/4264	Std.1512/1						2	—	C.	
5L/9 951273	—						2	—	B.	
5L/9959118	—						1	—	B.	
5CW/5045	Rotax N.65290						1	—	C.	
5CX/1553	Rotax H.1104 (Red)						2	—	B.	
	F.213272						4	S.3	—	
	A.188310						1	—	—	
1649	F.188308						1	T.26 or T.45	C.	
1650	F.188311						1	S.3	C.	
5CX/5361	Thorn 80/10/1483 (Issue 1)						1	—	B.	
5X/6171	Plessey Z.50211						1	—	C.	
5X/9400389	Plessey Z.77863						2	—	C.	
4490	F.199451						1	L.65.C	C.	
	A.229420						1	L.65.C	C.	
	B.212009						1	L.72	—	
	A.215168						1	L.72	—	
7813	F.206916						2	L.72	MR/C	
7815	F.206918						2	L.72	MR/C	
6A/3294	Smiths 2 A.C.R.						1	—	A.	
5247	Std.1606/44/A16						4	Brass	C.	5
3838	Std.1606/44/B8						12	Brass	C.	5
3837	Std.1606/44/B10						3	Brass	C.	5
1720	Std.1606/44/B24						2	Brass	C.	5
3840	Std.1606/44/B28						2	Brass	C.	5
4491	F.199449						1	S.95.B	C.	
5CW/4494	Teddington Controls FJB/A/5 or FJB/A/3						1	—	A.	
	—									
5CW/540	Rotax D.071						1	—	B.	
5CW/6435	C.W.C. Ltd. XD.789						1	—	B.	
5CW/6429	C.W.C. Ltd. XD.778						3	—	B.	
5CW/6430	C.W.C. Ltd. XD.779						1	—	B.	
	—									
5K/2736	—						1	—	C.	
5CW/4327	Rotax N.100397/1						5	—	C.	
5CW/4328	Rotax N.100397/2						5	—	C.	
5F/	—						QR	P.V.C.	C.	
	Std.1507/12/006						8	T.4	—	
	Std.1509/12/100						2	T.4	—	

NOT RECD OUT

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.230995	PANEL, PORT, MISCELLANEOUS SWITCH, ASSEMBLY					-	-		
5CW/5253	—	Cap, helvin, sea grey					2	—	C.	
5CY/2562	B.T.H. or Thorn	Circuit-breaker, Type A4, 25 amps.					1	—	A.	
5CY/4520	B.T.H., Smart or Brown	Cover, safety					1	—	C.	
	A.230965	Panel, mounting					1	L.72		
1639	Std.1606/44/A6	Screw, roundhead, 6 B.A.					2	Brass	C.	
1638	Std.1606/44/B6	Screw, roundhead, 4 B.A.					8	Brass	C.	
5CW/6440	C.W.C. Ltd. XD.786	Switch, D.P. "ON-OFF"					1	—	B.	
5CW/6441	C.W.C. Ltd. XD.788	Switch, D.P. one side "ON"					1	—	B.	
5CW/4333	Rotax N.100397/7	Transfer, "TEST"					1	—	C.	
5CW/4331	Rotax N.100397/5	Transfer, "OPEN"					1	—	C.	
5CW/4485	Rotax N.100397/37	Transfer, "NORMAL"					1	—	C.	
8544	F.217580	Pillar					6	S.95.B	C.	
5X/3278	Plessey Z.28426	Pillar, fixing					8	—	C.	
	B.221852	Plate, cover, for T.B.79 and T.B.80					1	L.72		
	B.223174	Plate, cover, for T.B.4 and T.B.7					1	L.72		
	B.227578	Plate, mounting, cabin temperature amplifier					1	L.72		
① 5UC/5900	Rotax F.1303	Relay, hood motor (Pre Mod. 838)					1	—	A.	5
3838	Std.1606/44/B8	Screw, roundhead, 4 B.A.					2	Brass	C.	5
1720	Std.1606/44/B24	Screw, roundhead, 4 B.A.					3	Brass	C.	
9450	Std.1606/45/A18	Screw, countersunk, 6 B.A.					2	Brass	C.	
5K9107067	Hellerman P.3 Grey	Sleeve, 0.9" long					1	P.V.C.	C.	
5F/2281	Hellerman HV.3341 NY.18007/A	Strapping, 1/2" wide					QR	—	C.	
8546	Std.2008/C/362	Strip, locking					3	S.84	C.	
8547	Std.2008/B/423	Strip, locking					3	S.84	C.	
5F/2282	Hellerman NY.3342	Stud					QR	—	C.	
5CY/1002	—	Suppressor, Type "P," No. 1					1	—	A.	
5CW/5042	Kelvin & Hughes KSD/02/01	Switch, altitude					1	—	A.	
5CW/6429	C.W.C. Ltd. XD.778	Switch, single pole...					1	—	B.	
5CW/6439	C.W.C. Ltd. XD.787	Switch, change over, centre "OFF"					1	—	B.	
	C.228720	SWITCHES, MICRO, FOR HOOD LOCKING GEAR, ASSEMBLY					-	-		
8702	DTD.487/9B	Bolt					2	DTD.487	C.	
8703	Std.1639/8/BX	Bolt					2	S.95.B	C.	5
9919	Std.1459/C	Cup					2	—	C.	
8704	F.220731	Plate, nut					1	S.510	C.	
8705	F.213284	Plate, serrated					2	L.72	C.	
5CW/4638	Burgess Mk. 4	Switch, micro, Type 1A					1	—	B.	
5CW/4639	Burgess 5 B.R.	Switch, micro, Type 4A					2	—	B.	
5CW/6376	Pye 400	Switch, micro (Alternative to 5CW/4639)					2	—	B.	
5CW/6375	Pye 401	Switch (Alternative to 5CW/4638)					1	—	B.	
9920	F.228644	Tappet, adjusting					2	—	C.	
① 5UC/	Rotax F.1306	Relay, hood motor (Mod. 838)					1	—	A.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CW/6257	Teddington Controls FHM/A/68	Switch, time delay	1	—	A.	
5CW/6000	Teddington Controls FHM/A/57	Switch, time delay	1	—	A.	
5CW/4896	Teddington Controls FHO/A/96	Thermostat	1	—	A.	
5CW/4327	Rotax N.100397/1	Transfer, " ON "	1	—	C.	
5CW/4328	Rotax N.100397/2	Transfer, " OF "	1	—	C.	
5CW/4331	Rotax N.100397/5	Transfer, " OPEN "	1	—	C.	
5CW/4437	—	Transfer, " CLOSE "	1	—	C.	
5F/	—	Tube, $\frac{5}{16}$ " i/d	QR	P.V.C.	C.	
5F/	—	Tube, $1\frac{1}{2}$ " i/d	QR	P.V.C.	C.	
3802	Std.1507/23/085	Tube, distance	2	T.4	C.	4
	Std.1509/23/084	Tube, distance	6	T.4		
	Std.1509/13/075	Tube, distance	1	T.4		
	Std.1509/23/058	Tube, distance, $\frac{1}{16}$ " o/d. \times 17 S.W.G. \times 0.58" long (Make from 30B/556)	2	T.4		
5407	Std.915/T/18	Washer	6	DTD.610	MR/C	4
9335	Std.1547/19/6	Washer, profile	3	DTD.610	C.	4
1940	Std.1231/1	Washer, tab	1	S.3	C.	4
7060	F.207437	Washer	1	DTD.171	C.	
4613	Std.1335/C/18	Washer	10	L.34	C.	
	Std.1208/44/16/20	Washer, at F.5 suppressor outlet	1			

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/12528	A25.1B	Bolt,	4	B.A.	—	—
28D/12511	A25.2B	Bolt,	4	B.A.	—	—
28D/9419425	A25.3B	Bolt,	4	B.A.	—	—
28D/12623	A25.5B	Bolt,	4	B.A.	—	—
28D/12625	A25.9B	Bolt,	4	B.A.	—	—
28D/14194	A25.3C	Bolt,	2	B.A.	—	—
28D/12512	A25.1C	Bolt,	2	B.A.	—	—
28D/12513	A25.2C	Bolt,	2	B.A.	—	—
28D/12531	A25.3C	Bolt,	2	B.A.	—	—
28D/12532	A25.4C	Bolt,	2	B.A.	—	—
28D/12533	A25.5C	Bolt,	2	B.A.	—	—
28D/12514	A25.7C	Bolt,	2	B.A.	—	—
28D/12629	A25.8C	Bolt,	2	B.A.	—	—
28D/12534	A25.9C	Bolt,	2	B.A.	—	—
28D/12516	A25.11C	Bolt,	2	B.A.	—	—
28D/9419397	A25.12C	Bolt,	2	B.A.	—	—
28D/12536	A25.13C	Bolt,	2	B.A.	—	—
28D/12537	A25.14C	Bolt,	2	B.A.	—	—
28D/12630	A25.19C	Bolt,	2	B.A.	—	—
28D/12568	A25.22C	Bolt,	2	B.A.	—	—
28D/12518	A25.2E	Bolt,	1/4"	B.S.F.	—	—
28D/12519	A25.3E	Bolt,	1/4"	B.S.F.	—	—
28D/12520	A25.4E	Bolt,	1/4"	B.S.F.	—	—
28D/12544	A25.8E	Bolt,	1/4"	B.S.F.	—	—
28D/12674	A25.9E	Bolt,	1/4"	B.S.F.	—	—
28D/12570	A25.11E	Bolt,	1/4"	B.S.F.	—	—
28D/14004	A57.5E	Bolt,	1/4"	B.S.F.	—	—
28D/14826	AS.1242.3B	Bolt,	4	B.A.	—	—
28D/11126	AS.1242.9B	Bolt,	4	B.A.	—	—
28D/8308	AS.1242.3C	Bolt,	2	B.A.	—	—
28D/8329	AS.1242.9E	Bolt,	1/4"	B.S.F.	—	—
28D/10764	AS.1248.3B	Bolt,	4	B.A.	—	—
28D/8837	AS.1248.1B	Bolt,	4	B.A.	—	—
28D/8339	AS.1248.6B	Bolt,	4	B.A.	—	—
28D/9353	AS.1248.3C	Bolt,	2	B.A.	—	—
28D/8341	AS.1248.1C	Bolt,	2	B.A.	—	—
28D/8343	AS.1248.4C	Bolt,	2	B.A.	—	—
28D/8344	AS.1248.5C	Bolt,	2	B.A.	—	—
28D/9354	AS.1248.6C	Bolt,	2	B.A.	—	—
28D/8345	AS.1248.7C	Bolt,	2	B.A.	—	—
28D/8347	AS.1248.10C	Bolt,	2	B.A.	—	—
28N/256	SP.58.D	Burr	—	—
28N/254	AGS.191.B	Burr	—	—
28E/8183	AGS.605/1	Clip, hose	—	—
5K/115	AGS.1661/D	Clip, bonding	—	—
5K/119	AGS.1661/H	Clip, bonding	—	—
5K/86	AGS.1657 Mk. 0	Collet	—	—
5K/3355	AS.3360/B/4/B	Connector, earthing	—	—
5K/2868	SP.40.B8	Grommet	—	—
5K/2956	SP.40.B36	Grommet	—	—
5K/	SP.48.A18	Grommet	—	—

ELECTRICAL EQUIPMENT—FRONT FUSELAGE


Ref. No.	Part No.	Description					No. Of	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28L/12343	A27.AT	Nut, 6	B.A.	—	—
28M/13086	A27.BP	Nut, 4	B.A.	—	—
28L/13140	A27.BT	Nut, 4	B.A.	—	—
28M/12929	A27.CP	Nut, 2	B.A.	—	—
28M/13121	A27.CS	Nut, 2	B.A.	—	—
28L/13124	A27.CT	Nut, 2	B.A.	—	—
28L/12931	A27.ET	Nut, 1/4"	B.S.F.	—	—
28L/13734	A54.B	Nut, 4	B.A.	—	—
28L/14534	A54.C	Nut, 2	B.A.	—	—
28M/10286	AGS.2001.A1	Nut, 6	B.A.	—	—
28M/10287	AGS.2001.B1	Nut, 4	B.A.	—	—
28M/10288	AGS.2001.C1	Nut, 2	B.A.	—	—
28M/10290	AGS.2001.E1	Nut, 1/4"	B.S.F.	—	—
28M/10276	AGS.2001.E4	Nut, 1/4"	B.S.F.	—	—
28M/10326	AGS.2002.A1	Nut, 6	B.A.	—	—
28M/10327	AGS.2002.B1	Nut, 4	B.A.	—	—
28M/10309	AGS.2002.B4	Nut, 4	B.A.	—	—
28M/10328	AGS.2002.C1	Nut, 2	B.A.	—	—
28M/10330	AGS.2002.E1	Nut, 1/4"	B.S.F.	—	—
28M/10215	AGS.2008.B1	Nut, 4	B.A.	—	—
28M/10216	AGS.2008.C1	Nut, 2	B.A.	—	—
28M/13307	AGS.2018.B1	Nut, 4	B.A.	—	—
28M/13774	AGS.2019.B1	Nut, 4	B.A.	—	—
28M/13279	AGS.2019.C1	Nut, 2	B.A.	—	—
28M/13721	AGS.2021.E1	Nut, cap 1/4"		—	—
28P/12431	SP.9.C6	Pin, split		—	—
28P/14669	SP.4.Z.D18	Pin, shackle		—	—
28S/13930	A31.A10	Screw, 6	B.A.	—	—
28S/3370	A31.B8	Screw, 4	B.A.	—	—
28S/9419435	A31.B12	Screw, 4	B.A.	—	—
28S/2767	A31.B16	Screw, 4	B.A.	—	—
28S/2773	A31.B20	Screw, 4	B.A.	—	—
28S/2779	A31.B.24	Screw, 4	B.A.	—	—
28S/2785	A.31.B.28	Screw, 4	B.A.	—	—
28S/	A31.B.38	Screw		—	—
① 28S/9435912	A31.B.44	Screw		—	—
28S/6302	A32.A6	Screw, 6	B.A.	—	—
28S/14547	A32.A10	Screw, 6	B.A.	—	—
28S/3246	A32.B8	Screw, 4	B.A.	—	—
28S/13887	A32.B10	Screw, 4	B.A.	—	—
28S/2863	A32.B16	Screw, 4	B.A.	—	—
28S/2869	A32.B20	Screw, 4	B.A.	—	—
28S/2857	A32.B12	Screw, 4	B.A.	—	—
28S/14005	A32.B14	Screw, 4	B.A.	—	—
28S/2875	A32.B24	Screw, 4	B.A.	—	—
28S/14627	A32.B36	Screw, 4	B.A.	—	—
28S/5694	A32.B40	Screw, 4	B.A.	—	—
28S/14269	A32.C10	Screw, 2	B.A.	—	—
28S/2856	A32.C12	Screw, 2	B.A.	—	—
28S/13742	A32.C14	Screw, 2	B.A.	—	—
28S/2862	A32.C16	Screw, 2	B.A.	—	—
① 28S/6201	A.31.B40	Screw, 4	B.A.	—	—

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.			
		1	2	3	4	5							
	28S/2868	A32.C20	Screw, 2	B.A.	-	-	-	
	28S/2874	A32.C24	Screw, 2	B.A.	-	-	-	
	28S/2816	A33.A16	Screw, 6	B.A.	-	-	-	
①	28S/3420	A33.B8	Screw, 4	B.A.	-	-	-	
	28S/13720	A33.B10	Screw, 4	B.A.	-	-	-	
	28S/2809	A33.B12	Screw, 4	B.A.	-	-	-	
	28S/2833	A33.B28	Screw, 4	B.A.	-	-	-	
	28S/14301	A33.C14	Screw, 2	B.A.	-	-	-	
	28S/13882	A43.A10	Screw, 6	B.A.	-	-	-	
	28S/2066	A43.C12	Screw, 2	B.A.	-	-	-	
	28S/8057	A44.B6	Screw, 4	B.A.	-	-	-	
	28S/2407	A44.B12	Screw, 4	B.A.	-	-	-	
	28S/13814	A44.B14	Screw, 4	B.A.	-	-	-	
	28S/2425	A44.B24	Screw, 4	B.A.	-	-	-	
	28S/3509	A44.C8	Screw, 2	B.A.	-	-	-	
	28S/2115	A45.B8	Screw, 4	B.A.	-	-	-	
	28W/9419473	SP.15A	Washer, 6	B.A.	-	-	-	
	28W/9419474	SP.15B	Washer, 4	B.A.	-	-	-	
	28W/9419475	SP.15C	Washer, 2	B.A.	-	-	-	
	28W/9419405	SP.15E	Washer, 1/4"	B.S.F.	-	-	-	
	28W/9419485	SP.16A	Washer, 6	B.A.	-	-	-	
	28W/9419486	SP.16B	Washer, 4	B.A.	-	-	-	
	28W/9419404	SP.16C	Washer, 2	B.A.	-	-	-	
	28W/9419487	SP.16E	Washer, 1/4"	B.S.F.	-	-	-	
	28W/14034	SP.25B	Washer, 4	B.A.	-	-	-	
	28W/9416642	SP.47B	Washer, 4	B.A.	-	-	-	
	28L/9419448	AGS.2035B	Washer, 4	B.A.	-	-	-	
①	28S/13633	A.33.A18	Screw, 6	B.A.	-	-	-	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.