

Hunter T. Mk. 66
 Issued with Amendment List No. 1

ELECTRICAL EQUIPMENT-REAR FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	E.231145	ELECTRICAL EQUIPMENT IN REAR FUSELAGE, ASSEMBLY	-	-		
5W/2317	Western Mfg. E.A.25461	Actuator , EJ.25 Mk. 1D	1	-	A.	
5W/2313	Rotax A.1607	Actuator , tailplane	1	-	A.	
	A.212367	BLOCK, TERMINAL, No. 41, AT FRAME 40B, PORT, ASSEMBLY	-	-		
5CZ/430	Rotax N.5.B.N.	Block , terminal, 2 way, No. 1	1	-	B.	
	A.212457	BLOCK, TERMINAL, No. 42, AT FRAME 52, ASSEMBLY	-	-		
5X/3276	Plessey CZ.50205	Block , terminal, 2 way	1	-	B.	
5X/3272	Plessey CZ.26799	Cover	1	-	B.	
4177	F.197297	Pillar	2	BSS.249	C.	
	A.206250	BLOCK, TERMINAL, No. 45, FOR TAIL PLANE DESYN, ASSEMBLY	-	-		
5X/3268	Plessey CZ.50207	Block , terminal, 5 way	1	-	B.	
5X/3274	Plessey CZ.26805	Cover	1	-	B.	
5X/3278	Plessey Z.28426	Pillar	2	-	C.	
	A.216488	BLOCK, TERMINAL, No. 87, ASSEMBLY ...	-	-		
5X/3268	Plessey CZ.50207	Block , terminal, 5 way	1	-	B.	
5X/3274	Plessey CZ.26805	Cover	1	-	B.	
5X/3278	Plessey Z.28426	Pillar , mounting	2	-	C.	
	A.222784	BLOCK, TERMINAL, No. 44, FOR TAIL PLANE ACTUATOR, ASSEMBLY	-	-		
5X/2863	Plessey CZ.24285	Block , terminal, 10 way	1	-	B.	
5X/3275	Plessey CZ.26808	Cover	1	-	B.	
5X/6163	Plessey Z.50210	Link , commoning	3	-	C.	
4177	F.197297	Pillar	2	BSS.249	C.	
	B.206440	BLOCK, TERMINAL, No. 43, BETWEEN FRAMES 54 AND 55, ASSEMBLY	-	-		
5X/2863	Plessey CZ.24285	Block , terminal, 10 way	2	-	B.	
5X/3275	Plessey CZ.26808	Cover	1	-	B.	
5X/3278	Plessey Z.28426	Pillar	2	-	C.	

ELECTRICAL EQUIPMENT-REAR FUSELAGE

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
	B.206675	BLOCK, TERMINAL, Nos. 47 AND 48, AT FRAME 45, ASSEMBLY								
5X/3181	Plessey CZ.23212/1	Block, terminal, 20 way					1	—	B.	
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
5X/6165	Plessey CZ.25111	Cover					1	—	B.	
5X/3275	Plessey CZ.26808	Cover					1	—	B.	
5X/6317	Plessey Z.50218	Link, commoning, 10-way					1	—	C.	
5X/3278	Plessey Z.28426	Pillar					2	—	C.	
4177	F.197297	Pillar					2	BSS.249	C.	
3767	Std.915/B/20	Washer					1	—	C.	4
	A.206673	BLOCK, TERMINAL, No. 57, AT FRAME 40B, STARBOARD, ASSEMBLY								
5CZ/430	Rotax N.5.B.N.	Block, terminal, 2-way, No. 1					1	—	B.	
	A.222373	BLOCK, TERMINAL, No. 79, ASSEMBLY								
5X/3268	Plessey CZ.50207	Block, terminal, 5-way					1	—	B.	
5X/3274	Plessey CZ.26805	Cover					1	—	B.	
5X/3278	Plessey Z.28426	Pillar					2	—	C.	
	B.222374	BLOCK, TERMINAL, No. 97, ASSEMBLY								
5X/2863	Plessey CZ.24285	Block, terminal, 10-way					1	—	B.	
5X/3275	Plessey CZ.26808	Cover					1	—	B.	
5X/3278	Plessey Z.28426	Pillar					2	—	C.	
	A.210747	BLOCK, TERMINAL, No. 58, BETWEEN FRAMES 56 AND 57 ASSEMBLY								
7056	A.210157	Block, terminal					1	—	B.	
	A.210713	Bracket, mounting					1	L.72		
2146	A.189842	Bolt, special, bottom, for actuator					1	S.99B.	C.	
6729	F.201996	Bracket, support, for plate switches at frame 45					2	S.3	C.	
	F.219379	Bracket, explosion detector unit cable at frame 43 (Mod. 582)					2	—		
	—	CABLES, ELECTRICAL (See Cable Chart)								
9492	B.222724	Cable, R.37, group					1	—	B.	
	F.221270	Barrel-unit					1	B.11		
5D/1933	M & B Metals Ltd.	Contact, No. 1, Mk. 2					1	—	B.	
	F.221268	Cover					1	LFS.21		

ELECTRICAL EQUIPMENT—REAR FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
29H/2100	Bowden 448	Clip	44	—	C.	
4099	Std.840/18	Clip, securing cables, between frames 51 and 52 ...	1	DTD.610	C.	4
3741	Std.840/20	Clip, securing cable R.36	2	DTD.610	C.	4
4764	Std.840/21	Clip, securing cable R.19	1	DTD.610	MR/C	4
4186	Std.841/16	Clip, securing cables forward of frame 52	2	DTD.610	C.	4
3747	Std.841/28	Clip, securing cable to tail plane actuator mounting	1	DTD.610	MR/C	4
9493	F.222036	Clip, securing cable R.36 between frames 45 and 46	1	L.72	C.	
5CZ/4895	Rotax D.8710/3	Contactor, reversing (Pre Mod. 617)	1	—	A.	
5CZ/	Rotax D.8720	Contactor, reversing (Mod. 617)	1	—	A.	
6A/4383	Smiths C.J.C.65	Connector, type P.T.E.E.	2	—	B.	
	D.231196	ELECTRICAL EQUIPMENT, ADDITIONAL DETAILS, ASSEMBLY	—	—		
	B.219504	BLOCK, TERMINAL, No. 96, AT FRAME 45, STARBOARD, ASSEMBLY (Mod. 582)	—	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10-way	1	—	B.	
5X/3275	Plessey CZ.26808	Cover	1	—	B.	
5X/6163	Plessey Z.50210	Link, commoning, 2-way	1	—	C.	
5X/3278	Plessey Z.28426	Pillar	1	—	C.	
	F.216456	Bracket, for cable coupler at frame 40B starboard	1	L.72		
	B.219465	Cable, EX9, assembly (See cable hcart) (Mod. 582)	1	—	—	
	B.205121	Cable, E11/A, assembly (See cable chart)	1	—	—	
5X/1965	Plessey Z.22166	Cap, "B" size plug screening	2	—	C.	
4632	F.196310	Cleat, securing cables at frame 45	4	Ferobestos	C.	
	Std.2045/22/24	Clip, sleeved	2	S.510 or S.511		
	Std.2045/27/22	Clip, sleeved	5	S.510 or S.511		
	Std.2045/31/22	Clip, sleeved	1	S.510 or S.511		
	Std.2045/34/22	Clip, sleeved	4	S.510 or S.511		
	Std.2045/42/22	Clip, sleeved	1	S.510 or S.511		
	A.198113	EARTHING POINT No. 11, FRAME 45, PORT SIDE ONLY, ASSEMBLY	—	—		
4613	Std.1335/C/18	Washer, under terminal	1	L.4	C.	4
4659	Std.1335/C/22	Washer, under nut	1	L.4	C.	4

ELECTRICAL EQUIPMENT—REAR FUSELAGE


Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
5F/2301	F.219333	Plug, shorting (Mod. 582)						1	—	
	Hellermann NY.18007/A	Strapping (AS.860/15)						QR	—	C.
5F/2302	Hellermann NY.3342	Stud (AS.860/15)						QR	—	C.
4613	Std.1335/C/18	Washer, 2 B.A., at frame 45 (Mod. 582)						1	L.4	C. 4
4659	Std.1335/C/22	Washer, 2 B.A., at frame 45 (Mod. 582)						1	L.4	C. 4
	B.231138	ELECTRICAL EQUIPMENT, ADDITIONAL DETAILS, ASSEMBLY						—	—	
5CZ/430	Rotax N5BN	Block, terminal, 2-way						1	—	B.
3734	Std.840/14	Clip, $\frac{1}{8}$ " wide x 22 S.W.G. x 1.4" long						1	DTD.610	MR 4
4186	Std.841/16	Clip, $\frac{1}{8}$ " wide x 22 S.W.G. x 1.6" long						1	DTD.610	C. 4
3755	Std.843/13	Clip, $\frac{1}{8}$ " wide x 22 S.W.G. x 1.3" long						5	S.3	MR 4
	Std.2046/17/22	Clip, sleeved						1	S.510 or S.511	
9396	A.219235	Gasket, at explosion detector unit (Mod. 582)						2	DTD.762	C.
27N/170	Graviner E.318	Holder, fuse (complete with fuse E.301 Mk. 2 at frame 44 port and starboard) (Mod. 582)						2	—	B.
	F.220514	Packing, at anchor nut plate, frame 44 (Mod. 582)						2	LFS.21	
9397	F.221871	Plate, anchor nut fuse holder, frame 44 (Mod. 582)						2	—	C.
7937	Std.1221/Z/B45	Pin						1	S.80	C. 4
7938	Std.1221/Z/B70	Pin						1	S.80	C. 4
9494	F.221158	Plate, locking						1	L.72	C.
9495	F.221085	Plate, nut						1	—	C.
5887	—	Sleeving, "Symel" silicone elastomer QS.167 $\frac{3}{8}$ " i/d x 1 mm. thick x 58" approx.						8	—	C.
27N/91		Switch, frame, Mk. 4						4	—	A.
5CW/4638	Burgess Mk. 4	Switch, micro, type 1A						1	—	B.
or	or									
5CW/6375	Pye 401									
5CW/6376	Pye 400	Switch, micro, type 4A						3	—	B.
6A/3578	—	Thermo-couple, type "B6"						8	—	B.
	C.213491	TRANSMITTER, DESYNN, ASSEMBLY						—	—	
9535	A.220339	Box, junction, group						1	—	B.
	A.207745	Box, junction						1	—	
5X/6630	Plessey CZ.72441	Block, terminal, 5-way						4	—	B.
7844	F.207746	Lid						1	—	C.
5K/3469	Ross Courtney No. 01	Tag						4	—	C.
	B.205509	Cable, R.15 group (See cable chart)						1	—	
1679	A.189774	Clip, attachment to actuator ram						1	S.3	C.
	B.191439	Mounting, group						1	—	
		Consisting of:—								
	A.189772	Angle						1	—	
	A.189773	Angle						1	—	
	B.189771	Bracket						1	DTD.610	
28Q/1650	AS.156/404	Rivet						4	—	C.
6851	F.189775	Rod, connecting						1	S.1	MR/C
6A/2085	Smiths 227 FL	Transmitter, position indicator						1	—	A.
5CZ/5425	Electronic Components No. 22515	Unit, resistor, $\frac{1}{2}$ ohm						1	—	B.
9394	B.219231	Unit, detector explosion suppression, port (Less filament), group (Mod. 582)						1	—	A.
9395	B.219232	Unit, detector explosion suppression, starboard (Less filament), group (Mod. 582)						1	—	A.

ELECTRICAL EQUIPMENT-REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5E/3685	—						QR	—	C.	
5E/3686	—						QR	—	C.	
6A/5372	Std.2045/19/24 Smiths Waymouth LF.16						2	—	B.	
27N/	Graviner E.160 or E.633						2	—	A.	
5L/9959118	Thorn Electric X.959/118						2	—	B.	
10H/ 0970059	Plessey Z.60668						2	—	C.	
10H/ 0970111	Plessey Z62237						2	—	C.	
27N/167	Graviner E.181 A.219996						2	—	B.	
10H/ 0970072	Plessey CZ.49183						2	—	C.	
	A.219233						1	—		
	A.219234						1	—		
10H/ 0970091	Plessey Z.62231						2	—	C.	
10H/ 0970099	Plessey Z.54092						2	—	C.	
10H/ 0560170	Plessey CZ.50142						2	—	C.	
5K/3455	Hellermann JP x 3/4"						12	—	C.	
5X/9400384	Erma 12104						2	—	C.	
27N/166	Graviner E.521						4	—	C.	
2147	Std.1509/12/050 Std.915/C/20						1	T.4 DTD.610	C.	4

ELECTRICAL EQUIPMENT-REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/12528	A.25.1.B	Bolt, 4 B.A.	---	---	---
28D/12511	A.25.2.B	Bolt, 4 B.A.	---	---	---
28D/12565	A.25.8.B	Bolt, 4 B.A.	---	---	---
28D/12625	A.26.9.B	Bolt, 4 B.A.	---	---	---
28D/12512	A.25.1.C	Bolt, 2 B.A.	---	---	---
28D/12513	A.25.2.C	Bolt, 2 B.A.	---	---	---
28D/12531	A.25.3.C	Bolt, 2 B.A.	---	---	---
28D/12629	A.25.8.C	Bolt, 2 B.A.	---	---	---
28D/12516	A.25.11.C	Bolt, 2 B.A.	---	---	---
28D/8300	AS.1242.1.B	Bolt, 4 B.A.	---	---	---
28D/8310	AS.1242.6.C	Bolt, 2 B.A.	---	---	---
5K/2628	AGS.1757/1	Connection	---	---	---
5K/2374	AGS.1725/1	Disc, blanking	---	---	---
28K/551	SP.3413	Fork-end	---	---	---
5K/3468	SP.48.D.18	Grommet	---	---	---
28M/9796	SP.21	Nipple, lubricating	---	---	---
28M/10286	AGS.2001.A1	Nut, 6 B.A.	---	---	---
28M/10287	AGS.2001.B1	Nut, 4 B.A.	---	---	---
28M/10288	AGS.2001.C1	Nut, 2 B.A.	---	---	---
28M/10326	AGS.2002.A1	Nut, 6 B.A.	---	---	---
28M/10327	AGS.2002.B1	Nut, 4 B.A.	---	---	---
28M/10328	AGS.2002.C1	Nut, 2 B.A.	---	---	---
28D/10216	AGS.2008.C1	Bolt, 2 B.A.	---	---	---
28M/7727	AGS.572.E	Nut, 3/8" B.S.F.	---	---	---
28L/13124	A.27.C.T.	Nut, 2 B.A.	---	---	---
28M/14833	A.58.J.S.	Nut, 3/8" B.S.F.	---	---	---
5K/87	AGS.1658/0	Nut, gland	---	---	---
28P/830	SP.4.B4	Pin	---	---	---
28P/12462	SP.9.C8	Pin, split	---	---	---
28S/2756	A.31.A.8	Screw, 6 B.A.	---	---	---
28S/2773	A.31.B.20	Screw, 4 B.A.	---	---	---
28S/2784	A.31.C.28	Screw, 2 B.A.	---	---	---
28S/2857	A.32.B.12	Screw, 4 B.A.	---	---	---
28S/2881	A.32.B.28	Screw, 4 B.A.	---	---	---
28S/2810	A.33.A.12	Screw, 6 B.A.	---	---	---
28S/2822	A.33.A.20	Screw, 6 B.A.	---	---	---
28S/2828	A.33.A.24	Screw, 6 B.A.	---	---	---
28S/2833	A.33.B.28	Screw, 4 B.A.	---	---	---
28S/2832	A.33.C.28	Screw, 2 B.A.	---	---	---
28S/13814	A.43.B.14	Screw, 4 B.A.	---	---	---
28S/2127	A.45.B.16	Screw, 4 B.A.	---	---	---
5K/2625	AGS.1753.3E	Screw and washer combined	---	---	---
28W/9419474	SP.15.B	Washer, 4 B.A....	---	---	---
28W/9419475	SP.15.C	Washer, 2 B.A....	---	---	---
28W/9419477	SP.15.J	Washer, 3/8" B.S.F.	---	---	---
28W/9419404	SP.16.C	Washer, 2 B.A....	---	---	---
28N/254	AGS.191B	Washer, 4 B.A....	---	---	---
28N/255	AGS.191C	Washer, 2 B.A....	---	---	---



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.