

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D.207227	ELECTRICAL INSTALLATION IN PORT WING, ASSEMBLY	-	-		
	F.207239	Angle, support, for cable harness (Local Manufacture)	3	L.72		
	A.206175	BLOCK, TERMINAL No. 21, AT INTER-SPAR RIB "D," PORT, ASSEMBLY	-	-		
5X/2863	Plessey CZ.24285	Block, terminal, 10-way	1	-	B.	
5X/3275	Plessey CZ.26808	Cover	1	-	B.	
5X/6163	Plessey Z.50210	Link, commoning, 2-way	2	-	C.	
	A.206175/1	Markers (Local Manufacture)	1 set	-		
4177	F.197297	Pillar	2	BSS.249	C.	
	A.206158	BLOCK, TERMINAL, No. 22, AT OUTER RIB, PORT, ASSEMBLY	-	-		
5X/3268	Plessey CZ.50207	Block, terminal, 5-way	1	-	B.	
5X/3274	Plessey CZ.26805	Cover	1	-	B.	
	6963 A.206158/1	Markers (Local Manufacture)	1 set	-	MR/C	
5X/3278	Plessey Z.28426	Pillar	2	-	C.	
	A.215707	BLOCK, TERMINAL, No. 24, AT RIB "S," PORT, ASSEMBLY	-	-		
5X/2863	Plessey CZ.24285	Block, terminal, 10-way	1	-	B.	
5X/3275	Plessey CZ.26808	Cover	1	-	B.	
	6023 F.206895	Spacer	2	-	MR/C	
	A.206139	BLOCK, TERMINAL, No. 25, AT RIB "C," PORT, ASSEMBLY	-	-		
5X/3268	Plessey CZ.50207	Block, terminal, 5-way	1	-	B.	
5X/3274	Plessey CZ.26805	Cover	1	-	B.	
	6964 A.206139/1	Markers (Local Manufacture)	1 set	-	MR/C	
5X/3278	Plessey Z.28426	Pillar	2	-	C.	
	A.206171	BLOCK, TERMINAL, No. 26, AT RIB "D," PORT, ASSEMBLY	-	-		
5X/2863	Plessey CZ.24285	Block, terminal, 10-way	1	-	B.	
5X/3275	Plessey CZ.26808	Cover	1	-	B.	
5X/6163	Plessey Z.50210	Link, commoning	2	-	C.	
	A.206171/1	Markers (Local Manufacture)	1 set	-		
4177	F.197297	Pillar	2	BSS.249	C.	
	A.206133	BLOCK, TERMINAL, No. 27, AT TAIL RIBS "L" AND "M," PORT, ASSEMBLY	-	-		
5X/2863	Plessey CZ.24285	Block, terminal, 10-way	1	-	B.	
	A.206133/1	Markers (Local Manufacture)	1 set	-		
	F.180308	Spacer-lock	2	BSS.249	-	
	B.208246	BLOCK, TERMINAL, No. 28, AT INTER-SPAR RIB "F," PORT, ASSEMBLY	-	-		
5X/2863	Plessey CZ.24285	Block, terminal, 10-way	1	-	B.	
	6003 F.205956	Bracket, mounting	1	L.72	MR/C	
5X/3275	Plessey CZ.26808	Cover	1	-	B.	
5X/6163	Plessey Z.50210	Link, commoning, 2-way	1	-	C.	
	6840 B.208246/1	Label (Local Manufacture)	1	-	MR/C	
5X/3278	Plessey Z.28426	Pillar	2	-	C.	

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
	A.201764	BLOCK, TERMINAL, No. 29, AT INTER-SPAR RIB "F," PORT, ASSEMBLY								
5X/3276	Plessey CZ.50205	Block, terminal, 2-way					1	—	B.	
5X/3272	Plessey CZ.26799	Cover					1	—	B.	
	A.201764/1	Markers (Local Manufacture)					1 set	—		
5X/3278	Plessey Z.28426	Pillar					2	—	C.	
	B.209176	Box, junction, arm 3, group					1	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10-way					1	—	B.	
5X/3181	Plessey CZ.23212/1	Block, terminal, 20-way					1	—	B.	
	A.210795	Cover					1	L.59	C.	
5X/6171	Plessey Z.50211	Link, commoning, 3-way					1	—	C.	
	Plessey Z.24949	Piece, distance					4	—		
5X/3278	Plessey Z.28426	Pillar					4	—	C.	
	Plessey Z.28614	Screw, special					4	—		
	B.208989	Box, junction, arm 4, group					1	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10-way					1	—	B.	
5X/3181	Plessey CZ.23212/1	Block, terminal, 20-way					1	—	B.	
	A.208778	Cover					1	L.59	C.	
5X/6171	Plessey Z.50211	Link, commoning, 3-way					1	—	C.	
5X/4177	Plessey Z.24949	Piece, distance					4	—		
	F.197297	Pillar					2	BSS.249	C.	
5X/	Plessey Z.28614	Screw, special					4	—		
	B.207006	Cable, A.19, group (See Cable Chart)					1	—	—	
7989	A.209702	Ferrule					1	—	C.	
8407	B.213570	Cable, A.32, group...					1	—	B.	
	A.213559	Bracket, supporting, group					1	—		
	F.213565	Clip					1	Sp. St.		
28FP/809	Dzus GF.6-250	Grommet					1	—	C.	
5D/1924	RAE.EL.42887/1C	Connector					1	—	B.	
8409	B.213572	Cable, A.34, group...					1	—	B.	
	A.213561	Bracket, supporting, group					1	—		
	F.213565	Clip					1	Sp. St.		
28FP/809	Dzus GF.6-250	Grommet					1	—	C.	
5D/1925	RAE.EL.42887/1D	Connector					1	—	B.	
8411	B.213574	Cable, A.36, group...					1	—	B.	
	A.213559	Bracket, supporting, group					1	—		
	F.213565	Clip					1	Sp. St.		
28FP/809	Dzus GF.6-250	Grommet					1	—	C.	
5D/1924	RAE.EL.42887/1C	Connector					1	—	B.	

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
8413	B.213576	Cable, A.38, group...	1	—	B.	
	A.213563	Bracket, support, group	1	—	B.	
	A.213565	Clip	1	Sp. St.	C.	
28FP/809	Dzus GF.6-250	Grommet	1	—	C.	
5D/1924	RAE.EL.428887/1C	Connector	1	—	B.	
	—	Cables, electrical (See Cable Chart)	—	—	—	
6A/4381	Smiths CG.1	Cable, harness, co-axial	1	—	B.	
6A/4390	Smiths CRC.54	Cable, co-axial	1	—	B.	
	D.199922	CLIPPING AND STRAPPING CABLES, ASSEMBLY					—	—		
4761	Std.840/13	Clip, securing cables at rib "A" and inter-spar rib "F," $\frac{7}{16}$ " wide × 22 S.W.G. × 1-3" long (Make from 30B/1433)					3	DTD.610	MR/C	4
3971	Std.840/19	Clip, securing cables at inter-spar rib "F" and front spar, $\frac{7}{16}$ " wide × 22 S.W.G. × 1-9" long (Make from 30B/1433)					3	DTD.610	MR/C	4
4791	Std.840/34	Clip, securing cables at undercarriage girder, inter-spar rib "D," $\frac{7}{16}$ " wide × 22 S.W.G. × 3-4" long (Make from 30B/1433)					1	DTD.610	MR/C	4
4159	Std.841/20	Clip, securing cables at front spar, inter-spar rib "D," $\frac{7}{16}$ " wide × 22 S.W.G. × 2" long					1	DTD.610	C.	4
3748	Std.841/34	Clip, securing cables, $\frac{7}{16}$ " wide × 22 S.W.G. × 3-5" long (Make from 30B/1433)					1	DTD.610	MR/C	4
3755	Std.843/13	Clip, securing cables at rib "E," $\frac{7}{16}$ " wide × 22 S.W.G. × 1-2" long (Make from 30A/549)					2	S.3	MR/C	4
4165	Std.850/35	Clip, securing cables at undercarriage girder, inter-spar rib "D," $\frac{7}{16}$ " × 22 S.W.G. × 3-5" long					1	DTD.610	C.	4
4040	Std.851/41	Clip, securing cables at undercarriage girder between inter-spar ribs "C" and "D," $\frac{7}{16}$ " wide × 22 S.W.G. × 4-1" long (Make from 30B/1433)					1	DTD.610	MR/C	4
6011	F.208013	Clip, securing cables at undercarriage girder, inter-spar rib "E"					1	S.3	C.	
6006	F.205087	Clip, securing cables at undercarriage girder, inter-spar rib "F"					1	S.3	C.	
5832	F.205000	Plate, sealing, at undercarriage girder, outboard of inter-spar, rib "F"					1	LFS.21	C.	
5F/2281	Hellerman HV.3341	Strapping	QR	—	C.	
	or									
5F/2301	Hellerman NY.18007/A	Strapping	QR	—	C.	
	or									
5F/2279	—	Strapping	QR	—	C.	
	Std.1614/1	Strip, sealing, at inter-spar rib "D"	17"	Rubber		
5F/2302	Hellerman NY.3342	Stud	QR	—	C.	
5F/2280	Hellerman HV.3255	Stud	QR	—	C.	

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
3734	Std.840/14	Clip, securing cables, $\frac{7}{16}$ " wide \times 22 S.W.G. \times 1-4" long (Make from 30B/1433)	1	DTD.610	MR/C	4
3741	Std.840/20	Clip, securing cables, $\frac{7}{16}$ " wide \times 22 S.W.G. \times 2" long	2	DTD.610	C.	4
4791	Std.840/34	Clip, securing cables between ribs "L" and "M," $\frac{7}{16}$ " wide \times 22 S.W.G. \times 3-4" long (Make from 30B/1433)	1	DTD.610	MR/C	5
4544	Std.841/18	Clip, $\frac{7}{16}$ " wide \times 22 SW.G. \times 1-8" long	2	DTD.610	C.	4
4798	Std.841/24	Clip, securing cables between ribs "R" and "S," $\frac{7}{16}$ " wide \times 22 SW.G. \times 2-4"	1	DTD.610	C.	4
6008	Std.850/110	Clip, securing cables on undercarriage jack, $\frac{7}{16}$ " wide \times 22 S.W.G. \times 11" long (Make from 30B/1433)	1	DTD.610	MR/C	4
29H/2100	Bowden 448	Clip, pliable	2	—	C.	
29H/4140	Bowden 2963	Clip, pliable	1	—	C.	
	Std.2045/23/24	Clip, securing drum switch cable	1	—		
5X/2121	Plessey Z.22676/D	Ferrule, inner	1	—	C.	
5X/2114	Plessey Z.22675/D	Ferrule, outer	1	—	C.	
	—	Filament, lamp, 28V. 20W.	1	—	B.	
5CX/887	—	Lamp, navigation, Type "B," port	1	—	A.	
4752	Std.1231/9	Lug, locking, 4 B.A.	1	—	MR/C	
4830	F.176494	Packing, at drum switch	4	DTD.364	MR/C	
4831	F.179367	Packing, at micro switch, inter-spar rib "D"	1	DTD.610 or DTD.364	MR/C	
5833	F.205537	Plate, bolt, at micro switch, inter-spar "D"	1	—	C.	
5X/3148	Plessey Z.49428	Sleeve, 4-7 amp.	23	—	D.	
5X/3146	Plessey Z.49397	Sleeve, 7-19 amp.	3	—	C.	
5K/3455	—	Sleeve, plus JP \times $\frac{3}{4}$ "	26	—	C.	
5X/6783	Plessey CZ.71754	Socket, assembly "D" 24/2/D	1	—	B.	
5F/2301	Hellermann NY.18007	Strapping	QR	—	C.	
5F/2302	Hellermann NY.3342	Stud	QR	—	C.	
5CW/6376	Pye 400	Switch, micro	4	—	B.	
9727	F.230401	Switch, micro (Mod. 684)	1	—		
5CW/5118	Dowty C.1220Y Mk.III	Switch, drum, unit	1	—	A.	
6A/2133	Smiths 132FL	Transmitter, position indicator, Type "C"	1	—	A.	
5767	Std.1509/12/030	Tube, distance, $\frac{1}{4}$ " o/d \times 20 S.W.G. \times 3" long (Make from 30B/619)	1	T.4	MR/C	4
3763	Std.915/B24	Washer, special	1	DTD.364	C.	4

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description						No. Off	Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5				
SUMMARY OF STOCK ITEMS											
28D/12528	A.25.1B	Bolt, 4 B.A.	—	—	—
28D/12511	A.25.2B	Bolt, 4 B.A.	—	—	—
28D/12622	A.25.3B	Bolt, 4 B.A.	—	—	—
28D/12565	A.25.8B	Bolt, 4 B.A.	—	—	—
28D/12625	A.25.9B	Bolt, 4 B.A.	—	—	—
28D/12626	A.25.10B	Bolt, 4 B.A.	—	—	—
28D/12627	A.25.11B	Bolt, 4 B.A.	—	—	—
28D/12513	A.25.2C	Bolt, 2 B.A.	—	—	—
28D/12532	A.25.4C	Bolt, 2 B.A.	—	—	—
28D/12535	A.25.12C	Bolt, 2 B.A.	—	—	—
28D/8300	AS.1242.1B	Bolt, 4 B.A.	—	—	—
28N/254	AGS.191/B	Burr	—	—	—
28N/255	AGS.191/C	Burr	—	—	—
28M/10327	AGS.2002/B1	Nut, 4 B.A.	—	—	—
28M/10328	AGS.2002/C1	Nut, 2 B.A.	—	—	—
28S/3426	A.32.B8	Screw, 4 B.A.	—	—	—
28S/2857	A.32.B12	Screw, 4 B.A.	—	—	—
28S/14005	A.32.B14	Screw, 4 B.A.	—	—	—
28S/2869	A.32.B20	Screw, 4 B.A.	—	—	—
28S/2875	A.32.B24	Screw, 2 B.A.	—	—	—
28S/2856	A.32.C12	Screw, 2 B.A.	—	—	—
28S/13742	A.32.C14	Screw, 2 B.A.	—	—	—
28S/2868	A.32.C20	Screw, 2 B.A.	—	—	—
28S/2431	A.44.B28	Screw, 4 B.A.	—	—	—
28S/2121	A.45.B12	Screw, 4 B.A.	—	—	—
28W/9419474	SP.15B	Washer, 4 B.A....	—	—	—
28W/9419475	SP.15C	Washer, 2 B.A....	—	—	—
28W/9419486	SP.16B	Washer, 4 B.A....	—	—	—
28W/9419404	SP.16C	Washer, 2 B.A....	—	—	—
28W/12307	SP.18B	Washer, 4 B.A....	—	—	—

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
	D.207228	ELECTRICAL INSTALLATION IN STARBOARD WING, ASSEMBLY								
	F.207239	Angle, support, for cable harness (Local Manufacture)		3			L.72	—		
	A.215708	BLOCK, TERMINAL, No. 32, AT RIB "S," STARBOARD, ASSEMBLY								
5X/2863	Plessey CZ.24285	Block, terminal, 10-way		1			—	B.		
5X/3275	Plessey CZ.26808	Cover		1			—	B.		
	F.225400/1	Label		1			—			
6023	F.206895	Spacer		2			—	MR/C		
	A.206084	BLOCK, TERMINAL, No. 33, AT RIB "D," STARBOARD, ASSEMBLY								
5X/2863	Plessey CZ.24285	Block, terminal, 10-way		1			—	B.		
5X/3275	Plessey CZ.26808	Cover		1			—	B.		
5X/6163	Plessey Z.50210	Link, commoning, 2-way		1			—	C.		
	A.206084/1	Marker (Local Manufacture)		1 set			—	—		
5X/3278	Plessey Z.28426	Pillar		2			—	C.		
	B.208247	BLOCK, TERMINAL, No. 34, AT INTER-SPAR RIB "F," STARBOARD, ASSEMBLY								
5X/2863	Plessey CZ.24285	Block, terminal, 10-way		1			—	B.		
	F.217326	Bracket (Mod. 197)		1			—			
5X/3275	Plessey CZ.26808	Cover		1			—	B.		
	6841 B.208247/1	Label (Local Manufacture)		1			—	MR/C		
5X/3278	Plessey Z.28426	Pillar		2			—	C.		
	A.201765	BLOCK, TERMINAL, No. 35, AT INTER-SPAR RIB "F," STARBOARD, ASSEMBLY								
5X/3276	Plessey CZ.50205	Block, terminal, 2-way		1			—	B.		
5X/3272	Plessey CZ.26799	Cover		1			—	B.		
	A.201765/1	Marker (Local Manufacture)		1 set			—			
5X/3278	Plessey Z.28426	Pillar		2			—	C.		
	B.209177	Box, junction, arm 5, group		1			—			
5X/2863	Plessey CZ.24285	Block, terminal, 10-way		1			—	B.		
5X/3181	Plessey CZ.23212/1	Block, terminal, 20-way		1			—	B.		
	7926 A.212165	Cover		1			L.59	C.		
5X/6171	Plessey Z.50211	Link, commoning, 3-way		1			—	C.		
	Plessey Z.24949	Piece, distance		4			—			
5X/3278	Plessey Z.28426	Pillar		4			—	C.		
	Plessey Z.28614	Screw, special		4			—			
	B.208990	Box, junction, arm 6, group		1			—			
5X/2863	Plessey CZ.24285	Block, terminal, 10-way		1			—	B.		
5X/3181	Plessey CZ.23212/1	Block, terminal, 20-way		1			—	B.		
	7927 A.210796	Cover		1			L.59	C.		
5X/6171	Plessey Z.50211	Link, commoning, 3-way		1			—	C.		
5X/	Plessey Z.24949	Piece, distance		4			—	C.		
	4177 F.197297	Pillar		2			BSS.249	C.		
5X/	Plessey Z.28614	Screw, special		4			—	C.		

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
7989	B.207005	Cable, A.18, group (See Cable Chart) ...					1	—	—	
	A.207902	Ferrule ...					1	—	C.	
8408	B.213571	Cable, A.33, group...					1	—	B.	
	A.213560	Bracket, supporting, group ...					1	—		
28FP/809	F.213565	Clip ...					1	Sp. St.		
	Dzus GF.6-250	Grommet ...					1	—	C.	
5D/1924	RAE.EL.42887/1C	Connector ...					1	—	B.	
8410	B.213573	Cable, A.35, group...					1	—	B.	
	A.213562	Bracket, supporting, group ...					1	—		
28FP/809	F.213565	Clip ...					1	Sp. St.		
	Dzus GF.6-250	Grommet ...					1	—	C.	
5D/1925	RAE.EL.42887/1D	Connector ...					1	—	B.	
8412	B.213575	Cable, A.37, group...					1	—	B.	
	A.213560	Bracket, supporting, group ...					1	—		
28FP/809	F.213565	Clip ...					1	Sp. St.		
	Dzus GF.6-250	Grommet ...					1	—	C.	
5D/1924	RAE.EL.42887/1C	Connector ...					1	—	B.	
8414	B.213577	Cable, A.39, group...					1	—	B.	
	A.213564	Bracket, supporting, group ...					1	—		
28FP/809	F.213565	Clip ...					1	Sp. St.		
	Dzus GF.6-250	Grommet ...					1	—	C.	
5D/1924	RAE.EL.42887/1C	Connector ...					1	—	B.	
6A/4390	Smiths CRC.54	Cable, co-axial ...					1	—	B.	
6A/4381	—	Cables, electrical (See Cables Chart) ...					—	—	—	
	Smiths CG.1	Cable, harness, co-axial ...					1	—	B.	
	D.199923	CLIPPING AND STRAPPING CABLES, ASSEMBLY					—	—		
4761	A.197419/2	Clip, at inter-spar rib "E" ...					1	S.3		
	Std.840/13	Clip, securing cables at undercarriage girder, inter-spar ribs "A" and "F" ($\frac{7}{16}$ " wide \times 22 S.W.G. \times 1-3" long)					4	DTD.610	C.	4
4099	Std.840/18	Clip, securing cables ($\frac{7}{16}$ " wide \times 22 S.W.G. \times 1-8" long)					3	DTD.610	C.	4
4797	Std.840/27	Clip, securing cables at undercarriage girder, inter-spar rib "D" ($\frac{7}{16}$ " wide \times 22 S.W.G. \times 2-7" long)					1	DTD.610	C.	4
4670	Std.840/23	Clip, securing cables ($\frac{7}{16}$ " wide \times 22 S.W.G. \times 2-9" long) (Make from 30B/1433)					1	DTD.610	MR/C	4
	Std.840/40	Clip, securing cables ($\frac{7}{16}$ " wide \times 22 S.W.G. \times 4-0" long)					2	DTD.610		
	Std.841/40	Clip, securing cables at undercarriage girder between inter-spar ribs "C" and "D" ($\frac{7}{16}$ " wide \times 22 S.W.G. \times 4-0" long) (Make from: 30B/1433)					1	DTD.610	—	4

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5480	Std.842/13	Clip, securing cables at inter-spar rib " D " ($\frac{7}{16}$ " wide × 22 S.W.G. × 1-3" long) (Make from 30A/549)					1	S.3	MR/C	4
6004	Std.850/30	Clip, securing cables at undercarriage girder, inter-spar rib " D " ($\frac{7}{16}$ " wide × 22 S.W.G. × 3" long)					1	DTD.610	C.	4
6005	Std.850/31	Clip, securing cables at front spar, inter-spar rib " C " ($\frac{7}{16}$ " wide × 22 S.W.G. × 3-1" long) (Make from 30B/1433)					2	DTD.610	MR/C	4
6006	F.205087	Clip, securing cables at inter-spar rib " F " ...					1	S.3	C.	
8481	F.218733	Clip, securing cables at inter-spar rib " E " ...					1	S.3	C.	
5832	F.205000	Plate, sealing, at undercarriage girder, outboard of inter-spar rib " F "					1	LFS.21	C.	
5F/2301	Hellermann NY.18007	Strapping ...					QR	—	C.	
5F/2279	—	Strapping ...					QR	—	C.	
5F/2302	Hellermann NY.3342	Stud ...					QR	—	C.	
5F/2307	Hellermann NY.3255	Stud ...					QR	—	C.	
4761	Std.840/13	Clip, securing cables ($\frac{7}{16}$ " wide × 22 S.W.G. × 1-3" long) (Make from 30B/1433)					3	DTD.610	MR/C	4
3734	Std.840/14	Clip, securing cables ($\frac{7}{16}$ " wide × 22 S.W.G. × 1-4" long) (Make from 30B/2433)					1	DTD.610	MR/C	4
3739	Std.840/30	Clip, securing cables between ribs " L " and " M " ($\frac{7}{16}$ " wide × 22 S.W.G. × 3" long) ...					1	DTD.610	C.	4
4544	Std.841/18	Clip ($\frac{7}{16}$ " wide × 22 S.W.G. × 1-8" long) ...					1	DTD.610	C.	4
2145	Std.841/13	Clip, securing cables ($\frac{7}{16}$ " wide × 22 S.W.G. × 1-3" long)					2	DTD.610	C.	4
4798	Std.841/24	Clip, securing cables between ribs " R " and " S " ($\frac{7}{16}$ " wide × 22 S.W.G. × 2-4" long)					1	DTD.610	C.	4
6008	Std.850/110	Clip, securing cables on undercarriage jack ($\frac{7}{16}$ " wide × 22 S.W.G. × 11" long) (Make from 30B/1433)					1	DTD.610	MR/C	4
29H/2100	Bowden 448	Clip, pliable ...					2	—	C.	
29H/4140	Bowden 2963	Clip, pliable ...					1	—	C.	
5X/2121	Plessey Z.22676/D	Ferrule, inner ...					1	—	C.	
5X/2114	Plessey Z.22675/D	Ferrule, outer ...					1	—	C.	
5L/9952431	—	Filament, lamp, 20W. ...					1	—	B.	
5CX/889	—	Lamp, navigation, Type " B," starboard ...					1	—	A.	
4752	Std.1231/9	Lug, locking ...					1	—	MR/C	
4831	F.179367	Packing, at micro switch, inter-spar rib " D " ...					1	DTD.610 or DTD.364	MR/C	
5833	F.205537	Plate, bolt, at micro switch, inter-spar rib " D " ...					1	S.3	C.	
5X/3148	Plessey Z.49428	Sleeve, 4-7 amp. ...					23	—	C.	
5X/3146	Plessey Z.49397	Sleeve, 7-19 amp. ...					3	—	C.	
5K/3455	—	Sleeve, binding H.T. ...					26	—	C.	
5X/6783	Plessey CZ.71754	Socket, assembly D24/2/D ...					1	—	B.	

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5F/2301	Hellerman NY.18007	Strapping	QR	—	C.
5F/2302	Hellerman NY.3342	Stud	QR	—	C.
9727	F.230401	Switch, micro	1	—	
5CW/6376	Pye 400	Switch, micro	4	—	B.
3763	Std.915/B/24	Washer, special	1	DTD.364	C.

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/12528	A.25.1B	Bolt, 4 B.A.	—	—	—
28D/12511	A.25.2B	Bolt, 4 B.A.	—	—	—
28D/12622	A.25.3B	Bolt, 4 B.A.	—	—	—
28D/12529	A.25.4B	Bolt, 4 B.A.	—	—	—
28D/12565	A.25.8B	Bolt, 4 B.A.	—	—	—
28D/12625	A.25.9B	Bolt, 4 B.A.	—	—	—
28D/12626	A.25.10B	Bolt, 4 B.A.	—	—	—
28D/12627	A.25.11B	Bolt, 4 B.A.	—	—	—
28D/12532	A.25.4C	Bolt, 2 B.A.	—	—	—
28D/8300	AS.1242.1B	Bolt, 4 B.A.	—	—	—
28D/11246	AS.1248.8B	Bolt, 4 B.A.	—	—	—
28N/254	AGS.191/B	Burr	—	—	—
28N/255	AGS.191/C	Burr	—	—	—
28M/10327	AGS.2002/B1	Nut, 4 B.A.	—	—	—
28M/10309	AGS.2002/B4	Nut, 4 B.A.	—	—	—
28M/10328	AGS.2002/C1	Nut, 2 B.A.	—	—	—
28S/3426	A.32.B8	Screw, 4 B.A.	—	—	—
28S/13887	A.32.B.10	Screw, 4 B.A.	—	—	—
28S/2857	A.32.B12	Screw, 4 B.A.	—	—	—
28S/2869	A.32.B20	Screw, 4 B.A.	—	—	—
28S/13742	A.32.C14	Screw, 2 B.A.	—	—	—
28S/2856	A.32.C12	Screw, 2 B.A.	—	—	—
28S/2868	A.32.C20	Screw, 2 B.A.	—	—	—
28S/2407	A.44.B12	Screw, 4 B.A.	—	—	—
28S/2121	A.45.B12	Screw, 4 B.A.	—	—	—
28W/9419474	SP.15.B	Washer, 4 B.A....	—	—	—
28W/9419475	SP.15.C	Washer, 2 B.A....	—	—	—
28W/9419404	SP.16.C	Washer, 2 B.A....	—	—	—
28W/9419486	SP.16.B	Washer, 4 B.A....	—	—	—
28W/12307	SP.18.B	Washer, 4 B.A....	—	—	—

ELECTRICAL EQUIPMENT-WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.



LIGHTNING MK. 1
COVER PITOT HEAD
EB2-88-5111