

EQUIPMENT AIRCRAFT-INSTRUMENT PANELS

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Score	Place No.
			1	2	3	4	5			
	D.230850	INSTRUMENT PANELS, ASSEMBLY								
	A.231150	Bracket, mounting for bomb and R.P. panel					1	L.72		
	A.221827	Bracket, mounting for bomb and R.P. panel					1	L.72		
10L/16264	—	Controller, D.M.E. type 8197					1	—	A.	
	E.233875	Cover, windscreen reflection, group					1	—		
	F.231555	Hook					2	H.T. Steel		
	Carr N.608	Socket, " lift-the-dot "					9	—		
	Carr 708A	Washer, back					9	—		
	F.232337-8	FINISHERS AND MOUNTING ANGLE AT CONTROLLER, ASSEMBLY								
	A.215873	Angle, mounting					1	—	MR	
	A.215874	Angle, mounting					1	—	MR	
	F.230982	Finisher					1	—		
	F.230983	Finisher					1	—		
9946	F.232600	Indicator, aileron neutral position (Mod. 782)					1	L.72	C.	
8543	F.218495	Mounting, port instrument panel					6	Rubber	C.	
	D.217012	MOUNTING, PANEL, ASSEMBLY								
8718	A.208746	Bracket, for anti-vibration mounting					5	—	C.	
5373	A.203162	Bracket, for anti-vibration mounting					2	—	C.	FC.1
8719	A.214988	Bracket, for anti-vibration mounting					1	—	C.	
8720	F.211792	Mounting, anti-vibration					8	—	B.	
27H/3219	—	Mounting, anti-vibration, non-magnetic					8	—	B.	
3868	F.168524	Washer, at anti-vibration mounting					24	DTD.610	C.	
	C.231148	Panel, control, for bomb and R.P. group					1	—		
	—	Cables (See Cable chart)					—	—		
8706	F.214078	Cover, spring, inboard, group					1	—	C.	
5K/2724	—	Cover, spring					1	—	C.	
8707	F.214079	Cover, spring, outboard, group					1	—	C.	
5K/2724	—	Cover, spring					1	—	C.	
8708	F.214077	Flap, switch, group					1	—	B.	
	F.214087	Channel (Make from Std.1530/11)					1	—		
	F.214084	Flap					1	Casting		
	F.214086	Pin					1	S.1.B		
	F.214085	Spring					1	Sp. St.		
5CW/5765	F.228684	Guard, tail chute switch					1	L.72		
	—	Guard, switch (Rotax)					1	—	B.	
	B.231149	Panel, switch mounting					1	L.72		
1178	Std.1606/44/B.12	Screw, retaining switch					6	Brass	C.	5
5829	Std.1606/44/A.14	Screw, retaining switch					8	Brass	C.	5
4661	Std.1606/45/B.12	Screw, retaining switch					8	Brass	C.	5
5830	Std.1606/45/A.14	Screw, retaining switch					4	Brass	C.	5
5CW/6332	Rotax D.10007	Switch, tail chute					1	—	A.	
5CW/540	Rotax D.0701	Switch, D.P., push					2	—	B.	
5CW/936	—	Switch, 3-way, rotary, Type B					1	—	B.	
5CW/6429	C.W.C. Ltd. XD.778	Switch, S.P.					1	—	B.	

EQUIPMENT AIRCRAFT-INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CW/6437	C.W.C. Ltd. XD.784									
5D/1760	—									
751	Std.915/A/20									
	A.230826									
	B.217699									
	D.231448									
	B.231443									
	Std.2044/6/052									
5CW/5253	Hellerman HV.3710									
5CW/5252	—									
6A/	Std.1503									
	Std.2045/28/22									
	Std.2045/18/24									
6A/2519	—									
6A/2697	Smiths 29PC/RC									
6A/3063	—									
or										
6A/5343	—									
6A/3158	—									
6A/4741	Smiths 587.F.L.									
6A/	Smiths 7.HS.D									
5CZ/5074	Dowty C.5165.Y Mk. 2									
	A.216487									
	F.223732									
	A.227538									
	A.230888									
	D.222475									
5CZ/432	—									
	F.222196									
5L/9959118	—									
5CW/5045	Rotax N.65290									
5CX/5360	Thorn 80/10/1236									
5CX/5351	Thorn 80/10/1193									
5CX/5352	Thorn 80/10/1192									
5CX/5353	Thorn 80/10/1190									
5CX/5355	Thorn 80/10/1191									
5CX/5356	Thorn 80/10/1189									
5CX/5357	Thorn 80/10/1194									
5CX/5364	Thorn 80/10/0855									
9446	Std.1606/44/A20									
3837	Std.1606/44/B10									
4179	Std.1606/44/B20									
3840	Std.1606/44/B28									
4114	Std.1606/44/B32									
7970	Std.1606/44/B36									

EQUIPMENT AIRCRAFT-INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9447	Std.1606/44/C28						2	Brass	C.	5
9448	Std.1606/44/C32						6	Brass	C.	5
26AQ/4158	Std.1606/44/C36						2	Brass	C.	5
5830	Std.1606/45/A14						2	Brass	C.	5
9450	Std.1606/45/A18						2	Brass	C.	5
5CW/2530	—						2	—	B.	
5K/301	Ross Courtney No. 00						2	—	C.	
7100	Std.915/B10						2	DTD.610	C.	4
1940	Std.1231/1						1	S.3		4
6A/3300	Smiths KMA/0201.K						1	—	A.	
	D.230826/1						—	—		
6A/2944	—						1	—	A.	
	F.188326						1	—		
	—						—	—		
6A/5546	—						1	—	A.	
	D.230319						1	L.72		FC.1
3601+	A.191177/5						1	T.9	C.	
8710	A.208536/1						1	T.9	C.	
8711	A.208536/2						1	T.9	C.	
8712	A.208536/3						1	T.9	C.	
8713	A.208536/4						1	T.9	C.	
	A.208536/5						1	T.9		
1178	Std.1606/44/B12						2	Brass	C.	5
4179	Std.1606/44/B20						2	Brass	C.	5
3857	Std.1606/44/C24						4	Brass	C.	5
4661	Std.1606/45/B12						3	Brass	C.	5
4660	Std.1606/45/B14						4	Brass	C.	5
1943	Std.1606/45/B16						1	Brass	C.	5
3860	Std.1606/45/B20						4	Brass	C.	5
3861	Std.1606/45/B24						12	Brass	C.	5
4114	Std.1606/45/B32						1	Brass	C.	5
3895	Std.1606/45/B10						4	Brass	C.	5
8717	Std.1606/45/B28						11	Brass	C.	5
3863	Std.1606/45/C24						4	Brass	C.	5
4116	Std.1606/45/C28						4	Brass	C.	5
3865	Std.1606/45/C32						3	Brass	C.	5
	Std.1606/45/C36						1	Brass	C.	
9951	Std.2095/208/B20						4	—		
9952	Std.2095/208/B24						8	—		
9953	Std.2095/208/B28						11	—		
9954	Std.2095/208/B32						1	—		
9955	Std.2095/208/B24						4	—		
9956	Std.2095/208/D28						4	—		
9957	Std.2095/208/D32						3	—		
9958	Std.2095/208/D36						1	—		
8714	Std.1606/45/C44						4	Brass	C.	5
	Std.1948/11						1	—		
5F/2301	NY.18007						QR	—	C.	
5F/2302	NY.3342						QR	—	C.	
5CW/	Rotax D.10002/L						1	—	B.	
5CW/6429	C.W.C. Ltd. XD.778						1	—	B.	

For use when instruments have unified thread

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CW/5056	Dowty C.5162.Y Mk. 3						2	—	B.	
6A/2801	Smiths 114.R.V.						1	—	A.	
6A/3577	—						1	—	A.	
5CW/4327	Rotax N.100397/1						1	—	C.	
5CW/4328	Rotax N.100397/2						1	—	C.	
	Std.1509/12/032						2	T.4	—	
6B/563	—						1	—	A.	
4162	Std.915/B/22						12	DTD.610	C.	4
	D.229938						—	—	—	
	PANEL, CENTRE, ASSEMBLY									
6A/3451	—						1	—	A.	
6A/4245	Smiths KAA/1301.K F.230727						1	—	A.	
							1	Plastic LFS.21		
5CZ/432	—						1	—	B.	
	A.221637						1	L.72		
	A.221638						1	L.72		
	A.230933						1	L.72		
	F.230515						1	L.72		FC.1
	F.222196						1	L.72		FC.1
5CY/2562	B.T.H. or Thorn						2	—	A.	
	D.231324						1	—	—	
	D.231388						1	—	—	
	B.231293						1	—	—	
	B.231309						1	—	—	
5CW/5252	Hellermann HV.3711 F.230975						5	—	C.	
							1	—		FC.1
5CX/5001	Std.1512/29						1	—	B.	4
5L/9959118	—						18	—	B.	
5L/9951272	—						1	—	B.	
5L/9951273	—						7	—	B.	
6A/4246	—						1	—	B.	
6A/	Smiths AO.26						2	—	A.	
5CW/5045	Rotax N.65290						3	—	C.	
	SP.40/B10						1	—		
	F.208670						1	L.72		
	F.232735						1	—		
	F.226393						1	—		
	F.200057						1	Rubber		FC.1
10AF/530	—						1	—	A.	
10Q/61	—						1	—	A.	
	Simaco Weston S.114/6/14						1	—		
5CZ/5210	Dowty C.5165.Y Mk. 7						2	—	B.	
5CZ/5074	Dowty C.5165.Y Mk. 2						2	—	A.	
5CZ/5123	Plessey CZ.74109/2 F.232534						2	—	B.	
							2	—		FC.1
5CX/	Rotax H.4501						1	—		
5L/9959213	Rotax N.67226						1	—	B.	
	Rotax H.4602/5						1	—		
	Rotax H.2805						4	—		

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CX/1635	Rotax H.2703						1	—	B.	
5CX/1069	Rotax H.2702						1	—	A.	
5CX/1553	Rotax H.1104 (Red)						1	—	B.	
5CX/5352	Thorn 80/10/1192						2	—	B.	
5CX/5364	Thorn 80/10/0855						10	—	B.	
	F.232295						1	—		
1940	Std.1231/1						1	S.3	C.	
	F.232409						1	—		FC.1
4490	F.199451						2	L.65C	C.	
	C.229939						1	L.72		FC.1
7966	F.214772						2	L.72	C.	
9446	Std.1606/44/A20						3	Brass	C.	5
9450	Std.1606/45/A18						4	Brass	C.	5
3838	Std.1606/44/B8						4	Brass	C.	5
8717	Std.1606/45/B28						4	Brass	C.	5
3837	Std.1606/44/B10						4	Brass	C.	5
1178	Std.1606/44/B12						4	Brass	C.	5
1637	Std.1606/44/B14						2	Brass	C.	5
4179	Std.1606/44/B20						4	Brass	C.	5
3840	Std.1606/44/A28						3	Brass	C.	5
7970	Std.1606/44/B36						4	Brass	C.	5
4661	Std.1606/45/B12						35	Brass	C.	5
3860	Std.1606/45/B20						2	Brass	C.	5
3861	Std.1606/45/B24						9	Brass	C.	5
3859	Std.1606/45/B10						3	Brass	C.	5
	F.230726						4	S.1		
7965	F.214771						2	S.95B or S.96B	C.	
5CW/6332	Rotax D.10007						1	—	B.	
5CW/6436	C.W.C. Ltd. XD.783						2	—	B.	
5CW/6428	C.W.C. Ltd. XD.777						1	—	B.	
5CW/6431	C.W.C. Ltd. XD.776						2	—	B.	
5CW/6311	—						1	—	B.	
5CW/6551	—						1	—	B.	
5CW/6430	C.W.C. Ltd. XD.779						3	—	B.	
5CW/6432	C.W.C. Ltd. XD.780						1	—	B.	
5CW/6435	C.W.C. Ltd. XD.789						1	—	B.	
5CW/6437	C.W.C. Ltd. XD.784						1	—	B.	
5CW/6441	C.W.C. Ltd. XD.788						1	—	B.	
5CW/6439	C.W.C. Ltd. XD.787						1	—	B.	
5CW/2530	—						2	—	B.	
5CW/4327	Rotax N.100397/1						7	—	C.	
5CW/4328	Rotax N.100397/2						8	—	C.	
5CW/4331	Rotax N.100397/5						1	—	C.	
5CW/4337	Rotax N.100397/11						1	—	C.	
5CW/4335	Rotax N.100397/9						2	—	C.	
5CW/4344	Rotax N.100397/18						1	—	C.	

EQUIPMENT AIRCRAFT-INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
5CW/4345	Rotax N.100397/19					Transfer, " BRIGHT "	1	—	C.	
5CW/4346	Rotax N.100397/20					Transfer, " IN "	1	—	C.	
5CW/4347	Rotax N.100397/43					Transfer, " OUT "	2	—	C.	
5CW/6689	Rotax N.147415/1					Transfer, " JETTISON "	1	—	C.	
5CW/6690	Rotax N.147415/2					Transfer, " STREAM "	1	—	C.	
5768	Std.1509/12/016					Tube, distance	4	T.4	C.	4
5CW/4528	—					Window, red	1	—	C.	
	C.230399					PANEL, STARBOARD, ASSEMBLY	—	—	—	
6A/2944	—					Altimeter, Mk. 19A	1	—	A.	
	C.222341					Cable, F.11, group (See Cable Chart)	1	—	—	
5CW/5252	HV.3711					Cap, Helvin, sea grey	2	—	C.	
6B/2775	—					Compass, repeater, Mk. 2	1	—	A.	
6A/3158	—					Indicator, airspeed, Mk. 12A	1	—	A.	
6A/3063	—					Indicator, artificial horizon, Mk. 4	1	—	A.	
① 5CZ/5003	—					Indicator, magnetic	1	—	A.	
5CZ/5074	Dowty C.5165Y Mk. 2					Indicator, magnetic	2	—	A.	
	C.230233					LIGHTING, MINIATURE PILLAR ON STARBOARD INSTRUMENT PANEL, ASSEMBLY	—	—	—	
5CZ/432	—					Block, terminal, type " B," 3-way	1	—	B.	
	F.222196					Bracket, for terminal block	1	L.72	—	FC.1
5L/9959118	—					Filament, 28V., 0.4 amps.	12	—	B.	
5CW/5045	Rotax N.65290					Grommet	6	—	C.	
5CX/5351	Thorn 80/10/1193					Light, bridge, type " B "	1	—	B.	
5CX/5352	Thorn 80/10/1192					Light, bridge, Type " C "	3	—	B.	
5CX/5357	Thorn 80/10/1194					Light, bridge, Type " H "	1	—	B.	
5CX/5364	Thorn 80/10/0855 (Red)					Light, bridge	2	—	B.	
9446	Std.1606/44/A20					Screw, securing dimmer switch	2	Brass	C.	5
6356	Std.1606/44/B32					Screw, securing bridge light	2	Brass	C.	5
7970	Std.1606/44/B36					Screw, securing bridge light	6	Brass	C.	5
3857	Std.1606/44/C24					Screw, securing bridge light	2	Brass	C.	5
9448	Std.1606/44/C32					Screw, securing bridge light	2	Brass	C.	5
5830	Std.1606/45/A14					Screw, securing terminal block	2	Brass	C.	5
9450	Std.1606/45/A18					Screw, securing terminal block	2	Brass	C.	5
5CW/2530	—					Switch, dimmer, Type " R," 75 ohms.	1	—	B.	
6A/3300	Smiths KMA/0201K					Machmeter, Mk. 3A	1	—	A.	
	C.229969					Panel	1	—	—	FC.1
	C.230789					PITÔT COUPLINGS, STARBOARD INSTRUMENT PANEL, ASSEMBLY	—	—	—	
6A/2519	—					Connector, static and pressure	2	—	C.	
	A.230790/1					Pipe, static, pitôt connection to tee union on machmeter	1	T.9	—	
	A.230790/2					Pipe, pressure, pitôt connection to tee union on machmeter	1	T.9	—	
	A.230790/3					Pipe, static, tee union on machmeter to tee union	1	T.9	—	
	A.230790/4					Pipe, pressure, tee union on machmeter to elbow on airspeed indicator	1	T.9	—	
① 6A/5343	—					Indicator, artificial horizon, Mk.4B (Alternative to 6A/3063) (AS.840/32)	1	—	A.	

EQUIPMENT AIRCRAFT-INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A.230790/5					Pipe, static, tee union to elbow on airspeed indicator	1	T.9		
	A.230790/6					Pipe, static, tee union to elbow on altimeter	1	T.9		
3858	Std.1606/45/B8					Screw, securing single pole switch ...	4	Brass	C.	5
8717	Std.1606/45/B28					Screw, securing compass repeater ...	8	Brass	C.	5
4114	Std.1606/45/B32					Screw, securing altimeter ...	8	Brass	C.	5
4115	Std.1606/45/C20					Screw, countersunk, 2 B.A. ...	4	Brass	C.	5
3863	Std.1606/45/C24					Screw, countersunk, 2 B.A. ...	3	Brass	C.	5
3865	Std.1606/45/C32					Screw, countersunk, 2 B.A. ...	4	Brass	C.	5
9953	Std.2095/208/B28					Screw, unified thread } To be used	4	—		
9954	Std.2095/208/B32					Screw, unified thread } only if	8	—		
9955	Std.2095/208/D24					Screw, unified thread } instruments and	3	—		
9957	Std.2095/208/D32					Screw, unified thread } have unified thread)	4	—		
4162	Std.915/B/22					Washer ...	8	DTD.610	C.	4
5CW/6429	C.W.C. Ltd. XD.778					Switch, S.P. change over no centre "OFF" ...	2	—	B.	
5CW/4327	Rotax N.100397/1					Transfer, "ON" ...	2	—	C.	
5CW/4328	Rotax N.100397/2					Transfer, "OFF" ...	2	—	C.	
	B.231487					PANEL, SIDE, STARBOARD, ASSEMBLY ...	—	—		
	D.231465					Cable, F.36, assembly (See Cable Chart) ...	1	—	—	
	Std.2045/23					Clip, for cables at flap selector ...	1	—		
	B.212355					Panel, group ...	1	L.72		FC.1
	F.212983					Plate, stop ...	1	L.72		
4179	Std.1606/44/B20					Screw, roundhead, 4 B.A. ...	2	Brass	C.	5
1720	Std.1606/44/B24					Screw, roundhead, 4 B.A. ...	1	Brass	C.	5
3839	Std.1606/44/B16					Screw, roundhead, 4 B.A. ...	1	Brass	C.	5
	Std.1606/44/B36					Screw, roundhead, 4 B.A. ...	1	Brass		
5CW/6688	Dowty C.5183.Y					Selector, undercarriage Mk. 4 (Iss. 13 and subsequent)	1	—	A.	
5CW/6329	Dowty C.5148.Y Mk. 19					Selector, flaps ...	1	—	A.	
	B.231472					PANEL, SIDE, PORT, ASSEMBLY ...	—	—		
	D.231451					Cable, F.13, assembly (See Cable Chart) ...	1	—	—	
	C.231473					Cable, F.68, assembly (See Cable Chart) ...	1	—	—	
5CW/5253	Hellerman HV.3710					Cap, protective, sea grey ...	1	—	C.	
5CW/5252	—					Cap, helvin, sea grey ...	1	—	C.	
5CX/5000	Std.1512/28					Disc, identification ...	1	—	B.	4
5L/9951286	—					Filament, 28V., 2.5W ...	9	—	B.	
5L/9951273	—					Filament, 28V., 3.5W ...	2	—	B.	
5CX/5164	—					Indicator, undercarriage, position, type "D1" ...	1	—	B.	
5CZ/5074	Dowty C.5165 Mk. 2					Indicator, magnetic, elevator power ...	1	—	B.	
5CZ/5073	Dowty C.5165 Mk. 1					Indicator, magnetic, air brake ...	1	—	B.	
	A.216486					Label ...	1	L.72		
5CX/4013	—					Lamp, undercarriage warning, iris type ...	1	—	A.	
5CX/1553	Rotax H.1104 (Red)					Lamp, hydraulic pressure warning, type "B" ...	1	—	B.	
	B.215011					Panel, group ...	1	L.72		FC.1
1178	Std.1606/44/B12					Screw, roundhead, 4 B.A. ...	1	Brass	C.	5
3839	Std.1606/44/B16					Screw, roundhead, 4 B.A. ...	4	Brass	C.	5

EQUIPMENT AIRCRAFT-INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.		
		1	2	3	4	5						
①	4179	Std.1606/44/B20						Screw, roundhead, 4 B.A.	6	Brass	C.	5
	3858	Std.1606/45/B8						Screw, countersunk, 4 B.A.	3	Brass	C.	5
	5CW/5119	Dowty C.1223.Y Mk. 15						Switch, flap lever	1	—	A.	
	5CW/	Rotax D.10002.L						Switch, S.P., 3-way	1	—	B.	
	5CW/6430	C.W.C. Ltd. XD.779						Switch, S.P., "on-off," upright "off"	1	—	B.	
	5CW/5643	Dowty C.5182.Y Mk. 2						Switch, undercarriage (Issue 12 and subsequent)	1	—	A.	
	5CW/4327	Rotax 100397/1						Transfer, "ON"	1	—	C.	
	5CW/4328	Rotax 100397/2						Transfer, "OFF"	1	—	C.	
	5CW/4346	Rotax N.100397/20						Transfer, "IN"	1	—	C.	
	5CW/4347	Rotax N.100397/43						Transfer, "OUT"	1	—	C.	
②	3856	Std.1606/44/C20						Screw, roundhead, 2 B.A.	4	Brass	C.	5
		D.230441						Shield, glare, centre, group	1	—		
		D.222376/4						Strip, retaining (Local Manufacture)	15"	L.72		
		Std.2088/2						Strip, sealing	15"	Rubber	C.	
		C.232477						Shield, glare, port, group	1	—		
		C.232477/2						Strip, retaining (Local Manufacture)	15"	L.72		
		Std.2088/2						Strip, sealing	15"	Rubber	C.	
		Carr 882						Stud, 2 B.A.	2	—		
		C.232478						Shield, glare, starboard, group	1	—		
		C.232478/2						Strip, retaining (Local Manufacture)	17"	L.72		
		Std.2088/2						Strip, sealing	17"	Rubber	C.	
		Carr 882						Stud, 2 B.A.	2	—		
		A.223946						Shield, glare, side	1	—		
		A.221853						Strut, support, for bomb and R.P. panel	1	L.72		
		Std.1509/2/060						Tube, distance, starboard panel	1	T.4		
		Std.1509/3/026						Tube, distance, port panel mounting	3	T.4		
		Std.1509/3/076						Tube, distance, port panel mounting	3	T.4		
9777	F.231121						Washer, port panel mounting	3	DTD5509/C or D		FC.1	
	Std.1285/3DE						Wire, bonding	1	Copper cord			
①	1943	Std.1606/45/B.16					Screw, countersunk, 4 B.A.	2	Brass	C.	5	
②	4416	Std.1606/44/C.20					Screw, roundhead, 2 B.A., securing aileron neutral position indicator (Mod.782)	2	Brass	C.	5	

EQUIPMENT AIRCRAFT-INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/13868	A25.1B	Bolt, 4 B.A.	—	—	—
28D/12528	A25.1B	Bolt, 4 B.A.	—	—	—
28D/12511	A25.2B	Bolt, 4 B.A.	—	—	—
28D/9419452	A25.3B	Bolt, 4 B.A.	—	—	—
28D/12623	A25.5B	Bolt, 4 B.A.	—	—	—
28D/12512	A25.1C	Bolt, 2 B.A.	—	—	—
28D/12513	A25.2C	Bolt, 2 B.A.	—	—	—
28D/12514	A25.7C	Bolt, 2 B.A.	—	—	—
28D/12545	A25.13E	Bolt, 1/4" B.S.F.	—	—	—
28D/8300	AS.1242.1B	Bolt, 4 B.A.	—	—	—
28D/8301	AS.1242.2B	Bolt, 4 B.A.	—	—	—
28D/8337	AS.1248.1.B	Bolt, 4 B.A.	—	—	—
28D/9353	AS.1248.1/2C	Bolt, 2 B.A.	—	—	—
28D/11981	AS.1248.12E	Bolt, 1/4" B.S.F.	—	—	—
28N/258	SP.58.G	Burr	—	—	—
28V/13603	AGS.838.8	Bush	—	—	—
28E/5452	AGS.895/1	Clip, spring	—	—	—
28E/	AGS.1163/16	Clip	—	—	—
28V/5107	AGS.838/3	Connection, elbow	—	—	—
28V/5105	AGS.838/2	Connection, tee	—	—	—
5K/3404	AS.3360/E4.E.	Lead, bonding	—	—	—
5K/3355	AS.3360.B4.B	Lead, bonding	—	—	—
28L/5236	A.14.E.B.	Nut, 3/4" B.S.F.	—	—	—
28M/13978	A53.Z	Nut, 3 B.A.	—	—	—
28L/13734	A54.B	Nut, 4 B.A.	—	—	—
28L/14534	A54.C	Nut, 2 B.A.	—	—	—
28V/5108	AGS.838.4	Nut, union	—	—	—
28M/10286	AGS.2001.A1	Nut, 6 B.A.	—	—	—
28M/10287	AGS.2001.B1	Nut, 4 B.A.	—	—	—
28M/10290	AGS.2001.E1	Nut, 1/4" B.S.F.	—	—	—
28M/10327	AGS.2002.B1	Nut, 4 B.A.	—	—	—
28M/10309	AGS.2002.B4	Nut, 4 B.A.	—	—	—
28M/10328	AGS.2002.C1	Nut, 2 B.A.	—	—	—
28M/10310	AGS.2002/C4	Nut, 2 B.A.	—	—	—
28M/10330	AGS.2002/E1	Nut, 1/4" B.S.F.	—	—	—
28M/12344	AGS.2002/E4	Nut, 1/4" B.S.F.	—	—	—
28S/13887	A32.B10	Screw, 4 B.A.	—	—	—
28S/5694	A32.B40	Screw, 4 B.A.	—	—	—
28S/2856	A32.C.12	Screw, 2 B.A.	—	—	—
28S/2063	A43.Z.8	Screw, 8 B.A.	—	—	—
28V/5104	AGS.838.1	Union, straight	—	—	—
28V/5105	AGS.838.2	Union, tee	—	—	—
28V/5107	AGS.838.3	Union, elbow	—	—	—

EQUIPMENT AIRCRAFT-INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5					
28W/9419473	SP.15.A	Washer,	6	B.A....	—	—	—
28W/9419474	SP.15B	Washer,	2	B.A....	—	—	—
28W/9419475	SP.15C	Washer,	2	B.A....	—	—	—
28W/9419405	SP.15.E	Washer,	1	" dia.	—	—	—
20W/9419486	SP.16.B	Washer,	4	B.A....	—	—	—
28W/9419404	SP.16.C	Washer,	2	B.A....	—	—	—
28W/9419487	SP.16.E	Washer,	1	" B.S.F.	—	—	—
28W/3090	AGS.163.D	Washer,	spring		—	—	—
28W/9416642	SP.47.B	Washer,	spring		—	—	—

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

