


EQUIPMENT AIRCRAFT—G.M. COMPASS INSTALLATION

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
	D.220443	G.M. COMPASS INSTALLATION ASSEMBLY								
6B/635	—	Amplifier, type 'B'					1	—	A.	
		Cables, electrical (see cable chart)					—	—	—	
9800	F.230959	Clip, guard					1	S.521	C.	
	Std.2046/23/24	Clip, sleeved, securing cable					1	—		
	Std.2046/29/22	Clip, sleeved, securing cable					2	—		
	Std.2046/34/22	Clip, sleeved, securing cable					1	—		
	Std.2046/24/22	Clip, sleeved, securing cable					1	—		
	Std.2046/46/22	Clip, sleeved, securing cable					1	—		
	C.228888	CLIPPING OF CABLES IN SPINE ASSEMBLY					—	—		
	Std.2045/25/24	Clip, securing cable					9	—		
	Std.2045/29/22	Clip, securing cable					4	—		
	G.212370	INSTALLATION IN REAR FUSELAGE AFT OF FRAME 40 ASSEMBLY					—	—		
① 7847	F.210058	Clip, securing coupler plug					1	L.72	C.	
8277	F.213231	Fairlead at frame 52					1	LFS.21	MR/C	
	F.213415	Hook at frame 52					2	L.72		
	F.213232	Strip, rubbing at frame 52					1	DTD.171		
6B/1993	—	Unit, detector, type 'A'					1	—	A.	
6B/438	—	Mounting, type 'A'					1	—	A.	
6B/631	—	Panel, control variation					1	—	A.	
	F.208641	Plate, cover					1	L.72		
5F/2301	Hellermann NY.18007	Strapping					QR	—	C.	
5F/2302	Hellermann NY.3342	Stud					QR	—	C.	
6B/2776	—	Unit, Master, type 'B'					1	—	A.	
① 9489	F.199302	Clip, securing cable at Fin former					1	DTD.610	C.	

EQUIPMENT AIRCRAFT—G.M. COMPASS INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.			
		1	2	3	4	5							
SUMMARY OF STOCK ITEMS													
28D/13868	A.25.3.B	Bolt,	4	B.A.	—	—	—
28D/12528	A.25.1.B	Bolt,	4	B.A.	—	—	—
28D/14194	A.25.3.C	Bolt,	2	B.A.	—	—	—
28D/12512	A.25.1.C	Bolt,	2	B.A.	—	—	—
28D/12539	A.25.16.C	Bolt,	2	B.A.	—	—	—
28D/12053	A.28.1.B	Bolt,	4	B.A.	—	—	—
28D/8341	AS.1248.1.C	Bolt,	2	B.A.	—	—	—
28M/10288	AGS.2001.C1	Nut,	2	B.A.	—	—	—
28M/10327	AGS.2002.B1	Nut,	2	B.A.	—	—	—
28M/10328	AGS.2002.C1	Nut,	2	B.A.	—	—	—
28S/2857	A.32.B.12	Screw,	4	B.A.	—	—	—
28S/2419	A.44.C.20	Screw,	4	B.A.	—	—	—
28W/9419474	SP.15.B	Washer,	4	B.A.	—	—	—
28W/9419475	SP.15.C	Washer,	2	B.A.	—	—	—





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.