

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description						No. Off	Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5				
	E.229665	<b>ANCILLARY EQUIPMENT, ASSEMBLY</b>						—			
95424	D.203762	Adaptor, cradle, for engine removal trolley					1	—	B.		
2726	A.195020	Adaptor, union for pressure guage pipe					1	DTD.364	MR/C	GA.3	
4Q/2655	—	Adaptor, head, Mk. 102					3	—	B.		
4Q/2594	—	Adaptor, head, Mk. 42					2	—	B.		
105G/11	—	Adaptor, ...					1	—	B.		
4G/	Rolls Royce GE.6004 Sht. 2	Adaptor, for engine stand					1	—	B.		
95527	A.208035	Adaptor, for external air supply, group					1	—	C.	GA.4	
	A.208029	Adaptor ...					1	Brass			
95723	BEN/SA.48 or SA.179	Plug, half, ferrule, "Instantair," 3/8"					1	—			
1731	F.193381	Ring, sealing					1	Rubber	C.	GA.4	
4G/4174	—	Arm, towing, unit Mk. II					1	—	B.		
95612	D.218657	Arm, towing, adaptor group					1	—	B.		
6133	Std.1996/7 F.218535	Chain					2	—	C.	5	
		Collar					2	M.S. S.S.4			
	F.218534	Drawbolt					2	H.T.S. Bar			
	B.218532	Hook					2	H.T.S. Bar			
28FP/31	Aviation Dev. A.619 or Aerolex F48/7/618 F.218536	Pin					2	—	C.		
		Pin					2	—			
		Spring					2	Sp. St.			
4G/3867	Dunlop	Wheel (10 x 3 pneumatic tyred)					2	—	A.		
4G/3071	—	Arm, forward steering					1	—	A.		
95220	A.201222	Bar, levelling, longitudinal					1	S.1	B.	GA.8	
	D.231154	Base, clinometer, for tailplane					1	—			
	D.228419	Board, for checking elevator movement					1	—			
4Q/2617	—	Body, jack, 5 ton, hydraulic					3	—	A.		
	D.219659	Container, for gun barrel alignment tool					1	—			
95604	B.213633	Covers, blanking, for air intake, group					1 pr.	—	B.	GA.5	
	C.213621	Cover, blanking, for intake, port, group					1	—			
	C.213622	Cover, blanking, for intake, starboard, group					1	—			
	C.200079	Bung, top, port					1	—			
	C.200080	Bung, top, starboard					1	—			
	C.200081	Bung, bottom, port					1	—			
	C.200082	Bung, bottom, starboard					1	—			
95782	A.192941	Catch, port					1	—	C.		
95783	A.192942	Catch, starboard					1	—	C.		
26AQ/5983	F.193287	Eye-bolt					2	Comml. M.S.B.	C.		
95786	F.193285	Lever					2	Comml. M.S.B.	C.		
95787	F.193286	Link					2	Comml. M.S.B.	C.		
95788	F.193288	Plunger					2	Comml. M.S.B.	C.		
①	95789	F.184342	Spring				2	Sp. St.	C.		
①	95785	A.194620	Spindle				2	Comml. M.S.B.	C.		

## EQUIPMENT ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9138	—									
95065	A.164139						1	Steel	C.	
	B.214194/2						1	—	C.	GA.2
95422	C.209810						1	Webbing	B.	GA.5
	Std.1996/12						1	—	B.	GA.5
95065	A.164139						1	Brass	C.	GA.2
9371	C.168540/2						1	—	C.	GA.2
95727	C.230908						2	Steel	C.	
95726	C.230909						1	—	B.	
27D/3130	B.227411						1	—	B.	GA.7
	A.226665						1	—	B.	GA.7
95022	D.194044						2	—	B.	GA.6
6133	Std.1996/7						2	Brass	C.	5
	F.180683						2	S.1	C.	5
	Aerolex						2	Steel	—	
	F.48/7/513						2	Steel	—	
95023	D.194045						2	—	B.	GA.6
6133	Std.1996/7						2	Brass	C.	5
	A.180683						2	S.1	C.	5
	Aerolex						2	Steel	—	
	F.48/7/513						2	Steel	—	
95729	E.230827						1	—	B.	
95730	C.215354						1	—	C.	GA.9
95731	C.215355						1	—	C.	GA.9
	E.230828						1	—	C.	GA.9
95732	A.215371						1	T.26	C.	GA.9
	E.229683						—	—	—	
95678	D.224222						1	—	B.	GA.5
95679	F.224221						2	H.T.S. Bar	C.	GA.5
4G/3360	C.214838						1	—	A.	
	—						2	—	A.	
	B.212170						2	—	A.	
	C.214831						1	T.45	A.	
	D.229684						—	—	—	
	E.214090						1	—	—	
	A.215191						1	—	—	
	F.215192						2	S96B.	—	
	B.228766						4	M.S.P.	—	
	C.228771						2	M.S.P.	—	
	C.228772						2	M.S.P.	—	
	Flexello Ltd.						4	—	—	
	833.RT						4	—	—	
	F.215186						2	M.S. Bar or S.I.B.	—	

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.215181						1	M.S.P.		
	B.215182						1	M.S.P.		
	F.215444						1	M.S.		
	Flexello Ltd. CSW 33						1			
	F.215187						2	M.S.		
	F.208066						2	H.T.S. wire		
95609	B.205914						1	—	B.	GA.2
	F.192139						1	S.1		
	F.176122						1	S.1		
	F.176124						1	DTD.239		
95058	A.191552						1	—	B.	GA.3
95059	A.191655						1	—	B.	GA.3
95303	Dunlop A.10054						1	—	B.	
95032	Dunlop A.5826						1	—	B.	
95140	B.198963						1	—	B.	GA.3
95141	C.198962						1	—	B.	GA.3
27G/5062	Dunlop A.10039						1	—	B.	
	D.232208						—	—		
	A.232215						2	M.S.		
	A.232214						1	M.S.		
	A.232212						1	M.S.		
	A.232213						1	M.S.		
	Std.1996/8						2			
	F.232216						1	M.S. Bar		
	F.232217						2	M.S. Bar		
9137	—						4	Steel	C.	
	C.232209						1	M.S.		
	C.232210						1	M.S.		
95644	C.224263						1	—	B.	GA.4
	F.192067						1	BSS.251		
95007	B.201624						1	—	B.	GA.4
95006	A.192534						1	—	B.	GA.4
	A.231118						1	—		
	A.231119						1	—		
95388	A.210992						1	—	B.	GA.4
95389	A.210993						1	—	B.	GA.4
95508	A.210921						1	—	B.	GA.4
95513	B.214835						1	—	B.	
	C.221206						—	—		
95137	C.189263						2	—	B.	GA.7
6133	Std.1996/7						1	Brass	C.	5
95155	A.111811						2	F.16	C.	GA.7
	A.208394						1	—	C.	
	C.206419						1	S.3		

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9136	—						2	Steel	C.	
9137	—						1	Steel	C.	
95514	A.189264						1	F.52	C.	GA.7
95138	C.192836						2	—	B.	GA.7
95068	A.192835						2	F.16	C.	GA.7
95139	B.189267						1	—	B.	GA.7
95069	A.193038						1	S.92B & S.3	C.	GA.7
6133	Std.1996/7						2	Brass	C.	5
	A.208394						1	—		
9136	—						4	—	C.	
95605	B.219222						1	—	B.	GA.7
	A.88468						2	S.1		
	A.192829						1	S.3 & Rubber		
	A.200724						1	—		
	B.219222/1						2	W.2		
	B.219222/2						2	W.2		
	A.188484						1	S.3		
	A.200718						1	—		
	F.186679						1	S.1		
	A.208393						1	—		
95616	B.214206						1	—	B.	GA.7
	A.214436						1	—		
	B.214435						1	—		
	B.214435/2						2	LFB.82		
6133	Std.1996/7						2	Brass	C.	5
95072	A.193720						1	—	C.	GA.7
	Aerolex						1	—		
	F.48/7/508						1	—		
9136	—						3	Steel	C.	
	A.204974						1	—		
95617	A.218961						1	—	B.	GA.5
95618	A.218962						1	—	B.	GA.5
95782	A.192941						1	—	C.	
95783	A.192942						1	—	C.	
26AQ/5983	F.193287						2	Comml. M.S.B.	C.	
95786	F.193285						2	Comml. M.S.B.	C.	
95787	F.193286						2	Comml. M.S.B.	C.	
95788	F.193288						2	Comml. M.S.B.	C.	
①	95789	F.184342					1	Sp. St.	C.	
	C.218224						2	—		
①	95785	A.194621					2	Comml. M.S.B.	C.	

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
95086	A.194464	Guide, for fuel tanks vent connector ... ..	1	—	B.	GA.3
95421	A.214536	Indicator, position, for aileron booster unit adjustment	1	EN.33 & S.3	B.	GA.4
4Q/2604	—	Jack, pillar type, 4 ton, hydraulic ... ..	1	—	A.	
95728	D.227026	Jig, setting, up micro switch, nose undercarriage	1	—	B.	
95733	B.227016	Jig, setting, nosewheel door sequence valve ... ..	1	—	B.	
	F.223909	Key, armament ground test switch ... ..	1	—		
	A.215979	Key, for I.P.N. tank filler cap ... ..	1	—		GA.9
95390	A.212332	Key, for hydraulic reservoir ... ..	1	T.26 & S.3	B.	GA.3
95603	D.213985	Ladder, for pilot, group ... ..	2	—	B.	GA.5
① 4G/3966	—	Mats, for main plane ... ..	2	—	B.	
95607	B.208925	Pad, jacking, at frame 11, group ... ..	1	—	B.	GA.2
6133	Std.1996/7	Chain, 7" long ... ..	2	Brass	C.	5
	Aerolex F.48/7/508	Pin, quick release (use 28FP/15) ... ..	2	—		
9136	—	Ring, split type, 3/4" dia. ... ..	4	Steel	C.	
95606	B.205909	Pad, jacking, for main plane, group ... ..	2	—	B.	GA.2
6133	Std.1996/7	Chain ... ..	2	—	C.	5
	Aerolex F.48/7/508	Pin, quick release (use 28FP/15) ... ..	2	—		
9138	—	Ring, split type, 1 1/4" dia. ... ..	4	Steel	C.	
95608	A.205912	Pad, jacking, for nose undercarriage, group ... ..	1	—	B.	GA.2
6133	Std.1996/7	Chain, 7" long ... ..	1	—	C.	5
	B.205911	Pad, jacking ... ..	2	Casting		
95065	A.164139	Pennant ... ..	1	—	C.	GA.2
	Aerolex F.48/7/830	Pin, quick release (use 28FP/638) ... ..	1	—		
	D.193482	<b>PICKETING AND REARWARD TOWING, ASSEMBLY</b>	—	—		
95203	F.159908	Bolt, picketing, for rear fuselage, group ... ..	1	—	C.	GA.5
6133	Std.1996/7	Chain, 7" long ... ..	1	Brass	C.	5
95632	F.159909	Eyebolt ... ..	1	S.95.B	C.	
95065	A.164139	Pennant ... ..	1	—	C.	GA.2
9137	—	Ring, split type, 1" dia. ... ..	2	—	C.	
4G/4137	—	Bridle, towing, 50 ft. long ... ..	1	—	A.	
95205	A.176437	Shackle, picketing, for main undercarriage, group	2	—	C.	GA.5
6133	Std.1996/7	Chain, 7" long ... ..	3	Brass	C.	5
95071	F.176436	Collar, locking ... ..	1	T.45 & S.3	C.	GA.5
95065	A.164139	Pennant ... ..	1	—	C.	GA.2
	Aerolex F.48/7/512	Pin, quick release (use 28FP/17) ... ..	1	—		
9136	—	Ring, split type, 3/4" dia. ... ..	4	Steel	C.	
95204	A.176434	Shackle, picketing, for nose undercarriage, group	1	—	C.	GA.5
6133	Std.1996/7	Chain, 7" long ... ..	2	Brass	C.	5
95065	A.164139	Pennant ... ..	1	—	C.	GA.2
	Aerolex F.48/7/830	Pin, quick release (use 28FP/638) ... ..	1	—		
9136	—	Ring, split type, 3/4" dia. ... ..	3	Steel	C.	
① 95306	A.201030	Lock, rigging, elevator control tube ... ..	1	—	C.	GA.7
95307	A.201031	Lock, rigging, aileron and rudder control tubes ... ..	2	—	C.	GA.7

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
	D.191909	<b>PICKETING AND REARWARD TOWING, ASSEMBLY</b> (S.O.O. for embalmed aircraft only)								
95203	F.159908	<b>Bolt</b> , picketing, for rear fuselage, group ...	1					C.	GA.5	
6133	Std.1996/7	<b>Chain</b> , 7" long ...	1				Brass	C.	5	
95632	F.159909	<b>Eye-bolt</b> ...	1				S.95.B	C.		
95065	A.164139	<b>Pennant</b> ...	1					C.	GA.2	
9137	—	<b>Ring</b> , split type, 1" dia. ...	2					C.		
4G/4137	—	<b>Bridle</b> , rearward towing ...	1					A.		
	B.191910	<b>Fitting</b> , picketing and rearward rowing, at main undercarriage, group	2						GA.5	
6133	Std.1996/7	<b>Chain</b> , 7" long ...	3				Brass	C.	5	
95071	F.176436	<b>Collar</b> ...	1				M.S.P. & M.S.T.	C.	GA.5	
95065	A.164139	<b>Pennant</b> ...	1					C.	GA.2	
	Aerolex	<b>Pin</b> , quick release (use 28FP/17) ...	1							
	F.48/7/512									
9137	—	<b>Ring</b> , split type, 1" dia. ...	5				Comml.	C.		
	A.191716	<b>Fitting</b> , picketing, at nose undercarriage, group ...	1						GA.5	
6133	Std.1996/7	<b>Chain</b> , 7" long ...	2				Brass	C.	5	
95065	A.164139	<b>Pennant</b> ...	1					C.	GA.2	
	Aerolex	<b>Pin</b> , quick release (use 28FP/638) ...	1							
	F.48/7/830									
9137	—	<b>Ring</b> , split type, 1" dia. ...	2				Comml.	C.		
95309	A.204865	<b>Piece</b> , distance, for use at front fuselage attachment nuts	1				M.S.B.	C.	GA.8	
	C.231753	<b>PIPE, DE-FUELLING EQUIPMENT, FOR "WHEELS UP," ASSEMBLY</b>								
	C.231754	<b>Pipe</b> , group ...	1					A.	GA.7	
	Std.1996/6	<b>Chain</b> , 6" long ...	1				Brass	C.	5	
	B.207509	<b>Handle</b> , for coupling ...	1				Comml.			
	F.209903	<b>Nut</b> , special ...	4				M.S.			
	A.231679	<b>Pipe</b> ...	1				S.92.B			
	C.207508	<b>Pipe</b> , defuelling ...	1							
	Avica	<b>Pipe</b> , flexible, 1½" ...	1							
	1/12/72/AA									
	Flight	<b>Valve</b> , coupling, refuelling (alternative to FC.110)	1							
	Refuelling									
	C.0724000/1									
27F/2227	Avery Hardoll	<b>Valve</b> , coupling, refuelling group (alternative to C.0724000/1)	1					A.		
	F.C.110									
27F/2228	FC.109	<b>Cover</b> , dust, group ...	1					C.		
27F/2599	GC.339	<b>Ring</b> , sealing ...	1					C.		
95423	B.202832	<b>Rail</b> , for engine, between frames 34 and 37, group ...	1					B.	GA.6	
6133	Std.1996/7	<b>Chain</b> , 7" long ...	1				Brass	C.	5	
	Std.1996/14	<b>Chain</b> ...	1				Brass			
	F.201826	<b>Label</b> ...	1							
	Aerolex	<b>Pin</b> , quick release (use 28FP/19) ...	1							
	F48/7/514									
	B.191737/3	<b>Plate</b> , indicator ...	1				Comml. M.S.B.			

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9137 5P/2908 95029 6133	B.191737/1						1	Comml.	C. B. A. B. C.	GA.7 5
	—						3	M.S. Wire		
	B.203904						1	S.95.B & S.1		
	—						1	—		
	C.191636						2	—		
	Std.1996/7						1	Brass		
	F.191640						2	Comml. M.S.B.		
	F.191638						1	Comml. M.S.B.		
	A.193720						1	—		
	9136	—					2	Steel		
95072 9136	F.191639						4	Comml. M.S.B.	C. C.	GA.7
	—						1	—		
	A.193720						2	Steel		
	—						4	Comml. M.S.B.		
	F.191639						1	—		
	D.188575						4	S.95.B		
	F.188573						4	S.95.B		
	A.188570						4	BS.302		
	D.188575/1						4	Stpg.		
	B.188566						1	—		
6133	A.188726						2	S.94.B or S.95.B	C.	5
	F.187729						1	S.1		
	F.187728						4	Stpg.		
	A.188572						2	Stpg.		
	B.188565						2	—		
	B.188567						2	Brass		
	Std.1996/7						2	—		
	Aerolex						4	—		
	F.48/7/813						2	—		
	9136	—					2	—		
95369 95070	B.188568						1	—	B. C.	GA.6 GA.2
	D.206951						2	S.95.B		
	F.188573						2	B.S.302		
	D.206951/1						2	B.S.302		
	D.206951/2						1	Brass		
	F.200603						2	—		
	B.200600						2	—		
	B.207066						1	—		
	A.207187						2	S.94.B or S.95.B		
	F.187729						1	S.1		
9138	F.187728						4	—	C.	GA.6 GA.2
	F.200668						2	—		
	—						2	—		
	B.194418						2	Stmpg.		
	B.207178						1	Stmpg.		
	D.206951						1	—		
	F.188573						2	S.95.B		
	D.206951/1						2	B.S.302		
	D.206951/2						2	B.S.302		
	F.200603						1	Brass		
B.200600						2	—			
B.207066						2	—			
A.207187						1	—			
F.187729						2	S.94.B or S.95.B			
F.187728						1	S.1			
F.200668						4	—			
—						2	—			
B.194418						2	Stmpg.			
B.207178						1	Stmpg.			

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.	
			1	2	3	4	5				
	B.207179	Shackle, at sling to spreader strut attachment, rear, starboard						1	Stmpg.		
	B.207180	Shackle, at sling to spreader strut attachment, front, port						1	Stmpg.		
	B.207181	Shackle, at sling to spreader strut attachment, front, starboard						1	Stmpg.		
	A.200602	Spigot, assembly ... ..						2	—		
	B.200594	Strut, spreader, side ... ..						2	—		
	A.200598	Strut, forward ... ..						1	—		
	A.200599	Strut, rear ... ..						1	—		
	Std.1676	Tally ... ..						1	—		
95370	D.206952	Sling, for salvaging (Fuselage only with engine), group (S.O.O.)						1	—	B.	GA.2
95070	F.188573	Bolt, fork, for attaching sling to aircraft ... ..						4	S.95.B	C.	GA.2
95074	A.188570	Bolt, fork, for attaching spreader strut to link ... ..						4	S.96.B	C.	GA.2
	D.206952/1	Cable, forward ... ..						2	BS.302		
	D.206952/2	Cable, rear ... ..						2	BS.302		
	F.194575	Label ... ..						1	Brass		
	B.188566	Link, between spreader strut and aircraft attachment bolts						2	—		
	A.194422	Link, slinging, group ... ..						1	—		
	F.187729	Pin ... ..						2	S.94.B or S.95.B		
	F.187728	Roller ... ..						1	S.1		
	F.194423	Piece, distance ... ..						2	M.S.		
	F.194424	Piece, distance ... ..						2	M.S.		
	F.194425	Piece, distance ... ..						2	M.S.		
9138	—	Ring, split type, 1 1/4" dia. ... ..						2	Steel	C.	
	B.194418	Shackle, at sling to top link attachment ... ..						2	Stmpg.		
	A.207182	Shackle, at sling, for spreader strut attachment, rear						2	Stmpg.		
	A.207183	Shackle, at sling, for spreader strut attachment, forward						2	Stmpg.		
	B.188567	Strut, spreader, front and rear, group ... ..						2	—		
6133	Std.1996/7	Chain, 7" long ... ..						2	Brass	C.	5
	Aerolex	Pin, quick release (use 28FP/625) ... ..						2	—	—	
	F.48/7/813	Ring, split type, 3/4" dia. ... ..						3	Steel	C.	
9136	—	Strut, spreader, side ... ..						2	—		
95610	D.222260	Sling, lifting, for windscreen, group ... ..						1	—	B.	GA.9
	D.222261	Bracket ... ..						1	S.95.B		
	D.222260/1	Cable, forward, 80-90 ton ... ..						1	BS.302		
	D.222260/2	Cable, rear, 80-90 ton ... ..						2	BS.302		
	F.222262	Eye-bolt ... ..						2	S.95.B		
	C.220362	<b>SLINGING AND TRESTLING, FRONT FUSE-LAGE, ASSEMBLY</b>						—	—		
95614	C.220363	Beam, at rear trestle, group ... ..						1	—	B.	GA.1
6133	Std.1996/7	Chain, 7" long ... ..						4	Brass	C.	5
	F.220356	Eye-bolt ... ..						2	S.1		GA.1
	F.221280	Hook ... ..						1	M.S. comml.		

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5					
	F.221281						1	M.S. comml.			
	A.230751						4	S.1			
	F.221241						2	BSS.250.B			
	Aerolex						4	—	—		
	F.48/7/513						4	—	—		
9136	—						8	Steel	C.		
95052	A.189921						2	S.3 & L.16	C.	GA.1	
95613	C.220364						1	—	B.	GA.1	
6133	Std.1996/7						5	Brass	C.	5	
	F.220356						2	S.2			
	A.230751						4	S.1			
	Aerolex						4	—	—		
	F.48/7/513						1	—	—		
	Aerolex						1	—	—		
	F.48/7/609						5	Steel	C.		
9136	—						1	S.1 & S.3	C.	GA.1	
95611	A.230750						1	—	B.	GA.1	
	C.220365						1	—			
	C.220365/1						2	BS.302			
	C.220365/2						2	BS.302			
	C.220365/3						2	BS.302			
	C.220365/4						2	BS.302			
	F.220357						8	S.3			
	B.220359						1	S.92.B			
	B.220360						2	—			
95615	B.220361						2	—	B.	GA.1	
	Std.1996/6						2	Brass			
	Aerolex						2	—	—		
	F.48/7/1023						2	Steel	C.		
9136	—						2	Steel	C.		
4G/	—						2	—	A.		
	B.190381	<b>SLINGING AND TRESTLING, CENTRE FUSELAGE, ASSEMBLY</b>						—			
95020	C.190377						2	—	B.	GA.1	
6133	Std.1996/7						4	Brass	C.	5	
	F.180683						4	S.1			
	Aerolex						4	—	—		
	F.48/7/513						4	Steel	C.		
9136	—						4	Steel	C.		
95049	C.190378						1	—	B.	GA.1	
	C.190378/1						1	BS.302			
	C.1900378/2						1	BS.302			
	F.190386						4	Comm. M.S.			
	B.190380						4	—			
6133	Std.1996/7						1	Brass	C.	5	
	Aerolex						1	—	—		
	F.48/7/813						1	—	—		

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
9136	—	Ring, split type, 3/4" dia.	...	...	...	1	Steel	C.		
	F.190384	Pin, forked	...	...	...	2	S.1			
	F.186238	Ring, lifting	...	...	...	1	S.92.B			
	B.190379	Strut, upper, group	...	...	...	1	—			
	A.190383	Strut, lower, group	...	...	...	2	—			
4G/	—	Trestle, U.J., No. 1	...	...	...	2	—	A		
	C.207184	<b>SLINGING AND TRESTLING, REAR FUSELAGE (WITHOUT TAIL UNIT), ASSEMBLY</b>					—			
95041	C.190878	Cradle, front, group	...	...	...	1	—	B.	GA.1	
6133	Std.1996/7	Chain, 7" long	...	...	...	4	Brass	C.	5	
95512	F.180694	Eye-bolt	...	...	...	2	S.1	C.		
	F.180683	Lever	...	...	...	4	S.1			
	Aerolex	Pin, quick release (use 28FP/18)	...	...	...	4	—	—		
	F.48/7/513									
9136	—	Ring, split type, 3/4" dia.	...	...	...	4	Steel	C.	GA.1	
95042	C.190877	Cradle, rear, group	...	...	...	1	—	B.		
6133	Std.1996/7	Chain	...	...	...	4	Brass	C.	5	
95512	F.180694	Eye-bolt	...	...	...	2	S.1	C.		
	A.180683	Lever	...	...	...	4	S.1			
	B.190881	Link, group	...	...	...	1	—			
6133	Std.1996/7	Chain, 7" long	...	...	...	1	Brass	C.	5	
95632	F.159909	Eye-bolt	...	...	...	1	S.95.B	C.		
	Aerolex	Pin, quick release (use 28FP/28)	...	...	...	1	Steel	—		
	F.48/7/615									
9136	—	Ring, split type, 3/4" dia.	...	...	...	1	Steel	C.		
	Aerolex	Pin, quick release (use 28FP/18)	...	...	...	4	—	—		
	F.48/7/513									
9136	—	Ring, split type, 3/4" dia.	...	...	...	4	Steel	C.		
95366	C.206953	Sling, lifting, group	...	...	...	1	—	B.	GA.1	
	B.189219	Ring, lifting	...	...	...	1	S.92.B			
	C.206953/2	Shackle	...	...	...	4	BS.825			
95368	B.206954	Strut, bracing, group	...	...	...	2	—	B.	GA.1	
6133	Std.1996/7	Chain, 7" long	...	...	...	2	Brass	C.	5	
	Aerolex	Pin, quick release (use 28FP/640)	...	...	...	2	—	—		
	F.48/7/1023									
9136	—	Ring, split type, 3/4" dia.	...	...	...	2	Steel	C.		
4G/	—	Trestle, U.J., No. 1	...	...	...	2	—	A.		
	C.207184	<b>SLINGING AND TRESTLING, REAR FUSELAGE, ASSEMBLY (WITH TAIL UNIT)</b>					—			
95367	B.207188	Sling, lifting, group	...	...	...	1	—	B.	GA.1	
	C.189220	Frame, spreader, for sling	...	...	...	1	T.6 & S.3			
	C.207226	Sling, upper, group	...	...	...	1	—			
	B.189219	Ring, lifting	...	...	...	1	S.92.B			

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6133 95075	B.189217						2	—		
	B.189217/1						1	BS.302		5
	Std.1996/7						1	Brass	C.	GA.1
	F.188901						1	S.95.B	C.	
	Aerolex						1	—	—	
F.48/7/1017						1	Steel	C.		
9138	—					1	Steel	C.		
6133 95075	B.189218						2	—		
	B.189218/1						1	BS.302		5
	Std.1996/7						1	Brass	C.	GA.1
	F.188901						1	S.95.B	C.	
	Aerolex						1	—	—	
F.48/7/1017						1	Steel	C.		
9138	—					1	Steel	C.		
	Std.1676						1	—		
95215	C.200058						1	—	A.	GA.1
	B.200212						1	—		
	D.200062						1	—		
	D.200062/12						2	Bronze		
	C.189645						2	—		
	C.189645/2						1	BSS.369		
	C.189645/7						1	M.S.B.		
	C.189645/5						1	M.S.B.		
	C.189645/1						1	M.S.B.	C.	
							4	M.S.		
95077	D.200062/16						4	S.21.B		GA.1
	D.189637						2	S.21.B	C.	
95078	D.189638						2	—	B.	GA.1
	Dunlop						2	—		
	WDM.564						2	M.S.B.		
	D.200062/11						2	M.S.B.		
27S/	C.200058/1						6	M.S.		
	C.200058/2						2	M.S.		
	C.200060						1	—		
	B.200059						2	—		
	D.200061						1	—		
	SKEFCO 08						2	—	B.	
	D.189642						2	Bronze		
	D.200062/12						2	Bronze		
	C.189645						2	—		
	C.189645/2						1	BSS.369		
	C.189645/7						1	M.S.B.		
	C.189645/5						1	M.S.B.		
	C.189645/1						1	M.S.B.	C.	GA.1
							4	M.S.B.		
	95077	D.200061/16						4	M.S.B.	
D.189637							4	S.21.B		
D.189638							2	S.21.B	C.	
Dunlop							2	—	B.	
	WDM.564						2	—		GA.1

## EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description						No. Off	Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5				
	D.200062/11	Wheel, runner ... ..						2	M.S.B.		
	F.200236	Lug, for tie bar ... ..						4	M.S.		
	C.190463	Strap, attachment, group ... ..						1	—		
	A.179741	Bolt, with plate, group ... ..						1	—		
	F.179739	Bolt ... ..						1	S.1, S.3		
	F.179741/1	Collar ... ..						1	S.1		
	A.200232	Tie-bar ... ..						2	—		
95014	C.188900	Sling, for outer wings group ... ..						1	—	B.	GA.2
	C.188900/1	Cable, forward, 100-110 ton, $\frac{5}{16}$ " dia. ... ..						1	BS.302		
	C.188900/2	Cable, rear, 100-110 ton, $\frac{5}{16}$ " dia. ... ..						1	BS.302		
6133	Std.1996/7	Chain, 7" long ... ..						3	Brass	C.	5
95075	F.188901	Eye-bolt ... ..						3	S.95.B	C.	GA.1
	Aerolex	Pin, quick release (use 28FP/639) ... ..						3	—	—	
	F.48/7/1017										
9138	—	Ring, split type, $1\frac{1}{4}$ " dia. ... ..						3	Steel	C.	
	F.186238	Ring, lifting ... ..						1	S.92.B		
95222	C.199388	Sling, outer wing, for chord vertical lifting ... ..						1	—	B.	GA.2
	C.199388/1	Cable, 100-110 ton, $\frac{5}{16}$ " dia., complete with lifting ring ... ..						4	BS.302		
	C.199388/2	Leather, strip, $\frac{1}{16}$ " thick ... ..						4	—		
	A.199389	Screw, anchorage ... ..						4	—		
	F.199390	Thimble ... ..						4	—		
95016	B.190526	Sling, for tail plane, fin and rudder ... ..						1	—	B.	GA.2
	B.190526/1	Cable, 100-110 ton, $\frac{5}{16}$ " dia. ... ..						2	BS.302		
6133	Std.1996/7	Chain, 7" long ... ..						4	Brass	C.	5
95520	F.190527	Pin ... ..						1	H.T.S.	C.	
95519	F.199873	Pin ... ..						1	—	C.	
	Aerolex	Pin, quick release (use 28FP/26) ... ..						2	—	—	
	F.48/7/612										
	F.180478	Ring, lifting ... ..						1	S.92.B		
9138	—	Ring, split type, $1\frac{1}{4}$ " dia. ... ..						2	Steel	C.	
4G/4783	Rolls Royce J.47623	Sling, for "Avon" engine ... ..						1	—	A.	
95720	B.229927	Sling, hood ... ..						1	—	B.	GA.9
95087	A.194634	Spanner, for Dunlop brake, adjustment ... ..						1	Comml.	B.	GA.3
95311	A.209612	Spanner, for flap hinge bolts ... ..						1	—	B.	GA.8
95228	Britool Z.4948	Spanner, for rear fuselage transport joint nuts ... ..						1	—	B.	
95085	A.194578	Spanner, for inverted flight valve connector ... ..						1	EN.33	B.	GA.3
95081	B.194717	Spanner, for refuelling valve, forward tanks ... ..						1	T.26 & S.3	B.	GA.3
95645	B.224080	Spanner, crutching, for inboard and outboard pylons ... ..						1	—	B.	GA.3
95226	A.201955	Spanner, special, for main fuel delivery joint ... ..						1	EN.33	B.	GA.8
95163	A.197766	Spanner, for hydraulic system, centre fuselage -605" — -610" A/F						1	S.21 & S.3	B.	GA.3
95165	A.197767	Spanner, for hydraulic system, centre fuselage -852" — -830" A/F						1	S.21 & S.3	B.	GA.3

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
95166	A.197768	Spanner, for hydraulic system, centre fuselage 1-015" — 1-020" A/F	1	S.21 & S.3	B.	GA.3
95706	A.222402	Spanner, for gun installation ... ..	1	S.3	B.	GA.3
95715	A.227530	Spanner, dial, for aileron booster unit adjustment	1	—	B.	GA.4
95164	F.199124	Spanner, for hydraulic system, centre fuselage	1	—	B.	GA.3
95304	F.199406	Spanner, for elevator outer hinge lock nut .925" A/F	1	M.S.	B.	GA.8
95305	F.199407	Spanner, for elevator outer hinge bolts .715" A/F	1	M.S.	B.	GA.8
95308	B.204866	Spanner, for front fuselage attachment nuts	1	Steel	B.	GA.8
95425	A.190295	Spanner, for fuel system ... ..	1	Comml.	B.	GA.8
	B.212978	Spanner, for recuperator connector ... ..	1			
	C.214603	Spanner, for fuel coupling in centre fuselage	1			
95503	B.209815	Spanner, wing fuel system ... ..	1	EN.33 or S.15	B.	GA.8
95504	B.209816	Spanner, wing fuel system ... ..	1	EN.33 or S.15	B.	GA.8
95143	F.198704	Spigot, levelling, removable, group ... ..	2	—	B.	GA.3
6133	Std.1996/7	Chain, 7" long ... ..	1	Brass	C.	5
95065	A.164139	Pennant ... ..	1	—	C.	GA.2
9136	—	Ring, split type, 3/4" dia. ... ..	1	Steel	C.	
4G/4231	Rolls Royce GE.6004 Sht. 1	Stand, for Avon Engine, Type "B" ... ..	1	—	A.	
95234	B.199253	Strut, bracing, for gun removal, group ... ..	1	—	B.	GA.8
	F.199257	Block, trunnion ... ..	1	S.1		
	F.199255	Bolt, fork ... ..	1	M.S.B.		
	A.199254	Fork-end ... ..	1	S.I.B.		
	F.199256	Pin, trunnion ... ..	1	M.S.B.		
95725	B.230207	Strut, jury, for hood, group ... ..	1	—	B.	GA.9
	F.230212	Block ... ..	1	M.S.		
	Std.1551/1/145	Bolt ... ..	1			
	F.230210	Fork-end ... ..	1	M.S.		
	A.230211	Fork-end ... ..	1	M.S.		
	F.230209	Hook ... ..	1	M.S.		
	A.515	Pin, pip ... ..	1	—		
	A.230208	Strut ... ..	1	T.45		
95427	C.208502	Test Equipment, for Fuel System, group (Mod. 385 S.O.O.)	1	—	B.	GA.2
	A.211191	Adaptor, for spine connection, group ... ..	1	—		
1731	F.193381	Ring, sealing ... ..	1	Rubber	C.	
	C.212514	Box, for test equipment ... ..	1	—		
	B.207700	Box, control, group ... ..	1	—		
	SK.342/1	Controller, 1V ... ..	1	—		
	Std.1371.C	Coupling ... ..	1	DTD.423		
	B.207700/1	Hose, 3/8" i/d x 12 ft. long ... ..	1	—		
	F.207701	Nipple, special ... ..	1	L.65.C		
	BEN/S.A.48 or SA.179	Plug, 'Instantair' ... ..	1	—		
6074	A.207899	Bung, for forward vent pipe, group ... ..	1	—	C.	

## EQUIPMENT-ANCILLARY


Ref. No.	Part No.	Description	1 2 3 4 5					No. Off	Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5				
95665	A.194466	Bolt ... ..						1	—		
	A.194464/1	Gland ... ..						1	—	C.	
	F.194467	Ring, locking ... ..						1	—		
	A.207818	Cover, blanking, for refuelling pressure relief valve, group						2	—		
27Q/	A.207800	Clamp ... ..						1	M.S.		
	A.207817	Nut, wing ... ..						1	—		
	F.207793	Plunger, group ... ..						1	—		
	Dowty	Ring, seal ... ..						1	—	C.	
	S.P.597/9										
5269	Fairey Aviation Co.	Ring, retaining ... ..						2	—	C.	
95734	A.230916	Tool, engagement, braking parachute shackle ...						1	S.510	B.	
95080	B.191654	Tool, for undercarriage up-lock ... ..						1	—	B.	GA.3
95223	B.200521	Tool, for assembly of transport joint spigot ...						1	—	B.	GA.8
95516	C.215976	Tool, for alignment of gun and barrel support, group						1	—	A.	GA.9
	C.215999	Barrel ... ..						1	M.S.		
	F.216000	Screw, special ... ..						3	EN.33		
	B.215997	Sleeve ... ..						1	EN.33		
	A.215998	Spigot ... ..						1	EN.33		
95557	B.215975	Tool, bearing rotation ... ..						1	M.S.	B.	GA.9
4Q/2618	—	Trestle, Mk. 1 ... ..						1	—	A.	
4Q/2620	—	Trestle, Mk. 3 ... ..						2	—	A.	
4G/	—	Trestle, U.J., No. 6 ... ..						4	—	A.	
95216	D.200213	Trolley, removal, for engine unit, group (Mod. GE.51)						1	—	A.	GA.6
	B.200212	Arm, towing ... ..						1	—		
	D.200198	Aft-end, group ... ..						1	—		
	D.189644	Collar, wheel attachment ... ..						2	M.S.		
	C.189645	Jack, screw, group ... ..						2	—		
	C.189645/2	Bush ... ..						1	BSS.369		
	C.189645/7	Grub-Screw ... ..						1	M.S.B.		
	C.189645/5	Nut ... ..						1	M.S.B.		
95076	C.189645/1	Shaft, screwed ... ..						1	M.S.B.	C.	GA.1
	D.200198/16	Nut, wheel attachment ... ..						4	M.S.		
95079	D.189643	Spindle, for wheel ... ..						2	S.21.B	B.	GA.6
95078	Dunlop WDM.564	Wheel, complete with solid tyre ... ..						2	—	B.	GA.1
27S/	C.200058/1	Bolt, attaching side frames ... ..						6	M.S.		
	C.200058/2	Bolt, attaching side frames ... ..						2	M.S.		
	B.200191	Frame, centre ... ..						1	—		
	B.200188	Frame, side ... ..						2	—		
	D.200197	Forward end, group ... ..						1	—		
	SKO/06/08	Bearing, thrust race ... ..						2	—	B.	
	D.189642	Bush, for castor fork spindle ... ..						2	Bronze		
	C.189645	Jack, screw, group ... ..						2	—		
	C.189645/2	Bush ... ..						1	BSS.369		
	C.189645/7	Grub-Screw ... ..						1	M.S.B.		


EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
95076	C.189645/5					<b>Nut</b> ... ..	1	M.S.B.	C.	GA.1
	C.189645/1					<b>Shaft</b> , screwed ... ..	1	M.S.B.		
95077	D.200197/12					<b>Nut</b> , wheel attachment ... ..	4	M.S.	B.	GA.1
	D.189637					<b>Piece</b> , distance, for wheel spindle ... ..	4	S.21.B		
95078	D.189638					<b>Spindle</b> ... ..	2	S.21.B	B.	
	Dunlop WDM.564					<b>Wheel</b> , complete with solid tyre ... ..	2	—	B.	
	F.200238					<b>Lug</b> , for tie bar... ..	2	M.S.		
	F.200237					<b>Lug</b> , for tie bar... ..	2	M.S.		
	D.200210					<b>Rail</b> , group ... ..	1	—		
	F.196530					<b>Bolt</b> , at lower rail ... ..	1	S.95.B		
	D.200210/16					<b>Bolt</b> , special ... ..	2	M.S.		
	F.196531					<b>Nut</b> , at lower rail ... ..	1	S.95.B		
	Aerolex F.48/7/817					<b>Pin</b> , pip (use 28FP/42) ... ..	1	—	—	
	D.200210/19					<b>Tommy-bar</b> ... ..	2	M.S.		
	A.200233					<b>Tie-bar</b> ... ..	2	—		
4F/1714	—					<b>Trolley</b> , pressure, cabin testing, Mk. 1C ... ..	1	—	A.	
4F/1685	—					<b>Trolley</b> , hydraulic, Mk. 2 ... ..	1	—	A.	
4F/1690	—					<b>Trolley</b> , electrical servicing and testing, Mk. 1A ... ..	1	—	A.	
4G/4220	—					<b>Trolley</b> , oxygen charging, Mk. 2 ... ..	1	—	A.	
4G/4221	—					<b>Trolley</b> , charging H.P. air, Mk. 2 ... ..	1	—	A.	
4G/	—					<b>Trolley</b> , for radar, cooling and testing... ..	1	—	A.	
	B.214055					<b>Weather covers</b> , assembly (Refer to AP.1086 section, 27D/1)	—	—		

EQUIPMENT-ANCILLARY


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				

















































This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

